GOVERNMENT OF NORTHERN IRELAND.

THE

REGISTRAR-GENERAL'S

FIFTH ANNUAL REPORT

CONTAINING GENERAL
ABSTRACTS OF

Marriages, Births and Deaths

REGISTERED IN

NORTHERN IRELAND

DURING THE YEAR

1926

TRANSMITTED PURSUANT TO THE PROVISIONS OF ACTS 7 & 8 VIC., C. 81, 26 VIC., C. 11, AND 26 & 27 VIC., C. 90.

Ordered by the House of Commons to be printed, 24th November, 1927.

BELFAST:

PUBLISHED BY H.M. STATIONERY OFFICE ON BEHALF OF THE GOVERNMENT OF NORTHERN IRELAND.

To be purchased directly from
H.M. STATIONERY OFFICE, at the following addresses:—
15, DONEGALL SQUARE WEST, BELFAST;
120, George Street, Edinburgh; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff;
or Adastral House, Kingsway, London, W.C.2,
or through any bookseller.

H.C. 134.] *Price 2s. 6d. net.*

CONTENTS.

REPORT: PAGE.

INTRODUCTORY PARAGRAPHS 5

GENERAL SUMMARY: Population, Marriages, Births, Deaths, Migration, The Weather and Vaccination 6

MARRIAGES:

Number and Proportion to the Population 9
Number by each Method of Celebration, 1916–26 9
Civil Condition of Persons Married 9
Marriages in each quarter 1926 9
Signatures to Marriage Registers and Certificates 9

BIRTHS:

Number and Proportion to the Population 9
Number of Births registered and Percentage of Illegitimate Births, 1916–26 10
Proportion of Illegitimate Births in the several Counties of Northern Ireland 10
Number of Births registered in each of the four quarters of 1926 10
Multiple Births 10

DEATHS:

Number and Proportion to the Population 11
Number of Deaths registered in each of the four quarters of 1926, and the equivalent annual death rates 11
Number of Deaths in Institutions 11
Causes of Death—
General Observations 12
Observations on the Mortality from each of the Principal Causes 13
Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1926 11
Deaths from the Principal Causes, 1916–26 12
Death rates from the Principal Causes and Percentage of Uncertified Deaths, 1916–26 13
Deaths from Tuberculous Disease 14
Deaths from Cancer 16
Deaths of Women from Diseases caused by or associated with Pregnancy or Childbirth 19
Deaths from Violence 19

Uncertified Deaths 20

Inquests 20

Ages at Death 21

Infant Mortality—
General Observations 21
Death rates from the Principal Causes, 1916–26 22
Death rates in Urban and Rural Areas, 1924–26 23
Mortality among Illegitimate Children, 1926 24

CONCLUDING PARAGRAPH 24

ABSTRACTS:

I.—Births and Deaths registered in each of the Counties and Rural and Urban Areas, distinguishing the Sexes, and Illegitimate Births 27

II.—Marriages registered in each of the Counties, *showing* Method of Celebration 31

III.—Marriages registered in each of the Counties, showing the number registered in each quarter of the year, the Conjugal Condition of the Persons married and the number of Minors 31

CONTENTS.

ABSTRACTS—(*Continued*): PAGE.

IV.—Births registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females 32

V.—Deaths registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females 32

VI.—Deaths of Males and Females at different Age-Periods in each of the Counties 33

VII.—Causes of Deaths of Males and Females at different Age-Periods 34

VIII.—Deaths from the Principal Causes, and Uncertified Deaths in Counties and Urban and Rural Areas, distinguishing Males and Females 52

IX.—Deaths in Institutions 65

X.—Population of Northern Ireland at each of the nine Censuses, 1841–1926 66

XI.—Estimated Population of Northern Ireland in the middle of each of the years 1911–26 66

XII.—Population of Northern Ireland by Sexes and Ages according to the Census of 1911 66

INDEX to Poor Law Unions or Superintendent Registrars' Districts 67

MARRIAGES, BIRTHS AND DEATHS, NORTHERN IRELAND, 1926.

FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL.

GENERAL REGISTER OFFICE,
MURRAY STREET, BELFAST,
18*th November*, 1927.

To the Right Honourable Hugh MacDowell Pollock,
Minister of Finance for Northern Ireland.

SIR,

I have the honour to submit the Fifth Annual Report on the Marriages, Births and Deaths registered in Northern Ireland during the year 1926, together with Abstracts of the numbers of such registrations. The Report draws attention to the salient features of the Abstracts; figures relating to previous years are included for purposes of comparison, and information is given relating to migration, the weather and vaccination.

The Abstracts of Marriages, Births and Deaths have been prepared for presentation to Parliament pursuant to the provisions of Statutes governing the systems of registration.

In this Report, as in those of 1924 and 1925, the smallest units of the country for which statistics of births and deaths are given are the Sanitary Districts, *i.e.*, the County Boroughs, Urban Districts, and Rural Districts; and births and deaths have been allocated to the district of normal residence. Thus, births have been assigned to the Sanitary Districts containing the usual residences of the parents, and deaths to the Sanitary Districts containing the usual residences of the deceased persons. Continued co-operation on the part of the Registrars has facilitated the process of allocation. As in the two previous Reports, statistics of marriages are not given for areas smaller than Counties.

Pending publication of the final reports of the Census of 1926, it is not possible to attempt any adjustment for sex and age distribution of the population, for the purpose of enabling accurate comparisons of death rates to be made with those for other parts of the British Isles, etc., and the death rates given in this Report, as in previous Reports, must be regarded as subject to the limitations which necessarily attach to crude rates.

Estimates of the population of Northern Ireland, made for the purposes of the Registrar-General's Annual Reports, are based upon the population figure as ascertained at the last preceding Census,

and the numbers of births and deaths registered in the meantime, adjustments being made for migration and movements of military. The returns of migration now used for the purposes of these estimates are those published by the Board of Trade, London, which give the numbers of British migrants between Northern Ireland and non-European countries. No figures are available showing the movement between Northern Ireland on the one hand, and Great Britain, the Irish Free State, and other European countries on the other, and consequently no account can be taken of this movement in estimating the population of Northern Ireland. It seems probable, however, that if it were possible to take account of such movement, the figures representing the net migration from Northern Ireland would not be affected to a very marked degree.

Estimates of the population as at the middle of each of the years 1911 to 1926 arrived at as above described are shown in Abstract XI. In framing these estimates use has been made of the Preliminary figures of the 1926 Census, and the rates in this Report for the country as a whole have been based upon these estimates. As regards divisions of the country however, no estimates have been made, the Census Preliminary figures being given in Abstracts I and VIII and the rates in Table 9 being based upon these figures.

GENERAL SUMMARY.

The latest enumerated population of Northern Ireland, obtained from the Census of 1926, is 1,256,322. This figure is taken from the Preliminary Census Report, and is, therefore, provisional. The estimated population in the middle of 1926 is 1,254,000, including military.

The results of the year's registration show that the marriage, birth and death rates are all below the average for the previous ten years. As compared with the previous year the marriage and death rates show a reduction, while the birth rate shows an increase.

Marriages registered during the year numbered 7,228. The equivalent marriage rate was 5.76 per 1,000 of the estimated population, a reduction of 0.35 as compared with the rate for the previous year.

TABLE 1.—Northern Ireland: Marriages, Births and Deaths Registered and Estimated Population, 1916-26.

Year.	* Estimated Population in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1916	1,205,000	7,038	26,623	20,764	5.84	22.1	17.2
1917	1,208,000	6,872	24,949	21,011	5.69	20.7	17.4
1918	1,214,000	7,797	26,212	25,013	6.42	21.6	20.6
1919	1,250,000	9,992	27,496	22,836	7.99	22.0	18.3
1920	1,258,000	9,550	32,521	21,017	7.59	25.9	16.7
1921	1,258,000	8,121	29,710	19,301	6.46	23.6	15.3
1922	1,269,000	8,072	29,531	19,795	6.36	23.3	15.6
1923	1,259,000	7,974	30,097	18,790	6.33	23.9	14.9
1924	1,258,000	7,514	28,496	20,299	5.97	22.7	16.1
1925	1,257,000	7,682	27,686	19,784	6.11	22.0	15.7
Average, 1916–25...	1,243,600	8,061	28,332	20,861	6.48	22.8	16.8
1926	1,254,000	7,228	28,162	18,827	5.76	22.5	15.0
		Irish Free State.					
1926	2,970,000	13,570	61,176	41,740	4.57	20.6	14.1

* See Abstract XI.

The highest point reached by the marriage rate in the past ten years was 7.99 per 1,000 in 1919, immediately following the conclusion of the war, since when a steady decline, only once checked (in 1925), has been shown. With the exception of 1917, one of the war years, when the rate stood at 5.69, the rate for 1926 is the lowest recorded in the past ten years.

The number of births registered during the year was 28,162, the birth rate being 22.5 per 1,000. This rate is 0.5 above the rate for 1925 and 0.3 below the average rate for the ten years 1916–25. From the relatively low point of 20.7 per 1,000, recorded for 1917, the birth rate rose sharply to the exceptionally high point of 25.9 in 1920. With a slight check in 1923, the rate declined steadily to 22.0 in 1925, from which a slight increase is now shown.

Deaths registered during the year numbered 18,827, affording a death rate of 15.0 per 1,000. This rate is 0.7 below the rate for 1925 and 1.8 below the average rate for the previous ten years. This relatively low death rate is mainly due to an appreciably lower number of deaths from influenza, tuberculosis and respiratory diseases than the average for the previous ten years, which was only partially offset by the higher numbers of deaths from cancer and measles.

The death rate in Northern Ireland has shown considerable variation over the past ten years. High during the war years, it fell steadily till in 1923 it stood at 14.9. In 1924 a sudden rise to 16.1 was experienced, which was largely accounted for by an epidemic of influenza and a high rate from respiratory diseases in that year. Since 1924, however, a decrease has been recorded each year, and the rate of 15.0 for 1926 is, with the exception of that for 1923, the lowest recorded during the past ten years.

The number of deaths from tuberculous disease registered during the year was 1,841, the equivalent rate being 1.47 per 1,000 as compared with 1.67 in 1925. The rate from this disease declined steadily from the high figure of 2.54 in 1918 to 1.62 in 1923. A slight upward tendency was indicated in 1924 and 1925, which, however, has been checked by a fall in the rate for 1926 to a point lower than any ever recorded for Northern Ireland.

Deaths from cancer, including malignant disease, numbered 1,410, being 31 less than the number recorded for 1925 and 124 more than the average number for the ten years 1916–25. The death rate from this disease showed an increase each year from 1922 to 1925. A decrease as compared with the latter year is now shown.

Deaths from bronchitis and pneumonia numbered 2,409. This number is 251 less than that recorded for 1925 and 711 less than the average annual number of deaths from those diseases during the ten years 1916–25.

Migration.—According to returns published by the Board of Trade, London, the total number of emigrants from Northern Ireland to countries outside of Europe during the year 1926 was 12,844, and the immigrants into Northern Ireland from those countries numbered 1,275. The net migration from Northern Ireland during the year thus amounted to 11,569 persons, an increase of 4,429 compared with 1925.

The Weather.—Reports on the weather experienced in Northern Ireland during each month of the year 1926, as furnished by the Director of the Meteorological Office, London, are published in the

Quarterly Returns of Marriages, Births and Deaths for that year. Table 2 of this report shows the Average Air Temperature, Rainfall and Sunshine for Northern Ireland in 1926, and has been compiled from the tables published in the Quarterly Returns.

Over Northern Ireland as a whole the average temperature during 1926 was in excess of normal, while the average rainfall and sunshine were slightly below the normal. The first two months of the year were very wet and, apart from two short periods during which snow fell and there was an accompanying fall in the temperature, unseasonably mild. March was also mainly mild, with many bright periods. Rainfall was below normal in this month, the latter half of which was comparatively dry. The first half of April was mild and dry. A period of unsettled weather, characterised by the prevalence of northerly winds, began about the middle and lasted throughout the latter half of the month. The months of May and June were mainly cold and unsettled, not however without periods of bright and warm weather. Temperature and sunshine records were below normal for both of these months, while the rainfall was about normal. The first extended period of fair, settled weather began during the last week in June and lasted till the middle of July. Thereafter the weather of July was unsettled. August was on the whole a month of good weather, the temperature and sunshine records being above normal and rainfall deficient. A period of unsettled weather was experienced about the middle of this month. September was characterised by warm, cloudy weather for the greater part of the month. A wet spell occurred during the second week, but thereafter the weather became more settled, and up to the middle of October considerable fair periods were experienced. The latter half of October was cold and wintry, and ground frosts were experienced frequently. November was cold and wet, temperature and sunshine being below the normal, while rainfall was in excess. Thunderstorms and gales occurred on several occasions throughout the month. The weather of December was particularly dry, the total rainfall of 29 mm. being 52 mm. less than normal.

TABLE 2—Northern Ireland: Average Air Temperature, Rainfall and Sunshine obtained from Readings taken at the Stations of Lisburn, Donaghadee and Armagh, 1926.

Month.	Air Temperature.						Rainfall.*			Sunshine.†	
	Highest.	Lowest.	Means of			Deviation from Normal.	Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation from Normal.
			Daily Maximum.	Daily Minimum.	Daily Mean.						
	°F.	°F.	°F.	°F.	°F.	°F.	mm.	mm.		hrs.	hrs.
January ...	54	26	46.6	37.3	42.0	+2.5	111	+47	26	1.34	−0.08
February ...	57	28	48.3	39.7	44.0	+3.9	68	+11	20	1.23	−1.00
March ...	57	29	49.1	38.6	43.9	+2.3	36	−22	14	2.06	−1.29
April ...	65	32	55.2	41.2	48.2	+2.7	46	− 6	16	5.45	+0.55
May ...	68	29	56.3	42.0	49.2	−1.4	62	+ 3	20	5.05	−0.79
June ...	75	37	62.8	47.4	55.1	−0.7	54	− 7	12	5.29	−0.31
July ...	84	43	67.9	52.9	60.4	+2.4	73	+ 1	16	5.25	+0.54
August ...	74	42	66.9	51.9	59.4	+1.9	80	− 8	20	5.31	+1.02
September	74	35	63.3	49.1	56.2	+2.0	48	−13	18	3.87	−0.10
October ...	72	24	53.0	40.5	46.8	−1.6	82	+11	18	3.75	+0.88
November...	57	26	47.9	37.0	42.4	−1.1	92	+17	18	1.83	−0.17
December...	52	24	45.2	36.9	41.1	+0.8	29	−52	13	1.03	−0.16
Year 1926...	84	24	55.2	42.9	49.1	+1.1	781	−18	211	3.46	−0.08

* Average figures for the stations of Donaghadee and Armagh only.
† These figures relate to the records obtained at the station of Armagh only.

Vaccination.—As returned by the Registrars, the Successful Primary Vaccinations during the year numbered 24,106, the number of births registered during the year being 28,162. The number of Successful Primary Vaccinations is thus about 86 per cent. of the total number of births registered.

MARRIAGES.

Marriages registered during the year numbered 7,228, the rate being 5.76 per 1,000 of the estimated population. This rate is 0.35 below that for the year 1925, and 0.72 below the average rate for the ten years 1916–25.

TABLE 3.—Northern Ireland: Marriages Registered, according to Methods of Celebration, 1916-26.

Year.	Church of Ireland.	Presbyterian.	Roman Catholic.	Registered Bldgs.	In Presence of Registrar.	Society of Friends.	Jews.	Total Marriages Registered.	Total Marriage Rate per 1,000 of Estimated Population.
1916 ...	2,096	1,875	2,474	366	222	1	4	7,038	5.84
1917 ...	2,104	1,902	2,229	388	241	2	6	6,872	5.69
1918 ...	2,502	2,123	2,429	443	293	2	5	7,797	6.42
1919 ...	3,122	2,769	3,147	544	397	3	10	9,992	7.99
1920 ...	2,797	3,010	2,635	582	517	1	8	9,550	7.59
1921 ...	2,337	2,471	2,487	442	375	2	7	8,121	6.46
1922 ...	2,503	2,458	2,267	445	389	5	5	8,072	6.36
1923 ...	2,515	2,349	2,231	475	398	3	3	7,974	6.33
1924 ...	2,401	2,189	1,999	516	403	3	3	7,514	5.97
1925 ...	2,266	2,280	2,231	480	417	4	4	7,682	6.11
Average 1916-25	2,464	2,343	2,413	468	365	3	5	8,061	6.48
1926 ...	2,222	2,073	2,020	467	439	5	2	7,228	5.76

Of the total marriages, 88.9 per cent. were of bachelors and spinsters, 7.3 per cent. were of widowers and spinsters, 2.0 per cent. were of bachelors and widows and 1.8 per cent. were of widowers and widows. Thus 9.1 per cent. of the men married were widowers and 3.8 per cent. of the women married were widows; in 11 out of every 100 marriages, one or both of the contracting parties had been married before.

The marriages registered in each quarter were as follows:—March, 1,406, or 19 per cent. of the total year's registrations; June, 1967, or 27 per cent.; September, 1985, or 28 per cent.; and December, 1,870, or 26 per cent.

Of the males married during the year, 186, or 2.6 per cent., were under the age of 21 years, and of the females, 858, or 11.9 per cent.

Of the husbands 98.2 per cent. signed the marriage registers by writing their names and the remainder signed by "mark," while 98.7 per cent. of the wives wrote their names and the remainder signed by "mark."

BIRTHS.

Births registered during the year numbered 28,162, representing a rate of 22.5 per 1,000 of the estimated population. The number registered represents a slight increase, namely, 476, or 1.7 per cent.

on the number registered in 1925. The rate for 1926 is 0.5 above that for the previous year, but is 0.3 lower than the average rate for the previous ten years 1916–25.

TABLE 4.—Northern Ireland: Births Registered and Percentage of Illegitimate Births, 1916-26.

Year.	Total Births, including Illegitimate Births.			Illegitimate Births.			Illegitimate Births per cent. of Total Births.
	Total.	Male.	Female.	Total.	Male.	Female.	
1916	26,623	13,637	12,986	1,188	588	600	4.46
1917	24,949	12,806	12,143	1,151	617	534	4.61
1918	26,212	13,502	12,710	1,217	644	573	4.64
1919	27,496	14,255	13,241	1,238	629	609	4.50
1920	32,521	16,685	15,836	1,494	794	700	4.59
1921	29,710	15,184	14,526	1,271	666	605	4.28
1922	29,531	15,098	14,433	1,255	608	647	4.25
1923	30,097	15,332	14,765	1,344	676	668	4.47
1924	28,496	14,800	13,696	1,225	651	574	4.30
1925	27,686	14,185	13,501	1,147	584	563	4.14
Average, 1916–25 ...	28,332	14,548	13,784	1,253	646	607	4.42
1926	28,162	14,576	13,586	1,250	649	601	4.44

Of the births registered, 14,576 were of males and 13,586 were of females, the proportion of male births to every 100 female births being 107.3. The corresponding proportions for each of the years 1921–25 are 104.5, 104.6, 103.8, 108.1 and 105.1 respectively.

Of the 28,162 births registered during the year, 26,912 or 95.6 per cent. were legitimate and 1,250 or 4.4 per cent. were illegitimate, the latter being 0.3 above the percentage for the preceding year.

The 26,912 legitimate births are in the proportion of 107.3 males to every 100 females. The corresponding proportion for the 1,250 illegitimate births is 108.0 males to every 100 females.

Of the births appertaining to Co. Antrim, 6.4 per cent. were illegitimate; for Armagh the percentage was 3.6; for Belfast County Borough, 3.5; for Down, 3.9; for Fermanagh, 4.8; for Londonderry, 4.9; and for Tyrone, 5.7. The corresponding percentages for the preceding year are:—Antrim, 5.0; Armagh, 4.2; Belfast County Borough, 3.1; Down, 4.3; Fermanagh, 5.3; Londonderry, 5.2; and Tyrone, 4.8.

The total number of births registered in the first quarter of the year was 7,051; in the second, 7,468; in the third, 7,088; and in the fourth, 6,555.

MULTIPLE BIRTHS.

Of the 28,162 children registered during the year, 27,443 were single children, 704 were twins and 15 were triplets. Thus, of the total children born, 97.45 per cent. were single children, 2.50 per cent. were twins and 0.05 were triplets. In this computation of single births, twins and triplets, only live-born children were counted, still-born children not being registered in Northern Ireland. For example, a birth of one live child and one still-born child would appear in the report as a single birth, and a birth of two live children and one still-born child would appear as a twin birth.

DEATHS.

Deaths registered during the year numbered 18,827, a decrease of 957, or 4.8 per cent., as compared with the previous year. The death rate was 15.0 per 1,000 of the estimated population, being 0.7 below the rate for 1925 and 1.8 below the rate for the previous ten years, 1916–25. Of these deaths, 9,161 were of males and 9,666 were of females, the equivalent annual death rates being 15.1 and 14.9 per 1,000 of the male and female estimated populations respectively.

TABLE 5.—Northern Ireland: Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1926.

Causes of Death.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
Enteric Fever (1)	2	.	.	3	4	17	4	9	2	1	.	.	.
Typhus (2)	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox (6)	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (7)	16	31	165	67	32	1	1	2	1	.	.	.	.
Scarlet Fever (8)	2	1	11	46	12	2	2	1	2	.	.	.	.
Whooping-cough (9) ...	6	23	40	12	.	.	.	.	.	.	.	.	.
Diphtheria (10)	7	1	30	160	64	10	2	4	2	.	.	.	.
Dysentery (16)	.	.	.	.	.	.	.	1	.	.	.	.	.
Influenza (11)	26	8	25	21	12	11	33	35	28	32	33	27	16
Encephalitis Lethargica (23)	2	.	2	3	12	3	11	3	4	2	1	.	.
Meningococcal Meningitis (including Cerebro-spinal Fever) (24)	.	2	.	.	4	1	.	.	.	.	.	.	.
Tuberculosis of Respiratory System (31)	74	4	28	43	135	428	382	204	114	41	6	1	.
Other Tuberculosis (32-7) ...	24	15	72	147	112	115	57	37	15	7	2	1	.
Cancer, Malignant Disease (43-9)	75	.	3	6	4	7	19	94	164	162	105	58	28
Diabetes (57)	7	.	2	9	16	7	15	5	8	9	10	5	3
Cerebral Hæmorrhage (74)...	54	.	.	.	.	3	8	24	66	83	97	85	60
Heart Disease (87-90) ...	142	.	4	40	120	85	67	127	180	233	240	172	84
Arterial Sclerosis (91b) ...	11	.	.	.	.	.	.	2	4	19	21	18	16
Bronchitis (99)	64	49	46	6	8	9	13	32	47	78	103	92	66
Pneumonia(all forms) (100-1)	64	110	238	104	52	45	54	38	50	53	41	30	17
Other Diseases of Respiratory System (97-8, 102-7)	17	14	30	15	8	10	16	23	24	15	19	11	8
Ulcer of the Stomach or Duodenum (111)... ...	6	.	.	.	.	10	12	12	16	11	6	3	1
Diarrhœa and Enteritis (under 2 years) (113) ...	25	172	55	—	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis (117)	5	.	2	21	48	24	15	10	6	2	2	1	.
Cirrhosis of the Liver (122)...	2	.	.	3	.	.	1	3	4	4	2	1	.
Nephritis, Acute and Chronic (128-9)	22	1	11	15	16	21	28	39	43	41	26	10	7
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-50) ...	8	.	.	.	.	38	79	43	1	.	.	.	.
Congenital Malformations and Debility, Premature Birth (159-161)	56	433	13	.	4	.	.	.	.	.	.	.	.
Suicide (165-174)	3	.	.	.	.	3	10	10	8	6	2	1	.
Other Violent Deaths (175-203)	20	8	47	52	68	40	39	32	23	10	12	11	13
Other Defined Diseases ...	251	123	158	227	265	107	130	205	179	178	259	466	677
Causes Ill-defined or Unknown (204-5) ...	9	5	18	.	4	3	2	5	9	13	13	7	4
All Causes	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

Note.—The numbers in brackets are those of the Causes of Death in the International List.

The total number of deaths registered in the first quarter of the year was 5,299; in the second, 5,197; in the third, 3,769; and in the fourth, 4,562. The equivalent annual death rates are 16.9, 16.6, 12.0 and 14.6 for the four quarters respectively.

Of the 18,827 deaths registered, 3,886, or 20.6 per cent., took place in Institutions. Of these, 1,231, or 6.5 per cent., took place in Infirmaries and General and Special Hospitals; 359, or 1.9 per cent., in

Public Lunatic Asylums; 2,017, or 10.7 per cent., in Workhouses and Workhouse Hospitals; 279, or 1.5 per cent., in District Hospitals. The remaining 14,941, or 79.4 per cent., were of persons who died "at their own homes, etc."

CAUSES OF DEATH.

Table 5 shows the deaths from the principal causes as proportions per 1,000 of the total deaths at certain age groups. It will be seen from this table that of all the single defined diseases, heart disease,

TABLE 6.—Northern Ireland: Deaths from the Principal Causes, 1916-26.

Causes of Death.	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	Average 1916-25	1926	Irish Free State, 1926
Enteric Fever (1)	67	87	77	57	65	37	26	20	25	50	51	37	126
Typhus (2)	6	8	11	10	12	2	1	2	3	1	6	1	8
Small-pox (6)	.	.	.	.	1	.	.	.	.	.	.	.	.
Measles (7)	234	132	203	158	278	44	52	204	213	227	174	308	519
Scarlet Fever (8)	103	42	35	199	206	51	46	50	90	118	94	41	134
Whooping-cough (9)	362	150	532	158	185	366	194	305	276	338	287	107	258
Diphtheria (10)	91	74	67	68	141	143	135	102	88	101	101	125	197
Dysentery (16)	3	2	1	9	2	2	3	3	.	.	2	2	6
Influenza (11)	302	434	3,863	1,938	560	316	889	415	1,026	701	1,044	482	654
Encephalitis Lethargica (23)	.	.	.	.	26	19	5	34	80	26	19	38	38
Meningococcal Meningitis (including Cerebro-spinal Fever) (24)	23	14	27	15	9	10	6	5	1	4	11	7	17
Tuberculosis of Respiratory System (31)	2,146	2,262	2,371	2,116	1,891	1,693	1,623	1,534	1,564	1,574	1,877	1,391	3,369
Other Tuberculosis (32-7)	706	752	713	688	638	551	484	503	491	526	605	450	993
Cancer, Malignant Disease (43-9)	1,259	1,206	1,193	1,192	1,235	1,286	1,271	1,365	1,407	1,441	1,286	1,410	3,021
Diabetes (57)	148	127	102	130	120	120	141	160	100	104	125	128	226
Cerebral Hæmorrhage (74)	908	964	961	971	945	876	934	934	1,023	1,101	962	1,018	1,339
Heart Disease (87-90)	2,709	2,725	2,462	2,545	2,419	2,530	2,619	2,453	2,736	2,533	2,573	2,678	4,656
Arterial Sclerosis (91b)	74	74	78	99	113	125	161	152	183	198	126	202	221
Bronchitis (99)	1,709	2,020	2,033	2,238	1,725	1,402	1,451	1,307	1,522	1,394	1,680	1,212	2,433
Pneumonia(all forms) (100-1)	1,157	1,409	2,192	1,644	1,508	1,199	1,402	1,240	1,387	1,266	1,440	1,197	2,314
Other Diseases of Respiratory System (97-8, 102-7)	245	310	355	373	317	260	299	227	271	284	294	316	666
Ulcer of Stomach or Duodenum (111)	115	133	112	105	112	99	108	124	124	129	116	120	264
Diarrhœa and Enteritis (under 2 years) (113)	373	309	333	284	337	419	230	284	274	333	318	478	815
Appendicitis and Typhlitis (117)	77	77	93	73	108	96	87	94	88	94	89	91	189
Cirrhosis of Liver (122)	46	37	35	33	31	37	26	32	24	24	32	33	113
Nephritis, Acute and Chronic (128-9)	451	456	409	467	511	458	419	428	431	435	446	421	1,145
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-150)	132	128	124	127	224	154	139	148	129	123	143	158	299
Congenital Malformations and Debility, Premature Birth (159-161)	962	1,027	1,040	1,130	1,322	1,056	1,003	1,072	1,041	985	1,064	1,051	1,841
Suicide (165-174)	39	45	45	47	34	59	57	50	68	75	52	63	97
Other Violent Deaths (175-203)	610	491	469	425	538	591	839	429	408	393	519	371	792
Other Defined Diseases	5,104	5,086	4,731	5,082	5,021	4,877	4,971	4,960	5,053	5,012	4,991	4,726	13,750
Causes Ill-defined or Unknown (204-5)	603	430	348	455	383	423	174	154	173	194	334	165	1,240
All Causes	20,764	21,011	25.013	22,836	21,017	19,301	19,795	18.790	20,299	19,784	20,861	18,827	41,740
Uncertified Deaths	2,702	2,655	2,264	2,578	2,392	2,164	2,515	2,230	2,426	2,350	2,428	1,785	10,576

Note.—The numbers in brackets are those of the Causes of Death in the International List.

as is the usual experience, bears the greatest proportion to the total deaths at all ages, and that the deaths from this cause occur mainly among persons of fairly advanced ages. The proportions are high also for tuberculosis, cancer, bronchitis, pneumonia, cerebral hæmorrhage and influenza.

At ages under one year, apart from developmental and wasting diseases, the highest proportion of deaths is caused by pneumonia and diarrhœa and enteritis. Between the ages of one and ten, common

infectious diseases, such as measles, whooping-cough and diphtheria cause a relatively high proportion of the total deaths. Tuberculosis (the deaths from which are mainly due to tuberculous meningitis) and pneumonia also contribute largely to the mortality in this group. Between the ages of ten and thirty-five, tuberculosis (principally of the respiratory system) contributes the largest proportion, and thereafter cancer, heart disease, cerebral hæmorrhage and bronchitis are responsible for the largest proportion of the total mortality.

TABLE 7.—Northern Ireland: Death Rates per 100,000 of Estimated Population from the Principal Causes of Death, and Uncertified Deaths as a percentage of Deaths from All Causes, 1916-26.

Causes of Death.	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	Average 1916-25	1926	Irish Free State, 1926
Enteric Fever (1)	5.6	7.2	6.3	4.6	5.2	2.9	2.0	1.6	2.0	4.0	4.1	3.0	4.2
Typhus (2)	0.5	0.7	0.9	0.8	1.0	0.2	0.1	0.2	0.2	0.1	0.5	0.1	0.3
Small-pox (6)	.	.	.	.	0.1	.	.	.	.	.	.	.	.
Measles (7)	19.4	10.9	16.7	12.6	22.1	3.5	4.1	16.2	16.9	18.1	14.0	24.6	17.5
Scarlet Fever (8)	8.5	3.5	2.9	15.9	16.4	4.1	3.6	4.0	7.2	9.4	7.6	3.3	4.5
Whooping-cough (9)	30.0	12.4	43.8	12.6	14.7	29.1	15.3	24.2	21.9	26.9	23.1	8.5	8.7
Diphtheria (10)	7.6	6.1	5.5	5.2	11.2	11.4	10.6	8.1	7.0	8.0	8.1	10.0	6.6
Dysentery (16)	0.2	0.2	0.1	0.7	0.2	0.2	0.2	0.2	.	.	0.2	0.2	0.2
Influenza (11)	25.1	35.9	318.2	155.0	44.5	25.1	70.1	33.0	81.6	55.8	84.0	38.4	22.0
Encephalitis Lethargica (23)	.	.	.	.	2.1	1.5	0.4	2.7	6.4	2.1	1.5	3.0	1.3
Meningococcal Meningitis (including Cerebro-spinal Fever) (24)	1.9	1.2	2.2	1.2	0.7	0.8	0.5	0.4	0.1	0.3	0.9	0.6	0.6
Tuberculosis of Respiratory System (31)	178.1	187.3	195.3	169.3	150.3	134.6	127.9	121.8	124.3	125.2	150.9	110.9	113.4
Other Tuberculosis (32-7)	58.6	62.3	58.7	55.0	50.7	43.8	38.1	40.0	39.0	41.8	48.6	35.9	33.4
Cancer, Malignant Disease (43-9)	104.5	99.8	98.3	95.4	98.2	102.2	100.2	108.4	111.8	114.6	103.4	112.4	101.7
Diabetes (57)	12.3	10.5	8.4	10.4	9.5	9.5	11.1	12.7	7.9	8.3	10.1	10.2	7.6
Cerebral Hæmorrhage (74)	75.4	79.8	79.2	77.7	75.1	69.6	73.6	74.2	81.3	87.6	77.4	81.2	45.1
Heart Disease (87-90)	224.8	225.6	202.8	203.6	192.3	201.1	206.4	194.8	217.5	201.5	206.9	213.6	156.8
Arterial Sclerosis (91b)	6.1	6.1	6.4	7.9	9.0	9.9	12.7	12.1	14.5	15.8	10.1	16.1	7.4
Bronchitis (99)	141.8	167.2	167.5	179.0	137.1	111.4	114.3	103.8	121.0	110.9	135.1	96.7	81.9
Pneumonia (all forms) (100-1)	96.0	116.6	180.6	131.5	119.9	95.3	110.5	98.5	110.3	100.7	115.8	95.5	77.9
Other Diseases of Respiratory System (97-8, 102-7)	20.3	25.7	29.2	29.8	25.2	20.7	23.6	18.0	21.5	22.6	23.6	25.2	22.4
Ulcer of Stomach or Duodenum (111)	9.5	11.0	9.2	8.4	8.9	7.9	8.5	9.8	9.9	10.3	9.3	9.6	8.9
Diarrhœa and Enteritis (under 2 years) (113)	31.0	25.6	27.4	22.7	26.8	33.3	18.1	22.6	21.8	26.5	25.6	38.1	27.4
Appendicitis and Typhlitis (117)	6.4	6.4	7.7	5.8	8.6	7.6	6.9	7.5	7.0	7.5	7.2	7.3	6.4
Cirrhosis of Liver (122)	3.8	3.1	2.9	2.6	2.5	2.9	2.0	2.5	1.9	1.9	2.6	2.6	3.8
Nephritis, Acute and Chronic (128-9)	37.4	37.7	33.7	37.4	40.6	36.4	33.0	34.0	34.3	34.6	35.9	33.6	38.6
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-150)	11.0	10.6	10.2	10.2	17.8	12.2	11.0	11.8	10.3	9.8	11.5	12.6	10.1
Congenital Malformations and Debility, Premature Birth (159-161)	79.8	85.0	85.7	90.4	105.1	83.9	79.0	85.1	82.8	78.4	85.6	83.8	62.0
Suicide (165-174)	3.2	3.7	3.7	3.8	2.7	4.7	4.5	4.0	5.4	6.0	4.2	5.0	3.3
Other Violent Deaths (175-203)	50.6	40.6	38.6	34.0	42.8	47.0	66.1	34.1	32.4	31.3	41.7	29.6	26.7
Other Defined Diseases	423.8	421.0	389.8	406.8	399.0	387.9	391.8	394.0	401.6	398.5	401.1	376.6	463.0
Causes Ill-defined or Unknown (204-5)	50.0	35.6	28.5	36.4	30.4	33.6	13.7	12.2	13.8	15.4	26.9	13.2	41.7
All Causes	1723.2	1739.3	2060.4	1826.9	1670.7	1534.3	1559.9	1492.5	1613.6	1573.9	1677.5	1501.4	1405.4
Percentage of Uncertified Deaths	13.0	12.6	9.1	11.3	11.4	11.2	12.7	11.9	12.0	11.9	11.6	9.5	25.3

See Note at foot of Table 6.

Tables 6 and 7 show for each of the principal causes the numbers of deaths and the death rates for each year since 1916, together with corresponding particulars for the Irish Free State in respect of the year 1926.

Enteric Fever.—Deaths from enteric fever numbered 37, 19 being of males and 18 of females. This number is 13 less than that for 1925 and 14 less than the average for the ten years 1916–25.

Typhus.—One death from this cause was reported, as against 1 for the previous year and an average of 6 for the previous ten years.

Small-pox.—No deaths from small-pox were registered during the year.

Measles.—Deaths from measles numbered 308, 185 being of males and 123 of females. This number is 81 above that for 1925 and 134 above the average number for the ten years 1916–25. Of the 308 deaths from this cause, 271 were of children under 5 years of age.

Scarlet Fever.—Deaths from scarlet fever numbered 41, 19 being of males and 22 of females. This number is 77 less than that for 1925 and 53 less than the average for the ten years 1916–25. 73 per cent. of the deaths from this cause occurred at ages under 10 years.

Whooping-Cough.—Deaths from whooping-cough numbered 107, 50 being of males and 57 of females. This number is 231 less than that for 1925 and 180 less than the average for the ten years 1916–25. Of the 107 deaths from this cause, 103 were of children under 5 years of age.

Diphtheria.—Deaths from diphtheria, including those certified as due to membranous laryngitis, numbered 125, 70 being of males and 55 of females. This number is 24 more than that for 1925 and is the same number in excess of the average for the ten years 1916–25. Of the 125 deaths from this cause, 90 were of children under 10 years of age.

Diarrhœal Diseases.—Of the 644 deaths from diarrhœa and enteritis, 478 were of children under 2 years of age, 271 of these children being males and 207 females. The number of children who died from these diseases is 145 more than that for 1925 and 160 more than the average for the ten years 1916–25.

Encephalitis Lethargica.—Deaths from this disease numbered 38, 18 being of males and 20 of females. This number is 12 more than that for 1925 and 19 more than the average for the ten years 1916–25

Other Epidemic Diseases.—Deaths from epidemic diseases, apart from those already named and exclusive of influenza, included, among others, 44 from erysipelas, 7 from meningococcal meningitis, 5 from mumps and 4 from malaria.

Influenza.—Deaths from influenza numbered 482, 198 being of males and 284 of females. This number comprised 261 registered as from influenza with pulmonary complications, and 221 registered with influenza as the sole cause or with other complications. The 482 deaths for the year are 219 less than the number recorded for 1925, and 562 less than the average for the ten years 1916–25. In making comparisons with years prior to 1921, the change in classification, noted under the heading "Bronchitis," should be borne in mind.

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 1,841, or 9.8 per cent., of the deaths from all causes. This number represents a decrease of 259, or 12.3 per cent., on the number registered in 1925. The death rate from this cause was 1.47 per 1,000, which represents a decrease of 0.20 as compared with the rate for 1925, and is 0.53 below the average rate for the previous ten years, 1916–25.

Of the 1,841 deaths from this cause, 849 were of males and 992 of females, the corresponding rates being 1.40 and 1.53 per 1,000 of the male and female estimated populations respectively.

From 1918 to 1926 the trend of the tuberculosis mortality rate has been in a markedly downward direction. Each year a decrease has been recorded, with the exception of 1924 and 1925, when the rate took a slight upward turn. The rates for 1926 from this disease for persons, males and females, are the lowest recorded in Northern Ireland in the past ten years.

Of the 1,841 deaths from tuberculosis, 1,391, or 75.6 per cent., were due to tuberculosis of the respiratory system.

TABLE 8.—Northern Ireland: Deaths and Death Rates from Tuberculosis (All Forms), 1916-26.

Year.	Males.		Females.		Total.	
	Number of Deaths.	Rate per 1,000 of the estimated Male population.	Number of Deaths.	Rate per 1,000 of the estimated Female population.	Number of Deaths.	Rate per 1,000 of the estimated population.
1916	1,283	2.30	1,569	2.43	2,852	2.37
1917	1,311	2.33	1,703	2.64	3,014	2.50
1918	1,362	2.41	1,722	2.66	3,084	2.54
1919	1,231	2.03	1,573	2.44	2,804	2.24
1920	1,048	1.71	1,481	2.29	2,529	2.01
1921	1,016	1.67	1,228	1.90	2,244	1.78
1922	970	1.57	1,137	1.75	2,107	1.66
1923	941	1.55	1,096	1.69	2,037	1.62
1924	936	1.54	1,119	1.72	2,055	1.63
1925	961	1.58	1,139	1.76	2,100	1.67
Average, 1916-25 ...	1,106	1.86	1,377	2.13	2,483	2.00
1926	849	1.40	992	1.53	1,841	1.47

The abstracts of causes of death give particulars regarding the sexes and ages of the persons who died from the various forms of tuberculous disease during the year, and the rural and urban areas to which such deaths were allocated. Table 8 affords comparison of the summarised figures for 1926 with those for each of the ten preceding years. Table 9 shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast County Borough.

TABLE 9.—Northern Ireland: Death Rates per 1,000 of the 1926 Census Population from Tuberculosis (All Forms) by Counties, 1916-26.

Year.	Antrim.	Armagh.	Belfast County Borough.	Down.	Fermanagh.	Londonderry County and County Borough.	Tyrone.
1916	2.45	2.07	2.53	2.40	1.53	2.07	1.68
1917	2.45	2.37	2.89	2.18	1.14	2.21	1.90
1918	2.48	2.21	3.03	2.30	1.40	1.98	2.03
1919	2.19	2.33	2.47	2.33	1.52	1.99	1.89
1920	2.21	2.02	2.20	2.03	1.14	1.83	1.69
1921	1.86	1.85	1.90	1.89	1.17	1.65	1.52
1922	1.87	2.00	1.67	1.79	1.43	1.41	1.38
1923	1.82	1.83	1.66	1.67	1.17	1.52	1.29
1924	1.60	1.74	1.88	1.63	1.02	1.45	1.33
1925	1.42	1.65	1.86	1.51	1.40	1.72	1.77
1926	1.29	1.38	1.74	1.43	0.98	1.29	1.38

NOTE: The figures for the years prior to 1924 have not been corrected for normal residence.

Syphilis.—Deaths from syphilis numbered 20, 15 being of males and 5 of females. Of the 20 deaths, 7 were of infants under one year of age.

Deaths from general paralysis of the insane numbered 82; from tabes dorsalis, 12; and from aneurysm, 14. Of the part played by syphilis in the causation of deaths from diseases of the heart and arteries there are no means of judging accurately.

Cancer.—Under this heading are included deaths returned as from carcinoma, sarcoma, cancer, malignant disease. Deaths in this group, representing 7.5 per cent. of the deaths from all causes, numbered 1,410, a slight decrease, *namely* 31, *or* 2.2 *per cent., on the number* registered in 1925, which was the highest number yet recorded for Northern Ireland. The death rate for 1926 from this disease was 1.12 per 1,000, being 0.03 below the rate for 1925 and 0.09 above the average rate for the ten years 1916–25.

TABLE 10.—Northern Ireland, 1926 : Sites of Fatal Cancer.*

Sites.	Total Males and Females.	Males.									Females.								
		All Ages.	Under 20	20-	30-	40-	50-	60-	65-	75-	All Ages.	Under 20	20-	30-	40-	50-	60-	65-	75-
43 Jaw	29	23	.	.	.	3	9	4	5	2	6	.	.	.	2	1	.	2	1
43 Lip	18	17	.	.	.	1	3	1	6	6	1	.	.	.	.	.	.	1	.
43 Mouth	16	14	.	.	.	1	4	4	3	2	2	.	.	.	.	2	.	.	.
43 Tongue	32	30	.	.	.	6	7	4	10	3	2	.	.	.	.	.	.	1	1
43 Tonsils	2	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
44 Liver, Gall Bladder	101	42	.	.	.	2	10	6	13	11	59	.	1	5	6	14	9	12	12
44 Œsophagus	37	21	.	.	.	2	8	2	6	3	16	.	.	1	2	3	3	4	3
44 Pylorus	8	2	.	.	.	.	1	.	1	.	6	.	.	.	.	4	.	.	2
44 Stomach	346	175	.	1	1	20	48	34	52	19	171	.	.	8	18	41	27	60	17
45 Intestines	151	68	1	.	1	7	16	10	26	7	83	.	.	.	10	21	19	25	8
45 Peritoneum	8	1	.	.	.	1	.	.	.	.	7	.	.	.	1	1	3	2	.
45 Rectum	80	49	.	.	.	6	15	9	11	8	31	.	.	4	1	5	4	10	7
46 Ovary	12	.	.	.	.	.	.	.	.	.	12	.	.	1	4	5	1	1	.
46 Uterus	101	.	.	.	.	.	.	.	.	.	101	.	1	3	31	35	8	19	4
46 Vagina	5	.	.	.	.	.	.	.	.	.	5	.	.	.	2	.	.	2	1
46 Vulva	5	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.	2	2	.
47 Breast	121	2	.	.	.	.	1	.	1	.	119	.	.	8	23	31	12	29	16
48 Ear	10	5	.	.	.	1	1	.	1	2	5	.	.	.	.	1	2	.	2
48 Face	29	12	.	1	.	.	2	3	2	4	17	.	.	.	1	2	1	4	9
48 Scalp	5	.	.	.	.	.	.	.	.	.	5	.	.	.	1	1	.	.	3
48 Scrotum	2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Arm, Leg, Hand	26	13	1	2	.	1	2	2	2	3	13	.	1	.	.	3	3	2	4
Axilla	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Bladder	13	9	.	.	.	2	2	.	4	1	4	.	.	.	.	1	1	.	2
Brain	4	2	.	.	.	1	1	.	.	.	2	.	.	.	2	.	.	.	.
Eye	6	3	.	.	.	.	.	1	1	1	3	1	.	.	1	.	.	1	.
Groin	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	.
Heart	6	3	.	.	.	2	1	.	1	.	3	.	.	1	1	.	.	1	.
Kidney	7	3	1	.	.	.	2	.	.	.	4	.	.	.	.	2	.	2	.
Larynx, Trachea	11	6	.	.	1	1	3	.	1	.	5	.	.	.	1	2	1	1	.
Lung	14	7	.	.	1	.	3	1	2	.	7	.	.	2	2	2	.	.	1
Mediastinum	6	2	.	.	.	.	.	2	.	.	4	.	.	.	.	3	.	1	.
Neck	35	19	.	.	1	2	3	2	8	3	16	.	.	.	3	6	4	2	1
49 Pancreas	25	11	.	.	.	2	4	2	1	2	14	.	.	1	3	1	3	6	.
Parotid	4	3	1	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	1
Pelvis	7	3	.	.	.	.	1	1	.	1	4	.	.	1	.	2	.	1	.
Prostate	20	20	.	.	.	.	3	3	9	5	.	.	.	.	.	.	.	.	.
Spine	6	4	.	.	.	1	2	1	.	.	2	.	.	.	1	.	.	1	.
Spinal Cord	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Spleen	3	2	.	.	.	1	.	.	1	.	1	.	.	.	1	.	.	.	.
Testes	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Thorax	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Throat	19	11	.	1	.	1	3	1	5	.	8	1	.	.	1	4	.	2	.
Thyroid	7	2	.	.	.	.	1	.	1	.	5	.	.	.	.	2	2	.	1
Abdomen	27	6	.	1	.	.	1	1	3	.	21	.	.	.	3	7	3	6	2
Other and Undefined Sites	39	22	.	1	.	3	6	2	8	2	17	2	.	1	2	6	1	4	1
Total	1,410	619	4	8	6	67	164	97	187	86	791	4	3	36	125	208	110	205	100

* Including Carcinoma, Sarcoma and Cancer, Malignant Disease.

Of the total deaths assigned to this group, 619 were of males and 791 were of females, the corresponding death rates being 1.02 and 1.22 per 1,000 of the male and female estimated populations respectively.

The reduction in the death rate from cancer, as compared with

the rate for last year, is confined to the male sex, the rate for females having shown a slight increase.

The most frequent sites of fatal cancer among males during the year were stomach, 175; intestines, 68; rectum, 49; liver and gall-bladder, 42; tongue, 30; jaw, 23; œsophagus, 21; and prostate, 20. The most frequent sites among females were stomach, 171; breast, 119; uterus, 101; intestines, 83; liver and gall-bladder, 59; and rectum, 31.

Particulars regarding age, sex and parts affected among the persons whose deaths were registered during the year as from carcinoma, sarcoma, cancer and malignant disease are given in Table 10.

Of the 1,410 deaths from cancer, 799 were ascribed to carcinoma, 73 to sarcoma and 538 to other or unspecified forms of malignant disease.

Tumours, not returned as Malignant.—This heading includes all non-malignant tumours, except those of the brain and of the female genital organs. 12 deaths have been ascribed to this cause, 6 being of males and 6 of females.

Deaths from ovarian tumours numbered 9, and from uterine tumours, 12.

Other General Diseases.—Among these were 10 deaths from tetanus, 47 from purulent infection and septicæmia, 65 from rheumatic fever, 71 from chronic rheumatism, osteo-arthritis and gout, 25 from rickets, 128 from diabetes, 126 from pernicious anæmia, 22 from exophthalmic goitre (21 of which were of females) and 8 from alcoholism. The deaths from alcoholism were all of males. [See also "cirrhosis of the liver"].

Diseases of the Nervous System.—Among these were 9 deaths from encephalitis (not returned as encephalitis lethargica), 119 from meningitis (not returned as tuberculous or cerebro-spinal), 12 from tabes dorsalis, 902 from cerebral hæmorrhage and apoplexy, 116 from cerebral thrombosis and embolism, 175 from hemiplegia, 76 from other forms of paralysis, 32 from general paralysis of the insane, 56 from other forms of insanity, 60 from epilepsy and 163 from convulsions. The deaths of children under one year of age from convulsions numbered 122, this number being equivalent to 74.8 per cent. of the total deaths from this cause, and 5.1 per cent. of the total deaths of infants under one year of age.

Heart Diseases.—Deaths from the various forms of heart disease amounted to 2,678, 1,241 being of males and 1,437 of females. This number is equivalent to a rate of 2.14 per 1,000 of the population, or 14.2 per cent. of the total number of deaths from all causes. Of the 2,678 deaths, 9 were caused by pericarditis, 68 by acute endocarditis and myocarditis, 42 by angina pectoris and 2,559 by other diseases of the heart. The 2,678 deaths are 145 more than those for 1925 and 105 more than the average number for the ten years 1916–25.

Arterial Sclerosis.—Deaths from arterial sclerosis numbered 202, 110 being of males and 92 of females. This number is 4 more than that for 1925 and 76 more than the average number for the ten years 1916–25.

Bronchitis.—Deaths from bronchitis numbered 1,212, 550 being of males and 662 of females. This number is equivalent to a rate of 0.97 per 1,000 of the population, or 6.4 per cent. of the total number of deaths from all causes. The number of deaths assigned to bronchitis in 1925 was 1,394, and the average number for the ten years 1916–25

was 1,680. When making comparisons with the figures for the years preceding 1921, it should be borne in mind that deaths from capillary bronchitis, which were then assigned to bronchitis, are, according to the revised International Classification of Causes of Death, now included with deaths from broncho-pneumonia. Also, prior to 1921, deaths from diseases of the respiratory system, including broncho-pneumonia, pneumonia and bronchitis, when associated with influenza, were classed as deaths from diseases of the respiratory system, while, according to the new classification, such deaths fall to be treated as deaths from influenza.

Pneumonia.—Deaths from all forms of pneumonia, including capillary bronchitis (see remarks under the heading "Bronchitis"), numbered 1,197, 644 being of males and 553 of females. This number is equivalent to a rate of 0.95 per 1,000 of the population, or 6.4 per cent. of the total number of deaths from all causes. Of the 1,197 deaths, 598 were classed as due to broncho-pneumonia, 133 to lobar pneumonia and 466 to pneumonia, not otherwise defined. The number of deaths assigned to pneumonia in 1925 was 1,266, and the average number for the ten years 1916–25 was 1,440.

TABLE 11.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1926.

International List Nos.	Causes of Death.	All Ages.	Ages. 15-	20-	25-	30-	35-	40-	45 yrs. and up.
	Puerperal Diseases and Accidents of Pregnancy and Childbirth.								
143a	Abortion	10	1	2	3	2	1	1	.
143b	Ectopic Gestation	3	.	1	1	.	1	.	.
143c	Other Accidents of Pregnancy	14	.	1	1	6	3	3	.
144	Puerperal Hæmorrhage	12	1	1	3	4	.	2	1
145	Other Accidents of Childbirth	33	1	6	4	10	8	3	1
146	Puerperal Sepsis	49	3	8	10	16	9	3	.
147	Puerperal Phlegmasia Alba Dolens	8	.	1	1	4	1	1	.
148	Puerperal Albuminuria & Convulsions	23	1	5	4	7	4	2	.
149	Childbirth (not otherwise defined)	6	1	.	.	2	1	2	.
	Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth.								
11a	Influenza with Pulmonary complications specified	1	.	.	.	.	.	1	.
21	Erysipelas	1	.	.	.	.	1	.	.
31	Pulmonary Tuberculosis	3	1	.	.	1	.	1	.
51	Rheumatic Fever	1	.	.	.	.	.	1	.
90	Other Diseases of the Heart	2	.	1	.	1	.	.	.
100	Broncho-Pneumonia	1	1	.	.	.	.	.	.
101b	Pneumonia, not otherwise defined	4	.	.	2	2	.	.	.
105	Asthma	1	.	.	.	.	.	1	.
120	Acute Yellow Atrophy of Liver	2	.	.	2	.	.	.	.
129	Chronic Nephritis	1	.	.	.	1	.	.	.
	Total	175	10	26	31	56	29	21	2

Pleurisy.—Deaths from pleurisy, including deaths from empyema, regarding which the originating cause other than pleurisy could not be ascertained, numbered 58, 33 being of males and 25 of females.

Appendicitis and Typhlitis.—Deaths in this group numbered 91, 47 being of males and 44 of females. This number is 3 less than that for 1925 and 2 above the average number for the ten years 1916–25.

Cirrhosis of the Liver.—Deaths from cirrhosis of the liver numbered 33, 22 being of males and 11 of females. This number is 9 more than that for 1925 and 1 more than the average number for the ten years 1916–25.

Acute and Chronic Nephritis.—Deaths from acute and chronic nephritis numbered 421, 211 being of males and 210 of females. This number comprised 141 deaths from the acute and 280 from the chronic form of the disease. The 421 deaths are 14 less than the number for 1925 and 25 below the average number for the ten years 1916–25.

Pregnancy and Childbirth.—The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) puerperal diseases and accidents of pregnancy and childbirth and (2) non-puerperal diseases or causes combined with pregnancy and childbirth. Deaths in the first group numbered 158 and in the second 17, the total number of deaths in the two groups being 175. This number is equivalent to a rate of 6.21 per 1,000 of the total births registered, as compared with 5.45 in 1925, and with the average rate of 6.04 per 1,000 for the ten years 1916–25. The causes of death shown in Table 11 are those to which the various deaths were assigned.

TABLE 12.—Northern Ireland : Deaths of Women in Pregnancy and Childbirth, 1916-26.

Years.	Deaths from Puerperal Diseases and Accidents of Pregnancy and Childbirth (*classed as Childbirth*).		Deaths from Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth (*not classed as Childbirth*).		Total Deaths of Women in Pregnancy and Childbirth.	
	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.
1916	132	4.96	11	0.41	143	5.37
1917	128	5.13	21	0.84	149	5.97
1918	124	4.73	48	1.83	172	6.56
1919	127	4.62	33	1.20	160	5.82
1920	224	6.89	32	0.98	256	7.87
1921	154	5.18	18	0.61	172	5.79
1922	139	4.71	34	1.15	173	5.86
1923	148	4.92	34	1.13	182	6.05
1924	129	4.53	25	0.87	154	5.40
1925	123	4.44	28	1.01	151	5.45
Average, 1916–25 ...	143	5.05	28	0.99	171	6.04
1926	158	5.61	17	0.60	175	6.21

From Table 12 it will be seen that a considerable increase in the number of deaths and in the death rate per 1,000 births from puerperal diseases and accidents of pregnancy and childbirth has been recorded for 1926. Both number (158) and rate (5.61) are, with one exception, the highest recorded in Northern Ireland in the past ten years. The deaths of women from non-puerperal diseases or causes combined with pregnancy and childbirth numbered 17, as against 28 for 1925 and the average number of 28 for the previous ten years.

Violence.—Deaths from violence registered during the year numbered 434, as against 468 in 1925. Of these 434 deaths, 10 were assigned to homicide, 63 to suicide and 361 to accidental causes.

The 10 deaths assigned to homicide include 4 of males, 3 of these being infants under one year old, and 6 of females, of whom 3 were infants under one year. Of these 10 deaths, 9 were cases of murder.

Of the 63 deaths definitely attributed to suicide, 49 were of males and 14 of females. There were, in addition, cases in which coroners' juries returned "open verdicts." These cases were classed as accidents, but it is possible that a number of them were due to suicide. Among the 38 deaths from drowning, there were 6 of males and 1

of a female in which coroners' juries returned a verdict of "found drowned."

The deaths from external causes, other than those classed as homicide and suicide, include 12 caused by poisons or poisonous gases, 85 by burns and scalds (46 of these were of children under 5 years of age), 7 by accidental mechanical suffocation, 38 by drowning, 8 by firearms, 60 by fall, and 91 by vehicles, of which 66 were caused by motor-driven vehicles.

Of the 12 deaths (4 of males and 8 of females) caused by poisons or poisonous gases, 6 were due to coal gas, 2 to ammonia, 1 each to sanitas and alcohol, and 2 to other or unstated poisons; while of the 7 deaths caused by mechanical suffocation, 6 were due to overlying.

Ill-Defined Causes of Death.—165 deaths have been allocated to this heading, as against 194 in 1925 and an average of 334 in the ten years 1916–25.

Enquiries were sent to medical practitioners and coroners requesting further information as to 369 indefinitely certified deaths, and 306 replies were received, 271 containing such useful additional particulars as enabled those cases to be classified under definite causes of death.

Uncertified Causes of Death.—Of the 18,827 deaths registered, 1,785 were not certified, there having been neither a medical attendant during the last illness nor an inquest held by a coroner. This number represents a considerable reduction, namely 565 or 24.0 per cent., on the number registered as uncertified in 1925. 1,257, or 70.4 per cent., of the uncertified deaths were of persons aged 65 years and upwards, and 203, or 11.4 per cent., were of infants under one year of age. The proportion of uncertified deaths is 9.5 per cent. of the total deaths, as compared with 11.9 per cent. for 1925 and an average of 11.6 per cent. for the ten years 1916–25.

Inquests.—The number of inquests held by coroners during the year was 446, or one inquest for every 42 deaths registered. Of the cases referred to the coroner by Registrars, there were 279 in which the coroner decided that inquests were unnecessary. These cases comprised 137 deaths certified by medical practitioners and 142 uncertified deaths.

TABLE 13.—Northern Ireland: Uncertified Deaths and Inquests, 1926.

(No correction has been made in this table for normal residence.)

Counties.	Total Deaths Registered.	Certified			Uncertified.	
		By Medical Practitioners.		By Coroners' Juries.	Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.
		Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.			
NORTHERN IRELAND	18,827	16,459	137	446	1,643	142
Antrim	2,691	2,355	77	71	164	24
Armagh	1,776	1,471	1	37	264	3
Belfast Co. Borough	6,446	6,113	36	197	23	77
Down	3,001	2,720	.	62	218	1
Fermanagh	802	517	1	13	265	6
Londonderry Co. and Co. Borough ...	2,053	1,782	4	35	226	6
Tyrone	2,058	1,501	18	31	483	25

Ages at Death.—Deaths of children under 5 years of age numbered 3,581, or 19.0 per cent. of the total deaths registered, the deaths of male children numbering 2,026, or 22.1 per cent. of the total deaths of males, and the deaths of female children 1,555, or 16.1 per cent. of the total deaths of females.

Deaths of persons aged 65 years and upwards numbered 7,459, or 39.6 per cent. of the total deaths registered.

Deaths of persons aged 70 years and upwards numbered 5,929, or 31.5 per cent. of the total deaths.

Deaths of persons aged 95 years and upwards numbered 68, 30 being of males and 38 of females.

Among the deaths registered were 11 of persons whose ages at death were returned as 100 years or upwards. 4 of these deaths were of males and 7 of females. In the absence of complete public records for remote periods, verification of the ages of all very old persons is not possible and no verification has been attempted.

The ages in detail of the persons whose deaths were registered during the year are given by sexes and counties in Abstract VI.

Infant Mortality.—Deaths of infants under one year of age numbered 2,390, or 85 per 1,000 births registered, as compared with 86 per 1,000 in 1925, and an average of 88 per 1,000 for the ten years 1916–25.

The deaths of infants under one year of age include 1,366 of males and 1,024 of females, the former number being equivalent to 94 per 1,000 births of males and the latter to 75 per 1,000 births of females. The corresponding rates for 1925 were 98 and 74, respectively.

In 1926 and 1925 the rates for deaths of infants under one year of age were 70 and 75 per 1,000 births, respectively, for England and Wales, 83 and 91 for Scotland and 74 and 68 for the Irish Free State.

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1926 was 102 per 1,000 births registered, and the rate for the aggregate of the Rural Districts was 63 per 1,000, the corresponding rates for 1925 being 101 and 68 respectively.

Table 14 gives the infant mortality rates for Northern Ireland as a whole for each of the eleven years 1916–26, by causes of death, and, in the case of the last of these years, by sexes and age-periods. It will be noticed that the "all causes" infant mortality rate for Northern Ireland has, on the whole, shown a decline over the past ten years, which is largely due to the fall in the rates from atrophy, debility and marasmus, and from bronchitis.

Table 15 affords comparison between infant mortality rates for the aggregates of the urban and of the rural areas in Northern Ireland. The differences usually found between urban and rural rates and between male and female rates are marked. With very few exceptions the urban rates are appreciably in excess of the corresponding rural rates. Also, in nearly all cases, the male rates are higher than the corresponding female rates.

Deaths of illegitimate children under one year of age numbered 278 in 1926, which is equivalent to a rate of 222.4 per 1,000 of the illegitimate births registered, as compared with 204.9 in 1925. The corresponding rate for legitimate children in 1926 is 78.5 per 1,000. Table 16 shows the deaths of illegitimate children by the principal causes, together with the equivalent mortality rates. Most of these rates are considerably in excess of the corresponding rates for all

TABLE 14.—Northern Ireland: Infant Mortality Rates, 1916-26.

Causes of Death.	Deaths of Infants under One Year per 1,000 Births Registered.																									
											Year 1926.															
											Males and Females.						Males.						Females.					
	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	Total.	Under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.
All Causes ...	88.5	97.0	100.6	95.3	94.3	86.7	77.2	76.5	84.6	86.4	84.9	34.1	9.1	6.6	13.6	22.5	93.7	38.8	9.8	6.6	13.2	25.2	75.4	29.0	8.2	6.6	12.0	19.6
Common Infectious Diseases.																												
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1.8	1.3	0.9	0.9	1.7	0.3	0.5	1.6	2.0	1.6	2.6	0.1	—	0.1	0.2	2.2	2.9	.	.	0.3	0.3	2.3	2.4	0.1	0.1	.	0.1	2.0
Scarlet Fever	0.2	0.2	0.1	0.1	0.3	0.1	.	0.1	0.2	0.2	0.1	.	.	.	—	—	0.1	.	.	.	0.1	0.1	.	.	.	.	.	.
Diphtheria	0.1	0.3	0.2	0.1	0.3	0.2	0.4	0.2	0.2	0.2	0.1	.	.	.	—	—	0.1	.	.	.	0.1	0.1	.	.	.	.	.	.
Whooping-cough ...	6.5	2.7	6.5	3.0	3.1	5.9	3.1	5.3	4.8	4.8	2.0	—	0.3	0.1	0.4	1.1	1.4	.	0.1	0.1	0.3	0.9	2.5	0.1	0.5	0.1	0.6	1.3
Influenza	0.2	0.7	4.6	3.6	1.3	0.6	1.7	0.6	2.0	1.0	0.6	0.1	0.1	—	0.1	0.3	0.4	0.1	0.1	.	0.1	0.1	0.9	0.1	0.1	0.1	0.1	0.4
Diarrhœal Diseases.																												
Diarrhœa and Enteritis...	11.0	10.3	10.5	8.9	9.2	12.9	6.7	7.6	8.2	10.4	14.6	1.1	2.0	2.3	3.8	5.4	16.2	1.3	2.2	2.2	4.4	6.1	13.0	1.0	1.7	2.4	3.2	4.6
Tuberculous Diseases.																												
Tuberculous Meningitis...	1.1	1.6	0.9	1.2	0.9	1.0	0.9	0.7	0.5	1.0	0.9	.	.	0.1	0.1	0.6	0.8	.	.	.	0.1	0.7	1.0	.	.	0.1	0.2	0.6
Abdominal Tuberculosis	0.3	0.5	0.6	0.6	0.6	0.3	0.4	0.4	0.2	0.4	0.4	.	.	—	0.1	0.3	0.4	.	.	0.1	0.1	0.3	0.4	.	.	.	0.1	0.4
Other Tuberculous Dis. ...	0.7	1.2	0.5	0.8	0.6	0.7	0.5	0.5	0.4	0.8	0.4	.	.	.	—	0.4	0.3	.	.	.	.	0.3	0.5	.	.	.	0.1	0.4
Developmental and Wasting Diseases.																												
Premature Birth	11.2	12.8	11.9	12.4	11.4	11.6	10.5	11.5	12.0	11.8	13.5	12.4	0.7	0.1	0.1	0.1	15.2	14.3	0.8	0.2	.	.	11.6	10.3	0.7	0.1	0.3	0.1
Congenital Malformations	2.9	3.5	2.4	3.0	3.4	2.3	3.0	2.7	3.3	3.1	3.9	2.5	0.5	0.2	0.4	0.2	4.0	2.9	0.6	0.2	0.2	0.1	3.8	2.1	0.4	0.3	0.7	0.4
Atrophy, Debility, Marasmus	21.3	24.3	24.7	25.4	25.4	20.7	20.2	21.1	20.8	20.3	19.4	12.3	2.7	1.5	1.9	1.0	21.5	14.5	2.7	1.4	2.0	0.9	17.2	9.9	2.7	1.7	1.8	1.0
Other Causes.																												
Erysipelas	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	.	0.2	0.1	.	0.1	.	.	—	0.1	.	0.1	.	.	.	0.1	.	0.1	.	.	0.1
Syphilis	0.8	1.0	1.6	1.1	0.8	0.6	0.5	0.7	0.3	0.6	0.2	—	0.1	0.1	0.1	.	0.4	0.1	0.1	0.1	0.1	.	0.1	.	.	.	0.1	.
Rickets	0.2	0.4	0.3	0.2	0.1	0.1	.	0.1	0.1	0.3	0.2	.	—	.	.	0.2	0.4	.	0.1	.	.	0.3	0.1	.	.	.	.	0.1
Meningitis (not Tuberculous) ...	1.6	1.1	1.1	1.6	1.1	1.1	1.3	0.5	1.2	1.3	1.0	.	.	0.1	0.2	0.7	1.1	.	.	0.1	0.3	0.7	0.9	.	.	.	0.2	0.7
Convulsions	5.9	4.8	3.7	4.6	4.2	5.2	4.5	3.5	3.5	4.7	4.3	1.8	0.5	0.4	0.6	1.0	4.5	1.8	0.7	0.3	0.5	1.2	4.1	1.8	0.4	0.4	0.7	0.7
Bronchitis	7.5	10.3	9.3	9.1	7.6	6.8	5.7	3.9	6.6	5.4	4.2	0.5	0.7	0.5	0.9	1.5	4.9	0.5	1.1	0.6	1.0	1.6	3.4	0.5	0.4	0.4	0.7	1.4
Pneumonia	6.0	10.4	11.4	10.2	12.1	9.2	10.9	8.0	11.3	11.0	9.3	0.5	0.8	0.5	2.0	5.6	10.8	0.5	0.8	0.4	2.1	7.0	7.7	0.4	0.7	0.6	1.9	4.0
Suffocation (overlying) ...	0.7	0.6	0.8	0.3	0.3	0.3	0.3	0.3	0.5	0.2	0.2	0.1	.	0.1	.	—	0.3	0.1	.	0.1	.	.	0.1	.	.	.	.	0.1
Lack of Care ...	8.4	8.9	8.5	8.0	9.8	6.7	0.6	0.4	0.7	0.5	0.6	0.6	.	.	.	.	0.5	0.5	.	.	.	.	0.7	0.7	.	.	.	.
Violence							0.6	0.6	0.7	0.6	0.5	0.3	.	.	0.1	0.1	0.3	0.2	.	.	0.1	0.1	0.7	0.4	.	.	0.1	0.1
Other Causes ...							4.8	6.1	5.1	6.0	5.8	1.8	0.5	0.4	1.2	1.8	6.9	2.0	0.5	0.4	1.6	2.4	4.4	1.6	0.4	0.4	0.9	1.1

Note.—A dot (.) indicates that there were no deaths. A dash (—) indicates that the deaths were not sufficiently numerous to give a rate of 0.1.

TABLE 15.—Infant Mortality Rates for the aggregates of Urban and of Rural Areas in Northern Ireland, 1924-26.

* Causes of Death.	1924.	1925.	Deaths of Infants under One Year per 1,000 Births Registered. YEAR 1926.															
			MALES AND FEMALES.						MALES.						FEMALES.			
			Total.	Under 1 Mth.	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total.	Under 1 Mth.	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total.	Under 1 Mth.	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.
ALL URBAN AREAS.																		
Common Infectious Diseases	10.0	9.0	5.7	0.1	0.3	0.1	1.0	4.2	5.9	0.1	0.2	0.2	1.2	4.1	5.4	0.1	0.3	.	0.7	4.4
Diarrhœal Diseases ...	12.6	15.3	22.2	1.7	3.2	3.6	5.8	8.0	24.8	2.0	3.4	3.6	6.8	9.0	19.4	1.3	2.9	3.6	4.8	6.9
Tuberculous Diseases ...	1.3	2.7	2.0	.	.	0.1	0.3	1.6	2.0	.	.	.	0.2	1.7	2.1	.	.	0.3	0.4	1.5
Developmental and Wasting Diseases	39.9	36.8	40.5	29.7	4.6	2.2	2.6	1.4	44.7	35.1	4.4	1.8	2.2	1.1	36.0	23.9	4.8	2.5	3.0	1.7
Other Causes	38.2	37.4	31.8	6.2	2.9	2.7	6.1	14.0	35.1	6.2	3.4	2.7	6.4	16.4	28.3	6.2	2.4	2.6	5.7	11.4
All Causes ...	102.0	101.2	102.2	37.7	11.0	8.7	15.8	29.1	112.5	43.4	11.6	8.4	16.9	32.3	91.2	31.6	10.3	9.0	14.5	25.8
ALL RURAL AREAS.																		
Common Infectious Diseases	8.2	5.8	5.0	0.2	0.7	0.5	0.7	2.8	3.9	.	0.2	0.6	0.3	2.8	6.1	0.5	1.3	0.3	1.2	2.8
Diarrhœal Diseases ...	2.9	4.2	5.1	0.5	0.4	0.7	1.4	2.2	5.4	0.5	0.6	0.5	1.4	2.5	4.8	0.5	0.2	1.0	1.3	1.8
Tuberculous Diseases ...	1.1	1.5	1.2	.	.	0.1	0.2	1.0	0.8	.	.	0.2	.	0.6	1.7	.	.	.	0.3	1.3
Developmental and Wasting Diseases	31.3	33.2	32.0	23.9	3.1	1.6	2.3	1.1	35.8	27.4	3.6	1.7	2.2	0.9	28.1	20.1	2.7	1.5	2.5	1.3
Other Causes	19.7	22.9	19.8	5.0	2.4	1.0	4.2	7.1	24.3	5.3	3.3	1.4	4.8	9.6	14.8	4.6	1.5	0.7	3.5	4.5
All Causes ...	63.2	67.6	63.1	29.6	6.7	3.9	8.7	14.2	70.2	33.1	7.6	4.3	8.7	16.4	55.4	25.7	5.6	3.5	8.8	11.8

* The diseases included under the headings in this column are given in Table 14.

children; particularly, the rates for diarrhœa and enteritis, premature birth, atrophy, debility and marasmus, lack of care, and violence and syphilis are very high. It may, however, be noted that the rates for some of the causes are based on very small numbers of deaths.

The deaths of illegitimate children under one year of age in the Irish Free State represent a rate of 322 per 1,000 illegitimate births registered.

TABLE 16.—Northern Ireland: Mortality among Illegitimate Children, 1926.

Causes of Death.	Numbers of Deaths Registered at Ages						Rate per 1,000 Illegitimate Births Registered.
	Under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Under 1 year.	
Common Infectious Diseases.							
Small-pox	.	.	.	.	.	.	.
Measles	.	1	.	.	8	9	7.2
Scarlet Fever	.	.	.	.	.	.	.
Diphtheria	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	1	1	0.8
Influenza	.	.	.	1	.	1	0.8
Diarrhœal Diseases.							
Diarrhœa and Enteritis	11	20	12	9	10	62	49.6
Tuberculous Diseases.							
Tuberculous Meningitis	.	.	.	1	1	2	1.6
Abdominal Tuberculosis	.	.	.	.	.	.	.
Other Tuberculous Diseases	.	.	.	1	.	1	0.8
Developmental and Wasting Diseases.							
Premature Birth	31	9	1	.	.	41	32.8
Congenital Malformations	1	3	1	2	.	7	5.6
Atrophy, Debility, Marasmus	27	22	7	6	4	66	52.8
Other Causes.							
Erysipelas	.	.	.	.	.	.	.
Syphilis	1	.	2	1	.	4	3.2
Rickets	.	1	.	.	.	1	0.8
Meningitis (not Tuberculous)	.	.	.	.	.	.	.
Convulsions	3	.	1	5	2	11	8.8
Bronchitis	.	1	.	1	3	5	4.0
Pneumonia	1	1	1	3	14	20	16.0
Suffocation (overlying)	2	.	.	.	1	3	2.4
Lack of Care—							
Desertion	17	.	.	.	.	17	13.6
Other	1	.	.	.	.	1	0.8
Violence	7	.	.	1	.	8	6.4
Other Causes	11	1	1	3	2	18	14.4
All Causes	113	59	26	34	46	278	222.4
Rate per 1,000 Illegitimate Births Registered.							
All Causes	90.4	47.2	20.8	27.2	36.8	222.4	——

In conclusion, I beg to acknowledge the valuable assistance rendered by the Chief Medical Officer of the Ministry of Home Affairs, who has perused and advised on the medical aspects of this Report, and to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland and the Irish Free State, in kindly furnishing information relating to the respective areas under their administration.

I have the honour to be, Sir,

Your most obedient Servant,

L. A. BULLWINKLE,

Registrar-General of Births, Deaths and Marriages for Northern Ireland.

ABSTRACTS

OF

MARRIAGES, BIRTHS AND DEATHS

REGISTERED IN

NORTHERN IRELAND

DURING THE YEAR

1926

ABSTRACT I.—Northern Ireland: Births and Deaths Registered, 1926.

(*See Index to Poor Law Unions on page* 67.)

Counties, and Urban and Rural Areas.	Area in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.		Population, 1926.	Births (including Illegitimate Births).				Illegitimate Births.				Deaths.				Excess of Births over Deaths * (corrected for transfers).
				Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
NORTHERN IRELAND ...	3,351,446	P	1,256,322	28,162	—	—	28,162	1,250	—	—	1,250	18,827	—	—	18,827	9,335
		M	608,205	14,576	—	—	14,576	649	—	—	649	9,161	—	—	9,161	5,415
		F	648,117	13,586	—	—	13,586	601	—	—	601	9,666	—	—	9,666	3,920
COUNTIES.																
Antrim	702,850	M	92,600	2,082	13	66	2,135	115	1	21	135	1,325	54	54	1,325	810
		F	99,018	2,040	14	52	2,078	116	.	19	135	1,366	34	40	1,372	706
Armagh	312,772	M	53,635	1,208	21	17	1,204	44	5	3	42	870	58	14	826	378
		F	56,448	1,144	18	13	1,139	46	4	1	43	906	52	16	870	269
Belfast Co. Boro'	14,797	M	195,588	5,463	131	21	5,353	239	44	.	195	3,110	114	137	3,133	2,220
		F	219,419	5,102	108	22	5,016	202	33	.	169	3,336	90	114	3,360	1,656
Down	608,859	M	101,238	2,132	27	65	2,170	70	1	17	86	1,435	115	98	1,418	752
		F	107,941	1,975	12	58	2,021	67	1	13	79	1,566	96	84	1,554	467
Fermanagh ...	417,912	M	30,094	603	2	12	613	32	.	5	37	404	2	18	420	193
		F	27,891	544	6	4	542	22	4	.	18	398	2	11	407	135
Londonderry Co. and Co. Borough	514,693	M	67,910	1,685	14	13	1,684	78	2	3	79	979	4	18	993	691
		F	71,765	1,493	16	8	1,485	77	2	1	76	1,074	7	9	1,076	409
Tyrone	779,563	M	67,140	1,403	4	18	1,417	71	.	4	75	1,038	12	20	1,046	371
		F	65,635	1,288	5	22	1,305	71	.	10	81	1,020	11	18	1,027	278
URBAN AND RURAL AREAS.																
Co. Antrim.																
Ballycastle ... U.D.	689	M	879	18	2	2	18	3	1	2	4	18	6	.	12	6
		F	1,105	25	3	.	22	2	1	.	1	25	10	.	15	7
Ballyclare ... U.D.	1,725	M	1,619	52	5	3	50	3	.	2	5	21	.	1	22	28
		F	1,748	41	3	4	42	.	.	2	2	18	.	2	20	22
Ballymena ... U.D.	1,219	M	5,453	202	15	4	191	24	8	1	17	107	24	9	92	99
		F	6,422	144	6	4	142	9	5	3	7	115	25	1	91	51
Ballymoney ... U.D.	518	M	1,471	33	3	4	34	3	2	1	2	34	10	1	25	9
		F	1,690	41	4	3	40	5	3	2	4	24	7	1	18	22
Carrickfergus U.D.	148	M	2,285	65	1	4	68	4	.	2	6	29	.	4	33	35
		F	2,466	48	.	.	48	1	.	.	1	35	.	7	42	6
Larne ... U.D.	600	M	4,419	110	.	3	113	1	.	1	2	64	.	4	68	45
		F	5,287	125	.	3	128	8	.	1	9	57	.	6	63	65
Lisburn ... U.D.	1,136	M	5,717	145	10	5	140	9	.	1	10	116	40	10	86	54
		F	6,677	134	11	3	126	7	.	2	9	95	26	13	82	44
Portrush ... U.D.	494	M	1,116	14	1	1	14	2	.	.	2	9	1	2	10	4
		F	1,836	19	1	3	21	.	.	3	3	16	1	1	16	5
Antrim ... R.D.	115,500	M	12,471	246	6	11	251	11	1	3	13	192	35	2	159	92
		F	12,644	218	7	11	222	28	2	2	28	197	23	3	177	45
Ballycastle ... R.D.	101,954	M	4,909	88	2	4	90	6	.	.	6	68	.	3	71	19
		F	4,532	80	2	4	82	3	.	1	4	63	1	11	73	9

* A minus sign (–) before the numbers in this column denotes that the births were *less* than the deaths to the extent stated.

ABSTRACT I.—(*Continued*).—Northern Ireland: Births and Deaths Registered, 1926.

(*See Index to Poor Law Unions on page 67.*)

Counties, and Urban and Rural Areas.	Area in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.		Population, 1926.	Births (including Illegitimate Births).				Illegitimate Births.				Deaths.				Excess of Births over Deaths * (corrected for transfers).
				Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
Co. Antrim.—*Contd.*																
Ballymena ... R.D.	160,082	M	16,366	338	6	18	350	16	.	8	24	197	.	27	224	126
		F	16,890	345	3	14	356	15	.	5	20	240	.	27	267	89
Ballymoney ... R.D.	120,497	M	10,071	236	2	6	240	16	.	3	19	130	.	21	151	89
		F	10,232	261	3	7	265	13	.	1	14	134	.	14	148	117
Belfast ... R.D.	22,112	M	6,629	136	1	19	153	2	.	6	8	102	29	15	88	65
		F	7,225	175	1	15	189	5	.	4	9	108	21	9	96	93
Larne ... R.D.	117,292	M	10,769	233	1	5	237	10	.	1	11	126	.	10	136	101
		F	11,328	212	7	3	208	14	.	2	16	130	.	5	135	73
Lisburn ... R.D.	58,884	M	8,426	167	2	21	186	5	.	1	6	112	.	36	148	38
		F	8,936	172	5	20	187	6	.	2	8	109	.	20	129	58
Co. Armagh.																
Armagh ... U.D.	338	M	3,571	102	8	8	102	1	.	1	2	66	16	14	64	38
		F	3,830	68	3	8	73	3	1	2	4	49	13	10	46	27
Keady ... U.D.	212	M	698	18	.	2	20	1	.	1	2	12	.	1	13	7
		F	735	13	.	.	13	.	.	.	.	9	.	.	9	4
Lurgan ... U.D.	854	M	5,675	171	24	5	152	10	7	.	3	108	48	7	67	85
		F	6,824	163	23	.	140	12	4	.	8	146	48	2	100	40
Portadown ... U.D.	765	M	5,534	163	25	9	147	3	.	5	8	67	.	22	89	58
		F	6,457	173	21	9	161	3	1	1	3	61	.	18	79	82
Tanderagee ... U.D.	697	M	591	12	1	2	13	2	1	1	2	9	.	.	9	4
		F	730	16	.	3	19	.	.	1	1	9	.	3	12	7
Armagh ... R.D.	146,074	M	15,967	318	8	9	319	9	2	.	7	241	25	14	230	89
		F	15,677	286	7	12	291	12	2	1	11	245	18	12	239	52
Lurgan ... R.D.	38,724	M	6,751	145	5	25	165	4	1	3	6	92	1	11	102	63
		F	7,121	130	.	17	147	1	.	2	3	93	1	17	109	38
Newry No. 2... R.D.	107,798	M	13,158	251	4	9	256	11	3	1	9	243	34	9	218	38
		F	13,191	267	8	6	265	15	2	.	13	258	28	10	240	25
Tanderagee ... R.D.	17,310	M	1,780	28	.	2	30	3	.	.	3	32	.	2	34	−4
		F	1,883	28	1	3	30	.	.	.	.	36	.	.	36	−6
Belfast.																
Belfast Co. Borough	14,797	M	195,588	5,463	131	21	5,353	239	44	.	195	3,110	114	137	3,133	2,220
		F	219,419	5,102	108	22	5,016	202	33	.	169	3,336	90	114	3,360	1,656
Co. Down.																
Banbridge ... U.D.	769	M	2,270	66	14	4	56	9	7	1	3	45	13	5	37	19
		F	2,582	66	7	2	61	6	4	.	2	56	15	5	46	15
Bangor ... U.D.	1,882	M	5,650	124	2	6	128	2	.	1	3	57	.	15	72	56
		F	7,666	93	1	10	102	1	.	3	4	69	.	14	83	19
Donaghadee ... U.D.	638	M	1,122	27	.	2	29	1	.	.	1	11	1	4	14	15
		F	1,413	20	.	1	21	.	.	.	.	23	1	2	24	−3

* See Note on page 27

ABSTRACT I.—(*Continued*).—Northern Ireland: Births and Deaths Registered, 1926.

(*See Index to Poor Law Unions on page 67.*)

Counties, and Urban and Rural Areas.	Area in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.		Population, 1926.	Births (including Illegitimate Births).				Illegitimate Births.				Deaths.				Excess of Births over Deaths* (corrected for transfers).
				Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
Co. Down.—*Contd.*																
Downpatrick U.D.	262	M	1,482	45	2	7	50	.	.	6	6	38	16	5	27	23
		F	1,665	55	3	.	52	3	1	.	2	41	20	6	27	25
Dromore ... U.D.	262	M	1,030	36	.	4	40	1	.	2	3	16	.	3	19	21
		F	1,199	30	.	1	31	.	.	1	1	18	.	4	22	9
Holywood ... U.D.	360	M	2,197	49	6	7	50	2	.	.	2	29	.	4	33	17
		F	2,630	56	3	5	58	1	.	1	2	32	.	6	38	20
Newcastle ... U.D.	1,262	M	901	13	.	3	16	1	.	1	2	8	.	2	10	6
		F	1,218	10	1	3	12	.	.	.	.	9	.	.	9	3
Newry ... U.D.	702	M	5,586	174	14	3	163	3	.	1	4	69	8	21	82	81
		F	6,573	168	8	4	164	4	.	3	7	102	13	14	103	61
Newtownards U.D.	477	M	4,725	137	8	4	133	6	2	1	5	81	29	6	58	75
		F	5,425	127	7	4	124	6	1	.	5	99	21	3	81	43
Warrenpoint U.D.	578	M	930	15	2	1	14	.	.	.	.	13	.	4	17	−3
		F	1,304	20	.	3	23	.	.	1	1	17	.	4	21	2
Banbridge ... R.D.	106,166	M	11,703	222	5	15	232	2	.	5	7	149	.	22	171	61
		F	12,247	207	1	10	216	5	.	5	10	203	1	18	220	−4
Castlereagh ... R.D.	12,249	M	3,771	55	1	4	58	2	.	.	2	32	.	6	38	20
		F	3,527	57	.	4	61	.	.	.	.	28	.	1	29	32
Downpatrick R.D.	131,629	M	16,480	338	9	5	334	17	5	1	13	245	26	11	230	104
		F	15,712	306	4	7	309	12	.	1	13	220	29	16	207	102
Hillsborough R.D.	71,351	M	10,191	194	6	9	197	6	.	1	7	225	109	14	130	67
		F	10,583	159	3	11	167	4	.	1	5	201	81	6	126	41
Kilkeel ... R.D.	80,692	M	7,574	133	3	8	138	1	.	2	3	107	2	7	112	26
		F	7,697	134	5	8	137	3	1	1	3	95	.	13	108	29
Moira ... R.D.	27,260	M	4,622	85	1	6	90	2	.	1	3	58	.	8	66	24
		F	4,878	81	.	4	85	3	.	.	3	60	.	14	74	11
Newry No. 1... R.D.	64,741	M	6,652	141	1	11	151	2	.	3	5	86	.	18	104	47
		F	6,660	131	2	4	133	5	.	1	6	107	1	21	127	6
Newtownards R.D.	107,579	M	14,352	278	3	16	291	13	.	4	17	166	3	35	198	93
		F	14,962	255	2	12	265	14	.	1	15	186	2	25	209	56
Co. Fermanagh.																
Enniskillen ... U.D.	315	M	2,448	55	1	4	58	3	.	3	6	22	2	6	26	32
		F	2,435	57	2	8	63	4	2	2	4	26	.	11	37	26
Enniskillen ... R.D.	156,828	M	9,268	183	4	6	185	14	3	1	12	129	17	6	118	67
		F	8,527	164	10	1	155	14	6	1	9	138	16	2	124	31
Irvinestown ... R.D.	116,359	M	7,284	156	1	5	160	11	.	4	15	106	.	14	120	40
		F	6,562	108	.	3	111	.	.	1	1	83	2	10	91	20
Lisnaskea ... R.D.	144,410	M	11,094	209	.	1	210	4	.	.	4	147	.	9	156	54
		F	10,367	215	2	.	213	4	.	.	4	151	.	4	155	58

* See Note on page 27.

ABSTRACT I.—(*Continued*).—Northern Ireland: Births and Deaths Registered, 1926.

(*See Index to Poor Law Unions on page* 67.)

Counties, and Urban and Rural Areas.	Area in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.		Population, 1926.	Births (including Illegitimate Births).				Illegitimate Births.				Deaths.				Excess of Births over Deaths * (corrected for transfers).
				Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
Co. Londonderry.																
Coleraine ... U.D.	1,006	M	3,687	100	5	2	97	11	4	1	8	52	8	3	47	50
		F	4,393	75	2	2	75	6	.	.	6	78	11	8	75	.
Limavady ... U.D.	573	M	1,319	34	.	.	34	4	.	.	4	16	.	3	19	15
		F	1,482	34	1	2	35	3	1	.	2	28	2	5	31	4
L'derry Co. Borough	2,198	M	20,783	606	7	5	604	24	5	.	19	341	23	1	319	285
		F	24,381	548	16	5	537	25	11	1	15	365	33	3	335	202
Portstewart ... U.D.	1,272	M	657	20	1	1	20	.	.	.	.	13	.	1	14	6
		F	1,006	7	1	2	8	.	.	.	.	13	.	1	14	–6
Coleraine ... R.D.	116,616	M	9,654	217	6	6	217	11	.	3	14	159	1	9	167	50
		F	9,681	174	2	4	176	13	.	2	15	142	6	9	145	31
Limavady ... R.D.	152,385	M	7,833	167	4	6	169	7	1	2	8	99	.	4	103	66
		F	7,409	163	3	4	164	10	.	2	12	100	.	5	105	59
Londonderry R.D.	83,410	M	7,481	179	2	5	182	3	.	4	7	79	.	9	88	94
		F	7,177	167	2	7	172	8	.	6	14	92	.	9	101	71
Magherafelt ... R.D.	157,233	M	16,496	362	5	4	361	18	.	1	19	220	.	16	236	125
		F	16,236	325	7	.	318	12	.	.	12	256	1	15	270	48
Co. Tyrone.																
Cookstown ... U.D.	264	M	1,594	40	2	6	44	1	.	2	3	24	.	1	25	19
		F	1,960	40	3	1	38	2	.	.	2	24	.	8	32	6
Dungannon ... U.D.	224	M	1,761	43	2	4	45	1	.	.	1	12	.	16	28	17
		F	1,999	38	.	5	43	.	.	1	1	24	.	14	38	5
Omagh ... U.D.	1,019	M	2,458	77	17	1	61	11	10	.	1	89	51	1	39	22
		F	2,666	79	15	1	65	16	12	.	4	78	45	4	37	28
Strabane ... U.D.	1,852	M	2,420	68	6	.	62	7	3	.	4	48	10	2	40	22
		F	2,736	61	7	5	59	8	3	2	7	45	13	4	36	23
Castlederg ... R.D.	91,833	M	5,141	108	.	2	110	10	.	2	12	98	.	5	103	7
		F	5,005	101	.	.	101	7	.	.	7	80	.	6	86	15
Clogher ... R.D.	89,336	M	6,488	117	.	4	121	7	.	1	8	91	.	9	100	21
		F	6,020	131	1	3	133	6	.	2	8	81	.	5	86	47
Cookstown ... R.D.	96,679	M	8,824	185	.	5	190	8	.	2	10	105	.	13	118	72
		F	8,326	190	1	4	193	10	.	.	10	109	.	7	116	77
Dungannon ... R.D.	110,151	M	12,591	282	10	5	277	11	2	.	9	198	20	6	184	93
		F	12,260	231	4	1	228	7	.	.	7	205	20	10	195	33
Omagh ... R.D.	252,995	M	16,787	293	1	20	312	6	.	9	15	270	24	40	286	26
		F	15,699	251	.	18	269	7	.	14	21	249	32	41	258	11
Strabane ... R.D.	135,210	M	9,076	190	1	6	195	9	.	3	12	103	.	20	123	72
		F	8,964	166	.	10	176	8	.	6	14	125	.	18	143	33

* See Note on page 27.

ABSTRACT II.—Northern Ireland: Method of Celebration of Marriages Registered, 1926.

Counties.	Total Marriages.	Church of Ireland.			Presbyterian.		Roman Catholic.	Registered Buildings.		In Presence of Registrar.	Society of Friends.	Jews.
		By Licence.	After Banns.	By Special Licence.	By Licence.	By Special Licence.		By Licence.	By Special Licence.			
NORTHERN IRELAND	7,228	1,992	207	23	2,000	73	2,020	444	23	439	5	2
Antrim	1,053	242	6	3	502	17	178	50	4	51	.	.
Armagh	587	179	4	5	77	1	254	28	.	37	2	.
Belfast Co. Borough	2,917	858	186	7	703	31	608	258	10	253	1	2
Down	1,057	293	7	6	379	17	255	45	3	52	.	.
Fermanagh	261	113	1	1	8	.	115	14	4	5	.	.
Londonderry Co. and Co. Borough ...	738	146	2	.	208	5	313	29	.	35	.	.
Tyrone	615	161	1	1	123	2	297	20	2	6	2	.

ABSTRACT III.—Northern Ireland: Marriages Registered in each Quarter, Conjugal Condition of Persons Married and Number of Minors, 1926.

Counties.	Total Marriages Registered in the Quarter ended the last day of				Marriages							
					Contracted between				Of		Of Persons not of Full Age	
	March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.
NORTHERN IRELAND	1,406	1,967	1,985	1,870	6,424	145	531	128	659	273	186	858
Antrim	202	268	281	302	932	19	89	13	102	32	29	152
Armagh	109	162	177	139	519	15	42	11	53	26	18	77
Belfast Co. Borough	522	797	847	751	2,592*a*	55	210*b*	60	270	115	91	317
Down	224	268	288	277	964	13	65	15	80	28	28	147
Fermanagh	47	76	66	72	233	10	14	4	18	14	2	26
Londonderry Co. and Co. Borough ...	169	213	168	188	650	12	63*c*	13	76	25	11	76
Tyrone	133	183	158	141	534*d*	21	48	12	60	33	7	63

(*a*) Including 1 Divorce and Spinster.
(*b*) ,, 2 Widowers and Divorcees.
(*c*) ,, 1 Widower and Divorcee.
(*d*) ,, 1 Bachelor and Divorcee.

ABSTRACT IV.—Northern Ireland: Births Registered in each of the Four Quarters, 1926 (exclusive of Still-born).

Counties.	MALES AND FEMALES.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	28,162	7,051	7,468	7,088	6,555	14,576	3,708	3,907	3,603	3,358	13,586	3,343	3,561	3,485	3,197
Antrim	4,213	1,007	1,127	1,039	1,040	2,135	500	584	541	510	2,078	507	543	498	530
Armagh	2,343	572	648	579	544	1,204	295	341	294	274	1,139	277	307	285	270
Belfast Co. Borough ...	10,869	2,614	2,704	2,639	2,412	5,353	1,371	1,410	1,320	1,252	5,016	1,243	1,294	1,319	1,160
Down	4,191	1,073	1,155	1,002	961	2,170	593	594	501	482	2,021	480	561	501	479
Fermanagh	1,155	316	293	298	248	613	171	148	162	132	542	145	145	136	116
Londonderry Co. and Co. Borough	3,169	825	818	821	705	1,684	437	450	429	368	1,485	388	368	392	337
Tyrone	2,722	644	723	710	645	1,417	341	380	356	340	1,305	303	343	354	305

ABSTRACT V.—Northern Ireland: Deaths Registered in each of the Four Quarters, 1926.

Counties.	MALES AND FEMALES.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	18,827	5,299	5,197	3,769	4,562	9,161	2,545	2,566	1,858	2,192	9,666	2,754	2,631	1,911	2,370
Antrim	2,697	772	760	553	612	1,325	372	373	272	308	1,372	400	387	281	304
Armagh	1,696	465	470	356	405	826	216	286	171	203	870	249	234	185	202
Belfast Co. Borough ...	6,493	1,724	1,824	1,279	1,666	3,133	835	882	635	781	3,360	889	942	644	885
Down	2,972	850	823	622	677	1,418	409	396	307	306	1,554	441	427	315	371
Fermanagh	827	258	221	149	199	420	127	112	84	97	407	131	109	65	102
Londonderry Co. and Co. Borough	2,069	631	556	399	483	993	300	263	199	231	1,076	331	293	200	252
Tyrone	2,073	599	543	411	520	1,046	286	304	190	266	1,027	313	239	221	254

ABSTRACT VI.—Northern Ireland: Deaths at different Age-Periods, 1926.

Counties.		Total Births.	Total Deaths.	Ages at Death.																					
				Under 1 year.	1–	2–	3–	4–	Under 5 years.	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 and upwards.
NORTHERN IRELAND	Persons	28,162	18,827	2,390	641	276	155	119	3,581	326	251	386	487	478	509	453	597	763	1,048	1,140	1,349	1,530	2,201	1,604	1,148	673	235	68
	Males	14,576	9,161	1,366	366	154	82	58	2,026	186	126	169	216	200	194	193	266	365	517	575	658	761	1,011	731	520	314	103	30
	Females	13,586	9,666	1,024	275	122	73	61	1,555	140	125	217	271	278	315	260	331	398	531	565	691	769	1,190	873	628	359	132	38
Antrim ...	Persons	4,213	2,697	287	69	34	20	20	430	52	35	42	58	64	61	66	75	106	144	146	204	241	344	249	197	129	43	11
	Males	2,135	1,325	164	40	15	14	9	242	32	19	21	23	27	25	23	30	48	76	70	111	121	164	125	91	53	19	5
	Females	2,078	1,372	123	29	19	6	11	188	20	16	21	35	37	36	43	45	58	68	76	93	120	180	124	106	76	24	6
Armagh ...	Persons	2,343	1,696	137	31	13	10	9	200	31	26	37	47	45	42	45	43	74	99	90	127	161	219	183	122	76	21	8
	Males	1,204	826	73	21	8	3	4	109	16	14	16	25	23	16	18	17	41	45	46	59	79	102	88	60	37	8	7
	Females	1,139	870	64	10	5	7	5	91	15	12	21	22	22	26	27	26	33	54	44	68	82	117	95	62	39	13	1
Belfast Co. Borough ...	Persons	10,369	6,493	1,152	380	143	58	50	1,783	116	91	155	185	184	219	170	254	312	399	476	465	428	549	357	191	117	36	6
	Males	5,353	3,133	655	224	83	29	27	1,018	65	46	63	74	77	74	84	130	150	196	227	207	197	232	156	72	45	17	3
	Females	5,016	3,360	497	156	60	29	23	765	51	45	92	111	107	145	86	124	162	203	249	258	231	317	201	119	72	19	3
Down ...	Persons	4,191	2,972	307	66	35	20	18	446	50	36	64	69	68	77	72	85	110	142	163	216	265	378	316	226	139	37	13
	Males	2,170	1,418	176	30	20	8	8	242	33	16	25	33	26	29	26	39	47	71	92	106	142	178	131	113	50	15	4
	Females	2,021	1,554	131	36	15	12	10	204	17	20	39	36	42	48	46	46	63	71	71	110	123	200	185	113	89	22	9
Fermanagh ...	Persons	1,155	827	77	8	8	9	2	104	11	11	12	17	18	17	15	27	26	39	63	53	78	109	80	68	50	23	6
	Males	613	420	44	5	5	5	1	60	7	7	3	8	7	7	4	12	12	24	28	29	37	60	39	33	31	10	2
	Females	542	407	33	3	3	4	1	44	4	4	9	9	11	10	11	15	14	15	35	24	41	49	41	35	19	13	4
L'derry Co. & Co. Borough	Persons	3,169	2,069	244	56	27	22	12	361	36	22	32	58	48	55	41	56	64	113	102	146	157	277	204	173	77	34	13
	Males	1,684	993	140	25	12	15	4	196	16	10	17	27	22	27	18	17	30	47	57	76	86	129	95	68	40	9	6
	Females	1,485	1,076	104	31	15	7	8	165	20	12	15	31	26	28	23	39	34	66	45	70	71	148	109	105	37	25	7
Tyrone ...	Persons	2,722	2,073	186	31	16	16	8	257	30	30	44	53	51	38	44	57	71	112	100	138	200	325	215	171	85	41	11
	Males	1,417	1,046	114	21	11	8	5	159	17	14	24	26	18	16	20	21	37	58	55	70	99	146	97	83	58	25	3
	Females	1,305	1,027	72	10	5	8	3	98	13	16	20	27	33	22	24	36	34	54	45	68	101	179	118	88	27	16	8

ABSTRACT VII.—Northern Ireland: Causes

NOTE.—International List Numbers, representing Causes of Death, have been
been registered during the year. The headings omitted

International List Nos.	CAUSES OF DEATH.		AGES AT										
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
	TOTAL DEATHS (All Causes)	M	9,161	566	143	96	193	368	1,366	366	154	82	58	2,026
		F	9,666	394	112	89	163	266	1,024	275	122	73	61	1,555
1-42	I. Epidemic, Endemic and Infectious Diseases ...	M	1,500	2	8	9	15	73	107	125	58	42	30	362
		F	1,627	5	11	5	19	71	111	86	52	32	29	310
43-69	II. General Diseases, not included above ...	M	879	2	1	.	.	5	8	7	10	2	1	28
		F	1,083	1	.	.	.	2	3	4	6	5	2	20
70-86	III. Diseases of the Nervous System and Sense Organs	M	956	26	10	6	13	32	87	21	8	4	4	124
		F	990	25	5	6	14	21	71	28	11	3	5	118
87-96	IV. Diseases of the Circulatory System	M	1,390	.	.	.	.	.	.	1	1	.	.	2
		F	1,560	.	.	.	.	.	.	2	1	1	2	6
97-107	V. Diseases of the Respiratory System ...	M	1,359	16	28	17	51	139	251	143	39	17	12	462
		F	1,366	15	16	14	38	81	164	100	35	19	9	327
108-127	VI. Diseases of the Digestive System	M	717	23	35	35	76	99	268	42	9	8	3	330
		F	637	16	25	35	51	67	194	38	9	5	7	253
128-142	VII. Non-Venereal Dis. of the Genito-Urinary System and Annexa ...	M	364	1	.	.	2	1	4	5	2	2	1	14
		F	280	.	1	.	.	.	1	.	1	1	1	4
143-150	VIII. The Puerperal State ...	F	158	.	.	.	.	.	.	.	.	.	.	.
151-154	IX. Diseases of the Skin and Cellular Tissue ...	M	56	1	.	.	2	1	4	1	1	.	.	6
		F	48	1	1	.	1	.	3	1	.	.	.	4
155-158	X. Diseases of the Bones and Organs of Locomotion	M	21	.	1	.	1	.	2	1	1	.	.	4
		F	16	.	.	.	.	.	.	.	.	1	1	2
159	XI. Malformations	M	68	42	9	3	3	2	59	5	3	.	.	67
		F	58	28	5	4	9	5	51	3	2	1	1	58
160-163	XII. Diseases of Early Infancy	M	557	440	51	24	29	13	557	.	.	.	.	557
		F	414	296	48	25	29	16	414	.	.	.	.	414
164	XIII. Old Age	M	926	.	.	.	.	.	.	.	.	.	.	.
		F	1,198	.	.	.	.	.	.	.	.	.	.	.
165-203	XIV. External Causes... ...	M	295	5	.	2	1	1	9	10	17	6	7	49
		F	139	5	.	.	2	3	10	6	5	2	3	26
204, 205	XV. Ill-defined Causes ...	M	73	8	.	.	.	2	10	5	5	1	.	21
		F	92	2	.	.	.	.	2	7	.	3	1	13

of Death at different Age-Periods, 1926.

omitted from this Abstract in cases where no deaths from such causes have for this reason are given at the end of this Abstract.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
186	126	169	216	200	194	193	266	365	517	575	658	761	1,011	731	520	314	103	30	
140	125	217	271	278	315	260	331	398	531	565	691	769	1,190	873	628	359	132	38	
97	43	94	129	122	92	69	81	91	83	79	39	37	43	18	14	5	2	.	M 1-42
73	61	144	162	156	124	96	80	83	65	61	49	37	61	39	15	7	4	.	F
15	6	9	11	9	14	11	33	53	97	119	122	141	106	61	31	12	1	.	M 43-69
6	17	3	7	11	27	35	56	108	126	133	139	126	141	71	35	18	3	1	F
11	14	12	6	16	17	17	33	50	61	78	86	122	131	90	47	32	8	1	M 70-86
10	8	8	11	8	13	32	29	43	77	69	101	108	157	102	57	23	13	3	F
4	17	21	16	12	11	28	37	53	112	125	186	219	257	164	87	35	3	1	M 87-96
9	13	15	22	19	29	22	59	72	110	134	199	237	281	198	75	50	8	2	F
27	10	6	18	8	20	23	27	48	68	69	105	104	169	101	59	29	4	2	M 97-107
14	7	16	16	23	31	18	30	37	66	88	102	116	217	124	80	44	7	3	F
13	13	8	17	13	14	17	23	26	38	43	44	36	35	24	14	8	1	.	M 108-127
21	8	12	9	14	16	8	26	20	38	30	38	48	46	30	15	4	.	1	F
5	1	5	2	3	5	8	14	24	23	34	39	47	71	43	14	11	1	.	M 128-142
.	3	6	10	9	19	15	21	23	31	32	29	22	30	15	6	3	1	1	F
.	.	8	25	27	51	28	17	2	.	.	.	.	.	.	.	.	.	.	F 143-150
.	4	1	.	.	.	2	.	1	4	7	4	7	6	6	6	1	1	.	M 151-154
1	.	1	.	1	1	.	3	.	1	4	5	6	8	7	5	1	.	.	F
3	5	1	1	.	1	1	.	.	2	1	1	.	1	.	.	.	.	.	M 155-158
.	2	.	.	.	1	.	1	1	1	3	.	1	2	1	.	1	.	.	F
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 159
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 160-163
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	1	6	24	167	209	239	174	80	26	M 164
.	.	.	.	.	.	.	.	.	.	2	12	40	223	271	327	204	94	25	F
11	12	10	15	16	19	17	17	18	27	15	18	15	14	10	6	5	1	.	M 165-203
6	5	4	9	10	3	5	6	5	7	1	5	14	10	9	7	4	2	1	F
.	.	2	1	1	1	.	1	1	2	4	8	9	11	5	3	2	1	.	M 204, 205
.	1	.	.	.	.	1	3	4	9	8	12	14	14	6	6	.	.	1	F

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
1-42	**I. Epidemic, Endemic and Infectious Diseases.**													
1a	Typhoid Fever	M	19	.	.	.	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.	.	.	.
1b	Paratyphoid Fever	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
5	Malaria	M	4	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	M	185	.	.	4	4	34	42	73	27	15	8	165
		F	123	2	1	.	2	27	32	41	20	8	5	106
8	Scarlet Fever	M	19	.	.	.	1	1	2	.	2	2	2	8
		F	22	.	.	.	.	.	.	2	3	1	1	7
9	Whooping-cough	M	50	.	2	2	4	13	21	14	11	3	.	49
		F	57	1	7	1	8	17	34	12	6	1	1	54
10	Diphtheria	M	70	.	.	.	1	1	2	4	2	7	5	20
		F	55	.	.	.	.	.	.	4	1	6	7	18
	Influenza—													
11a	With Pulmonary complications specified ...	M	114	.	1	.	.	.	1	6	5	2	2	16
		F	147	.	1	.	.	4	5	6	2	.	1	14
11b	Without Pulmonary complications specified ...	M	84	1	.	.	2	2	5	2	.	.	1	8
		F	137	1	1	1	2	2	7	1	2	.	.	10
13	Mumps	M	4	.	.	.	.	1	1	.	1	.	.	2
		F	1	.	.	.	.	.	.	.	.	.	.	.
15	Cholera Nostras	M	1	.	.	.	.	.	.	.	1	.	.	1
		F	1	.	.	.	.	.	.	1	.	.	.	1
16	Dysentery	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
21	Erysipelas	M	19	.	1	.	.	.	1	.	.	.	.	1
		F	25	.	1	.	.	1	2	.	.	.	.	2
22	Acute Poliomyelitis ...	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica ...	M	18	.	.	.	.	.	.	.	.	1	.	1
		F	20	.	.	.	.	.	.	.	.	1	.	1
24	Meningococcal Meningitis ...	M	5	.	.	.	.	3	3	.	.	.	.	3
		F	2	.	.	.	.	1	1	.	.	.	.	1
25	Other Epidemic and Endemic Diseases	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	1	.	.	.	.	1
29	Tetanus	M	8	.	.	.	.	.	.	.	.	.	1	1
		F	2	.	.	.	.	.	.	.	.	.	1	1
31	Tuberculosis of the Respiratory System	M	641	.	.	.	.	4	4	7	3	3	4	21
		F	750	.	.	.	1	5	6	7	3	3	3	22
32	Tuberculosis of the Meninges & Central Nervous System	M	88	.	.	.	1	10	11	13	5	6	7	42
		F	84	.	.	2	3	8	13	5	6	4	7	35
33	Tuberculosis of the Intestines and Peritoneum ...	M	40	.	.	1	1	4	6	4	.	2	.	12
		F	80	.	.	.	1	5	6	4	5	5	2	22
34	Tuberculosis of the Spinal Column	M	13	.	.	.	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.	.	.	.
35	Tuberculosis of the Joints	M	3	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.
	Tuberculosis of Other Organs—													
36a	Skin	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
36b	Bones (spine excepted) ...	M	8	.	.	.	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	1	1	.	1	.	.	2
36c	Lymphatic System (Mesenteric and Retroperitoneal Glands excepted) ...	M	3	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
1	.	5	3	1	2	1	2	.	2	1	.	1	.	.	.	.	.	.	M
.	1	3	4	1	.	4	1	.	1	1	1	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
18	3	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	M
9	5	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	F
7	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
8	3	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	F
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
32	10	2	1	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	M
20	6	5	1	.	1	3	.	.	.	.	1	.	.	.	.	.	.	.	F
4	3	4	.	10	3	2	7	5	7	14	6	5	14	7	4	3	.	.	M
1	.	.	3	8	3	8	11	12	9	9	12	15	21	10	7	2	2	.	F
1	.	1	.	3	.	.	2	5	1	10	7	15	13	8	8	.	2	.	M
1	.	1	1	2	4	3	4	2	10	16	6	14	26	24	6	5	2	.	F
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	1	2	.	1	1	.	1	1	2	.	1	5	1	1	1	.	.	M
.	.	1	1	1	1	4	2	.	3	2	1	1	2	2	2	.	.	.	F
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
1	2	.	1	3	2	1	.	4	.	2	.	1	.	.	.	.	.	.	M
.	1	1	1	2	4	.	2	1	2	1	2	.	1	1	.	.	.	.	F
.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	M
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
1	3	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	M
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
7	9	53	98	86	72	46	57	60	59	37	19	9	6	2	.	.	.	.	M
7	25	102	121	122	97	59	52	59	29	27	19	4	5	.	.	.	.	.	F
17	8	5	3	2	.	4	4	1	.	2	.	.	.	.	.	.	.	.	M
12	11	10	7	3	1	2	2	1	.	.	.	.	.	.	.	.	.	.	F
3	1	3	6	5	2	2	2	1	.	3	.	.	.	.	.	.	.	.	M
8	3	9	7	5	5	2	5	2	4	3	1	1	2	1	.	.	.	.	F
.	1	1	2	4	1	2	.	1	1	.	.	.	.	.	.	.	.	.	M
2	1	1	3	2	1	1	1	1	.	.	2	.	.	.	.	.	.	.	F
.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	M
.	.	1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	F
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	F
1	.	1	1	2	.	.	.	1	.	1	1	.	.	.	.	.	.	.	M
.	.	1	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	F
.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F

1a	
1b	
2	
5	
7	
8	
9	
10	
11a	
11b	
13	
15	
16	
21	
22	
23	
24	
25	
29	
31	
32	
33	
34	
35	
36a	
36b	
36c	

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
1-42	**I. Epidemic, Endemic and Infectious Diseases.**—(*Contd.*)													
	Tuberculosis of Other Organs—													
36d	Genito-Urinary System ...	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
36e	Other Organs	M	6	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.
37	Disseminated Tuberculosis...	M	43	.	.	.	.	.	.	2	1	1	.	4
		F	45	.	.	.	.	.	.	2	2	1	1	6
38	Syphilis	M	15	1	2	2	1	.	6	.	.	.	.	6
		F	5	.	.	.	1	.	1	1	1	.	.	3
40	I. Gonococcal Infection (Ophthalmia excepted) ...	M	1	.	1	.	.	.	1	.	.	.	.	1
		F	1	.	.	.	.	.	.	.	.	1	.	1
41	Purulent Infection: Septicæmia	M	30	.	1	.	.	.	1	.	.	.	.	1
		F	17	1	.	.	1	.	2	.	.	1	.	3
42	Other Infectious Diseases ...	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
43-69	**II. General Diseases, not included in I.**													
	Carcinoma	M	337	.	.	.	.	.	.	.	.	.	.	.
		F	462	.	.	.	.	.	.	.	.	.	.	.
43-9	Sarcoma	M	39	.	.	.	.	.	.	1	.	.	.	1
		F	34	.	.	.	.	.	.	.	.	.	1	1
	Cancer, Malignant Disease (not otherwise defined) ...	M	243	.	.	.	.	.	.	.	.	.	.	.
		F	295	.	.	.	.	1	1	.	.	1	.	2
50	Tumours, non-Malignant (not Cerebral, Ovarian or Uterine)	M	6	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.
51	Rheumatic Fever	M	28	.	.	.	.	.	.	.	.	.	.	.
		F	37	.	.	.	.	.	.	.	2	.	.	2
52	Chronic Rheumatism, Osteo-Arthritis, Gout ...	M	26	.	.	.	.	.	.	.	.	.	.	.
		F	45	.	.	.	.	.	.	.	.	.	.	.
56	Rickets	M	14	.	1	.	.	5	6	3	4	.	1	14
		F	11	.	.	.	.	1	1	4	3	2	1	11
57	Diabetes	M	72	.	.	.	.	.	.	1	1	.	.	2
		F	56	.	.	.	.	.	.	.	.	.	.	.
58a	Pernicious Anæmia	M	63	.	.	.	.	.	.	.	.	.	.	.
		F	63	.	.	.	.	.	.	.	.	.	.	.
58b	Other Anæmias, Chlorosis ...	M	20	.	.	.	.	.	.	1	3	.	.	4
		F	19	.	.	.	.	.	.	.	.	.	.	.
60a	Exophthalmic Goitre ...	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	21	.	.	.	.	.	.	.	.	.	.	.
60b	Other Diseases of the Thyroid Gland	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	13	.	.	.	.	.	.	.	.	.	.	.
61	Diseases of the Parathyroid Gland ...	M	2	.	.	.	.	.	.	.	1	1	.	2
		F	.	.	.	.	.	.	.	.	.	.	.	.
62	Diseases of the Thymus ...	M	1	1	.	.	.	.	1	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.	.
63	Diseases of the Adrenals ...	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.
64	Diseases of the Spleen ...	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
65a	Leukæmia	M	7	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
65b	Lymphadenoma (Hodgkin's Disease) ...	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	1	.	1

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	3	.	1	1	.	.	.	.	.	1	1	.	.	1	.	.	M
.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	F
3	1	10	7	3	4	4	1	2	1	2	.	1	.	.	.	.	.	.	M
2	2	7	7	8	3	5	.	3	1	.	1	.	.	.	.	.	.	.	F
.	.	.	.	.	1	1	1	.	2	2	.	.	2	.	.	.	.	.	M
.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
4	2	3	.	.	1	1	.	5	4	2	1	3	2	.	.	1	.	.	M
.	1	.	2	.	1	1	.	.	1	1	2	1	4	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	1	.	1	17	27	39	62	56	56	42	20	11	5	.	.	
.	.	.	.	1	8	18	29	50	61	61	68	59	56	26	12	10	3	.	
2	.	1	4	2	.	2	2	2	6	4	5	5	1	1	1	.	.	.	43-9
.	1	.	1	.	1	.	3	6	5	2	4	5	2	2	.	1	.	.	
.	.	.	.	1	.	3	6	13	26	27	36	44	39	29	15	3	1	.	
.	.	.	.	1	4	5	13	24	38	41	38	37	46	25	17	4	.	.	
.	.	.	.	.	.	.	.	.	2	1	2	1	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	2	.	.	2	.	.	2	.	.	.	.	F
8	2	4	1	1	.	1	.	1	.	.	.	6	2	.	2	.	.	.	M
4	12	.	3	1	2	1	1	2	.	2	2	1	3	.	1	.	.	.	F
.	.	.	.	.	.	.	2	.	3	3	6	4	5	1	.	2	.	.	M
.	.	.	.	.	1	.	3	3	3	6	5	6	6	9	1	1	.	1	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
2	2	2	3	4	4	1	2	3	6	9	4	7	10	8	1	2	.	.	M
1	2	1	.	4	3	2	.	1	5	3	7	8	13	3	2	1	.	.	F
1	1	.	1	.	4	2	3	4	9	9	10	14	4	1	.	.	.	.	M
.	.	.	.	2	4	4	2	8	9	6	6	7	10	3	1	1	.	.	F
2	.	1	.	.	1	.	1	2	1	3	1	3	1	.	.	.	.	.	M
.	.	1	.	1	.	1	.	4	3	3	3	.	2	1	.	.	.	.	F
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M
.	1	.	1	1	3	2	3	4	2	4	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
1	.	1	.	.	.	1	.	.	.	3	2	2	2	.	1	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	M
.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	F
.	1	.	1	.	1	.	.	.	1	.	1	.	2	.	.	.	.	.	M
.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	M
.	.	.	1	.	.	.	1	1	.	.	1	.	1	.	.	.	.	.	F

	International List Nos.
M	36d
F	
M	36e
F	
M	37
F	
M	38
F	
M	40
F	
M	41
F	
M	42
F	
	43-9
M	50
F	
M	51
F	
M	52
F	
M	56
F	
M	57
F	
M	58a
F	
M	58b
F	
M	60a
F	
M	60b
F	
M	61
F	
M	62
F	
M	63
F	
M	64
F	
M	65a
F	
M	65b
F	

ABSTRACT VII.—(*Continued*).—Northern Ireland : Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			All Ages.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
43-69	**II. General Diseases, not included in I.**—(*Contd.*)													
66	Alcoholism (Acute or Chronic)	M	8	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
69	Other General Diseases ...	M	7	1	.	.	.	.	1	1	1	1	.	4
		F	8	1	.	.	.	.	1	.	1	1	.	3
70-86	**III. Diseases of the Nervous System and Sense Organs.**													
70	Encephalitis	M	6	.	.	.	.	.	.	1	.	.	.	1
		F	3	.	.	.	.	.	.	.	.	.	.	.
71	Meningitis	M	61	.	.	2	4	10	16	8	3	2	1	30
		F	58	.	.	.	3	9	12	11	7	.	2	32
72	Tabes Dorsalis (Locomotor Ataxy)	M	11	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
73	Other Diseases of Spinal Cord	M	38	.	.	.	.	1	1	1	.	.	.	2
		F	35	.	.	.	.	.	.	.	1	.	1	2
74a	Cerebral Hæmorrhage, Apoplexy	M	427	.	.	.	.	.	.	.	.	.	.	.
		F	475	.	.	.	.	.	.	.	.	.	.	.
74b	Cerebral Thrombosis and Embolism	M	50	.	.	.	.	.	.	.	.	.	.	.
		F	66	.	.	.	.	.	.	.	.	.	.	.
75a	Hemiplegia	M	74	.	.	.	.	.	.	.	.	.	.	.
		F	101	.	.	.	.	.	.	.	.	.	.	.
75b	Other Forms of Paralysis ...	M	37	.	.	.	.	.	.	.	.	.	.	.
		F	39	.	.	.	.	.	.	.	.	.	.	.
76	General Paralysis of the Insane	M	28	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.
77	Other Forms of Insanity ...	M	15	.	.	.	.	.	.	.	.	.	.	.
		F	41	.	.	.	.	.	.	.	.	.	.	.
78	Epilepsy	M	35	.	.	.	1	.	1	.	1	.	1	3
		F	25	.	.	.	.	1	1	.	.	.	.	1
79, 80	Convulsions (Non-Puerperal) ...	M	83	26	10	4	8	18	66	10	3	2	1	82
		F	80	25	5	6	10	10	56	15	3	3	2	79
82	Hysteria and Neuritis ...	M	13	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
83	Cerebral Softening ...	M	4	.	.	.	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.	.	.	.
84	Other Diseases of the Nervous System ...	M	58	.	.	.	.	1	1	.	1	.	.	2
		F	44	.	.	.	.	.	.	.	.	.	.	.
85	Diseases of the Eye and Annexa	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
86	Diseases of the Ear and of the Mastoid Sinus ...	M	14	.	.	.	.	2	2	1	.	.	1	4
		F	6	.	.	.	1	1	2	2	.	.	.	4
87-96	**IV. Diseases of the Circulatory System.**													
87	Pericarditis	M	7	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
88	Acute Endocarditis and Myocarditis	M	24	.	.	.	.	.	.	.	.	.	.	.
		F	44	.	.	.	.	.	.	1	.	1	1	3
89	Angina Pectoris	M	30	.	.	.	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.	.	.	.
90	Other Diseases of the Heart	M	1,180	.	.	.	.	.	.	.	1	.	.	1
		F	1,379	.	.	.	.	.	.	.	1	.	.	1
91a	Aneurysm	M	11	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.
91b	Arterial Sclerosis	M	110	.	.	.	.	.	.	.	.	.	.	.
		F	92	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards		
.	.	.	.	.	3	1	.	1	2	1	.	.	.	.	.	.	.	.	M	66
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	M	69
.	1	.	.	.	.	1	.	2	.	1	.	.	.	.	.	.	.	.	F	
.	2	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	M	70
.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	F	
8	7	2	2	3	1	1	2	1	2	2	.	.	.	.	.	.	.	.	M	71
5	5	1	3	1	1	2	1	3	.	2	1	1	.	.	.	.	.	.	F	
.	.	.	.	.	.	.	2	2	1	3	.	2	1	.	.	.	.	.	M	72
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	F	
1	.	1	.	1	2	3	.	6	4	4	4	6	3	1	.	.	.	.	M	73
1	1	.	2	2	2	5	3	3	2	1	.	3	6	.	2	.	.	.	F	
.	.	.	.	3	2	2	4	16	31	34	50	78	80	69	32	21	4	1	M	74a
.	.	1	.	1	1	6	7	14	39	36	65	68	98	76	38	16	7	2	F	
.	.	1	.	.	.	.	2	4	4	5	3	4	14	4	4	4	1	.	M	74b
.	.	.	1	1	.	1	3	4	8	5	8	9	11	8	4	.	2	1	F	
.	.	.	.	1	.	.	3	4	3	5	9	11	13	12	8	4	1	.	M	75a
.	.	.	.	.	1	2	2	6	9	11	9	12	25	10	8	3	3	.	F	
.	.	.	.	.	1	1	.	1	5	5	5	8	5	2	1	1	2	.	M	75b
.	.	1	1	1	1	5	1	3	2	4	4	6	3	3	2	2	.	.	F	
.	.	.	.	.	3	3	8	8	3	1	2	.	.	.	.	.	.	.	M	76
.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	F	
.	.	.	.	.	1	1	1	2	1	3	5	1	.	.	.	.	.	.	M	77
.	.	1	2	1	3	5	1	3	8	5	6	2	2	1	1	.	.	.	F	
.	.	2	3	5	3	3	2	2	1	4	3	1	2	.	1	.	.	.	M	78
1	1	4	2	.	2	1	2	4	2	.	1	2	1	.	.	1	.	.	F	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	79, 80
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	
.	.	1	.	1	.	1	1	1	.	2	1	2	2	1	.	.	.	.	M	82
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	F	
.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	M	83
.	.	.	.	.	.	1	.	.	.	1	1	1	2	.	1	.	1	.	F	
1	3	1	1	2	1	2	5	3	4	9	3	9	9	1	1	1	.	.	M	84
1	.	.	.	.	2	2	7	3	5	3	5	3	7	4	1	1	.	.	F	
.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	M	85
.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	F	
.	2	4	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	M	86
1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	
.	.	2	.	.	.	1	.	.	1	.	1	1	1	.	.	.	.	.	M	87
1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	F	
1	3	3	2	1	.	.	1	2	4	2	.	2	2	.	1	.	.	.	M	88
1	5	2	4	2	3	2	3	4	1	4	5	3	.	1	1	.	.	.	F	
.	.	.	.	.	.	.	.	1	5	1	6	7	4	3	2	1	.	.	M	89
.	.	.	1	.	.	.	.	.	.	1	2	5	2	1	.	.	.	.	F	
3	14	16	14	11	9	26	30	44	96	105	155	181	224	147	74	28	2	.	M	90
7	8	13	17	16	24	16	54	65	103	120	176	212	253	176	67	41	8	2	F	
.	.	.	.	.	.	.	4	.	1	2	.	3	1	.	.	.	.	.	M	91a
.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	F	
.	.	.	.	.	.	.	1	2	2	9	20	21	25	14	9	5	1	1	M	91b
.	.	.	.	.	.	.	1	1	2	6	12	11	23	20	7	9	.	.	F	

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		AGES AT											
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
87-96	**IV. Diseases of the Circulatory System.**—(*Contd.*)													
91c	Other Diseases of the Arteries	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
92	Embolism and Thrombosis (not Cerebral)	M	12	.	.	.	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	1	.	.	.	1
93	Diseases of the Veins (Varices, Hæmorrhoids, Phlebitis, etc.)	M	5	.	.	.	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.	.	.	.
94	Diseases of the Lymphatic System (Lymphangitis, etc.)	M	1	.	.	.	.	.	.	1	.	.	.	1
		F	3	.	.	.	.	.	.	.	.	.	1	1
95	Hæmorrhage (not otherwise defined)	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
96	Other Diseases of the Circulatory System ...	M	7	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.
97-107	**V. Diseases of the Respiratory System.**													
97	Diseases of the Nasal Fossæ	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
98	Diseases of the Larynx ...	M	16	1	.	.	2	2	5	3	2	.	2	12
		F	8	.	1	.	1	2	4	1	.	1	.	6
99a	Bronchitis, Acute	M	231	8	16	9	13	17	63	12	3	2	2	82
		F	297	7	5	5	7	12	36	8	5	2	1	52
99b	Bronchitis, Chronic ...	M	207	.	.	.	1	.	1	.	2	.	.	3
		F	245	.	.	.	1	4	5	2	1	.	.	8
99c, d	Bronchitis (not otherwise defined) ...	M	112	.	.	.	1	7	8	6	1	.	1	16
		F	120	.	.	.	2	3	5	5	1	1	.	12
100	Broncho-Pneumonia (including Capillary Bronchitis)...	M	303	3	5	6	24	80	118	77	17	8	4	224
		F	295	5	9	8	22	42	86	56	19	9	4	174
101a	Lobar Pneumonia	M	79	.	1	.	1	2	4	7	2	1	.	14
		F	54	.	.	.	1	2	3	5	1	.	2	11
101b	Pneumonia (not otherwise defined) ...	M	262	4	6	.	6	20	36	26	7	5	1	75
		F	204	1	1	.	3	11	16	18	6	6	2	48
102	Pleurisy	M	33	.	.	.	.	.	.	3	2	.	2	7
		F	25	.	.	.	.	.	.	1	.	.	.	1
103	Congestion and Hæmorrhagic Infarction of the Lung ...	M	59	.	.	2	3	11	16	9	3	.	.	28
		F	62	2	.	1	1	4	8	4	1	.	.	13
104	Gangrene of the Lung ...	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
105	Asthma	M	46	.	.	.	.	.	.	.	.	.	.	.
		F	50	.	.	.	.	.	.	.	1	.	.	1
106	Pulmonary Emphysema ...	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	1	1	.	.	.	.	1
107a	Chronic Interstitial Pneumonia	M	3	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.
107c	Other Diseases of the Respiratory System (Tuberculosis excepted)...	M	6	.	.	.	.	.	.	.	.	1	.	1
		F	.	.	.	.	.	.	.	.	.	.	.	.
108-127	**VI. Diseases of the Digestive System.**													
108	1. Diseases of the Teeth and Gums	M	4	.	.	.	1	.	1	.	.	.	.	1
		F	1	.	.	.	.	.	.	1	.	.	.	1
	2. Other Diseases of the Buccal Cavity	M	2	.	.	.	.	.	.	1	.	.	.	1
		F	1	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	F } 91
.	.	.	.	.	1	1	.	1	.	3	1	4	.	.	.	.	.	.	M
.	.	.	.	1	1	3	1	.	1	.	.	1	.	.	.	.	.	.	F } 92
.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	1	.	.	.	M
.	.	.	.	.	.	1	.	2	3	1	1	2	.	.	.	.	.	.	F } 93
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 94
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 95
.	.	.	.	.	.	.	.	3	1	1	2	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.	.	F } 96
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	F } 97
2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	F } 98
2	.	1	2	.	2	4	1	4	6	11	19	27	35	15	10	8	2	.	M
.	.	1	.	2	3	4	4	5	7	14	25	29	57	43	29	18	2	2	F } 99a
.	2	.	1	.	.	2	6	7	19	15	25	28	47	27	15	8	1	1	M
.	.	1	1	1	1	1	6	6	15	26	28	29	64	31	19	6	2	.	F } 99b
.	.	.	.	.	2	1	2	3	6	7	11	9	17	22	10	5	.	1	M
.	.	.	1	.	2	1	2	2	5	7	7	12	29	20	12	7	.	1	F } 99c, d
11	3	.	3	.	1	.	.	2	4	5	13	9	13	6	6	3	.	.	M
7	4	4	3	4	1	2	5	5	10	3	11	15	23	14	2	6	2	.	F } 100
.	2	2	2	3	2	2	5	7	8	5	10	5	8	2	2	.	.	.	M
1	2	2	3	4	5	2	.	3	5	3	3	2	4	1	2	1	.	.	F } 101a
10	1	1	5	4	9	11	6	15	10	21	18	16	26	23	8	3	.	.	M
5	1	7	7	8	12	4	3	9	12	16	23	10	21	7	9	2	.	.	F } 101b
1	1	1	3	.	1	.	3	4	3	1	2	1	2	2	1	.	.	.	M
1	.	1	.	1	2	3	2	2	3	3	.	2	1	.	2	1	.	.	F } 102
1	1	.	1	1	.	.	1	2	4	2	2	1	8	1	3	2	1	.	M
.	.	.	1	1	.	.	3	1	2	5	2	9	11	6	4	3	1	.	F } 103
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	F } 104
.	.	.	1	.	3	3	1	2	6	2	2	7	12	3	4	.	.	.	M
.	.	.	.	1	5	1	5	4	7	9	3	6	6	1	1	.	.	.	F } 105
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 106
.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	F } 107a
.	.	1	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 107c
.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 108
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	F } 108

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			All Ages.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
108-127	**VI. Diseases of the Digestive System.**—(*Contd.*)													
109	Diseases of the Pharynx and Tonsils (including adenoid vegetations) ...	M	10	.	.	.	.	.	.	1	1	.	.	2
		F	13	.	.	.	.	.	.	3	1	.	1	5
110	Diseases of the Œsophagus...	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
111a	Ulcer of the Stomach ...	M	43	.	.	.	.	.	.	.	.	.	.	.
		F	36	.	.	.	.	.	.	.	.	.	.	.
111b	Ulcer of the Duodenum ...	M	36	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.
112	Other Dis. of the Stomach (Cancer excepted) ...	M	66	2	3	3	7	4	19	1	2	1	.	23
		F	68	2	1	2	5	2	12	3	.	.	.	15
113-114	Diarrhœa and Enteritis ...	M	339	19	32	32	64	89	236	35	5	5	1	282
		F	305	13	23	33	44	63	176	31	8	4	2	221
116	Other Intestinal Parasites ...	M	2	.	.	.	.	.	.	1	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.	.
117	Appendicitis and Typhlitis...	M	47	.	.	.	.	.	.	.	.	.	.	.
		F	44	.	.	.	.	.	.	.	.	.	2	2
118a	Hernia	M	12	.	.	.	.	.	.	.	.	.	.	.
		F	16	.	1	.	.	.	1	.	.	.	.	1
118b	Intestinal Obstruction ...	M	72	2	.	.	3	6	11	1	1	.	2	15
		F	62	.	.	.	2	2	4	.	.	.	1	5
119	Other Diseases of the Intestines	M	17	.	.	.	.	.	.	2	.	.	.	2
		F	8	.	.	.	.	.	.	.	.	.	.	.
120	Acute Yellow Atrophy of the Liver	M	4	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.
121	Hydatid Tumour of the Liver	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver ...	M	22	.	.	.	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.	.	.	.
123	Biliary Calculi	M	8	.	.	.	.	.	.	.	.	.	.	.
		F	16	.	.	.	.	.	.	.	.	.	.	.
124	Other Diseases of the Liver...	M	23	.	.	.	1	.	1	.	.	2	.	3
		F	22	.	.	.	.	.	.	.	.	.	1	1
125	Diseases of the Pancreas ...	M	6	.	.	.	.	.	.	.	.	.	.	.
		F	4	1	.	.	.	.	1	.	.	.	.	1
126	Peritonitis of unstated origin	M	4	.	.	.	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.	1	.	1
128-142	**VII. Non-Venereal Diseases of the Genito-Urinary System and Annexa.**													
128	Acute Nephritis (including unspecified under 10 years of age)	M	71	.	.	.	1	1	2	4	1	2	1	10
		F	70	.	.	.	.	.	.	.	1	1	1	3
129	Chronic Nephritis (including unspecified 10 years of age and over)	M	140	.	.	.	.	.	.	1	1	.	.	2
		F	140	.	.	.	.	.	.	.	.	.	.	.
130	Chyluria	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
131	Other Diseases of the Kidneys and their Annexa (Diseases of the Kidneys in Pregnancy excepted).	M	21	.	.	.	.	.	.	.	.	.	.	.
		F	16	.	1	.	.	.	1	.	.	.	.	1
132	Urinary Calculi	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
133	Diseases of the Bladder ...	M	50	.	.	.	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.	.	.	.
134a	Stricture of the Urethra ...	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	1	1	1	.	1	1	1	.	1	.	.	.	1	.	.	.	.	.	M 109
2	1	1	.	1	1	.	.	.	1	.	1	.	.	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 110
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	F
.	.	.	2	4	2	2	4	3	3	4	4	6	6	2	1	.	.	.	M 111a
.	.	2	.	.	2	1	3	.	9	5	6	3	2	3	.	.	.	.	F
.	.	2	3	1	2	.	3	7	4	5	3	3	1	1	.	1	.	.	M 111b
.	.	.	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	F
1	.	.	2	.	.	.	4	I	4	9	6	3	5	3	2	2	1	.	M 112
.	.	1	1	2	1	1	1	5	3	5	5	10	10	4	2	1	.	1	F
6	3	1	2	1	2	2	4	2	3	5	7	6	4	3	4	2	.	.	M 113-114
8	.	.	2	1	2	2	8	4	8	4	5	15	14	6	3	2	.	.	F
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 116
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
2	7	3	6	4	3	6	1	2	5	1	3	1	2	.	1	.	.	.	M 117
5	5	7	5	5	3	1	2	2	1	.	2	2	1	.	1	.	.	.	F
.	.	.	.	.	1	.	.	2	.	.	1	3	1	3	1	.	.	.	M 118a
.	.	.	.	.	.	.	1	1	3	3	1	1	2	2	1	.	.	.	F
.	2	.	.	.	2	2	1	3	5	12	6	6	9	4	4	1	.	.	M 118b
1	.	.	1	.	2	.	6	3	4	7	4	10	8	6	5	.	.	.	F
.	.	.	.	.	1	.	2	1	3	1	3	.	.	3	.	1	.	.	M 119
.	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1	.	.	F
1	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	M 120
1	.	.	.	2	.	.	1	.	.	1	.	.	1	.	.	.	.	.	F
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 121
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	F
1	.	.	.	1	.	1	1	1	5	4	3	3	1	1	.	.	.	.	M 122
.	.	.	.	.	.	1	.	1	1	.	2	2	1	2	1	.	.	.	F
.	.	.	.	.	.	.	.	.	1	1	3	2	.	1	.	.	.	.	M 123
.	.	.	.	.	2	1	.	.	1	3	4	1	2	1	1	.	.	.	F
.	.	.	.	.	.	2	.	2	2	2	5	2	3	2	1	1	.	.	M 124
.	1	.	.	.	.	.	2	2	4	1	2	1	2	5	1	.	.	.	F
.	.	.	1	1	.	1	1	1	.	.	.	.	.	1	.	.	.	.	M 125
.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	F
1	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	M 126
4	1	1	.	1	3	.	2	1	.	.	3	.	.	.	.	.	.	.	F
5	1	3	1	2	1	2	4	8	6	9	5	5	6	1	1	1	.	.	M 128
.	1	5	2	2	5	2	3	6	8	12	8	8	.	3	.	1	1	.	F
.	.	1	1	1	3	2	10	10	11	18	17	23	25	12	2	1	1	.	M 129
.	2	1	4	4	10	10	8	12	16	14	19	9	21	6	2	1	.	1	F
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M 130
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F
.	.	1	.	.	.	2	.	2	3	3	1	1	2	1	3	2	.	.	M 131
.	.	.	.	1	2	2	2	1	2	.	.	1	1	.	2	1	.	.	F
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	M 132
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	F
.	.	.	.	.	1	1	.	1	1	1	7	5	15	12	2	4	.	.	M 133
.	.	.	.	1	1	.	2	1	1	1	1	1	5	5	1	.	.	.	F
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	M 134a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
128-142	**VII. Non-Venereal Diseases of the Genito-Urinary System and Annexa.**—(*Contd.*)													
134b	Other Diseases of the Urethra	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
135	Diseases of the Prostate ...	M	73	.	.	.	.	.	.	.	.	.	.	.
136	Non-Venereal Diseases of the Male Genital Organs ...	M	3	1	.	.	1	.	2	.	.	.	.	2
137	Cysts and other non-Malignant Tumours of the Ovary ...	F	9	.	.	.	.	.	.	.	.	.	.	.
138	Pelvic Abscess, Salpingitis ...	F	2	.	.	.	.	.	.	.	.	.	.	.
139	Tumours of the Uterus (Non-Malignant)	F	12	.	.	.	.	.	.	.	.	.	.	.
140	Uterine Hæmorrhage (Non-Puerperal)	F	1	.	.	.	.	.	.	.	.	.	.	.
141	1. Metritis	F	3	.	.	.	.	.	.	.	.	.	.	.
	2. Other Diseases of the Female Genital Organs (Non-Puerperal) ...	F	4	.	.	.	.	.	.	.	.	.	.	.
142	Non-Puerperal Diseases of the Breast	F	1	.	.	.	.	.	.	.	.	.	.	.
143-150	**VIII. The Puerperal State.**													
143a	Abortion	F	10	.	.	.	.	.	.	.	.	.	.	.
143b	Ectopic Gestation	F	3	.	.	.	.	.	.	.	.	.	.	.
143c	Other Accidents of Pregnancy	F	14	.	.	.	.	.	.	.	.	.	.	.
144	Puerperal Hæmorrhage ...	F	12	.	.	.	.	.	.	.	.	.	.	.
145	Other Accidents of Childbirth	F	33	.	.	.	.	.	.	.	.	.	.	.
146	Puerperal Sepsis	F	49	.	.	.	.	.	.	.	.	.	.	.
147	Puerperal Phlegmasia Alba Dolens	F	8	.	.	.	.	.	.	.	.	.	.	.
148	Puerperal Albuminuria and Convulsions	F	23	.	.	.	.	.	.	.	.	.	.	.
149	Childbirth (not otherwise defined)	F	6	.	.	.	.	.	.	.	.	.	.	.
151-154	**IX. Diseases of the Skin and Cellular Tissue.**													
151	Gangrene	M	33	1	.	.	.	.	1	.	.	.	.	1
		F	25	.	.	.	.	.	.	.	.	.	.	.
152	Carbuncle, Boil	M	7	.	.	.	1	.	1	.	.	.	.	1
		F	3	.	1	.	.	.	1	.	.	.	.	1
153	Cellulitis, Acute Abscess ...	M	11	.	.	.	.	.	.	1	.	.	.	1
		F	11	.	.	.	1	.	1	1	.	.	.	2
154	Other Diseases of the Skin and Cellular Tissue ...	M	5	.	.	.	1	1	2	.	1	.	.	3
		F	9	1	.	.	.	.	1	.	.	.	.	1

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	M} 134b
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F}
.	.	.	.	.	.	.	.	1	2	2	8	12	22	17	6	3	.	.	M 135
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M 136
.	.	.	1	1	.	.	.	.	1	1	1	2	1	.	1	.	.	.	F 137
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	F 138
.	.	.	.	.	1	.	2	2	3	3	.	.	1	.	.	.	.	.	F 139
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	F 140
.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	F 141
.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	F 142
.	.	1	2	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	F 143a
.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	F 143b
.	.	.	1	1	6	3	3	.	.	.	.	.	.	.	.	.	.	.	F 143c
.	.	1	1	3	4	.	2	1	.	.	.	.	.	.	.	.	.	.	F 144
.	.	1	6	4	10	8	3	1	.	.	.	.	.	.	.	.	.	.	F 145
.	.	3	8	10	16	9	3	.	.	.	.	.	.	.	.	.	.	.	F 146
.	.	.	1	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	F 147
.	.	1	5	4	7	4	2	.	.	.	.	.	.	.	.	.	.	.	F 148
.	.	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	F 149
1	1	1	.	.	.	.	1	.	.	6	2	4	6	5	5	1	1	.	M} 151
.	.	.	.	.	.	.	.	.	.	1	2	5	6	5	4	.	.	.	F}
.	.	.	.	.	.	.	.	.	3	.	1	1	.	1	.	.	.	.	M} 152
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	F}
.	2	.	.	.	.	2	.	1	1	1	1	1	.	.	1	.	.	.	M} 153
.	.	.	.	.	1	.	1	.	1	2	1	.	1	2	.	.	.	.	F}
.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M} 154
.	.	1	.	1	.	.	1	.	.	1	1	1	.	.	1	1	.	.	F}

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		ALL AGES.	AGES AT Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
155-158	**X. Diseases of the Bones and Organs of Locomotion.**													
155	Diseases of the Bones (Tuberculosis and Rickets excepted)	M	14	.	1	.	.	.	1	1	1	.	.	3
		F	9	.	.	.	.	.	.	.	.	1	1	2
156	Diseases of the Joints (Tuberculosis and Rheumatism excepted) ...	M	6	.	.	.	1	.	1	.	.	.	.	1
		F	6	.	.	.	.	.	.	.	.	.	.	.
158	Other Diseases of the Organs of Locomotion ...	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
159	**XI. Malformations.**													
159	Congenital Malformations (still-births excepted) ...	M	68	42	9	3	3	2	59	5	3	.	.	67
		F	58	28	5	4	9	5	51	3	2	1	1	58
160-163	**XII. Diseases of Early Infancy.**													
160	Congenital Debility, Icterus and Sclerema ...	M	313	212	39	20	29	13	313	.	.	.	.	313
		F	233	134	37	23	25	14	233	.	.	.	.	233
161	Premature Birth, Injury at Birth	M	222	208	11	3	.	.	222	.	.	.	.	222
		F	157	140	10	1	4	2	157	.	.	.	.	157
162	Other Diseases Peculiar to Early Infancy	M	14	12	1	1	.	.	14	.	.	.	.	14
		F	14	12	1	1	.	.	14	.	.	.	.	14
163	Lack of Care	M	8	8	.	.	.	.	8	.	.	.	.	8
		F	10	10	.	.	.	.	10	.	.	.	.	10
164	**XIII. Old Age.**													
164	Senility, Old Age	M	926	.	.	.	.	.	.	.	.	.	.	.
		F	1,198	.	.	.	.	.	.	.	.	.	.	.
165-203	**XIV. External Causes.**													
165-174	Suicide	M	49	.	.	.	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.	.	.	.
177	Other Acute Accidental Poisonings	M	3	.	.	.	.	.	.	1	.	1	.	2
		F	3	.	.	.	.	.	.	.	.	.	.	.
179	Accidental Burns	M	43	.	.	.	1	1	2	8	13	4	2	29
		F	42	1	.	.	1	2	4	6	4	2	1	17
180	Accidental Mechanical Suffocation	M	5	2	.	2	.	.	4	.	1	.	.	5
		F	2	.	.	.	.	1	1	.	.	.	.	1
181	Accidental Absorption of Irrespirable or Poisonous Gas	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.
182	Accidental Drowning ...	M	29	.	.	.	.	.	.	.	2	.	.	2
		F	9	1	.	.	.	.	1	.	.	.	.	1
183	Accidental Injury— By Firearms	M	7	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.
184	By Cutting or Piercing Instruments	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
185	By Fall	M	36	.	.	.	.	.	.	.	.	.	.	.
		F	24	.	.	.	.	.	.	.	.	.	.	.
186	In Mining and Quarrying	M	3	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
3	5	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M
.	1	.	.	.	.	.	1	1	1	1	.	1	.	1	.	.	.	.	F } 155
.	.	.	.	.	1	1	.	.	1	1	.	.	1	.	.	.	.	.	M
.	1	.	.	.	1	.	.	.	.	1	.	.	2	.	.	1	.	.	F } 156
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	F } 158
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 159
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 160
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 161
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 162
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 163
.	.	.	.	.	.	.	.	.	.	1	6	24	167	209	239	174	80	26	M
.	.	.	.	.	.	.	.	.	.	2	12	40	223	271	327	204	94	25	F } 164
.	.	.	2	4	2	4	4	6	6	6	7	4	2	1	1	.	.	.	M
.	.	1	.	2	2	1	2	1	2	1	1	1	.	.	.	.	.	.	F } 165-174
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	M
.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	F } 177
4	.	.	.	1	1	.	.	.	1	2	.	.	1	2	.	1	1	.	M
2	3	1	1	2	.	.	1	1	.	.	2	2	2	2	4	1	1	.	F } 179
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	F } 180
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M
1	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	F } 181
3	1	2	4	1	2	3	1	.	2	2	1	2	3	.	.	.	.	.	M
1	1	.	2	.	.	1	.	.	.	.	.	2	.	1	.	.	.	.	F } 182
.	.	2	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	M
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 183
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 184
.	1	.	2	2	.	1	3	4	2	.	2	5	3	3	4	4	.	.	M
.	.	.	.	.	.	.	.	.	1	.	1	4	5	6	2	3	1	1	F } 185
.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 186

ABSTRACT VII.—(*Continued*).—Northern Ireland : Causes

International List Nos.	CAUSES OF DEATH.		AGES AT										
			ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
165-203	**XIV. External Causes.**—(*Contd.*)													
	Accidental Injury—(*Contd.*)													
187	By Machinery	M	1	.	.	.	.	.	.	.	.	.	1	1
		F	1	.	.	.	.	.	.	.	.	.	1	1
188	By other forms of Crushing (Vehicles, Railways, Landslides, etc.)	M	88	.	.	.	.	.	.	1	1	1	5	8
		F	24	.	.	.	.	.	.	.	1	.	1	2
189	Injury by Animals (Poisoning excepted) ...	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.
190	Wounds of War	M	5	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
192	Hunger or Thirst	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	1	.	1	.	.	.	.	1
193	Excessive Cold	M	2	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
194	Excessive Heat	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
197-199	Homicide	M	1	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.
200	Infanticide (Murder of Infants less than one year of age)	M	3	3	.	.	.	.	3	.	.	.	.	3
		F	3	3	.	.	.	.	3	.	.	.	.	3
201	Fracture (cause not specified)	M	3	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
202	Other Accidental Violence...	M	12	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.
204, 205	**XV. Ill-defined Causes.**													
205	Cause of Death Unstated or Ill-defined	M	73	8	.	.	.	2	10	5	5	1	.	21
		F	92	2	.	.	.	.	2	7	.	3	1	13

Causes of Death omitted from ABSTRACT VII.

No deaths from these causes were registered during the year.

International List Nos.	CAUSES OF DEATH.	International List Nos.	CAUSES OF DEATH.
3	Relapsing Fever.	59	Diseases of the Pituitary Gland.
4	Mediterranean Fever.	67	Chronic Poisoning by Mineral Substances.
6	Small-pox.	68	Chronic Poisoning by Organic Substances.
12	Miliary Fever.	81	Chorea.
14	Asiatic Cholera.	107b	Diseases of the Mediastinum.
17	Plague.	115	Ankylostomiasis.
18	Yellow Fever.	127	Other Diseases of the Digestive System.
19	Spirochætosis-ictero-hæmorrhagica.	150	Puerperal Diseases of the Breast.
20	Leprosy.	157	Amputations.
26	Glanders.	175	Poisoning by Food.
27	Anthrax.	176	Poisoning by Venomous Animals.
28	Rabies.	178	Conflagration.
30	Mycosis	191	Execution of Civilians by Belligerent Armies.
39	Soft Chancre.		
40	2. Gonorrhœal or Purulent Ophthalmia.	195	Lightning.
53	Scurvy.	196	Electricity (Lightning excepted).
54	Pellagra.	203	Violence (cause unknown).
55	Beri-beri.	204	Sudden Death (not otherwise defined).

of Death at different Age-Periods, 1926.

DEATH.																		International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 187
3	10	5	5	7	11	5	4	4	7	3	6	1	5	3	1	.	.	.	M
1	.	1	3	4	1	2	1	2	3	.	.	2	1	.	1	.	.	.	F } 188
.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	F } 189
.	.	.	.	.	1	3	.	.	1	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 190
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 192
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 193
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 194
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M
.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	F } 197-199
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 200
.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	M
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 201
1	.	.	1	1	.	.	.	1	4	.	2	1	.	1	.	.	.	.	M
1	.	.	.	2	.	.	.	1	.	.	.	1	.	.	.	.	.	.	F } 202
.	.	2	1	1	1	.	1	1	2	4	8	9	11	5	3	2	1	.	M
.	1	.	.	.	.	1	3	4	9	8	12	14	14	6	6	.	.	1	F } 205

ABSTRACT VIII.—Northern Ireland: Deaths from Principal Causes

(*See Index to Poor Law Unions on page 67.*)

International List Nos.	CAUSES OF DEATH, ETC.	NORTHERN IRELAND.		NORTHERN IRELAND.				COUNTIES.	
				TOTAL URBAN AREAS.		TOTAL RURAL AREAS.		ANTRIM.	
	ALL CAUSES ...	M. 9,161	F. 9,666	M. 4,649	F. 5,042	M. 4,512	F. 4,624	M. 1,325	F. 1,372
1	Enteric Fever	19	18	7	5	12	13	2	1
2	Typhus	1	.	1	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.
7	Measles	185	123	127	80	58	43	30	27
8	Scarlet Fever	19	22	9	10	10	12	4	.
9	Whooping-cough ...	50	57	37	36	13	21	11	10
10	Diphtheria	70	55	42	32	28	23	20	13
11	Influenza	198	284	107	142	91	142	20	39
16	Dysentery	2	.	.	.	2	.	1	.
23	Encephalitis Lethargica	18	20	11	15	7	5	7	2
24	Meningococcal Meningitis	5	2	4	2	1	.	.	.
31	Tuberculosis of Respiratory System	641	750	368	460	273	290	89	95
32-7	Other Tuberculosis ...	208	242	107	121	101	121	31	32
43-9	Cancer, Malignant Disease	619	791	289	383	330	408	72	139
57	Diabetes	72	56	29	27	43	29	12	14
74	Cerebral Hæmorrhage ...	477	541	213	246	264	295	95	94
87-90	Heart Disease	1,241	1,437	579	771	662	666	193	166
91b	Arterial Sclerosis ...	110	92	69	59	41	33	15	13
99	Bronchitis	550	662	302	373	248	289	61	91
100-1	Pneumonia (all forms) ...	644	553	390	363	254	190	70	53
97-8 | 102-7	Other Diseases of Respiratory System ...	165	151	97	88	68	63	19	15
111	Ulcer of Stomach or Duodenum	79	41	39	14	40	27	10	4
113	Diarrhœa and Enteritis (under 2 years) ...	271	207	233	178	38	29	19	13
117	Appendicitis and Typhlitis	47	44	25	26	22	18	6	6
122	Cirrhosis of Liver ...	22	11	15	6	7	5	6	1
128-9	Acute and Chronic Nephritis	211	210	112	119	99	91	34	31
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	158	—	85	—	73	—	22
159-161	Congenital Malformations and Debility, Premature Birth	603	448	369	275	234	173	88	64
165-174	Suicide	49	14	24	9	25	5	8	3
175-203	Other Deaths from Violence	246	125	126	67	120	58	39	22
—	Other Defined Diseases...	2,266	2,460	899	1,027	1,367	1,433	357	394
204-5	Causes Ill-defined or Unknown	73	92	19	23	54	69	6	8
	Deaths under one year of age ...	1,366	1,024	913	690	453	334	164	123
	,, 65 years and upwards ...	3,470	3,989	1,210	1,599	2,260	2,390	578	636
	Uncertified Deaths	837	948	104	96	733	852	90	98
	Number of Births	14,576	13,586	8,119	7,562	6,457	6,024	2,135	2,078
	Population (Census 1926) ...	608,205	648,117	297,546	339,959	310,659	308,158	92,600	99,018

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

COUNTIES.												International List Nos.
Armagh.		Belfast Co. Borough.		Down.		Fermanagh.		Londonderry Co. & Co. Boro'		Tyrone.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
826	870	3,133	3,360	1,418	1,554	420	407	993	1,076	1,046	1,027	—
.	1	4	2	3	3	3	6	1	1	6	4	1
.	.	.	.	1	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	6
9	6	101	52	18	20	9	4	4	9	14	5	7
2	3	3	9	2	4	.	.	3	3	5	3	8
.	2	30	29	6	11	1	.	.	.	2	5	9
2	4	28	19	11	7	1	.	2	4	6	8	10
12	22	70	99	41	46	8	7	21	38	26	33	11
.	.	.	.	.	.	.	.	1	.	.	.	16
.	1	6	11	2	5	.	1	2	.	1	.	23
1	.	3	1	1	1	.	.	.	.	.	.	24
61	52	257	325	90	128	22	23	54	64	68	63	31
17	22	66	75	35	46	8	4	26	36	25	27	32-7
60	68	185	256	111	159	37	29	67	68	87	72	43-9
5	1	18	17	16	10	4	3	14	8	3	3	57
51	52	115	154	88	98	13	11	64	67	51	65	74
125	153	392	534	199	220	69	59	130	146	133	159	87-90
10	6	42	35	17	21	.	.	20	10	6	7	91b
65	62	208	241	86	95	13	23	58	83	59	67	99
51	50	270	253	66	55	25	22	87	59	75	61	100-1
13	13	77	65	25	23	5	6	18	16	8	13	97-8 / 102-7
10	5	26	6	16	10	3	1	10	7	4	8	111
6	7	178	134	23	18	2	2	31	25	12	8	113
7	4	16	23	6	3	3	3	6	4	3	1	117
1	.	10	4	4	2	.	.	1	2	.	2	122
18	20	73	80	37	35	10	8	18	18	21	18	128-9
—	13	—	57	—	25	—	3	—	19	—	19	143-150
42	31	268	193	95	71	14	14	49	42	47	33	159-161
5	.	17	6	7	.	5	1	3	3	4	1	165-174
20	12	89	41	37	21	7	4	19	17	35	8	175-203
224	257	569	626	364	411	148	145	276	315	328	312	—
9	3	12	13	11	6	10	28	8	12	17	22	204-5
73	64	655	497	176	131	44	33	140	104	114	72	—
381	409	722	962	633	741	212	202	433	502	511	537	—
121	145	54	46	102	118	119	152	96	136	255	253	—
1,204	1,139	5,353	5,016	2,170	2,021	613	542	1,684	1,485	1,417	1,305	—
53,635	56,448	195,588	219,419	101,238	107,941	30,094	27,891	67,910	71,765	67,140	65,635	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland : Deaths from Principal Causes

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.									
		Ballycastle U.D.		Ballyclare U.D.		Ballymena U.D.		Ballymoney U.D.		Carrickfergus U.D.	
	ALL CAUSES ...	M. 12	F. 15	M. 22	F. 20	M. 92	F. 91	M. 25	F. 18	M. 33	F. 42
1	Enteric Fever	.	.	.	.	.	1	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	2	2	4	7	.	.	.	1
8	Scarlet Fever	.	.	.	.	1	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	.	1	.	.	.	.
10	Diphtheria	.	.	.	.	1	.	.	.	.	.
11	Influenza	.	1	.	.	2	.	.	1	.	5
16	Dysentery	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	1	1	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	1	1	2	.	13	9	1	2	2	7
32-7	Other Tuberculosis ...	1	.	1	.	.	3	1	1	1	1
43-9	Cancer, Malignant Disease	1	1	2	2	4	8	1	1	2	5
57	Diabetes	1	.	2	1	2	1	.	.	1	.
74	Cerebral Hæmorrhage ...	.	1	.	1	4	1	2	1	2	4
87-90	Heart Disease	.	2	2	3	10	14	3	1	3	4
91b	Arterial Sclerosis ...	1	.	1	.	1	.	.	.	1	.
99	Bronchitis	.	1	2	.	3	6	2	.	2	4
100-1	Pneumonia (all forms) ...	2	1	1	.	5	5	1	.	1	1
97-8 \ 102-7 /	Other Diseases of Respiratory System ...	.	.	1	1	.	1	.	.	.	.
111	Ulcer of Stomach or Duodenum	1	.	.	.	.	.	.	.	1	.
113	Diarrhœa and Enteritis (under 2 years) ...	.	.	.	.	4	.	.	.	.	.
117	Appendicitis and Typhlitis	.	.	.	.	1	.	.	.	.	.
122	Cirrhosis of Liver ...	.	.	1	.	.	.	1	.	.	.
128-9	Acute and Chronic Nephritis	.	.	2	1	6	3	1	.	2	.
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	.	—	.	—	.	—	1	—	1
159-161	Congenital Malformations and Debility, Premature Birth	.	.	1	2	7	6	3	1	4	1
165-174	Suicide	.	.	.	.	1	1	.	.	.	.
175-203	Other Deaths from Violence	.	1	1	.	1	1	.	.	2	2
—	Other Defined Diseases...	4	6	1	7	22	20	8	9	8	6
204-5	Causes Ill-defined or Unknown	.	.	.	.	.	2	.	.	1	.
	Deaths under one year of age ...	1	.	4	4	15	9	4	2	7	5
	,, 65 years and upwards ...	8	9	6	9	26	29	10	9	13	15
	Uncertified Deaths	1	.	.	.	5	10	1	1	.	.
	Number of Births	18	22	50	42	191	142	34	40	68	48
	Population (Census 1926)	879	1,105	1,619	1,748	5,453	6,422	1,471	1,690	2,285	2,466

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

CO. ANTRIM.														International List Nos.
Larne U.D.		Lisburn U.D.		Portrush U.D.		Antrim R.D.		Ballycastle R.D.		Ballymena R.D.		Ballymoney R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
68	63	86	82	10	16	159	177	71	73	224	267	151	148	—
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
5	4	3	.	.	.	2	6	1	1	2	2	2	.	7
1	.	.	.	.	.	1	.	.	.	.	.	.	.	8
3	3	1	.	.	.	1	3	.	.	.	.	.	.	9
.	.	7	4	.	.	.	2	1	.	3	2	3	2	10
.	.	2	.	.	.	3	4	.	1	2	12	1	2	11
.	.	.	.	.	.	.	.	.	.	1	.	.	.	16
1	.	1	.	.	.	.	.	.	.	1	1	1	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
5	4	3	8	.	.	14	14	2	4	9	12	8	13	31
4	2	2	.	1	.	3	6	1	.	5	6	2	3	32-7
4	2	5	5	1	1	11	21	4	7	10	33	12	16	43-9
.	.	.	1	.	.	.	1	1	1	3	2	1	.	57
5	6	7	4	.	.	17	8	8	7	18	18	9	14	74
10	9	14	5	.	3	23	18	17	12	30	25	21	19	87-90
.	.	.	2	3	4	2	1	1	.	1	5	3	.	91b
7	9	7	8	.	.	6	8	.	1	8	18	3	8	99
1	2	8	6	1	.	4	7	5	3	16	10	6	6	100-1
.	1	2	1	1	1	5	.	1	1	4	4	.	2	97-8, 102-7
.	.	.	.	.	.	2	.	1	.	2	1	2	1	111
3	.	3	2	.	.	.	.	.	.	2	4	1	1	113
.	.	.	.	.	.	1	1	.	1	.	1	2	1	117
.	.	1	.	.	.	1	.	.	.	1	.	.	.	122
1	2	2	.	1	.	4	8	1	2	2	6	.	3	128-9
—	2	—	2	—	.	—	2	—	.	—	4	—	2	143-150
4	5	3	4	.	.	12	7	1	4	16	11	13	7	159-161
.	.	.	.	.	.	1	1	1	.	2	.	2	.	165-174
4	.	.	1	.	1	9	3	2	2	6	7	4	1	175-203
10	12	15	28	2	6	37	55	21	24	79	82	53	47	—
.	.	.	1	.	.	.	1	2	2	1	1	1	.	204-5
12	9	10	5	.	1	18	15	2	6	25	16	19	14	—
20	25	31	33	7	13	75	87	52	35	110	145	79	69	—
.	.	1	2	.	.	6	5	15	15	24	29	28	25	—
113	128	140	126	14	21	251	222	90	82	350	356	240	265	—
4,419	5,287	5,717	6,677	1,116	1,836	12,471	12,644	4,909	4,532	16,366	16,890	10,071	10,232	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland: Deaths from Principal Causes

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.—(*Contd.*)						CO. ARMAGH.			
		Belfast R.D.		Larne R.D.		Lisburn R.D.		Armagh U.D.		Keady U.D.	
	ALL CAUSES ...	M. 88	F. 96	M. 136	F. 135	M. 148	F. 129	M. 64	F. 46	M. 13	F. 9
1	Enteric Fever	1	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.
7	Measles	3	3	.	.	6	1	.	.	.	.
8	Scarlet Fever	.	.	1	.	.	.	.	.	.	.
9	Whooping-cough ...	1	1	3	1	2	1	.	.	.	.
10	Diphtheria	1	.	1	.	3	3	.	1	.	.
11	Influenza	1	3	3	4	6	6	1	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	2	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	7	9	13	9	9	3	5	5	1	.
32-7	Other Tuberculosis ...	4	4	2	4	3	2	1	2	.	.
43-9	Cancer, Malignant Disease	3	9	5	12	7	16	3	1	.	1
57	Diabetes	.	.	1	3	.	4	.	.	.	.
74	Cerebral Hæmorrhage ...	7	8	6	12	10	9	11	2	2	2
87-90	Heart Disease	12	9	31	25	17	17	8	7	4	.
91b	Arterial Sclerosis ...	.	.	.	1	1	.	.	.	.	.
99	Bronchitis	8	12	7	11	6	5	5	6	2	3
100-1	Pneumonia (all forms) ...	4	3	2	4	13	5	6	2	.	.
97-8, 102-7	Other Diseases of Respiratory System ...	1	.	2	.	2	3	1	.	.	1
111	Ulcer of Stomach or Duodenum	.	1	1	1	.	.	1	.	.	.
113	Diarrhœa and Enteritis (under 2 years) ...	2	3	1	.	3	3	.	.	.	.
117	Appendicitis and Typhlitis	1	.	1	.	.	2	1	1	.	.
122	Cirrhosis of Liver ...	.	.	1	1	.	.	.	.	.	.
128-9	Acute and Chronic Nephritis	4	2	6	1	2	3	3	2	.	.
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	1	—	2	—	5	—	1	—	.
159-161	Congenital Malformations and Debility, Premature Birth	5	5	8	4	11	7	2	.	2	.
165-174	Suicide	.	1	1	.	.	.	.	.	.	.
175-203	Other Deaths from Violence	3	.	4	3	3	.	1	.	.	.
—	Other Defined Diseases...	19	22	36	36	42	34	15	16	2	2
204-5	Causes Ill-defined or Unknown	1	.	.	1	.	.	.	.	.	.
	Deaths under one year of age ...	14	12	15	10	18	15	7	1	2	1
	,, 65 years and upwards ...	24	29	55	72	62	57	19	20	. 5	5
	Uncertified Deaths	2	1	4	4	3	6	9	3	4	.
	Number of Births	153	189	237	208	186	187	102	73	20	13
	Population (Census 1926)	6,629	7,225	10,769	11,328	8,426	8,936	3,571	3,830	608	736

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

CO. ARMAGH.														International List Nos.
Lurgan U.D.		Portadown U.D.		Tanderagee U.D.		Armagh R.D.		Lurgan R.D.		Newry No. 2 R.D.		Tanderagee R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
67	100	89	79	9	12	230	239	102	109	218	240	34	36	—
.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
2	2	1	1	.	.	1	.	1	.	4	3	.	.	7
.	.	.	.	.	.	.	1	.	.	2	2	.	.	8
.	.	.	.	.	.	.	1	.	1	.	.	.	.	9
1	1	.	.	.	.	.	.	.	1	1	1	.	.	10
2	2	3	8	.	.	3	4	1	2	2	4	.	2	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	1	.	.	.	.	.	.	.	.	.	.	.	.	23
.	.	.	.	.	.	1	.	.	.	.	.	.	.	24
6	8	8	5	1	1	11	13	9	8	17	9	3	3	31
1	2	2	1	1	2	6	3	4	4	2	6	.	2	32-7
4	10	11	6	.	1	21	15	5	11	13	20	3	3	43-9
1	.	1	.	.	.	.	.	1	.	2	1	.	.	57
3	4	6	2	.	1	12	22	5	9	8	9	4	1	74
12	13	8	19	1	3	32	46	17	16	38	39	5	10	87-90
.	1	.	.	1	.	8	1	1	.	.	3	.	1	91b
3	7	5	3	1	1	22	17	10	3	17	19	.	3	99
6	8	2	7	.	.	13	11	11	8	12	13	1	1	100-1
.	2	2	2	.	.	3	1	.	.	7	6	.	1	97-8 102-7
2	1	1	1	.	.	4	2	1	.	.	1	1	.	111
2	2	1	3	.	.	3	1	.	.	.	1	.	.	113
.	.	1	.	.	.	2	1	2	2	1	.	.	.	117
.	.	.	.	.	.	.	.	.	.	1	.	.	.	122
1	4	1	1	.	.	7	6	3	3	2	3	1	1	128-9
—	3	—	1	—	.	—	3	—	1	—	4	—	.	143-150
2	6	10	3	.	.	12	7	2	3	10	12	2	.	159-161
.	.	1	.	.	.	1	.	1	.	2	.	.	.	165-174
1	4	2	1	1	.	10	1	2	3	3	3	.	.	175-203
17	18	23	15	3	3	58	82	22	34	70	79	14	8	—
1	1	.	.	.	.	.	.	4	.	4	2	.	.	204-5
6	10	13	7	1	1	19	12	5	8	18	23	2	1	—
25	29	28	32	2	8	135	123	47	50	102	120	18	22	—
1	2	2	6	.	.	46	54	9	13	49	64	1	3	—
152	140	147	161	13	19	319	291	165	147	256	265	30	30	—
5,675	6,824	5,534	6,457	591	730	15,967	15,677	6,751	7,121	13,158	13,191	1,780	1,883	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland: Deaths from Principal Causes

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. DOWN.									
		Banbridge U.D.		Bangor U.D.		Donaghadee U.D.		Downpatrick U.D.		Dromore U.D.	
	ALL CAUSES ...	M. 37	F. 46	M. 72	F. 83	M. 14	F. 24	M. 27	F. 27	M. 19	F. 22
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.
7	Measles	2	1	.	1	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	2	2	1	.	.	.	.	.	.	.
10	Diphtheria	.	.	1	2	.	.	.	.	1	.
11	Influenza	.	.	4	1	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	1	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	2	6	2	3	.	1	5	1	1	2
32-7	Other Tuberculosis ...	.	.	2	2	1	.	.	.	.	.
43-9	Cancer, Malignant Disease	3	4	9	7	2	1	3	1	1	2
57	Diabetes	.	.	.	.	.	.	.	.	.	.
74	Cerebral Hæmorrhage ...	.	3	6	10	2	1	1	3	1	.
87-90	Heart Disease	3	7	5	11	1	3	3	4	2	2
91b	Arterial Sclerosis ...	.	.	6	4	.	.	1	1	.	.
99	Bronchitis	.	3	1	5	.	.	.	3	3	2
100-1	Pneumonia (all forms) ...	3	1	3	2	2	2	1	1	1	3
97-8, 102-7	Other Diseases of Respiratory System ...	2	1	1	.	.	1	1	.	.	.
111	Ulcer of Stomach or Duodenum	2	1	.	1	.	.	.	.	.	.
113	Diarrhœa and Enteritis (under 2 years) ...	2	1	1	.	.	.	2	3	.	.
117	Appendicitis and Typhlitis	.	.	.	.	.	.	1	.	.	.
122	Cirrhosis of Liver ...	.	.	1	.	.	.	.	.	.	.
128-9	Acute and Chronic Nephritis	1	1	3	3	.	1	3	3	.	.
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	2	—	2	—	.	—	1	—	.
159-161	Congenital Malformations and Debility, Premature Birth	6	2	4	4	.	1	1	4	5	2
165-174	Suicide	.	.	1	.	.	.	1	.	.	.
175-203	Other Deaths from Violence	.	1	5	1	1	.	1	.	.	1
—	Other Defined Diseases...	8	10	15	23	5	13	3	2	3	8
204-5	Causes Ill-defined or Unknown	1	.	1	.	.	.	.	.	.	.
Deaths under one year of age ...		12	8	8	4	2	3	6	7	5	3
,, 65 years and upwards ...		11	14	24	43	3	16	8	13	5	9
Uncertified Deaths		2	.	.	1	1	.	1	1	1	.
Number of Births		56	61	128	102	29	21	50	52	40	31
Population (Census 1926)		2,270	2,582	5,650	7,666	1,122	1,413	1,482	1,665	1,030	1,199

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

CO. DOWN.														International List Nos.
Holywood U.D.		Newcastle U.D.		Newry U.D.		Newtownards U.D.		Warrenpoint U.D.		Banbridge R.D.		Castlereagh R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
33	38	10	9	82	103	58	81	17	21	171	220	38	29	—
1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
.	.	.	.	1	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
.	.	.	.	2	5	1	.	.	.	.	3	1	.	7
.	.	.	.	.	.	.	.	.	.	.	1	.	.	8
.	.	.	.	.	.	.	1	.	.	.	4	.	.	9
.	1	.	.	2	.	.	.	.	.	1	.	1	.	10
.	.	.	.	6	9	3	1	1	2	2	7	.	1	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	1	.	.	.	.	.	.	.	.	.	.	.	.	23
.	.	.	.	1	1	.	.	.	.	.	.	.	.	24
4	4	1	2	6	8	4	8	2	1	7	21	3	2	31
1	1	1	.	2	3	.	7	.	1	1	5	.	.	32-7
4	3	1	1	3	12	2	9	1	2	16	23	2	5	43-9
1	1	.	.	.	1	.	.	.	.	2	.	.	.	57
1	2	1	2	4	2	2	7	2	.	7	13	5	.	74
4	5	2	1	15	15	6	11	5	1	21	28	5	4	87-90
.	1	.	.	.	1	.	.	.	.	.	.	.	.	91b
.	1	.	.	7	9	13	10	.	1	9	5	4	4	99
.	3	1	.	5	5	.	.	.	.	10	7	2	1	100-1
.	1	.	.	.	1	1	.	.	1	6	10	4	.	97-8, 102-7
.	.	.	.	.	.	1	.	.	.	1	2	2	.	111
1	2	.	.	2	4	3	3	.	.	.	.	1	1	113
1	.	.	.	.	.	.	.	.	.	2	.	.	.	117
1	.	.	.	.	.	.	.	.	.	1	.	.	.	122
1	1	.	.	.	.	1	.	.	1	9	6	.	1	128-9
—	.	—	.	—	2	—	1	—	.	—	5	—	.	143-150
5	3	1	1	5	5	3	6	.	1	8	6	3	4	159-161
.	.	.	.	1	.	.	.	.	.	2	.	.	.	165-174
.	1	.	.	2	1	4	2	.	.	2	3	1	1	175-203
7	7	2	2	17	19	14	15	6	10	64	68	4	5	—
1	.	.	.	1	.	.	.	.	.	.	2	.	.	204-5
6	7	2	1	12	16	10	8	.	2	13	11	5	5	—
14	17	2	4	24	37	19	30	9	12	94	111	17	12	—
2	2	2	1	1	2	4	4	.	1	20	34	1	3	—
50	58	16	12	163	164	133	124	14	23	232	216	58	61	—
2,197	2,630	901	1,218	5,586	6,573	4,725	5,425	930	1,304	11,703	12,247	3,771	3,527	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland : Deaths from Principal Causes

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. DOWN.—(*Contd.*)									
		Downpatrick R.D.		Hillsborough R.D.		Kilkeel R.D.		Moira R.D.		Newry No. 1 R.D.	
	ALL CAUSES ...	M. 230	F. 207	M. 130	F. 126	M. 112	F. 108	M. 66	F. 74	M. 104	F. 127
1	Enteric Fever	1	1	1	1	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.
7	Measles	4	2	1	1	.	.	1	1	1	3
8	Scarlet Fever	1	.	.	.	1	3	.	.	.	.
9	Whooping-cough ...	1	2	1	.	1	.	.	1	.	.
10	Diphtheria	1	1	3	.	.	.	.	.	.	1
11	Influenza	8	7	5	5	1	.	2	.	5	5
16	Dysentery	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	2	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	9	22	7	11	9	6	4	3	7	10
32-7	Other Tuberculosis ...	7	7	3	3	1	2	2	1	5	7
43-9	Cancer, Malignant Disease	23	25	7	4	10	9	5	15	5	14
57	Diabetes	4	1	2	1	2	1	2	1	1	.
74	Cerebral Hæmorrhage ...	17	14	11	10	3	13	7	5	7	4
87-90	Heart Disease	47	37	21	17	11	12	8	14	14	20
91b	Arterial Sclerosis ...	5	7	.	1	1	.	1	.	.	3
99	Bronchitis	13	14	7	9	12	10	.	3	4	3
100-1	Pneumonia (all forms) ...	10	7	6	3	9	2	2	7	4	3
97-8 } 102-7 }	Other Diseases of Respiratory System ...	2	.	3	1	1	.	1	1	3	1
111	Ulcer of Stomach or Duodenum	4	1	2	2	.	1	1	.	1	1
113	Diarrhœa and Enteritis (under 2 years) ...	1	1	2	.	.	.	4	.	.	2
117	Appendicitis and Typhlitis	1	.	.	.	.	1	.	1	.	1
122	Cirrhosis of Liver ...	.	.	.	.	1	.	.	.	.	1
128-9	Acute and Chronic Nephritis	6	2	1	1	4	6	1	3	2	2
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	3	—	2	—	3	—	1	—	1
159-161	Congenital Malformations and Debility, Premature Birth	14	6	9	5	7	4	5	2	4	7
165-174	Suicide	.	.	.	.	.	.	.	.	1	.
175-203	Other Deaths from Violence	7	4	1	1	2	.	3	.	3	2
—	Other Defined Diseases...	41	41	36	46	34	35	17	15	37	35
204-5	Causes Ill-defined or Unknown	3	.	1	2	2	.	.	.	.	1
Deaths under one year of age ...		28	11	15	8	10	6	11	3	6	10
,, 65 years and upwards ...		107	102	60	69	69	68	32	28	58	62
Uncertified Deaths		10	14	9	10	18	16	6	2	15	17
Number of Births		334	309	197	167	138	137	90	85	151	133
Population (Census 1926)		16,480	15,712	10,191	10,583	7,574	7,697	4,622	4,878	6,652	6,660

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

		CO. FERMANAGH.								CO. LONDONDERRY.				International List Nos.
Newtownards R.D.		Enniskillen U.D.		Enniskillen R.D.		Irvinestown R.D.		Lisnaskea R.D.		Coleraine U.D.		Limavady U.D.		
M. 198	F. 209	M. 26	F. 37	M. 118	F. 124	M. 120	F. 91	M. 156	F. 155	M. 47	F. 75	M. 19	F. 31	—
.	.	.	.	1	1	1	.	1	5	.	1	.	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
5	3	2	.	.	2	6	2	1	.	.	.	.	.	7
.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
.	1	.	.	1	.	.	.	.	.	.	.	.	.	9
1	2	.	.	.	.	.	.	1	.	.	.	.	.	10
4	8	.	.	1	.	4	6	3	1	.	.	.	.	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
1	1	.	.	.	.	.	.	.	1	.	.	.	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
17	17	2	2	5	7	8	7	7	7	.	8	2	1	31
9	7	1	.	2	.	2	4	3	.	.	1	1	1	32-7
14	22	3	1	13	10	11	6	10	12	3	8	3	4	43-9
2	4	.	1	.	1	2	.	2	1	1	3	.	.	57
11	9	.	1	3	4	6	2	4	4	3	2	.	5	74
26	28	4	9	16	13	18	11	31	26	12	10	2	3	87-90
3	3	.	.	.	.	.	.	.	.	1	1	1	1	91b
13	13	1	2	2	7	6	6	4	8	3	3	.	1	99
7	8	5	8	11	11	3	.	6	3	2	8	3	1	100-1
.	5	1	.	2	1	1	3	1	2	1	2	2	.	97-8 102-7
2	1	.	1	.	.	1	.	2	.	.	.	.	.	111
4	1	.	.	1	1	.	1	1	.	2	.	.	2	113
1	.	.	.	1	2	.	1	2	.	.	.	.	1	117
.	1	.	.	.	.	.	.	.	.	.	.	.	.	122
5	4	1	2	5	1	2	1	2	4	1	3	.	.	128-9
—	2	—	.	—	1	—	.	—	2	—	1	—	1	143-150
15	8	.	.	3	5	4	4	7	5	6	2	.	.	159-161
1	.	.	.	2	.	1	1	2	.	.	1	.	.	165-174
5	3	.	1	2	.	5	2	.	1	1	2	1	1	175-203
51	57	6	8	43	44	33	30	66	63	11	19	3	8	—
1	1	.	1	4	13	6	4	.	10	.	.	.	.	204-5
25	18	3	3	10	13	15	10	16	7	8	3	1	3	—
77	94	8	15	65	67	60	44	79	76	16	36	5	9	—
9	10	1	2	36	49	27	32	55	69	1	3	.	.	—
291	265	58	63	185	155	160	111	210	213	97	75	34	35	—
14,352	14,962	2,448	2,435	9,268	8,527	7,284	6,562	11,094	10,367	3,687	4,393	1,319	1,482	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland: Deaths from Principal Causes

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. LONDONDERRY.—(*Contd.*)									
		Londonderry Co. Boro'.		Portstewart U.D.		Coleraine R.D.		Limavady R.D.		Londonderry R.D.	
	ALL CAUSES ...	M. 319	F. 335	M. 14	F. 14	M. 167	F. 145	M. 103	F. 105	M. 88	F. 101
1	Enteric Fever	1	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.
7	Measles	1	3	.	1	1	1	.	1	1	1
8	Scarlet Fever	1	.	.	.	1	1	.	.	.	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	.	3	.	.	.	.	1	.	.	.
11	Influenza	10	12	.	.	2	8	2	3	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	18	23	2	.	10	9	3	4	4	8
32-7	Other Tuberculosis ...	10	11	.	2	2	4	4	6	1	4
43-9	Cancer, Malignant Disease	13	14	2	1	15	15	9	6	2	7
57	Diabetes	1	1	.	.	4	1	1	.	2	.
74	Cerebral Hæmorrhage ...	27	18	.	1	8	7	6	5	3	9
87-90	Heart Disease	29	49	2	2	34	20	7	9	14	11
91b	Arterial Sclerosis ...	6	5	2	1	3	1	2	.	3	.
99	Bronchitis	23	32	1	1	5	11	5	8	6	6
100-1	Pneumonia (all forms) ...	47	33	1	1	8	2	9	1	6	7
97-8, 102-7	Other Diseases of Respiratory System ...	3	4	1	.	3	2	2	4	3	.
111	Ulcer of Stomach or Duodenum	4	1	.	.	.	.	2	3	.	1
113	Diarrhœa and Enteritis (under 2 years) ...	25	20	.	.	.	1	.	.	2	.
117	Appendicitis and Typhlitis	4	1	.	.	1	.	1	.	.	1
122	Cirrhosis of Liver ...	.	2	.	.	.	.	.	.	1	.
128-9	Acute and Chronic Nephritis	5	8	.	.	3	1	2	2	1	3
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	4	—	.	—	3	—	1	—	5
159-161	Congenital Malformations and Debility, Premature Birth	19	17	.	.	3	6	6	3	3	3
165-174	Suicide	1	.	.	.	1	.	1	.	.	.
175-203	Other Deaths from Violence	6	4	.	.	4	5	4	2	1	2
—	Other Defined Diseases...	64	67	2	4	58	45	35	43	32	32
204-5	Causes Ill-defined or Unknown	1	3	.	.	1	2	1	4	1	1
Deaths under one year of age ...		78	56	.	2	11	8	12	8	8	8
,, 65 years and upwards ...		82	87	8	9	97	83	56	64	43	53
Uncertified Deaths		4	3	.	.	15	23	24	36	16	15
Number of Births		604	537	20	8	217	176	169	164	182	172
Population (Census 1926)		20,783	24,381	657	1,006	9,654	9,681	7,833	7,409	7,481	7,177

and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

		CO. TYRONE.												International List Nos.
Magherafelt R.D.		Cookstown U.D.		Dungannon U.D.		Omagh U.D.		Strabane U.D.		Castlederg R.D.		Clogher R.D.		
M. 236	F. 270	M. 25	F. 32	M. 28	F. 38	M. 39	F. 37	M. 40	F. 36	M. 103	F. 86	M. 100	F. 86	—
.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
1	2	.	.	.	.	1	.	.	.	.	2	2	.	7
.	1	.	.	1	.	1	.	.	.	.	.	1	1	8
.	.	.	.	.	.	.	.	.	.	.	.	.	2	9
1	1	.	.	.	1	.	.	1	.	1	1	.	.	10
6	15	1	1	.	.	.	.	2	.	4	3	3	3	11
1	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	1	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
15	11	2	5	1	4	4	4	5	2	7	6	5	5	31
8	7	1	.	.	.	3	2	2	1	5	6	5	1	32-7
20	13	.	.	5	3	4	4	4	6	13	7	8	6	43-9
5	3	.	.	.	.	.	.	.	.	.	.	.	1	57
17	20	1	3	.	1	2	1	3	1	7	6	3	3	74
30	42	3	5	5	12	6	3	3	1	10	11	14	19	87-90
2	1	.	.	1	.	.	.	1	2	.	.	.	.	91b
15	21	1	5	1	3	.	1	1	2	4	2	3	2	99
11	6	3	1	3	3	1	2	5	4	9	6	5	4	100-1
3	4	.	1	.	.	.	.	.	1	2	1	.	2	97-8, 102-7
4	2	.	.	.	1	.	1	.	.	.	2	2	.	111
2	2	.	.	1	.	.	2	3	.	4	1	.	.	113
.	1	.	.	.	.	.	.	.	.	.	.	.	.	117
.	.	.	.	.	.	.	.	.	.	.	.	.	.	122
6	1	.	1	.	1	.	1	3	.	1	1	2	.	128-9
—	4	—	2	—	.	—	1	—	.	—	1	—	2	143-150
12	11	2	1	2	1	3	1	1	3	4	3	2	2	159-161
.	2	.	.	.	1	1	.	.	.	.	.	.	.	165-174
2	1	.	.	1	.	.	.	2	.	4	.	4	.	175-203
71	97	11	7	7	7	12	12	4	12	27	26	39	29	—
4	2	.	.	.	.	.	1	.	1	1	1	1	4	204-5
22	16	4	2	5	2	6	4	8	4	11	5	8	6	—
126	161	15	13	12	11	13	12	10	14	52	47	62	53	—
36	56	3	2	1	1	2	1	.	2	23	21	34	31	—
361	318	44	38	45	43	61	65	62	59	110	101	121	133	—
16,496	16,236	1,594	1,960	1,761	1,999	2,458	2,666	2,420	2,736	5,141	5,005	6,488	6,020	—

ABSTRACT VIII.—(*Continued*).—Northern Ireland: Deaths from Principal Causes and Uncertified Deaths by Counties and Urban and Rural Areas, 1926.

(*See Index to Poor Law Unions on page* 67.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. TYRONE.—(*Contd.*)							
		Cookstown R.D.		Dungannon R.D.		Omagh R.D.		Strabane R.D.	
	ALL CAUSES ...	M. 118	F. 116	M. 184	F. 195	M. 286	F. 258	M. 123	F. 143
1	Enteric Fever	.	.	.	.	5	3	.	.
2	Typhus	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	9	2	2	1
8	Scarlet Fever	.	.	.	.	1	2	1	.
9	Whooping-cough ...	.	1	.	.	2	2	.	.
10	Diphtheria	.	1	3	.	1	2	.	3
11	Influenza	3	4	.	1	8	12	5	9
16	Dysentery	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	4	5	6	9	21	16	13	7
32-7	Other Tuberculosis ...	.	4	2	4	5	7	2	2
43-9	Cancer, Malignant Disease	10	9	15	14	21	13	7	10
57	Diabetes	.	.	1	.	2	2	.	.
74	Cerebral Hæmorrhage ...	9	9	9	13	6	15	11	13
87-90	Heart Disease	13	13	31	43	37	38	11	14
91b	Arterial Sclerosis ...	.	.	.	.	1	.	3	5
99	Bronchitis	6	8	17	18	20	20	6	6
100-1	Pneumonia (all forms) ...	16	8	10	16	15	6	8	11
97-8, 102-7	Other Diseases of Respiratory System ...	.	.	2	3	3	1	1	4
111	Ulcer of Stomach or Duodenum	1	1	.	.	.	3	1	.
113	Diarrhœa and Enteritis (under 2 years) ...	.	2	2	.	1	2	1	1
117	Appendicitis and Typhlitis	1	.	1	1	1	.	.	.
122	Cirrhosis of Liver ...	.	1	.	.	.	.	.	1
128-9	Acute and Chronic Nephritis	2	2	6	4	5	5	2	3
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	3	—	4	—	4	—	2
159-161	Congenital Malformations and Debility, Premature Birth	7	6	11	6	11	6	4	4
165-174	Suicide	2	.	1	.	.	.	.	.
175-203	Other Deaths from Violence	9	2	6	2	5	.	4	4
—	Other Defined Diseases...	29	34	57	53	103	95	39	37
204-5	Causes Ill-defined or Unknown	6	3	4	4	3	2	2	6
Deaths under one year of age ...		14	10	24	11	21	16	13	12
„ 65 years and upwards ...		61	66	89	108	137	145	60	68
Uncertified Deaths		32	40	48	49	74	59	38	47
Number of Births		190	193	277	228	312	269	195	176
Population (Census 1926)		8,824	8,326	12,591	12,260	16,787	15,699	9,076	8,964

ABSTRACT IX.—Northern Ireland: Deaths in Institutions, 1926.

(*Not corrected for normal residence.*)

Counties.	Total Number of Deaths.	Number of Persons who Died				
		In Infirmaries and General and Special Hospitals.	In Public Lunatic Asylums.	In Work-houses and Workhouse Hospitals.	In District Hospitals.	At their own Homes, etc.
NORTHERN IRELAND	18,827	1,231	359	2,017	279	14,941
Antrim	2,691	98	66	3	245	2,279
Armagh	1,776	56	32	279	.	1,409
Belfast Co. Borough ...	6,446	729	.	1,144	.	4,573
Down	3,001	181	145	173	.	2,502
Fermanagh	802	26	.	79	.	697
Londonderry Co. and Co. Borough ...	2,053	91	48	161	.	1,753
Tyrone	2,058	50	68	178	34	1,728

ABSTRACT X.—Northern Ireland: Population (including the Armed Forces and Merchant Seamen on shore and in Port) at each of the nine Censuses, 1841-1926.

Year.	Persons.		Males.		Females.	
	Number.	Percentage of Population of Ireland.	Number.	Percentage of Male Population of Ireland.	Number.	Percentage of Female Population of Ireland.
1841	1,648,945	20.1	799,711	19.8	849,234	20.4
1851	1,442,517	21.9	697,842	21.7	744,675	22.2
1861	1,396,453	24.1	667,935	23.5	728,518	24.6
1871	1,359,190	25.1	647,285	24.5	711,905	25.7
1881	1,304,816	25.2	620,839	24.5	683,977	25.9
1891	1,236,056	26.3	590,352	25.5	645,704	27.1
1901	1,236,952	27.7	589,955	26.8	646,997	28.6
1911	1,250,531	28.5	602,539	27.5	647,992	29.5
1926	1,256,322	29.7	608,205	28.8	648,117	30.7

Note.—The figures given for 1926 are according to the Preliminary Report on the Census.

ABSTRACT XI.—Northern Ireland: Estimated Population in the middle of each of the years 1911-26.

Middle of the Years.	Estimated Population.			Middle of the Years.	Estimated Population.		
	Persons.	Males.	Females.		Persons.	Males.	Females.
1911	1,249,000	601,000	648,000	1919	1,250,000	605,000	645,000
1912	1,248,000	601,000	647,000	1920	1,258,000	612,000	646,000
1913	1,243,000	598,000	645,000	1921	1,258,000	610,000	648,000
1914	1,242,000	598,000	644,000	1922	1,269,000	619,000	650,000
1915	1,210,000	565,000	645,000	1923	1,259,000	609,000	650,000
1916	1,205,000	559,000	646,000	1924	1,258,000	608,000	650,000
1917	1,208,000	562,000	646,000	1925	1,257,000	608,000	649,000
1918	1,214,000	566,000	648,000	1926	1,254,000	607,000	647,000

Note.—The populations include the military serving in Northern Ireland.

ABSTRACT XII.—Northern Ireland: Ages of the Population according to the Census of 1911.

Ages	Persons	Males	Females	Ages	Persons	Males	Females	Ages	Persons	Males	Females
Under 1 yr.	25,054	12,625	12,429	20-25	107,170	50,030	57,140	60-65	37,627	17,701	19,926
1- 2	23,681	11,935	11,746	25-30	94,759	42,553	52,206	65-70	37,232	17,301	19,931
2- 3	26,499	13,444	13,055	30-35	86,975	40,807	46,168	70-75	41,438	17,542	23,896
3- 4	26,613	13,374	13,239	35-40	83,289	39,535	43,754	75-80	19,655	8,897	10,758
4- 5	26,692	13,518	13,174	40-45	73,091	35,320	37,771	80-85	8,541	3,884	4,657
5-10	127,700	64,536	63,164	45-50	60,139	29,111	31,028	85-90	2,926	1,331	1,595
10-15	123,923	63,129	60,794	50-55	54,847	26,149	28,698	90-95	867	392	475
15-20	119,566	59,400	60,166	55-60	41,956	19,899	22,057	95 up	291	126	165
								All Ages	1,250,531	602,539	647,992

INDEX to Poor Law Unions or Superintendent Registrars' Districts.

(*C.B.* = *County Borough*, *U.D.* = *Urban County District*, *R.D.* = *Rural County District*, *M.D.D.* = *Medical Dispensary or Registrar's District.*)

Union or Superintendent Registrar's District.	Urban and Rural Districts contained in the Union.
ANTRIM	Ballyclare ... U.D. Antrim ... R.D.
ARMAGH	Armagh ... U.D. Keady ... U.D. Armagh ... R.D.
BALLYCASTLE ...	Ballycastle ... U.D. Ballycastle ... R.D.
BALLYMENA ...	Ballymena ... U.D. Ballymena ... R.D.
BALLYMONEY ...	Ballymoney ... U.D. Portrush ... U.D. Ballymoney ... R.D.
BANBRIDGE ...	Banbridge ... U.D. Dromore ... U.D. Tanderagee ... U.D. Banbridge ... R.D. Tanderagee ... R.D.
BELFAST	Belfast ... C.B. Holywood ... U.D. Belfast ... R.D. Castlereagh ... R.D.
CASTLEDERG ...	Castlederg ... R.D.
CLOGHER ...	Clogher ... R.D.
COLERAINE ...	Coleraine ... U.D. Portstewart ... U.D. Coleraine ... R.D.
COOKSTOWN ...	Cookstown ... U.D. Cookstown ... R.D.
DOWNPATRICK ...	Downpatrick U.D. Downpatrick R.D.
DUNGANNON ...	Dungannon ... U.D. Dungannon ... R.D.
ENNISKILLEN ...	Enniskillen ... U.D. Enniskillen ... R.D.
*IRVINESTOWN ...	Irvinestown ... R.D. Omagh ... ... R.D. (part of, comprising Trillick M.D.D.)
KILKEEL ...	Newcastle ... U.D. Kilkeel ... ... R.D.
LARNE	Carrickfergus ... U.D. Larne ... ... U.D. Larne ... ... R.D.
LIMAVADY ...	Limavady ... U.D. Limavady ... R.D.
*LISBURN	Lisburn ... U.D. Lisburn ... R.D. (excepting Aghalee M.D.D.) Hillsborough ... R.D.
LISNASKEA ...	Lisnaskea ... R.D.
LONDONDERRY ...	Londonderry ... C.B. Londonderry ... R.D.
*LURGAN	Lurgan ... ... U.D. Portadown ... U.D. Lurgan ... ... R.D. Lisburn ... R.D. (part of, comprising Aghalee M.D.D.) Moira ... ... R.D.
MAGHERAFELT ...	Magherafelt ... R.D.
NEWRY	Newry ... ... U.D. Warrenpoint ... U.D. Newry No. 1 ... R.D. Newry No. 2 ... R.D.
NEWTOWNARDS ...	Bangor ... ... U.D. Donaghadee ... U.D. Newtownards ... U.D. Newtownards ... R.D.
*OMAGH	Omagh ... ... U.D. Omagh ... ... R.D. (excepting Trillick M.D.D.)
STRABANE ...	Strabane ... U.D. Strabane ... R.D.

* It is not possible to compile the numbers of births or deaths for these four Unions, since they do not contain complete Rural Districts.

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY M'CAW, STEVENSON & ORR, LTD., BELFAST.

G441. Wt.Pubns.121/21. 12/27. 500. Gp.15.