GOVERNMENT OF NORTHERN IRELAND

The

Registrar-General's Annual Report for 1932

containing

General Abstracts of Births, Deaths, and Marriages

Registered in Northern Ireland during the year

Presented to Parliament pursuant to Statute

Ordered, by the House of Commons, to be printed
9th November, 1933

BELFAST
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
ON BEHALF OF THE GOVERNMENT OF NORTHERN IRELAND
To be purchased directly from H.M. Stationery Office at the following addresses
15, DONEGALL SQUARE WEST, BELFAST
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2;
York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff
or through any Bookseller
1933
H.C. 300 Price 2*s*. 6*d*. Net

GENERAL REGISTER OFFICE,
CHICHESTER STREET, BELFAST,
November, 1933.

To the Right Honourable H. M. Pollock,
Minister of Finance for Northern Ireland.

SIR,

I have the honour to submit the Eleventh Annual Report on the Births, Deaths, and Marriages registered in Northern Ireland during the year 1932, together with Abstracts of the particulars of such registrations. The Abstracts have been prepared for presentation to Parliament, pursuant to the provisions of statutes governing the registration system. The Report gives information regarding the administration of the Registration, etc., Acts, and draws attention to the salient features of the vital statistics contained in the Abstracts; figures relating to previous years are included for purposes of comparison. Information is also given relating to migration, the weather, and vaccination.

I beg to acknowledge the valuable assistance rendered by the Chief Medical Officer of the Ministry of Home Affairs, who has advised on certain aspects of the Report. I also desire to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland, and the Irish Free State, in kindly furnishing information relating to the areas under their respective administrations.

I have the honour to be, Sir,

Your most obedient Servant,

L. A. BULLWINKLE,
Registrar-General of Births, Deaths, and Marriages for Northern Ireland.

TABLE OF CONTENTS

REPORT

I. ADMINISTRATION. *Page*

1. Introductory 5
2. Local Organisation 5
3. Licensers of Marriages ... 5
4. Buildings licensed or registered for Marriages 6
5. Offences against the Acts ... 6
6. State of Registration... ... 6
7. Legitimacy Act (N.I.), 1928 ... 7
8. Adoption of Children Act (N.I.), 1929 7
9. Searches and Certificates ... 7

II. STATISTICS.

§1. Summary of Registration.
1. Introductory 7
2. Marriages, Births, and Deaths registered ... 8
3. Vaccination 8

§2. Marriages.
1. Number and rate ... 9
2. Method of Celebration ... 9
3. Civil Conditions 9
4. Marriages in each quarter 9
5. Marriages of minors ... 10
6. Signatures by "mark" ... 10

§3. Births.
1. Number and rate ... 10
2. Proportion of males to females 10
3. Births in each quarter ... 10

II. STATISTICS (*continued*). *Page*

§3. Births (*continued*).
4. Multiple Births 11
5. County and Urban and Rural Birth Rates ... 11

§4. Deaths.
1. Number and rate ... 11
2. Deaths in each quarter ... 12
3. Deaths in Institutions ... 12
4. Standardised Death Rates 12
5. Proportion of Deaths from the Principal Causes ... 13
6. Deaths from Epidemic Diseases 13
7. Influenza 15
8. Tuberculosis 15
9. Cancer 17
10. Cerebral Hæmorrhage, etc. 19
11. Bronchitis 20
12. Pneumonia 20
13. Pregnancy and Childbirth 20
14. Deaths from Violence ... 20
15. Ill-defined Causes of Death 21
16. Uncertified Deaths ... 21
17. Inquests 21
18. Ages at Death 22
19. Infant Mortality 22
20. Mortality among Illegitimate Children 24

§5. Population 24

§6. Migration 24

§7. The Weather... 27

ABSTRACTS

I. Deaths from the Principal Causes in Counties and Urban and Rural Areas, distinguishing Males and Females 30

II. Marriages registered in each of the Counties, showing Method of Celebration 43

III. Marriages registered in each of the Counties, showing the number registered in each quarter of the year, the Conjugal Condition of the Persons married, and the number of Minors 43

IV. Births registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females 44

V. Deaths registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females 44

VI. Deaths of Males and Females at different Age-Periods in each of the Counties 45

VII. Causes of Deaths of Males and Females at different Age-Periods 46

VIII. Uncertified Deaths by Causes, Ages, and Sex 58

IX. Deaths in Institutions 59

X. Population of Northern Ireland at each of the nine Censuses, 1841–1926 59

XI. Estimated Population of Northern Ireland in the middle of each of the years 1911–32 ... 59

XII. Population of Northern Ireland by Sexes and Ages according to the Census of 1926 ... 60

DIAGRAMS

Facing Page

I. Marriage, Birth, and Death Rates, and Migration 9
II. Comparative Death Rates from Tuberculosis 15
III. Tuberculosis and Cancer Death Rates 17
IV. Comparative Death Rates from Cancer 18
V. Comparative Infant Mortality Rates 22

INDEX to Poor Law Unions or Superintendent Registrars' Districts 61

ANNUAL REPORT OF THE REGISTRAR-GENERAL FOR NORTHERN IRELAND

REPORT

SECTION I.—ADMINISTRATION.

1. Introductory.—The administrative functions of the office of the Registrar-General comprise the registration of births, deaths, marriages, vaccinations, and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church. Certain of the aspects of the work incidental to the discharge of these functions are dealt with in the following paragraphs.

2. Local Organisation.—The staff of local officers engaged in registration consists of—

27 Registrars of Marriages other than Roman Catholic;
27 Superintendent Registrars of Births, Deaths, and Roman Catholic Marriages; and
179 Registrars of Births, Deaths, and Roman Catholic Marriages.

Each of these officers appoints an Assistant or Deputy.

The numbers of appointments made to fill vacancies occurring amongst these officers in 1930, 1931, and 1932, were as follows:—

APPOINTMENTS.	1930.	1931.	1932.
Registrars of Marriages	2	1	1
Deputy Registrars of Marriages	3	3	.
Superintendent Registrars of Births, etc. ...	2	1	.
Assistant Supt. Registrars of Births, etc. ...	5	5	6
Registrars of Births, etc.	13	6	12
Assistant Registrars of Births, etc.	39	29	26
TOTAL	64	45	45

3. Licensers of Marriages.—The Bishops of the Church of Ireland, and the Presbyteries in the case of the Presbyterian Churches, are authorised to appoint persons to issue licences for marriages. Each person so appointed is under bond to the Registrar-General for the due discharge of his duties.

The number of Licensers of the Church of Ireland holding office at the end of the year 1932 was 71, the number of appointments made during the year being 5. The corresponding figures for 1931 were 71 and 6 respectively.

Licensers of the Presbyterian Churches holding office at the end of 1932 numbered 124, the number of appointments made during the year being 3. The corresponding figures for 1931 were 126 and 13 respectively.

4. Buildings licensed or registered for marriages.—The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at the 31st December in each of the years 1930, 1931, and 1932, were as follows:—

DENOMINATION.	1930.	1931.	1932.
Church of Ireland ...	370	372	372
Presbyterian	459	460	463
Methodist	130	132	132
Others	168	171	179
TOTAL ...	1,127	1,135	1,146

5. Offences against the Acts.—Cases of failure to register births or deaths within the statutory time are as a rule dealt with by allowing the parties concerned to effect late registration, and cases of inaccurate information by allowing amendment. No cases arose in 1932 in which recourse to prosecution was considered necessary.

6. State of Registration.—Such investigations as it has been possible to make point to the conclusion that the registration of births and deaths in Northern Ireland is not complete, but that a number of each escape registration.

A comparison of the birth entries with lists of births notified in Belfast under the Notification of Births Act, 1907, during one quarter of a recent year, revealed 20 cases in which births had not been registered within the statutory period. An arrangement, which has been in operation since July, 1930, by which such comparison is continued, affords the Registrars in Belfast a means of securing the registration of births which might otherwise remain unregistered. A similar arrangement has recently been introduced in Londonderry County Borough.

A test comparison of the death entries with information in the possession of the Ministry of Labour as to deaths of old age pensioners, suggests that about 250 deaths in Northern Ireland may annually escape registration.

The registration of births or deaths which have not been recorded within a year of their occurrence can be effected only on the authority of the Registrar-General. During the year 1932 authority was granted for the registration of 126 births and 35 deaths. In 1931 the registration of 154 births and 29 deaths was authorised.

The test comparison in regard to the registration of the deaths of old age pensioners referred to above, in addition to disclosing omissions to register, showed that in many cases the ages of deceased persons are inaccurately stated for entry in the death register. It is estimated that in about 20 per cent. of death entries the age is misstated by

5 years or more. The majority of these cases are understatements. These inaccuracies are much to be regretted, since they detract from the value of the records and the statistics which may be obtained therefrom.

7. Legitimacy Act (N.I.), 1928.—Under this Act an illegitimate child whose parents have married is, subject to certain conditions, legitimated, and the Registrar-General is empowered to authorise the re-registration of the birth. During 1932 the re-registration of the births of 81 children was authorised under the Act. The figures for previous years are 33 in 1928 (from commencement of the Act—1st July), 58 in 1929, 100 in 1930, and 83 in 1931.

8. Adoption of Children Act (N.I.), 1929.—A Register of Children adopted under the provisions of this Act is kept in the General Register Office, to which the Adoption Orders made by the Courts are communicated. A certified copy of an entry in this register is evidence of adoption, and is also evidence of the date of birth, if that date is recorded in the entry. The children whose adoptions were recorded in the Adopted Children Register during 1932 numbered 55. Between the commencement of the Act (1st July, 1930) and 31st December, 1931, the number recorded was 48.

9. Searches and Certificates.—The original records of births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. The Head Office copies of these records for the years prior to 1922 are still in the hands of the Registrar-General, Dublin. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes and obtaining certificates from records in the General Register Office for Northern Ireland is afforded by the following table:—

Year.	Searches.		Certificates.		Fees Received.		
	Paid.	Official.	Paid.	Official.	£	s.	d.
1922	59	11	64	7	10	19	0
1923	70	59	78	23	13	5	0
1924	66	83	61	31	10	18	6
1925	73	93	65	34	11	15	6
1926	76	22	64	20	11	16	0
1927	109	56	112	29	19	9	0
1928	119	38	112	29	20	0	0
1929	158	55	141	40	25	12	6
1930	147	37	115	31	21	15	6
1931	156	35	120	31	22	17	0
1932	172	55	122	39	23	19	0

SECTION II.—STATISTICS.

§1. SUMMARY OF REGISTRATION.

1. Introductory.—The statistics of births and deaths for the year 1932 already published in the Registrar-General's weekly and quarterly returns are provisional, being based on numerical returns furnished by

the Registrars. The figures, however, in this Report are based on copies of the actual entries of births and deaths furnished to this office quarterly, and may therefore be regarded as final. More comprehensive statistics derived from registration and census records appear in the "Registrar-General's Review of Vital Statistics of Northern Ireland and Life Tables (1926)," published in September, 1931.

The value of the statistical information concerning deaths contained in the Registrar-General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death. The particulars so given are incorporated in the death entries, and thus in every case in which a person had been attended in his or her last illness by a medical practitioner, the medical certificate given by the latter forms the basis upon which the cause of death is classified.

As to cases of deaths in which the person had not been medically attended in his or her last illness, and no inquest had been held, the cause of death is entered in the register from such information as the informant of the death can supply to the Registrar. (See para. 16, page 21, as to uncertified deaths.)

For the purpose of the Registrar-General's Annual Reports the classifications adopted are those shown in the "Manual of the International List of Causes of Death, as adapted for use in England and Wales, Scotland, and Northern Ireland," published by H.M. Stationery Office.

As in the case of the Report for 1931, Abstract VII shows the deaths classified under the headings of the International Intermediate List (slightly amplified in the case of tuberculosis), while the causes shown in Abstract I, and certain of the tables in the text, are in accordance with the International Abridged List. The reference numbers given for the diseases in the tables and abstracts are those of the Detailed International List, and the numbers of the Intermediate List are also shown in the case of Abstract VII.

Throughout the Report births and deaths have been allocated to the district of normal residence; thus, births have been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons.

In the tables and abstracts, dots (.) are used to indicate nil (0), and dashes (—) are used to indicate that information cannot or is not intended to be given.

2. Marriages, Births, and Deaths Registered.—The results of the year's registration show decreases in the marriage, birth, and death rates. The marriage and birth rates are the lowest recorded for Northern Ireland as a separate administrative unit.

3. Vaccinations.—As returned by the Registrars, the Successful Primary Vaccinations during the year numbered 20,719, the number of births registered during the year being 25,107. The number of Successful Primary Vaccinations is thus about 83 per cent. of the total number of births registered, as compared with 89 per cent. in 1931.

DIAGRAM I.- NORTHERN IRELAND. MARRIAGE, BIRTH AND DEATH RATES FOR EACH YEAR FROM 1901 TO 1932 AND MIGRATION RATES FOR THE YEARS 1922 TO 1932

TABLE A.—Northern Ireland: Marriages, Births, and Deaths Registered, and Estimated Population, 1922-32.

Year.	* Estimated Population in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1922	1,269,000	8,072	29,531	19,795	6.36	23.3	15.6
1923	1,259,000	7,974	30,097	18,790	6.33	23.9	14.9
1924	1,258,000	7,514	28,496	20,299	5.97	22.7	16.1
1925	1,257,000	7,682	27,686	19,784	6.11	22.0	15.7
1926	1,254,000	7,223	28,162	18,827	5.76	22.5	15.0
1927	1,251,000	7,175	26,676	18,216	5.74	21.3	14.6
1928	1,250,000	7,264	25,963	18,004	5.81	20.8	14.4
1929	1,246,000	7,426	25,410	19,822	5.96	20.4	15.9
1930	1,244,000	7,547	25,879	17,148	6.07	20.8	13.8
1931	1,251,000	7,369	25,673	18,049	5.89	20.5	14.4
1932	1,262,000	6,959	25,107	17,812	5.51	19.9	14.1
	Irish Free State.						
1932	2,974,000	13,029	56,240	42,984	4.38	18.9	14.5

* See Abstract XI.

§ 2. MARRIAGES.

1. Number and Rate.—Marriages registered during the year numbered 6,959, the rate being 5.51 per 1,000 of the estimated population. This rate is 0.38 below that for the year 1931. It will be observed from Diagram I that the marriage rates in Northern Ireland have remained remarkably steady throughout the period 1901 to 1930, except for fluctuations during and immediately following the Great War. During the past few years, however, the curve exhibits a slight downward tendency.

2. Method of Celebration.—Table B shows for Northern Ireland the marriages registered during the period 1922 to 1932 according to methods of celebration. The most notable feature of this table is the tendency of marriages taking place "in Registrars' offices" to increase. In the year under review these marriages represented 7.5 per cent. of the total marriages, as compared with about 4.5 per cent. in 1921. In 1932 a fall in the number of Church of Ireland marriages is noticeable, and a more marked fall in the case of Roman Catholic marriages.

3. Civil Conditions.—Of the total marriages, 90.6 per cent. were of bachelors and spinsters, 6.8 per cent. were of widowers and spinsters, 1.1 per cent. were of bachelors and widows, and 1.5 per cent. were of widowers and widows. Thus 8.3 per cent. of the men married were widowers and 2.6 per cent. of the women married were widows; in 9 out of every 100 marriages, one or both of the contracting parties had been married before.

4. Marriages in each Quarter.—Of the total marriages registered, 22.5 per cent. were in the first quarter of the year, 22.1 per cent. in the second, 30.3 per cent. in the third, and 25.1 per cent. in the fourth. This is the first record in Northern Ireland of an excess of marriages in the first quarter over those in the second, and it may be accounted for by the date of the Easter holidays in 1932, these having fallen within the March quarter for the first time during the period covered by these Reports.

TABLE B.—Northern Ireland: Marriages Registered, according to Methods of Celebration, 1922-32.

Year.	Church of Ireland.	Presbyterian.	Roman Catholic.	Registered Bldgs.	In Registrars' Offices.*	Society of Friends.	Jews.	Total Marriages Registered.	Total Marriage Rate per 1,000 of Estimated Population.
1922 ...	2,503	2,458	2,267	445	389	5	5	8,072	6.36
1923 ...	2,515	2,349	2,231	475	398	3	3	7,974	6.33
1924 ...	2,401	2,189	1,999	516	403	3	3	7,514	5.97
1925 ...	2,266	2,280	2,231	480	417	4	4	7,682	6.11
1926 ...	2,222	2,073	2,020	467	439	5	2	7,228	5.76
1927 ...	2,150	2,074	2,091	466	388	2	4	7,175	5.74
1928 ...	2,111	2,087	2,073	519	455	8	11	7,264	5.81
1929 ...	2,201	2,084	2,126	523	479	6	7	7,426	5.96
1930 ...	2,245	2,164	2,095	532	507	1	3	7,547	6.07
1931 ...	2,138	1,933	2,249	515	526	.	8	7,369	5.89
1932 ...	2,027	1,947	1,964	491	524	2	4	6,959	5.51

* Note.—Prior to 1927 certain marriages taking place in Registered Buildings and "in the presence of a Registrar" were included in this column. Since 1927 these marriages have been included in the figures shown in the column headed "Registered Buildings."

5. Marriages of Minors.—Of the males married during the year, 3.2 per cent. were under the age of 21 years, and of the females, 13.3 per cent.

6. Signatures by "Mark."—Of the husbands, 98.7 per cent. signed the marriage registers or certificates by writing their names and the remainder signed by "mark," while 98.9 per cent. of the wives wrote their names and the remainder signed by "mark."

§ 3. BIRTHS.

1. Number and Rate.—The births registered during the year numbered 25,107, a decrease of 566, or 2.2 per cent., as compared with the previous year. The birth rate was 19.9 per 1,000 of the estimated population, being 0.6 below the rate for the previous year. An examination of Diagram I reveals that the birth rate in Northern Ireland has fallen gradually over the past thirty years, with the exception of the war years and the period immediately following, when violent fluctuations in the rate were experienced. The rate for 1932 is the lowest recorded for Northern Ireland since 1901, but is still the highest in the British Isles.

2. Proportion of Males to Females.—The proportion of male births to every 1,000 female births was 1,052. The corresponding proportions for each of the years 1927–31 were 1,055, 1,073, 1,055, 1,038, and 1,052 respectively. In the case of illegitimate births there were 907 males to every 1,000 females.

3. Births in each Quarter.—Of the total births registered, 25.6 per cent. were in the first quarter of the year, 26.1 per cent. in the second, 25.7 per cent. in the third, and 22.6 per cent. in the fourth.

TABLE C.—Northern Ireland: Births Registered and Birth Rates, 1922-1932.

Year.	Total Births, including Illegitimate Births.			Rate per 1,000 of Estimated Population.
	Total.	Males.	Females.	
1922	29,531	15,098	14,433	23.3
1923	30,097	15,332	14,765	23.9
1924	28,496	14,800	13,696	22.7
1925	27,686	14,185	13,501	22.0
1926	28,162	14,576	13,586	22.5
1927	26,676	13,693	12,983	21.3
1928	25,963	13,441	12,522	20.8
1929	25,410	13,048	12,362	20.4
1930	25,879	13,178	12,701	20.8
1931	25,673	13,162	12,511	20.5
1932	25,107	12,874	12,233	19.9

4. Multiple Births.—Of the 25,107 children whose births were registered during the year, 24,503 were single children, 592 were twins, and 12 were triplets. Still-born children not being registered in Northern Ireland, a birth of one live child and one still-born child is regarded as a single birth, and a birth of two live children and one still-born child as a twin birth, and so on.

5. County and Urban and Rural Birth Rates.—Table D shows the birth rate experienced in each County and County Borough in Northern Ireland during the year, and also the rates for Urban and Rural Areas. From this it will be seen that Londonderry Co. Borough again experienced the highest birth rate and Co. Fermanagh the lowest. The rate for the aggregate of Urban Areas exceeded that for the Rural Areas.

TABLE D.—Northern Ireland: County and Urban and Rural Birth Rates, 1928-32.

Area.	All Births per 1,000 of Population.*				
	1928.	1929.	1930.	1931.	1932.
NORTHERN IRELAND ...	20.8	20.4	20.8	20.5	19.9
Co. Antrim	20.2	20.7	19.9	19.9	19.7
Co. Armagh	19.5	19.3	19.2	19.4	19.2
Belfast Co. Borough	22.6	21.6	22.8	22.9	21.5
Co. Down	19.2	18.5	18.9	18.2	18.0
Co. Fermanagh	17.3	16.9	17.1	16.5	16.3
Co. Londonderry (exc. C.B.) ...	19.5	19.9	19.7	20.5	20.2
Londonderry Co. Borough ...	25.3	24.7	25.5	24.8	26.1
Co. Tyrone	19.3	18.8	19.2	18.1	18.8
Aggregate of Urban Areas ...	22.4	21.8	22.7	22.6	22.1
„ „ Rural „ ...	18.8	18.6	18.4	18.2	17.8

* According to Census of 1926, except for Northern Ireland, where the estimated population at the middle of the year has been used.

§ 4. DEATHS.

1. Number and Rate.—The deaths registered during the year numbered 17,812, a decrease of 237, or 1.3 per cent., as compared with the previous year. The death rate was 14.1 per 1,000 of the estimated

population, being 0.3 below the rate for 1931. Diagram I exhibits the general downward trend of the death rate in Northern Ireland during the period 1901 to 1932.

Of the total deaths, 8,669 were of males and 9,143 were of females, the equivalent annual death rates being 14.2 and 14.1 per 1,000 of the male and female estimated populations respectively.

2. Deaths in each Quarter.—The deaths registered in the four quarters of the year give equivalent annual death rates of 17.0, 14.7, 11.8, and 13.0 in the March, June, September, and December quarters respectively.

3. Deaths in Institutions.—The numbers of deaths occurring in institutions in each of the years 1923–32 are shown in Abstract IX. 23.5 per cent. of the deaths registered in 1932 took place in institutions (2.3 per cent. in public lunatic asylums, 11.3 per cent. in workhouses and workhouse hospitals, 2.4 per cent. in district hospitals, and 7.5 per cent. in other hospitals and infirmaries), and the remaining 76.5 per cent. occurred "at their own homes, etc." During the period 1923–32 there have been no material changes in the proportions of deaths occurring in the various classes of institutions. Generally, however, the proportion of deaths in institutions has shown an increase.

4. Standardised Death Rates.—In Table E of this report standardised death rates for Northern Ireland have been calculated to correct for variations in age and sex distribution of the population, thus enabling more reliable comparisons to be made with the mortality rates, similarly standardised, experienced in other countries. As mortality is highest in infancy and old age, and generally higher in the male than in the female sex, one population, as compared with another, may be much more favourably constituted as regards age and sex, and the real difference in mortality between them thus obscured if only crude rates are compared.

The standardised death rate for a community, as calculated in this report, is the death rate that would emerge if the mortality rates of that community, at various ages and sexes, were to prevail in a population selected as being of standard age and sex distribution.

The standard population adopted is that of England and Wales in 1901, and since this population is also used as standard by the Registrar-General, England and Wales, it is possible to show comparable death rates between that country and Northern Ireland (see Table E).

The actual method of calculating the standardised rates, which is also that used by the Registrar-General, England and Wales, is fully described in his Annual Reports for the years 1911 (pages xxvii–xxxi) and 1913 (page xx).

From Table E it will be seen that the crude death rates are reduced to a greater extent by standardisation in the case of Northern Ireland than in the case of England and Wales. This is, of course, to be expected, since the proportion of children and aged persons is appreciably higher in Northern Ireland. Perhaps the most noticeable feature of the comparison of standardised rates is the relatively high rates for females in Northern Ireland, these rates being on an average in the years 1926–32 about 95 per cent. of the males rates, whereas the corresponding ratio for the England and Wales rates is only about 81 per cent.

TABLE E.—Northern Ireland; England and Wales: Standardised and Crude Death Rates, 1926-1932.

Year.	Standardised Death Rates.			Crude Death Rates.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
NORTHERN IRELAND.						
1926	12.62	11.92	12.26	15.09	14.94	15.01
1927	11.85	11.61	11.71	14.41	14.70	14.56
1928	11.91	11.28	11.58	14.40	14.40	14.40
1929	12.99	12.54	12.76	15.72	16.09	15.91
1930	11.38	10.61	10.96	13.95	13.64	13.79
1931	11.68	11.17	11.30	14.55	14.31	14.43
1932	11.54	10.86	11.18	14.17	14.07	14.11
ENGLAND & WALES.						
1926	11.24	9.10	10.10	12.38	10.91	11.62
1927	11.81	9.55	10.61	13.11	11.62	12.33
1928	11.10	8.90	9.93	12.47	10.92	11.66
1929	12.71	10.37	11.47	14.23	12.72	13.44
1930	10.77	8.55	9.59	12.27	10.68	11.44
1931	11.37	9.16	10.19	13.03	11.61	12.29
1932	10.88	8.73	9.73	12.74	11.40	12.04

5. Proportion of Deaths from the Principal Causes.—Table F shows the deaths from the principal causes as proportions per 1,000 of the total deaths in certain age groups. It will be seen from this table that heart disease bears the greatest proportion to the total deaths at all ages, which is the usual experience; and that the deaths from this cause occur mainly among persons of fairly advanced ages. The proportions are high also for cancer, tuberculosis, cerebral hæmorrhage, pneumonia, congenital debility, etc., and bronchitis.

At ages under one year, apart from developmental and wasting diseases, the highest proportion of deaths is caused by pneumonia, diarrhœa and enteritis, whooping-cough, and bronchitis.

Between the ages of one and ten the highest proportions are caused by the common infectious diseases, pneumonia, tuberculosis (the deaths from which are mainly due to tuberculosis of the central nervous system), violence, and the digestive diseases. It is noteworthy that violence is usually prominent as a cause of death at these ages, and particularly at the ages between five and ten, most of such deaths being due to burns, scalds, or motor accidents.

Between the ages of ten and thirty-five, tuberculosis (principally of the respiratory system) causes by far the largest proportion of deaths.

From age thirty-five onwards, heart disease, cancer, tuberculosis, cerebral hæmorrhage, bronchitis, pneumonia, and nephritis are responsible for the largest proportion of the total mortality.

Tables G and H show for each of the principal causes the numbers of deaths and the death rates for each year since 1923, together with corresponding particulars for the Irish Free State in respect of the year 1932.

6. Deaths from Epidemic Diseases.—The numbers of deaths from typhoid and paratyphoid fevers, whooping-cough, diphtheria, and diarrhœa under 2 years show an increase when compared with the numbers registered in 1931; but decreases are shown in the deaths from measles, scarlet fever, and influenza.

There was 1 death from typhus fever and 3 from dysentery, no deaths having been returned from these diseases during 1931.

TABLE F.—Northern Ireland: Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1932.

International List Nos.	Causes of Death.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1, 2	Typhoid and Paratyphoid Fevers ...	1	.	.	4	11	4	3	3	2	—	.	.	.
7	Measles	4	10	48	8	16	.	.	.	.	.	.	.	.
8	Scarlet Fever	1	.	17	21	5	1	3	1	.	.	.	.	.
9	Whooping-cough	14	61	146	45	11	.	.	.	.	.	—	.	.
10	Diphtheria	3	2	36	70	37	3	1	1	1	.	.	.	.
11	Influenza	26	12	18	33	21	13	19	21	28	29	37	25	22
17	Encephalitis Lethargica	2	.	.	.	.	1	6	5	6	3	—	.	.
18	Cerebro-spinal Fever	1	2	1	12	5	6	.	.	1	.	.	.	.
23	Tuberculosis of Respiratory System ...	59	1	8	41	111	426	338	209	82	26	6	1	.
24-32	Other Tuberculous Diseases	21	13	78	157	200	96	64	33	16	7	2	1	.
34	Syphilis	1	3	1	.	.	.	3	2	5	2	—	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	3	.	.	.	.	4	5	10	10	5	1	.	.
45-53	Cancer, Malignant Disease	88	—	8	4	5	6	38	103	157	176	124	70	21
59	Diabetes	8	.	3	.	21	7	8	10	6	12	10	8	4
82	Cerebral Hæmorrhage, etc.	78	.	3	.	5	7	13	31	82	103	125	124	87
90-95	Heart Disease	169	—	5	54	100	58	78	116	180	236	268	222	143
96	Aneurysm	1	.	.	.	.	.	1	1	3	2	1	.	1
97-103	Other Circulatory Diseases	25	1	4	.	5	.	2	13	24	35	43	32	27
106	Bronchitis	50	42	33	21	5	9	9	25	31	41	72	80	61
107-109	Pneumonia (all forms)	66	141	257	103	26	28	56	64	56	57	47	28	23
104, 105, 110-114	Other Respiratory Diseases	17	16	20	17	11	16	9	23	23	22	18	8	14
117	Peptic Ulcer	8	.	.	.	.	4	19	12	18	15	10	3	.
119	Diarrhœa, etc. (under 2 years)	17	132	42	—	—	—	—	—	—	—	—	—	—
121	Appendicitis	5	.	5	62	68	19	11	9	7	5	1	.	1
124	Cirrhosis of the Liver	2	.	.	.	.	.	2	4	6	4	2	—	1
125-127	Other Diseases of Liver, etc.	5	.	.	4	5	6	2	11	9	7	6	5	2
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	23	17	57	58	11	12	27	26	32	28	23	10	5
130-132	Acute and Chronic Nephritis	24	1	3	4	47	33	29	47	51	36	26	10	10
140, 145	Puerperal Sepsis	2	.	.	.	.	10	30	5	1	.	.	.	.
141-144, 146-150	Other Puerperal Causes	5	.	.	.	.	29	54	28	1	.	.	.	.
157-161	Congenital Debility, Premature Birth, Malformations, etc.	55	461	9	8	21	.	.	.	.	.	.	.	.
162	Senility	99	.	.	.	.	.	.	.	.	7	89	311	536
163-171	Suicide	4	.	.	.	.	13	7	21	10	6	2	.	.
172-198	Other Violence	25	15	75	79	47	77	42	36	21	20	17	13	11
—	Other Defined Diseases	80	68	104	191	206	103	113	124	115	98	62	49	30
199, 200	Causes Ill-defined or Unknown	8	2	19	4	.	9	8	6	16	18	8	—	1
	All Causes	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

7. Influenza.—The deaths from influenza during the year numbered 455, giving a rate of 0.36 per 1,000, compared with a rate of 0.46 for the year 1931.

8. Tuberculosis.—Deaths from all forms of this disease show a decrease of 7.3 per cent. on the number registered in the year 1931. The death rate from this cause of 1.12 per 1,000 is 0.1 less than the rate for 1931. Diagram II shows that the death rate in Northern Ireland from all forms of tuberculosis has declined very steadily from 1901 to 1932. The only break in the general trend of improvement occurs during the period covered by the war years, and it will be noticed from the diagram that this rise in the rate was experienced in all other parts of the British Isles. The crude death rate in Northern Ireland from this disease in 1932, whilst slightly lower than that for the Irish Free State, is still higher than the corresponding rates for England and Wales, and Scotland.

TABLE G.—Northern Ireland: Number of Deaths from the Principal Causes, 1923-32.

International List Nos.	Causes of Death.	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	Irish Free State, 1932
1, 2	Typhoid and Paratyphoid Fevers	20	25	50	37	44	29	42	29	15	16	82
7	Measles	204	213	227	308	22	204	191	54	208	63	250
8	Scarlet Fever	50	90	118	41	46	53	40	25	34	24	92
9	Whooping-cough	305	276	338	107	220	173	250	175	84	257	294
10	Diphtheria	102	88	101	125	85	67	74	73	61	62	383
11	Influenza	415	1,026	701	482	745	388	1,335	255	575	455	1,655
17	Encephalitis Lethargica ...	34	80	26	38	28	27	37	42	48	31	32
18	Cerebro-spinal Fever ...	5	1	4	7	8	14	6	9	9	14	17
23	Tuberculosis of Respiratory System	1,534	1,564	1,574	1,391	1,300	1,282	1,219	1,180	1,130	1,047	2,858
24-32	Other Tuberculous Diseases	503	491	526	450	467	463	392	411	396	368	818
34	Syphilis	40	19	26	20	23	23	24	24	17	26	—
80, 83	General Paralysis of the Insane, Tabes Dorsalis ...	36	35	34	44	35	58	50	49	29	48	—
45-53	Cancer, Malignant Disease...	1,365	1,407	1,441	1,410	1,477	1,458	1,469	1,477	1,564	1,566	3,312
59	Diabetes	160	100	104	128	120	125	115	121	120	136	239
82	Cerebral Hæmorrhage, etc.	1,232	1,332	1,375	1,281	1,311	1,281	1,337	1,243	1,303	1,388	2,503
90-95	Heart Disease	2,453	2,736	2,533	2,678	2,529	2,669	2,782	2,845	3,062	3,012	6,136
96	Aneurysm	15	11	16	14	11	14	16	13	12	15	} 599
97-103	Other Circulatory Diseases...	257	269	283	316	311	360	351	372	422	444	
106	Bronchitis	1,307	1,522	1,394	1,212	1,108	1,090	1,348	946	946	893	2,616
107-109	Pneumonia (all forms) ...	1,240	1,387	1,266	1,197	1,253	1,169	1,486	959	1,123	1,180	2,691
104, 105 } 110-114 }	Other Respiratory Diseases	227	271	284	316	259	279	333	275	291	296	785
117	Peptic Ulcer	124	124	129	120	132	124	144	142	164	147	328
119	Diarrhœa, etc. (under 2 years)	284	274	333	478	303	293	251	208	219	308	581
121	Appendicitis	94	88	94	91	107	92	89	86	96	91	221
124	Cirrhosis of the Liver ...	32	24	24	33	28	34	30	28	39	34	77
125-127	Other Diseases of Liver, etc.	58	47	78	79	70	81	73	86	69	90	177
115, 116 } 118, 120 } 122, 123 } 128, 129 }	Other Digestive Diseases ...	561	522	517	550	454	432	467	435	412	401	1,072
130-132	Acute and Chronic Nephritis	428	431	435	421	457	451	480	500	505	423	1,223
140, 145	Puerperal Sepsis	40	35	27	49	48	39	37	39	43	39	78
141-144 } 146-150 }	Other Puerperal Causes ...	108	94	96	109	80	97	88	98	89	95	178
157-161	Congenital Debility, Premature Birth, Malformations, etc.	1,114	1,063	1,031	1,079	897	895	944	889	855	974	1,776
162	Senility	2,355	2,468	2,385	2,124	2,117	2,085	2,153	1,939	1,951	1,770	6,626
163-171	Suicide	50	68	75	63	80	64	71	61	63	71	110
172-198	Other Violence	440	427	408	389	412	461	452	448	470	443	867
—	Other Defined Diseases ...	1,444	1,518	1,537	1,475	1,487	1,500	1,500	1,480	1,484	1,439	3,513
199, 200	Causes Ill-defined or Unknown	154	173	194	165	142	130	146	132	141	146	795
	All Causes	18,790	20,299	19,784	18,827	18,216	18,004	19,822	17,148	18,049	17,812	42,984
	Uncertified Deaths	2,230	2,426	2,350	1,785	1,747	1,790	1,803	1,487	1,450	1,414	8,369

From Table F it will be seen that tuberculous diseases have caused more than 500 deaths in every 1,000 between the ages of 15 and 25, and over 400 per 1,000 between 25 and 35. Further, from Abstract VII it appears that one-half of the deaths from all forms of tuberculous disease during 1932 occurred between the ages of 15 and 35.

Tuberculosis is in general much more prevalent in the cities and towns than in the country districts. In 1932 the rate per 1,000 for all urban areas was 1.30 and for rural areas 0.95. The rates in 1931 were 1.37 and 1.05 respectively.

Tuberculosis of the respiratory system accounted for 74 per cent. of the total deaths from tuberculosis.

TABLE H.—Northern Ireland: Death Rates per 100,000 of Estimated Population from the Principal Causes, and Uncertified Deaths as a percentage of Total Deaths, 1923-32.

International List Nos.	Causes of Death.	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	Irish Free State, 1932
1, 2	Typhoid and Paratyphoid Fevers	1.6	2.0	4.0	3.0	3.5	2.3	3.4	2.3	1.2	1.3	2.8
7	Measles	16.2	16.9	18.1	24.6	1.8	16.3	15.3	4.3	16.6	5.0	8.4
8	Scarlet Fever	4.0	7.2	9.4	3.3	3.7	4.2	3.2	2.0	2.7	1.9	3.1
9	Whooping-cough	24.2	21.9	26.9	8.5	17.6	13.8	20.1	14.1	6.7	20.4	9.9
10	Diphtheria	8.1	7.0	8.0	10.0	6.8	5.4	5.9	5.9	4.9	4.9	12.9
11	Influenza	33.0	81.6	55.8	38.4	59.6	31.0	107.1	20.5	46.0	36.1	55.6
17	Encephalitis Lethargica ...	2.7	6.4	2.1	3.0	2.2	2.2	3.0	3.4	3.8	2.5	1.1
18	Cerebro-spinal Fever ...	0.4	0.1	0.3	0.6	0.6	1.1	0.5	0.7	0.7	1.1	0.6
23	Tuberculosis of Respiratory System	121.8	124.3	125.2	110.9	103.9	102.6	97.8	94.9	90.3	83.0	96.1
24-32	Other Tuberculous Diseases	40.0	39.0	41.8	35.9	37.3	37.0	31.5	33.0	31.7	29.2	27.5
34	Syphilis	3.2	1.5	2.1	1.6	1.8	1.8	1.9	1.9	1.4	2.1	—
80, 83	General Paralysis of the Insane, Tabes Dorsalis ...	2.9	2.8	2.7	3.5	2.8	4.6	4.0	3.9	2.3	3.8	—
45-53	Cancer, Malignant Disease...	108.4	111.8	114.6	112.4	118.1	116.6	117.9	118.7	125.0	124.1	111.4
59	Diabetes	12.7	7.9	8.3	10.2	9.6	10.0	9.2	9.7	9.6	10.8	8.0
82	Cerebral Hæmorrhage, etc.	97.9	105.9	109.4	102.2	104.8	102.5	107.3	99.9	104.2	110.0	84.2
90-95	Heart Disease	194.8	217.5	201.5	213.6	202.2	213.5	223.3	228.7	244.8	238.7	206.3
96	Aneurysm	1.2	0.9	1.3	1.1	0.9	1.1	1.3	1.0	1.0	1.2	} 20.1
97-103	Other Circulatory Diseases...	20.4	21.4	22.5	25.2	24.9	28.8	28.2	29.9	33.7	35.2	
106	Bronchitis	103.8	121.0	110.9	96.7	88.6	87.2	108.2	76.0	75.6	70.8	88.0
107-109	Pneumonia (all forms) ...	98.5	110.3	100.7	95.5	100.2	93.5	119.3	77.1	89.8	93.5	90.5
104, 105, 110-114	Other Respiratory Diseases	18.0	21.5	22.6	25.2	20.7	22.3	26.7	22.1	23.3	23.5	26.4
117	Peptic Ulcer	9.8	9.9	10.3	9.6	10.6	9.9	11.6	11.4	13.1	11.6	11.0
119	Diarrhœa, etc. (under 2 years)	22.6	21.8	26.5	38.1	24.2	23.4	20.1	16.7	17.5	24.4	19.5
121	Appendicitis	7.5	7.0	7.5	7.3	8.6	7.4	7.1	6.9	7.7	7.2	7.4
124	Cirrhosis of the Liver ...	2.5	1.9	1.9	2.6	2.2	2.7	2.4	2.3	3.1	2.7	2.6
125-127	Other Diseases of Liver, etc.	4.6	3.7	6.2	6.3	5.6	6.5	5.9	6.9	5.5	7.1	6.0
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases ...	44.6	41.5	41.1	43.9	36.3	34.6	37.5	35.0	32.9	31.8	36.0
130-132	Acute and Chronic Nephritis	34.0	34.3	34.6	33.6	36.5	36.1	38.5	40.2	40.4	33.5	41.1
140, 145	Puerperal Sepsis	3.2	2.8	2.1	3.9	3.8	3.1	3.0	3.1	3.4	3.1	2.6
141-144, 146-150	Other Puerperal Causes ...	8.6	7.5	7.6	8.7	6.4	7.8	7.1	7.9	7.1	7.5	6.0
157-161	Congenital Debility, Premature Birth, Malformations, etc.	88.5	84.5	82.0	86.0	71.7	71.6	75.8	71.5	68.3	77.2	59.7
162	Senility	187.1	196.2	189.7	169.4	169.2	166.8	172.8	155.9	156.0	140.3	222.8
163-171	Suicide	4.0	5.4	6.0	5.0	6.4	5.1	5.7	4.9	5.0	5.6	3.7
172-198	Other Violence	34.9	33.9	32.5	31.0	32.9	36.9	36.3	36.0	37.6	35.1	29.2
—	Other Defined Diseases ...	114.7	120.7	122.3	117.6	118.9	120.0	120.4	119.0	118.6	114.0	118.1
199, 200	Causes Ill-defined or Unknown	12.2	13.8	15.4	13.2	11.4	10.4	11.7	10.6	11.3	11.6	26.7
	All Causes	1492.5	1613.6	1573.9	1501.4	1456.1	1440.3	1590.9	1378.5	1442.8	1411.4	1445.3
	Percentage of Uncertified Deaths	11.9	12.0	11.9	9.5	9.6	9.9	9.1	8.7	8.0	7.9	19.5

DIAGRAM III-NORTHERN IRELAND. TUBERCULOSIS AND CANCER DEATH RATES FOR EACH YEAR FROM 1901 TO 1932

The abstracts of causes of death give particulars regarding the sexes and ages of the persons who died from the various forms of tuberculous disease during the year, and also the deaths from tuberculosis allocated to each urban and rural district. Table J affords comparison of the summarised figures for 1932 with those for each of the ten preceding years. Table K shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast County Borough.

TABLE J.—Northern Ireland: Deaths and Death Rates from Tuberculosis (All Forms), 1922-32.

Year.	Males.		Females.		Total.	
	Number of Deaths.	Rate per 1,000 of the estimated Male population.	Number of Deaths.	Rate per 1,000 of the estimated Female population.	Number of Deaths.	Rate per 1,000 of the estimated population.
1922	970	1.57	1,137	1.75	2,107	1.66
1923	941	1.55	1,096	1.69	2,037	1.62
1924	936	1.54	1,119	1.72	2,055	1.63
1925	961	1.58	1,139	1.76	2,100	1.67
1926	849	1.40	992	1.53	1,841	1.47
1927	786	1.30	981	1.52	1,767	1.41
1928	800	1.32	945	1.46	1,745	1.40
1929	708	1.18	903	1.40	1,611	1.29
1930	782	1.30	809	1.26	1,591	1.28
1931	706	1.17	820	1.27	1,526	1.22
1932	689	1.13	726	1.12	1,415	1.12

TABLE K.—Northern Ireland: Death Rates per 1,000 of the 1926 Census Population from Tuberculosis (All Forms) by Counties, 1922-32.

Year.	Antrim.	Armagh.	Belfast County Borough.	Down.	Fermanagh.	Londonderry County and County Borough.	Tyrone.
1922	1.87	1.99	1.67	1.79	1.43	1.41	1.38
1923	1.82	1.83	1.65	1.67	1.17	1.52	1.29
1924	1.60	1.74	1.88	1.62	1.02	1.45	1.33
1925	1.42	1.65	1.86	1.51	1.40	1.72	1.77
1926	1.29	1.38	1.74	1.43	0.98	1.29	1.38
1927	1.25	1.25	1.59	1.55	1.12	1.30	1.17
1928	1.26	1.64	1.54	1.41	1.19	1.27	1.07
1929	1.14	1.21	1.44	1.28	1.12	1.16	1.27
1930	1.15	1.24	1.44	1.34	1.03	1.20	0.96
1931	1.03	1.30	1.35	1.16	0.66	1.36	1.14
1932	1.02	1.15	1.34	1.06	0.81	0.92	1.05

NOTE: The figures for the years prior to 1924 have not been corrected for normal residence.

9. Cancer.—Under this heading are included deaths returned as from carcinoma, sarcoma, cancer, or malignant disease.

The crude death rate for cancer in Northern Ireland during 1932 was 1.24 per 1,000, which is a decrease of 0.01 on the rate for 1931. From Diagram IV it will be seen that, as in other parts of the British Isles, the cancer death rate has increased more or less steadily over the period 1901 to 1932. Diagram III, which contrasts the mortality from cancer with that from tuberculosis from 1901 to 1932, shows that whilst

TABLE L.—Northern Ireland, 1932: Sites of Fatal Cancer.*

	Sites.	Total Males and Females.	Males. All Ages.	Males. Under 20	Males. 20-	Males. 30-	Males. 40-	Males. 50-	Males. 60-	Males. 65-	Males. 75-	Females. All Ages.	Females. Under 20	Females. 20-	Females. 30-	Females. 40-	Females. 50-	Females. 60-	Females. 65-	Females. 75-
45	Fauces	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Jaw	23	14	.	.	1	2	1	4	5	1	9	1	1	1	.	1	1	3	1
	Lip	23	19	.	1	.	.	3	6	3	6	4	.	.	.	1	.	.	2	1
	Mouth	16	12	.	.	.	1	4	2	4	1	4	.	.	.	1	3	.	.	.
	Pharynx ...	9	5	.	.	.	.	1	1	2	1	4	.	.	.	2	1	.	1	.
	Tongue	25	21	.	.	.	3	7	2	7	2	4	.	.	.	1	.	1	2	.
	Tonsils	5	2	.	.	.	.	.	.	2	.	3	1	.	.	.	.	1	.	1
46	Bile duct ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	Intestines ...	213	112	.	1	.	6	20	20	47	18	101	.	.	2	4	20	11	41	23
	Liver, Gall Bladder ...	100	39	.	.	.	3	5	10	17	4	61	.	.	1	8	13	11	20	8
	Œsophagus ...	44	24	.	.	1	.	5	6	10	2	20	.	.	1	2	6	3	6	2
	Omentum ...	4	2	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	2	.
	Pancreas ...	30	17	.	.	.	3	4	3	5	2	13	.	.	1	.	2	3	5	2
	Peritoneum ...	4	1	.	.	.	.	.	1	.	.	3	1	1	.	1	.	.	.	.
	Pylorus... ...	7	3	.	.	.	1	.	1	1	.	4	.	.	.	.	.	1	2	1
	Rectum ...	90	52	.	1	.	2	9	11	22	7	38	.	.	2	1	13	6	10	6
	Stomach ...	381	194	.	1	6	17	44	36	68	22	187	.	.	3	12	34	37	68	33
47	Larynx... ...	16	9	.	.	.	1	1	3	2	2	7	.	.	1	1	3	.	1	1
	Lung	31	17	.	.	3	4	4	3	3	.	14	.	.	.	3	4	2	5	.
	Mediastinum ...	11	4	.	.	.	1	.	3	.	.	7	.	1	1	1	2	2	.	.
48	Uterus	128	—	—	—	—	—	—	—	—	—	128	.	1	11	31	38	17	22	8
49	Ovary	19	—	—	—	—	—	—	—	—	—	19	.	2	3	1	3	2	5	3
	Vagina	4	—	—	—	—	—	—	—	—	—	4	.	.	.	.	3	.	1	.
50	Breast	135	3	.	.	.	.	2	.	1	.	132	.	.	7	27	29	18	36	15
51	Bladder... ...	10	10	.	.	.	.	3	2	3	2	—	—	—	—	—	—	—	—	—
	Kidney	8	8	1	.	.	1	3	1	2	.	—	—	—	—	—	—	—	—	—
	Penis	2	2	.	.	.	.	.	.	2	.	—	—	—	—	—	—	—	—	—
	Prostate ...	38	38	.	.	.	.	3	6	17	12	—	—	—	—	—	—	—	—	—
	Scrotum ...	1	1	.	.	.	.	.	.	.	1	—	—	—	—	—	—	—	—	—
	Testicle... ...	2	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	—	—	—
	Urethra ...	1	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	—	—	—
52	Cheek	4	4	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.
	Ear	7	6	.	.	.	.	1	.	3	2	1	.	.	.	.	.	.	.	1
	Face	24	10	.	.	.	.	1	1	6	2	14	.	.	.	.	2	1	3	8
	Scalp	4	2	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	2
53	Abdomen ...	20	5	.	.	.	.	2	.	2	1	15	.	1	.	2	2	4	5	1
	Arm	3	1	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	2	.
	Bladder (females)	8	—	—	—	—	—	—	—	—	—	8	.	.	.	3	1	1	2	1
	Brain	6	4	.	.	1	2	.	1	.	.	2	.	.	.	.	1	.	1	.
	Eye	8	4	1	.	.	.	2	.	.	1	4	.	.	.	.	1	1	2	.
	Foot	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	Groin	2	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	Hand	4	3	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1	.
	Kidney (females)	10	—	—	—	—	—	—	—	—	—	10	2	.	.	.	2	4	.	2
	Leg	14	7	.	1	1	.	.	2	3	.	7	.	.	1	.	2	1	3	.
	Lymphatic Glands ...	3	2	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.
	Neck	19	16	.	1	.	1	2	2	5	5	3	.	.	.	1	.	1	1	.
	Pelvis	8	1	.	1	.	.	.	.	.	.	7	1	.	1	1	1	.	3	.
	Spine	7	2	.	.	.	.	.	1	1	.	5	.	1	.	.	3	1	.	.
	Spleen	3	.	.	.	.	.	.	.	.	.	3	1	.	.	.	1	1	.	.
	Thorax	2	1	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
	Throat	7	4	.	.	.	.	2	1	1	.	3	.	.	.	.	.	2	1	.
	Thyroid ...	6	.	.	.	.	.	.	.	.	.	6	.	.	2	2	1	.	1	.
	Other and Undefined Sites	14	6	.	2	.	.	.	.	2	2	8	.	.	1	.	1	3	2	1
	Total ...	1,566	692	2	9	15	48	131	132	257	98	874	7	8	39	107	194	136	261	122

* Including Carcinoma, Sarcoma, Cancer, Malignant Disease.

DIAGRAM IV.– DEATH RATES FROM CANCER IN NORTHERN IRELAND, THE IRISH FREE STATE, ENGLAND AND WALES, AND SCOTLAND, 1901–1932

the rise in the cancer death rate has not been nearly so rapid as the fall in the rate from tuberculosis, these rates have been converging over the past thirty years, and in 1931 and the year under review the recorded mortality from cancer actually exceeded that from tuberculosis.

The death rates from cancer among males and females in 1932 were 1.13 and 1.34 per 1,000 respectively; the male rate thus being 84 per cent. of the female rate, as against 92 per cent. in 1931.

The most frequent sites of fatal cancer among males during the year were stomach, 194; intestines, 112; and rectum, 52. Among females the most frequent sites were stomach, 187; breast, 132; uterus, 128; intestines, 101; and liver and gall-bladder, 61.

Particulars regarding age, sex, and parts affected, of persons whose deaths were attributed to cancer, appear in Table L.

10. Cerebral Hæmorrhage, etc.—The deaths assigned to this heading numbered 1,388, giving a rate of 1.10 per 1,000. This rate is 0.06 above that for 1931.

TABLE M.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1932.

International List Nos.	Causes of Death.	All Ages.	Ages. 15-	20-	25-	30-	35-	40-	45 yrs. and up.
	Puerperal Diseases and Accidents of Pregnancy and Childbirth.								
140	Post-abortive Sepsis	4	.	2	.	1	1	.	.
141	Abortion not returned as Septic ...	8	.	.	1	2	2	3	.
142	Ectopic Gestation	2	.	.	.	.	2	.	.
143	Other Accidents of Pregnancy ...	1	.	.	1	.	.	.	.
144	Puerperal Hæmorrhage	34	.	6	6	12	7	3	.
145	Puerperal Sepsis	35	2	3	16	9	2	2	1
146	Puerperal Albuminuria and Convulsions	22	.	5	10	2	2	2	1
147	Other Toxæmias of Pregnancy ...	5	.	2	1	1	.	1	.
148	Puerperal Phlegmasia Alba Dolens ...	14	1	2	6	2	3	.	.
149	Other Accidents of Childbirth ...	5	.	2	.	2	1	.	.
150	Other or unspecified conditions of the Puerperal state	4	.	2	1	.	.	1	.
	Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth.								
11b	Influenza without Pulmonary complications	2	.	1	.	.	1	.	.
23	Tuberculosis of the Respiratory System	2	.	1	.	.	1	.	.
45	Cancer	1	.	.	1	.	.	.	.
56	Rheumatic Fever	1	.	.	.	.	1	.	.
66	Diseases of the Thyroid and Parathyroid Glands	1	.	.	.	.	.	1	.
81	Other Diseases of the Spinal Cord ...	1	.	.	.	1	.	.	.
91	Acute Endocarditis	2	.	.	2	.	.	.	.
92	Chronic Endocarditis, Valvular Disease	6	1	.	3	.	2	.	.
95	Other Diseases of the Heart	1	.	.	1	.	.	.	.
107	Broncho-Pneumonia	2	.	.	1	.	.	1	.
108	Lobar Pneumonia	2	.	.	.	2	.	.	.
117a	Ulcer of the Stomach	1	.	.	1	.	.	.	.
122b	Intestinal Obstruction	2	.	.	.	2	.	.	.
125	Other Diseases of the Liver	2	.	1	.	.	.	1	.
	Total	160	4	27	51	36	25	15	2

11. Bronchitis.—The deaths from bronchitis during the year numbered 893, giving a rate of 0.71 per 1,000, which is 0.05 lower than the rate for 1931.

12. Pneumonia.—There were 1,180 deaths from pneumonia during 1932, the rate per 1,000 being 0.94, compared with a rate of 0.90 per 1,000 in 1931.

13. Pregnancy and Childbirth.—The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) puerperal diseases and accidents of pregnancy and childbirth, and (2) non-puerperal diseases or causes combined with pregnancy and childbirth. The causes of death shown in Table M are those to which the various deaths were assigned.

From Table N it will be seen that the number of deaths from puerperal diseases and accidents of pregnancy and childbirth yielded the highest rate since 1926. On the other hand, the 1932 increase was offset by a decline in the rate for non-puerperal diseases associated with the puerperal state, and consequently the rate for all deaths of women in pregnancy and childbirth was 0.21 lower than that for 1931.

TABLE N.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1922-32.

Years.	Deaths from Puerperal Diseases and Accidents of Pregnancy and Childbirth (*classed as Childbirth*).		Deaths from Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth (*not classed as Childbirth*).		Total Deaths of Women in Pregnancy and Childbirth.	
	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.
1922	139	4.71	34	1.15	173	5.86
1923	148	4.92	34	1.13	182	6.05
1924	129	4.53	25	0.87	154	5.40
1925	123	4.44	28	1.01	151	5.45
1926	158	5.61	17	0.60	175	6.21
1927	128	4.80	46	1.72	174	6.52
1928	136	5.24	33	1.27	169	6.51
1929	125	4.92	34	1.34	159	6.26
1930	137	5.29	20	0.77	157	6.07
1931	132	5.14	37	1.44	169	6.58
1932	134	5.34	26	1.04	160	6.37

14. Deaths from Violence.—In some cases the cause of death as found by the coroner's jury is not sufficiently explicit to determine whether the death was due to murder, manslaughter, or to accidental causes, and steps are taken to obtain additional information from the Ministry of Home Affairs regarding all homicidal deaths that are dealt with by the Courts of Law.

In the following table cases in which coroners' juries returned "open verdicts" are included under the head "Other Violent Deaths," but it is possible that a number of them were due to suicide. Among the 37 deaths so returned there were 20 cases (15 males and 5 females) in which the coroners' juries returned a verdict of "found drowned."

Of the 75 deaths from burns and scalds, 43 were of children under 5 years of age.

TABLE O.—Northern Ireland : Deaths from Violence, 1930-32.

Causes of Death.	1930.			1931.			1932.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Homicide.									
Infanticide (172) ...	1	1	.	1	.	1	1	.	1
Manslaughter (in 173-175)	3	1	2	7	3	4	3	2	1
Murder (in 173-175) ...	1	.	1	4	1	3	1	.	1
Suicide (163-171)	61	53	8	63	52	11	71	51	20
Accidental Causes.									
Burns and Scalds (181)	85	32	53	69	36	33	75	31	44
Drowning (183) ...	22	15	7	22	16	6	26	22	4
Fall (In. 186)	88	37	51	93	42	51	88	41	47
Firearms (184) ...	1	1	.	3	3	.	4	3	1
Mechanical Suffocation (182)...	10	6	4	14	8	6	13	4	9
Poison and Poisonous Gases (177-179) ...	15	8	7	7	5	2	9	7	2
Vehicles—Motor (in 186)	114	92	22	103	83	20	114	87	27
,, Other ,,	27	23	4	45	36	9	26	23	3
Other Accidental Causes	35	32	3	78	53	25	42	30	12
Other Violent Deaths. (195-198)	30	22	8	24	19	5	41	33	8
Total Deaths from Violence ...	493	323	170	533	357	176	514	334	180

15. Ill-defined Causes of Death.—146 deaths have been allocated to this heading, as against 141 in 1931.

Enquiries were sent to medical practitioners and coroners requesting further information as to 614 deaths, which appeared to have been indefinitely certified, representing 3.4 per cent. of the total deaths registered, and 413 replies were received, 351 containing such useful additional particulars as enabled those cases to be classified more precisely.

16. Uncertified Deaths.—1,414 deaths were not certified, representing 7.9 per cent. of the total deaths registered, there having been neither a medical attendant during the last illness nor an inquest held by a coroner. It will be seen from Table H that the percentage of uncertified deaths has been falling steadily over the past ten years. 68.7 per cent. of the uncertified deaths were of persons aged 65 years and upwards, and 11.4 per cent. were of infants under 1 year of age.

On this occasion a special abstract has been prepared, showing uncertified deaths according to causes, ages, and sex. See Abstract VIII, page 58.

17. Inquests.—The circumstances of 821 deaths were considered by the coroners in 1932. Inquests were held in 471 of these cases, which represents one inquest for every 38 deaths registered. In 1931 the inquests numbered 495.

In Table P the number of cases referred to coroners in which inquests were considered unnecessary may be understated, as coroners may not always formally notify the Registrars of such cases.

TABLE P.—Northern Ireland: Uncertified Deaths and Inquests, 1932.

Counties.	Total Deaths Registered.	Certified			Uncertified.	
		By Medical Practitioners.		By Coroners' Juries.	Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.
		Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.			
NORTHERN IRELAND	17,812	15,806	121	471	1,185	229
Antrim	2,634	2,329	51	79	142	33
Armagh	1,706	1,447	17	44	180	18
Belfast Co. Borough	5,863	5,515	26	184	8	130
Down	2,788	2,545	9	77	142	15
Fermanagh	884	628	.	23	232	1
Londonderry Co. and Co. Borough ...	1,971	1,759	9	35	164	4
Tyrone	1,966	1,583	9	29	317	28

18. Ages at Death.—16.1 per cent. of the total deaths registered were of children under 5 years of age, 44.6 per cent. were of persons aged 65 and upwards, 34.5 per cent. were of persons aged 70 and upwards, and 0.4 per cent. were of persons aged 95 and upwards.

Among the deaths registered were 9 of persons whose ages at death were returned as 100 years or upwards. 4 of these deaths were of males and 5 of females. The ages of the males were given as—3 at age 100 and 1 at 105. The ages of the females were—1 at age 101, 1 at 102, 1 at 103, and 2 at 106. In the absence of complete public records for remote periods, verification of the ages of all very old persons is not possible.

The ages in detail of the persons whose deaths were registered during the year are given by sexes and counties in Abstract VI.

19. Infant Mortality.—Deaths of infants under 1 year of age numbered 2,084, or 83 per 1,000 births registered, as compared with 73 per 1,000 in 1931.

In 1932 and 1931 the rates for deaths of infants under 1 year of age were 65 and 66 per 1,000 births, respectively, for England and Wales; 86 and 82 for Scotland; and 72 and 69 for the Irish Free State.

The deaths of infants under 1 year of age include 1,189 of males and 895 of females, the former number being equivalent to 92 per 1,000 births of males and the latter to 73 per 1,000 births of females. The corresponding rates for 1931 were 81 and 65 respectively.

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1932 was 98 per 1,000 births, and the rate for the aggregate of the Rural Districts was 63 per 1,000, the corresponding rates for 1931 being 85 and 58 respectively.

Table Q gives the infant mortality rates for Northern Ireland for each of the five years 1928–32, by causes of death and, for the last of these years, by sexes and age-periods. Reference to Diagram V will show that the infant mortality rate in Northern Ireland has exhibited

DIAGRAM V.- INFANT MORTALITY RATES IN NORTHERN IRELAND, THE IRISH FREE STATE, ENGLAND AND WALES, AND SCOTLAND, 1901-1932

TABLE Q.—Northern Ireland: Infant Mortality Rates, 1928-32.

Causes of Death.	Deaths of Infants under One Year per 10,000 Births Registered.																										
					Year 1932.																						
					Males and Females.								Males.								Females.						
	1928	1929	1930	1931	Total.	Under 1 day	1 day and less than 7 days	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 day	1 day and less than 7 days	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 day	1 day and less than 7 days	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.
All Causes	779	856	679	734	830	104	123	134	86	56	141	185	924	119	130	151	104	64	156	200	732	89	117	117	68	47	125	168
Common Infectious Diseases.																												
Small-pox (6)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (7)	20	19	4	25	8	.	.	.	—	.	1	6	9	.	.	.	1	.	2	6	7	.	.	.	.	.	1	7
Scarlet Fever (8)	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough (9) ...	32	44	31	17	51	.	.	1	5	4	12	28	52	.	.	1	7	5	15	24	50	.	.	2	3	3	10	32
Diphtheria (10)	2	1	2	2	2	.	.	.	.	—	.	1	2	.	.	.	.	1	.	1	2	.	.	.	.	.	.	2
Influenza (11)	9	22	3	11	10	.	—	2	2	1	1	3	9	.	.	1	2	1	.	5	11	.	1	3	2	2	2	2
Diarrhœal Diseases.																												
Diarrhœa and Enteritis (119)	93	85	70	74	110	.	2	12	14	14	37	31	120	.	2	14	19	16	38	31	98	.	1	9	8	11	37	31
Tuberculous Diseases.																												
Central Nervous System (24)	6	6	6	7	8	.	.	—	.	—	4	4	8	.	.	.	.	1	4	3	9	.	.	1	.	.	4	4
Intestines and Peritoneum (25)...	1	2	4	2	2	.	.	.	—	.	—	1	3	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.
Other Tuberculous Diseases (23, 26-32)...	7	5	3	4	2	.	.	.	.	.	1	1	3	.	.	.	.	.	2	1	2	.	.	.	.	.	.	2
Developmental and Wasting Diseases.																												
Congenital Malformations (157)	37	41	48	46	42	5	10	12	4	2	5	4	44	6	10	9	6	2	7	4	40	5	10	15	2	2	2	5
Premature Birth, Injury at Birth (159, 160)	127	146	129	142	166	65	60	32	8	1	1	.	185	76	61	33	12	1	2	.	146	53	59	30	2	2	.	.
Congenital Debility and other Infantile Diseases (158,161)	176	176	161	138	174	29	44	46	18	11	21	6	205	34	50	57	17	14	25	7	142	24	37	34	18	7	16	5
Bronchitis and Pneumonia.																												
Bronchitis (106)	50	58	29	37	35	.	—	6	7	3	7	10	38	.	.	6	7	4	9	12	31	.	1	7	7	2	6	8
Pneumonia (107-109) ...	114	130	77	102	117	.	—	10	16	9	30	51	135	.	1	13	16	9	33	62	98	.	.	7	16	8	27	40
Other Causes.																												
Erysipelas (15)	2	2	1	3	—	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Syphilis (34)...	1	2	3	2	2	.	.	—	1	.	1	—	2	.	.	1	.	.	.	1	3	.	.	.	2	.	2	.
Rickets (63)	2	1	2	4	2	.	.	.	.	.	—	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	2
Meningitis (79)	5	6	11	11	8	.	1	.	1	.	2	5	9	.	2	.	2	.	1	5	7	.	.	.	.	.	3	4
Convulsions (86)	41	42	38	44	32	—	4	5	5	4	6	9	35	.	2	5	6	4	6	11	29	1	5	4	3	3	5	7
Suffocation (overlaying—in 182)	2	1	3	2	3	1	1	.	1	.	—	.	2	.	1	.	1	.	.	.	4	1	1	.	1	.	1	.
Inattention at Birth (in 194)	6	6	6	5	4	4	.	.	.	.	.	.	3	3	.	.	.	.	.	.	5	5	.	.	.	.	.	.
Other Violence	3	3	2	6	6	.	—	—	1	—	1	3	5	.	.	.	1	1	2	2	7	.	1	1	1	.	1	3
Other Causes	42	57	45	50	46	.	1	8	3	7	11	21	55	.	1	11	6	5	9	23	37	.	1	3	3	7	7	14

NOTE.—A dot (.) indicates that there were no deaths. A dash (—) indicates that the deaths were not sufficiently numerous to give a rate of 1.

a downward tendency since 1901, although the rates in the past two years have risen appreciably.

Table R compares the infant mortality rates for the aggregate of the urban areas with those for the aggregate of the rural areas of Northern Ireland. The differences usually found between urban and rural rates and between male and female rates are marked. The urban rates are, in general, appreciably in excess of the corresponding rural rates.

Abstract I gives the number of infant deaths, together with the number of births, for each urban and rural district of Northern Ireland.

20. Mortality among Illegitimate Children.—Deaths of illegitimate children under 1 year of age numbered 204 in 1932, which is equivalent to a rate of 161 per 1,000 of the illegitimate births registered, as compared with 146 in 1931. The corresponding rate for legitimate children in 1932 is 79 per 1,000. Table S shows the deaths of illegitimate children by the principal causes in 1932, together with the mortality rates among illegitimate children for each of the years 1928–32. Most of these rates are considerably in excess of the corresponding rates for all children; particularly the rates for diarrhœa and enteritis, congenital debility, etc., premature birth, and inattention at birth. It should, however, be noted that the rates for some of the causes are based on very small numbers of deaths.

The death rate among illegitimate children under 1 year of age in the Irish Free State in 1932 was 240 per 1,000 illegitimate births registered.

§ 5. POPULATION.

Estimates of the population of Northern Ireland, made for the purposes of the Registrar-General's Annual Reports, are based upon the population as ascertained at the last census, and the numbers of births and deaths registered in the meantime, adjustments being made for migration to and from non-European countries, and for the movement of the military. Since particulars of migration between this country and other European countries (including Great Britain and the Irish Free State) are not recorded, adjustment on this account, to estimates previously prepared, can be made only when the succeeding census figures become available.

Estimates of the population as at the middle of each of the years 1911 to 1932, arrived at in the foregoing manner, are shown in Abstract XI, and the crude rates in this Report for the country as a whole have been based upon these estimates. As regards divisions of the country, however, no estimates have been made, the 1926 Census figures being used for all rates shown for these areas.

The latest enumerated population of Northern Ireland, obtained from the Census of 1926, is 1,256,561. The estimated population in the middle of 1932 was 1,262,000.

§ 6. MIGRATION.

The returns of migration used for the purposes of the above population estimates are those published by the Board of Trade, London, which give the numbers of British migrants between Northern Ireland and non-European countries. According to these returns, the total

TABLE R.—Infant Mortality Rates for the Aggregates of Urban and of Rural Areas in Northern Ireland, 1928-32.

* Causes of Death.	Deaths of Infants under One Year per 10,000 Births Registered.																										
					Year 1932.																						
					Males and Females.								Males.								Females.						
	1928	1929	1930	1931	Total.	Under 1 day.	1 day and less than 7 days.	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 day.	1 day and less than 7 days.	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total.	Under 1 day.	1 day and less than 7 days.	1–4 wks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.
ALL URBAN AREAS.																											
Common Infectious Diseases ...	71	114	42	69	81	.	1	2	9	6	18	46	86	.	.	1	11	8	25	40	75	.	1	3	6	3	10	52
Diarrhœal Diseases	144	125	101	100	160	.	1	16	17	22	54	50	170	.	1	18	21	26	56	47	150	.	1	14	13	17	52	52
Tuberculous Diseases ...	18	16	16	15	16	.	.	1	1	.	7	7	17	.	.	.	1	.	8	7	14	.	.	1	.	.	6	7
Developmental and Wasting Diseases	—	—	349	354	411	114	124	100	26	13	25	9	476	146	130	116	35	11	31	8	343	81	119	84	17	14	19	9
Bronchitis and Pneumonia	205	252	114	173	199	.	.	23	31	12	48	84	220	.	.	26	29	14	50	100	176	.	.	20	33	10	46	66
Other Causes ...	—	—	135	142	118	4	8	13	14	10	24	45	134	3	8	17	19	12	24	54	104	6	8	8	10	11	25	38
All Causes ...	918	1,040	757	853	985	118	134	155	98	63	176	241	1,103	149	139	178	116	71	194	256	862	87	129	130	79	55	158	224
ALL RURAL AREAS.																											
Common Infectious Diseases ...	52	58	40	38	56	.	.	5	6	6	10	29	51	.	.	2	9	5	5	30	62	.	.	8	4	8	15	28
Diarrhœal Diseases	30	37	31	40	45	.	3	5	10	3	16	7	58	.	4	9	18	2	16	11	30	.	2	2	2	4	17	4
Tuberculous Diseases ...	8	10	9	11	8	.	.	.	.	1	4	4	11	.	.	.	.	2	5	4	6	.	.	.	.	.	2	4
Developmental and Wasting Diseases	—	—	324	291	347	80	101	77	33	15	28	13	381	77	111	81	37	25	37	14	310	83	90	73	28	6	19	11
Bronchitis and Pneumonia	113	110	95	94	92	.	2	8	13	12	24	34	114	.	2	11	16	12	32	42	68	.	2	6	9	11	15	24
Other Causes ...	—	—	78	108	84	6	4	13	10	9	14	27	82	4	1	13	9	8	14	29	87	9	7	11	10	9	15	25
All Causes ...	607	631	577	582	632	86	110	108	72	46	96	114	697	81	118	116	89	54	109	130	563	92	101	100	53	38	83	96

* The diseases included under the headings in this column are given in Table Q.

TABLE S.—Northern Ireland: Mortality among Illegitimate Children, 1928-1932.

Causes of Death.	Rate per 10,000 Illegitimate Births Registered.					Numbers of Deaths Registered in 1932 at Ages—							
	1928.	1929.	1930.	1931.	1932.	Under 1 year.	Under 1 day.	1 day and less than 7 days.	1–4 weeks.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.
Common Infectious Diseases.													
Small-pox (6)	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (7)	34	33	.	47	24	3	.	.	.	.	.	.	3
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough (9)	50	25	23	24	79	10	.	.	.	3	.	2	5
Diphtheria (10)	8	.	8	.	.	.	.	.	.	.	.	.	.
Influenza (11)	.	25	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases.													
Diarrhœa and Enteritis (119)	327	288	241	180	308	39	.	.	4	6	5	16	8
Tuberculous Diseases.													
Central Nervous System (24)	8	8	15	.	.	.	.	.	.	.	.	.	.
Intestines and Peritoneum (25)	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Tuberculous Diseases (23, 26-32)	.	16	15	24	8	1	.	.	.	.	.	.	1
Developmental and Wasting Diseases.													
Congenital Malformations (157)	50	107	98	86	71	9	.	1	6	1	.	.	1
Premature Birth, Injury at Birth (159, 160)	260	181	226	290	268	34	13	12	7	2	.	.	.
Congenital Debility and other Infantile Diseases (158, 161)	—	—	377	282	418	53	5	8	17	10	5	5	3
Bronchitis and Pneumonia.													
Bronchitis (106)	76	82	45	47	39	5	.	.	.	.	1	3	1
Pneumonia (107-109)	260	115	106	196	181	23	.	.	.	4	2	8	9
Other Causes.													
Erysipelas (15)	.	8	8	.	.	.	.	.	.	.	.	.	.
Syphilis (34)	8	8	23	8	8	1	.	.	.	1	.	.	.
Rickets (63)	8	.	8	8	8	1	.	.	.	.	.	.	1
Meningitis (79)	17	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (86)	50	82	23	110	71	9	.	2	1	1	.	3	2
Suffocation (overlaying—in 182)	8	.	15	.	.	.	.	.	.	.	.	.	.
Inattention at Birth (in 194):—													
Desertion	109	74	90	39	24	3	3	.	.	.	.	.	.
Other	17	41	23	47	47	6	6	.	.	.	.	.	.
Other Violence	8	58	8	24	16	2	.	1	1	.	.	.	.
Other Causes	—	—	43	47	39	5	.	.	2	1	.	1	1
All Causes	2,072	1,694	1,395	1,459	1,609	204	27	24	38	29	13	38	35

number of British emigrants from Northern Ireland to countries outside of Europe during the year 1932 was 610, and the British immigrants into Northern Ireland from those countries numbered 3,219. Thus, during the year 1932, there was a net movement of 2,609 persons into Northern Ireland. This net migration movement inwards was recorded in 1931 for the first time in the history of Northern Ireland as a separate administrative unit. Table T gives particulars of migration from 1924 onwards.

TABLE T.—Northern Ireland: Emigration and Immigration, 1924-32.

Year.	Number of Emigrants.	Number of Immigrants.	Outward (—) or Inward (+) Balance.	Net Outward Migration per 1,000 of Estimated Population.
1924	8,177	1,842	— 6,335	5.0
1925	8,725	1,585	— 7,140	5.7
1926	12,859	1,302	—11,557	9.2
1927	11,913	1,646	—10,267	8.2
1928	10,303	1,704	— 8,599	6.9
1929	12,602	1,705	—10,897	8.7
1930	9,217	2,460	— 6,757	5.4
1931	1,086	2,779	+ 1,693	—
1932	610	3,219	+ 2,609	—

§ 7. THE WEATHER.

Reports on the weather experienced in Northern Ireland during each month of the year 1932, as furnished by the Director of the Meteorological Office, London, are published in the Quarterly Returns of Births, Deaths, and Marriages for that year. Table U of this report shows the Average Air Temperature, Rainfall, and Sunshine for Northern Ireland in 1932, and has been compiled from the tables published in the Quarterly Returns.

The outstanding features of the weather experienced in 1932 were—

(*a*) A marked deficiency in sunshine in all the summer months except June.

(*b*) A less marked increase over the normal sunshine in all the winter months except January.

(*c*) An abnormally dry month of February, the rainfall recorded at Armagh during the month being the lowest on record since 1871.

(*d*) An exceptionally high rainfall in the months of July and December.

The averages of the recordings of air temperature, rainfall, and sunshine were only very slightly at variance with the normals for the year.

The salient features of the year's weather, month by month, are given hereunder.

January was a very mild month with a relatively high air temperature, though sunshine was deficient and rainfall in excess, except in the closing days of the month, which were dry and dull. *February* was remarkable for its exceptional dryness, which was associated with north-east to easterly winds. Ground frost was often severe during the first three weeks of the month. Good sunshine records were obtained on several days. *March* was on the whole a rather dry month, though frequent light to moderate rain fell from the 20th to the end of the month, when conditions became somewhat unsettled. The mean air temperature for the month was about normal inland, and sunshine exceeded the average. *April* was distinguished by frequent precipitation

and cool winds from between west and north, while thunder-storms were reported from several places on the 21st. Sunshine aggregates were round about normal. *May* was generally unsettled and rather wet, with cool northern winds, though some bright periods were experienced, notably between the 3rd and 10th. Average air temperatures were low during the month, and sunshine was on the whole much below normal. *June* was a particularly fine month of warm and exceptionally dry weather up to the 24th, when the drought was broken and fairly heavy falls of rain were experienced for several days. Sunshine aggregates were well above the normal. *July* was unsettled and extremely wet, with comparatively few rainless days. Local thunder-storms occurred on four days during the month; average air temperature was a little above the normal, and sunshine was very much below normal. *August* was characterised by anti-cyclonic dry and dull weather; the average temperature for the month was above the normal, but the heat was never excessive. There was a pronounced deficiency of sunshine, although some bright sunny days were experienced. *September* was wet and rather dull, with mean temperature a little below the normal. The first fortnight was mild, unsettled, and wet, but with some bright intervals. With the onset of northerly winds on the 18th, the remainder of the month was rather cold. Sunshine was below normal for the month. *October* was unsettled and rather wet, but mainly sunny, with an unusual frequency of wind from between west and north. *November* was mostly dry, but locally, in the extreme north, rainfall was above the normal. Sunshine aggregates differed little from the normal, but some places enjoyed a slight excess over the normal. The mean temperature was high for the time of the year. *December* was a variable but on the average a mild, wet, and sunny month. The opening days were unsettled with occasional rain and a thunder-storm on the 3rd. From the 16th to the 19th there was prolonged and heavy rainfall accompanied by a strong wind, causing serious flooding. Mean temperature for the month was above the normal, mainly owing to the very mild weather experienced after the 12th.

TABLE U.—Northern Ireland: Average Air Temperature, Rainfall, and Sunshine obtained from Readings taken at the Stations of Donaghadee and Armagh, 1932.

Month.	Air Temperature.						Rainfall.			Sunshine.*	
	Highest.	Lowest.	Means of Daily Maximum.	Means of Daily Minimum.	Means of Daily Mean.	Deviation of Mean from Normal.	Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation of Daily Mean from Normal.
	°F.	°F.	°F.	°F.	°F.	°F.	mm.	mm.		hrs.	hrs.
January ...	56	29	49.4	40.4	44.9	+4.9	71	+ 7	20	1.21	- 0.21
February ...	52	24	46.2	36.8	41.5	+1.0	3	- 54	6	2.54	+0.31
March ...	57	23	48.9	36.6	42.7	+0.8	42	- 16	14	3.74	+0 39
April ...	58	28	50.6	37.2	44.0	- 1.6	70	+18	23	5.18	+0.28
May ...	64	32	56.0	44.2	50.1	- 0.3	62	+ 2	18	4.93	- 0.91
June ...	76	38	64.8	49.4	57.1	+1.6	27	- 34	8	6.60	+1.00
July ...	75	44	64.8	53.2	59.0	+1.2	137	+65	24	3.65	- 1.06
August ...	73	39	65.1	52.8	59.0	+1.4	62	- 26	16	3.38	- 0.91
September...	70	31	60.0	47.8	53.9	- 0.6	80	+18	18	3.52	- 0.45
October ...	59	29	54.0	42.0	48.0	- 0.6	75	+ 4	22	3.46	+0.59
November...	59	27	49.5	40.8	45.1	+1.2	51	- 24	16	2.43	+0.43
December...	58	30	47.4	39.7	43.6	+2.8	128	+48	20	1.50	+0.31
Year 1932 ...	76	23	54.7	43.4	49.1	+1.0	808	+ 8	205	3.51	- 0.02

* These figures relate to the records obtained at the station of Armagh only.

ABSTRACTS

OF BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN NORTHERN IRELAND

DURING THE YEAR

1932

ABSTRACT I.—Northern Ireland: Deaths from Principal

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	NORTHERN IRELAND.		NORTHERN IRELAND.				COUNTIES.	
				TOTAL URBAN AREAS.		TOTAL RURAL AREAS.		ANTRIM.	
		M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	8,669	9,143	4,380	4,698	4,289	4,445	1,287	1,347
1, 2	Typhoid and Paratyphoid Fevers	11	5	3	1	8	4	1	.
7	Measles	31	32	26	17	5	15	9	6
8	Scarlet Fever	13	11	8	6	5	5	3	5
9	Whooping-cough ...	116	141	78	98	38	43	16	13
10	Diphtheria	24	38	12	23	12	15	1	4
11	Influenza	198	257	57	84	141	173	25	32
17	Encephalitis Lethargica	15	16	184 9	229 14	6	2	3	1
18	Cerebro-spinal Fever ...	10	4	6	3	4	1	2	.
23	Tuberculosis of Respiratory System	502	545	311	313	191	232	73	73
24-32	Other Tuberculous Diseases	187	181	108	98	79	83	24	26
34	Syphilis	14	12	10	8	4	4	1	1
80, 83	General Paralysis of the Insane, Tabes Dorsalis	40	8	35	5	5	3	4	1
45-53	Cancer, Malignant Disease	692	874	334	449	358	425	95	130
59	Diabetes	64	72	31	38	33	34	13	13
82	Cerebral Hæmorrhage, etc.	591	797	266	357	325	440	98	129
90-95	Heart Disease	1,419	1,593	677	851	742	742	217	217
96	Aneurysm	11	4	7	1	4	3	3	.
97-103	Other Circulatory Diseases	226	218	125	140	101	78	43	28
106	Bronchitis	410	483	203	257	207	226	52	68
107-109	Pneumonia (all forms) ...	676	504	419	320	257	184	66	55
104, 105, 110-114	Other Respiratory Diseases	161	135	88	82	73	53	14	18
117	Peptic Ulcer	105	42	46	12	59	30	22	8
119	Diarrhœa, etc. (under 2 years)	171	137	136 254	118	35	19	21	10
121	Appendicitis	56	35	31	25	25	10	7	5
124	Cirrhosis of the Liver ...	22	12	15	8	7	4	3	2
125-127	Other Diseases of Liver, etc.	20	70	9	40	11	30	4	12
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	204	197	120	108	84	89	25	23
130-132	Acute and Chronic Nephritis	198	225	77	117	121	108	23	40
140, 145	Puerperal Sepsis ...	—	39	—	19	—	20	—	4
141-144, 146-150	Other Puerperal Causes...	—	95	—	52	—	43	—	16
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	570	404	348	238	222	166	77	55
162	Senility	720	1,050	184	321	536	729	145	200
163-171	Suicide	51	20	30	14	21	6	3	2
172-198	Other Violence	283	160	149	81	134	79	45	32
—	Other Defined Diseases ...	783	656	392	352	391	304	140	109
199, 200	Causes Ill-defined or Unknown	75	71	30	28	45	43	9	9
	Deaths under one year of age ...	1,189	895	792	596	397	299	149	108
	,, 65 years and upwards ...	3,723	4,218	1,378	1,796	2,345	2,422	612	693
	Uncertified Deaths	666	748	109	114	557	634	89	86
	Total Births	12,874	12,233	7,180	6,918	5,694	5,315	1,926	1,842
	Illegitimate Births	603	665	277	360	326	305	104	125
	Population (Census 1926) ...	608,088	648,473	298,071	340,991	310,017	307,482	92,596	99,047

Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

COUNTIES.												International List Nos.
Armagh.		Belfast Co. Borough.		Down.		Fermanagh.		Londonderry Co. & Co. Boro'		Tyrone.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
834	872	2,820	3,043	1,362	1,426	454	430	940	1,031	972	994	—
1	.	1	.	4	1	1	1	.	.	3	3	1, 2
2	2	16	13	.	1	.	.	.	2	4	8	7
.	.	5	5	1	.	1	.	2	.	1	1	8
14	16	59	74	9	10	1	1	7	10	10	17	9
5	3	5	15	4	3	2	2	4	7	3	4	10
15	20	28	40	41	47	19	21	28	56	42	41	11
2	2	114 8	147 11	1	1	.	.	.	1	1	.	17
.	1	4	.	3	1	.	.	1	2	.	.	18
42	49	217	210	70	82	14	20	37	55	49	56	23
22	14	62	66	38	32	6	7	16	21	19	15	24-32
1	2	8	5	2	4	.	.	2	.	.	.	34
.	1	25	5	8	1	.	.	2	.	1	.	80, 83
75	83	225	301	117	148	46	46	57	90	77	76	45-53
7	5	22	20	10	13	2	4	6	13	4	4	59
70	86	170	215	103	138	33	38	62	113	55	78	82
137	148	424	577	233	257	71	64	159	161	178	169	90-95
1	.	5	1	2	2	.	.	.	.	.	1	96
18	11	81	99	39	34	3	8	26	22	16	16	97-103
58	76	148	162	57	60	18	13	33	53	44	51	106
47	45	298	213	90	56	23	18	85	53	67	64	107-109
18	8	61	59	21	18	10	10	21	11	16	11	104, 105; 110-114
8	4	28	8	13	11	7	2	9	3	18	6	117
9	5	100 182	82	14	10	1	1	16	22	10	7	119
6	2	21	15	11	6	1	2	6	3	4	2	121
2	2	7	4	5	2	2	1	1	1	2	.	124
4	5	7	30	4	8	.	1	.	6	1	8	125-127
16	15	81	71	20	34	11	11	20	15	31	28	115, 116; 118, 120; 122, 123; 128, 129
16	23	48	64	31	37	19	12	25	27	36	22	130-132
—	2	—	12	—	7	—	3	—	4	—	7	140, 145
—	8	—	30	—	13	—	6	—	13	—	9	141-144; 146-150
46	43	228	162	79	46	21	9	70	43	49	46	157-161
75	125	74	166	128	204	79	87	100	115	119	153	162
4	1	21	9	7	5	5	1	6	2	5	.	163-171
25	10	85	52	61	23	13	8	31	25	23	10	172-198
83	47	231	226	122	103	37	26	97	76	73	69	—
5	8	17	21	14	8	8	7	11	6	11	12	199, 200
86	72	549	426	143	86	31	18	138	96	93	89	—
405	436	804	1,108	676	747	249	242	442	489	505	503	—
90	108	66	72	71	86	111	122	68	100	171	174	—
1,106	1,009	4,557	4,371	1,930	1,834	500	444	1,574	1,517	1,281	1,216	—
45	42	161	202	89	87	27	23	94	101	83	85	—
53,609	56,461	195,539	219,612	101,202	108,026	30,102	27,882	67,904	71,789	67,136	65,656	—

ABSTRACT I.—(*Continued*).—Northern Ireland : Deaths from

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.									
		Ballycastle U.D.		Ballyclare U.D.		Ballymena U.D.		Ballymoney U.D.		Carrickfergus U.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	17	9	20	24	76	106	12	20	40	20
1, 2	Typhoid and Paratyphoid Fevers	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	2	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	3	3	.	.	.	.
10	Diphtheria	.	.	.	.	.	1	.	.	.	.
11	Influenza	.	.	.	.	1	1	.	1	.	1
17	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.
18	Cerebro-spinal Fever ...	.	.	.	.	1	.	.	.	.	.
23	Tuberculosis of Respiratory System	.	.	2	5	6	5	1	1	.	1
24-32	Other Tuberculous Diseases	.	.	.	.	.	1	2	2	.	.
34	Syphilis	.	.	.	.	.	.	.	.	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	.	.	.	.	.	.	.	.
45-53	Cancer, Malignant Disease	1	.	.	2	4	6	2	2	6	4
59	Diabetes	.	.	.	.	.	2	.	1	.	1
82	Cerebral Hæmorrhage, etc.	1	1	.	1	5	11	1	2	4	2
90-95	Heart Disease	6	1	3	5	8	14	1	3	15	3
96	Aneurysm	.	.	.	.	.	.	.	.	.	.
97-103	Other Circulatory Diseases	.	.	.	.	4	3	1	.	.	.
106	Bronchitis	.	.	1	3	.	3	.	.	.	.
107-109	Pneumonia (all forms) ...	2	1	3	2	6	9	.	.	5	.
104, 105, 110-114	Other Respiratory Diseases	.	.	.	.	.	1	1	1	1	.
117	Peptic Ulcer	.	.	1	.	1	.	.	.	.	.
119	Diarrhœa, etc. (under 2 years)	.	.	1	1	4	2	.	.	.	.
121	Appendicitis	.	1	.	.	2	.	.	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.
125-127	Other Diseases of Liver, etc.	.	.	.	1	.	2	.	.	.	.
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	.	1	.	1	1	2	.	2	.	2
130-132	Acute and Chronic Nephritis	.	.	.	.	2	4	.	1	1	1
140, 145	Puerperal Sepsis ...	—	.	—	1	—	.	—	.	—	.
141-144, 146-150	Other Puerperal Causes...	—	.	—	1	—	2	—	.	—	.
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	.	1	.	1	11	4	1	.	.	1
162	Senility	4	2	3	.	7	12	2	2	.	1
163-171	Suicide	.	.	.	.	.	.	.	.	1	.
172-198	Other Violence	1	.	1	.	3	6	.	.	2	.
—	Other Defined Diseases ...	2	1	5	.	5	12	.	1	5	3
199, 200	Causes Ill-defined or Unknown	.	.	.	.	.	.	.	1	.	.
	Deaths under one year of age ...	.	1	2	3	22	12	1	2	3	2
	,, 65 years and upwards ...	10	6	7	11	29	39	7	10	15	10
	Uncertified Deaths	1	1	2	1	5	5	1	.	1	.
	Total Births	16	18	52	42	135	163	29	37	59	46
	Illegitimate Births	1	.	1	4	5	16	1	7	3	4
	Population (Census 1926) ...	885	1,101	1,621	1,741	5,455	6,418	1,479	1,689	2,270	2,479

Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

CO. ANTRIM.														International List Nos.
Larne U.D.		Lisburn U.D.		Portrush U.D.		Whitehead U.D.		Antrim R.D.		Ballycastle R.D.		Ballymena R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
71	60	79	97	19	26	8	8	164	152	60	79	236	242	—
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1, 2
4	.	.	1	.	.	.	.	.	2	.	.	.	.	7
.	.	.	.	.	.	.	.	.	.	.	1	2	.	8
.	.	.	1	2	.	.	.	3	3	.	1	5	3	9
.	.	.	.	.	.	.	.	1	.	.	.	.	2	10
1	2	1	3	1	.	.	.	4	2	.	2	5	5	11
.	.	.	.	.	.	.	.	.	1	.	.	1	.	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
7	5	6	4	.	.	.	.	12	10	1	1	15	13	23
3	4	4	.	.	.	.	.	1	3	.	.	3	7	24-32
.	.	.	.	.	1	.	.	.	.	.	.	.	.	34
1	.	1	.	.	.	.	.	.	1	.	.	2	.	80, 83
3	6	6	6	1	5	2	.	13	21	5	7	15	31	45-53
1	1	.	3	.	.	.	.	1	1	.	1	4	1	59
7	8	5	8	.	1	1	4	10	9	5	3	17	23	82
13	8	16	17	1	5	2	.	34	30	11	13	26	26	90-95
.	.	.	.	.	.	1	.	.	.	.	.	1	.	96
.	1	4	3	1	3	.	1	2	1	4	1	7	2	97-103
1	2	5	5	.	.	.	1	9	6	3	7	9	17	106
2	1	3	6	.	.	.	.	3	4	5	4	14	9	107-109
2	2	.	2	.	1	1	.	2	1	.	1	2	3	104, 105; 110-114
1	.	.	.	2	.	.	.	5	.	.	1	5	4	117
2	1	3	2	1	.	.	.	.	.	1	.	5	.	119
.	1	.	1	.	.	.	.	.	.	.	.	3	1	121
.	.	1	2	.	.	.	.	.	.	1	.	.	.	124
.	.	.	.	.	.	.	.	2	1	.	.	1	3	125-127
.	.	5	2	.	.	.	.	3	2	.	.	8	5	115, 116; 118, 120; 122, 123; 128, 129
3	3	3	6	.	.	.	.	1	6	1	5	3	3	130-132
—	.	—	1	—	.	—	.	—	1	—	.	—	1	140, 145
—	.	—	.	—	.	—	.	—	2	—	1	—	2	141-144; 146-150
6	6	6	.	1	.	1	.	9	4	3	2	13	6	157-161
3	4	6	13	4	5	.	.	27	28	10	15	32	47	162
.	1	.	.	.	.	.	.	.	.	.	.	.	.	163-171
3	.	2	2	2	1	.	.	5	5	1	1	9	9	172-198
7	4	2	7	2	3	.	2	15	8	9	10	25	18	—
1	.	.	2	1	1	.	.	2	.	.	2	3	1	199, 200
12	7	11	7	3	.	1	.	16	7	7	4	23	15	—
22	22	32	42	6	16	6	6	97	86	39	50	119	133	—
1	.	1	4	2	1	.	.	7	5	14	13	21	16	—
115	111	115	114	24	23	9	13	212	204	93	86	275	270	—
11	5	6	13	2	2	.	2	12	6	4	11	16	17	—
4,424	5,290	5,726	6,680	1,116	1,837	572	771	12,457	12,655	4,909	4,538	16,359	16,898	—

ABSTRACT I.—(*Continued*).—Northern Ireland : Deaths from

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.—(*Contd.*)								CO. ARMAGH.	
		Ballymoney R.D.		Belfast R.D.		Larne R.D.		Lisburn R.D.		Armagh U.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	140	152	72	101	159	125	114	126	57	61
1, 2	Typhoid and Paratyphoid Fevers	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	2	.	1	3	.	.	2	1
8	Scarlet Fever	.	3	.	.	.	1	1	.	.	.
9	Whooping-cough ...	.	.	1	.	2	2	.	.	1	3
10	Diphtheria	.	1	.	.	.	.	.	.	1	.
11	Influenza	2	3	.	1	6	6	4	5	.	.
17	Encephalitis Lethargica	2	.	.	.	.	.	.	.	.	.
18	Cerebro-spinal Fever ...	1	.	.	.	.	.	.	.	.	.
23	Tuberculosis of Respiratory System	1	8	9	5	8	6	5	9	5	4
24-32	Other Tuberculous Diseases	5	2	4	1	1	3	1	3	1	2
34	Syphilis	.	.	.	.	.	.	1	.	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	.	.	.	.	.	.	.	.
45-53	Cancer, Malignant Disease	11	17	4	3	13	11	9	9	2	4
59	Diabetes	4	1	.	.	1	1	2	.	.	1
82	Cerebral Hæmorrhage, etc.	9	20	10	9	17	15	6	12	9	2
90-95	Heart Disease	23	29	11	13	26	25	21	25	4	5
96	Aneurysm	.	.	.	.	1	.	.	.	.	.
97-103	Other Circulatory Diseases	5	2	4	2	5	3	6	6	.	.
106	Bronchitis	6	6	2	4	10	9	6	5	6	15
107-109	Pneumonia (all forms) ...	8	4	4	8	10	3	1	4	4	3
104, 105, 110-114	Other Respiratory Diseases	2	.	.	3	3	1	.	2	2	.
117	Peptic Ulcer	3	2	.	.	4	.	.	1	1	.
119	Diarrhœa, etc. (under 2 years)	.	.	1	2	2	.	1	2	.	.
121	Appendicitis	1	1	.	.	1	.	.	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	1	.	.	.
125-127	Other Diseases of Liver, etc.	.	.	.	4	1	.	.	1	.	1
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	3	.	1	2	2	3	2	1	.	1
130-132	Acute and Chronic Nephritis	1	4	4	2	1	1	3	4	.	.
140, 145	Puerperal Sepsis ...	—	.	—	.	—	.	—	.	—	.
141-144, 146-150	Other Puerperal Causes...	—	3	—	3	—	1	—	1	—	1
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	6	5	5	17	7	2	8	6	3	4
162	Senility	16	26	2	14	15	17	14	14	3	9
163-171	Suicide	1	.	1	.	.	.	.	1	.	.
172-198	Other Violence	4	2	.	1	6	1	6	4	5	1
—	Other Defined Diseases ...	24	11	7	7	16	11	16	11	8	4
199, 200	Causes Ill-defined or Unknown	2	2	.	.	.	.	.	.	.	.
	Deaths under one year of age ...	11	10	14	21	12	8	11	9	4	6
	,, 65 years and upwards ...	77	91	29	36	86	72	61	63	18	23
	Uncertified Deaths	21	26	2	3	7	7	3	4	4	9
	Total Births	212	230	170	162	209	161	201	162	85	74
	Illegitimate Births	14	22	2	10	18	3	8	3	2	5
	Population (Census 1926) ...	10,064	10,241	6,638	7,219	10,203	10,553	8,418	8,937	3,568	3,832

Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

CO. ARMAGH.														International List Nos.
Keady U.D.		Lurgan U.D.		Portadown U.D.		Tandragee U.D.		Armagh R.D.		Lurgan R.D.		Newry No. 2 R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
9	8	114	114	81	96	13	3	216	232	105	108	214	224	—
.	.	.	.	.	.	.	.	1	.	.	.	.	.	1, 2
.	.	.	.	.	.	.	.	.	1	.	.	.	.	7
.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
.	.	2	1	1	1	.	.	6	6	2	1	2	4	9
.	.	1	1	.	1	.	.	2	1	1	.	.	.	10
.	.	3	5	1	1	.	.	2	2	1	2	8	9	11
.	.	.	1	.	.	.	.	1	1	.	.	1	.	17
.	.	.	.	.	1	.	.	.	.	.	.	.	.	18
.	.	6	11	5	9	2	.	9	8	5	10	7	6	23
.	.	5	3	3	1	.	.	2	4	3	2	6	2	24-32
.	.	.	.	1	.	.	.	.	2	.	.	.	.	34
.	.	.	.	.	.	.	.	.	.	.	.	.	1	80, 83
.	.	7	10	10	10	2	.	22	21	11	18	20	18	45-53
.	.	1	1	1	.	.	.	3	2	2	.	.	1	59
1	1	7	7	6	7	.	1	20	27	6	7	15	29	82
3	1	22	21	7	13	1	.	42	46	25	19	29	38	90-95
.	.	.	.	.	.	.	.	.	.	.	.	1	.	96
.	.	3	1	3	1	.	.	6	4	2	2	4	3	97-103
1	4	5	3	4	7	.	.	18	19	3	4	20	22	106
.	.	7	8	5	8	1	.	10	12	6	5	13	8	107-109
.	.	2	3	1	1	.	.	6	1	3	.	4	3	104, 105, 110-114
.	.	.	.	1	.	.	.	3	2	1	.	2	2	117
.	.	2	1	.	2	.	.	2	.	1	.	4	2	119
.	.	1	.	.	.	.	.	3	.	.	1	2	1	121
.	.	2	.	.	1	.	.	.	1	.	.	.	.	124
1	.	.	1	.	.	.	.	3	1	.	.	.	1	125-127
.	1	6	1	2	3	.	.	3	2	2	1	3	5	115, 116, 118, 120, 122, 123, 128, 129
.	.	2	5	2	3	.	.	6	9	2	2	4	3	130-132
—	.	—	.	—	.	—	.	—	1	—	1	—	.	140, 145
—	.	—	.	—	3	—	.	—	1	—	1	—	1	141-144, 146-150
1	.	8	8	8	6	2	.	7	5	1	3	16	16	157-161
1	1	5	15	4	10	2	1	18	42	13	16	27	29	162
.	.	1	.	.	.	.	.	.	.	2	1	1	.	163-171
.	.	5	2	2	2	1	.	6	2	2	2	3	.	172-198
1	.	11	5	14	5	2	1	13	8	10	9	20	14	—
.	.	.	.	.	.	.	.	2	1	1	1	2	6	199, 200
1	.	18	14	14	11	2	.	18	10	4	6	24	23	—
6	6	36	47	31	39	5	3	121	137	63	53	114	114	—
1	1	2	1	1	.	.	.	34	46	9	9	36	40	—
17	10	161	161	150	143	14	9	293	249	116	133	242	211	—
3	.	4	7	8	3	.	1	12	12	3	4	11	7	—
607	734	5,667	6,833	5,530	6,461	590	730	15,968	15,680	6,744	7,126	13,154	13,182	—

ABSTRACT I.—(*Continued*).—Northern Ireland: Deaths from

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ARMAGH. (*Contd.*)		CO. DOWN.							
		Tanderagee R.D.		Banbridge U.D.		Bangor M.B.		Donaghadee U.D.		Downpatrick U.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	25	26	26	24	82	100	17	15	31	13
1, 2	Typhoid and Paratyphoid Fevers	.	.	.	1	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	1	.	.	.	.	.
10	Diphtheria	.	.	.	.	1	.	.	.	.	.
11	Influenza	.	1	.	3	1	5	.	.	3	1
17	Encephalitis Lethargica	.	.	.	.	1	.	.	1	.	.
18	Cerebro-spinal Fever ...	.	.	.	.	.	.	.	.	.	.
23	Tuberculosis of Respiratory System	3	1	1	2	6	6	2	1	.	1
24-32	Other Tuberculous Diseases	2	.	4	1	2	.	1	.	.	.
34	Syphilis	.	.	.	.	.	.	.	.	.	1
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	.	.	1	.	.	.	1	.
45-53	Cancer, Malignant Disease	1	2	3	1	5	13	2	3	4	.
59	Diabetes	.	.	.	.	2	3	.	.	.	.
82	Cerebral Hæmorrhage, etc.	6	5	.	1	8	8	1	2	1	2
90-95	Heart Disease	4	5	7	4	14	18	2	1	4	3
96	Aneurysm	.	.	.	.	.	.	.	.	.	.
97-103	Other Circulatory Diseases	.	.	.	.	6	6	1	.	2	.
106	Bronchitis	1	2	.	1	2	2	1	4	.	.
107-109	Pneumonia (all forms) ...	1	1	2	1	.	4	2	.	1	.
104, 105, 110-114	Other Respiratory Diseases	.	.	.	1	.	1	.	1	.	1
117	Peptic Ulcer	.	.	.	.	.	1	.	.	1	.
119	Diarrhœa, etc. (under 2 years)	.	.	.	.	.	.	2	.	.	.
121	Appendicitis	.	.	1	.	1	2	.	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.
125-127	Other Diseases of Liver, etc.	.	1	.	.	.	.	.	.	.	.
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	.	1	.	1	1	3	.	.	1	.
130-132	Acute and Chronic Nephritis	.	1	1	.	2	3	.	.	1	.
140, 145	Puerperal Sepsis ...	—	.	—	.	—	.	—	.	—	.
141-144, 146-150	Other Puerperal Causes...	—	1	—	1	—	1	—	.	—	.
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	.	1	1	1	2	2	.	.	2	1
162	Senility	2	2	1	1	8	12	1	2	3	2
163-171	Suicide	.	.	.	.	1	1	.	.	.	.
172-198	Other Violence	1	1	1	1	5	1	1	.	3	.
—	Other Defined Diseases ...	4	1	3	3	11	8	1	.	4	1
199, 200	Causes Ill-defined or Unknown	.	.	1	.	1	.	.	.	.	.
	Deaths under one year of age ...	1	2	2	1	4	2	3	.	2	1
	,, 65 years and upwards ...	11	14	11	6	44	51	8	11	15	7
	Uncertified Deaths	3	2	.	.	3	1	.	.	1	1
	Total Births	28	19	49	55	97	98	26	23	42	37
	Illegitimate Births	2	3	3	2	7	8	1	2	1	4
	Population (Census 1926) ...	1,781	1,883	2,260	2,594	5,641	7,670	1,122	1,412	1,478	1,669

Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

CO. DOWN.														International List Nos.
Dromore U.D.		Holywood U.D.		Newcastle U.D.		Newry U.D.		Newtownards U.D.		Warrenpoint U.D.		Banbridge R.D.		
M. 18	F. 14	M. 30	F. 33	M. 8	F. 18	M. 72	F. 99	M. 65	F. 76	M. 28	F. 19	M. 158	F. 153	—
1	.	.	.	.	.	.	.	.	.	.	.	.	.	1, 2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
.	.	.	.	.	.	.	.	1	.	.	.	.	.	8
.	.	.	.	.	.	1	1	1	4	.	.	.	.	9
.	.	.	.	.	.	.	1	.	.	.	.	1	.	10
.	2	3	2	.	.	4	9	.	.	.	1	4	1	11
.	.	.	.	.	.	.	.	2	4	.	.	.	.	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
2	.	5	1	.	.	4	5	3	4	1	1	8	5	23
1	.	1	1	.	1	3	1	1	2	.	.	3	3	24-32
.	.	.	.	.	.	.	.	.	1	.	.	.	1	34
.	.	.	.	.	.	2	.	2	.	.	.	.	.	80, 83
3	2	2	7	1	1	5	9	4	4	5	1	12	15	45-53
.	.	.	1	.	.	.	.	.	1	.	.	2	2	59
1	.	1	4	1	3	3	12	3	5	2	.	16	23	82
2	4	4	7	1	4	5	18	13	14	5	5	34	26	90-95
1	.	.	.	.	.	.	.	.	.	.	.	.	.	96
1	1	2	.	.	.	3	.	2	5	1	.	.	4	97-103
1	.	.	1	1	1	5	5	3	7	.	.	6	5	106
3	.	3	2	1	1	6	8	7	1	2	.	13	4	107-109
1	.	.	1	.	.	1	.	.	.	1	.	2	2	104, 105, 110-114
.	.	.	1	1	.	.	.	1	.	.	.	2	.	117
.	1	.	.	.	.	3	1	2	4 2	.	.	1	1	119
.	.	1	1	.	.	.	1	1	.	.	.	.	.	121
.	.	1	.	.	.	1	1	2	.	.	.	.	.	124
.	.	.	.	1	1	.	.	.	.	.	.	.	3	125-127
.	.	1	.	.	1	4	3	.	.	2	2	1	4	115, 116, 118, 120, 122, 123, 128, 129
.	1	.	.	.	2	.	3	.	2	1	.	9	6	130-132
—	.	—	.	—	.	—	.	—	1	—	.	—	1	140, 145
—	1	—	.	—	.	—	.	—	.	—	.	—	.	141-144, 146-150
.	2	.	2	.	.	7	3	9	4	.	.	10	5	157-161
.	.	1	.	1	.	3	4	4	11	5	7	16	30	162
.	.	.	.	.	.	1	1	.	2	.	.	.	.	163-171
1	.	3	.	.	.	2	3	2	.	1	1	3	2	172-198
.	.	2	2	.	3	7	9	4	6	2	1	14	9	—
.	.	.	.	.	.	2	1	.	.	.	.	1	1	199, 200
1	3	3	4	.	.	14	9	16	8	2	.	15	10	—
5	3	12	16	3	9	19	43	24	32	17	13	87	91	—
.	.	.	1	1	.	.	.	1	4	2	.	13	18	—
24	25	58	48	15	26	181	146	112	118	16	31	185	185	—
.	4	2	4	1	1	1	.	7	9	.	.	12	8	—
1,030	1,199	2,195	2,628	899	1,220	5,612	6,614	4,728	5,421	929	1,303	11,686	12,258	—

ABSTRACT I.—(*Continued*).—Northern Ireland: Deaths from

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. DOWN.—(*Contd.*)									
		Castlereagh R.D.		Downpatrick R.D.		Hillsborough R.D.		Kilkeel R.D.		Moira R.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	40	44	208	213	157	147	87	96	61	72
1, 2	Typhoid and Paratyphoid Fevers	1	.	1	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	1	.	1	2	2	.	.	.	.
10	Diphtheria	.	.	1	1	1	.	.	.	.	.
11	Influenza	1	2	5	3	7	5	7	6	2	1
17	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.
18	Cerebro-spinal Fever ...	.	.	.	.	1	.	.	.	.	.
23	Tuberculosis of Respiratory System	.	3	9	11	10	7	3	6	4	6
24-32	Other Tuberculous Diseases	.	1	9	3	1	4	7	3	2	2
34	Syphilis	.	.	2	1	.	.	.	.	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	.	.	.	1	1	.	.	.
45-53	Cancer, Malignant Disease	3	5	14	30	10	15	11	13	5	4
59	Diabetes	.	1	1	1	1	.	1	2	.	2
82	Cerebral Hæmorrhage, etc.	1	6	14	20	10	12	4	10	8	4
90-95	Heart Disease	5	8	47	41	31	30	8	16	14	11
96	Aneurysm	.	.	.	1	.	.	.	.	.	.
97-103	Other Circulatory Diseases	1	.	6	10	4	2	1	.	3	3
106	Bronchitis	3	1	13	5	5	8	2	7	.	6
107-109	Pneumonia (all forms) ...	2	5	14	11	7	3	7	6	1	.
104, 105, 110-114	Other Respiratory Diseases	2	.	5	4	1	2	4	1	1	.
117	Peptic Ulcer	.	.	5	1	2	1	.	1	.	2
119	Diarrhœa, etc. (under 2 years)	2	.	1	1	.	.	.	.	.	1
121	Appendicitis	1	1	3	.	2	.	.	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	1	.	.	.	.	.
125-127	Other Diseases of Liver, etc.	1	.	1	.	.	3	.	.	.	1
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	.	.	2	4	2	3	1	1	1	3
130-132	Acute and Chronic Nephritis	.	2	7	6	3	2	2	2	1	3
140, 145	Puerperal Sepsis ...	—	.	—	.	—	2	—	1	—	.
141-144, 146-150	Other Puerperal Causes...	—	2	—	6	—	.	—	.	—	1
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	3	1	7	7	17	9	1	.	3	3
162	Senility	6	2	12	21	19	21	12	15	5	13
163-171	Suicide	1	.	.	.	.	1	.	.	.	.
172-198	Other Violence	5	1	11	3	8	4	3	1	5	.
—	Other Defined Diseases ...	2	2	15	20	12	6	10	5	6	6
199, 200	Causes Ill-defined or Unknown	.	.	3	1	.	4	2	.	.	.
	Deaths under one year of age ...	6	6	20	15	22	11	3	2	4	4
	,, 65 years and upwards ...	21	19	112	116	78	84	47	54	36	39
	Uncertified Deaths	1	2	16	11	5	9	7	10	.	2
	Total Births	58	55	273	267	183	168	156	133	73	78
	Illegitimate Births	1	1	15	14	4	7	6	7	1	1
	Population (Census 1926) ...	3,773	3,532	16,471	15,720	10,180	10,585	7,591	7,687	4,620	4,877

Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

CO. DOWN—(*Contd.*)				CO. FERMANAGH.								CO. DERRY.		International List Nos.
Newry No. 1 R.D.		Newtownards R.D.		Enniskillen U.D.		Enniskillen R.D.		Irvinestown R.D.		Lisnaskea R.D.		Coleraine M.B.		
M. 89	F. 115	M. 185	F. 175	M. 36	F. 36	M. 143	F. 129	M. 107	F. 104	M. 168	F. 161	M. 46	F. 42	—
1	.	.	.	.	.	.	.	.	1	1	.	.	.	1, 2
.	.	.	1	.	.	.	.	.	.	.	.	.	.	7
.	.	.	.	.	.	1	.	.	.	.	.	.	.	8
3	1	1	.	.	.	.	.	.	1	1	.	.	.	9
.	1	.	.	.	.	1	1	.	.	1	1	.	.	10
2	4	2	2	1	.	3	7	12	9	3	5	1	1	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	17
2	1	.	.	.	.	.	.	.	.	.	.	.	.	18
5	6	7	17	1	1	5	6	4	5	4	8	3	5	23
.	4	3	6	2	1	.	2	3	2	1	2	1	1	24-32
.	.	.	.	.	.	.	.	.	.	.	.	.	.	34
.	.	1	.	.	.	.	.	.	.	.	.	.	.	80, 83
6	9	22	16	3	2	15	16	10	12	18	16	4	3	45-53
2	.	1	.	.	.	.	1	1	1	1	2	1	.	59
8	7	21	19	3	6	9	8	4	14	17	10	3	4	82
18	19	19	28	3	7	24	16	14	12	30	29	8	8	90-95
.	.	1	1	.	.	.	.	.	.	.	.	.	.	96
1	1	5	2	.	1	2	.	1	1	.	6	3	2	97-103
6	3	9	4	2	1	6	2	3	4	7	6	1	2	106
7	4	12	6	1	4	11	8	4	.	7	6	1	1	107-109
1	.	2	4	2	2	2	2	3	2	3	4	.	.	104, 105, 110-114
1	1	.	3	.	.	1	1	2	.	4	1	1	.	117
.	.	3	3	1	.	.	.	.	.	.	1	1	.	119
.	1	1	.	.	1	.	.	1	.	.	1	.	1	121
.	1	.	.	1	.	.	1	1	.	.	.	.	.	124
.	.	1	.	.	.	.	.	.	1	.	.	.	1	125-127
.	4	4	5	2	.	6	1	.	4	3	6	1	.	115, 116, 118, 120, 122, 123, 128, 129
1	1	3	4	1	2	5	4	7	.	6	6	1	4	130-132
—	1	—	1	—	.	—	1	—	2	—	.	—	1	140, 145
—	.	—	1	—	1	—	4	—	.	—	1	—	2	141-144, 146-150
2	2	15	4	3	2	8	4	5	.	5	3	7	.	157-161
14	28	17	35	4	4	26	37	18	18	31	28	1	1	162
1	.	3	.	.	.	2	.	2	1	1	.	2	.	163-171
1	3	6	3	1	.	1	2	5	.	6	6	1	2	172-198
7	12	22	10	5	1	11	4	5	13	16	8	4	3	—
.	1	4	.	.	.	4	1	2	1	2	5	1	.	199, 200
3	2	23	8	5	4	13	4	6	3	7	7	8	1	—
50	62	87	91	11	17	81	76	57	65	100	84	19	16	—
8	17	13	10	3	3	34	35	27	33	47	51	1	.	—
127	114	255	227	56	40	156	135	119	109	169	160	107	109	—
13	9	14	6	2	2	10	9	2	2	13	10	9	13	—
6,646	6,665	14,341	14,972	2,451	2,432	9,269	8,529	7,280	6,567	11,102	10,354	3,685	4,393	—

ABSTRACT I.—(*Continued*).—Northern Ireland: Deaths from

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. LONDONDERRY.—(*Contd.*)									
		Limavady U.D.		Londonderry Co. Boro'.		Portstewart U.D.		Coleraine R.D.		Limavady R.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	18	29	301	326	17	15	139	139	97	108
1, 2	Typhoid and Paratyphoid Fevers	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	1	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	4	6	.	1	.	1	.	.
10	Diphtheria	.	1	2	1	.	.	.	.	.	.
11	Influenza	.	.	4	6	.	.	4	6	8	9
17	Encephalitis Lethargica	.	1	.	.	.	.	.	.	.	.
18	Cerebro-spinal Fever ...	.	.	1	2	.	.	.	.	.	.
23	Tuberculosis of Respiratory System	2	4	13	18	.	1	6	6	3	5
24-32	Other Tuberculous Diseases	.	1	9	9	.	.	.	1	1	3
34	Syphilis	.	.	1	.	.	.	.	.	1	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	2	.	.	.	.	.	.	.
45-53	Cancer, Malignant Disease	1	2	11	30	2	3	10	11	8	13
59	Diabetes	.	.	2	2	1	.	.	2	.	4
82	Cerebral Hæmorrhage, etc.	2	3	11	30	2	1	7	15	5	11
90-95	Heart Disease	1	3	48	54	1	3	30	19	10	9
96	Aneurysm	.	.	.	.	.	.	.	.	.	.
97-103	Other Circulatory Diseases	.	.	5	6	.	1	9	6	1	3
106	Bronchitis	.	2	11	20	1	1	8	11	.	2
107-109	Pneumonia (all forms) ...	.	1	43	31	.	.	4	2	6	3
104, 105, 110-114	Other Respiratory Diseases	1	.	6	4	1	.	6	2	3	1
117	Peptic Ulcer	.	.	4	.	.	.	2	.	1	.
119	Diarrhœa, etc. (under 2 years)	1	.	11	21	.	.	1	1	.	.
121	Appendicitis	1	.	1	.	.	.	1	.	.	1
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	1	1	.	.
125-127	Other Diseases of Liver, etc.	.	.	.	3	.	.	.	2	.	.
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	.	.	6	4	2	.	5	3	1	2
130-132	Acute and Chronic Nephritis	.	2	5	8	1	.	2	2	7	1
140, 145	Puerperal Sepsis ...	—	.	—	.	—	.	—	.	—	.
141-144, 146-150	Other Puerperal Causes...	—	3	—	2	—	.	—	.	—	.
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	2	1	28	16	.	1	9	6	7	6
162	Senility	3	1	15	21	3	1	15	18	23	29
163-171	Suicide	.	.	2	.	.	.	1	1	1	.
172-198	Other Violence	.	2	11	2	.	.	7	9	1	3
—	Other Defined Diseases ...	3	2	41	28	2	2	10	12	8	3
199, 200	Causes Ill-defined or Unknown	1	.	3	2	1	.	1	2	2	.
	Deaths under one year of age ...	3	1	63	51	1	1	14	13	10	8
	„ 65 years and upwards ...	8	11	85	109	11	10	79	86	54	64
	Uncertified Deaths	2	1	2	6	.	.	12	13	17	25
	Total Births	39	17	592	587	13	16	197	198	145	162
	Illegitimate Births	3	.	20	24	1	.	20	20	9	11
	Population (Census 1926) ...	1,318	1,483	20,785	24,374	658	1,006	9,650	9,682	7,839	7,406

Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

CO. LONDONDERRY. (*Contd.*)				CO. TYRONE.										International List Nos.
Londonderry R.D.		Magherafelt R.D.		Cookstown U.D.		Dungannon U.D.		Omagh U.D.		Strabane U.D.		Castlederg R.D.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
87	107	235	265	29	30	30	35	42	38	48	41	69	56	—
.	.	.	.	.	.	.	.	1	.	.	.	1	.	1, 2
.	2	.	.	.	.	.	.	2	2	.	.	.	.	7
.	.	1	.	.	.	.	.	.	.	1	1	.	.	8
2	2	1	.	3	1	.	.	.	1	.	1	.	.	9
.	2	2	3	.	.	1	.	.	1	1	1	.	.	10
1	1	10	33	.	.	1	.	3	.	.	.	5	2	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
3	8	7	8	2	1	3	3	4	3	2	1	.	5	23
2	1	3	5	.	1	.	.	3	.	.	.	.	3	24-32
.	.	.	.	.	.	.	.	.	.	.	.	.	.	34
.	.	.	.	.	.	.	.	.	.	.	.	.	.	80, 83
6	7	15	21	3	.	3	4	1	7	1	1	7	4	45-53
.	2	2	3	.	1	.	.	.	.	.	.	.	.	59
5	8	27	41	.	1	1	1	2	.	4	3	3	3	82
14	18	47	47	6	4	12	10	4	5	11	6	10	10	90-95
.	.	.	.	.	.	.	.	.	.	.	.	.	.	96
1	.	7	4	1	1	1	1	.	.	.	4	1	.	97-103
3	6	9	9	.	1	.	1	1	1	3	2	4	2	106
8	5	23	10	2	4	2	6	4	.	3	5	2	.	107-109
.	2	4	2	.	1	.	.	3	.	1	.	1	1	104, 105 110-114
.	1	1	2	1	.	.	1	1	1	1	.	5	.	117
1	.	1	.	.	1	1	.	.	.	1	1	.	.	119
1	1	2	.	.	.	1	.	.	1	.	.	.	.	121
.	.	.	.	.	.	.	.	.	.	.	.	.	.	124
.	.	.	.	.	.	.	.	.	.	.	.	.	.	125-127
2	4	3	2	1	2	1	1	1	3	2	1	1	3	115, 116 118, 120 122, 123 128, 129
1	1	8	9	1	.	1	1	1	1	.	1	2	.	130-132
—	2	—	1	—	.	—	.	—	2	—	1	—	.	140, 145
—	.	—	6	—	2	—	2	—	.	—	.	—	1	141-144 146-150
7	4	10	9	2	2	.	1	3	2	6	5	5	1	157-161
15	12	25	32	5	5	1	3	5	3	2	2	14	14	162
.	.	.	1	.	.	.	.	1	.	.	.	.	.	163-171
2	4	9	3	1	.	1	.	.	1	3	2	.	.	172-198
13	12	16	14	1	2	.	.	2	4	5	3	7	7	—
.	2	2	.	.	.	.	.	.	.	1	.	1	.	199, 200
17	10	22	11	3	4	1	4	6	4	12	7	10	5	—
40	39	146	154	13	17	11	13	14	9	14	15	38	27	—
13	21	21	34	1	1	.	.	2	.	2	1	13	13	—
158	143	323	285	39	36	49	37	68	70	59	64	96	87	—
12	16	20	17	3	2	3	2	1	7	4	5	9	7	—
7,476	7,197	16,493	16,248	1,601	1,954	1,749	2,013	2,458	2,665	2,423	2,733	5,145	5,003	—

ABSTRACT I.—(*Continued*).—Northern Ireland: Deaths from Principal Causes by Counties and Urban and Rural Areas, 1932.

(*See Index to Poor Law Unions on page 61.*)

International List Nos.	CAUSES OF DEATH, ETC.	CO. TYRONE.—(*Contd.*)									
		Clogher R.D.		Cookstown R.D.		Dungannon R.D.		Omagh R.D.		Strabane R.D.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	ALL CAUSES ...	82	82	128	108	190	234	240	249	114	121
1, 2	Typhoid and Paratyphoid Fevers	.	1	.	.	.	.	1	2	.	.
7	Measles	.	.	.	.	.	2	1	3	1	1
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	1	1	3	5	2	4	1	3	.	1
10	Diphtheria	.	.	.	.	.	.	1	1	.	1
11	Influenza	1	4	12	12	4	4	15	17	1	2
17	Encephalitis Lethargica	.	.	.	.	.	.	1	.	.	.
18	Cerebro-spinal Fever ...	.	.	.	.	.	.	.	.	.	.
23	Tuberculosis of Respiratory System	6	7	3	4	6	9	13	16	10	7
24-32	Other Tuberculous Diseases	4	1	1	.	6	5	3	.	2	5
34	Syphilis	.	.	.	.	.	.	.	.	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis	.	.	.	.	.	.	1	.	.	.
45-53	Cancer, Malignant Disease	7	6	13	9	19	23	15	15	8	7
59	Diabetes	.	.	.	.	2	.	1	2	1	1
82	Cerebral Hæmorrhage, etc.	5	7	5	13	8	21	17	17	10	12
90-95	Heart Disease	19	8	19	11	36	52	44	42	17	21
96	Aneurysm	.	.	.	1	.	.	.	.	.	.
97-103	Other Circulatory Diseases	.	.	3	2	6	3	4	3	.	2
106	Bronchitis	3	2	3	4	12	14	12	22	6	2
107-109	Pneumonia (all forms) ...	1	3	13	9	15	16	17	12	8	9
104, 105, 110-114	Other Respiratory Diseases	2	1	.	2	1	3	4	3	4	.
117	Peptic Ulcer	1	.	2	.	2	1	5	1	.	2
119	Diarrhœa, etc. (under 2 years)	.	.	1	.	1	3	3	1	3	1
121	Appendicitis	.	.	1	1	1	.	1	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	2	.	.	.
125-127	Other Diseases of Liver, etc.	.	.	1	3	.	2	.	1	.	2
115, 116, 118, 120, 122, 123, 128, 129	Other Digestive Diseases	3	.	7	2	7	4	8	6	.	6
130-132	Acute and Chronic Nephritis	2	.	7	5	9	7	7	4	6	3
140, 145	Puerperal Sepsis ...	—	.	—	.	—	2	—	1	—	1
141-144, 146-150	Other Puerperal Causes...	—	.	—	.	—	3	—	1	—	.
157-161	Congenital Debility, Premature Birth, Malformations, etc. ...	2	5	3	2	13	11	8	6	7	11
162	Senility	18	29	14	13	18	26	30	44	12	14
163-171	Suicide	.	.	4	.	.	.	.	.	.	.
172-198	Other Violence	1	1	3	1	8	2	4	2	2	1
—	Other Defined Diseases ...	4	2	10	9	13	16	19	20	12	6
199, 200	Causes Ill-defined or Unknown	2	4	.	.	1	1	2	4	4	3
	Deaths under one year of age ...	3	8	7	9	21	17	17	15	13	16
	,, 65 years and upwards ...	44	49	66	62	104	120	145	138	56	53
	Uncertified Deaths	22	21	25	23	31	35	52	58	23	22
	Total Births	96	112	158	141	234	235	290	261	192	173
	Illegitimate Births	4	5	11	10	16	11	18	22	14	14
	Population (Census 1926) ...	6,485	6,027	8,820	8,336	12,598	12,252	16,788	15,702	9,069	8,971

DIAGRAM II.—DEATH RATES FROM TUBERCULOSIS IN NORTHERN IRELAND, THE IRISH FREE STATE, ENGLAND AND WALES, AND SCOTLAND, 1901 – 1932

ABSTRACT II.—Northern Ireland: Method of Celebration of Marriages Registered, 1932.

Counties.	Total Marriages.	Church of Ireland.			Presbyterian.		Roman Catholic.	Registered Buildings.		In Registrars' Offices.	Society of Friends.	Jews.
		By Licence.	After Banns.	By Special Licence.	By Licence.	By Special Licence.		By Licence.	By Special Licence.			
NORTHERN IRELAND	6,959	1,808	204	15	1,894	53	1,964	481	10	524	2	4
Antrim	967	194	3	4	448	13	176	57	1	71	.	.
Armagh	538	194	2	2	71	1	210	32	.	25	1	.
Belfast Co. Borough	2,790	759	189	9	623	19	586	282	6	312	1	4
Down	1,099	273	6	.	429	12	271	41	.	67	.	.
Fermanagh	240	82	1	.	6	.	123	18	1	9	.	.
Londonderry Co. and Co. Borough ...	741	153	1	.	189	8	328	29	1	32	.	.
Tyrone	584	153	2	.	128	.	270	22	1	8	.	.

ABSTRACT III.—Northern Ireland: Marriages Registered in each Quarter, Conjugal Condition of Persons Married and Number of Minors, 1932.

Counties.	Total Marriages Registered in the Quarter ended the last day of				Marriages							
					Contracted between				Of		Of Persons not of Full Age	
	March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.
NORTHERN IRELAND	1,564	1,536	2,108	1,751	6,308	76	470	105	575	181	221	928
Antrim	230	192	251	294	872*a*	7	73	15	88	22	32	158
Armagh	133	117	174	114	488	4	41	5	46	9	19	71
Belfast Co. Borough	638	551	887	714	2,512*b*	36*c*	183	59	242	95	111	389
Down	239	272	341	247	1,005*d*	15	67	12	79	27	25	139
Fermanagh	51	64	63	62	218	2	17	3	20	5	1	19
Londonderry Co. and Co. Borough ...	151	187	224	179	681	3	49	8	57	11	22	90
Tyrone	122	153	168	141	532	9	40	3	43	12	11	62

(*a*) Including 1 Divorcé and Spinster.
(*b*) ,, 2 Divorcés and Spinsters, and 1 Bachelor and Divorcée.
(*c*) ,, 1 Divorcé and Widow.
(*d*) ,, 1 Bachelor and Divorcée.

ABSTRACT IV.—Northern Ireland: Births Registered in each of the Four Quarters, 1932 (exclusive of Still-born).

Counties.	PERSONS.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	25,107	6,432	6,564	6,447	5,664	12,874	3,319	3,378	3,245	2,932	12,233	3,113	3,186	3,202	2,732
Antrim	3,768	926	1,001	944	897	1,926	487	526	470	443	1,842	439	475	474	454
Armagh	2,115	512	570	552	481	1,106	284	281	293	248	1,009	228	289	259	233
Belfast Co. Borough ...	8,928	2,337	2,349	2,249	1,993	4,557	1,205	1,200	1,126	1,026	4,371	1,132	1,149	1,123	967
Down	3,764	923	974	980	887	1,930	448	506	507	469	1,834	475	468	473	418
Fermanagh	944	244	228	246	226	500	130	128	119	123	444	114	100	127	103
Londonderry Co. and Co. Borough	3,091	813	813	822	643	1,574	418	412	406	338	1,517	395	401	416	305
Tyrone	2,497	677	629	654	537	1,281	347	325	324	285	1,216	330	304	330	252

ABSTRACT V.—Northern Ireland: Deaths Registered in each of the Four Quarters, 1932.

Counties.	PERSONS.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	17,812	5,368	4,627	3,717	4,100	8,669	2,621	2,254	1,816	1,978	9,143	2,747	2,373	1,901	2,122
Antrim	2,634	775	759	538	562	1,287	383	367	260	277	1,347	392	392	278	285
Armagh	1,706	492	451	380	383	834	241	210	200	183	872	251	241	180	200
Belfast Co. Borough ...	5,863	1,855	1,432	1,186	1,390	2,820	879	689	569	683	3,043	976	743	617	707
Down	2,788	849	697	618	624	1,362	426	357	292	287	1,426	423	340	326	337
Fermanagh	884	276	237	150	221	454	144	117	75	118	430	132	120	75	103
Londonderry Co. and Co. Borough	1,971	525	524	424	498	940	254	248	216	222	1,031	271	276	208	276
Tyrone	1,966	596	527	421	422	972	294	266	204	208	994	302	261	217	214

ABSTRACT VI.—Northern Ireland: Deaths at different Age-Periods, 1932.

Counties.		Total Births.	Total Deaths.	Ages at Death.																								
				Under 1 year.	1–	2–	3–	4–	Under 5 years.	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 and upwards.
Northern Ireland	Persons	25,107	17,812	2,084	434	171	105	76	2,870	242	190	301	389	424	452	473	502	597	838	1,126	1,467	1,794	2,373	1,757	1,102	604	233	78
	Males	12,874	8,669	1,189	226	89	59	38	1,601	124	86	141	195	189	199	212	222	301	384	564	728	913	1,139	808	487	255	88	33
	Females	12,233	9,143	895	208	82	46	38	1,269	118	104	160	194	235	253	261	280	296	454	562	739	881	1,234	949	615	349	145	45
Antrim ...	Persons	3,768	2,634	257	41	17	11	12	338	29	28	39	59	54	76	47	75	64	121	143	226	263	354	306	214	125	55	18
	Males	1,926	1,287	149	20	12	5	8	194	11	14	17	30	23	38	14	32	31	58	65	118	133	179	141	103	56	24	6
	Females	1,842	1,347	108	21	5	6	4	144	18	14	22	29	31	38	33	43	33	63	78	108	130	175	165	111	69	31	12
Armagh ...	Persons	2,115	1,706	158	40	10	16	4	228	21	20	28	48	35	39	50	33	54	70	94	145	204	273	192	93	48	24	7
	Males	1,106	834	86	26	9	7	2	130	9	10	14	23	13	18	27	14	21	34	43	73	93	147	90	41	22	9	3
	Females	1,009	872	72	14	1	9	2	98	12	10	14	25	22	21	23	19	33	36	51	72	111	126	102	52	26	15	4
Belfast Co. Borough ...	Persons	8,928	5,863	975	224	79	43	25	1,346	91	59	114	130	153	164	188	214	244	324	437	487	584	559	416	217	97	34	5
	Males	4,557	2,820	549	122	38	30	11	750	49	23	52	61	71	72	86	95	127	164	229	237	276	234	172	82	30	9	1
	Females	4,371	3,043	426	102	41	13	14	596	42	36	62	69	82	92	102	119	117	160	208	250	308	325	244	135	67	25	4
Down ...	Persons	3,764	2,788	229	31	19	14	14	307	42	32	51	52	62	75	78	66	84	132	153	231	272	403	319	224	144	42	19
	Males	1,930	1,362	143	14	10	6	8	181	23	18	29	31	31	25	32	34	43	52	75	112	151	181	160	101	65	12	6
	Females	1,834	1,426	86	17	9	8	6	126	19	14	22	21	31	50	46	32	41	80	78	119	121	222	159	123	79	30	13
Fermanagh ...	Persons	944	884	49	9	3	3	3	67	7	10	3	10	22	19	21	20	35	36	72	71	80	158	113	78	38	22	2
	Males	500	454	31	3	2	3	2	41	4	5	2	8	6	8	10	11	17	14	37	42	43	82	62	32	18	10	2
	Females	444	430	18	6	1	.	1	26	3	5	1	2	16	11	11	9	18	22	35	29	37	76	51	46	20	12	.
L'derry Co. & Co. Borough	Persons	3,091	1,971	234	47	19	12	13	325	32	24	34	43	54	48	48	44	56	77	115	140	198	281	198	133	79	31	11
	Males	1,574	940	138	27	8	7	5	185	16	9	13	18	25	20	23	15	27	29	52	66	110	135	88	61	29	12	7
	Females	1,517	1,031	96	20	11	5	8	140	16	15	21	25	29	28	25	29	29	48	63	74	88	146	110	72	50	19	4
Tyrone ...	Persons	2,497	1,966	182	42	24	6	5	259	20	17	32	47	44	31	41	50	60	78	112	167	193	345	213	143	73	25	16
	Males	1,281	972	93	14	10	1	2	120	12	7	14	24	20	18	20	21	35	33	63	80	107	181	95	67	35	12	8
	Females	1,216	994	89	28	14	5	3	139	8	10	18	23	24	13	21	29	25	45	49	87	86	164	118	76	38	13	8

ABSTRACT VII.—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		All Ages.	Under 1 day	1 day and less than 7 days	1-4 wks.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
												AGES AT				
	TOTAL DEATHS (All Causes)	M	8,669	153	167	194	134	82	201	258	1,189	226	89	59	38	1,601
		F	9,143	109	143	143	83	58	153	206	895	208	82	46	38	1,269
1-17 *1-44*	**I. Infectious and Parasitic Diseases**	M	1,164	.	.	4	14	10	32	56	116	71	28	19	16	250
		F	1,291	.	1	8	8	6	22	60	105	76	40	14	21	256
18, 19 *45-55*	**II. Cancer and other Tumours**	M	731	.	.	.	.	1	.	.	1	.	1	2	.	4
		F	910	.	.	.	.	.	.	1	1	1	1	1	1	5
20-25 *56-69*	**III. Rheumatic Diseases, Diseases of Nutrition and of Endocrine Glands and other General Diseases**	M	149	.	.	.	.	.	3	1	4	4	2	2	.	12
		F	223	.	.	.	.	.	1	5	6	1	1	1	1	10
26, 27 *70-74*	**IV. Diseases of the Blood & Hæmatopoietic Organs**	M	87	.	.	2	.	.	.	.	2	.	.	1	1	4
		F	81	.	1	1	.	.	.	.	2	.	1	.	.	3
28, 29 *75-77*	**V. Chronic Poisonings and Intoxications**	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.
30-37 *78-89*	**VI. Diseases of the Nervous System and Organs of Special Sense**	M	907	.	5	7	11	5	10	25	63	18	6	4	2	93
		F	1,084	1	6	5	5	4	10	17	48	17	4	3	1	73
38-46 *90-103*	**VII. Diseases of the Circulatory System...**	M	1,656	.	.	.	.	.	.	2	2	2	2	1	1	8
		F	1,815	.	.	1	.	.	.	.	1	.	.	.	1	2
47-50 *104-114*	**VIII. Diseases of the Respiratory System**	M	1,247	.	2	29	33	19	56	105	244	93	31	13	4	385
		F	1,122	.	1	18	30	15	44	63	171	71	17	12	3	274
51-58 *115-129*	**IX. Diseases of the Digestive System**	M	578	.	3	21	26	23	53	49	175	25	9	7	4	220
		F	493	.	2	11	11	18	50	43	135	20	8	5	4	172
59-65 *130-139*	**X. Diseases of the Genito-Urinary System**	M	392	.	.	.	.	.	1	2	3	.	.	.	2	5
		F	259	.	.	1	.	.	.	.	1	1	1	.	.	3
66-70 *140-150*	**XI. Pregnancy, Labour, and Puerperal State ... ...**	F	134	.	.	.	.	.	.	.	.	.	.	.	.	.
71 *151-153*	**XII. Diseases of the Skin and Cellular Tissue ...**	M	38	.	.	1	1	.	.	.	2	.	.	.	.	2
		F	14	.	.	.	.	.	1	.	1	1	.	1	.	3
72 *154-156*	**XIII. Diseases of the Bones and Organs of Locomotion**	M	18	.	.	.	.	.	1	1	2	.	.	.	1	3
		F	11	.	.	.	.	.	.	1	1	.	.	1	2	4
73 *157*	**XIV. Congenital Malformations ...**	M	68	7	13	12	8	3	9	5	57	4	1	.	1	63
		F	51	6	12	18	2	2	3	6	49	1	.	.	.	50
74-77 *158-161*	**XV. Early Infancy ...**	M	502	142	143	117	38	19	34	9	502	—	—	—	—	502
		F	353	94	118	79	25	11	20	6	353	—	—	—	—	353
78 *162*	**XVI. Senility ...**	M	720	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1,050	.	.	.	.	.	.	.	.	.	.	.	.	.
79-84 *163-198*	**XVII. Violent or Accidental Deaths ...**	M	334	4	1	.	2	1	2	3	13	7	5	10	6	41
		F	180	8	2	1	2	.	2	4	19	13	8	6	4	50
85 *199, 200*	**XVIII. Causes of Death not determined**	M	75	.	.	1	1	1	.	.	3	2	4	.	.	9
		F	71	.	.	.	.	2	.	.	2	6	1	2	.	11

NOTE.—The two sets of numbers given in the first and last columns of this Abstract are those of the Intermediate International List and Detailed International List, the numbers of the latter being shown in italics.

of Death at different Age-Periods, 1932.

DEATH.																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
124	86	141	195	189	199	212	222	301	384	564	728	913	1,139	808	487	255	88	33	
118	104	160	194	235	253	261	280	296	454	562	739	881	1,234	949	615	349	145	45	
48	35	77	100	95	93	69	54	67	43	46	43	46	54	28	9	6	1	.	M 1-17
52	49	95	113	98	104	92	64	50	53	47	52	42	60	29	19	13	2	1	F *1-44*
2	2	1	2	7	9	14	18	32	51	90	134	152	111	61	32	6	2	1	M 18, 19
1	1	.	3	7	15	25	56	62	95	111	141	126	139	86	27	9	1	.	F *45-55*
6	4	4	4	5	4	5	5	4	10	11	16	20	19	9	6	4	1	.	M 20-25
1	7	7	4	5	9	9	10	11	25	25	23	27	24	19	4	2	1	.	F *56-69*
3	1	5	4	4	3	4	3	3	8	9	13	11	7	4	1	.	.	.	M 26, 27
3	1	1	2	1	3	4	8	3	8	12	10	9	6	6	1	.	.	.	F *70-74*
.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	M 28, 29
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	F *75-77*
10	7	8	14	15	15	18	17	38	53	77	80	87	165	128	48	27	5	2	M 30-37
10	12	10	8	18	16	22	32	39	57	81	124	138	195	127	72	41	8	1	F *78-89*
5	7	7	11	10	12	22	33	43	91	135	218	309	335	230	121	40	15	4	M 38-46
8	13	12	10	24	25	32	40	62	102	154	201	305	350	248	129	70	26	2	F *90-103*
13	5	7	12	8	25	33	32	49	45	73	89	110	174	97	51	28	8	3	M 47-50
21	3	9	8	13	19	21	22	21	42	58	90	103	182	117	68	34	13	4	F *104-114*
15	5	7	8	15	18	23	15	23	28	45	45	48	35	20	5	3	.	.	M 51-58
15	11	6	7	11	11	9	14	19	34	30	31	40	48	17	12	4	1	1	F *115-129*
1	4	5	9	6	6	4	15	15	28	26	48	61	75	50	17	14	2	1	M 59-65
1	5	5	6	9	11	17	16	20	24	26	31	29	30	12	7	7	.	.	F *130-139*
.	.	3	24	42	31	20	12	2	.	.	.	.	.	.	.	.	.	.	F 66-70 *140-150*
.	1	.	1	1	2	2	1	1	.	4	6	3	5	6	3	.	.	.	M 71
.	.	.	1	.	1	1	.	1	.	.	1	1	2	2	1	.	.	.	F *151-153*
4	2	.	1	.	.	.	1	1	2	1	3	.	.	.	.	.	.	.	M 72
1	2	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	F *154-156*
1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 73
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *157*
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 74-77
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *158-161*
.	.	.	.	.	.	.	.	.	.	3	4	28	133	165	189	122	54	22	M 78
.	.	.	.	.	.	.	.	.	.	2	10	33	177	274	262	164	93	35	F *162*
15	9	19	28	23	11	16	27	16	15	28	21	21	25	10	4	5	.	.	M 79-84
4	.	9	6	4	5	7	5	6	7	4	14	10	20	11	13	4	.	1	F *163-198*
1	.	1	1	.	1	2	1	7	9	16	8	17	1	.	1	.	.	.	M 85
.	.	2	2	3	3	2	1	.	7	11	11	17	.	.	.	1	.	.	F *199, 200*

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		All Ages.	Under 1 day	1 day and less than 7 days.	1-4 wks.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	AGES AT 1-	2-	3-	4-	Total under 5 years.
1-17 *1-44*	**I. Infectious and Parasitic Diseases.**															
1 *1, 2*	Typhoid and Para-typhoid Fevers ...	M	11	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.
2 *3*	Typhus Fever ...	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.
3 *6*	Small-pox	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4 *7*	Measles	M	31	.	.	.	1	.	2	8	11	9	6	3	1	30
		F	32	.	.	.	.	.	1	8	9	14	2	2	1	28
5 *8*	Scarlet Fever ...	M	13	.	.	.	.	.	.	.	.	.	2	3	2	7
		F	11	.	.	.	.	.	.	.	.	1	3	1	1	6
6 *9*	Whooping-cough ...	M	116	.	.	1	9	7	19	31	67	29	9	3	2	110
		F	141	.	.	2	4	4	12	39	61	43	20	5	4	133
7 *10*	Diphtheria	M	24	.	.	.	.	1	.	1	2	5	2	5	1	15
		F	38	.	.	.	.	.	.	2	2	4	2	2	7	17
8 *11*	Influenza	M	198	.	.	1	3	1	.	6	11	6	.	.	3	20
		F	257	.	1	4	2	2	2	2	13	2	1	.	2	18
9 *13*	Dysentery	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.
10 *14*	Plague	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11 *23*	Tuberculosis of the Respiratory System	M	502	.	.	.	.	.	2	.	2	2	1	1	.	6
		F	545	.	.	.	.	.	.	1	1	.	2	.	.	3
In 12 *24*	Tuberculosis of the Central Nervous System	M	75	.	.	.	.	1	5	4	10	11	5	2	1	29
		F	67	.	.	1	.	.	5	5	11	6	5	3	1	26
In 12 *25*	Tuberculosis of the Intestines and Peritoneum	M	44	.	.	.	1	.	1	2	4	5	2	.	3	14
		F	44	.	.	.	.	.	.	.	.	2	1	1	4	8
In 12 *26-32*	All other Forms of Tuberculosis ...	M	68	.	.	.	.	.	1	1	2	1	.	1	1	5
		F	70	.	.	.	.	.	.	1	1	3	2	.	1	7
13 *34*	Syphilis	M	14	.	.	1	.	.	.	1	2	1	.	.	.	3
		F	12	.	.	.	2	.	2	.	4	.	.	.	.	4
14 *36*	Purulent Infection and Septicæmia, non-puerperal ...	M	16	.	.	1	.	.	1	.	2	.	.	.	1	3
		F	17	.	.	.	.	.	.	.	.	.	1	.	.	1
15 *38*	Malaria	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16 *39-42*	Diseases caused by Protozoa or Helminths ...	M	1	.	.	.	.	.	.	.	.	.	1	.	.	1
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.
17 *4, 5, 12, 15-22, 33, 35, 37, 43, 44*	Other Infectious and Parasitic Diseases	M	50	.	.	.	.	.	1	2	3	2	.	1	1	7
		F	47	.	.	1	.	.	.	2	3	1	1	.	.	5
18, 19 *45-55*	**II. Cancer and other Tumours.**															
18 *45-53*	Cancer and Malignant Tumours	M	692	.	.	.	.	.	.	.	.	.	.	2	.	2
		F	874	.	.	.	.	.	.	1	1	1	1	1	1	5
19 *54, 55*	Tumours, non-Malignant or of unspecified nature	M	39	.	.	.	.	1	.	.	1	.	1	.	.	2
		F	36	.	.	.	.	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1932.

DEATH.																				
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.		International List Nos.
1	2	1	1	.	1	1	2	1	1	.	.	.	.	.	.	.	.	.	M	1
.	.	.	1	1	1	.	.	.	1	.	1	.	.	.	.	.	.	.	F	*1, 2*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	2
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*3*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	3
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*6*
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	4
1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*7*
2	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	M	5
3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*8*
4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M	6
7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*9*
5	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	M	7
12	5	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	F	*10*
6	1	2	3	3	5	2	6	4	12	9	17	30	43	24	6	4	1	.	M	8
2	3	.	4	4	5	8	4	9	15	18	31	30	50	24	17	12	2	1	F	*11*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	9
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	F	*13*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	10
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*14*
8	8	54	73	72	76	54	36	44	17	24	16	7	5	2	.	.	.	.	M	11
2	13	74	93	73	75	66	48	31	26	17	11	7	4	2	.	.	.	.	F	*23*
13	12	8	3	4	1	.	1	2	2	.	.	.	.	.	.	.	.	.	M	In 12
11	13	5	3	4	3	.	.	.	.	1	1	.	.	.	.	.	.	.	F	*24*
3	3	4	3	2	3	4	1	2	1	1	1	1	.	.	1	.	.	.	M	In 12
3	4	5	4	5	6	4	1	1	1	1	1	.	.	.	.	.	.	.	F	*25*
2	2	5	12	10	4	4	5	7	2	4	1	3	1	.	1	.	.	.	M	In 12
6	4	6	8	6	8	6	6	2	3	3	3	1	1	.	.	.	.	.	F	*26-32*
.	.	.	.	2	.	.	.	1	2	2	2	2	.	.	.	.	.	.	M	13
.	.	.	.	.	1	.	2	2	2	.	1	.	.	.	.	.	.	.	F	*34*
.	1	1	.	.	2	1	1	.	.	3	1	.	1	1	1	.	.	.	M	14
1	2	2	.	.	2	3	.	.	1	2	1	1	1	.	.	.	.	.	F	*36*
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	M	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*38*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M	16
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F	*39-42*
3	2	1	4	1	1	2	1	6	5	3	5	3	3	1	.	2	.	.	M	17
3	1	2	.	3	1	4	3	5	3	5	1	2	4	3	1	1	.	.	F	*4, 5, 12, 15-22, 33, 35, 37, 43, 44*
.	.	.	2	7	6	9	16	32	48	83	132	151	106	57	32	6	2	1	M	18
1	1	.	2	6	14	25	50	57	88	106	136	124	137	85	27	9	1	.	F	*45-53*
2	2	1	.	.	3	5	2	.	3	7	2	1	5	4	.	.	.	.	M	19
.	.	.	1	1	1	.	6	5	7	5	5	2	2	1	.	.	.	.	F	*54, 55*

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		ALL AGES	AGES AT Under 1 day	1 day and less than 7 days	1-4 wks.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
20-25 *56-69*	**III. Rheumatic Diseases, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.**															
20 *56*	Acute Rheumatic Fever	M	30	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	.	.	.	.	.	.	.	1	1
21 *57, 58*	Chronic Rheumatism and Gout	M	33	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	73	.	.	.	.	.	.	.	.	.	.	.	.	.
22 *59*	Diabetes Mellitus ...	M	64	.	.	.	.	.	.	.	.	.	.	2	.	2
		F	72	.	.	.	.	.	.	.	.	.	.	.	.	.
23 *60-64*	Vitamine Deficiency Diseases	M	4	.	.	.	.	.	.	.	.	4	.	.	.	4
		F	10	.	.	.	.	.	1	4	5	1	1	1	.	8
24 *66*	Diseases of the Thyroid and Parathyroid Gland	M	7	.	.	.	.	.	.	.	.	.	2	.	.	2
		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.
25 *65, 67-69*	Other General Diseases	M	11	.	.	.	.	.	3	1	4	.	.	.	.	4
		F	6	.	.	.	.	.	.	1	1	.	.	.	.	1
26, 27 *70-74*	**IV. Diseases of the Blood and Hæmatopoietic Organs.**															
26 *71*	Pernicious and other Anæmias... ...	M	55	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	61	.	.	.	.	.	.	.	.	.	.	.	.	.
27 *70, 72-74*	Leukæmia, Aleukæmic and other Diseases of the Blood and Hæmatopœtic Organs	M	32	.	.	2	.	.	.	.	2	.	.	1	1	4
		F	20	.	1	1	.	.	.	.	2	.	1	.	.	3
28, 29 *75-77*	**V. Chronic Poisonings and Intoxications.**															
28 *75*	Alcoholism (Chronic or Acute)	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.
29 *76, 77*	Other Chronic Poisonings	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30-37 *78-89*	**VI. Diseases of the Nervous System and Organs of Special Sense.**															
30 *79*	Simple Meningitis ...	M	44	.	2	.	2	.	1	7	12	6	1	1	2	22
		F	43	.	.	.	.	.	4	5	9	5	2	2	1	19
31 *80*	Progressive Locomotor Ataxy ...	M	18	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.
32 *82*	Cerebral Hæmorrhage, Embolism and Thrombosis ...	M	591	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	797	.	.	.	.	.	.	.	.	1	1	.	.	2
33 *83*	General Paralysis of the Insane ...	M	22	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	.
34 *84*	Dementia Præcox and other Psychoses ...	M	22	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	48	.	.	.	.	.	.	.	.	.	.	.	.	.
35 *85*	Epilepsy	M	32	.	.	.	1	.	.	1	2	.	.	.	.	2
		F	28	.	.	.	1	.	.	.	1	.	.	.	.	1
36 *78, 81, 86, 87*	Other Diseases of the Nervous System ...	M	161	.	3	7	8	5	8	15	46	10	4	3	.	63
		F	145	1	6	5	4	4	6	10	36	9	1	1	.	47
37 *88, 89*	Diseases of the Eye, Ear and Annexa ...	M	17	.	.	.	.	.	1	2	3	2	1	.	.	6
		F	15	.	.	.	.	.	.	2	2	2	.	.	.	4

of Death at different Age-Periods, 1932.

DEATH.																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
5	3	3	1	2	1	4	1	2	2	1	1	3	1	.	.	.	.	.	M 20
1	4	5	2	1	3	2	1	3	2	1	.	2	.	.	.	.	.	.	F *56*
.	.	.	1	.	..	.	.	1	3	4	4	6	3	5	4	1	1	.	M 21
.	.	.	.	1	2	1	1	4	10	8	10	12	15	6	1	1	1	.	F *57, 58*
.	1	.	2	2	2	1	4	.	3	6	8	10	14	4	2	3	.	.	M 22
.	3	1	2	1	2	4	1	1	4	7	11	9	9	13	3	1	.	.	F *59*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 23
.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	F *60-64*
.	.	1	.	.	1	.	.	1	1	.	1	.	.	.	.	.	.	.	M 24
.	.	.	.	2	1	1	7	2	9	7	1	4	.	.	.	.	.	.	F *66*
1	.	.	.	1	.	.	.	.	1	.	2	1	1	.	.	.	.	.	M 25
.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	.	.	.	.	F *65, 67-69*
.	.	.	2	2	1	2	3	3	7	7	11	8	6	2	1	.	.	.	M 26
1	.	1	2	1	2	3	4	3	4	11	10	6	6	6	1	.	.	.	F *71*
3	1	5	2	2	2	2	.	.	1	2	2	3	1	2	.	.	.	.	M 27
2	1	.	.	.	1	1	4	.	4	1	.	3	.	.	.	.	.	.	F *70, 72-74*
.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	M 28
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	F *75*
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 29
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *76, 77*
6	4	3	4	2	.	.	.	2	.	1	.	.	.	.	.	.	.	.	M 30
7	6	4	1	.	2	.	1	1	.	.	.	.	1	.	1	.	.	.	F *79*
.	.	.	.	.	.	.	2	5	3	3	2	1	2	.	.	.	.	.	M 31
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *80*
.	.	1	2	4	3	5	2	16	32	44	62	68	152	121	46	26	5	2	M 32
.	1	.	2	2	2	8	15	28	42	58	103	121	179	120	67	38	8	1	F *82*
.	.	.	2	.	2	3	3	2	3	6	1	.	.	.	.	.	.	.	M 33
.	.	.	1	1	.	.	2	.	2	.	.	1	.	.	.	.	.	.	F *83*
.	.	.	.	2	1	1	2	1	3	8	3	.	1	.	.	.	.	.	M 34
.	.	2	.	4	6	4	6	3	3	9	6	3	2	.	.	.	.	.	F *84*
.	1	2	2	2	1	6	5	.	4	5	.	.	1	1	.	.	.	.	M 35
1	1	1	2	4	3	1	1	.	3	1	5	2	1	.	.	1	.	.	F *85*
1	2	1	3	3	6	3	3	12	7	10	11	18	9	6	2	1	.	.	M 36
1	2	1	1	6	3	9	7	7	6	13	9	10	10	7	4	2	.	.	F *78, 81, 86, 87*
3	.	1	1	2	2	.	.	.	1	.	1	.	.	.	.	.	.	.	M 37
1	2	2	1	.	.	.	.	.	1	.	1	1	2	.	.	.	.	.	F *88, 89*

ABSTRACT VII.—(*Continued*).—Northern Ireland : Causes

International List Nos.	CAUSES OF DEATH.		All Ages.	Under 1 day	1 day and less than 7 days	1-4 wks.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
											AGES AT					
38-46 *90-103*	**VII.—Diseases of the Circulatory System.**															
38	Pericarditis	M	8	.	.	.	.	.	.	1	1	.	.	.	.	1
90		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.
39	Acute Endocarditis	M	19	.	.	.	.	.	.	.	.	.	.	.	.	.
91		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.
40	Chronic Endocarditis,	M	329	.	.	.	.	.	.	.	.	.	1	.	1	2
92	Valvular Disease ...	F	415	.	.	.	.	.	.	.	.	.	.	.	.	.
41	Diseases of the Myo-	M	613	.	.	.	.	.	.	.	.	1	1	.	.	2
93	cardium	F	653	.	.	.	.	.	.	.	.	.	.	.	.	.
42	Diseases of the Coronary															
94	Arteries, Angina	M	108	.	.	.	.	.	.	.	.	.	.	.	.	.
	Pectoris	F	70	.	.	.	.	.	.	.	.	.	.	.	.	.
43	Other Diseases of the	M	342	.	.	.	.	.	.	.	.	.	.	.	.	.
95	Heart	F	417	.	.	.	.	.	.	.	.	.	.	.	.	.
44	Aneurysm, other than	M	11	.	.	.	.	.	.	.	.	.	.	.	.	.
96	of the Heart ...	F	4	.	.	.	.	.	.	.	.	.	.	.	.	.
45	Arterio-Sclerosis,	M	159	.	.	.	.	.	.	.	.	.	.	.	.	.
97, 98	Gangrene	F	152	.	.	1	.	.	.	.	1	.	.	.	.	1
46	Other Diseases of the	M	67	.	.	.	.	.	.	1	1	1	.	1	.	3
99-103	Circulatory System	F	66	.	.	.	.	.	.	.	.	.	.	.	1	1
47-50 *104-114*	**VIII.—Diseases of the Respiratory System.**															
47	Bronchitis	M	410	.	.	8	9	5	11	16	49	5	5	1	1	61
106		F	483	.	1	8	9	3	7	10	38	9	2	3	.	52
48	Pneumonia	M	676	.	1	17	21	12	43	80	174	83	24	12	3	296
107-109		F	504	.	.	9	19	10	33	49	120	54	15	9	2	200
49	Pleurisy	M	24	.	.	.	.	.	.	.	.	.	1	.	.	1
110		F	23	.	.	.	.	1	.	.	1	2	.	.	.	3
50 *104, 105*	Other Diseases of the Respiratory System															
111-114	(Tuberculosis ex-	M	137	.	1	4	3	2	2	9	21	5	1	.	.	27
	cepted)	F	112	.	.	1	2	1	4	4	12	6	.	.	1	19
51-58 *115-129*	**IX.—Diseases of the Digestive System.**															
51	Ulcer of the Stomach	M	105	.	.	.	.	.	.	.	.	.	.	.	.	.
117	or Duodenum ...	F	42	.	.	.	.	.	.	.	.	.	.	.	.	.
52	Diarrhœa and Enteritis															
119	(under 2 years of	M	171	.	3	18	25	20	49	40	155	16	—	—	—	171
	age)	F	137	.	2	11	10	14	45	38	120	17	—	—	—	137
53 *120*	Diarrhœa, Enteritis and Ulceration of the Intestines (2 years	M	42	—	—	—	—	—	—	—	—	—	6	3	2	11
	and over)	F	57	—	—	—	—	—	—	—	—	—	6	2	2	10
54	Appendicitis... ...	M	56	.	.	.	.	.	.	.	.	.	1	2	.	3
121		F	35	.	.	.	.	.	.	.	.	.	.	.	1	1
55	Hernia, Intestinal	M	61	.	.	.	.	1	1	3	5	1	1	.	1	8
122	Obstruction ...	F	51	.	.	.	.	1	1	2	4	.	.	.	.	4
56	Cirrhosis of the Liver	M	22	.	.	.	.	.	.	.	.	.	.	.	.	.
124		F	12	.	.	.	.	.	.	.	.	.	.	.	.	.
57 *125-127*	Other Diseases of the Liver and Biliary Passages (including	M	20	.	.	.	.	.	.	.	.	.	.	.	.	.
	Biliary Calculus) ...	F	70	.	.	.	.	.	.	.	.	.	.	.	.	.
58	Other Diseases of the	M	101	.	.	3	1	2	3	6	15	8	1	2	1	27
115, 116 118, 123 128, 129	Digestive System	F	89	.	.	.	1	3	4	3	11	3	2	3	1	20

of Death at different Age-Periods, 1932.

DEATH																			
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards	International List Nos.
.	2	1	1	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	M 38
1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	F *90*
2	2	.	4	2	1	2	.	2	.	.	1	2	.	.	.	.	1	.	M 39
1	2	1	2	4	2	3	1	2	3	1	2	1	5	2	.	2	.	.	F *91*
3	2	6	4	5	7	7	7	13	18	25	44	60	60	42	15	8	.	1	M 40
6	9	8	7	12	15	11	14	23	38	38	44	56	56	42	22	11	3	.	F *92*
.	.	.	.	1	1	2	8	15	31	45	86	115	132	95	55	19	5	1	M 41
.	1	2	.	3	1	7	13	13	22	44	70	116	147	111	56	33	14	.	F *93*
.	.	.	.	.	.	1	5	5	9	13	19	25	13	10	6	1	1	.	M 42
.	.	.	.	.	.	1	.	4	6	10	8	11	15	7	6	2	.	.	F *94*
.	.	.	2	1	3	6	6	5	17	30	39	60	79	56	25	6	5	2	M 43
.	1	1	1	2	5	8	11	15	18	36	55	82	80	57	29	11	4	1	F *95*
.	.	.	.	1	.	1	.	1	1	2	2	3	.	.	.	.	.	.	M 44
.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	1	.	.	F *96*
.	.	.	.	.	.	.	2	1	7	16	12	26	42	25	19	6	3	.	M 45
.	.	.	.	.	.	.	1	2	6	15	14	30	31	25	13	8	5	1	F *97, 98*
.	1	.	.	.	.	3	5	1	8	4	13	17	9	2	1	.	.	.	M 46
.	.	.	.	1	1	2	.	2	7	10	8	9	16	4	3	2	.	.	F *99-103*
2	.	.	4	1	3	5	10	7	10	21	24	55	85	67	36	12	5	2	M 47
3	1	1	1	1	3	6	3	7	20	16	46	54	107	81	44	23	11	3	F *106*
10	4	4	6	6	20	18	16	27	27	41	49	42	63	21	13	11	2	.	M 48
15	1	6	3	10	13	14	14	9	17	30	27	29	61	27	20	7	1	.	F *107-109*
.	.	3	.	.	2	1	1	1	1	3	3	1	5	1	.	1	.	.	M 49
2	.	1	.	2	.	.	.	.	1	5	3	1	3	2	.	.	.	.	F *110*
																			50
1	1	.	2	1	.	9	5	14	7	8	13	12	21	8	2	4	1	1	M *104, 105*
1	1	1	4	.	3	1	5	5	4	7	14	19	11	7	4	4	1	1	F *111-114*
.	.	.	3	4	10	5	5	7	8	13	14	16	14	6	.	.	.	.	M 51
.	.	.	.	1	2	.	2	4	7	6	5	6	5	3	1	.	.	.	F *117*
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 52
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *119*
1	.	.	.	3	.	2	1	3	2	4	2	4	4	3	2	.	.	.	M 53
3	1	1	.	2	1	.	3	3	6	4	4	5	8	3	2	1	.	.	F *120*
8	5	5	1	4	2	6	3	3	4	2	8	2	.	.	.	.	.	.	M 54
7	8	4	3	2	2	.	.	1	2	1	1	.	2	.	.	1	.	.	F *121*
.	.	1	2	.	3	2	1	4	3	7	6	13	5	4	.	2	.	.	M 55
.	.	.	.	.	4	.	3	4	5	9	2	6	6	1	5	.	1	1	F *122*
.	.	.	.	1	1	2	.	1	5	7	1	2	1	.	1	.	.	.	M 56
.	.	.	.	.	.	2	.	1	2	1	1	3	1	.	.	1	.	.	F *124*
1	.	.	1	1	.	3	.	1	3	2	1	1	.	4	1	1	.	.	M 57
.	1	.	3	1	.	2	6	2	7	7	8	9	15	6	2	1	.	.	F *125-127*
5	.	1	1	2	2	3	5	4	3	10	13	10	11	3	1	.	.	.	M 58
5	1	1	1	5	2	5	.	4	5	2	10	11	11	4	2	.	.	.	F *115, 116, 118, 123, 128, 129*

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		All Ages.	Under 1 day	1 day and less than 7 days	1-4 wks	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
											AGES AT					
59-65 *130-139*	**X. Diseases of the Genito-Urinary System.**															
59 *130-132*	Nephritis	M	198	.	.	.	.	.	.	2	2	.	.	.	1	3
		F	225	.	.	1	.	.	.	.	1	.	1	.	.	2
60 *133*	Other Diseases of the Kidney, Renal Pelvis and Ureters ...	M	15	.	.	.	.	.	1	.	1	.	.	.	1	2
		F	16	.	.	.	.	.	.	.	.	.	.	.	.	.
61 *134*	Calculi of Urinary Passages	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
62 *135*	Diseases of the Bladder (excluding Tumours) ...	M	34	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	.
63 *136*	Diseases of the Urethra, Urinary Abscess, &c. ...	M	13	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
64 *137*	Diseases of the Prostate	M	126	.	.	.	.	.	.	.	.	.	.	.	.	.
65 *138, 139*	Diseases of the Genital Organs not stated to be Venereal ...	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.	1	.	.	.	1
66-70 *140-150*	**XI. Pregnancy, Labour, and Puerperal State.**															
66 *141-143*	Accidents of Pregnancy ...	F	11	.	.	.	.	.	.	.	.	.	.	.	.	.
67 *144*	Puerperal Hæmorrhage	F	34	.	.	.	.	.	.	.	.	.	.	.	.	.
68 *140, 145*	Puerperal Septicæmia	F	39	.	.	.	.	.	.	.	.	.	.	.	.	.
69 *146, 147*	Toxæmias of Pregnancy (Albuminuria or Eclampsia) ...	F	27	.	.	.	.	.	.	.	.	.	.	.	.	.
70 *148-150*	Other Puerperal Causes	F	23	.	.	.	.	.	.	.	.	.	.	.	.	.
71 *151-153*	**XII. Diseases of the Skin and Cellular Tissue.**															
71 *151-153*	Diseases of the Skin and Cellular Tissue	M	38	.	.	1	1	.	.	.	2	.	.	.	.	2
		F	14	.	.	.	.	.	1	.	1	1	.	1	.	3
72 *154-156*	**XIII. Diseases of the Bones and Organs of Locomotion.**															
72 *154-156*	Diseases of the Bones and Organs of Locomotion (Tuberculosis and Rheumatism excepted)	M	18	.	.	.	.	.	1	1	2	.	.	.	1	3
		F	11	.	.	.	.	.	.	1	1	.	.	1	2	4
73 *157*	**XIV. Congenital Malformations.**															
73 *157*	Congenital Malformations (Still-Births excepted)	M	68	7	13	12	8	3	9	5	57	4	1	.	1	63
		F	51	6	12	18	2	2	3	6	49	1	.	.	.	50

of Death at different Age-Periods, 1932.

DEATH.																			
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	International List Nos.
1	4	5	8	5	6	4	12	10	23	17	27	26	28	13	2	4	.	.	M 59
.	5	5	5	5	9	15	15	17	23	22	28	28	27	10	4	5	.	.	F *130-132*
.	.	.	.	1	.	.	1	.	2	.	2	2	3	2	.	.	.	.	M 60
1	.	.	.	3	1	2	.	.	1	2	2	.	2	.	1	1	.	.	F *133*
.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	M 61
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *134*
.	.	.	1	.	.	.	.	.	2	2	5	5	7	5	6	1	.	.	M 62
.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	2	1	.	.	F *135*
.	.	.	.	.	.	.	2	3	.	2	4	.	1	1	.	.	.	.	M 63
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *136*
.	.	.	.	.	.	.	.	.	1	4	10	28	34	29	9	8	2	1	F 64 *137*
.	.	.	1	1	1	.	1	1	.	1	1	.	1	.	.	.	.	.	M 65
.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	F *138, 139*
.	.	.	.	2	2	4	3	.	.	.	.	.	.	.	.	.	.	.	F 66 *141-143*
.	.	.	6	6	12	7	3	.	.	.	.	.	.	.	.	.	.	.	F 67 *144*
.	.	2	5	16	10	3	2	1	.	.	.	.	.	.	.	.	.	.	F 68 *140, 145*
.	.	.	7	11	3	2	3	1	.	.	.	.	.	.	.	.	.	.	F 69 *146, 147*
.	.	1	6	7	4	4	1	.	.	.	.	.	.	.	.	.	.	.	F 70 *148-150*
.	1	.	1	1	2	2	1	1	.	4	6	3	5	6	3	.	.	.	M 71
.	.	.	1	.	1	1	.	1	.	.	1	1	2	2	1	.	.	.	F *151-153*
4	2	.	1	.	.	.	1	1	2	1	3	.	.	.	.	.	.	.	M 72
1	2	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	F *154-156*
1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 73
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *157*

ABSTRACT VII.—(*Continued*).—Northern Ireland: Causes

International List Nos.	CAUSES OF DEATH.		All Ages.	Under 1 day	1 day and less than 7 days	1-4 wks.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	AGES AT 1-	2-	3-	4-	Total under 5 years.
74-77 *158-161*	**XV. Early Infancy.**															
74 *158*	Congenital Debility	M	224	34	52	61	21	16	31	9	224	—	—	—	—	224
		F	156	25	37	38	22	8	20	6	156	—	—	—	—	156
75 *159*	Premature Birth ...	M	218	90	68	41	16	1	2	.	218	—	—	—	—	218
		F	167	59	66	37	3	2	.	.	167	—	—	—	—	167
76 *160*	Injury at Birth ...	M	20	8	10	2	.	.	.	.	20	—	—	—	—	20
		F	12	6	6	.	.	.	.	.	12	—	—	—	—	12
77 *161*	Other Diseases peculiar to Early Infancy	M	40	10	13	13	1	2	1	.	40	—	—	—	—	40
		F	18	4	9	4	.	1	.	.	18	—	—	—	—	18
78 *162*	**XVI. Senility.**															
78 *162*	Senility	M	720	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1,050	.	.	.	.	.	.	.	.	.	.	.	.	.
79-84 *163-198*	**XVII. Violent or Accidental Deaths.**															
79 *163-171*	Suicide	M	51	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.	.	.	.	.	.
80 *172-175*	Homicide	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	1	.	.	.	.	1	.	.	.	.	1
81 *176-194*	Accidents	M	248	4	1	.	2	1	2	3	13	7	5	10	5	40
		F	149	8	1	.	2	.	2	4	17	12	8	6	4	47
82 *195*	Other Violent Deaths, the nature of which (Suicide Homicide, Accident) is unknown ...	M	29	.	.	.	.	.	.	.	.	.	.	.	1	1
		F	8	.	1	.	.	.	.	.	1	1	.	.	.	2
83 *196, 197*	War Wounds (including Execution of Civilians by Belligerents) ...	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
84 *198*	Capital Punishment	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
85 *199, 200*	**XVIII. Causes of Death not determined.**															
85 *199, 200*	Causes not specified or Ill-defined ...	M	75	.	.	1	1	1	.	.	3	2	4	.	.	9
		F	71	.	.	.	.	2	.	.	2	6	1	2	.	11

of Death at different Age-Periods, 1932.

DEATH.																			
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	International List Nos.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 74
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *158*
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 75
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *159*
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 76
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *160*
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M 77
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F *161*
.	.	.	.	.	.	.	.	.	.	3	4	28	133	165	189	122	54	22	M 78
.	.	.	.	.	.	.	.	.	.	2	10	33	177	274	262	164	93	35	F *162*
.	.	2	4	3	1	5	11	5	5	8	1	5	1	.	.	.	.	.	M 79
.	.	3	.	1	1	3	1	2	2	.	6	.	1	.	.	.	.	.	F *163-171*
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 80
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	F *172-175*
14	9	16	21	15	10	9	10	8	6	18	17	13	23	10	4	5	.	.	M 81
4	.	5	5	3	3	4	3	3	5	4	7	10	19	9	13	4	.	1	F *176-194*
1	.	1	1	4	.	2	5	2	3	2	3	3	1	.	.	.	.	.	M 82
.	.	1	.	.	1	.	1	.	.	.	1	.	.	2	.	.	.	.	F *195*
.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	M 83
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *196, 197*
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M 84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F *198*
1	.	1	1	.	1	2	1	7	9	16	8	17	1	.	1	.	.	.	M 85
.	.	2	2	3	3	2	1	.	7	11	11	17	.	.	.	1	.	.	F *199*, 200

ABSTRACT VIII.—Northern Ireland : Uncertified Deaths by Causes, Ages, and Sex, 1932.

International List Nos.	Causes of Death.	All Ages.		-1		1-		5-		10-		15-		25-		35-		45-		55-		65-		75-		85 and over.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1, 2	Typhoid and Paratyphoid Fevers	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough	5	6	4	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	24	36	1	1	.	1	1	.	.	.	.	.	.	1	.	1	1	.	3	3	14	22	4	6	.	1
17	Encephalitis Lethargica ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
18	Cerebro-spinal Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Tuberculosis of Respiratory System	3	11	.	.	.	.	.	.	.	.	1	2	1	5	.	1	1	2	.	1	.	.	.	.	.	.
24-32	Other Tuberculous Diseases	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	1	.	.	.	.	.
34	Syphilis	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
80, 83	General Paralysis of the Insane, Tabes Dorsalis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45-53	Cancer, Malignant Disease...	11	20	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	6	3	8	5	3	.	1
59	Diabetes	5	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	.	1	1	1	.
82	Cerebral Hæmorrhage, etc.	42	66	.	.	.	.	.	.	.	.	1	.	1	.	.	3	1	1	4	13	23	35	10	12	2	2
90-95	Heart Disease	96	86	.	.	.	.	.	.	.	.	1	.	2	2	1	.	6	8	16	20	43	28	21	26	6	2
96	Aneurysm	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
97-103	Other Circulatory Diseases...	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.
106	Bronchitis	40	25	5	2	1	3	1	1	.	.	2	1	.	.	2	.	.	.	2	3	17	7	7	7	3	1
107-109	Pneumonia (all forms) ...	5	4	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.
104, 105 110-114	Other Respiratory Diseases	12	3	.	.	.	1	.	.	.	.	.	2	.	.	1	.	3	.	1	.	5	.	2	.	.	.
117	Peptic Ulcer	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
119	Diarrhœa, etc. (under 2 years)	3	.	2	.	1	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
121	Appendicitis	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
124	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
125-127	Other Diseases of Liver, etc.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
115, 116 118, 120 122, 123 128, 129	Other Digestive Diseases ...	11	8	1	2	1	.	.	.	.	.	.	.	.	.	1	.	1	3	2	.	3	3	2	.	.	.
130-132	Acute and Chronic Nephritis	9	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	1	2	2	2	2	.	.
140, 145	Puerperal Sepsis	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.	—	.
141-144 146-150	Other Puerperal Causes ...	—	1	—	.	—	.	—	.	—	.	—	.	—	.	—	1	—	.	—	.	—	.	—	.	—	.
157-161	Congenital Debility, Premature Birth, Malformations, etc.	65	51	62	51	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
162	Senility	237	336	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	48	55	116	179	72	102
163-171	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
172-178	Other Violence	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
—	Other Defined Diseases ...	30	27	12	5	3	1	.	.	1	1	2	.	2	2	1	4	2	1	3	6	3	5	1	2	.	.
199, 200	Causes Ill-defined or Unknown	53	53	3	1	1	5	.	.	.	.	1	3	1	3	2	1	11	7	20	18	13	14	1	.	.	1
	All Causes	666	748	92	69	12	15	2	1	4	1	9	8	8	14	10	12	28	25	60	72	183	183	174	238	84	110

ABSTRACT IX.—Northern Ireland: Deaths in Institutions, 1923-32.

—	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.
Number of Deaths in—										
Public Lunatic Asylums	326	322	311	359	344	364	450	398	340	400
Workhouses, Workhouse Hospitals, and Infirmaries	1,749	1,840	1,814	2,017	1,837	1,799	1,991	1,764	1,928	2,017
District Hospitals * ...	216	276	296	279	353	310	327	309	345	430
Other Hospitals and Infirmaries	1,065	1,006	1,088	1,231	1,137	1,222	1,263	1,251	1,422	1,332
Own Homes, etc. ...	15,434	16,855	16,275	14,941	14,545	14,309	15,791	13,426	14,014	13,633
Total Deaths ...	18,790	20,299	19,784	18,827	18,216	18,004	19,822	17,148	18,049	17,812

* These buildings were originally workhouse infirmaries, and were converted into district hospitals. These hospitals receive both private patients and patients who are wholly or partly a charge on the poor rate.

ABSTRACT X.—Northern Ireland: Population (including the Armed Forces and Merchant Seamen on shore and in Port) at each of the nine Censuses, 1841-1926.

Year.	Persons.		Males.		Females.	
	Number.	Percentage of Population of Ireland.	Number.	Percentage of Male Population of Ireland.	Number.	Percentage of Female Population of Ireland.
1841	1,648,945	20.1	799,711	19.8	849,234	20.4
1851	1,442,517	21.9	697,842	21.7	744,675	22.2
1861	1,396,453	24.1	667,935	23.5	728,518	24.6
1871	1,359,190	25.1	647,285	24.5	711,905	25.7
1881	1,304,816	25.2	620,839	24.5	683,977	25.9
1891	1,236,056	26.3	590,352	25.5	645,704	27.1
1901	1,236,952	27.7	589,955	26.8	646,997	28.6
1911	1,250,531	28.5	602,539	27.5	647,992	29.5
1926	1,256,561	29.7	608,088	28.8	648,473	30.7

ABSTRACT XI.—Northern Ireland: Estimated Population in the middle of each of the years 1911-32.

Middle of the Years.	Estimated Population.			Middle of the Years.	Estimated Population.		
	Persons.	Males.	Females.		Persons.	Males.	Females.
1911	1,249,000	601,000	648,000	1922	1,269,000	619,000	650,000
1912	1,248,000	601,000	647,000	1923	1,259,000	609,000	650,000
1913	1,243,000	598,000	645,000	1924	1,258,000	608,000	650,000
1914	1,242,000	598,000	644,000	1925	1,257,000	608,000	649,000
1915	1,210,000	565,000	645,000	1926	1,254,000	607,000	647,000
1916	1,205,000	559,000	646,000	1927	1,251,000	605,000	646,000
1917	1,208,000	562,000	646,000	1928	1,250,000	604,000	646,000
1918	1,214,000	566,000	648,000	1929	1,246,000	602,000	644,000
1919	1,250,000	605,000	645,000	1930	1,244,000	602,000	642,000
1920	1,258,000	612,000	646,000	1931	1,251,000	606,000	645,000
1921	1,258,000	610,000	648,000	1932	1,262,000	612,000	650,000

Note.—The populations include the military serving in Northern Ireland.

ABSTRACT XII.—Northern Ireland: Ages of the Population according to the Census of 1926.

Ages	Persons	Males	Females	Ages	Persons	Males	Females	Ages	Persons	Males	Females
Under 1 yr.	25,074	12,850	12,224	20-25	109,229	52,516	56,713	60-65	43,489	21,284	22,205
1- 2	24,498	12,508	11,990	25-30	98,991	45,866	53,125	65-70	39,052	18,773	20,279
2- 3	25,832	13,150	12,682	30-35	82,294	38,017	44,277	70-75	31,620	13,764	17,856
3- 4	25,802	13,095	12,707	35-40	76,379	35,317	41,062	75-80	17,581	7,542	10,039
4- 5	26,573	13,380	13,193	40-45	70,026	32,749	37,277	80-85	8,787	3,673	5,114
5-10	116,937	59,350	57,587	45-50	70,040	33,478	36,562	85-90	3,652	1,504	2,148
10-15	119,689	60,325	59,364	50-55	65,595	32,279	33,316	90-95	880	356	524
15-20	119,879	59,411	60,468	55-60	54,418	26,803	27,615	95 up	244	98	146
								All Ages	1,256,561	608,088	648,473

INDEX to Poor Law Unions or Superintendent Registrars' Districts.

(*C.B.* = *County Borough, M.B.* = *Municipal Borough, U.D.* = *Urban County District, R.D.* = *Rural County District, M.D.D.* = *Medical Dispensary or Registrar's District.*)

Union or Superintendent Registrar's District.	Urban and Rural Districts contained in the Union.
ANTRIM	Ballyclare ... U.D. Antrim ... R.D.
ARMAGH	Armagh ... U.D. Keady ... U.D. Armagh ... R.D.
BALLYCASTLE ...	Ballycastle ... U.D. Ballycastle ... R.D.
BALLYMENA ...	Ballymena ... U.D. Ballymena ... R.D.
BALLYMONEY ...	Ballymoney ... U.D. Portrush ... U.D. Ballymoney ... R.D.
BANBRIDGE ...	Banbridge ... U.D. Dromore ... U.D. Tanderagee ... U.D. Banbridge ... R.D. Tanderagee ... R.D.
BELFAST	Belfast ... C.B. Holywood ... U.D. Belfast ... R.D. Castlereagh ... R.D.
CASTLEDERG ...	Castlederg ... R.D.
CLOGHER ...	Clogher ... R.D.
COLERAINE ...	Coleraine ... M.B. Portstewart ... U.D. Coleraine ... R.D.
COOKSTOWN ...	Cookstown ... U.D. Cookstown ... R.D.
DOWNPATRICK ...	Downpatrick U.D. Downpatrick R.D.
DUNGANNON ...	Dungannon ... U.D. Dungannon ... R.D.
ENNISKILLEN ...	Enniskillen ... U.D. Enniskillen ... R.D.
*IRVINESTOWN ...	Irvinestown ... R.D. Omagh ... ... R.D. (part of, comprising Trillick M.D.D.)
KILKEEL ...	Newcastle ... U.D. Kilkeel ... ... R.D.
LARNE	Carrickfergus ... U.D. Larne ... ... U.D. Whitehead ... U.D. Larne ... ... R.D.
LIMAVADY ...	Limavady ... U.D. Limavady ... R.D.
*LISBURN	Lisburn ... U.D. Lisburn ... R.D. (excepting Aghalee M.D.D.) Hillsborough ... R.D.
LISNASKEA ...	Lisnaskea ... R.D.
LONDONDERRY ...	Londonderry ... C.B. Londonderry ... R.D.
*LURGAN	Lurgan ... ... U.D. Portadown ... U.D. Lurgan ... ... R.D. Lisburn ... R.D. (part of, comprising Aghalee M.D.D.) Moira ... ... R.D.
MAGHERAFELT ...	Magherafelt ... R.D.
NEWRY	Newry ... ... U.D. Warrenpoint ... U.D. Newry No. 1 ... R.D. Newry No. 2 ... R.D.
NEWTOWNARDS ...	Bangor ... ... M.B. Donaghadee ... U.D. Newtownards ... U.D. Newtownards ... R.D.
*OMAGH	Omagh ... ... U.D. Omagh ... ... R.D. (excepting Trillick M.D.D.)
STRABANE ...	Strabane ... U.D. Strabane ... R.D

* It is not possible to compile the numbers of births or deaths for these four Unions, since they do not contain complete Rural Districts.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
by M'Caw, Stevenson & Orr, Ltd., Belfast.

(D410.) Wt.Pubns.111—11. 500. 12/33. Gp.8.