

GOVERNMENT OF NORTHERN IRELAND

THE REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1952

containing general Abstracts of Births, Deaths and
Marriages registered in Northern Ireland during the Year

TOGETHER WITH

Returns of Notifications of Infectious Diseases and
Meteorological Summary

Presented to Parliament pursuant to Statute

BELFAST

HER MAJESTY'S STATIONERY OFFICE

PRICE 3s. 6d. NET

H.C. 1091

GENERAL REGISTER OFFICE,
FERMANAGH HOUSE,
ORMEAU AVENUE,
BELFAST.
20th November, 1953.

TO THE RIGHT HONOURABLE W. B. MAGINESS, Q.C., LL.D.,
Minister of Finance for Northern Ireland.

SIR,

I have the honour to submit the Thirty-First Annual Report on the Births, Deaths, and Marriages registered in Northern Ireland, together with Abstracts of the particulars of such registrations. The Report relates to the year ended 31st December, 1952. The Abstracts have been prepared for presentation to Parliament, pursuant to the provisions of statutes governing the registration system. The Report draws attention to the salient features of the vital statistics contained in the Abstracts, and information is given relating to notifications of infectious diseases, migration and the weather.

I wish to acknowledge the valuable assistance rendered by Dr. J. Boyd, Chief Medical Officer of the Ministry of Health and Local Government, who advises this office in regard to medical matters. I also desire to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland and the Irish Republic, in furnishing information relating to the areas under their respective administrations.

I have the honour to be, Sir,

Your most obedient Servant,

L. C. Mulligan,

Registrar-General of Births, Deaths, and
Marriages for Northern Ireland.

Table of Contents

REPORT

	Page		Page
SUMMARY	6	Deaths—contd.	
POPULATION	6	Bronchitis	22
MARRIAGES		Pneumonia	22
Number and Rate	7	Pregnancy and Childbirth	24
Ages at Marriage	7	Violent Deaths	25
Method of Celebration	7	Uncertified Deaths	27
BIRTHS		Inquests	28
Number and Rate	11	Infant Mortality	28
Proportion of Males to Females	11	Mortality among Illegitimate	
Multiple Births	13	Children	31
DEATHS		MIGRATION	31
Number and Rate	13	THE WEATHER	32
Deaths in Hospitals... ..	13	GENERAL	35
Proportion of Deaths from the		ADMINISTRATION	
Principal Causes	15	Introductory	35
Deaths from the Principal Epidemic		Buildings licensed or registered for	
Diseases	15	Marriages	35
Influenza	16	State of Registration	36
Tuberculosis	16	Legitimacy Act (N.I.), 1928	36
Cancer	19	Adoption of Children Act (N.I.),	
Cerebral Haemorrhage, etc.	21	1950	36
Heart Disease	21	Searches and Certificates	36
		Verifications	36

ABSTRACTS

I. Marriages registered in each of the Counties, showing Method of Celebration	38	IX. Deaths in each of the Counties and County Boroughs, also in the aggregates of the Urban and Rural Areas by causes and at certain Age-periods, distinguishing Males and Females	64
II. Marriages registered in each of the Counties, showing the number registered in each quarter of the year and the Civil Condition of the Persons married	38	X. Births and Deaths in each Administrative Area	84 86
III. Ages of Men at Marriage	39	XI. Population of Northern Ireland by Sexes and Ages according to the Census of 1951	86 88
IV. Ages of Women at Marriage	39	XII. Deaths of Males and Females at different Age-Periods in each of the Counties: Death Rates by Sex and Age-Periods for Northern Ireland	87
V. Ages in combination of Men and Women at Marriage	40	XIII. Proportion of Deaths from Principal Causes at certain Age-Periods	88
VI. Births in each of the Counties, showing the number in each quarter of the year, distinguishing Males and Females	41	XIV. Deaths from Cancer by Sex, Age and Site	90
VII. Deaths in each of the Counties showing the number in each quarter of the year, distinguishing Males and Females	41	XV. Deaths from Cancer in each County and County Borough by Sex and Site	91
VIII. Deaths by causes of Males and Females at different Age-Periods	42		

	<i>Page</i>		<i>Page</i>
XVI. Deaths from the Principal Causes by Quarters, distinguishing Males and Females ...	92	XX. Mortality among Illegitimate Children by causes, 1949-1952	96
XVII. Infant Mortality by causes, 1949-1952 ...	94	XXI. Notifications of certain Infectious Diseases ...	97
XVIII. Infant Mortality in each County and County Borough, also the aggregates of the Urban and Rural Areas, 1949-1952 ...	95	XXII. Northern Ireland, Belfast Co. Borough and Londonderry Co. Borough—Summary of Vital Statistics for the years 1950, 1951 and 1952...	98
XIX. Mortality among Illegitimate Children in each County and County Borough, 1949-1952 ...	95		

DIAGRAMS

I. Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic. ...	8	V. Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic ...	20
II. Birth Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic ...	12	VI. Death Rates from Cancer and Tuberculosis in Northern Ireland ...	23
III. Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic....	14	VII. Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic ...	25
IV. Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and the Irish Republic ...	18	VIII. Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic.	30

Thirty-First Annual Report of the Registrar - General for Northern Ireland

SUMMARY

The total number of births in Northern Ireland was 28,760, an increase of 283 over that for the previous year. The number reached its peak in 1943 when 31,521 births were registered. Numbers fluctuated between the years 1944 to 1946, and in 1947 31,254 births were registered, since then the number decreased each year until the year 1952. The birth rate, per 1,000 of the estimated population, was 20.9, which compares with 20.7 for the previous year and an average rate of 19.8 for the period 1936-1940.

Illegitimate births, which are included in the figure above, numbered 959, and apart from the year 1951, when the figure was 895, is the lowest on record.

The number of marriages in 1952 was 9,300 as compared with 9,414 in 1951 and 9,084 in 1950. The marriage rate was 6.8 and was below the average rate of 7.1 for the five years 1936-1940.

Deaths registered during the year numbered 14,812. The death rate of 10.8 was the lowest ever recorded and compares with 12.8 for 1951 and the average rate of 14.3 for the five years 1936-1940.

The infant mortality and maternal mortality rates are the lowest ever recorded.

The decline in the number of deaths from tuberculosis was continued in 1952, and the mortality rate of 0.30 per 1,000 of the estimated population is the lowest on record.

Heart diseases accounted for the highest proportion of the total deaths, 32.7 per cent, as compared with an average proportion of 20.3 per cent for the five years 1936-1940.

The estimated population at 30th June, 1952, was 1,374,700. There was a natural increase of 13,311 in the population in the year ended 30th June, 1952. This was reduced by a balance of outward over inward migration estimated at 11,064.

POPULATION

The home population of Northern Ireland as estimated at 30th June, 1952 was 1,374,700 persons. This estimate, comprising civilians and members of the armed forces stationed in Northern Ireland and based on the census population ascertained on 8th April, 1951, has been used to calculate the rates (relating to 1952) for the country as a whole. The rates for the various divisions of the country have also been based on the estimated home population as at 30th June, 1952.

Table A gives the population figures, as estimated at 30th June, 1952, for Counties and County Boroughs, together with the aggregates of the urban and rural areas. The populations as ascertained at the censuses of 1911, 1926, 1937 and 1951 are also shown. The 1951 census populations for each Local Administrative Area are given in Abstract X.

TABLE A.—*Populations of Counties, County Boroughs and Urban and Rural Areas as recorded at the censuses of 1911, 1926, 1937 and 1951, and as estimated at mid-year, 1952.*

AREA	Census 1911	Census 1926	Census 1937	Census 1951*	Mid-Year Estimate 1952
Northern Ireland	1,250,531	1,256,561	1,279,745	1,370,933	1,374,700
Total Urban Areas	586,694	637,719	677,545	728,284	730,300
Total Rural Areas	663,837	618,842	602,200	642,649	644,400
Belfast County Borough ..	386,947	415,151	438,086	443,680	444,200
Londonderry County Borough	40,780	45,159	47,813	50,095	50,900
Counties :					
Antrim	193,864	191,643	197,266	231,145	232,000
Armagh	120,291	110,070	108,815	114,255	114,400
Down	204,303	209,228	210,687	241,184	240,900
Fermanagh	61,836	57,984	54,569	53,044	53,200
Londonderry†	99,845	94,534	94,923	105,448	106,600
Tyrone	142,665	132,792	127,586	132,082	132,500

* Preliminary figures.

† Excluding County Borough.

MARRIAGES

Number and Rate.—Marriages registered during the year numbered 9,300 which is 114 less than the previous year. The rate 6.77 per 1,000 of the estimated population is 0.09 below that for the year 1951. Of the total marriages 94.0 per cent. were between bachelors and spinsters, 3.4 per cent. between widowers and spinsters, 1.3 per cent. between bachelors and widows and 1.3 per cent. between widowers and widows. Thus, 4.7 per cent. of the men married during the year were widowers and 2.6 per cent. of the women were widows or, in 6 out of every 100 marriages, one or both of the contracting parties had been married before. It should be noted that for the purpose of these calculations, divorced men and women who marry are included with bachelors and spinsters respectively.

Ages at Marriage.—The average age of men marrying in 1952 was 29.8 and of women 26.2. Of the contracting parties 5.4 per cent. of the husbands and 19.5 per cent. of the wives were minors. These figures show little or no change when compared with 1951. Further statistics will be found in Abstracts III, IV and V.

Method of Celebration.—Table E shows for Northern Ireland the marriages registered during the years 1927, 1937 and 1947 to 1952 according to methods of celebration. The religious denominations are placed in the order of the number of members at the last Census.

DIAGRAM 1.—Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52.




TABLE B.—Northern Ireland: Population, Marriages, Births, and Deaths, 1941-1952, with Quinquennial Averages from year 1911.

YEAR	Estimated Mid-Year Population	Marriages	Births (Total)	Illegitimate Births	Deaths	Deaths of Infants under 1 year of Age
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970
1941	1,288,000*	11,966	26,887	1,297	19,640*	2,059
1942	1,296,000*	11,673	29,645	1,467	17,256*	2,265
1943	1,302,000*	10,155	31,521	1,728	17,437*	2,484
1944	1,316,000*	9,508	30,900	1,737	16,791*	2,083
1945	1,317,000*	10,452	29,007	1,569	16,264*	1,975
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169
1946	1,333,000*	9,801	30,134	1,319	16,666*	1,626
1947	1,339,000*	9,517	31,254	1,179	16,913*	1,658
1948	1,351,000*	9,360	29,532	1,072	15,125*	1,347
1949	1,360,000*	9,216	29,106	1,066	15,652*	1,317
1950	1,369,000*	9,084	28,794	986	15,839	1,166
1946-50	1,350,000*	9,396	29,764	1,124	16,039	1,423
1951	1,373,000	9,414	28,477	895	17,628	1,173
1952	1,375,000	9,300	28,760	959	14,812	1,117

NOTE—For Births and Deaths in each Urban and Rural District, see Abstract X.

TABLE C.—Northern Ireland: Annual Marriage, Birth, and Death Rates, and Deaths of Infants under 1 year per 1,000 births, 1941-52, with Quinquennial Averages from 1911.

YEAR	Rates per 1,000 of Estimated Population			Illegitimate Births Per cent. of Total Births	Deaths of Infants under 1 year of Age per 1,000 Live Births
	Marriages	Births	Deaths		
1911-15	6.1	24.0	17.7	4.37	102
1916-20	6.7	22.5	18.0	4.56	95
1921-25	6.3	23.1	15.6	4.29	82
1926-30	5.9	21.2	14.8	4.73	79
1931-35	6.2	20.0	14.3	5.02	78
1936-40	7.1	19.8	14.3	4.61	77
1941	9.3	20.9	15.2†*	4.82	77
1942	9.0	22.9	13.3*	4.95	76
1943	7.8	24.2	13.4*	5.48	78
1944	7.2	23.5	12.8*	5.62	67
1945	7.9	22.0	12.3*	5.41	68
1941-45	8.2	22.7	13.4*	5.27	73
1946	7.4	22.6	12.5*	4.37	54
1947	7.1	23.3	12.6*	3.77	53
1948	6.9	21.9	11.2*	3.63	46
1949	6.8	21.4	11.5*	3.66	45
1950	6.6	21.0	11.6	3.42	40
1946-50	7.0	22.0	11.9	3.78	48
1951	6.9	20.7	12.8	3.14	41
1952	6.8	20.9	10.8	3.33	39

* Civilians only. † Civilian death rate (excluding air raid casualties) 14.6.

TABLE D.—*Comparative Statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1948-1952.*

MARRIAGE RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5.8	7.2	6.4	4.6
1937	6.7	8.8	7.7	5.0
1948	6.9	9.1	8.5	5.4
1949	6.8	8.5	8.1	5.4
1950	6.6	8.2	7.8	5.4
1951	6.9	8.2	8.1	5.4
1952	6.8	8.0	8.0	5.3†

BIRTH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22.5	17.8	21.1	20.6
1937	19.8	14.9	17.6	19.2
1948	21.9	17.8	19.4	22.0
1949	21.4	16.7	18.5	21.5
1950	21.0	15.8	17.9	21.4
1951	20.7	15.5	17.7	21.2
1952	20.9	15.3	17.7	21.8†

DEATH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15.0	11.6	13.1	14.1
1937	15.1	12.4	13.9	15.3
1948	11.2*	11.0*	11.8	12.1
1949	11.5*	11.8*	12.3	12.7
1950	11.6	11.6	12.4	12.7
1951	12.8	12.5	12.9	14.3
1952	10.8	11.3	12.0	11.9†

INFANT MORTALITY RATES PER 1,000 LIVE BIRTHS				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	85	70	83	74
1937	77	58	80	73
1948	46	34	45	50
1949	45	32	41	53
1950	40	30	39	46
1951	41	30	37	46
1952	39	28	35	41†

DEATHS FROM TUBERCULOSIS (ALL FORMS) PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	1.47	0.96	1.00	1.47
1937	0.98	0.68	0.74	1.23
1948	0.69	0.51	0.75	1.04
1949	0.59	0.46	0.67	0.91
1950	0.48	0.36	0.54	0.80
1951	0.45	0.32	0.43	0.73
1952	0.30	0.24	0.32	0.54†

* Civilian Death Rates.

† Provisional.

Marriages taking place in Registrars' Offices in the year under review represented 7.3 per cent. of the total marriages as compared with 7.4 in the previous year and 6.7 per cent. in 1930.

TABLE E.—*Northern Ireland : Marriages Registered, according to Methods of celebration, 1927, 1937, 1947-52.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	In Other Churches	In Registrars' Offices	Jewish	Total Marriages Registered	Total Marriage Rate per 1,000 of Estimated Population
1927	2,091	2,074	2,150	235	233	388	4	7,175	5.74
1937	2,396	2,473	2,426	426	247	647	8	8,623	6.73
1947	2,613	3,003	2,359	479	318	736	9	9,517	7.11
1948	2,624	2,927	2,314	494	285	709	7	9,360	6.93
1949	2,617	2,812	2,295	475	278	730	9	9,216	6.78
1950	2,638	2,815	2,278	460	242	644	7	9,084	6.64
1951	2,723	2,975	2,270	446	304	694	2	9,414	6.86
1952	2,731	2,845	2,244	487	314	676	3	9,300	6.77

BIRTHS

Number and Rate.—The births registered during the year numbered 28,760, an increase of 283 as compared with the previous year. The birth rate was 20.9 per 1,000 of the estimated population, being 0.2 above the rate for the previous year. Illegitimate births numbered 959, an increase of 64 as compared with the number recorded for 1951, the proportion to total births (3.33 per cent.) being 0.19 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total births in the year 1952 were 4.8, 4.8 and 2.5 respectively. The figure for the Irish Republic is provisional.


TABLE F.—*Northern Ireland : Births and Birth Rates by Counties, 1949-1952.*

Area	Number of Births				Birth Rate per 1,000 of the population			
	1949	1950	1951	1952	1949	1950	1951	1952
Northern Ireland ..	29,106	28,794	28,477	28,760	21.4	21.0	20.7	20.9
All Urban Areas ..	15,357	14,990	14,851	14,698	21.2	20.5	20.3	20.1
All Rural Areas ..	13,749	13,804	13,626	14,062	21.6	21.7	21.2	21.8
Belfast County Borough	9,185	8,834	8,789	8,506	20.2	19.6	19.8	19.1
Londonderry County Borough ..	1,394	1,346	1,376	1,412	28.1	27.1	27.4	27.7
County Antrim ..	4,659	4,766	4,801	4,812	21.0	20.9	20.7	20.7
County Armagh ..	2,497	2,432	2,326	2,442	22.1	21.3	20.3	21.3
County Down ..	4,664	4,685	4,670	4,689	19.9	19.7	19.3	19.5
County Fermanagh ..	1,174	1,140	1,128	1,167	21.9	21.2	21.2	21.9
*County Londonderry ..	2,500	2,449	2,412	2,524	24.1	23.5	22.8	23.7
County Tyrone ..	3,033	3,142	2,975	3,208	23.3	23.8	22.5	24.2

* Excluding County Borough.

Proportion of Males to Females.—Births of males in Northern Ireland in 1952 numbered 14,846 and those of females 13,914 ; the proportion of male to female births was therefore 1,067 to 1,000. The corresponding proportions for each of the years 1947-51 were 1,050, 1,070, 1,067, 1,073 and 1,058 respectively.

DIAGRAM II.--Birth Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52.



Multiple Births.—Of the 28,760 children whose births were registered during the year, 28,009 were born singly, 742 children were twins, and 9 were triplets. Thus, there were 371 births of twins and 3 of triplets during 1952, compared with 374 and 6 respectively during 1951. Still-births not being registered in Northern Ireland, a birth of one live child and one still-born child is regarded as a single birth, a birth of two live children and one still-born child as a twin birth.

DEATHS

Number and Rate.—The number of deaths recorded during the year 1952, and the death rate per 1,000 of the population, were 14,812 and 10.8 respectively. The comparative figures for 1951 were 17,628 and 12.8.

Of the total deaths, 7,666 were of males and 7,146 were of females, the equivalent annual death rates being 11.4 and 10.1 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1951 were 13.3 and 12.4.

According to the ages stated to Registrars, 8.6 per cent. of the total deaths were of children under 5 years of age and 62.4 per cent. were of persons aged 65 and upwards. There were 80 deaths of persons (21 males and 59 females) aged 95 and upwards; 3 of these deaths (1 male and 2 females) were of persons whose ages at death were returned as 100 years.

TABLE G.—*Northern Ireland: Deaths and Death Rates by Counties, 1949-1952.*

Area	Number of Deaths				Death Rate per 1,000 of population			
	1949	1950	1951	1952	1949	1950	1951	1952
Northern Ireland ..	15,652	15,839	17,628	14,812	11.5	11.6	12.8	10.8
All Urban Areas ..	8,326	8,370	9,189	7,807	11.5	11.4	12.5	10.7
All Rural Areas ..	7,326	7,469	8,439	7,005	11.5	11.7	13.1	10.9
Belfast County Borough	5,226	5,082	5,433	4,778	11.5	11.3	12.2	10.8
Londonderry County Borough ..	569	559	630	507	11.5	11.2	12.5	10.0
County Antrim ..	2,463	2,589	2,837	2,234	11.1	11.3	12.3	9.6
County Armagh ..	1,290	1,400	1,557	1,250	11.4	12.3	13.6	10.9
County Down ..	2,645	2,725	3,022	2,691	11.3	11.5	12.5	11.2
County Fermanagh ..	693	643	794	660	12.9	11.9	14.9	12.4
*County Londonderry ..	1,141	1,196	1,375	1,126	11.0	11.5	13.0	10.6
County Tyrone ..	1,625	1,645	1,980	1,566	12.5	12.5	15.0	11.8

* Excluding County Borough.

Deaths in Hospitals.—The number of deaths occurring in hospitals in each of the years 1943-52 is shown in Table H. 35.5 per cent. of the deaths registered in 1952 took place in hospitals (3.0 per cent. in mental hospitals), and the remaining 64.5 per cent. occurred in the deceased person's own home, in private nursing homes, or in places other than hospitals. The percentage of deaths which took place in hospitals in 1924 was 17.0.

DIAGRAM III.—Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52




TABLE H.—*Northern Ireland : Deaths in Hospitals, 1943-52.*

	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
Number of Deaths in :—										
Mental Hos- pitals ..	570	424	409	326	400	393	405	489	495	446
General Hos- pitals ..	5,570	4,840	4,702	4,746	4,883	4,562	4,692	4,719	5,061	4,814
*Own Homes, etc.	11,297	11,527	11,153	11,594	11,630	10,170	10,555	10,631	12,072	9,552
Total Deaths ..	17,437	16,791	16,264	16,666	16,913	15,125	15,652	15,839	17,628	14,812
Percentage of deaths in Hos- pitals. ..	35.2	31.3	31.4	30.4	31.2	32.8	32.6	32.9	31.5	35.5

*Including deaths in nursing homes.

Proportion of Deaths from the Principal Causes.—Abstract XIII shows the deaths from the principal causes as proportions per 1,000 of the total deaths in certain age groups. It will be seen from this abstract that, for all ages taken together, heart disease bears the greatest proportion to the total deaths, which is the usual experience ; and that the deaths from this cause occur mainly among persons of fairly advanced ages. The proportions were high also for cancer, vascular lesions affecting central nervous system, pneumonia, bronchitis and tuberculosis.

At ages under one year, apart from premature birth and congenital malformations, the highest proportions of deaths were caused by pneumonia, birth injuries, etc., and diarrhoea.

Between the ages of one and ten the highest proportions were caused by motor vehicle and other accidents, tuberculosis (deaths from which are mainly due to tuberculosis of the central nervous system), pneumonia, diseases of the digestive system, and congenital malformations, etc.

Between the ages of ten and thirty-five, tuberculosis (principally of the respiratory system) caused by far the largest proportion of deaths. The proportions from accidents, heart diseases and cancer were also high.

From age thirty-five onwards, heart disease, cancer, vascular lesions affecting central nervous system, tuberculosis, bronchitis, pneumonia, nephritis and diseases of the digestive system were responsible for the largest proportions of the total mortality.

Table J shows for each of the principal causes the numbers of deaths and the death rates for each year since 1949.

Deaths from the Principal Epidemic Diseases.—The diseases included in this group are typhoid and paratyphoid fever, scarlet fever, whooping cough, diphtheria and dysentery, influenza, smallpox, measles, typhus and diarrhoeal diseases of children under 2 years of age. The total number of such deaths was 169 giving a rate of 0.12 per 1,000 population, the corresponding figures for 1951 being 1,018 and 0.74 respectively. It should

be noted that the substantial reduction from the previous year is due mostly to the decrease in the number of deaths from influenza particulars of which are given below.

It is gratifying to state that, for the first time, since comparable records have been maintained no deaths were recorded as due to diphtheria. The remarkable decline in this disease has been practically continuous since 1941 when 133 deaths were returned. The number of deaths of children under two years of age from diarrhoeal diseases was 73 as compared with 87 for the previous year and an average of 134 for the five preceding years. The number for 1952 is the lowest ever recorded for any year. There were as usual, no deaths from typhus and there have been no deaths from smallpox in Northern Ireland since 1920. Of the remaining diseases in this group the number of deaths from typhoid and paratyphoid fever, scarlet fever, dysentery, influenza and measles show decreases whilst the number from whooping cough shows a slight increase.

The notifications of certain infectious diseases for each District in Northern Ireland for the year 1952 are shown in Abstract XXI, and the diseases named are those laid down by Regulations (issued by the Ministry of Health and Local Government) as compulsorily notifiable throughout Northern Ireland. The Abstract does not include certain diseases of which no cases were notified during the year. It should be noted that, as regards measles and whooping cough, only the first case of either of these diseases in a household during each outbreak is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

Influenza.—Deaths from influenza numbered 61 representing a rate of 0.04 per 1,000 population as compared with the abnormally high figures of 833 deaths and a rate of 0.64 in 1951. As is usually the case, mortality from this disease was the highest in the first quarter of the year.


Tuberculosis.—The death rate from this cause was 0.30 per 1,000 of the population as against 0.45 in 1951 and the average rate of 0.59 for the five years 1947-51. The death rate for 1952 is the lowest ever recorded, the next lowest being that for 1951. Diagram IV shows that the death rate in Northern Ireland from all forms of tuberculosis has declined very steadily since 1926. The only break in the general trend of improvement occurs during the period covered by the war years, and it will be noticed from the diagram that this rise was experienced in all other parts of the British Isles. The corresponding rates for England and Wales, Scotland and the Irish Republic in 1952 were 0.24, 0.32, and 0.54 respectively. The rate for the Irish Republic is provisional

From Abstract XIII it will be seen that tuberculous diseases have caused

TABLE J.—Northern Ireland : Number of Deaths from the Principal Causes, Death Rates per 100,000 of Estimated Population, and the Number and Percentage of Uncertified Deaths, 1949-52.

Detailed List Nos.	CAUSES OF DEATH	Number of Deaths				Rate per 100,000 popltn.			
		1949	1950	1951	1952	1949	1950	1951	1952
001-008	Tuberculosis of respiratory system ..	649	524	495	325	47.7	38.3	36.1	23.6
010-019	Tuberculosis, other forms ..	149	137	122	85	11.0	10.0	8.9	6.2
020-029	Syphilis and its sequelae ..	48	48	42	33	3.5	3.5	3.1	2.4
040	Typhoid fever ..	4	5	2	2	0.3	0.4	0.1	0.1
043	Cholera
045-048	Dysentery, all forms ..	3	.	6	.	0.2	.	0.4	.
050, 051	Scarlet fever and streptococcal sore throat ..	1	3	3	1	0.1	0.2	0.2	0.1
055	Diphtheria ..	10	6	2	.	0.7	0.4	0.1	.
056	Whooping cough ..	41	30	18	22	3.0	2.2	1.3	1.6
057	Meningococcal infections ..	7	9	11	9	0.5	0.7	0.8	0.7
058	Plague
080	Acute poliomyelitis ..	4	25	10	7	0.3	1.8	0.7	0.5
084	Smallpox
085	Measles ..	8	12	9	8	0.6	0.9	0.7	0.6
100-108	Typhus and other rickettsial diseases
110-117	Malaria
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other infective and parasitic diseases	59	40	57	39	4.3	2.9	4.2	2.9
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	1,964	2,091	2,034	2,020	144.4	152.8	148.1	146.9
	(a) Cancer ..	53	75	66	81	3.9	5.4	4.8	5.9
210-239	(b) Hodgkin's disease and leukaemia ..	68	65	51	57	5.0	4.7	3.7	4.1
260	Benign and unspecified neoplasms ..	84	93	88	75	6.2	6.8	6.4	5.5
290-293	Diabetes mellitus ..	72	75	83	67	5.3	5.5	6.0	4.9
330-334	Anaemias
	Vascular lesions affecting central nervous system ..	1,680	1,719	1,983	1,928	123.6	125.6	144.4	140.2
340	Nonmeningococcal meningitis ..	18	11	14	20	1.3	0.8	1.0	1.5
400-402	Rheumatic fever ..	51	58	40	41	3.8	4.2	2.9	3.0
410-416	Chronic rheumatic heart disease ..	217	215	208	188	16.0	15.7	15.2	13.7
420-422	Arteriosclerotic and degenerative heart disease ..	3,612	3,939	4,254	3,705	265.6	287.1	310.0	269.5
430-434	Other diseases of the heart ..	443	488	592	507	32.6	35.6	43.1	36.9
440-443	Hypertension with heart disease ..	468	404	453	442	33.8	29.5	33.0	32.2
444-447	Hypertension without mention of heart ..	153	145	160	156	11.2	10.6	11.7	11.3
480-483	Influenza ..	97	157	883	61	7.1	11.5	64.3	4.4
490-493	Pneumonia ..	583	598	768	549	42.9	43.7	56.0	39.9
500-502	Bronchitis ..	512	547	642	400	37.7	40.0	46.8	29.1
540, 541	Ulcer of stomach and duodenum ..	124	91	108	105	9.1	6.6	7.9	7.6
550-553	Appendicitis ..	46	27	25	18	3.4	2.0	1.8	1.3
560, 561, 570	Intestinal obstruction and hernia ..	77	106	88	91	5.7	7.7	6.4	6.6
543, 571	Gastritis, duodenitis, enteritis and colitis except diarrhoea of new born ..	204	120	139	121	15.0	8.8	10.1	8.8
572	Cirrhosis of liver ..	21	31	32	34	1.5	2.3	2.3	2.5
581	Nephritis and nephrosis ..	270	247	217	191	19.9	18.0	15.8	13.9
590-594	Hyperplasia of prostate ..	198	172	145	127	14.7	12.6	10.6	9.2
610	Complications of pregnancy, childbirth and the puerperium ..	38	32	31	31	2.8	2.3	2.3	2.3
640-652	Congenital malformations ..	204	197	215	257	15.0	14.4	15.7	18.7
670-689	Birth injuries, postnatal asphyxia and atelectasis ..	184	183	241	236	13.5	13.4	17.6	17.2
763-768	Infections of the newborn ..	69	52	47	41	5.1	3.8	3.4	3.0
769-776	Other diseases peculiar to early infancy, and immaturity unqualified ..	316	334	296	262	23.2	24.4	21.6	19.1
780-785	Senility without mention of psychosis, ill-defined and unknown causes ..	1,162	957	1,111	837	85.4	69.9	80.9	60.9
	All other causes ..	1,197	1,250	1,283	1,163	83.6	91.3	93.5	84.6
E810-E835	Motor vehicle accidents ..	130	123	159	120	9.6	9.0	11.6	8.7
E800-E802, E840-E862	All other accidents ..	293	356	332	303	21.5	26.1	24.2	22.0
E963, E970-E979	Suicide and self-inflicted injury ..	56	48	56	41	4.1	3.5	4.1	3.0
E980-E999	Homicide and operations of war ..	5	3	7	6	0.4	0.1	0.5	0.4
	ALL CAUSES ..	15,652	15,839	17,628	14,812	1151.1	1157.0	1284.3	1077.5
	Number and percentage of uncertified deaths ..	334	272	312	245	2.1	1.7	1.8	1.7

DIAGRAM IV.—Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52.



194 deaths in every 1,000 between the ages of 15 and 25, and 257 per 1,000 between 25 and 35. Further, from Abstract VIII it appears that 27 per cent. of the deaths from all forms of tuberculous disease during 1952 occurred between the ages of 15 and 35, as compared with 31 per cent. in 1951.

Tuberculosis is in general more prevalent in the cities and towns than in the country districts. In 1952 the rate per 1,000 of the population for all urban areas was 0.36 and for rural areas 0.23. The rates in 1951 were 0.55 and 0.33 respectively.

Tuberculosis of the respiratory system accounted for 79.3 per cent. of the total deaths from tuberculosis, as compared with 80.2 per cent. in 1951.

TABLE K.—*Northern Ireland : Deaths and Death Rate from Tuberculosis (All Forms), 1926, 1937 and 1947-1952.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926 ..	849	1.40	992	1.53	1,841	1.47
1937 ..	627	1.00	624	0.95	1,251	0.98
1947 ..	530	0.81	444	0.65	974	0.73
1948 ..	492	0.75	440	0.64	932	0.69
1949 ..	427	0.64	371	0.54	798	0.59
1950 ..	356	0.53	305	0.43	661	0.48
1951 ..	342	0.51	275	0.39	617	0.45
1952 ..	236	0.35	174	0.25	410	0.30

TABLE L.—*Northern Ireland : Death Rates per 1,000 of the Population from Tuberculosis (All Forms) by Counties, 1926, 1937 and 1947-52.*

YEAR	Antrim	Armagh	Belfast County Borough	Down	Fermanagh	Londonderry excluding County Borough	Londonderry County Borough	Tyrosse
1926	1.29	1.38	1.74	1.43	0.98	1.25	1.37	1.38
1937	0.81	1.14	1.16	0.85	1.03	0.56	1.11	0.92
1947	0.63	0.80	0.77	0.74	0.62	0.68	0.84	0.69
1948	0.61	0.72	0.72	0.68	0.69	0.57	0.87	0.74
1949	0.53	0.52	0.71	0.49	0.41	0.50	0.71	0.57
1950	0.43	0.41	0.60	0.39	0.35	0.34	0.97	0.39
1951	0.31	0.34	0.59	0.44	0.41	0.25	0.56	0.46
1952	0.20	0.32	0.38	0.29	0.13	0.29	0.39	0.26

The Abstracts of causes of death give particulars regarding the sexes and ages of the persons who died from the various forms of tuberculous disease during the year, and also the deaths from tuberculosis allocated to each county and to each administrative area in Northern Ireland.

Table K affords comparison of the summarised figures for 1952 with those for certain preceding years. Table L shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast and Londonderry County Boroughs.

Cancer.—The number of deaths from cancer in Northern Ireland during 1952 was 2,020, giving a death rate of 1.47 per 1,000 of the population, which is 0.01 below the rate for 1951 and is the same as the average rate for the previous five years. From Diagram V. it can be seen that the general tendency has been for this rate to show a more or less steady increase, except for the past two years which show very slight decreases.

DIAGRAM V.—Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-1952.




Diagram VI compares the death rates from tuberculosis and cancer ; and from this it can be seen that, prior to 1931, tuberculosis accounted for a greater number of deaths, whereas since that date cancer has proved the more dangerous.

The death rates from cancer among males and females were 1.52 and 1.42 respectively. In 1951 the male and female rates were 1.56 and 1.41 respectively.

The most frequent sites of fatal cancer among males during the year were stomach, 253 ; trachea, bronchus and lungs, 162 ; intestines, 127 ; prostate, 80 ; rectum, 75 ; pancreas, 41 ; and oesophagus, 32. Among females the most frequent sites were stomach, 190 ; breast, 163 ; intestines, 127 ; uterus, 113 ; rectum, 47 ; and ovary, fallopian tube and broad ligaments, 39.

Abstract XIV gives particulars regarding sex, age and sites of fatal cancer during the year 1952. Whilst Abstract XV shows the number of deaths, by sex and site, in each County and County Borough.

TABLE M.—*Northern Ireland: Death and Death Rates from Cancer, 1926, 1937 and 1947-52.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926 ..	619	1.02	791	1.22	1,410	1.12
1937 ..	777	1.25	891	1.36	1,668	1.30
1947 ..	974	1.50	988	1.44	1,962	1.47
1948 ..	933	1.42	1,030	1.49	1,963	1.45
1949 ..	984	1.49	980	1.41	1,964	1.44
1950 ..	1,047	1.57	1,044	1.49	2,091	1.53
1951 ..	1,041	1.56	893	1.41	2,034	1.48
1952 ..	1,015	1.52	1,005	1.42	2,020	1.47

Cerebral Haemorrhage, Apoplexy, etc.—The deaths assigned to this group (now described as “Vascular lesions affecting central nervous system”) numbered 1,928, giving a rate of 1.40 per 1,000 of the population. This rate is 0.04 below that for 1951, and is 0.13 above the average rate for the period 1947-51.

Heart Disease.—The deaths from the various forms of heart disease during the year numbered 4,842, the rate per 1,000 of the population being 3.52, which is 0.49 below that for the previous year. The average rate for the quinquennium 1947-51 was 3.56. The death rate from this disease has been more or less steadily increasing over a number of years.

TABLE N.—*Northern Ireland: Deaths and Death Rates from Heart Disease (All Forms), 1926, 1937 and 1947-52.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926 ..	1,241	2.04	1,437	2.22	2,678	2.14
1937 ..	1,885	3.02	1,815	2.76	3,700	2.89
1947 ..	2,371	3.64	2,291	3.33	4,662	3.48
1948 ..	2,229	3.39	2,075	2.99	4,304	3.19
1949 ..	2,396	3.62	2,276	3.26	4,672	3.44
1950 ..	2,602	3.90	2,435	3.47	5,037	3.68
1951 ..	2,785	4.16	2,722	3.87	5,507	4.01
1952 ..	2,551	3.81	2,291	3.25	4,842	3.52

Bronchitis.—The deaths from bronchitis during the year numbered 400, giving a rate of 0.29 per 1,000 of the population, which is 0.18 below the rate of 1951.


Pneumonia.—It should be noted that in the various tables and abstracts deaths from pneumonia are included under two headings. The general heading "Pneumonia" includes deaths of all persons aged over four weeks, and the heading "Infections of the Newborn" includes deaths from pneumonia of children under four weeks old.

Total deaths from pneumonia (under both headings) numbered 588 during the year 1952, the rate per 1,000 of the population being 0.43, compared with a rate of 0.59 in 1951. The rate for 1952 is 0.8 below the average rate for the five preceding years.

TABLE O.—*Northern Ireland : Deaths of Women in Pregnancy and Childbirth, 1952.*

Detailed List Nos.	Causes of Death	All Ages	Ages						
			15-	20-	25-	30-	35-	40-	45 and upwards
	DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE :								
640	Pyelitis and pyelonephritis of pregnancy
641	Other infections of genito-urinary tract during pregnancy ..	1	.	.	1
642	Toxaemias of pregnancy ..	10	1	.	.	2	4	3	.
643, 644	Haemorrhage of pregnancy ..	1	.	1
645	Ectopic pregnancy ..	1	1	.	.
646-649	Other complications arising from pregnancy ..	2	.	.	.	1	1	.	.
651	Abortion with sepsis
652	" " toxaemia
650	" " without mention of sepsis or toxaemia ..	3	.	.	1	1	1	.	.
670	Delivery complicated by placenta praevia
671	Delivery complicated by retained placenta ..	1	.	1
672	Delivery complicated by other postpartum haemorrhage ..	3	.	.	1	2	.	.	.
673-678	Delivery with other complications of childbirth ..	1	1	.	.
680	Puerperal urinary infection without other sepsis
681	Sepsis of childbirth and the puerperium ..	2	.	.	.	2	.	.	.
682	Puerperal phlebitis and thrombosis ..	1	.	.	.	1	.	.	.
684	Puerperal pulmonary embolism ..	4	.	.	2	1	1	.	.
685, 686	Puerperal toxaemia
683	Other complications of the puerperium ..	1	.	.	1
687-689									
	TOTAL ..	31	1	2	6	10	9	3	
	DISEASES OR CAUSES COMBINED WITH PREGNANCY OR CHILDBIRTH ..								
334	Vascular lesions affecting central nervous system ...	1	.	1
345	Multiple sclerosis ..	1	1	.
400	Rheumatic fever ...	1	.	.	.	1	.	.	.
410	Chronic rheumatic heart disease ..	3	1	.	2
420-422	Arteriosclerotic and degenerative heart disease ...	2	2	.
592	Chronic nephritis ..	1	.	.	1
600	Infections of kidney ..	1	.	.	.	1	.	.	.
754	Congenital malformation of circulatory system ...	1	.	.	.	1	.	.	.
	TOTAL ..	11	1	1	3	3	.	3	.

DIAGRAM VI.—Death Rates from Tuberculosis and Cancer in Northern Ireland, 1926-1952.



Pregnancy and Childbirth.—The mortality of women during pregnancy and childbirth is classified under two headings, namely — (1) diseases of pregnancy, childbirth and puerperal state, and (2) diseases or causes combined with pregnancy or childbirth. The causes of death shown in Table O are those to which the various deaths were assigned.

From Table P it will be seen that the deaths from diseases of pregnancy, childbirth and the puerperal state in 1952 yielded a rate of 1.08 per 1,000 live births, which is a decrease of 0.01 as compared with the rate for 1951. The rate for 1952 is the lowest on record. The next lowest rate (1.09) was that recorded for 1951.

The rate for diseases combined with pregnancy and childbirth increased from 0.28 in 1951 to 0.38 in the year under review.

TABLE P.—*Northern Ireland : Deaths of Women in Pregnancy and Childbirth, 1926, 1937, and 1947-52.*

YEAR	Deaths from Diseases of Pregnancy, Childbirth and the Puerperal State (classified as Childbirth).								Deaths from Diseases or Causes combined with Pregnancy and Childbirth (not classed as Childbirth).	
	Puerperal and Post Abortive Sepsis		Haemorrhage of Childbirth		Other Maternal Causes		Total Puerperal Diseases		No.	Rate per 1,000 Live Births
	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births		
1926	49	1.74	12	0.43	97	3.44	158	5.61	17	0.60
1937	31	1.22	22	0.87	74	2.91	127	5.00	37	1.46
1947	10	0.32	19	0.61	29	0.92	58	1.85	16	0.51
1948	6	0.20	14	0.47	25	0.85	45	1.52	10	0.34
1949	8	0.27	7	0.24	23	0.79	38	1.30	10	0.34
1950	3	0.10	8	0.28	21	0.73	32	1.11	9	0.31
1951	6	0.21	4	0.14	21	0.74	31	1.09	8	0.28
1952	7	0.24	4	0.14	20	0.70	31	1.08	11	0.38


TABLE Q.—*Northern Ireland : Deaths of Women in Pregnancy and Childbirth in Urban and Rural Areas, and in each County and County Borough 1949-1952.*

Area	Number of Deaths				Maternal Mortality Rate per 1 000 Live Births			
	1949	1950	1951	1952	1949	1950	1951	1952
Northern Ireland ..	38	32	31	31	1.30	1.11	1.09	1.08
All Urban Areas ..	15	14	13	14	0.98	0.93	0.87	0.95
All Rural Areas ..	23	18	18	17	1.67	1.30	1.32	1.21
Belfast County Borough ..	8	6	3	9	0.87	0.68	0.34	1.06
County Londonderry ..	3	1	.	.	2.15	0.74	.	.
County Antrim ..	4	6	5	3	0.86	1.26	1.04	0.62
County Armagh ..	2	3	4	5	0.80	1.23	1.72	2.05
County Down ..	10	6	11	5	2.14	1.28	2.35	1.07
County Fermanagh ..	.	2	1	1	.	1.75	0.89	0.86
*County Londonderry ..	1	1	5	3	0.40	0.41	2.07	1.19
County Tyrone ..	10	7	2	5	3.30	2.23	0.67	1.56

*Excluding County Borough.

Violent Deaths.—Deaths from violence are now classified according to both the external circumstances giving rise to injury, expressed as the "External Cause of Injury", and to the nature of the injury sustained, designated as the "Nature of Injury." Tables R and S show the number of deaths from Violence by the "External Cause of Injury" and "Nature of Injury" respectively.

DIAGRAM VII.—Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52



The number of deaths ascribed to violence during the year was 470 (301 males and 169 females), which is a decrease of 84 on the number registered for 1951, and is equivalent to 3.2 per cent. of the total deaths registered. Of these 470 deaths, 149 were attributed to transport accidents, of which 140 were due to road traffic accidents as compared with 177 in 1951.

Other fatal accidents accounted for 274 deaths, of these 32 were from drowning and included 9 cases (6 males and 3 females) in which the Coroners returned a verdict of "found drowned". Of the remaining deaths in this group 136 were ascribed to falls, 28 to fire, 16 to mechanical suffocation, 15 to poisons and poisonous gases, 6 to machinery 5 to firearms and 36 to other accidental causes.

During the year there were 41 cases of suicide (30 males and 11 females), 5 of homicide and 1 death due to late effects of operations of war.

Of the 28 deaths from burns and scalds shown in Table S, 11 were of children under 5 years of age.

TABLE R.—*Northern Ireland : Violent Deaths by External Cause of Injury, 1950-1952.*

CAUSES OF DEATH (With detailed List Nos).	1950	1951	1952		
			Total	Males	Females
<i>Accidental Causes :</i>					
Drowning (E.850, 851 and 929)	44	54	32	26	6
Falls (E.900-904)	140	122	136	49	87
Fire (Excluding Fire on Transport) (E.916, 917)	30	38	28	12	16
Firearms (E.919)	8	2	5	5	..
Machinery (E.912)	7	9	6	6	..
Mechanical Suffocation (E.924, 925)	19	18	16	11	5
Poisons (E.870-888)	8	6	3	2	1
Poisonous Gases (E.890-895)	9	9	12	7	5
Other accidental causes	49	40	36	28	8
<i>Transport :</i>					
Motor Vehicles (E.810-835)	123	159	120	97	23
Other road vehicles (E.840-845)	21	18	20	15	5
Railways (E.800-802)	12	3	6	5	1
Aircraft (E.860-866)	6	4	2	2	..
Shipping (Excluding Drowning) (E.852-858) ..	3	10	1	1	..
<i>Suicide :</i>					
Drowning (E.975)	2	9	7	6	1
Hanging (E.974)	8	5	8	7	1
Firearms (E.976)	6	10	6	6	..
Poisons (E.970, 971)	4	6	4	3	1
Poisonous Gases (E. 972, 973)	21	21	15	7	8
Other suicide	7	5	1	1	..
<i>Homicide :</i>					
Poisons (E.980)	1	1	..
Assault by Firearms (E.981)	1	1	..
Assault by Other Means (E.982-984)	2	4	3	2	1
<i>Legal Execution (E.985)</i>
<i>Operations of War (E.965, 990-999)</i>	1	2	1	1	..
TOTAL DEATHS FROM VIOLENCE ..	530	554	470	301	169

TABLE S.—*Northern Ireland : Violent Deaths by Nature of Injury, 1950-1952.*

Injuries Sustained (with Detailed List Nos.)	1950	1951	1951		
			Total	Males	Females
<i>Fractures :</i>					
Skull (N.800-804)	114	135	92	74	18
Spine and Trunk (N.805-809)	19	20	24	20	4
Upper limbs (N.810-819)	3	5	6	3	3
Lower limbs (N.820-829)	99	84	107	29	78
<i>Dislocation without Fracture</i> (N.830-839) ..	2	5	4	2	2
<i>Head Injuries</i> (Excluding Skull Fracture) (N.850-856)	49	38	31	24	7
<i>Internal Injuries :</i> (N.860-869)	31	37	27	25	2
<i>Lacerations and Open Wounds :</i>					
Face, Neck and Trunk (N.870-879)	7	8	4	4	.
Upper Limbs (N.880-888)	1	1	.
Lower Limbs (N.890-898)	2	2	.	.	.
Multiple location (N.900-908)	7	2	5	5	.
<i>Superficial Injuries and Contusions</i> (N.910-929) ..	3	1	.	.	.
<i>Effects of foreign body entering through orifices</i> (N.930-936)	9	5	10	6	4
<i>Burns and Scalds</i> (N.940-949)	33	37	28	12	16
<i>Effects of poisons and Poisonous Gases</i> (N.960-979)	43	42	36	21	15
<i>All other effects of External Causes</i>	109	133	95	75	20
TOTAL DEATHS	530	554	470	301	169

Uncertified Deaths.—The deaths registered as uncertified, i.e., those in which there was neither a medical attendant during the last illness nor an inquest held by a coroner, numbered 245, representing 1.7 per cent. of the total deaths registered. The percentage of uncertified deaths has been falling rapidly during the past twenty years. In 1930 uncertified deaths represented 8.7 per cent. of the total deaths.

Of the total deaths in rural areas 137, or 2.0 per cent., were uncertified ; in urban areas the number was 108, or 1.4 per cent.

Table T shows the number of uncertified deaths in each County and County Borough, distinguishing between those referred to Coroners in respect of which inquests were considered unnecessary, and those not referred to Coroners.

Deaths of persons aged 65 years and upwards represented 60.4 per cent. of the uncertified cases, and deaths of infants under 1 year of age 9.4 per cent.

TABLE T.—*Northern Ireland : Certified and Uncertified Deaths : Inquests, 1952.*

Counties, etc	Total Deaths	Certified			Uncertified	
		By Medical Practitioners		By Coroners after Inquest	Not referred to Coroners	Referred to Coroners Inquest considered unnecessary
		Not referred to Coroners	Referred to Coroners, Inquest considered unnecessary			
Northern Ireland ..	14,812	13,964	149	454	80	165
All Urban Areas ..	7,807	7,377	63	259	7	101
All Rural Areas ..	7,005	6,587	86	195	73	64
Belfast County Borough ..	4,778	4,492	14	191	3	78
Londonderry County Borough ..	507	483	11	13	6	16
County Antrim ..	2,234	2,082	62	68	5	15
County Armagh ..	1,250	1,179	23	28	5	15
County Down ..	2,691	2,556	12	69	14	40
County Fermanagh ..	660	605	1	18	32	4
*County Londonderry ..	1,126	1,068	16	36	3	5
County Tyrone ..	1,566	1,501	10	31	17	7

*Excluding County Borough.

Inquests.—The circumstances of 768 deaths were considered by the Coroners in 1952, including 165 of the uncertified deaths referred to in the previous paragraph. Inquests were held in 454 of these cases, which represents one inquest for every 33 deaths registered. In 1951 the inquests numbered 564.

Infant Mortality.—In the text and tables the term “Neo-natal Mortality” relates to deaths of children under 4 weeks of age, and the term “Infant Mortality” to deaths of all children (including Neo-natal) under 1 year of age.

Deaths of infants under 1 year of age numbered 1,117, or 39 per 1,000 live births registered. This rate is the lowest ever recorded in Northern Ireland, and it shows a decrease of 6 when compared with the average rate for the previous 5 years. Of the 1,117 deaths of infants under 1 year of age, 670 were of males and 447 of females, the former number being equivalent to 45 per 1,000 live births of males and the latter to 32 per 1,000 live births of females. The corresponding rates for 1951 were 44 and 38 respectively.

TABLE U.—*Northern Ireland : Neo-natal and infant Mortality Rates per 1,000 Live Births by Counties, 1949-1952.*

Area	Neo-natal mortality per 1,000 Live Births				Infant Mortality per 1,000 Live Births			
	1949	1950	1951	1952	1949	1950	1951	1952
Northern Ireland ..	24	23	25	23	45	40	41	39
All Urban Areas ..	26	25	24	26	51	45	41	44
All Rural Areas ..	21	21	25	20	38	35	41	34
Belfast County Borough ..	26	25	24	25	56	49	44	47
Londonderry County Borough ..	23	26	32	30	47	46	51	45
County Antrim ..	21	23	26	18	40	35	40	30
County Armagh ..	18	27	22	30	34	41	34	41
County Down ..	23	22	26	22	40	35	40	34
County Fermanagh ..	28	16	21	15	50	37	33	25
*County Londonderry ..	22	17	25	23	35	34	47	34
County Tyrone ..	26	24	22	26	44	36	36	43

*Excluding County Borough.

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1952 was 44 per 1,000 live births, and the rate for the aggregate of the Rural Districts was 34 per 1,000, the corresponding rates for 1951 being 41 and 41 respectively.

In 1952 and 1951 the rates of deaths of infants under 1 year of age were 28 and 30 per 1,000 live births, respectively, for England and Wales ; 35 and 37 for Scotland ; and 41 and 46 for the Irish Republic. The rate for the Irish Republic for 1952 is provisional.

Deaths of infants aged under 4 weeks (" neo-natal " mortality) numbered 672, or 60.2 per cent. of the total deaths of all children under 1 year of age. The corresponding figures for 1951 were 700 and 59.7 per cent. respectively.

TABLE V.—*Infant Mortality Rates for Belfast Co. Borough and Londonderry Co. Borough with comparative Rates for Towns of approximately the same Populations in Great Britain, 1952.*

Town	Population	Deaths of Infants under 1 year of Age per 1,000 Live Births	Birth Rate per 1,000 Population
BELFAST	444,200	47	19.1
Bristol	443,900	21	15.3
Leeds	504,800	30	15.4
Sheffield	510,900	24	13.8
Edinburgh	475,100	29	15.0
LONDONDERRY	50,900	45	27.7
Burton-on Trent	48,800	29	17.1
Dewsbury	52,910	33	16.7
Crewe	51,940	32	14.6
Shrewsbury	45,910	32	14.3
Lancaster	50,590	43	14.8
Ayr	43,200	30	16.0
Kirkcaldy	49,400	38	16.4

NOTE—The populations are as estimated at mid-year, 1952.


In Table V the infant mortality rates and birth rates for Belfast and Londonderry County Boroughs are compared with those for towns of approximately the same populations in Great Britain. Whilst the infant mortality rates for these Northern Ireland towns do not yet compare favourably with those for cross-channel towns of comparable size, there has been an immense reduction since 1942 when the rates were : Belfast 92, Londonderry 90.

Abstract XVIII gives the number of deaths of children under 1 year of age for Northern Ireland by Counties and County Boroughs (also for the aggregates of the urban and rural areas) for the years 1949-52. For the last of these years the numbers are given by sexes and age-periods.

The numbers of infant deaths for 1952 by age and causes of death are given in Abstract XVII, together with the numbers by causes for the years 1949-51. The infant mortality rates by causes are also given for the four years 1949-51.

Abstract X gives the number of infant deaths, together with the number of births, for each administrative area in Northern Ireland.

DIAGRAM VIII.—Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1926-52.



Mortality among Illegitimate Children.—Deaths of Illegitimate children under 1 year of age numbered 54 in 1952, which is equivalent to a rate of 56 per 1,000 of the illegitimate live births registered, as compared with a rate of 50 for the previous year. The corresponding rates for legitimate children in 1952 and 1951 were 38 and 41 per 1,000 live births respectively.

TABLE W.—*Northern Ireland : Illegitimate Neo-Natal and Infant Mortality Rates per 1,000 Illegitimate live Births by Counties, 1949-1952.*

Area	Illegitimate neo-natal Mortality per 1,000 Illegitimate Live Births				Illegitimate Infant Mortality per 1,000 Illegitimate Live Births			
	1949	1950	1951	1952	1949	1950	1951	1952
Northern Ireland ..	28	34	30	38	77	65	50	56
All Urban Areas ..	31	26	29	46	92	79	52	69
All Rural Areas ..	25	42	31	29	62	53	49	44
Belfast County Borough ..	34	18	36	40	100	79	64	70
Londonderry County Borough	28	33	48	43	28	67	48
County Antrim ..	11	53	30	39	46	70	49	52
County Armagh ..	15	97	49	18	104	146	73	36
County Down ..	21	27	24	43	49	34	32	61
County Fermanagh ..	73	38	42	..	182	38	64	..
*County Londonderry ..	23	23	31	34	77	70	47	34
County Tyrone ..	46	45	9	45	46	53	27	76

*Excluding County Borough.

Deaths of illegitimate infants aged under 4 weeks (illegitimate neo-natal mortality) numbered 36, representing 66.7 per cent of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1951 were 27 and 60.0 per cent. respectively.

Abstract XX gives the numbers of deaths of illegitimate children under 1 year of age by the principal causes and by age-periods in 1952, together with the numbers by causes for the years 1949-51. The mortality rates by causes are also shown for the four years 1949-52. Most of these rates are considerably in excess of the corresponding rates for all children ; particularly the rates for diarrhoea and enteritis, pneumonia and congenital malformations. It should, however, be noted that the rates for some of the causes are based on very small numbers of deaths.

Abstract XIX shows the number of deaths of illegitimate children under 1 year of age for Northern Ireland by Counties and County Boroughs, also for the aggregates of the urban and rural areas, for the years 1949-52. The sex and age distribution is shown for the year 1952.

MIGRATION

The population figures ascertained at each Census enable the net migration during the inter-Censal periods to be calculated. The last two Censuses in Northern Ireland were taken on 28th February, 1937, and 8th April, 1951. The following statement reveals that, during the intervening period of a little over 14 years, there was a net outward movement of 67,255 persons. Gross figures for migration inwards and outwards are not available. The table relates to migration to and from all countries, including other parts of the British Isles.

	Males	Females	Total
Population, Census of 1937	623,154	656,591	1,279,745
Births, 1937-51	207,270	194,914	402,184
Deaths, 1937-51	122,452	121,289	243,741
Natural Increase	84,818	73,625	158,443
Population 1937 plus Natural Increase	707,972	730,216	1,438,188
Population, Census of 1951	667,821	703,112	1,370,933
Net movement outwards	40,151	27,104	67,255

The term "natural increase" represents the excess of births over deaths. The net movement outwards during the two inter-Censal periods immediately preceding the Census of 1937 amounted to : 1911-26, 107,573 persons, and 1926-37, 57,651 persons.

According to returns furnished by the Board of Trade (Statistics Division), the number of emigrants of British nationality from Northern Ireland to countries outside Europe during 1952 was 4,772, and the number of immigrants arriving in Northern Ireland from those countries was 1,008. The following table gives the figures for the years 1936 to 1952, with the exception of the period 1939-1945, during which records were not maintained.

Year	Emigrants	Immigrants	Outward (—) or Inward (+) Balance
1936	655	1,273	+ 618
1937	835	1,011	+ 176
1938	844	1,102	+ 258
1946	2,878	978	—1,900
1947	1,941	787	—1,154
1948	3,300	796	—2,504
1949	3,259	868	—2,391
1950	3,370	951	—2,419
1951	3,048	1,042	—2,006
1952	4,772	1,008	—3,764

THE WEATHER

Reports on the weather experienced in Northern Ireland during each month of the year 1952, as furnished by the Director of the Meteorological Office, England, are published in the Quarterly Returns of Births, Deaths, and Marriages for that year. Table X shows for the stations of Armagh, Garvagh and Aldergrove the Average Air Temperature, Rainfall, and Sunshine in 1952.

The year 1952 was dry and rather dull with mean temperature somewhat below the average. January and the first half of February were cold, the spring very mild and the last four months cold. The general rainfall was 91 per cent. of the average and 1952 was the driest year since 1933 ; the months February to May inclusive and July were notably dry, while January, August and October were all appreciably wetter than usual. Sunshine was only 94 per cent. of the average, February, the six consecutive summer months April to September and November all having less than the average amount but October was notably sunny.

January was cold and unsettled, with frequent sleet or snow showers. It was the coldest January since the severely cold January of 1945 ; it was particularly cold from the 16th onwards and snow lay on the ground at Garvagh and Castle Archdale throughout this period. Rainfall considerably exceeded the average for the period 1881-1915. In *February* the weather was dry, the general precipitation being only 46 per cent. of the average. The first 15 days were cold. *March* was dry, with about the average amount of sunshine. It was very mild until the 24th, apart from a rather cold spell from the 13th to the 16th ; the last week was cold. *April* was dry and mainly warm, with somewhat less than the average amount of sunshine. The first eight days were rather cool with frost in places, particularly on the 1st and 8th. *May* was dry and warm ; in particular, the period 13th to 26th or 27th was very dry and unusually warm, the maximum, 79°F., at Aldergrove on the 17th was the highest there in May since records were first taken in 1927. The duration of bright sunshine was somewhat below the average. *June* was dull for the time of the year, with mean temperature and rainfall about average.

July was dry and mainly rather warm but the duration of bright sunshine was considerably below the average. It was the driest July since 1935. *August* was appreciably wetter than usual ; it was also rather dull, with mean temperature somewhat above average, though there were no very warm days, the highest temperature recorded being 72°F. at Aldergrove on the 12th and Holywood on the 30th. *September* was notably cold, mean temperature being the lowest for September since 1918. Rainfall was considerably less than average over the Province as a whole, but it was somewhat more than average in the north. In *October* the first three weeks were generally cold but the last ten days were unsettled and rather mild. Rainfall exceeded the average generally ; apart from rain on the 11th to 13th the first half of the month was rather dry, but from the 17th or 18th onward rain occurred almost daily. The month was unusually sunny ; at Armagh it was the sunniest October since 1899 but at Aldergrove October 1939 was slightly sunnier. *November* was unusually cold, particularly during the latter half of the month ; at Armagh mean temperature was the lowest in November since 1925. It was also rather dry, much of the rain falling during the first eight days. Sunshine was appreciably below the average. *December* was mainly cold, with rather frequent showers of snow or sleet. An appreciable fall of snow occurred near the middle of the month.

The table gives the monthly deviation from the average mean temperature in degrees Fahrenheit and the monthly rainfall and sunshine expressed as percentages of the average.

	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Temperature	-4.1	-1.3	+2.2	+3.3	+2.5	0.0	+1.4	+0.5	-3.7	-0.6	-2.3	-2.5
Rainfall	147	45	62	60	63	99	55	124	74	133	85	108
Sunshine	102	92	101	98	96	84	78	89	92	133	85	103

TABLE X.—Northern Ireland: Air Temperature, Rainfall, and Sunshine obtained from Readings taken at the Stations of Armagh, Garvagh and Aldergrove, 1952.

ARMAGH											
MONTH	Air Temperature						Rainfall			Sunshine	
	Highest	Lowest	Means of			Difference of Mean from Average	Total	Percentage of Average	No. of Days	Daily Mean	Difference from Average of Daily Mean
			Daily Maximum	Daily Minimum	Daily Mean $\frac{1}{2}(\text{Max.} + \text{Min.})$						
	oF.	oF.	oF.	oF.	oF.		mm.	%		hrs.	hrs.
January ..	53	19	41.9	31.0	36.5	-4.1	117	183	27	1.64	+0.17
February ..	51	23	45.3	33.8	39.5	-1.2	20	35	11	1.98	-0.30
March ..	57	29	50.3	38.5	44.4	+2.3	36	60	13	3.66	+0.18
April ..	66	30	56.3	41.2	48.7	+3.4	40	75	15	4.84	-0.17
May ..	78	36	62.2	45.6	53.9	+2.8	28	47	13	5.53	+0.18
June ..	74	38	62.9	48.2	55.5	-0.2	58	90	18	4.84	-0.74
July ..	74	42	67.3	53.0	60.1	+1.2	43	59	13	3.41	-1.27
August ..	71	43	65.6	51.5	58.5	+0.4	98	107	17	3.50	-0.82
September ..	65	33	58.0	43.0	50.5	-3.8	31	50	16	3.52	-0.40
October ..	61	28	54.6	41.9	48.3	-0.6	98	142	18	3.91	+1.11
November ..	57	20	45.8	34.8	40.3	-2.6	63	87	15	1.76	-0.38
December ..	53	20	43.5	33.4	38.5	-2.3	88	111	24	0.99†	-0.27†
YEAR 1952	78	19	54.5	41.3	47.9	-0.4	720	89	200	3.30	-0.23

GARVAGH*											
January ..	53	18	40.7	31.0	35.9	-3.5	167	191	27	1.41	-0.05
February ..	52	23	44.6	32.9	38.7	-1.0	49	62	19	2.32	-0.06
March ..	56	27	49.5	37.1	43.3	+2.2	53	67	14	3.43	-0.01
April ..	66	31	56.2	39.7	47.9	+3.2	33	53	16	4.82	-0.18
May ..	77	33	60.6	43.4	52.0	+1.9	48	73	17	5.16	-0.65
June ..	75	34	61.6	47.2	54.4	0.0	56	87	19	4.89	-1.12
July ..	75	40	65.9	52.5	59.2	+1.4	47	58	19	3.94	-1.30
August ..	70	37	64.6	50.4	57.5	+0.7	136	136	21	3.85	-0.65
September ..	68	31	56.8	43.6	50.2	-3.0	89	118	20	3.40	-0.71
October ..	58	27	53.2	41.8	47.5	-0.4	128	142	24	3.54	+0.68
November ..	55	20	45.3	35.2	40.3	-1.7	109	109	19	1.55	-0.54
December ..	50	16	42.8	32.7	37.7	-2.5	127	124	28	1.44	+0.10
YEAR 1952	77	16	53.5	40.6	47.1	-0.2	1,042	106	243	3.31	-0.38

ALDERGROVE											
January ..	50	19	39.5	31.3	35.4	-4.7	79	113	23	1.30	-0.06
February ..	49	20	44.0	33.2	38.6	-1.6	19	31	10	2.01	-0.15
March ..	57	27	49.1	38.5	43.8	+2.1	36	57	11	3.53	-0.06
April ..	67	28	55.8	40.3	48.1	+3.3	31	57	15	5.16	+0.06
May ..	79	30	61.5	44.9	53.2	+2.9	30	52	12	5.87	-0.18
June ..	74	33	62.3	48.4	55.3	+0.3	65	106	15	4.91	-0.97
July ..	74	41	66.1	53.3	59.7	+1.5	44	62	14	4.16	-0.72
August ..	72	40	64.7	51.6	58.1	+0.4	108	118	18	4.41	-0.01
September ..	65	30	56.4	42.8	49.6	-4.3	35	56	17	4.18	+0.10
October ..	60	30	53.0	42.4	47.7	-0.9	79	104	20	3.67	+0.94
November ..	55	21	45.3	35.0	40.1	-2.6	77	93	18	1.90	-0.03
December ..	51	18	42.1	33.2	37.7	-2.8	90	103	25	1.29	-0.02
YEAR 1952	79	18	53.3	41.2	47.3	-0.5	693	83	198	3.53	-0.10

* Sunshine recorded at Hillsborough.

† Sunshine estimated for 9 days.

NOTE—In this table the rainfall average is that for the period 1881-1915: the air temperature and sunshine average relate to the period 1906-35.

GENERAL

The figures contained in this Report may be regarded as final, and as superseding the provisional figures already published for the year 1952 in the Registrar-General's weekly and quarterly returns. It should be noted that statistics of deaths for years 1941-1949 relate to civilians only.

The value of the statistical information concerning deaths contained in the Registrar-General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death. The particulars so given are incorporated in the death entries, and thus in every case in which a person had been attended in his or her last illness by a medical practitioner, the medical certificate given by the latter forms the basis upon which the cause of death is classified.

Comparisons with rates (births, deaths, etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but, owing to changes in the mode of computing population figures in certain countries in certain years, complete accuracy has not been achieved. The figures shown for the Irish Republic in respect of the year 1952 are provisional.

For the purposes of this Report the classifications adopted are the Intermediate and Abbreviated Lists contained in the "Manual of the International Statistical Classifications of Diseases, Injuries and Causes of Death, 1948."

Abstract VIII shows the deaths classified under the headings of the Intermediate List (slightly modified in the cases of neoplasms, certain diseases of early infancy and diseases of pregnancy, etc.), whilst the causes shown in Abstracts IX and XIII and certain tables in the text are in accordance with the Abbreviated List. The Detailed List numbers have also been given in Abstract VIII for the purpose of reference.

In general in the tables and abstracts, dots (.) are used to indicate "none," and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

Throughout the Report, births and deaths have been allocated to the district of normal residence, births having been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons.

ADMINISTRATION

Introductory.—The administrative functions of the office of the Registrar-General comprise the registration of births, deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for Marriages.—The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31st December in each of the years 1950, 1951 and 1952 were as follows :—

DENOMINATION	1950	1951	1952
Church of Ireland	392	393	393
Presbyterian	501	500	501
Methodist	151	152	152
Others	209	210	222
TOTAL	1,253	1,255	1,268

State of Registration.—The measures adopted for particulars of births notified under the Notification of Births Act, 1907, to be furnished to Registrars in the two County Boroughs have continued to be of value in securing the registration of a number of births which had not been registered within the prescribed period of 6 weeks. In connection with the registration of deaths, returns of burials made to Registrars by Clerks of Burial Boards and Cemetery Companies have been of considerable assistance.

Births and deaths not registered within a year of their occurrence can be recorded only with the authority of the Registrar-General. During 1952 such authority was granted for the registration of 39 births, as compared with 49 in 1951 and 71 in 1950. The registration of 13 deaths was authorised as compared with 7 in 1951 and 8 in 1950.

Legitimacy Act (N.I.), 1928.—Under this Act an illegitimate child whose parents have married is, subject to certain conditions, legitimated, and the Registrar-General is empowered to authorise the re-registration of the birth. During 1952 the re-registration of the births of 111 children was authorised under the Act, the figures for 1951 and 1950 being 133 and 149 respectively.

Adoption of Children Act (N.I.), 1950.—Registers of children adopted under the provisions of the above Act and of the previous Adoption Act of 1929 are kept in the General Register Office, to which the Adoption Orders made by the Courts are communicated. A certified copy of an entry in an Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Registers during 1952 numbered 240, whilst the figures for 1951 and 1950 were 212 and 168 respectively.

Searches and Certificates.—The original records of births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes and obtaining certificates from records in the General Register Office for Northern Ireland (including the Adopted Children Register) is afforded by the following table :—

Year	Official		Paid			
	Searches	Certificates	Searches	Certificates		Fees Received
				Full	Short	
1927 ..	58	29	109	112	—	£ 19 s. 0 d.
1937 ..	94	88	363	290	—	55 2 0
1947 ..	206	206	1,822	1,772	—	312 12 0
1948 ..	160	158	1,745	1,654	1,309	326 14 6
1949 ..	194	193	1,836	1,756	1,182	340 17 0
1950 ..	244	243	1,562	1,520	1,144	296 14 0
1951 ..	222	220	1,683	1,609	1,270	317 0 6
1952 ..	170	168	1,819	1,796	1,298	347 18 0

Verifications.—Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for Family Allowances, Pensions, etc. During the year the number of cases dealt with was 29,762, out of which 24,736 were checked from the records in this office and 5,026 events (where records were not available at headquarters) were referred to local officers.

ABSTRACTS
OF BIRTHS, DEATHS, AND MARRIAGES
REGISTERED IN NORTHERN IRELAND
DURING THE YEAR
1952

**ABSTRACT I.—Northern Ireland : Method of Celebration of
Marriages Registered, 1952.**

COUNTIES	TOTAL MARRIAGES	Roman Catholic	Presby- terian		Church of Ireland			Other Churches		In Registrars' Offices	Jewish	Society of Friends
			By Licence	By Special Licence	By Licence	After Banns	By Special Licence	By Licence	By Special Licence			
NORTHERN IRELAND	9,300	2,731	2,787	58	2,171	53	20	763	34	676	3	4
BELFAST CO. BOROUGH	3,646	795	1,085	16	819	14	11	468	19	416	3	.
LONDONDERRY CO. BOROUGH	408	257	71	.	48	3	1	12	.	16	.	.
ANTRIM ..	1,466	285	627	17	296	15	1	126	7	91	.	1
ARMAGH ..	690	293	97	1	222	.	3	55	2	14	.	3
DOWN ..	1,484	401	564	19	330	10	2	61	5	92	.	.
FERMANAGH ..	286	135	6	.	118	4	1	14	.	8	.	.
LONDONDERRY ..	590	200	199	3	145	5	1	11	1	25	.	.
TYRONE ..	730	365	138	2	193	2	.	16	.	14	.	.

**ABSTRACT II.—Northern Ireland : Marriages Registered in
each Quarter and Conjugal Condition of Persons
contracting Marriages, 1952.**

COUNTIES	TOTAL MARRIAGES	Total Marriages Registered in the Quarter ended the last day of				MARRIAGES					
		March	June	September	December	Contracted between				Of	
						Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Widowers	Widows
NORTHERN IRELAND	9,300	2,272	2,099	2,988	1,941	8,739 ^a	122 ^b	319 ^c	120	439	242
BELFAST CO. BOROUGH	3,646	1,021	758	1,164	705	3,389	57	138	62	200	119
LONDONDERRY CO. BOROUGH	408	90	79	151	88	386	5	11	6	17	11
ANTRIM ..	1,466	334	320	480	332	1,384	16	51	15	68	31
ARMAGH ..	690	149	172	220	149	662	6	15	7	22	13
DOWN ..	1,484	363	349	448	324	1,396	21	51	16	67	37
FERMANAGH ..	286	55	79	101	51	274	3	6	3	9	6
LONDONDERRY ..	590	105	171	177	137	554	5	25	6	31	11
TYRONE ..	730	155	173	247	155	694	9	22	5	27	14

(a) Including 53 divorced men who married spinsters, 66 divorced women who married bachelors, and 11 divorced men who married divorced women.

(b) Including 8 divorced men who married widows.

(c) Including 23 divorced women who married widowers.

ABSTRACT III.—Northern Ireland : Ages of Men at Marriage, 1952.

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and upwards	Not stated
NORTHERN IRELAND	29.78	9,000	.	10	44	168	278	500	2,708	2,885	1,431	747	370	209	168	90	65	48	25	7	4	43
BELFAST Co. BOROUGH	28.78	3,646	.	4	24	75	136	239	1,256	1,102	484	210	125	67	52	34	38	21	6	3	2	7
LONDONDERRY Co. BOROUGH	28.28	408	.	.	2	6	19	27	145	126	51	22	14	10	7	3	.	3
ANTRIM	29.55	1,466	.	1	6	33	41	81	402	488	236	113	51	32	29	14	4	4	3	3	2	4
ARMAGH	31.87	690	.	1	3	13	16	33	143	251	108	68	33	22	11	8	4	1	2	.	.	6
DOWN	30.37	1,484	.	2	5	24	32	63	397	456	252	137	64	39	27	15	10	14	5	.	.	5
FERMANAGH	33.14	286	.	.	1	2	7	10	56	62	48	47	27	9	8	5	2	1	2	1	.	8
LONDONDERRY	30.96	590	.	1	1	9	8	19	144	166	113	73	25	14	14	4	4	3	4	.	.	7
TYRONE	30.54	730	.	1	2	6	19	28	165	234	139	77	31	16	20	7	3	1	3	.	.	6

ABSTRACT IV.—Northern Ireland : Ages of Women at Marriage, 1952.

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and upwards	Not stated
NORTHERN IRELAND	26.22	9,300	45	132	344	572	723	1,816	3,364	2,199	901	434	227	151	73	45	24	11	2	1	.	52
BELFAST Co. BOROUGH	25.98	3,646	8	53	144	244	330	779	1,414	783	279	150	86	74	32	24	10	4	1	.	.	10
LONDONDERRY Co. BOROUGH	25.36	408	2	3	9	28	46	88	166	84	41	15	7	3	2	2
ANTRIM	25.89	1,466	11	16	71	83	108	289	542	332	151	72	36	18	10	5	3	2	1	.	.	5
ARMAGH	26.63	690	2	8	21	37	54	122	229	184	77	39	16	7	3	3	1	2	1	.	.	6
DOWN	26.69	1,484	6	26	43	84	98	257	486	414	157	77	38	19	12	8	6	3	.	.	.	7
FERMANAGH	27.85	286	1	5	7	13	14	40	80	77	40	18	11	5	3	.	3	9
LONDONDERRY	26.61	590	10	13	17	31	33	104	193	145	78	31	12	10	6	2	1	8
TYRONE	26.30	730	5	8	32	52	40	137	254	180	78	32	21	15	5	1	7

ABSTRACT V.—Northern Ireland : Ages in Combination of Men and Women at Marriage, 1952.

		AGES OF WIVES																		Total Husbands		
		16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over			Not stated
Ages of Husbands	16—	16—	
	17—	1	2	2	2	1	2	17—	
	18—	5	8	13	4	4	9	1	18—	
	19—	8	18	30	39	25	41	6	1	19—	
	20—	8	14	35	65	63	79	13	1	20—	
	21—	21	65	196	324	385	1,366	321	19	6	3	1	1	2,708	21—
	25—	2	17	54	108	189	1,357	961	168	21	3	1	1	3	2,885	25—
	30—	.	6	8	25	39	367	558	326	77	14	7	1	3	1,431	30—
	35—	.	2	4	4	14	95	239	220	124	38	6	1	747	35—
	40—	.	.	1	.	2	34	67	100	87	55	17	4	1	2	370	40—
	45—	.	.	.	1	.	8	17	34	65	40	33	7	4	209	45—
	50—	3	11	23	30	38	34	21	6	2	168	50—
55—	1	.	2	6	12	18	28	11	10	1	1	90	55—	
60—	2	1	1	6	13	8	18	11	4	.	1	.	.	.	65	60—	
65—	1	1	2	4	4	9	5	9	10	3	48	65—	
70—	2	1	6	3	2	4	6	1	1	.	.	25	70—	
75—	1	.	.	1	.	2	1	2	1	7	75—	
80 and over	1	.	1	1	.	.	1	.	.	4	80 and over	
Not stated	.	.	1	42	43	Not stated	
Total Wives		45	132	344	572	723	3,364	2,199	901	434	227	151	73	45	24	11	2	1	.	52	9,300	

ABSTRACT VI.—Northern Ireland : Births in each of the Four Quarters, 1952.
(exclusive of still-born children).

COUNTIES	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND ..	28,760	7,095	7,589	7,215	6,861	14,846	3,672	3,891	3,678	3,605	13,914	3,423	3,698	3,537	3,256
BELFAST Co. BOROUGH ..	8,506	2,150	2,196	2,168	1,992	4,379	1,121	1,137	1,097	1,024	4,127	1,029	1,059	1,071	968
LONDONDERRY Co. BOROUGH ..	1,412	338	364	363	347	729	173	171	193	192	683	165	193	170	155
ANTRIM ..	4,812	1,168	1,301	1,210	1,133	2,494	626	682	598	588	2,318	542	619	612	545
ARMAGH ..	2,442	600	627	613	602	1,256	316	315	307	318	1,186	284	312	306	284
DOWN ..	4,689	1,116	1,279	1,145	1,149	2,419	571	665	578	605	2,270	545	614	567	544
FERMANAGH ..	1,167	287	303	309	268	605	135	163	160	147	562	152	140	149	121
LONDONDERRY ..	2,524	634	649	604	637	1,302	320	329	313	340	1,222	314	320	291	297
TYRONE ..	3,208	802	870	803	733	1,662	410	429	432	391	1,546	392	441	371	342

ABSTRACT VII.—Northern Ireland : Deaths in each of the Four Quarters, 1952.

COUNTIES	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND ..	14,812	4,450	3,671	3,093	3,598	7,666	2,287	1,874	1,649	1,856	7,146	2,163	1,797	1,444	1,742
BELFAST Co. BOROUGH ..	4,778	1,444	1,117	991	1,226	2,471	760	563	520	628	2,307	684	554	471	598
LONDONDERRY Co. BOROUGH ..	507	143	122	109	133	265	69	65	58	73	242	74	57	51	60
ANTRIM ..	2,234	665	579	457	533	1,132	324	281	253	274	1,102	341	298	204	259
ARMAGH ..	1,250	346	314	286	304	670	185	173	148	164	580	161	141	138	140
DOWN ..	2,691	836	697	531	627	1,393	424	353	297	319	1,298	412	344	234	308
FERMANAGH ..	660	203	182	135	140	344	98	95	76	75	316	105	87	59	65
LONDONDERRY ..	1,126	352	269	238	267	572	180	136	123	133	554	172	133	115	134
TYRONE ..	1,566	461	391	346	368	819	247	208	174	190	747	214	183	172	178

ABSTRACT VIII.—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo Natal under 1 mo'th	Total under 1 year	1—	2—	3—	4—	5—	10—	15—
	TOTAL DEATHS (ALL CAUSES) { M F	*7,666 †7,146	409 263	670 447	36 43	22 14	16 10	11 11	49 29	31 19	44 28
A1-A43	I Infective and Parasitic Diseases { M F	310 221	1 1	19 17	6 15	6 3	2 1	4 1	5 10	5 4	7 6
A44-A60	II Neoplasms (a) Cancer { M F	1,015 1,005	. .	1 .	1 .	1 .	2 .	1 .	1 4	1 1	3 1
	(b) Other Neoplasms { M F	68 70	. .	1 .	1 .	1 .	2 2	. .	3 1	2 2	1 3
A61-A64 A66(pt of)	III Allergic, Endocrine System, Metabolic and Nutritional Diseases { M F	126 144	3 .	5 1	1 2	2	1 .	1 1	1 2
A65-A66 (pt. of)	IV Diseases of Blood and Blood Forming Organs { M F	33 46	1 2
A67-A69	V Mental, Psychoneurotic and Personality Disorders { M F	16 21	. 1	2 1	1 1
A70-A78	VI Diseases of the Nervous System and Sense Organs { M F	926 †1,243	1 2	8 8	3 6	2 1	2 1	1 .	2 3	. 2	3 1
A79-A86	VII Diseases of the Circulatory System { M F	2,785 2,528	. 1	1 1	1 1	2 2	6 5
A87-A97	VIII Diseases of the Respiratory System { M F	660 491	1 .	95 69	7 6	3 1	1 3	. 2	5 4	2 1	3 .
A98-A107	IX Diseases of the Digestive System { M F	233 214	2 2	55 32	5 4	1 1	1 2	1 .	3 2	. .	1 2
A108-A114	X Diseases of Genito-Urinary System { M F	278 113	2 .	5 2	1 1	5 .	3 2	1 1
A115-A120	XI Deliveries and Complications of Pregnancy, Childbirth and the Puerperium F	31	1
A121- A126(pt.of)	XII Diseases of the Skin and Cellular Tissue { M F	19 17	2 .	3 1	1
A122-A125 A126(pt.of)	XIII Diseases of the Bones and Organs of Movement { M F	43 52	1 .	2	1 .	. 1	. .
A127-A129	XIV Congenital Malformations { M F	135 122	72 66	109 97	2 4	1 2	1 .	2 .	. 1	6 3	2 1
A130- A135	XV Certain Diseases of Early Infancy (a) With Prematurity { M F	206 128	198 121	206 128	— —	— —	— —	— —	— —	— —	— —
	(b) Without Prematurity { M F	132 73	122 65	132 73	— —	— —	— —	— —	— —	— —	— —
A136- A137	XVI Symptoms, Senility and Ill- Defined Conditions ... { M F	380 458	2 .	9 6	1 1	1 .	1
AE138- AE150	XVII Accidents, Poisonings, and Violence { M F	*301 169	2 5	17 11	7 4	5 4	5 1	2 5	20 2	9 .	15 3

* Including the death of 1 male for whom no age was stated.

† Including the death of 1 female for whom no age was stated.

of Death at different Age-Periods, 1952.

DEATH																	Detailed List Nos.
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95		
64 45	70 65	84 73	131 105	152 151	256 192	384 321	465 346	638 542	844 728	1,111 1,066	1,127 1,116	892 1,045	418 500	129 190	21 59	M F	
12 17	13 25	19 20	17 15	18 14	27 12	45 15	24 8	28 12	23 4	16 8	10 9	4 4	1 1	1 1	1 1	M F	
4 2	7 7	12 13	24 25	26 41	37 53	80 99	99 101	129 130	153 139	162 149	148 125	98 79	20 26	5 8	1 1	M F	
4 3	3 3	1 1	7 5	5 5	7 5	4 4	7 4	3 7	4 7	5 5	6 6	1 3	3 3	1 1	1 1	M F	
2 3	3 3	4 4	1 1	6 3	7 11	5 13	7 13	20 18	14 18	19 17	10 19	6 13	1 2	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 2	1 2	2 1	7 3	2 9	3 9	6 9	4 4	2 1	2 2	2 2	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 2	2 2	3 1	3 5	2 3	1 1	1 1	1 1	M F	
2 3	4 6	2 3	8 12	10 19	26 34	40 57	60 55	72 114	135 170	161 242	195 230	133 183	42 65	20 20	3 7	M F	
12 7	10 5	20 13	30 24	43 39	96 50	135 75	169 109	275 188	361 286	522 476	488 468	380 442	176 236	51 80	7 20	M F	
2 1	3 1	8 1	8 4	10 3	16 9	30 16	43 17	50 29	67 39	95 70	88 78	75 85	41 40	7 12	1 2	M F	
1 1	1 1	4 2	5 2	9 7	8 7	15 14	11 14	24 21	18 18	26 23	15 24	22 25	6 11	2 1	1 1	M F	
2 3	3 3	5 4	8 2	5 7	7 4	6 8	10 11	13 6	32 11	48 14	49 13	38 12	33 7	4 2	1 1	M F	
2 1	6 1	10 1	9 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 2	3 2	1 1	3 1	2 1	1 1	1 2	1 1	1 1	1 2	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	M F	
1 1	1 1	1 1															

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List No.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1—	2—	3—	4—	5—	10—	15—
A1 A43	<i>I. Infective and Parasitic Diseases</i>										
A1	Tuberculosis of respiratory system .. { M F	197 128	.	.	1	3 3
A2	Tuberculosis of meninges and central nervous system .. { M F	25 24	.	4 2	2 7	3 2	2 1	2 1	3 4	3 2	1 3
A3	Tuberculosis of intestines, peritoneum and mesenteric glands .. { M F	1 4
A4	Tuberculosis of bones and joints .. { M F	4 9
A5	Tuberculosis, all other forms { M F	9 9	.	1	2	1	.	.	1	1	.
A6	Congenital syphilis .. { M F
A7	Early syphilis .. { M F
A8	Tabes dorsalis .. { M F	3 1
A9	General paralysis of insane .. { M F	3 1
A10	All other syphilis .. { M F	18 7	1	1
A11	Gonococcal infection .. { M F
A12	Typhoid Fever .. { M F	1 1
A13	Paratyphoid fever and other Salmonella infections .. { M F	2	.	1
A14	Cholera .. { M F
A15	Brucellosis (undulant fever) .. { M F
A16	Dysentery, all forms .. { M F
A17	Scarlet Fever .. { M F	1	1	.	.
A18	Streptococcal sore throat .. { M F
A19	Erysipelas .. { M F
A20	Septicaemia and pyaemia .. { M F	4 3	.	1 2	1 .

of Death at different Age-Periods, 1952.

DEATH																Detailed List Nos.
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95	
7 15	11 25	17 18	16 12	14 9	21 9	40 9	15 6	20 9	13 3	13 4	6 2	1 2	1	.	.	M } 001-008 F }
2 .	1 .	1 1	.	1 1	.	.	1	M } 010 F }
.	.	.	.	1 1	.	1 .	.	1 .	.	1	M } 011 F }
.	.	.	1 .	.	2 1	.	1 1	2 .	1 .	.	3 .	1	M } 012, 013 F }
1 .	.	1 .	1 .	1 .	1 1	3 .	1 .	.	1	M } 014-019 F }
.	M } 020 F }
.	M } 021 F }
.	1 .	1 .	1 .	.	1	M } 024 F }
.	1 .	.	1 .	1 .	1	M } 025 F }
1 .	.	.	1 .	.	1 1	1 .	4 .	3 .	4 .	1 2	1 2	1 1	.	.	.	M } 022, 023 F } 025-029
.	M } 030-035 F }
.	.	.	.	1 .	.	.	1	M } 040 F }
.	1	M } 041 042 F }
.	M } 043 F }
.	M } 044 F }
.	M } 045-048 F }
.	M } 050 F }
.	M } 051 F }
.	M } 052 F }
.	1	1 .	1	M } 053 F }

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

[illegible]

of Death at different Age-Periods, 1952.

[illegible]

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A41	Ankylostomiasis { F
A42	Other diseases due to helminths { F
A43	All other diseases classified as infective and parasitic .. { F	9 4	.	2	1	.
A44-A60	II Neoplasms										
A44	Malignant neoplasm of buccal cavity and pharynx .. { F	40 16	1
A45	Malignant neoplasm of oesophagus .. { F	32 31
A46	Malignant neoplasm of stomach .. { F	253 190	.	1
A47	Malignant neoplasm of intes- tine, except rectum .. { F	127 127
A48	Malignant neoplasm of rectum { F	75 47
A49	Malignant neoplasm of larynx { F	9 9
A50	Malignant neoplasm of trachea, and of bronchus and lung not specified as secondary .. { F	161 38	1
A51	Malignant neoplasm of breast { F	3 163
A52	Malignant neoplasm of cervix uteri .. F	53
A53	Malignant neoplasm of other and unspecified parts of uterus .. F	60	1	.
A54	Malignant neoplasm of prostate .. M	80
A55	Malignant neoplasm of skin { F	11 16
A56	Malignant neoplasm of bone and connective tissue .. { F	16 9
A57	Malignant neoplasm of all other unspecified sites .. { F	191 233	.	.	1	2	1	1	4	.	1

of Death at different Age-Periods, 1952.

DEATH																Detailed List Nos
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95	
.	M } 129
.	F } 124, 126, 128, 130
.	M } 036-039
.	.	.	.	1	1	.	1	2	2	.	1	2	.	.	.	F } 049, 054, 059, 063- 074, 086- 090, 093, 095, 096 120-122, 131-138
.	.	1	2	.	2	2	4	2	9	7	11	1	3	.	.	M } 140-148
.	2	6	.	1	.	.	.	F } 150
.	.	1	1	2	1	1	1	5	4	9	4	6	9	1	.	M } 151
1	1	4	3	6	6	23	22	30	41	38	48	24	4	1	.	F } 152, 153
.	.	1	2	4	3	12	23	29	24	38	27	21	4	2	.	M } 154
.	.	1	3	6	4	7	7	13	22	19	23	22	3	3	.	F } 161
.	.	1	1	6	6	11	9	12	15	32	16	13	3	3	.	M } 162 163
.	1	.	4	.	3	2	6	14	11	14	11	8	.	1	.	M } 170
.	1	1	.	2	5	3	4	6	7	6	6	4	1	1	.	F } 171
.	.	.	2	.	1	1	2	.	.	2	1	1	2	.	.	M } 172-174
.	1	1	1	.	.	.	F } 177
.	2	2	3	9	14	24	25	28	25	19	7	3	.	.	.	M } 190, 191
.	.	.	1	1	1	6	3	8	12	2	2	1	.	.	.	F } 196, 197
.	.	4	8	13	9	19	17	19	29	15	17	11	1	1	.	M } 155-160, 164, 165, 175, 176 178-181, 182-195, 198, 199.
.	1	4	3	5	5	7	6	8	4	4	4	2	.	.	.	F } 198, 199
.	1	.	3	2	5	9	11	8	5	5	7	1	2	.	.	M } 155-160, 164, 165, 175, 176 178-181, 182-195, 198, 199.
.	1	6	5	9	23	20	14	1	1	.	F } 196, 197
.	.	.	.	1	.	.	1	1	.	2	2	2	2	.	.	M } 155-160, 164, 165, 175, 176 178-181, 182-195, 198, 199.
2	1	3	3	3	1	1	2	1	3	.	.	F } 196, 197
1	2	3	8	5	9	17	19	24	29	27	18	15	6	2	.	M } 155-160, 164, 165, 175, 176 178-181, 182-195, 198, 199.
2	3	1	5	8	14	25	25	28	30	32	35	9	10	1	.	F } 196, 197

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A58	Leukaemia and aleukaemia .. { F	31 25	1 .	1 .	2 2	. .	2 1	2 2	. 2
A59	{ Hodgkin's Disease .. { F	13	1	.	1
	{ Lymphosarcoma and other { F	12	1
	{ neoplasms of lymphatic and { F	17 13	.	.	1	1 .	1 .
A60	Benign neoplasms and neoplasms of unspecified nature .. { F	24	.	1
		33
A61-A64 A66 (pt of)	III Allergic, Endocrine System, Metabolic, and Nutritional Diseases										
A61	Nontoxic goitre .. { F	3	2	2
		1
A62	Thyrototoxicosis with or with- out goitre .. { F	3
		14
A63	Diabetes mellitus .. { F	29	1	.	1
		46	1
A64	Avitaminosis and other deficiency states .. { F	4	.	.	.	1	.	.	.	1	.
		5	.	1	1	.
A66 (pt of)	Allergic disorders; all other en- docrine, metabolic and blood diseases .. { F	87	1	3	1	1	1
		78	.	.	2
A65 A66 (pt of)	IV Diseases of the Blood and Blood Forming Organs										
A65	Anaemias .. { F	29
		38	1
A66 (pt of)	Allergic disorder; all other en- docrine, metabolic and blood diseases .. { F	4	1
		8	1
A67- A69	V Mental, Psychoneurotic, and Personality Disorders										
A67	Psychoses .. { F	11
		18
A68	Psychoneuroses and disorders of personality .. { F	2
		1
A69	Mental deficiency .. { F	3	.	2	1	.	.
		2	1	1	1	.	.

of Death at different Age-Periods, 1952.

[illegible]

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

		AGES AT									
Inter- mediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A70-A78	<i>VI. Diseases of the Nervous System and Sense Organs.</i>										
A70 X	Vascular lesions affecting central nervous system {M F	813 1,115*	1 2	1 3	. 1	1	2 .
A71	Nonmeningococcal Meningitis {M F	10 10	. .	3 3	1 2	2 1	1
A72	Multiple sclerosis .. {M F	15 28
A73	Epilepsy .. {M F	10 11	1 1	. 1	. .
A74	Inflammatory diseases of eye {M F	. 1
A75	Cataract .. {M F
A76	Glaucoma .. {M F	. 1
A77	Otitis media and mastoiditis {M F	4 2	. .	1 1	1
A78	All other diseases of the nervous system and sense organs {M F	74 75	. .	3 1	1 3	. .	2 1	. .	1 1	. 1	1 1
A79-A86	<i>VII Diseases of the Circulatory System</i>										
A79	Rheumatic Fever .. {M F	16 25	1 .	. .	2 .
A80 X	Chronic rheumatic heart disease {M F	70 118	1 1	2 3
A81 X	Arteriosclerotic and degenerative heart disease {M F	2,059 1,646	. .	1	1 .	1 .	1 .
A82 X	Other diseases of the heart .. {M F	223 284	. .	1	1 1
A83 X	Hypertension with heart disease .. {M F	199 243
A84	Hypertension without mention of heart. {M F	70 86	1 .	. .
A85	Diseases of Arteries .. {M F	123 94 1
A86	Other diseases of the circulatory system .. {M F	25 32	1

* Including the death of one female for whom no age was stated.

of Death at different Age-Periods, 1952.

DEATH																Detailed List Nos.
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95	
2	2	1	4	5	16	30	52	62	122	153	179	127	39	12	3	M } 330-334
2	1	3	3	8	29	46	52	108	154	224	218	173	62	20	7	F } 340
.	1	1	1	.	1	M } 345
.	1	1	1	1	1	F } 353
1	1	.	1	3	5	7	2	3	.	2	M } 370-379
.	1	.	2	7	3	7	2	3	F } 385
.	1	.	4	1	2	3	.	.	1	M } 387
.	1	.	.	.	1	1	.	.	1	F } 391-393
.	M } 341-344
.	F } 350-352
.	2	.	3	2	1	2	5	8	10	8	15	6	3	.	.	354-369
.	5	3	14	15	11	10	3	.	.	380-384, 386, 388-390 394-398
2	4	1	1	1	2	.	1	2	M } 400-402
.	.	3	2	6	4	2	1	2	1	1	2	F } 410-416
5	6	4	4	6	10	2	3	6	8	5	4	4	.	.	.	M } 420-422
3	4	7	7	10	9	13	13	11	8	12	8	5	4	.	.	F } 430-434
4	.	7	19	28	69	107	134	215	269	392	345	287	132	43	4	M } 440-443
1	1	1	7	10	19	41	61	120	181	305	334	317	171	60	17	F } 444-447
.	.	2	4	6	7	5	7	19	31	42	47	29	19	1	3	M } 450-456
3	.	1	5	5	9	5	14	17	33	65	45	50	20	9	1	F } 460-468
1	4	12	9	19	32	47	40	24	10	1	.	M } 400-402
.	.	.	.	2	3	10	11	19	44	59	44	35	15	1	.	F } 410-416
.	.	5	2	2	2	6	5	4	7	9	16	8	2	2	.	M } 420-422
.	.	1	1	3	4	3	5	12	8	15	14	9	9	1	.	F } 430-434
.	1	1	5	8	9	22	34	27	12	4	.	M } 440-443
.	.	.	.	2	.	.	1	5	6	12	19	22	16	8	2	F } 444-447
.	.	1	.	.	1	2	5	2	5	5	2	1	1	1	.	M } 450-456
.	.	.	2	1	2	1	3	2	5	7	2	4	1	1	.	F } 460-468

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A87-A97	<i>VIII. Diseases of the Respiratory System.</i>										
A87	Acute upper respiratory infections .. {M	3	.	1	.	1
	F	4	.	1	2	.	.
A88	Influenza .. {M	31	.	3	1	.
	F	30	.	.	1	.	1
A89	Lobar pneumonia .. {M	50	.	4	1	.	.
	F	23	.	4
A90	Bronchopneumonia .. {M	210	.	70	5	2	1	.	3	1	2
	F	181	.	52	2	.	1	1	2	1	.
A91	Primary atypical, other and unspecified pneumonia .. {M	47	.	12
	F	38	.	5	2	.	2
A92	Acute bronchitis .. {M	24	.	2	1
	F	34	.	5	1
A93	Bronchitis, chronic and unqualified .. {M	212	.	1
	F	130	.	1	1
A94	Hypertrophy of tonsils and adenoids .. {M
	F
A95	Empyema and abscess of lung {M	5	1
	F	2	.	1
A96	Pleurisy .. {M	1
	F	1
A97	All other respiratory diseases {M	77	1	2	1	.	.	.	1	.	.
	F	48
A98-A107	<i>IX Diseases of the Digestive System.</i>										
A98	Diseases of teeth and supporting structures .. {M	1	.	1
	F
A99	Ulcer of Stomach .. {M	36
	F	22
A100	Ulcer of duodenum .. {M	35
	F	12	1
A101	Gastritis and duodenitis .. {M	1
	F	4
A102	Appendicitis .. {M	6	1	.	1	.	1
	F	12	.	.	1	.	.	1	.	.	.
A103	Intestinal obstruction and hernia .. {M	45	1	6	1	1	.	.	1	.	.
	F	46	2	8	1
A104	Gastro-enteritis and colitis, except diarrhoea of the new-born {M	66	.	45	4	.	.	.	1	.	.
	F	50	.	21	2	1	1	.	.	.	1

of Death at different Age-Periods, 1952.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95	Detailed List Nos.
.	.	.	.	1	.	1	M } 470-475 F }
.	1	1	1	2	5	5	4	5	4	.	1	M } 480-483 F }
.	.	1	3	.	2	3	4	6	6	9	3	8	.	.	.	M } 490 F }
.	.	2	.	1	3	5	8	4	11	24	29	24	10	4	1	M } 491 F }
1	.	1	1	.	2	3	8	7	8	19	24	32	15	4	.	M } 492, 493 F }
.	.	1	1	.	1	2	2	1	3	8	7	5	4	.	.	M } 500 F }
.	.	1	.	.	.	1	1	1	1	5	4	8	5	1	.	M } 501, 502 F }
1	.	1	1	6	4	12	21	30	30	33	35	23	14	.	.	M } 510 F }
.	.	.	.	1	4	5	3	10	14	22	27	26	11	5	.	M } 518, 521 F }
1	.	.	1	.	.	.	1	1	M } 519 F }
.	3	3	2	2	5	8	5	4	11	7	7	8	6	2	1	M } 511-517, 520, 522-527. F }
.	.	.	2	2	1	.	2	4	9	2	8	9	6	2	.	M } 530-535 F }
.	M } 540 F }
1	.	1	2	3	1	5	2	5	1	7	4	2	1	.	.	M } 541 F }
.	1	.	2	1	1	.	.	.	M } 543 F }
.	.	1	1	.	.	.	1	.	.	.	M } 550-553 F }
.	1	.	.	2	1	1	5	6	3	4	3	6	3	.	.	M } 560, 561 570 F }
.	.	.	.	3	1	2	1	3	3	1	4	2	1	.	.	M } 571, 572 F }

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

[illegible]

of Death at different Age-Periods, 1952.

[illegible]

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A121 A126(Pt)	<i>XII. Diseases of the Skin and Cellular Tissue.</i>										
A121	Infections of skin and sub- cutaneous tissue .. {M	5	1	1
	.. {F	2	.	1
A126(Pt)	Other diseases of the skin and subcutaneous tissue. .. {M	14	1	2	1
	.. {F	15
A122- A125, A126(Pt)	<i>XIII. Diseases of the bones and organs of movement.</i>										
A122	Arthritis and Spondylitis .. {M	31	1	.	.
	.. {F	36
A123	Muscular rheumatism and rheumatism, unspecified .. {M	5
	.. {F	11	1	.
A124	Osteomyelitis and periostitis {M	4
	.. {F	3
A125	Ankylosis and acquired mus- culoskeletal deformities .. {M	2	1	2
	.. {F
A126 (Pt)	Other diseases of musculos- keletal system .. {M	1
	.. {F	2
A127- A129	<i>XIV. Congenital Malformations.</i>										
A127	Spina bifida and meningocele {M	25	18	23	.	.	.	1	.	1	.
	.. {F	37	22	34	2	1
A128	Congenital malformations of circulatory system .. {M	46	22	38	1	.	1	.	.	1	1
	.. {F	45	20	32	1	1	.	.	1	3	.
A129	All other congenital malfor- mations. .. {M	64	32	48	1	1	.	1	.	4	1
	.. {F	40	24	31	1	1
A130 A135	<i>XV. Certain Diseases of early Infancy.</i>										
A130	Birth Injuries (a) with prematurity {M	11	9	11	—	—	—	—	—	—	—
	.. {F	4	4	4	—	—	—	—	—	—	—
	(b) without prematurity {M	39	39	39	—	—	—	—	—	—	—
	.. {F	10	10	10	—	—	—	—	—	—	—
A131	Postnatal Asphyxia and atelectasis (a) with prematurity {M	65	64	65	—	—	—	—	—	—	—
	.. {F	38	36	38	—	—	—	—	—	—	—
	(b) without prematurity {M	37	32	37	—	—	—	—	—	—	—
	.. {F	32	28	32	—	—	—	—	—	—	—
A132	Infections of the newborn (a) with prematurity {M	1	1	1	—	—	—	—	—	—	—
	.. {F	1	1	1	—	—	—	—	—	—	—
	(b) without prematurity {M	20	20	20	—	—	—	—	—	—	—
	.. {F	19	19	19	—	—	—	—	—	—	—

DEATH															Detailed List Nos.		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95		
.	.	1	1	.	.	2	.	.	.	M	} 690-698
.	1	F	
.	.	.	1	1	.	.	.	1	3	1	2	3	.	2	.	M	} 700-716
.	1	.	1	5	2	3	.	.	.	F	
1	.	.	1	2	1	2	4	3	1	3	9	6	2	.	.	M	} 720-725
.	1	4	2	.	2	7	9	6	2	.	.	F	
.	1	2	.	.	2	3	1	2	1	.	1	M	} 726, 727
.	1	2	1	.	.	F	
.	1	2	1	M	} 730
.	.	.	.	1	2	F	
.	M	} 737
.	F	
.	M	} 745-749
.	F	
.	.	.	1	.	1	.	.	1	M	} 731-736
.	.	.	1	1	F	
.	M	} 751
.	F	
1	2	1	1	1	.	1	.	.	1	M	} 754
1	2	1	1	1	.	1	.	.	1	F	
1	1	.	2	1	1	1	1	1	1	1	.	2	.	.	.	M	} 750, 752
1	.	.	.	1	1	1	.	.	1	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 760-761
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 760-761
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 762
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 762
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 763-768
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	} 763-768
—	—	—</															

Detailed
List
Nos.

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A133	Haemolytic disease of newborn										
	(a) with prematurity {M F	1 .	1 .	1 .	— —	— —	— —	— —	— —	— —	— —
	(b) without prematurity {M F	18 3	17 3	18 3	— —	— —	— —	— —	— —	— —	— —
A134	All other defined diseases of early infancy.										
	(a) with prematurity {M F	8 1	8 1	8 1	— —	— —	— —	— —	— —	— —	— —
	(b) without prematurity {M F	10 3	10 2	10 3	— —	— —	— —	— —	— —	— —	— —
A135	Ill-defined diseases peculiar to early infancy.										
	(a) with prematurity {M F	120 84	115 79	120 84	— —	— —	— —	— —	— —	— —	— —
	(b) without prematurity {M F	8 6	4 3	8 6	— —	— —	— —	— —	— —	— —	— —
A136- A137	<i>XVI. Symptoms, senility and Ill-Defined Conditions.</i>										
A136	Senility without mention of psychosis.	330 406
A137	Ill-defined and unknown causes of mortality	50 52	2 .	9 6	1 1	1
A138- A150	<i>XVII. Accidents, Poisonings and Violence.</i>										
A138	Motor vehicle accidents . . .	97 23	3 2	1 .	4 1	2 1	9 .	5 .	8 2
A139	Other transport accidents . .	24 6	1 .	. .	1 .	2 .	1 .	2 1
A140	Accidental poisoning	9 6	2
A141	Accidental falls	49 87	1
A142	Accident caused by machinery {M F	6	1
A143	Accident caused by fire and explosion of combustible material	4 4	1	1
A144	Accident caused by hot sub- stance corrosive liquid steam and radiation	8 12	1 2	2 2	. .	3 .	1

of Death at different Age-Periods, 1952.

DEATH																Detailed List Nos.	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 770
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 770
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 769, 771 772
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 769, 771, 772
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 773-776
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	} 773-776
.	1	8	21	69	93	87	44	8	M F	} 794
.	4	4	18	81	146	86	50	20	M F	} 780-793, 795
7 2	9 2	3 .	4 1	5 .	7 2	3 1	4 .	6 3	3 2	6 2	4 2	4	M F	} E810- E835
2 .	2 .	.	1 .	.	1 .	1 2	1 .	1 .	4 .	5 .	1 .	1	M F	} E800-E802, E840- E866
.	.	1 .	2 .	1 .	1 .	1 .	1 .	.	2 .	1 .	1 .	1 .	1 .	.	.	M F	} E870- E895
3 .	2 .	2 .	2 .	3 .	1 .	.	3 .	4 1	4 3	4 11	7 18	7 26	4 13	9	2 6	M F	} E900- E904
1 .	.	.	1 .	.	.	1 .	1	1	M F	} E912
.	.	1	1 .	.	1 .	1 .	1 .	.	.	1	M F	} E916
.	1 .	2 .	1 .	1 .	2 1	.	1 .	.	M F	} E917 E918

ABSTRACT VIII—(Continued).—Northern Ireland : Causes

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A145	Accident caused by firearm . . { F	5	1 .	1 .
A146	Accidental drowning and sub- mersion { F	25* 6	2	3 .	2 .	2 .
A147	All other accidental causes . . { F	39 13	2 5	17 11	1	3 1	. .	2 .
A148	Suicide and self-inflicted injury { F	30 11
A149	Homicide and injury purposely inflicted by other persons { (not in war) { F	4 1	1
A150	Injury resulting from operations of war { F	1

* Including the death of one male for whom no age was stated.

of Death at different Age-Periods, 1952.

DEATH																	Detailed List Nos.
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95		
2	1	M } E919	
.	F } E919	
3	3	2	.	1	1	.	.	2	.	.	2	1	.	.	.	M } E929	
.	.	.	1	2	.	1	.	.	1	.	.	1	.	.	.	F } E929	
1	2	2	.	1	2	2	1	3	.	.	1	1	.	.	.	M } E910, E911, E913- E915 E920- E928 E930- E962	
.	1		
4	1	1	1	2	9	2	3	1	3	.	1	2	.	.	.		
.	1	.	2	2	.	1	1	.	1	3		
.		
.	2	1	M } E963, E970- E979	
.	1	F } E964, E980- E985	
.	1	M } E965, E990- E999	
.	F } E965, E990- E999	

ABSTRACT IX—Belfast County Borough : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	MALES														FEMALES													
		Total Dths	All Ages	AGED										All Ages	AGED														
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	4,778	2,471	132	88	24	244	28	29	31	150	738	651	600	2,307	81	50	24	155	21	13	25	138	490	585	880			
B1	Tuberculosis of respiratory system	151	96	3	21	58	12	2	55	1	.	9	28	13	2	2			
B2	Tuberculosis, other forms	20	7	.	.	.	4	1	2	13	.	.	1	1	4	3	.	2	1	2				
B3	Syphilis and its sequelae	16	11	1	.	.	6	3	1	5	2	1				
B4	Typhoid Fever				
B5	Cholera				
B6	Dysentery, all forms				
B7	Scarlet fever and streptococcal sore throat				
B8	Diphtheria				
B9	Whooping cough	10	5	.	3	1	4	1	5	.	1	3	4	1				
B10	Meningococcal infections	4	4	.	1	2	3	1				
B11	Plague	2	2				
B12	Acute poliomyelitis	2				
B13	Smallpox				
B14	Measles	4	2	.	.	.	1	1	2	.	1	1	2				
B15	Typhus and other rickettsial diseases				
B16	Malaria				
B17	Other infectious and parasitic diseases	16	6	.	1	.	1	.	.	1	.	1	1	2	10	.	1	1	2	.	.	2	3	2	1				
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	734	394	.	1	.	1	3	2	2	26	151	130	79	340	1	2	.	26	137	99	75			
	(a) Cancer	23	12	.	.	.	1	2	3	2	2	1	1	11	1	4	5	1	.				
	(b) Hodgkin's disease and leukaemia	20	9	4	1	4	11	2	6	3				
B19	Benign and unspecified neoplasms	18	6	3	2	1	12	2	4	6				
B20	Diabetes mellitus	15	6	1	1	.	4	9	5	4				
B21	Anaemias				
B22	Vascular lesions affecting central nervous system	646	244	.	.	.	1	.	1	4	64	86	88	402	1	7	80	125	189				
B23	Nonmeningococcal meningitis	7	3	.	1	1	1	1	4	.	.	3	3	1				
B24	Rheumatic fever	24	8	2	4	2	.	16	8	7	1	.				
B25	Chronic rheumatic heart disease	76	28	1	3	10	11	1	2	48	2	11	21	4	10				
B26	Arteriosclerotic and degenerative heart disease	1,028	573	2	16	212	183	160	455	1	6	66	148	234				

B27	Other diseases of heart ..	134	61	1	6	13	22	19	73	1	3	13	23	33	
B28	Hypertension with heart disease ..	178	82	22	31	29	96	1	1	18	38	38	
B29	Hypertension without mention of heart ..	64	26	9	7	10	38	1	.	2	12	9	14	
B30	Influenza ..	18	12	.	1	.	1	.	.	.	3	3	5	6	1	1	4	4	
B31	Pneumonia ..	279	163	—	30	7	37	2	.	6	25	37	56	116	—	16	4	20	2	1	1	16	21	54	
B32	Bronchitis ..	186	114	5	52	31	26	72	1	16	19	37	
B33	Ulcer of stomach and duodenum ..	38	27	3	9	8	7	11	1	.	1	4	5	
B34	Appendicitis ..	4	2	1	.	1	1	.	.	2	1	1	1	
B35	Intestinal obstruction and hernia ..	38	17	.	3	2	5	.	.	3	4	2	3	21	1	1	1	3	.	.	1	7	5	5	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn ..	58	33	—	19	6	25	2	1	.	2	.	3	25	—	14	1	15	1	.	.	4	2	3	
B37	Cirrhosis of liver ..	13	7	4	3	.	.	6	4	2	2	
B38	Nephritis and nephrosis ..	67	32	2	2	3	9	11	5	35	1	2	4	8	5	15	
B39	Hyperplasia of prostate ..	28	28	1	9	18	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium ..	9	—	—	—	—	—	—	—	—	—	—	—	9	9	.	.	.	
B41	Congenital malformations ..	72	36	19	8	2	29	2	1	2	1	1	—	36	17	7	6	30	.	1	2	1	.	2	
B42	Birth injuries, postnatal asphyxia and atelectasis ..	62	36	35	1	.	36	—	—	—	—	—	—	26	25	1	.	26	—	—	—	—	—	—	
B43	(a) with prematurity ..	39	28	26	2	.	28	—	—	—	—	—	—	11	11	.	.	11	—	—	—	—	—	—	
B43	(b) without prematurity ..	1	1	1	.	.	1	—	—	—	—	—	—	7	7	.	.	7	—	—	—	—	—	—	
B44	Infections of the newborn ..	18	11	11	.	.	11	—	—	—	—	—	—	—	—	—	—	—	—	
B44	(a) with prematurity ..	45	26	25	1	.	26	—	—	—	—	—	—	19	16	3	.	19	—	—	—	—	—	—	
B44	(b) without prematurity ..	12	10	9	1	.	10	—	—	—	—	—	—	2	1	1	.	2	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes ..	98	32	1	3	.	4	.	.	1	3	6	18	66	1	.	.	3	7	55	
B46	All other causes ..	362	180	4	6	1	11	4	3	2	15	45	51	49	182	.	2	2	4	4	1	2	18	45	66
BE47	Motor vehicle accidents ..	36	27	1	.	.	4	8	2	3	6	2	2	9	2	.	1	2	2	2	
BE48	All other accidents ..	90	57	1	7	2	10	2	6	4	12	12	3	33	3	2	1	6	3	1	.	6	17		
BE49	Suicide and self-inflicted injury ..	12	6	2	4	.	6	3	1	2		
BE50	Homicide and operations of war ..	3	3	1	.	.	1	1	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) ..	43	27	.	19	6	25	2	—	—	—	—	—	16	.	14	1	15	1	—	—	—	—	—	
	Pneumonia (included in B31 and B43) ..	298	175	12	30	7	49	2	.	6	25	37	56	123	7	16	4	27	2	1	1	1	16	21	54

ABSTRACT IX—Londonderry County Borough : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES												
			All Ages	AGED											All Ages	AGED												
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
ALL CAUSES	507	265	29	5	3	37	4	4	3	19	61	76	61	242	14	10	3	27	5	1	5	23	53	64	64			
B1	Tuberculosis of respiratory system	10	3	1	2	.	.	.	7	2	4	1	.	.		
B2	Tuberculosis, other forms	10	7	.	1	1	2	2	2	.	.	1	.	.	3	.	.	1	1	.	1	.	1	.	.			
B3	Syphilis and its sequelae			
B4	Typhoid Fever			
B5	Cholera			
B6	Dysentery, all forms			
B7	Scarlet fever and streptococcal sore throat			
B8	Diphtheria			
B9	Whooping cough			
B10	Meningococcal infections	1	1	1			
B11	Plague			
B12	Acute poliomyelitis			
B13	Smallpox			
B14	Measles	2	1	.	.	1	1	1	.	.	1	1			
B15	Typhus and other rickettsial diseases			
B16	Malaria			
B17	Other infectious and parasitic diseases			
B18	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	65	34	2	14	10	8	31	6	13	9	3			
	(a) Cancer			
	(b) Hodgkin's disease and leukaemia	2	1	2	.	.	.	1	.	1	.	.	.	1			
B19	Benign and unspecified neoplasms	3	1	1	.	2	1			
B20	Diabetes mellitus	5	3	1	1	.	1	2	1	1	1			
B21	Anaemias	4	1	1	.	3	1	1	1			
B22	Vascular lesions affecting central nervous system	56	22	7	9	6	34	1	.	1	.	.	.	1	7	16	9			
B23	Nonmeningococcal meningitis	1	1	.	.	.	1			
B24	Rheumatic fever	1	1			
B25	Chronic rheumatic heart disease	7	1	1	.	6	1	3	2	.	.			
B26	Arteriosclerotic and degenerative heart disease	114	68	2	20	25	21	46	9	22	15			

B27	Other diseases of heart	21	9	1	2	3	3	12	1	4	1	6
B28	Hypertension with heart disease	13	6	1	1	2	3	7	5	2
B29	Hypertension without mention of heart	9	7	1	2	2	2	2	1	.	1	.
B30	Influenza	1	1	1	
B31	Pneumonia	15	7	1	1	2	.	.	.	1	2	2	8	5	5	5	1	1	1	1	1	2	2	1	
B32	Bronchitis	15	7	1	4	2	8	1	1	2	3	
B33	Ulcer of stomach and duodenum	2	2	1	1	
B34	Appendicitis	
B35	Intestinal obstruction and hernia	4	2	2	.	2	1	1	1	1	1	1	1	1	1	.	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	2	2	—	1	.	1	—	
B37	Cirrhosis of liver	3	2	2	.	.	.	1	1	
B38	Nephritis and nephrosis	10	2	2	.	.	8	2	1	3	
B39	Hyperplasia of prostate	6	6	2	4	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B41	Congenital malformations	15	6	4	1	.	5	1	9	4	3	1	8	.	.	.	1	.	.	
B42	Birth injuries, postnatal asphyxia and atelectasis	7	5	5	.	.	5	—	—	—	—	—	—	2	2	.	.	2	—	—	—	—	—	—	
B43	Infections of the newborn	9	8	8	.	.	8	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	
B43	(a) with prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	
B43	(b) without prematurity	2	1	1	.	.	1	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy	
B44	(a) with prematurity	11	8	8	.	.	8	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—	
B44	(b) without prematurity	5	3	3	.	.	3	—	—	—	—	—	—	2	2	.	.	2	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	25	9	1	.	3	5	16	.	.	.	1	14	
B46	All other causes	38	23	1	.	6	5	8	3	15	3	7	4	1	
BE47	Motor vehicle accidents	4	3	1	1	1	.	.	1	.	.	.	1	
BE48	All other accidents	8	3	1	.	1	.	1	.	.	.	1	.	5	1	1	3	
BE49	Suicide and self-inflicted injury	1	1	1	
BE50	Homicide and operations of war	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	—	—	—	—	—	—	—	—	—	—	—	—	
	Pneumonia (included in B31 and B43)	17	8	1	1	1	3	.	.	.	1	2	2	9	1	5	.	6	2	1	

ABSTRACT IX—County Antrim : Causes of Death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES												
			All Ages	AGED												All Ages	AGED											
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	under 1 mth		1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	2,234	1,132	54	25	9	88	11	12	16	76	231	270	428	1,102	31	18	5	54	13	6	9	57	203	255	505		
B1	Tuberculosis of respiratory system	33	22	1	7	8	6	.	11	6	4	1	.		
B2	Tuberculosis, other forms	13	6	1	1	.	2	2	.	.	7	.	.	.	4	.	2	.	.	1	.	.		
B3	Syphilis and its sequelae	8	6	1	.	.	1	2	3	.	2	1	1	.	.		
B4	Typhoid Fever		
B5	Cholera		
B6	Dysentery, all forms		
B7	Scarlet fever and streptococcal sore throat		
B8	Diphtheria		
B9	Whooping cough	1	1		
B10	Meningococcal infections	1		
B11	Plague		
B12	Acute poliomyelitis	1	1	1		
B13	Smallpox		
B14	Measles		
B15	Typhus and other rickettsial diseases		
B16	Malaria		
B17	Other infectious and parasitic diseases	8	5	1	1	1	1	1	3	1	.	.	1	.	.	.	1	.	1	.		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	329	152	1	.	1	12	43	44	51	177	1	18	54	55	48		
	(a) Cancer				
	(b) Hodgkin's disease and leukaemia	14	7	4	3	.	.	7	1	1	2	2	1	.		
B19	Benign and unspecified neoplasms	6	1	1	.	.	5	1	.	4		
B20	Diabetes mellitus	20	10	1	.	2	3	3	1	10	2	6	2		
B21	Anaemias	7	2	1	.	1	5	2	3	.		
B22	Vascular lesions affecting central nervous system	286	126	1	2	25	34	64	160	1	.	.	1	.	.	.	3	32	52	72		
B23	Nonmeningococcal meningitis	2	2	1	.	.	1	.	.		
B24	Rheumatic fever	5	2	2	.	.	.	3	1	1	1	.		
B25	Chronic rheumatic heart disease	37	14	4	3	5	2	23	1	1	4	10	5	2		
B26	Arteriosclerotic and degenerative heart disease	566	319	1	1	8	74	108	127	247	3	35	61	148		

B27	Other diseases of heart	43	18	3	7	8	25	4	7	14
B28	Hypertension with heart disease	65	28	7	11	10	37	5	18	14
B29	Hypertension without mention of heart	19	8	3	3	.	2	11	1	2	7
B30	Influenza	8	3	1	1	1	5	1	.	.	1	3	6
B31	Pneumonia	50	23	—	5	3	8	1	.	2	1	3	8	27	8	1	9	2	.	.	.	3	7	6
B32	Bronchitis	45	26	.	1	.	1	1	.	2	3	5	14	19	1	1	1	2	.	.	.	1	3	13
B33	Ulcer of stomach and duodenum	23	12	2	4	3	3	11	2	3	6	6
B34	Appendicitis	4	2	1	.	.	.	2	1	1	2
B35	Intestinal obstruction and hernia	11	5	1	3	1	6	.	.	1	1	1	.	.	1	1	2
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	14	10	—	6	2	8	.	.	.	1	1	.	4	—	1	.	1	.	.	.	1	2	1
B37	Cirrhosis of liver	6	3	1	1	1	3	1	3	2	2
B38	Nephritis and nephrosis	24	13	1	.	3	2	2	5	11	1	3	2	3	1
B39	Hyperplasia of prostate	20	20	9	11	—	—	—	—	—	—	—	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B41	Congenital malformations	3	23	10	6	2	18	—	2	—	3	—	—	12	3	3	2	8	2	.	.	3	1	1
B42	Birth injuries, postnatal asphyxia and atelectasis	19	16	14	2	.	16	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—
	(a) with prematurity	15	9	9	.	.	9	—	—	—	—	—	—	6	5	1	.	6	—	—	—	—	—	—
B43	Infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
	(a) with prematurity	3	2	2	.	.	2	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—
B44	Other diseases peculiar to early infancy	26	11	11	.	.	11	—	—	—	—	—	—	15	15	.	.	15	—	—	—	—	—	—
	(b) without prematurity	9	7	6	1	.	7	—	—	—	—	—	—	2	1	1	.	2	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	170	69	3	3	63	101	3	1	97
B46	All other causes	214	99	1	3	1	5	4	2	2	6	28	13	39	115	1	2	1	4	3	.	6	31	22
BE47	Motor vehicle accidents	24	21	.	.	.	3	2	5	5	2	1	3	3	2	1	.	.	10
BE48	All other accidents	41	26	.	1	1	2	2	3	3	3	3	10	15	.	1	.	1	.	1	1	2	.	.
BE49	Suicide and self-inflicted injury	7	5	1	1	2	.	1	2	1	1	.	.
BE50	Homicide and operations of war
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	9	8	.	6	2	8	—	—	—	—	—	—	1	.	1	.	1	.	—	—	—	—	—
	Pneumonia (included in B31 and B43)	53	25	2	5	3	10	1	.	2	1	3	8	28	1	8	1	10	2	.	.	3	7	6

ABSTRACT IX—County Armagh : Causes of death at different Age-Periods 1952.

Abbreviated List Nos.	CAUSES OF DEATH	MALES														FEMALES													
		Total Dths	All Ages	AGED										All Ages	AGED														
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	1,250	670	46	9	3	58	6	6	18	40	133	175	234	580	27	9	5	41	2	4	6	31	123	145	228			
B1	Tuberculosis of respiratory system	29	18	2	11	3	2	.	11	3	4	2	.	2			
B2	Tuberculosis, other forms	8	2	2	6	1	4	.	.	1			
B3	Syphilis and its sequelae	1	1	1	.	.	1	1			
B4	Typhoid Fever	1	1			
B5	Cholera			
B6	Dysentery, all forms			
B7	Scarlet fever and streptococcal sore throat			
B8	Diphtheria			
B9	Whooping cough			
B10	Meningococcal infections			
B11	Plague			
B12	Acute poliomyelitis	1	1	.	.	.	1			
B13	Smallpox			
B14	Measles			
B15	Typhus and other rickettsial diseases			
B16	Malaria			
B17	Other infectious and parasitic diseases	2	2	1	.	.	.	1			
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues																												
	(a) Cancer	136	66	2	1	30	16	17	70	7	29	21	13				
	(b) Hodgkin's disease and leukaemia	7	4	1	1	2	.	.	3	1	.	.	1	.	1	.	1			
B19	Benign and unspecified neoplasms	7	4	2	2	.	3	1	.	1	1	.	1	.			
B20	Diabetes mellitus	5	5	2	1	2	.			
B21	Anaemias	10	5	1	2	2	.	5	1	.	1	2	1	.			
B22	Vascular lesions affecting central nervous system	145	63	3	8	24	28	82	1	.	.	.	23	23	35	.			
B23	Nonmeningococcal meningitis	2	1	.	.	.	1	1	1			
B24	Rheumatic fever	3	2	1	.	1	.	.	1	1	.	.	.			
B25	Chronic rheumatic heart disease	15	8	2	1	1	4	.	7	1	3	2	1	.			
B26	Arteriosclerotic and degenerative heart disease	352	200	7	40	63	90	152	2	21	49	80	.			

B27	Other diseases of heart ..	61	31	1	17	13	30	9	12	9
B28	Hypertension with heart disease ..	34	13	3	6	4	21	5	6	10
B29	Hypertension without mention of heart ..	6	2	1	1	4	4	2	1	1	
B30	Influenza ..	7	5	2	3	2	2	1	1	1	
B31	Pneumonia ..	35	12	—	1	1	2	1	1	.	.	.	2	1	5	23	—	4	1	5	1	1	.	.	.	2	5	9	
B32	Bronchitis ..	32	18	6	6	5	14	.	1	1	2	1	5	6	
B33	Ulcer of stomach and duodenum ..	8	8	2	4	1	1	
B34	Appendicitis ..	2	1	1	1	1	.	.	
B35	Intestinal obstruction and hernia ..	7	6	1	2	.	3	1	1	.	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn ..	6	1	—	1	.	5	—	1	3	1	
B37	Cirrhosis of liver ..	2	1	1	1	1	1	
B38	Nephritis and nephrosis ..	16	7	1	2	3	1	9	3	5	1	
B39	Hyperplasia of prostate ..	14	14	1	4	9	—	—	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium ..	5	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	
B41	Congenital malformations ..	31	15	10	2	.	12	.	1	.	1	.	1	.	16	12	1	1	14	.	1	4	.	.	
B42	Birth injuries, postnatal asphyxia and atelectasis ..	4	3	3	.	.	3	—	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	—	—	
B43	Infections of the newborn ..	12	8	7	1	.	8	—	—	—	—	—	—	—	—	4	4	.	.	4	—	—	—	—	—	—	—	—	
B43	(a) with prematurity	—	—	—	—	—	—	—	—	—	—	.	.	—	—	—	—	—	—	—	—	—	
B43	(b) without prematurity ..	2	1	1	.	.	1	—	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy ..	27	20	19	1	.	20	—	—	—	—	—	—	—	—	7	7	.	.	7	—	—	—	—	—	—	—	—	
B44	(a) with prematurity ..	9	6	4	1	1	6	—	—	—	—	—	—	—	—	3	2	1	.	3	—	—	—	—	—	—	—	—	
B44	(b) without prematurity	—	—	—	—	—	—	—	—	—	—	.	.	—	—	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes ..	73	41	5	36	32	.	1	.	1	1	1	29	
B46	All other causes ..	92	50	2	1	1	4	1	.	1	5	16	8	15	42	.	.	2	2	.	1	1	2	8	9	9	19		
BE47	Motor vehicle accidents ..	13	13	1	2	4	5	1	
BE48	All other accidents ..	25	14	.	2	.	2	1	.	4	2	2	3	11	.	1	.	1	5	5		
BE49	Suicide and self-inflicted injury ..	3	3	1	.	2	
BE50	Homicide and operations of war	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pneumonia (included in B31 and B43) ..	37	13	1	1	1	3	1	1	.	.	2	1	5	24	1	4	1	6	1	1	2	5	9	

ABSTRACT IX—County Down : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	MALES													FEMALES												
		Total Dths	All Ages	AGED										All Ages	AGED												
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	
	ALL CAUSES	2,691	1,393	65	29	7	101	11	11	17	72	306	347	527	1,298	37	15	7	59	6	9	6	55	259	330	574	
B1	Tuberculosis of respiratory system	55	34	2	11	18	1	2	21	1	10	7	2	1	
B2	Tuberculosis, other forms	16	7	.	.	1	1	2	1	1	.	2	.	.	9	.	1	.	1	3	.	3	1	.	1		
B3	Syphilis and its sequelae	5	3	3	.	.	2	2		
B4	Typhoid Fever		
B5	Cholera		
B6	Dysentery, all forms		
B7	Scarlet fever and streptococcal sore throat	1	1	1		
B8	Diphtheria		
B9	Whooping cough	2	1	.	1	.	1	1	.	.	1		
B10	Meningococcal infections	1	1	.	1	.	1		
B11	Plague		
B12	Acute poliomyelitis	1	1	1		
B13	Smallpox		
B14	Measles		
B15	Typhus and other rickettsial diseases		
B16	Malaria		
B17	Other infectious and parasitic diseases	3	1	1	2	2		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	357	193	1	14	59	64	55	164	1	.	6	71	41	45		
	(a) Cancer		
	(b) Hodgkin's disease and leukaemia	10	5	1	.	2	1	.	1	5	2	2	1	.		
B19	Benign and unspecified neoplasms	9	6	.	1	.	1	2	.	3	3	1	1	.	1		
B20	Diabetes mellitus	15	5	1	3	1	10	4	3	3		
B21	Anaemias	14	7	2	1	4	7	1	2	4		
B22	Vascular lesions affecting central nervous system	369	161	1	.	.	1	.	.	1	1	33	53	72	208	.	1	.	1	.	.	2	46	72	87		
B23	Nonmeningococcal meningitis	5	4	.	.	1	1	2	.	.	.	1	.	.	1	1	.		
B24	Rheumatic fever	3	2	1	1	.	.	.	1	1	.	.	.		
B25	Chronic rheumatic heart disease	20	7	1	2	2	.	2	13	1	3	5	3	1		
B26	Arteriosclerotic and degenerative heart disease	838	452	12	101	129	210	386	1	54	109	222		

B27	Other diseases of heart	110	48	1	2	11	11	24	62	1	4	7	23	27
B28	Hypertension with heart disease	54	23	4	11	7	31	1	1	6	12	12
B29	Hypertension without mention of heart	19	7	1	2	4	12	4	2	6	
B30	Influenza	7	2	.	1	.	1	1	5	4	4	
B31	Pneumonia	67	38	—	10	3	13	1	4	1	.	7	6	6	29	—	3	2	5	1	.	.	4	7	12	
B32	Bronchitis	45	30	5	12	13	15	4	3	8	
B33	Ulcer of stomach and duodenum	15	10	1	2	2	3	2	5	2	1	2	
B34	Appendicitis	3	3	1	.	.	.	
B35	Intestinal obstruction and hernia	15	7	1	.	.	1	1	1	.	.	2	.	2	8	1	1	.	2	2	4	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	16	7	—	5	.	5	1	1	9	—	1	1	2	.	.	1	1	1	2	
B37	Cirrhosis of liver	7	6	3	2	.	1	1	1	2	
B38	Nephritis and nephrosis	35	21	1	.	.	1	.	1	.	5	5	6	3	14	1	.	1	5	5	
B39	Hyperplasia of prostate	31	31	2	9	20	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium	5	—	—	—	—	—	—	—	—	—	—	—	—	5	5	.	.	.	
B41	Congenital malformations	42	24	11	7	1	19	1	1	2	.	1	.	.	18	13	4	.	17	
B42	Birth injuries, postnatal asphyxia and atelectasis	9	5	5	.	.	5	—	—	—	—	—	—	—	4	3	1	.	4	—	—	—	—	—	—	
	(a) with prematurity	18	11	10	1	.	11	—	—	—	—	—	—	—	7	6	1	.	7	—	—	—	—	—	—	
B43	Infections of the newborn	3	2	2	.	.	2	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	
	(a) with prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy	39	28	27	1	.	28	—	—	—	—	—	—	—	11	11	.	.	11	—	—	—	—	—	—	
	(b) without prematurity	6	5	5	.	.	5	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	154	66	.	1	.	1	4	4	57	88	.	2	2	4	.	.	.	3	7	74	
B46	All other causes	185	87	1	.	1	2	.	.	.	7	25	22	31	98	.	.	1	1	.	4	1	10	22	31	
BE47	Motor vehicle accidents	22	16	.	.	.	2	1	3	4	2	3	1	6	1	3	2	.	
BE48	All other accidents	*49	*21	1	.	1	2	1	2	6	4	1	3	28	1	.	.	1	.	.	.	2	3	2	20	
BE49	Suicide and self inflicted injury	10	8	1	3	3	1	2	2	.	
BE50	Homicide and operations of war	1	1	1	.	.	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	8	6	1	5	.	6	.	—	—	—	—	—	—	2	.	1	1	2	.	—	—	—	—	—	
	Pneumonia (included in B31 and B43)	68	39	1	10	3	14	1	4	1	.	7	6	6	29	.	3	2	5	1	.	.	4	7	12	

* Including the death of one male for whom no age was stated.

ABSTRACT IX—County Fermanagh : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	MALES														FEMALES													
		Total Dths	All Ages	AGED										All Ages	Total under 1 yr.	AGED										Total under 1 yr.	All Ages	Total under 1 yr.	All Ages
				under 1 mth	1-6 mths	6-12 mths	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			under 1 mth	1-6 mths	6-12 mths	1-4	5-14	15-24	25-44	45-64	65-74	75 and over				
	ALL CAUSES	660	344	12	7	1	20	3	2	3	14	32	97	173	316	5	4		9	7	2	5	14	53	80	146			
B1	Tuberculosis of respiratory system	7	4							1	1	1	1	3							1	1			1				
B2	Tuberculosis, other forms																												
B3	Syphilis and its sequelae																												
B4	Typhoid Fever																												
B5	Cholera																												
B6	Dysentery, all forms																												
B7	Scarlet fever and streptococcal sore throat																												
B8	Diphtheria																												
B9	Whooping cough	2	1		1		1							1					1										
B10	Meningococcal infections	1	1							1																			
B11	Plague																												
B12	Acute poliomyelitis																												
B13	Smallpox																												
B14	Measles																												
B15	Typhus and other rickettsial diseases																												
B16	Malaria																												
B17	Other infectious and parasitic diseases	1	1									1																	
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues																												
	(a) Cancer	86	36							3	3	15	15	50								6	12	15	17				
	(b) Hodgkin's disease and leukaemia	4	2								1		1	2							1				1				
B19	Benign and unspecified neoplasms	2	1										1	1															
B20	Diabetes mellitus	1												1															
B21	Anaemias	3	2							1			1	1											1				
B22	Vascular lesions affecting central nervous system	83	41							1	3	8	29	42									10	15	17				
B23	Nonmeningococcal meningitis	1												1					1										
B24	Rheumatic fever																												
B25	Chronic rheumatic heart disease	4												4								1	3						
B26	Arteriosclerotic and degenerative heart disease	153	91							1	12	33	45	62								3	12	17	30				

B27	Other diseases of heart ..	31	15	2	.	3	10	16	1	.	1	6	8
B28	Hypertension with heart disease ..	13	5	3	2	8	1	5	2
B29	Hypertension without mention of heart ..	6	6	3	2	1
B30	Influenza ..	2	1	1	1
B31	Pneumonia ..	23	16	—	2	.	2	.	.	.	1	6	7	7	—	1	.	1	1	.	.	2	1	2
B32	Bronchitis ..	27	15	1	2	6	6	12	1	3	8
B33	Ulcer of stomach and duodenum ..	4	2	1	.	1	2	2	.	.
B34	Appendicitis
B35	Intestinal obstruction and hernia ..	3	1	1	.	.	2	1	.	1
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn ..	3	2	—	1	1	1	—	1
B37	Cirrhosis of liver ..	1	1	1	.	1	1
B38	Nephritis and nephrosis ..	3	2	1	1	1	1	.	.
B39	Hyperplasia of prostate ..	4	4	3	1	—	—	—	—	—	—	—	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium ..	1	—	—	—	—	—	—	—	—	—	—	—	1	2	.	1	.	.	.
B41	Congenital malformations ..	10	7	3	3	1	7	3	1	.	.
B42	Birth injuries, postnatal asphyxia and atelectasis ..	2	1	1	.	.	1	—	—	—	—	—	—	1	1	2	.	.	1	—	—	—	—	—
	(a) with prematurity ..	5	3	2	1	.	3	—	—	—	—	—	—	2	.	2	.	.	2	—	—	—	—	—
B43	Infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(a) with prematurity ..	2	—	—	—	—	—	—	2	2	.	.	.	2	—	—	—	—	—
B44	Other diseases peculiar to early infancy ..	5	4	4	.	.	4	—	—	—	—	—	—	1	1	.	.	.	1	—	—	—	—	—
	(a) with prematurity ..	2	1	1	.	.	1	—	—	—	—	—	—	1	1	.	.	.	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and un- known causes ..	85	42	1	.	.	1	.	.	.	2	3	8	36	43	2	1	1	4
B46	All other causes ..	54	25	12	29	9	12
BE47	Motor vehicle accidents ..	4	3	1	.	1	1	.	.	1	1	.	.
BE48	All other accidents ..	17	10	.	.	.	3	1	.	1	.	4	1	7	1	.	.	.	1	2	.	.	.	4
BE49	Suicide and self-inflicted injury ..	5	4	1	1	1	.	1	1	1	.	.
BE50	Homicide and operations of war
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	—	—	—	—	—	—	—	—	—	—	—	—
	Pneumonia (included in B31 and B43) ..	25	16	.	2	.	2	.	.	.	1	6	7	9	2	1	.	3	1	.	.	2	1	2

ABSTRACT IX—County Londonderry : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES												
			All Ages	AGED											All Ages	AGED												
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	1,126	572	28	11	7	46	8	6	8	32	107	121	244	554	29	10	2	41	10	7	9	37	88	132	230		
B1	Tuberculosis of respiratory system	18	9	1	3	3	1	1	9	1	6	2	.	.		
B2	Tuberculosis, other forms	5	1	1	4	2	1	.	.	.			
B3	Syphilis and its sequelae	3	3	1	.	1	1			
B4	Typhoid Fever	1	1	1			
B5	Cholera			
B6	Dysentery, all forms			
B7	Scarlet fever and streptococcal sore throat			
B8	Diphtheria			
B9	Whooping cough	4	2	.	.	2	2	2	.	.	1	1			
B10	Meningococcal infections	2	1	1	1	.	.	.	1			
B11	Plague			
B12	Acute poliomyelitis	1	1	.	.	.	1			
B13	Smallpox			
B14	Measles			
B15	Typhus and other rickettsial diseases			
B16	Malaria			
B17	Other infectious and parasitic diseases	4	3	1	2	.	1	.	1	.	1			
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	134	56	1	.	.	3	25	12	15	78	1	1	7	28	25	16			
	(a) Cancer	7	4	1	1	.	2	.	.	.	3	1	.	1	1	.	.			
	(b) Hodgkin's disease and leukaemia	5	1	1	.	.	4	2	1	1	.			
B19	Benign and unspecified neoplasms	9	4	1	1	2	5	1	3			
B20	Diabetes mellitus	4	2	1	.	1	2	1	1	.			
B21	Anaemias			
B22	Vascular lesions affecting central nervous system	137	58	1	6	20	31	79	1	14	27	37			
B23	Nonmeningococcal meningitis			
B24	Rheumatic fever	2	2	2			
B25	Chronic rheumatic heart disease	12	6	2	2	1	1	6	1	1	3	1			
B26	Arteriosclerotic and degenerative heart disease	290	147	1	2	2	31	43	68	143	2	19	43	79			

B27	Other diseases of heart ..	35	16	4	3	9	19	.	1	.	1	.	.	1	1	2	4	10
B28	Hypertension with heart disease ..	35	19	6	4	9	16	.	.	.	1	.	.	1	1	6	2	8
B29	Hypertension without mention of heart ..	9	7	3	1	.	3	2	2	1	.	1
B30	Influenza ..	3	2	.	.	.	2	2	1	1	1	1	.	1
B31	Pneumonia ..	20	11	—	2	1	5	3	9	—	4	.	4	.	.	.	2	2	1	4
B32	Bronchitis ..	15	8	.	.	1	1	2	2	5	7	3	2	2
B33	Ulcer of stomach and duodenum ..	6	4	2	1	1	2	1	.	2
B34	Appendicitis ..	2	1	.	.	.	1	1	1
B35	Intestinal obstruction and hernia ..	4	2	2	2	2
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn ..	10	6	—	3	1	4	2	.	.	4	—	2	1	3	1
B37	Cirrhosis of liver ..	1	1	1	.	.
B38	Nephritis and nephrosis ..	14	11	4	1	1	5	3	2	1	.
B39	Hyperplasia of prostate ..	11	11	1	2	8	—	—	—	—	—	—	—	—	—	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	.	.	.
B41	Congenital malformations ..	27	14	8	2	.	10	1	1	1	.	1	.	.	13	9	1	.	10	1	1	.	1
B42	Birth injuries, postnatal asphyxia and atelectasis ..	6	3	3	.	.	3	—	—	—	—	—	—	—	—	3	3	.	3	—	—	—	—	—	—	—	—
	(a) with prematurity ..	7	4	4	.	.	4	—	—	—	—	—	—	—	—	3	3	.	3	—	—	—	—	—	—	—	—
B43	Infections of the newborn ..	1	—	—	—	—	—	—	—	—	1	1	.	1	—	—	—	—	—	—	—	—
	(a) with prematurity ..	2	1	1	.	.	1	—	—	—	—	—	—	—	—	1	1	.	1	—	—	—	—	—	—	—	—
	(b) without prematurity ..	1	—	—	—	—	—	—	—	—	1	1	.	1	—	—	—	—	—	—	—	—
B44	Other diseases peculiar to early infancy ..	26	13	11	2	.	13	—	—	—	—	—	—	—	—	13	12	1	.	13	—	—	—	—	—	—	—
	(a) with prematurity ..	1	1	.	1	.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) without prematurity ..	113	60	.	.	1	1	1	6	52	53	1	3	3	10	7	5	48	
B45	Senility without mention of psychosis, ill-defined and unknown causes ..	91	49	1	2	3	2	1	.	3	11	11	18	42	1	3	3	10	7	8	10	
B46	All other causes ..	9	7
BE47	Motor vehicle accidents ..	35	20	.	1	.	1	.	2	2	5	.	2	8	15	2	.	.	2	1	3	7	
BE48	All other accidents ..	1	1	1
BE49	Suicide and self-inflicted injury ..	1	1
BE50	Homicide and operations of war ..	1	1	1
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) ..	7	4	.	3	1	4	.	—	—	—	—	—	—	3	.	2	1	3	.	—	—	—	—	—	—	—
	Pneumonia (included in B31 and B43) ..	23	12	1	2	.	3	1	5	3	11	2	4	.	6	2	2	1	

ABSTRACT IX—County Tyrone : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES												
			All Ages	AGED										All Ages	AGED													
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	1,566	819	43	25	8	76	14	10	12	34	135	218	320	*747	39	19	3	61	14	6	8	39	132	203	283		
B1	Tuberculosis of respiratory system	22	11	2	5	3	1	11	1	5	4	1	.	
B2	Tuberculosis, other forms	13	9	.	.	1	1	1	.	.	.	2	3	1	.	4	.	.	.	2	1	.	.	.	1	.		
B3	Syphilis and its sequelae		
B4	Typhoid Fever		
B5	Cholera		
B6	Dysentery, all forms		
B7	Scarlet fever and streptococcal sore throat		
B8	Diphtheria		
B9	Whooping cough	3	1	1	2	1	1		
B10	Meningococcal infections		
B11	Plague		
B12	Acute poliomyelitis	1	1	1		
B13	Smallpox		
B14	Measles	2	2	2		
B15	Typhus and other rickettsial diseases		
B16	Malaria		
B17	Other infectious and parasitic diseases	5	4	1	2	1	.	1	.	1		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	179	84	1	8	20	24	31	95	1	.	1	10	39	23	21		
	(a) Cancer	14	10	2	1	1	.	5	1	.	4	1	.	2	1	.	.	.		
	(b) Hodgkin's disease and leukaemia	5	1	4	2	1	.	.		
B19	Benign and unspecified neoplasms	2	1	1	1		
B20	Diabetes mellitus	10	4	1	2	1	6	1	.	.	2	3		
B21	Anaemias		
B22	Vascular lesions affecting central nervous system	*206	98	1	.	14	41	42	*108	1	1	23	48	34		
B23	Nonmeningococcal meningitis	2	2	.	1	.	1	1		
B24	Rheumatic fever	3	3	1	.	.	.	1	.	.		
B25	Chronic rheumatic heart disease	17	6	1	1	2	1	1	11	1	4	1	8	2		
B26	Arteriosclerotic and degenerative heart disease	364	209	.	1	.	1	.	.	.	6	35	77	90	155	2	25	37	91	.		

B27	Other diseases of heart ..	72	25	1	4	7	13	47	2	5	22	18	
B28	Hypertension with heart disease ..	50	23	1	1	11	11	27	2	17	8	
B29	Hypertension without mention of heart ..	24	13	1	1	4	7	11	2	7	2	
B30	Influenza ..	15	5	.	1	.	1	2	2	10	7	3	3	
B31	Pneumonia ..	60	37	—	16	4	20	3	.	1	1	3	1	8	23	—	9	3	12	1	1	.	4	3	2
B32	Bronchitis ..	35	18	2	7	9	17	.	2	.	2	1	.	.	6	8	
B33	Ulcer of stomach and duodenum ..	9	6	2	2	2	3	2	.	.	
B34	Appendicitis ..	3	3	1	.	.	2	.	.	
B35	Intestinal obstruction and hernia ..	9	5	1	3	.	1	4	.	1	.	1	3	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn ..	12	6	—	1	2	3	2	1	6	—	.	.	.	2	.	.	1	2	1	
B37	Cirrhosis of liver ..	1	1	1	.	1	
B38	Nephritis and nephrosis ..	22	14	2	.	3	1	2	6	8	4	3	1	
B39	Hyperplasia of prostate ..	13	13	2	11	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium ..	5	—	—	—	—	—	—	—	—	—	—	—	5	.	8	2	.	10	1	1	1	4	.	
B41	Congenital malformations ..	25	10	7	2	.	9	1	15	8	2	.	.	10	1	1	1	1	.	
B42	Birth injuries, postnatal asphyxia and atelectasis ..	9	7	7	.	.	7	—	—	—	—	—	—	2	2	.	.	2	—	—	—	—	—	—	
B43.	(a) with prematurity ..	13	5	5	.	.	5	—	—	—	—	—	—	8	8	.	.	8	—	—	—	—	—	—	
	(b) without prematurity	—	—	—	—	—	—	—	—	—	—	—	—	
B44	Infections of the newborn ..	7	2	2	.	.	2	—	—	—	—	—	—	5	5	.	.	5	—	—	—	—	—	—	
	(a) with prematurity	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) without prematurity	—	—	—	—	—	—	—	—	—	—	—	—	
B45	Other diseases peculiar to early infancy ..	35	19	19	.	.	19	—	—	—	—	—	—	16	15	1	.	16	1	—	—	—	—	—	
	(a) with prematurity ..	4	3	3	.	.	3	—	—	—	—	—	—	1	1	.	.	1	1	—	—	—	—	—	
	(b) without prematurity	—	—	—	—	—	—	—	—	—	—	—	—	
B46	Senility without mention of psychosis, ill-defined and unknown causes ..	119	60	.	2	.	2	.	1	.	1	5	51	59	.	1	.	1	.	.	1	1	3	53	
	All other causes ..	127	77	.	1	1	2	1	1	.	6	19	20	28	50	1	.	1	1	.	6	10	14	18	
BE47	Motor vehicle accidents ..	8	7	.	.	.	1	1	2	1	.	1	1	1	3	.	.	1	.	.	
BE48	All other accidents ..	38	18	3	3	.	8	2	2	20	.	1	.	1	3	.	1	.	4	11	
BE49	Suicide and self-inflicted injury ..	2	2	2	
BE50	Homicide and operations of war ..	1	1	1	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) ..	6	5	.	1	2	3	2	—	—	—	—	—	1	1	—	—	—	—	—	
	Pneumonia (included in B31 and B43) ..	67	39	2	16	4	22	3	.	1	1	3	1	8	28	5	9	3	17	1	1	.	4	3	2

* Including the death of 1 female for whom no age was stated.

ABSTRACT IX—All Urban Areas : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	MALES														FEMALES													
		Total Dths	All Ages	AGED										All Ages	Total under 1 yr.	AGED										All Ages	Total under 1 yr.	All Ages	Total under 1 yr.
				under 1 mth	1-6 mths	6-12 mths	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			under 1 mth	1-6 mths	6-12 mths	1-4	5-14	15-24	25-44	45-64	65-74	75 and over				
	ALL CAUSES	7,807	3,996	236	118	34	388	40	44	55	246	1,097	1,061	1,065	3,811	151	73	29	253	35	23	42	225	803	954	1,476			
B1	Tuberculosis of respiratory system	210	133	.	.	.	3	.	.	7	35	69	19	3	77	.	.	.	1	.	13	39	18	2	4				
B2	Tuberculosis, other forms	50	23	.	1	2	3	7	7	2	2	2	.	.	27	.	1	2	7	5	1	5	2	2	2				
B3	Syphilis and its sequelae	25	17	1	.	.	1	.	.	1	.	9	5	1	8	3	2	3				
B4	Typhoid Fever				
B5	Cholera				
B6	Dysentery, all forms				
B7	Scarlet fever and streptococcal sore throat				
B8	Diphtheria				
B9	Whooping cough	12	5	.	3	1	4	1	7	.	1	3	1	2				
B10	Meningococcal infections	5	5	.	1	2	3	1	1				
B11	Plague				
B12	Acute poliomyelitis	3	1	1	2	2				
B13	Smallpox				
B14	Measles	6	3	.	.	1	1	1	1	3	.	1	2	3				
B15	Typhus and other rickettsial diseases				
B16	Malaria				
B17	Other infectious and parasitic diseases	18	7	.	1	.	1	.	.	1	1	1	1	2	11	.	1	1	2	1	2	3	2	.	1				
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues																												
	(a) Cancer	1,150	580	.	1	.	1	3	2	2	40	219	184	129	570	.	.	.	1	3	1	49	226	164	126				
	(b) Hodgkin's disease and leukaemia	37	16	1	2	4	3	4	1	1	21	.	.	.	1	.	3	5	8	4	.				
B19	Benign and unspecified neoplasms	32	14	4	3	7	18	2	.	.	4	7	5				
B20	Diabetes mellitus	42	17	2	6	5	4	25	7	8	10				
B21	Anaemias	25	10	1	4	.	5	15	2	7	6				
B22	Vascular lesions affecting central nervous system	1,028	405	1	.	1	6	99	142	156	623	1	1	10	129	200	282				
B23	Nonmeningococcal meningitis	11	5	.	.	1	1	.	.	.	3	5	1	1	6	.	.	3	2	.	.	.	10	8	1				
B24	Rheumatic fever	31	11	3	5	3	.	.	20	10	8	1	1				
B25	Chronic rheumatic heart disease	112	44	1	6	14	12	6	5	68	3	20	29	6	10				
B26	Arteriosclerotic and degenerative heart disease	1,840	1,024	4	31	336	336	317	816	1	11	123	257	424				

B27	Other diseases of heart	258	115	1	9	23	40	42	143	2	6	24	48	63
B28	Hypertension with heart disease	260	119	1	.	28	45	45	141	1	28	52	60
B29	Hypertension without mention of heart	100	45	5	13	13	14	55	1	.	2	16	14	22
B30	Influenza	26	16	.	2	.	2	.	1	.	.	3	4	6	10	1	1	8
B31	Pneumonia	350	201	—	41	10	51	3	1	.	6	30	44	66	149	—	27	4	31	2	1	1	1	19	28	66
B32	Bronchitis	254	155	.	1	1	2	.	.	.	5	63	48	37	99	.	1	.	1	1	.	1	1	22	25	49
B33	Ulcer of stomach and duodenum	60	43	5	13	15	10	17	1	1	1	5	9
B34	Appendicitis	11	4	1	1	.	1	.	1	7	2	.	.	3	2	.	
B35	Intestinal obstruction and hernia	59	26	.	3	2	5	.	.	.	3	8	4	6	33	2	3	1	6	1	.	.	1	8	5	12
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	76	44	—	24	7	31	3	1	.	.	3	1	5	32	—	14	1	15	2	.	1	.	7	3	4
B37	Cirrhosis of liver	24	14	3	7	4	.	10	5	1	4	.
B38	Nephritis and nephrosis	96	45	3	2	5	12	14	9	51	1	2	9	11	9	19
B39	Hyperplasia of prostate	58	58	2	20	36	—	—	—	—	—	—	—	—	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium	14	—	—	—	—	—	—	—	—	—	—	—	—	14	69	37	12	7	56	1	2	3	14	3	1
B41	Congenital malformations	138	69	37	14	3	54	4	3	1	4	2	1	.	.	37	12	7	56	1	2	3	14	3	1	2
B42	Birth injuries, postnatal asphyxia and atelectasis																									
	(a) with prematurity	86	51	49	2	.	51	—	—	—	—	—	—	—	35	34	1	.	35	—	—	—	—	—	—	—
	(b) without prematurity	75	52	49	3	.	52	—	—	—	—	—	—	—	23	23	.	.	23	—	—	—	—	—	—	—
B43	Infections of the newborn																									
	(a) with prematurity	1	1	1	.	.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) without prematurity	23	13	13	.	.	13	—	—	—	—	—	—	—	10	10	.	.	10	—	—	—	—	—	—	—
B44	Other diseases peculiar to early infancy																									
	(a) with prematurity	102	63	61	2	.	63	—	—	—	—	—	—	—	39	36	3	.	39	—	—	—	—	—	—	—
	(b) without prematurity	25	19	18	1	.	19	—	—	—	—	—	—	—	6	4	2	.	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	241	88	1	3	.	4	.	.	2	5	15	62	153	.	1	1	2	2	.	.	.	7	9	133	
B46	All other causes	611	295	5	6	2	13	5	5	3	29	83	76	81	316	1	3	3	7	4	3	3	29	80	74	116
BE47	Motor vehicle accidents	52	40	5	9	6	6	8	2	4	12	3	.	1	1	2	3	2
BE48	All other accidents	147	85	1	9	2	12	2	7	9	16	16	7	16	62	3	2	1	6	4	2	1	1	4	11	33
BE49	Suicide and self-inflicted injury	19	12	3	8	1	.	7	3	2	2	.
BE50	Homicide and operations of war	4	3	1	.	.	1	1	.	.	1	1	.	.	.
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	51	34	.	24	7	31	3	—	—	—	—	—	—	17	.	14	1	15	2	—	—	—	—	—	—
	Pneumonia (included in B31 and B43)	374	215	14	41	10	65	3	1	.	6	30	44	66	159	10	27	4	41	2	1	1	1	19	28	66

ABSTRACT IX—All Rural Areas : Causes of death at different Age-Periods, 1952.

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES												
			All Ages	AGED										All Ages	AGED													
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	7,005	3,670	173	81	28	282	45	36	53	191	646	894	1,522	3,335	112	62	20	194	43	25	31	169	598	840	1,434		
B1	Tuberculosis of respiratory system	115	64	3	23	27	7	4	51	5	25	15	5	1		
B2	Tuberculosis, other forms	35	16	.	.	1	1	3	1	2	2	6	1	.	19	.	.	.	6	2	2	1	6	.	2	.		
B3	Syphilis and its sequelae	8	7	1	3	2	1	1	1	.	.		
B4	Typhoid Fever	2	1	1	.	.	1		
B5	Cholera		
B6	Dysentery, all forms		
B7	Scarlet fever and streptococcal sore throat	1	1	1		
B8	Diphtheria		
B9	Whooping cough	10	5	.	2	2	4	1	5	.	.	2	2	3		
B10	Meningococcal infections	4	3	.	1	.	1	1	.	1	1	.	.	.	1		
B11	Plague		
B12	Acute poliomyelitis	4	3	1	2	.	.	1	.	.	.	1		
B13	Smallpox		
B14	Measles	2	2	2		
B15	Typhus and other rickettsial diseases		
B16	Malaria		
B17	Other infectious and parasitic diseases	21	15	1	1	1	6	4	2	6	1	2	.	3	.	1	.	.	1	.	1		
B18	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		
	(a) Cancer	870	435	2	.	5	29	126	131	142	435	1	2	2	37	157	124	112		
	(b) Hodgkin's disease and leukaemia	44	28	3	3	1	8	10	1	2	16	1	3	1	7	3	.	1		
B19	Benign and unspecified neoplasms	25	10	.	1	.	1	4	.	5	15	3	5	1	6	.		
B20	Diabetes mellitus	33	12	1	1	1	3	4	2	21	4	7	9		
B21	Anaemias	42	19	2	5	5	7	23	2	.	2	9	10		
B22	Vascular lesions affecting central nervous system	909	408	1	.	.	1	.	.	3	6	61	133	204	492*	1	1	.	2	1	.	1	5	106	178	198		
B23	Nonmeningococcal meningitis	9	5	.	1	1	2	2	.	.	.	1	.	.	4	.	.	.	1	1	.	1	1	.	.	.		
B24	Rheumatic fever	10	5	1	2	2	.	.	5	1	.	.	1	1	1	1		
B25	Chronic rheumatic heart disease	76	26	1	6	9	7	3	50	1	3	8	17	14	7	.		
B26	Arteriosclerotic and degenerative heart disease	1,865	1,035	.	1	.	1	.	2	1	23	189	325	494	830	8	118	229	475		

B27	Other diseases of heart	249	108	3	15	33	57	141	.	1	.	1	.	.	2	5	21	50	62
B28	Hypertension with heart disease	182	80	16	34	30	102	1	15	51	35
B29	Hypertension without mention of heart	56	25	4	4	3	14	31	3	8	9	11
B30	Influenza	35	15	.	1	.	1	1	6	7	20	.	.	.	2	3	7	8
B31	Pneumonia	199	106	—	26	9	35	5	4	2	3	11	17	29	93	—	23	7	30	6	2	.	.	14	20	21
B32	Bronchitis	146	81	.	1	.	1	1	.	1	3	7	25	43	65	.	4	1	5	1	.	.	.	1	3	17
B33	Ulcer of stomach and duodenum	45	28	1	3	10	7	7	17	1	6	3
B34	Appendicitis	7	2	1	.	.	1	.	.	.	5	1	3	1
B35	Intestinal obstruction and hernia	32	19	1	.	.	1	2	1	.	1	5	3	6	13	.	1	1	2	.	.	.	1	1	4	5
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	45	23	—	10	4	14	1	.	.	.	3	3	2	22	—	4	2	6	2	.	.	3	4	3	4
B37	Cirrhosis of liver	10	6	2	2	2	4	2	1	1
B38	Nephritis and nephrosis	95	57	1	.	.	1	.	3	1	13	10	12	17	38	1	1	.	4	14	10	8
B39	Hyperplasia of prostate	69	69	3	20	46	—	—	—	—	—	—	—	—	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium	17	—	—	—	—	—	—	—	—	—	—	—	—	17	29	9	3	41	5	2	3	14	.	.	.
B41	Congenital malformations	119	66	35	17	3	55	2	3	2	2	1	1	.	53	2	2	1	.
B42	Birth injuries, postnatal asphyxia and atelectasis	32	25	24	1	.	25	—	—	—	—	—	—	—	7	6	1	.	7	—	—	—	—	—	—	—
	(a) with prematurity	43	24	22	2	.	24	—	—	—	—	—	—	—	19	15	4	.	19	—	—	—	—	—	—	—
B43	Infections of the newborn	1	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	—
	(a) with prematurity	16	7	7	.	.	7	—	—	—	—	—	—	—	9	9	.	.	9	—	—	—	—	—	—	—
B44	Other diseases peculiar to early infancy	112	66	63	3	.	66	—	—	—	—	—	—	—	46	44	2	.	46	—	—	—	—	—	—	—
	(a) with prematurity	23	17	13	3	1	17	—	—	—	—	—	—	—	6	4	2	.	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	596	291	1	3	1	5	1	1	.	.	6	22	256	305	.	3	1	4	.	.	.	1	5	18	277
B46	All other causes	552	295	4	5	5	14	7	3	2	21	69	65	114	257	.	2	3	5	5	8	5	27	54	63	90
BE47	Motor vehicle accidents	68	57	.	.	.	5	5	9	15	12	7	4	11	1	.	3	2	4	1	.	.
BE48	All other accidents	156	*84	1	3	1	5	6	8	10	13	11	19	72	2	3	.	5	6	.	.	.	4	3	10	44
BE49	Suicide and self-inflicted injury	22	18	4	2	7	2	3	4	2	.	2	.
BE50	Homicide and operations of war	2	2	1	.	1
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43)	22	16	1	10	4	15	1	—	—	—	—	—	—	6	.	4	2	6	.	—	—	—	—	—	—
	Pneumonia (included in B31 and B43)	214	112	6	26	9	41	5	4	2	3	11	17	29	102	9	23	7	39	6	2	.	.	14	20	21

* Including the death of 1 male for whom no age was stated.

* Including the death of 1 female for whom no age was stated.

**ABSTRACT X.—Northern Ireland : Births and Deaths in each Administrative Area, 1952, together with
the Census Population, 1951.**

County Boroughs, Boroughs, Urban and Rural Districts	Population Census, 1951	Total Births	DEATHS																	
			Total Deaths	Ages				Caused by												
				Under 1 month	Under 1 year	1-64 yrs	65 yrs and over	Tuberculosis		Typhoid and Paratyphoid Fever (040-041)	Scarlet Fever (030)	Diphtheria (055)	Whooping Cough (056)	Acute poliomyelitis (080)	Measles (085)	Cancer (140-200, 202 203, 205)	Heart Diseases (410-443)	Influenza (480-483)	Pneumonia (including neo-natal) (490-493, 763)	Bronchitis (500-502)
Respiratory (001- 008)	Other (010- 019)																			
<i>County Boroughs</i>																				
Belfast	443,680	8,506	4,778	213	399	1,663	2,716	151	20	.	.	10	2	4	734	1,416	18	298	186	43
Londonderry ..	50,095	1,412	507	43	64	178	265	10	10	2	65	155	1	17	15	.
<i>Boroughs</i>																				
Ballymena	14,172	259	141	3	6	51	84	3	2	.	.	1	.	.	21	44	1	3	1	.
Rangor	20,610	320	259	4	6	63	190	2	1	42	108	1	6	4	.
Carrickfergus ..	8,659	222	82	6	7	22	53	.	1	9	23	.	.	2	1
Coleraine	10,748	236	111	2	3	41	67	4	1	19	46	.	2	3	.
Enniskillen	6,322	155	60	3	3	13	44	8	13	.	1	5	.
Larne	11,978	201	102	5	6	37	59	2	20	35	.	2	1	.
Lurgan	16,183	344	135	14	16	41	78	6	15	45	.	6	2	.
Newtownards ..	12,244	218	132	11	16	45	71	1	16	49	.	7	1	1
Portadown	17,202	372	155	11	13	54	88	4	1	.	.	.	1	.	25	50	1	6	5	.
<i>Urban Districts</i>																				
Armagh	9,280	195	107	5	7	34	66	4	9	45	.	.	1	.
Ballycastle	2,559	55	23	1	2	4	17	.	1	4	9	.	.	1	1
Ballyclare	3,987	74	36	3	3	8	25	8	7	.	.	1	.
Ballymoney	3,308	61	35	3	5	14	16	4	14	.	1	3	.
Banbridge	6,099	116	69	4	4	18	47	10	28	.	.	2	.
Cookstown	4,221	88	43	.	1	15	27	1	6	17	.	.	1	.
Donaghadee	3,400	56	51	1	1	16	34	1	6	26
Downpatrick .. .	3,879	99	46	3	4	19	23	4	11	14	1	2	.	.
Dromore	2,390	40	28	1	2	9	17	1	1	3	9	.	1	1	.
Dunannon	5,682	135	59	6	11	16	32	8	19	.	3	.	2
Holywood	6,316	116	58	.	.	16	42	.	1	12	19	.	3	3	.
Keady	1,462	36	20	1	3	6	11	1	9
Kilkeel	2,337	48	29	2	4	7	18	1	1	3	10	.	1	.	.
Limavady	3,176	90	33	2	3	8	22	2	14	.	.	1	.
Lisburn	14,782	271	136	8	9	44	83	4	1	19	52	1	.	3	.

Newcastle	3,081	53	49	.	2	13	34	1	1	4	21	.	1	.	.
Newry	13,261	271	161	5	5	55	101	6	2	22	57	.	4	7	.
Omagh	6,758	184	84	7	8	26	50	1	2	10	32	2	2	.	.
Portrush	4,167	77	58	1	2	19	37	.	1	6	20	.	1	1	1
Portstewart	3,563	64	45	3	4	6	35	6	16	.	1	.	.
Strabane	6,619	201	70	11	15	23	32	1	2	.	.	1	.	.	.	7	14	.	4	2	1
Tanderagee	1,344	30	18	3	3	6	9	.	1	1	7	.	1	.	.
Warrenpoint	2,806	59	51	1	2	10	39	1	5	17	.	1	1	1
Whitehead	1,864	34	36	1	2	10	24	1	9	10	.	2	1	.
<i>Rural Districts</i>																					
Antrim	27,183	528	288	5	14	76	198	4	40	97	2	9	7	1
Armagh	28,890	537	340	15	18	91	231	5	3	1	28	134	1	11	9	.
Ballycastle	8,886	187	84	3	5	16	63	9	23	1	2	3	1
Ballymena	32,445	634	353	10	19	103	231	6	2	.	.	.	1	.	.	53	101	1	8	8	1
Ballymoney	20,440	429	207	6	13	45	149	1	1	26	53	.	7	4	.
Banbridge	21,931	439	271	9	16	68	187	9	1	.	1	.	1	1	.	33	104	1	3	3	1
Belfast	29,843	833	207	22	29	51	127	7	1	36	55	.	11	3	.
Castlederg	9,715	211	113	2	8	24	81	3	1	1	.	11	28	3	3	2	1
Castlereagh	20,466	565	130	10	14	54	62	5	18	45	.	7	2	.
Clogher	10,697	238	141*	3	4	32	104	3	13	34	.	6	4	.
Coleraine	19,515	420	223	8	14	72	137	4	1	1	.	.	1	.	.	28	82	.	4	2	.
Cookstown	15,537	367	192	10	20	44	128	1	1	2	.	26	66	1	7	3	.
Downpatrick	31,514	613	368	22	32	89	247	6	1	39	154	.	8	4	2
Dungannon	25,064	649	273	18	28	76	169	1	2	34	88	1	17	11	2
Enniskillen	15,762	387	224	6	9	47	168	2	27	72	1	9	6	.
Hillsborough	23,876	358	214	2	5	72	137	4	2	28	82	.	6	3	.
Irvinestown	12,146	243	132	7	10	29	93	2	.	.	.	1	.	.	.	16	48	1	8	5	.
Kilkeel	13,486	273	153	6	8	37	108	3	1	21	55	1	3	6	.
Larne	19,385	385	215	5	7	55	153	2	32	85	.	2	1	1
Limavady	16,209	444	175	14	19	53	103	2	1	.	.	1	.	.	.	23	52	2	1	3	1
Lisburn	27,474	562	231	3	13	79	139	3	3	33	83	2	6	5	2
Lisnaskea	18,814	382	244	1	7	46	191	3	.	.	.	1	.	.	.	35	68	.	7	11	.
Londonderry	21,028	523	169	15	22	52	95	1	16	58	.	6	2	3
Lurgan	12,095	277	145	5	12	35	98	.	1	16	42	2	4	5	.
Magherafelt	31,179	747	370	13	22	80	268	7	2	.	.	2	1	.	.	40	104	1	9	4	3
Moirá	8,936	160	95	1	3	28	64	2	1	.	.	1	.	.	.	12	47	.	1	.	.
Newry No. 1	12,992	300	155	6	11	37	107	1	1	21	46	2	7	3	1
Newry No. 2	24,522	588	290	17	23	90	177	9	2	37	116	2	6	10	.
Newtownards	31,505	585	372*	14	25	96	250	7	2	51	131	1	8	6	2
Omagh	30,513	718	394	13	27	91	276	6	2	.	.	1	.	.	.	44	147	5	21	6	.
Strabane	17,256	417	197	12	15	57	125	5	3	.	.	1	.	.	.	20	58	3	4	6	1
Tanderagee	3,200	63	40	2	4	12	24	1	4	14	1	3	.	.
NORTHERN IRELAND ..	1,370,933	28,760	14812*	672	1,117	4,447	9,246	325	85	2	1	.	22	7	8	2,020	4,842	61	588	400	73

*Including the deaths of 2 persons (1 male and 1 female) for whom no ages were stated.

ABSTRACT XI.—Northern Ireland: Ages of the Population according to the Census of 1951.

AGES	Northern Ireland			Belfast C.B.		Londonderry C.B.		Co. Antrim		Co. Armagh		Co. Down		Co. Fermanagh		Co. Londonderry		Co. Tyrone	
	Persons	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Under 1 yr.	26,671	13,805	12,866	4,088	3,841	599	586	2,315	2,248	1,169	1,074	2,376	2,140	551	502	1,193	1,082	1,514	1,393
1 yr.	27,112	13,945	13,167	4,089	3,906	591	532	2,456	2,255	1,169	1,179	2,494	2,221	556	525	1,191	1,129	1,399	1,420
2 "	27,498	14,164	13,334	4,124	3,890	631	582	2,455	2,337	1,258	1,110	2,476	2,310	543	570	1,199	1,143	1,478	1,392
3 "	28,072	14,183	13,889	4,261	4,122	602	548	2,358	2,352	1,221	1,220	2,529	2,442	551	587	1,247	1,139	1,414	1,479
4 "	28,514	14,548	13,966	4,339	4,302	588	570	2,494	2,380	1,181	1,179	2,552	2,362	613	591	1,261	1,177	1,520	1,405
5-9	129,197	66,080	63,117	20,630	19,798	2,494	2,527	10,977	10,661	5,588	5,291	11,406	10,800	2,642	2,356	5,623	5,347	6,720	6,337
10-14	111,715	56,912	54,803	18,101	17,489	2,437	2,220	9,160	8,706	5,041	4,917	9,181	8,855	2,213	2,125	4,827	4,763	5,952	5,728
15-19	108,490	55,436	53,054	17,625	17,850	2,225	2,305	8,872	8,669	4,699	4,507	9,777	8,628	2,059	1,915	4,494	4,210	5,685	4,970
20-24	100,898	48,663	52,235	16,115	18,539	1,766	2,203	7,944	8,990	4,004	4,092	8,158	8,727	1,856	1,566	4,050	3,711	4,770	4,407
25-29	99,515	47,883	51,632	15,825	17,464	1,642	2,044	8,374	9,246	3,917	4,184	8,340	9,134	1,757	1,645	3,634	3,575	4,394	4,340
30-34	91,216	44,649	46,567	13,773	15,428	1,427	1,795	8,112	8,390	3,588	3,564	8,209	8,475	1,812	1,577	3,331	3,226	4,397	4,112
35-39	94,117	45,488	48,629	14,505	16,603	1,426	1,757	7,773	8,338	3,634	4,023	8,216	8,521	1,890	1,672	3,476	3,435	4,568	4,280
40-44	89,019	43,022	45,997	14,034	16,456	1,351	1,701	7,461	7,710	3,533	3,601	7,691	8,223	1,759	1,521	3,165	3,072	4,028	3,713
45-49	80,848	38,855	41,993	13,267	15,177	1,230	1,520	6,537	7,194	3,146	3,329	6,889	7,317	1,536	1,346	2,708	2,779	3,542	3,331
50-54	76,347	36,087	40,260	12,366	14,610	1,033	1,407	5,916	6,514	2,972	3,229	6,387	7,170	1,496	1,298	2,593	2,650	3,324	3,382
55-59	62,188	28,919	33,269	9,572	11,848	901	1,090	4,680	5,479	2,424	2,708	5,146	5,964	1,237	1,128	2,145	2,218	2,814	2,834
60-64	54,501	24,417	30,084	7,518	10,282	693	1,004	3,931	4,825	2,191	2,407	4,451	5,623	1,191	1,146	1,896	2,125	2,546	2,672
65-69	47,406	21,633	25,773	6,002	8,271	609	868	3,554	4,293	2,009	2,110	4,093	5,055	1,147	1,061	1,770	1,767	2,449	2,348
70-74	40,499	18,287	22,212	4,708	6,685	532	745	3,106	3,649	1,695	1,899	3,398	4,377	1,069	953	1,561	1,625	2,218	2,279
75-79	27,264	12,413	14,851	2,968	4,313	318	477	2,152	2,592	1,148	1,284	2,330	2,802	736	660	1,086	1,133	1,675	1,590
80-84	13,756	6,049	7,707	1,298	2,193	155	207	1,093	1,423	600	625	1,187	1,499	373	391	556	587	787	782
85-89	4,755	1,923	2,832	342	789	42	81	382	531	197	213	410	584	104	123	177	231	269	280
90-94	1,111	394	717	59	167	13	16	74	145	37	68	71	145	38	39	50	74	52	63
95 & over	224	66	158	10	38	3	2	9	33	4	17	10	33	13	5	4	13	13	17
All Ages	1,370,933	667,821	703,112	209,619	234,061	23,308	26,787	112,185	118,960	56,425	57,830	117,777	123,407	27,742	25,302	53,237	52,211	67,528	64,554

ABSTRACT XII.—Northern Ireland : Deaths and Death Rates at different Age-Periods, 1952.

COUNTIES		TOTAL DEATHS	AGES AT DEATH																							95 and up- wards		
			Under 1- year	1-	2-	3-	4-	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	
NORTHERN IRELAND	Persons	*14,812	1,117	79	36	26	22	1,280	78	50	72	109	135	157	236	303	448	705	811	1,180	1,572	2,177	2,243	1,937	918	319	**80	
	Males	7,666	670	36	22	16	11	755	49	31	44	64	70	84	131	152	256	384	465	638	844	1,111	1,127	892	418	129	21	
	Females	7,146	447	43	14	10	11	525	29	19	28	45	65	73	105	151	192	321	346	542	728	1,066	1,116	1,045	500	190	59	
BELFAST COUNTY BOROUGH	Persons	4,778	399	21	8	12	8	448	27	15	19	37	50	54	78	106	169	281	317	461	545	691	632	519	239	74	16	
	Males	2,471	244	11	4	8	5	272	18	11	11	20	24	28	44	54	100	161	205	272	313	338	280	208	85	26	1	
	Females	2,307	155	10	4	4	3	176	9	4	8	17	26	26	34	52	69	120	112	189	232	353	352	311	154	48	15	
LONDONDERRY COUNTY BOROUGH	Persons	507	64	5	1	1	2	73	1	4	2	6	5	4	13	20	10	29	36	39	56	84	64	40	9	11	1	
	Males	265	37	2	1	1	1	41	1	3	1	2	2	1	6	10	7	11	22	21	31	45	33	16	6	6	1	
	Females	242	27	3	1	1	1	32	1	1	1	4	3	3	7	10	3	18	14	18	25	39	31	24	3	5	1	
ANTRIM	Persons	2,234	142	16	4	2	2	166	13	5	15	10	19	33	26	55	78	101	106	149	221	304	341	344	171	59	18	
	Males	1,132	88	5	3	2	1	99	8	4	9	7	12	22	14	28	46	54	62	69	103	167	160	158	80	24	6	
	Females	1,102	54	11	1	1	1	67	5	1	6	3	7	11	12	27	32	47	44	80	118	137	181	186	91	35	12	
ARMAGH	Persons	1,250	99	3	2	2	1	107	6	4	9	15	13	14	23	21	38	55	71	92	134	186	204	160	64	30	4	
	Males	670	58	2	2	1	1	64	4	2	7	11	7	8	14	11	20	33	30	50	76	99	105	84	32	11	2	
	Females	580	41	1	1	1	1	43	2	2	2	4	6	6	9	10	18	22	41	42	58	87	99	76	32	19	2	
DOWN	Persons	†2,691	160	6	7	2	2	177	12	8	10	13	24	17	41	45	68	132	152	213	266	411	434	402	186	63	16	
	Males	†1,393	101	3	6	2	1	112	7	4	7	10	13	8	22	29	37	70	79	120	138	209	221	190	87	27	2	
	Females	1,298	59	3	1	1	1	65	5	4	3	3	11	9	19	16	31	62	73	93	128	202	213	212	99	36	14	
FERMANAGH	Persons	660	29	5	4	1	1	39	3	1	3	5	6	3	11	8	19	15	20	31	70	107	134	107	53	18	7	
	Males	344	20	1	2	1	1	23	1	1	1	3	3	3	5	3	5	3	10	14	40	57	74	59	29	7	4	
	Females	316	9	4	2	1	1	16	2	1	2	2	3	1	6	5	14	12	10	17	30	50	60	48	24	11	3	
LONDONDERRY	Persons	1,126	87	7	5	4	2	105	6	7	5	12	13	18	18	20	32	39	42	82	114	139	190	155	94	29	6	
	Males	572	46	2	2	2	2	54	3	3	1	7	6	9	11	6	21	23	21	42	50	71	108	76	47	12	1	
	Females	554	41	5	3	2	1	51	3	4	4	5	7	9	7	14	11	16	21	40	64	68	82	79	47	17	5	
TYRONE	Persons	†1,566	137	16	5	3	4	165	10	6	9	11	5	14	26	28	34	53	67	113	166	255	244	210	102	35	12	
	Males	819	76	10	2	1	1	90	7	3	8	4	5	3	5	15	11	20	29	36	50	93	125	146	101	52	16	5
	Females	†747	61	6	3	2	3	75	3	3	1	7	2	9	11	17	14	24	31	63	73	130	98	109	50	19	7	
NORTHERN IRELAND—																												
Death rate per 1,000 Population in each Age-group	Persons	10.8	††39	2.9	1.3	0.9	0.8	9.2	0.6	0.4	0.7	1.1	1.4	1.7	2.6	3.3	5.5	9.2	12.6	21.6	33.5	54.7	80.2	142.8		207.9		
	Males	11.4	45	2.5	1.6	1.1	0.8	10.6	0.7	0.5	0.8	1.3	1.5	1.9	3.0	3.5	6.5	10.6	15.6	26.0	39.9	62.1	89.2	148.6		224.3		
	Females	10.1	32	3.2	1.0	0.7	0.8	7.8	0.5	0.3	0.5	0.9	1.3	1.5	2.3	3.2	4.5	8.0	10.1	18.0	28.3	48.7	72.8	138.2		196.9		

* Including the death of 1 male and of 1 female for whom no age was stated.

† Including the death of 1 male for whom no age was stated.

‡ Including the death of 1 female for whom no age was stated.

** Including the deaths of three persons (1 male and 2 females) whose ages at death were returned at 100 years.

†† Rate per 1,000 live births.

ABSTRACT XIII.—Northern Ireland : Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1952.

Abb- reviated List Nos.	CAUSES OF DEATH	All Ages	—1	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over
B.1.	Tuberculosis of respiratory system ..	22	.	6	.	.	155	243	95	69	25	9	3	1
B.2.	Tuberculosis, other forms ..	6	6	141	102	140	39	14	11	8	4	1	1	.
B.3.	Syphilis and its sequelae ..	2	1	.	.	.	5	.	2	4	5	3	1	.
B.4.	Typhoid Fever ..	—	2	.	—	.	.	.
B.5.	Cholera
B.6.	Dysentery—all forms
B.7.	Scarlet fever and streptococcal sore throat ..	—	.	.	13
B.8.	Diphtheria
B.9.	Whooping cough ..	2	12	37	26
B.10.	Meningococcal Infections ..	1	4	19	.	.	5	—	.
B.11.	Plague
B.12.	Acute Poliomyelitis ..	—	.	12	26	.	5	7
B.13.	Smallpox
B.14.	Measles ..	1	4	19	.	20
B.15.	Typhus and other rickettsial diseases
B.16.	Malaria
B.17.	All other diseases classified as infective or parasitic ..	3	5	.	26	20	22	.	9	5	2	1	2	.
B.18.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue ..													
	(a) Cancer ..	136	1	43	64	40	56	134	215	234	230	160	108	45
	(b) Hodgkins disease and leukaemia ..	5	.	37	51	80	50	24	30	12	6	2	1	.
B.19.	Benign and unspecified neoplasms ..	4	1	.	.	.	11	.	13	5	5	4	3	3
B.20.	Diabetes Mellitus ..	5	.	.	13	.	11	.	6	3	8	6	5	2
B.21.	Anaemias ..	5	11	3	4	3	5	6	6	4
B.22.	Vascular lesions affecting central nervous system ..	130	4	12	.	.	33	24	37	105	138	174	167	108
B.23.	Nonmeningococcal meningitis ..	1	5	37	13	.	.	3	.	1	1	1	—	.
B.24.	Rheumatic fever ..	3	.	.	13	.	22	27	18	7	3	1	—	.
B.25.	Chronic rheumatic heart disease ..	13	.	.	.	40	72	72	50	30	17	9	5	3

B.26.	Arteriosclerotic and degenerative heart disease	250	1	.	13	20	33	31	118	205	265	305	307	324
B.27.	Other diseases of the heart	34	1	.	.	.	28	10	37	23	29	46	41	40
B.28.	Hypertension with heart disease	30	5	.	4	25	29	49	34	21
B.29.	Hypertension without mention of heart	11	.	.	.	20	.	21	15	13	13	10	11	11
B.30.	Influenza	4	3	12	.	20	.	.	.	2	3	5	6	5
B.31.	Pneumonia	37	131	98	77	40	17	14	11	24	23	29	34	30
B.22.	Bronchitis	27	8	19	.	.	6	3	16	23	34	31	30	30
B.33.	Ulcer of stomach and duodenum	7	11	7	15	10	9	8	6	5
B.34.	Appendicitis	1	.	18	13	.	5	3	2	3	2	1	1	.
B.35.	Intestinal obstruction and hernia	6	12	18	13	.	.	10	6	3	9	4	6	3
B.36.	Gastritis, duodenitis, enteritis and colitis except diarrhoea of newborn	8	59	49	13	.	5	.	6	4	6	3	3	3
B.37.	Cirrhosis of liver	2	6	9	3	2	2	1
B.38.	Nephritis and Nephrosis	13	1	.	38	100	33	45	33	18	13	12	10	9
B.39.	Hyperplasia of prostate	9	3	11	13	20
B.40.	Complications of childbirth, pregnancy and the puerperium	2	17	55	22
B.41.	Congenital malformations	17	184	74	13	180	33	21	9	3	1	1	1	.
B.42.	Birth injuries, post natal asphyxia and atelactasis
	(a) with prematurity	8	106
	(b) without prematurity	8	106
B.43.	Infections of the newborn
	(a) with prematurity	1	2
	(b) without prematurity	3	35
B.44.	Other diseases peculiar to early infancy
	(a) with prematurity	14	192
	(b) without prematurity	3	43
B.45.	Senility without mention of psychosis ill-defined and unknown causes	57	13	18	13	.	.	.	6	9	6	17	101	231
B.46.	All other causes	79	35	129	179	100	72	99	142	106	82	74	73	73
B.E.47.	Motor vehicle accidents	8	.	86	115	100	106	48	19	11	7	3	2	.
B.E.48.	All other accidents	20	25	110	166	80	110	65	28	12	10	10	18	28
B.E.49.	Suicide and self inflicted injury	3	22	10	13	10	3	2	1	.
B.E.50.	Homicide and operations of war	1	.	6	.	.	.	7	.	1	1	1	.	.
	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

**ABSTRACT XIV.—Northern Ireland : Deaths from Cancer by Sex,
Age and Site, 1952.**

Detailed List Nos.	SITES	Total Dths	MALES								FEMALES							
			All Ages	under 25	25-	35-	45-	55-	65-	75-	All Ages	under 25	25-	35-	45-	55-	65-	75-
	<i>Buccal Cavity and Pharynx</i>																	
140	Lip	10	9	9	1	1	.
141	Tongue	14	10	.	.	1	.	2	6	1	4	.	.	.	1	1	2	.
142	Salivary Gland	1	1	1
143, 144	Mouth	12	10	3	5	2	2	1	1
145-148	Pharynx	19	10	1	.	1	.	1	4	3	9	.	1	.	3	1	4	.
	<i>Digestive Organs and Peritoneum</i>																	
150	Oesophagus	63	32	.	1	2	.	6	13	10	31	.	.	1	2	5	8	15
151	Stomach	443	253	2	5	9	29	52	79	77	190	.	1	6	15	52	62	54
152, 153	Intestines	254	127	.	1	6	11	20	41	48	127	.	1	6	17	21	47	35
154	Rectum	122	75	.	1	4	5	20	25	20	47	.	2	2	8	10	13	12
155, 156	Biliary Passages and Liver	56	20	.	1	3	2	6	6	2	36	.	.	1	7	5	7	16
157	Pancreas	81	41	.	1	1	6	9	16	8	40	1	.	1	4	9	13	12
158	Peritoneum	6	4	.	.	.	1	.	2	1	2	.	.	.	1	1	.	.
159	Other Digestive Organs
	<i>Respiratory System</i>																	
160	Nose, Nasal Cavities, etc.	2	2	2	.	.
161	Larynx	18	9	.	.	.	1	4	2	2	9	.	.	2	3	.	1	3
162, 163	Trachea, Bronchus and Lungs	200	162	.	4	12	38	53	45	10	38	1	.	2	7	11	14	3
164	Mediastinum	4	2	.	.	1	.	.	1	.	2	.	1	1
	<i>Breast and Genito-Urinary Organs</i>																	
170	Breast	166	3	1	1	1	163	.	4	21	28	36	44	30
171-174	Uterus	113	—	—	—	—	—	—	—	—	113	1	6	13	26	33	18	16
175	Ovary, Fallopian Tube and Broad Ligament	39	—	—	—	—	—	—	—	—	39	.	.	4	11	8	12	4
176	Other Female Genital Organs	14	—	—	—	—	—	—	—	—	14	.	.	.	3	5	3	3
177	Prostate	80	80	.	.	1	11	32	36	—	—	—	—	—	—	—	—	—
178	Testis	9	9	.	1	2	3	.	1	2	—	—	—	—	—	—	—	—
179	Other Male Genital Organs	10	10	.	.	2	3	2	3	—	—	—	—	—	—	—	—	—
180	Kidney	25	11	2	1	2	5	.	1	14	.	.	.	2	5	2	5	.
181	Bladder and Other Urinary Organs	50	32	1	.	1	2	9	12	7	18	.	.	.	2	3	8	5
	<i>Other and Unspecified Sites</i>																	
190, 191	Skin	27	11	.	.	1	.	2	2	6	16	7	9
192	Eye	4	1	.	1	3	1	.	2
193	Brain and other parts of the Nervous System	40	18	2	.	3	4	5	4	.	22	4	2	5	5	3	3	.
194	Thyroid Gland	11	2	1	1	9	.	1	.	1	3	2	2
195	Other Endocrine Glands	1	1	1	.	.
196	Bone	23	14	2	.	.	3	5	2	2	9	.	1	.	.	3	1	4
197	Connective Tissue	2	2	1	.	1
198, 199	Other Sites	71	40	2	.	2	4	6	10	16	31	2	.	1	3	7	12	6
200, 202	Neoplasms of Lymphatic and Haematopoietic Tissues	30	17	3	2	1	3	4	2	2	13	1	.	.	3	5	3	1
	TOTAL ..	2,020	1,015	15	19	50	117	228	315	271	1,005	10	20	66	152	231	288	238

ABSTRACT XV.—Northern Ireland : Deaths from Cancer in each County and County Borough by Sex and Site, 1952.

Detailed List Nos.	SITES	Co. BOROUGHs				COUNTIES											
		Belfast		London-derry		Antrim		Armagh		Down		Fer-managh		London-derry (Exc. Co. Boro.)		Tyrone	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	<i>Buccal Cavity and Pharynx</i>																
140	Lip		1			1		1		3		1		2		1	
141	Tongue	2	2			4	1			4	1						
142	Salivary Gland	1															
143, 144	Mouth	5	1					1		1		1		1		1	1
145-148	Pharynx	8	3	1			1	1			5						
	<i>Digestive Organs and Peritoneum</i>																
150	Oesophagus	16	10			4	6	1	4	7	3	1	2	1	1	2	5
151	Stomach	95	58	6	6	34	32	21	16	42	37	13	8	14	14	28	19
152, 153	Intestines	48	36	4	8	16	27	7	7	27	23	5	4	9	15	11	7
154	Rectum	22	12	3	1	13	10	8	4	19	4	1	3	2	5	7	8
155, 156	Biliary Passages and Liver	6	17	2	1	2	3		2	8	10	2	1		1		1
157	Pancreas	13	13	1		9	9	1	2	8	6	1	1	3	6	5	3
158	Peritoneum	2	2						2								
159	Other Digestive Organs																
	<i>Respiratory System</i>																
160	Nose, Nasal Cavities, etc.							1				1					
161	Larynx	4	2			2	3		3						1		3
162, 163	Trachea, . Bronchus and																
165	Lungs	94	19	6	1	21	5	5		20	8	3		9	2	4	3
164	Mediastinum		2			1				1							
	<i>Breast and Genito-Urinary Organs</i>																
170	Breast	1	57	1	7		29		10	1	28		4		12		16
171-174	Uterus		33		3		21		9		19		7		11		10
175	Ovary, Fallopian Tube and																
176	Broad Ligament		15				9		3		6		1		1		4
177	Other Female Genital Organs		5				2		2		1		2		1		1
178	Prostate	20		2		20		7		15		4		4		8	
179	Testis	1		1		2		2		2				1			
180	Other Male Genital Organs	3		1		2				1				1		2	
181	Kidney	5	6	1		1	1	1		2	1		2	1	2		2
	Bladder and other Urinary																
	Organs	8	7			7	5	4	3	8	1	1		1		3	2
	<i>Other and Unspecified Sites</i>																
190, 191	Skin	4	6			1	1	1	2	1	1		3	1	2	3	1
192	Eye	1	2										1				
193	Brain and other parts of the																
	Nervous System	9	10	2	1	2	2		3	3	3		2	1	1	1	
194	Thyroid Gland	1	4				2				2						
195	Other Endocrine Glands						1										
196	Bone	2	2	1		2		1		7	1		2	1			4
197	Connective Tissue												1				
198, 199	Other Sites	15	9		2	5	5	4	2	5	3	2	4	2	3	7	3
200, 202, 203, 205	Neoplasms of Lymphatic and																
	Haematopoietic Tissues	8	6	2	1	3	2			3	1		2	1			1
	TOTAL ..	394	340	34	31	152	177	66	70	193	164	36	50	56	78	84	95

ABSTRACT XVI.—Northern Ireland : Deaths from the Principal Causes, by Quarters, 1952.

Detailed List Nos.	CAUSES OF DEATH	Quarter ended the last day of							
		March		June		September		December	
		M	F	M	F	M	F	M	F
B1	Tuberculosis of respiratory system	71	43	58	39	29	24	39	22
B2	Tuberculosis, other forms	12	10	12	20	7	7	8	9
B3	Syphilis and its sequelae	5	.	4	5	6	1	9	3
B4	Typhoid Fever	1	1
B5	Cholera
B6	Dysentery, all forms
B7	Scarlet fever and streptococcal sore throat	1
B8	Diphtheria
B9	Whooping cough	5	6	1	2	2	3	2	1
B10	Meningococcal infections	1	.	2	1	3	.	2	.
B11	Plague
B12	Acute poliomyelitis	1	3	3	.
B13	Smallpox
B14	Measles	1	1	3	1	1	.	.	1
B15	Typhus and other rickettsial diseases
B16	Malaria
B17	All other diseases classified as infective and parasitic. ...	4	4	6	6	8	6	4	1
B18	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues								
	(a) Cancer	261	263	252	233	268	232	234	277
	(b) Hodgkin's disease and leukaemia	11	8	6	9	12	12	15	8
B19	Benign and unspecified neoplasms	5	9	6	9	9	9	4	6
B20	Diabetes mellitus	7	9	8	19	8	5	6	13
B21	Anaemias	7	15	7	7	6	4	9	12
B22	Vascular lesions affecting central nervous system ...	252	317	194	266	170	235	187	297

B23	Nonmeningococcal meningitis	1	1	1	1	5	4	3	4
B24	Rheumatic fever	8	9	5	2	1	3	2	11
B25	Chronic rheumatic heart disease	17	30	21	28	15	32	17	28
B26	Arteriosclerotic and degenerative heart disease	634	522	494	418	428	329	503	377
B27	Other diseases of heart	70	120	60	63	41	44	52	57
B28	Hypertension with heart disease	59	61	46	55	45	65	49	62
B29	Hypertension without mention of heart	11	32	21	25	15	10	23	19
B30	Influenza	18	11	8	6	1	3	4	10
B31	Pneumonia	96	86	75	67	56	37	80	52
B32	Bronchitis	93	70	53	33	29	21	61	40
B33	Ulcer of stomach and duodenum	16	11	18	8	14	5	23	10
B34	Appendicitis	3	2	2	5	1	4	1	1
B35	Intestinal obstruction and hernia	15	13	6	9	17	10	7	14
B36	Gastritis, duodenitis, enteritis and colitis, except
	diarrhea of the newborn	8	12	15	13	24	9	20	20
B37	Cirrhosis of liver	10	5	3	3	4	3	3	3
B38	Nephritis and nephrosis	31	28	21	25	27	16	23	20
B39	Hyperplasia of prostate	34	—	22	—	38	—	33	—
B40	Complications of pregnancy, childbirth and the
	puerperium	—	8	—	4	—	10	—	9
B41	Congenital malformations	35	39	43	30	30	22	27	31
B42	Birth injuries, postnatal asphyxia and atelectasis	37	18	42	27	42	17	31	22
B43	Infections of the newborn	7	6	5	4	6	2	3	8
B44	Other diseases peculiar to early infancy and immaturity
	unqualified	41	30	44	19	34	27	46	21
B45	Senility without mention of psychosis, ill-defined and
	unknown causes	129	142	87	128	64	78	99	110
B46	All other diseases	196	173	155	162	102	118	137	120
BE47	Motor vehicle accidents	19	7	23	6	26	6	29	4
BE48	All other accidents	44	40	36	33	48	25	41	36
BE49	Suicide and self-inflicted injury	10	2	8	5	5	2	7	2
BE50	Homicide and operations of war	2	.	1	.	1	1	1	.
	TOTALS	2,287	2,163	1,874	1,797	1,649	1,444	1,856	1,742

ABSTRACT XVII.—Northern Ireland: Infant Mortality, 1949 to 1952.

CAUSES OF DEATH (with detailed List No's.)	NUMBER OF DEATHS																						Infant mortality rate per 10,000 live births						
	YEAR 1952																						1949	1950	1951	1952			
	1949	1950	1951	Total	under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days	14-20 days	21-28 days	1 mth	2 mths	3 mths	4 mths	5 mths	6 mths	7 mths	8 mths					9 mths	10 mths	11 mths
ALL CAUSES...	1,317	1,166	1,173	1,117	295	101	75	40	17	22	17	46	32	27	108	70	62	49	45	28	23	12	18	18	12	456	405	412	388
Common Infectious Diseases																													
Scarlet Fever (050)
Erysipelas (054)
Diphtheria (055)
Whooping Cough (056)	30	23	12	14	1	2	2	1	.	1	5	2	.	.	.	10	8	4	5
Acute Poliomyelitis (080)	.	4	1	1	—	—
Smallpox (084)
Measles (085)	3	4	4	4	1	2	.	.	1	.	.	1	1	1	1
Influenza (480-483)	12	9	21	3	1	1	1	4	3	7	1
Diarrhoeal Diseases.																													
Diarrhoea and Enteritis (571, 572 and 764)	157	69	80	67	1	.	13	9	10	8	12	5	4	.	2	3	.	54	24	28	23
Tuberculous Diseases																													
Central Nervous System (010)	9	11	4	6	1	.	.	1	.	2	2	3	4	1	2
Intestines and Peritoneum (011)	2	2	1	1	.	—
Other Tuberculous Disea- ses (001-008, 012-019)	7	3	2	1	1	2	1	1	.
Bronchitis and Pneumonia																													
Bronchitis (500-502)	10	12	15	9	3	2	2	.	.	1	.	1	.	.	.	3	4	5	3
Pneumonia (490-493, 763)	218	221	187	186	5	6	4	3	3	2	2	4	4	6	38	28	22	16	13	6	6	2	5	7	4	75	77	66	65
Developmental and Wasting Diseases																													
Congenital Malformations (750-759)	155	156	164	206	48	15	6	12	4	5	4	16	18	10	15	16	6	11	4	7	2	3	3	1	.	53	54	58	72
Birth Injuries (760, 761)																													
(a) with Prematurity	75	76	{ 12	15	7	1	3	1	.	1	1	.	.	1	26	27	{ 4	5
(b) without Prematurity			{ 57	49	23	4	8	4	1	1	1	5	1	1			{ 20	17
Post Natal Asphyxia (762)																													
(a) with Prematurity	112	107	{ 88	103	45	21	14	4	2	4	4	2	2	2	1	.	1	.	1	38	37	{ 31	36
(b) without Prematurity			{ 84	69	35	15	5	2	.	1	.	1	.	1	4	1	.	2	2			{ 29	24
Other Infantile diseases (765-776)																													
(a) with Prematurity	386	337	{ 236	216	113	32	21	12	4	4	2	11	2	5	7	1	1	1	132	117	{ 83	75
(b) without Prematurity			{ 60	47	12	4	10	1	2	3	3	2	.	1	2	2	1	.	3	.	.	.	1	.	.			{ 21	16
Other Causes																													
Syphilis (020-029)	2	1	.	1	.	1	1	—	.	.
Meningitis (340)	4	3	7	6	1	.	1	1	.	2	1	.	1	1	2	2
Suffocation in bed or cradle (E924)	10	15	15	15	1	1	5	3	.	.	1	2	.	2	.	.	.	3	5	5	5
Inattention at birth (E926)	2	5	4	3	2	1	1	2	1	1
Other violence*	22	13	12	10	1	1	1	1	1	5	.	1	8	4	4	3
Other Causes	101	95	108	87	4	1	3	1	1	1	1	5	3	.	17	5	10	7	5	3	5	1	4	4	6	35	33	38	30

* Including Miscellaneous Accidents.

ABSTRACT XVIII.—Northern Ireland: Deaths of Children under 1 year in each County and County Borough, 1949-52.

AREA	Deaths of All Children under 1 year of Age																											
	1949	1950	1951	Year 1952																								
				MALES AND FEMALES								MALES								FEMALES								
				Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	
NORTHERN IRELAND:	1,317	1,166	1,173	1,117	295	272	105	108	70	156	111	670	176	162	71	61	49	89	62	447	119	110	34	47	21	67	49	
All Urban Areas ..	788	684	614	641	177	157	53	60	37	94	63	388	103	98	35	37	26	55	34	253	74	59	18	23	11	39	29	
All Rural Areas ..	529	482	559	476	118	115	52	48	33	62	48	282	73	64	36	24	23	34	28	194	45	51	16	24	10	28	20	
Belfast County Borough ..	512	431	385	399	94	88	31	44	23	71	48	244	57	54	21	27	15	46	24	155	37	34	10	17	8	25	24	
Londonderry Cnty Borough	66	62	70	64	19	16	8	6	3	6	6	37	14	11	4	2	1	2	3	27	5	5	4	4	2	4	3	
County Antrim ..	186	169	194	142	40	36	9	16	8	19	14	88	23	24	7	11	5	9	9	54	17	12	2	5	3	10	5	
" Armagh ..	84	99	78	99	32	32	9	4	5	9	8	58	22	18	6	2	4	3	3	41	10	14	3	2	1	6	5	
" Down ..	188	166	187	160	48	37	17	11	11	22	14	101	26	24	15	7	7	15	7	59	22	13	2	4	4	7	7	
" Fermanagh ..	59	42	37	29	6	7	4	5	2	4	1	20	5	4	3	3	2	2	1	9	1	3	1	2	2	2	2	
" Londonderry ..	88	83	114	87	23	20	14	7	6	8	9	46	11	10	7	3	4	4	7	41	12	10	7	4	2	4	2	
" Tyrone ..	134	114	108	137	33	36	13	15	12	17	11	76	18	17	8	6	11	8	8	61	15	19	5	9	1	9	3	

97

ABSTRACT XIX.—Northern Ireland: Mortality among Illegitimate Children in each County and County Borough, 1949-52.

AREA	Deaths of All Children under 1 year of Age																										
	1949	1950	1951	Year 1952																							
				MALES AND FEMALES								MALES								FEMALES							
				Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths
NORTHERN IRELAND:	82	64	45	54	12	19	5	6	1	10	1	33	4	15	4	1	.	8	1	21	8	4	1	5	1	2	.
All Urban Areas ..	48	36	21	33	8	12	2	4	.	7	.	21	3	10	1	1	.	6	.	12	5	2	1	3	.	1	.
All Rural Areas ..	34	28	24	21	4	7	3	2	1	3	1	12	1	5	3	.	.	2	1	9	3	2	.	2	1	1	.
Belfast County Borough ..	32	22	16	21	4	8	.	4	.	5	.	14	2	6	.	1	.	5	.	7	2	2	.	3	.	.	.
Londonderry Cnty Borough	2	1	2	2	1	.	1	2	1	.	1	3	1
County Antrim ..	8	12	8	8	1	3	2	1	.	1	.	5	.	3	2	3	1	.	.	1	.	1	.
" Armagh ..	7	6	3	2	.	1	.	.	.	1	.	2	.	1	.	.	.	1	.	2	2
" Down ..	7	5	4	7	3	2	.	.	.	1	1	5	1	2	.	.	.	1	1	2	2
" Fermanagh ..	10	2	3
" Londonderry ..	10	9	6	4	.	2	2	2	.	1	1	2	.	1	1
" Tyrone ..	6	7	3	10	3	3	.	1	1	2	.	3	.	2	.	.	.	1	.	7	3	1	.	1	1	1	.

ABSTRACT XX.—Mortality among Illegitimate Children, 1949-52

Causes of Death (with Detailed List No's)	Number of Deaths																						Infant mortality rate per 10,000 illegitimate births							
	Year 1952																						1949	1950	1951	1952				
	1949	1950	1951	Total	under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days	14-20 days	21-28 days	1 mth	2 mth	3 mth	4 mth	5 mth	6 mth	7 mth	8 mth					9 mth	10 mth	11 mth	
All Causes	82	64	45	54	12	5	6	4	2	.	2	2	2	1	6	1	1	6	3	.	.	.	1	.	.	769	649	503	563	
<i>Common Infectious Diseases</i>																														
Scarlet Fever (050)		
Erysipelas (054)		
Diphtheria (055)		
Whooping Cough (056)	.	1		
Acute Poliomyelitis (080)		
Smallpox (084)		
Measles* (085)		
Influenza (480-483)	1	.	1	1	1	9	.	11	10	
<i>Diarrhoeal Diseases</i>																														
Diarrhoea & Enteritis (571, 572, 764)	10	9	3	94	91	34	.	
<i>Tuberculous Diseases</i>																														
Central Nervous System (010)	.	1	10	.	.	
Intestine* & Peritoneum (011)	
Other Tuberculous diseases (001-008, 012-019).	1	9	.	.	.	
<i>Bronchitis and Pneumonia</i>																														
Bronchitis (500-502)	.	2	20	.	.	
Pneumonia (490-493, 763).	26	15	7	16	.	1	1	1	.	.	5	1	.	3	3	.	.	.	1	.	.	244	152	78	167	
<i>Developmental and Wasting Diseases</i>																														
Congenital Malformations (750-759)	1	5	6	6	3	1	1	.	.	.	1	9	51	67	63	
Birth Injuries (760,761)	
(a) With Prematurity	.	.	.	1	.	.	1	28	20	{	10
(b) Without Prematurity	3	2	{	4	4	1	1	1	1	{	45	42	
Post natal asphyxia (762)	
(a) With Prematurity	.	.	.	7	1	1	1	1	2	.	1	9	50	{	73
(b) Without Prematurity	1	5	{	4	{	45	73	
Other Infantile Diseases (765-776)	
(a) With Prematurity	.	.	.	12	5	1	3	3	281	172	{	125
(b) Without Prematurity	30	17	{	2	2	1	1	{	56	21	
<i>Other Causes</i>																														
Syphilis (020-029)	1	.	.	1	.	1	9	.	.	10	
Meningitis (340)	
Suffocation in bed or cradle (E.924)	.	2	20	.	.	
Inattention at birth (E.926)	1	.	.	1	1	9	.	.	.	
Other Violence*	2	2	1	19	20	11	10	
Other Causes	5	3	7	3	1	.	.	2	47	30	78	31	

* Including Miscellaneous Accidents

ABSTRACT XXI.—Northern Ireland: Notifications of certain Infectious Diseases, 1952.

COUNTY BOROUGH BOROUGH URBAN AND RURAL DISTRICTS	Acute Influenza & Acute Primary Pneumonia	Cerebro-Spinal Fever	Diphtheria	Dysentery	Erysipelas	Food Poisoning (Bacterial Origin)	Gastro-Enteritis (under 2 years)	Infective Hepatitis	Measles	Polio-myelitis	Puerperal Pyrexia including Puerperal Fever	Rheumatic Fever	Scarlet Fever	Typhoid & Para- typhoid Fevers	Vincent's Angina	Whooping Cough	Pulmonary Tuberculosis	Non-Pulmonary Tuberculosis	Other Diseases	Total
Belfast C.B.	171	39	3	71	49	18	489	74	2,698	59	56	33	390	7	15	2,128	619	90	24	7,033
Londonderry C.B.	12	1	1	1	8	22	27	1	532	2	2	1	48	2	5	63	70	13	1	809
County Antrim																				
Ballycastle U.D.	6	1	2	1	1	11
Ballyclare "	2	1	4	.	.	7
Ballymena M.B.	4	18	.	.	.	11	.	.	32	23	4	1	93
Ballymoney U.D.	.	.	.	1	2	1	4	3	47	3	2	2	.	.	47
Carrickfergus M.B.	4	.	1	5	13	1	.	.	14	.	1	2	9	9	.	91
Larne M.B.	5	.	.	2	4	.	.	1	192	1	.	.	6	.	.	4	17	3	1	57
Lisburn U.D.	2	1	.	1	5	.	.	.	44	1	.	.	10	.	.	10	5	.	.	280
Portrush "	1	1	.	.	.	9	.	4	17	.	.	.	2	62
Whitehead "	1	1	.	160	.	.	.	4	17	.	.	.	2	187
Antrim R.D.	6	.	.	5	1	1	5	6	218	3	.	.	3	1	.	51	21	7	3	331
Ballycastle "	1	3	7	2	1	.	.	17
Ballymena "	1	.	.	.	41	2	.	.	10	1	1	33	39	7	1	137
Ballymoney "	2	117	3	.	.	11	.	.	2	12	.	3	151
Belfast "	15	1	.	1	1	36	20	1	301	7	1	.	21	.	2	188	35	8	1	639
Larne "	6	.	.	6	2	1	5	1	45	2	.	.	7	.	.	13	14	4	5	111
Lisburn "	1	.	.	1	3	1	9	13	220	2	.	2	9	.	.	110	22	7	3	403
County Armagh																				
Armagh U.D.	.	.	.	2	.	.	.	3	55	.	1	.	7	.	.	4	7	3	1	83
Keady "	1	.	21	1	3	2	1	.	29
Lurgan M.B.	1	.	.	4	1	.	10	8	29	.	.	.	22	1	.	72	20	3	.	171
Portadown "	.	.	.	1	.	2	3	1	400	1	.	.	10	.	.	7	15	4	.	444
Tandragee U.D.	1	1	17	1	.	.	1	19
Armagh R.D.	1	1	110	.	.	.	21	20	.	30	18	5	2	209
Lurgan "	1	.	.	3	.	1	5	3	120	.	.	.	4	.	1	21	4	3	2	168
Newry No. 2 R.D.	1	2	6	.	18	2	.	1	43	.	.	22	17	6	.	119
Tandragee "	1	.	.	.	24	.	.	.	3	.	.	.	3	2	.	33
County Down																				
Banbridge U.D.	.	.	.	2	2	.	1	2	18	2	6	3	2	.	38
Bangor M.B.	2	.	.	.	1	.	.	.	35	2	.	.	4	.	.	13	19	3	.	79
Donaghadee U.D.	.	1	4	.	.	.	5	1	.	14
Downpatrick "	3	4	7	3	.	17
Dromore "	1	.	.	.	1	1	.	4
Holywood "	5	.	.	.	16	.	.	.	4	.	1	43	7	2	1	78
Kilkeel "	.	.	.	1	1	.	.	1	.	.	.	1	1	.	5
Newcastle "	5	.	.	.	1	.	.	.	2	3	.	11
Newry "	.	.	.	1	3	.	.	3	29	2	.	.	65	.	.	1	21	6	.	131
Newtownards M.B.	.	2	.	1	.	1	1	.	4	.	.	.	6	.	.	9	1	.	.	25
Warrenpoint U.D.	1	8	.	1	.	3	.	.	36	7	1	.	58
Banbridge R.D.	1	.	.	.	2	1	.	18	65	8	2	14	1	.	.	51	13	3	3	182
Castlereagh "	5	3	.	1	1	.	17	7	189	3	2	15	.	.	.	125	26	2	.	396
Downpatrick "	4	2	.	1	6	.	5	3	137	.	.	.	11	1	.	92	36	7	.	310
Hillsborough "	5	.	.	5	.	3	2	3	274	.	.	1	10	.	.	84	15	2	2	406
Kilkeel "	1	.	2	3	3	.	.	.	15	.	.	1	8	4	.	34
Moira "	2	.	.	1	.	.	4	6	45	.	.	.	11	.	.	109	11	3	1	193
Newry No. 1 "	3	2	4	32	.	.	1	11	.	.	40	10	4	3	110
Newtownards "	.	1	.	.	1	1	5	1	95	1	.	.	22	.	.	25	29	5	.	186
Co. Fermanagh																				
Enniskillen M.B.	8	1	.	.	.	1	.	.	.	8	.	.	18
Enniskillen R.D.	1	.	.	2	2	.	.	.	3	3	.	22	13	4	2	52
Irvinestown "	7	.	.	.	4	.	.	9	2	.	1	.	31	.	1	5	13	2	.	75
Lisnaskea "	6	1	1	1	.	.	6	1	.	9	13	3	2	42
Co. Londonderry																				
Coleraine M.B.	137	1	.	.	8	3	.	7	20	1	.	177
Limavady U.D.	2	.	53	.	.	.	9	.	.	6	10	.	.	80
Portstewart "	1	.	.	.	1	.	.	1	8	.	.	12
Coleraine R.D.	1	2	14	37	3	.	.	1	.	.	10	22	3	2	95
Limavady "	6	.	.	.	1	.	.	.	57	1	.	.	19	.	.	9	15	3	.	111
Londonderry "	2	1	.	.	1	.	4	.	87	6	1	.	18	1	1	7	19	5	.	153
Magherafelt "	10	1	.	3	.	.	4	1	64	5	1	.	7	.	.	21	27	4	1	149
County Tyrone																				
Cookstown U.D.	1	.	.	.	49	1	8	1	.	60
Dungannon "	4	4	.	.	.	2	.	.	2	7	1	.	18
Omagh "	10	1	3	1	5	.	.	.	10	.	.	10	10	5	4	51
Strabane "	1	1	13	5	.	20
Castlederg R.D.	8	1	23	1	.	.	12	.	.	8	7	2	.	62
Clogher "	1	12	.	.	.	2	.	.	12	6	1	.	34
Cookstown "	3	2	50	4	.	.	3	.	.	3	20	1	.	86
Dungannon "	1	2	24	1	2	.	11	.	4	26	21	7	.	101
Omagh "	39	1	.	.	5	.	2	1	88	3	.	1	.	.	.	3	23	6	5	198
Strabane "	22	.	.	10	3	.	8	2	26	3	.	.	8	.	5	27	14	13	3	144
Total N. Ireland	353	59	4	296	109	99	656	235	7,036	142	68	43	1,025	43	40	3,650	1,517	302	79*	15,756

Only the first case of measles or whooping cough in a household is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

* Including 2 cases of acute encephalitis, 38 of glandular fever, 24 of leptospiral jaundice, 4 of malaria, 6 of ophthalmia neonatorum, 1 of pemphigus neonatorum and 4 of undulant fever.

**ABSTRACT XXII.—Northern Ireland : Belfast Co. Borough and Londonderry Co. Borough
Summary of Vital Statistics for the years 1950, 1951 and 1952.**

Subject	NORTHERN IRELAND			BELFAST COUNTY BOROUGH			LONDONDERRY CO. BOROUGH		
	1950	1951	1952	1950	1951	1952	1950	1951	1952
Birth Rate	21.03	20.74	20.92	19.63	19.78	19.15	27.07	27.38	27.74
Marriage Rate	6.64	6.86	6.77	7.93	8.45	8.21	6.86	7.74	8.02
Death Rate.. .. .	11.57	12.84	10.77	11.29	12.23	10.76	11.24	12.53	9.96
Death Rates from certain specified diseases;									
Tuberculosis (all forms)	0.48	0.45	0.30	0.60	0.59	0.38	0.97	0.56	0.39
Cancer	1.53	1.48	1.47	1.59	1.56	1.65	1.17	1.19	1.28
Influenza	0.11	0.64	0.04	0.07	0.52	0.04	0.04	0.40	0.02
Pneumonia	0.47	0.59	0.40	0.65	0.74	0.63	0.32	0.58	0.29
Heart Disease	3.68	4.01	3.52	3.33	3.67	3.19	3.62	4.42	3.05
Infant Mortality Rate (per 1,000 live births ..	40	41	39	49	44	47	46	51	45
Maternal Mortality Rate (per 1,000 live births)	1.11	1.09	1.08	0.68	0.34	1.06	0.74	—	—
Chief Notifiable Diseases—cases notified;									
Typhoid Fever	29	69	43	3	24	7	2	2	2
Scarlet Fever	3,939	1,313	1,025	1,617	332	390	170	79	48
Diphtheria	85	17	4	40	5	3	9	1	1
Cerebro-spinal Fever	52	70	59	20	32	39	1	1	.
Tuberculosis (all forms)	2,153	2,043	1,819	892	822	709	108	126	83

NOTE.—Where not otherwise stated, the rates given are per 1,000 of estimated population