

PARLIAMENT OF NORTHERN IRELAND

Thirty-Sixth  
Annual Report of  
the Registrar-General  
1957

*Presented to Parliament pursuant to Statute*

---

*Ordered by The House of Commons to be Printed*  
*14th October, 1958*

---

BELFAST  
HER MAJESTY'S STATIONERY OFFICE

SIX SHILLINGS NET  
H.C. 1314



General Register Office,  
Fermanagh House,  
Ormeau Avenue,  
Belfast.  
*15th September, 1958*

To CAPTAIN THE RIGHT HONOURABLE TERENCE O'NEILL, D.L., M.P.  
*Minister of Finance for Northern Ireland.*

SIR,

I have the honour to submit the Thirty-Sixth Annual Report on the Births, Deaths, and Marriages registered in Northern Ireland, together with Abstracts of the particulars of such registrations. The Report relates to the year ended 31st December, 1957. The Abstracts have been prepared for presentation to Parliament, pursuant to the provisions of statutes governing the registration system. The Report draws attention to the salient features of the vital statistics contained in the Abstracts, and information is given relating to notifications of infectious diseases, migration and the weather.

I wish to acknowledge the material assistance of the Central Punched-Card Service of the Ministry of Finance in the compilation of the statistics by machine tabulation, also the assistance rendered by the Medical Staff of the Ministry of Health and Local Government, for advice on medical matters, and to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland and the Irish Republic, in furnishing information relating to the areas under their respective administrations.

I have the honour to be, Sir,  
Your obedient Servant,

L. C. MULLIGAN,  
Registrar-General of Births, Deaths, and  
Marriages for Northern Ireland.



## TABLE OF CONTENTS

### REPORT

	<i>Page</i>
<b>SUMMARY . . . . .</b>	<b>7</b>
<b>POPULATION . . . . .</b>	<b>8</b>
<b>MARRIAGES</b>	
Number and Rate . . . . .	9
Seasonal Incidence of Marriage . . . . .	9
Ages at Marriage . . . . .	9
Method of Celebration . . . . .	10
<b>BIRTHS</b>	
Number and Rate . . . . .	14
Proportion of Males to Females . . . . .	14
Multiple Births . . . . .	14
<b>DEATHS</b>	
Number and Rate . . . . .	16
Deaths in Hospitals . . . . .	16
Proportion of Deaths from the Principal Causes . . . . .	18
Deaths from the Principal Epidemic Diseases . . . . .	18
Influenza . . . . .	19
Tuberculosis . . . . .	19
Cancer . . . . .	22
Cerebral Haemorrhage, etc. . . . .	25
Heart Diseases . . . . .	25
Bronchitis . . . . .	26
Pneumonia . . . . .	26
Pregnancy and Childbirth . . . . .	26
Violent Deaths . . . . .	29
Uncertified Deaths . . . . .	32
Inquests . . . . .	32
Infant Mortality . . . . .	33
Mortality among Illegitimate Children . . . . .	36
ABRIDGED LIFE TABLE . . . . .	36
<b>MIGRATION . . . . .</b>	<b>37</b>
<b>THE WEATHER . . . . .</b>	<b>38</b>
<b>GENERAL . . . . .</b>	<b>41</b>
<b>ADMINISTRATION</b>	
Introductory . . . . .	42
Buildings licensed or registered for Marriages . . . . .	42
State of Registration . . . . .	42
Legitimacy Act (N.I.), 1928 . . . . .	43
Adoption of Children Act (N.I.), 1950 . . . . .	43
Searches and Certificates . . . . .	43
Verifications . . . . .	43

### ABSTRACTS

I. Marriages registered in each of the Counties, showing Method of Celebration	46
II. Marriages registered in each of the Counties, showing the number registered in each month of the year and the Civil Condition of the Persons married	46
III. Ages of Men at Marriage . . . . .	47
IV. Ages of Women at Marriage . . . . .	47
V. Ages and Conjugal Conditions of Persons Married . . . . .	48
VI. Ages in combination of Men and Women at Marriage . . . . .	52

	<i>Page</i>
VII. Births in each of the Counties, showing the number in each quarter of the year, distinguishing Males and Females . . . . .	53
VIII. Deaths in each of the Counties showing the number in each quarter of the year, distinguishing Males and Females . . . . .	53
IX. Deaths by causes of Males and Females at different Age-Periods . . . . .	54
IXa. Deaths from non-transport accidents by Age, Sex and Place of Occurrence	78
X. Deaths in each of the Counties and County Boroughs, also in the aggregates of the Urban and Rural Areas by causes and at certain Age-Periods, distinguishing Males and Females . . . . .	80
XI. Births and Deaths in each Administrative Areas . . . . .	100
XII. Deaths of Males and Females at different Age-Periods in each of the Counties: Death Rates by Sex and Age-Periods for Northern Ireland . . . . .	104
XIII. Death Rates by Sex and Age-Periods, 1926, 1937-57. . . . .	105
XIV. Deaths by Sex at each year of age by Conjugal Condition . . . . .	106
XV. Proportion of Deaths from Principal Causes at certain Age-Periods . . . . .	108
XVI. Deaths from Cancer by Sex, Age and Site . . . . .	110
XVII. Deaths from Cancer in each County and County Borough by Sex and Site	112
XVIII. Population of Northern Ireland by Sex and Ages according to the Census of 1951 . . . . .	113
XIX. Deaths from the Principal Causes by Month of Registration, distinguishing Males and Females . . . . .	114
XX. Infant Mortality by Cause, Age and Sex, also Illegitimate Infant Mortality by Cause, 1957 . . . . .	116
XXI. Infant Mortality by Cause and Month of Registration . . . . .	120
XXII. Infant Mortality in each County and County Borough, also the aggregates of the Urban and Rural Areas, 1954-1957 . . . . .	121
XXIII. Mortality among Illegitimate Children in each County and County Borough, 1954-1957. . . . .	121
XXIV. Notifications of certain Infectious Diseases . . . . .	122
XXV. Northern Ireland, Belfast County Borough and Londonderry County Borough —Summary of Vital Statistics for the years 1955, 1956 and 1957 . . . . .	124

## DIAGRAMS

I. Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	11
II. Birth Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	15
III. Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	17
IV. Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	21
V. Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	23
VI. Death Rates from Cancer and Tuberculosis in Northern Ireland . . . . .	28
VII. Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	30
VIII. Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic . . . . .	35

# Thirty-Sixth Annual Report of the Registrar-General for Northern Ireland

## SUMMARY

**Births.** During the year 1957, 30,108 births were registered, giving a birth rate of 21.5 per 1,000 population, as compared with 29,489 registrations and a rate of 21.1 in 1956. The birth rate rose, therefore, by 0.4 per 1,000 population, during the year under review, and is the highest since 1948 when a rate of 21.9 was recorded.

Illegitimate births numbered 731 which was 59 less than in 1956, and 86 below the average for the five years 1952-1956. Out of every hundred births registered during the year 2.4 were of illegitimate children.

**Marriages.** Marriages solemnized in 1957 numbered 9,391, compared with 9,359 in 1956, but the resultant rate was the same at 6.7 marriages per 1,000 population, which was the average rate for the five preceding years.

**Deaths.** The deaths of 15,187 persons were registered during 1957 which is 329 more than in 1956. The death rate of 10.9 per 1,000 population is 0.3 above that for 1956, and 0.1 higher than the average of the five preceding years.

Of the total deaths, 6.5 per cent. were of children under 5 years of age, 27.8 per cent. were of persons between 5 and 64 years and 65.7 per cent. were of persons aged sixty-five and over.

Heart diseases, cancer, cerebral haemorrhage and thrombosis, were the most common causes of death, especially amongst older people. Fewer people died from bronchitis and more from pneumonia in 1957 than in 1956.

Deaths from tuberculosis rose slightly in number, and whilst the rate of 0.13 such deaths per 1,000 population is 0.01 higher than in 1956, it is less than one-third of what it was as recently as 1951.

Cancer caused the deaths of 105 more persons in 1957 than in the previous year. The following figures show the substantial increase which has taken place in deaths from cancer in relatively recent years:

Years	Males	Females	Persons
1927	661	816	1,477
1937	777	891	1,668
1947	974	988	1,962
1956	1,102	1,099	2,201
1957	1,220	1,086	2,306

Out of every 100 deaths during 1957, 15 were ascribed to cancer as compared with 8 in 1927, an increase of over 87 per cent. in thirty years.

Lung cancer deaths in 1957 numbered 313 (268 males; 45 females) as compared with 332 in 1956 (260 males; 72 females) and 29 in 1927 (18 males; 11 females). These figures show an increase of nearly 1,000 per cent. in thirty years.

The infant mortality rate of 29 deaths per 1,000 live births in 1956 was the lowest ever recorded and the rate remained unchanged in 1957. The average rate for the five year period 1952-56 was 34.

The number of deaths from maternal causes increased from 17 to 33. The rate was 1·10 per 1,000 births, which is the highest since 1950, and is almost double the rate for 1956. This disquieting increase, with other aspects of maternal mortality in Northern Ireland, has been the subject of detailed study by the Chief Medical Officer of the Ministry of Health and Local Government and the Annual Report of that Department for the year 1957 comments on the situation.

As in 1952, 1954, and 1956, no deaths were attributed to diphtheria. During the past five years only 2 deaths were ascribed to this cause, one in each of the years 1953 and 1955.

The estimated population at 30th June was 1,398,500 an increase of 1,900 from 1956. During the year ended 30th June, 1957, there was an excess of births over deaths of 15,378 but this was reduced by a balance of outward over inward migration estimated at 13,100. 13.478

### POPULATION

The home population of Northern Ireland as estimated at 30th June, 1957 was 1,398,500 persons. This estimate, comprising civilians and members of the armed forces stationed in Northern Ireland and based on the census population ascertained on 8th April, 1951, has been used to calculate the rates (relating to 1957) for the country as a whole. The rates for the various divisions of the country have also been based on the estimated home population as at 30th June, 1957.

Table A gives the population figures, as estimated at 30th June, 1957, for Counties and County Boroughs, together with the aggregates of the urban and rural areas. The populations as ascertained at the censuses of 1911, 1926, 1937 and 1951 are also shown. The 1951 census populations for each Local Administrative Area are given in Abstract XI.

Table A1 shows the age and sex distribution of the population as at 30th June, 1957, also the percentage of the total population in each age-group. Abstract XVIII gives the 1951 Census population by age and sex for Northern Ireland also for the Counties and County Boroughs.

**TABLE A. Populations of Counties, County Boroughs and Urban and Rural Areas as recorded at the censuses of 1911, 1926, 1937 and 1951, and as estimated at mid-year 1957.**

AREA	Census 1911	Census 1926	Census 1937	Census 1951	Mid-Year Estimate 1957
Northern Ireland . . . . .	1,250,531	1,256,561	1,279,745	1,370,921	1,398,500
Total Urban Areas . . . . .	586,694	637,719	677,545	728,297	742,940
Total Rural Areas . . . . .	663,837	618,842	602,200	642,624	655,560
Belfast County Borough . . .	386,947	415,151	438,086	443,671	440,100
Londonderry County Borough	40,780	45,159	47,813	50,092	51,600
Counties:					
Antrim . . . . .	193,864	191,643	197,266	231,149	248,000
Armagh . . . . .	120,291	110,070	108,815	114,254	116,800
Down . . . . .	204,303	209,228	210,687	241,181	249,700
Fermanagh . . . . .	61,836	57,984	54,569	53,044	51,700
Londonderry*	99,845	94,534	94,923	105,448	109,300
Tyrone . . . . .	142,665	132,792	127,586	132,082	131,300

\* Excluding County Borough.

TABLE A1. Northern Ireland: Population as estimated at 30th June, 1957.

Age-groups	Persons		Males		Females	
	No.	Percentage of total	No.	Percentage of total	No.	Percentage of total
All Ages	1,398,500	100·0	681,300	100·0	717,200	100·0
0-4	138,100	9·9	71,200	10·5	66,900	9·3
5-9	134,100	9·6	68,600	10·1	65,500	9·1
10-14	130,600	9·3	66,600	9·8	64,000	8·9
15-19	112,700	8·1	59,000	8·6	53,700	7·5
20-24	98,100	7·0	48,600	7·1	49,500	6·9
25-29	90,500	6·5	43,100	6·3	47,400	6·6
30-34	89,100	6·4	42,000	6·2	47,100	6·6
35-39	87,200	6·2	42,200	6·2	45,000	6·3
40-44	86,000	6·2	41,400	6·1	44,600	6·2
45-49	87,100	6·2	41,900	6·2	45,200	6·3
50-54	78,000	5·6	37,200	5·5	40,800	5·7
55-59	71,600	5·1	33,600	4·9	38,000	5·3
60-64	58,700	4·2	26,800	3·9	31,900	4·4
65-69	47,700	3·4	20,800	3·1	26,900	3·8
70-74	37,800	2·7	16,500	2·4	21,300	3·0
75-79	28,200	2·0	12,100	1·8	16,100	2·2
80-84	16,800	1·2	7,200	1·1	9,600	1·3
85 and over	6,200	0·4	2,500	0·4	3,700	0·5

### MARRIAGES

**Number and Rate.** Marriages registered during the year numbered 9,391 which is 32 more than the previous year. The rate 6·72 per 1,000 of the estimated population is 0·02 above that for the year 1956. Of the total marriages 96·0 per cent. were between bachelors and spinsters, 2·1 per cent. between widowers and spinsters, 0·9 per cent. between bachelors and widows and 0·9 per cent. between widowers and widows. Thus 3·0 per cent. of the men married during the year were widowers and 1·9 per cent. of the women were widows or, in 4 out of every 100 marriages, one or both of the contracting parties had been married before. It should be noted that for the purpose of these calculations, divorced men and women who marry are included with bachelors and spinsters respectively.

**Seasonal Incidence of Marriage.** The number of marriages celebrated in each month in 1957 was as follows:

January	488	April	781	July	947	October	603
February	544	May	340	August	1,072	November	462
March	1,358	June	1,012	September	1,198	December	586
Qtrs.: 1st	2,390	2nd	2,133	3rd	3,217	4th	1,651

The table shows that the period July to September was the most popular quarter for weddings. It is interesting, however, to note that March headed the monthly totals by an appreciable margin. Since 1955 this month has grown in popularity. In that year, 10·8 per cent. of all marriages registered, were solemnized in March, 11·5 in 1956, and 14·5 in 1957. Records of the monthly totals are not available prior to 1955.

**Ages at Marriage.** The average age of men marrying in 1957 was 28·6 and of women 25·5. During 1956 this age was 28·8 among men and 25·7 among women. Ten years ago, the average age was 30·4 for men and 26·8 for women. Of the contracting parties 8·0 per cent. of the husbands and 23·5

per cent. of the wives were minors. Further statistics will be found in Abstracts III, IV, V and VI.

**Method of Celebration.** Table B shows the marriages registered during the years 1927, 1937 and 1951 to 1957 according to methods of celebration. The religious denominations are placed in the order of the number of members at the last Census.

Marriages taking place in Registrars' Offices in the year under review represented 5·7 per cent. of the total marriages as compared with 5·6 in the previous year.

TABLE B. *Northern Ireland: Marriages Registered, according to Methods of celebration, 1927, 1937, 1951-57.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Metho-dist	In Other Churches	In Regis-trars' Offices	Jewish	Total Marriages Registered	Total Marriage Rate per 1,000 of Estimated Population
1927	2,091	2,074	2,150	235	233	388	4	7,175	5·74
1937	2,396	2,473	2,426	426	247	647	8	8,623	6·73
1951	2,723	2,975	2,270	446	304	694	2	9,414	6·86
1952	2,731	2,845	2,244	487	314	676	3	9,300	6·77
1953	2,887	2,880	2,261	462	266	656	4	9,416	6·80
1954	2,847	2,739	2,195	448	305	615	5	9,154	6·60
1955	3,032	2,897	2,219	455	286	617	7	9,513	6·83
1956	2,986	2,817	2,255	452	315	527	7	9,359	6·70
1957	2,811	2,809	2,377	507	346	539	2	9,391	6·72

**DIAGRAM I. Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-57.**  
**Rate per 1,000 Population.**




TABLE C. Northern Ireland: Population, Marriages, Births, and Deaths, 1946-1957, with Quinquennial Averages from year 1911.

YEAR	Estimated Mid-Year Population	Marriages	Births (Total)	Illegitimate Births	Deaths	Deaths of Infants under 1 year of Age
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169
1946	1,333,000*	9,801	30,134	1,319	16,666*	1,626
1947	1,339,000*	9,517	31,254	1,179	16,913*	1,658
1948	1,351,000*	9,360	29,532	1,072	15,125*	1,347
1949	1,360,000*	9,216	29,106	1,066	15,652*	1,317
1950	1,369,000*	9,084	28,794	986	15,839	1,166
1946-50	1,350,000*	9,396	29,764	1,124	16,039	1,423
1951	1,373,000	9,414	28,477	895	17,628	1,173
1952	1,375,000	9,300	28,760	959	14,812	1,117
1953	1,384,000	9,416	28,984	818	14,813	1,090
1954	1,387,000	9,154	28,803	827	15,124	951
1955	1,394,000	9,513	28,965	690	15,407	938
1951-55	1,383,000	9,359	28,798	838	15,557	1,054
1956	1,397,000	9,359	29,489	790	14,858	850
1957	1,399,000	9,391	30,108	731	15,187	869

NOTE. For Births and Deaths in each Urban and Rural District, see Abstract XI.

TABLE D. Northern Ireland: Annual Marriage, Birth, and Death Rates, and Deaths of Infants under 1 year per 1,000 births, 1946-57, with Quinquennial Averages from 1911.

YEAR	Rates per 1,000 of Estimated Population			Illegitimate Births Per cent. of Total Births	Deaths of Infants under 1 year of Age per 1,000 Live Births
	Marriages	Births	Deaths		
1911-15	6.1	24.0	17.7	4.37	102
1916-20	6.7	22.5	18.0	4.56	95
1921-25	6.3	23.1	15.6	4.29	82
1926-30	5.9	21.2	14.8	4.73	79
1931-35	6.2	20.0	14.3	5.02	78
1936-40	7.1	19.8	14.3	4.61	77
1941-45	8.2	22.7	13.4*	5.27	73
1946	7.4	22.6	12.5*	4.37	54
1947	7.1	23.3	12.6*	3.77	53
1948	6.9	21.9	11.2*	3.63	46
1949	6.8	21.4	11.5*	3.66	45
1950	6.6	21.0	11.6	3.42	40
1946-50	7.0	22.0	11.9	3.78	48
1951	6.9	20.7	12.8	3.14	41
1952	6.8	20.9	10.8	3.33	39
1953	6.8	20.9	10.7	2.82	38
1954	6.6	20.8	10.9	2.87	33
1955	6.8	20.8	11.1	2.38	32
1951-55	6.8	20.8	11.3	2.91	37
1956	6.7	21.1	10.6	2.68	29
1957	6.7	21.5	10.9	2.43	29

\* Civilians only.

TABLE E. Comparative Statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1953–1957.

MARRIAGE RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5.8	7.2	6.4	4.6
1937	6.7	8.8	7.7	5.0
1951	6.9	8.2	8.1	5.4
1953	6.8	7.8	8.0	5.4
1954	6.6	7.7	8.2	5.4
1955	6.8	8.1	8.4	5.7
1956	6.7	7.9	8.5	5.8
1957	6.7	7.7	8.3	5.0*

BIRTH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22.5	17.8	21.1	20.6
1937	19.8	14.9	17.6	19.2
1951	20.7	15.5	17.7	21.2
1953	20.9	15.5	17.8	21.2
1954	20.8	15.2	18.0	21.3
1955	20.8	15.0	18.0	21.2
1956	21.1	15.7	18.5	21.0
1957	21.5	16.1	19.0	21.2*

DEATH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15.0	11.6	13.1	14.1
1937	15.1	12.4	13.9	15.3
1951	12.8	12.5	12.9	14.3
1953	10.7	11.4	11.5	11.7
1954	10.9	11.3	12.0	12.1
1955	11.1	11.7	12.0	12.6
1956	10.6	11.7	12.0	11.7
1957	10.9	11.5	11.9	11.9*

INFANT MORTALITY RATES PER 1,000 LIVE BIRTHS				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	85	70	83	74
1937	77	58	80	73
1951	41	30	37	46
1953	38	27	31	39
1954	33	25	31	38
1955	32	25	30	37
1956	29	24	29	36
1957	29	23	29	33*

DEATHS FROM TUBERCULOSIS (ALL FORMS) PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	1.47	0.96	1.00	1.47
1937	0.98	0.68	0.74	1.23
1951	0.45	0.32	0.43	0.73
1953	0.23	0.20	0.26	0.40
1954	0.18	0.18	0.22	0.34
1955	0.15	0.15	0.19	0.31
1956	0.12	0.12	0.16	0.24
1957	0.13	0.11	0.14	0.24*

\* Provisional

## BIRTHS

**Number and rate.** The births registered during the year numbered 30,108, an increase of 619 compared with the previous year. The birth rate was 21.5 per 1,000 of the estimated population, being 0.4 above the rate for the previous year. Illegitimate births numbered 731, a decrease of 59 compared with the number recorded for 1956, the proportion to total births (2.43 per cent.) being 0.25 below that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total births in the year 1957 were 4.8, 4.1 and 1.7 respectively. The figure for the Irish Republic is provisional.

The monthly incidence of births was as follows:

January	2,548	April	2,603	July	2,720	October	2,566
February	2,287	May	2,830	August	2,535	November	2,373
March	2,521	June	2,461	September	2,421	December	2,243
Qtrs.: 1st	7,356	2nd	7,894	3rd	7,676	4th	7,182

Compared with 1956 increases of 140, 297 and 200 were recorded in the first, third and fourth quarters respectively while the second quarter showed a decrease of 18. Nevertheless, as is usually the case, the incidence was highest in the second quarter and lowest in the fourth.

Births registered during 1957, where the normal residence of the parents was outside Northern Ireland, numbered 276 as compared with 264 in 1956. In 178 cases, an address in the Irish Republic was given, and of these, 63 births occurred in hospitals: the 1956 figures were 189 and 90 respectively.

TABLE F. Northern Ireland: Births and Birth Rates by Counties, 1954-1957

AREA	Number of Births				Birth Rate per 1,000 of the population			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . . .	28,803	28,965	29,489	30,108	20.8	20.8	21.1	21.5
All Urban Areas . . .	14,822	14,648	15,126	15,463	20.1	19.8	20.3	20.8
All Rural Areas . . .	13,981	14,317	14,363	14,645	21.5	21.9	22.1	22.3
Belfast County Borough	8,302	8,100	8,212	8,459	18.5	17.8	18.5	19.2
Londonderry County								
Borough . . . . .	1,425	1,493	1,517	1,465	27.9	29.0	29.3	28.4
County Antrim . . . .	4,976	5,227	5,483	5,618	21.2	22.0	22.4	22.7
County Armagh . . . .	2,534	2,457	2,516	2,575	22.1	21.4	21.7	22.0
County Down . . . .	4,836	4,951	5,067	5,157	19.8	20.2	20.5	20.7
County Fermanagh . . .	1,106	1,142	1,099	1,073	21.0	21.8	21.0	20.8
*County Londonderry . . .	2,521	2,429	2,571	2,530	23.3	22.6	23.5	23.1
County Tyrone . . . .	3,103	3,166	3,044	3,231	23.5	24.0	23.2	24.6

\* Excluding County Borough.

**Proportion of Males to Females.** Births of males in Northern Ireland in 1957 numbered 15,490 and those of females 14,618; the proportion of male to female births was therefore 1,060 to 1,000. The corresponding proportions for each of the years 1951-56 were 1,058, 1,067, 1,078, 1,059, 1,087 and 1,049 respectively.

**Multiple Births.** Out of the total of 30,108 children whose births were registered in 1957, 29,278 were born singly, 812 were the product of twin and 18 of triple pregnancies. There is no provision for the registration of still-births in Northern Ireland, so that the birth of one live infant and one still-born infant is regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth.

## BIRTHS

**Number and rate.** The births registered during the year numbered 30,108, an increase of 619 compared with the previous year. The birth rate was 21.5 per 1,000 of the estimated population, being 0.4 above the rate for the previous year. Illegitimate births numbered 731, a decrease of 59 compared with the number recorded for 1956, the proportion to total births (2.43 per cent.) being 0.25 below that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total births in the year 1957 were 4.8, 4.1 and 1.7 respectively. The figure for the Irish Republic is provisional.

The monthly incidence of births was as follows:

January 2,548	April 2,603	July 2,720	October 2,566
February 2,287	May 2,830	August 2,535	November 2,373
March 2,521	June 2,461	September 2,421	December 2,243
Qtrs.: 1st 7,356	2nd 7,894	3rd 7,676	4th 7,182

Compared with 1956 increases of 140, 297 and 200 were recorded in the first, third and fourth quarters respectively while the second quarter showed a decrease of 18. Nevertheless, as is usually the case, the incidence was highest in the second quarter and lowest in the fourth.

Births registered during 1957, where the normal residence of the parents was outside Northern Ireland, numbered 276 as compared with 264 in 1956. In 178 cases, an address in the Irish Republic was given, and of these, 63 births occurred in hospitals: the 1956 figures were 189 and 90 respectively.

TABLE F. *Northern Ireland: Births and Birth Rates by Counties, 1954–1957*

AREA	Number of Births				Birth Rate per 1,000 of the population			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . . .	28,803	28,965	29,489	30,108	20.8	20.8	21.1	21.5
All Urban Areas . . .	14,822	14,648	15,126	15,463	20.1	19.8	20.3	20.8
All Rural Areas . . .	13,981	14,317	14,363	14,645	21.5	21.9	22.1	22.3
Belfast County Borough	8,302	8,100	8,212	8,459	18.5	17.8	18.5	19.2
Londonderry County Borough . . .	1,425	1,493	1,517	1,465	27.9	29.0	29.3	28.4
County Antrim . . .	4,976	5,227	5,463	5,618	21.2	22.0	22.4	22.7
County Armagh . . .	2,534	2,457	2,516	2,575	22.1	21.4	21.7	22.0
County Down . . .	4,836	4,951	5,067	5,157	19.8	20.2	20.5	20.7
County Fermanagh . . .	1,106	1,142	1,099	1,073	21.0	21.8	21.0	20.8
*County Londonderry . . .	2,521	2,429	2,571	2,530	23.3	22.6	23.5	23.1
County Tyrone . . .	3,103	3,166	3,044	3,231	23.5	24.0	23.2	24.6

\* Excluding County Borough.

**Proportion of Males to Females.** Births of males in Northern Ireland in 1957 numbered 15,490 and those of females 14,618; the proportion of male to female births was therefore 1,060 to 1,000. The corresponding proportions for each of the years 1951–56 were 1,058, 1,067, 1,078, 1,059, 1,087 and 1,049 respectively.

**Multiple Births.** Out of the total of 30,108 children whose births were registered in 1957, 29,278 were born singly, 812 were the product of twin and 18 of triple pregnancies. There is no provision for the registration of still-births in Northern Ireland, so that the birth of one live infant and one still-born infant is regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth.

## DEATHS

**Number and Rate.** The number of deaths recorded during the year 1957, and the death rate per 1,000 of the population, were 15,187 and 10·9 respectively. The comparable figures for 1956 were 14,858 and 10·6.

Of the total deaths 7,929 were of males and 7,258 were of females, the equivalent annual death rates being 11·6 and 10·1 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1956 were 11·2 and 10·1.

According to the ages stated to Registrars, 6·5 per cent. of the total deaths were of children under 5 years of age and 65·7 per cent. were of persons aged 65 and upwards. There were 105 deaths of persons (33 males and 72 females) aged 95 and upwards; 9 of these deaths (1 male and 8 females) were of persons whose ages at death were returned as 100 years and upwards. The age of the male was given as 103, and the ages of the females were given as 5 at 100, 1 at 101, 1 at 102 and 1 at 103.

The following table gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

	Total	Under 1 year	1-14	15-44	45-64	65 and over
Number of deaths						
P	15,187	869	224	817	3,302	9,975
M	7,929	472	131	464	1,947	4,915
F	7,258	397	93	353	1,355	5,060
Percentage of total deaths						
P	100	5·7	1·5	5·4	21·7	65·7
M	100	6·0	1·7	5·9	24·6	62·0
F	100	5·5	1·3	4·9	18·7	69·7

TABLE G.—*Northern Ireland: Deaths and Death Rates by Counties, 1954-1957.*

AREA	Number of Deaths				Death Rate per 1,000 of population			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . . . .	15,124	15,407	14,858	15,187	10·9	11·1	10·6	10·9
All Urban Areas . . .	8,008	8,058	7,882	8,292	10·9	10·9	10·6	11·2
All Rural Areas . . .	7,116	7,349	6,976	6,895	10·9	11·2	10·7	10·5
Belfast County Borough .	4,810	4,752	4,632	4,899	10·7	10·5	10·4	11·1
Londonderry County Borough . . . . .	514	530	531	522	10·1	10·3	10·3	10·1
County Antrim . . . . .	2,500	2,542	2,445	2,520	10·6	10·7	10·0	10·2
County Armagh . . . . .	1,315	1,374	1,248	1,301	11·5	12·0	10·8	11·1
County Down . . . . .	2,750	2,724	2,764	2,710	11·2	11·1	11·2	10·9
County Fermanagh . . .	695	734	702	612	13·2	14·0	13·4	11·8
*County Londonderry . .	1,118	1,146	1,124	1,129	10·3	10·7	10·3	10·3
County Tyrone . . . . .	1,422	1,605	1,412	1,494	10·8	12·2	10·8	11·4

\* Excluding County Borough

**Deaths in Hospitals.** The number of deaths occurring in hospitals in each of the years 1948-57 is shown in Table H. 44·3 per cent. of the deaths registered in 1957 took place in hospitals (3·6 per cent. in mental hospitals), and the remaining 55·7 per cent. occurred in the deceased person's own home, in private nursing homes, or in places other than hospitals. It will be seen from Table H that the proportion of deaths occurring in hospitals has been increasing steadily through the years. Thirty years ago the proportion of deaths occurring in hospitals amounted to 20 per cent. of the total deaths.

**DIAGRAM III. Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932–57.**  
 Rate per 1,000 Population.




TABLE H.—*Northern Ireland: Deaths in Hospitals, 1948–57.*

	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
Number of Deaths in:										
Mental Hospitals . . . . .	393	405	489	495	446	448	504	565	535	550
General Hospitals . . . . .	4,562	4,692	4,719	5,061	4,814	5,076	5,351	5,678	5,648	6,182
*Own Homes, etc. . . . .	10,170	10,555	10,631	12,072	9,552	9,289	9,269	9,164	8,675	8,455
Total Deaths . . . . .	15,125	15,652	15,839	17,628	14,812	14,813	15,124	15,407	14,858	15,187
Percentage of deaths in Hospitals . . . . .	32.8	32.6	32.9	31.5	35.5	37.3	38.7	40.5	41.6	44.3

\* Including deaths in nursing homes

**Proportion of Deaths from Principal Causes.** Abstract XV sets out the deaths from the principal causes as proportions per 1,000 of the total deaths in certain age groups. This abstract shows that heart disease continued to bear the greatest proportion to the total deaths, and that the number of such deaths increased rapidly from age 35 years onward especially amongst men. Other diseases having a high proportion were cancer, vascular lesions affecting the central nervous system (mainly cerebral thrombosis and cerebral haemorrhage), pneumonia, and bronchitis.

At ages under one year, apart from congenital malformations, the highest proportions of deaths were caused by birth injuries and atelectasis, premature birth, pneumonia and deaths resulting from accidents.

Between the ages of one and ten the highest proportions were caused by motor vehicle and other accidents, congenital malformations, malignant diseases, pneumonia and diseases of the digestive system.

Between the ages of ten and thirty-five, motor vehicle and other accidents caused by far the largest proportions of deaths. The proportions from malignant diseases, heart diseases, particularly rheumatic heart disease, and diseases of the kidney were also high.

From age thirty-five onwards, heart disease, cancer, vascular lesions affecting central nervous system, bronchitis, pneumonia, tuberculosis, nephritis and deaths resulting from accidents were responsible for the largest proportions of the total mortality.

Table J shows, for each of the principal causes, the numbers of deaths and the death rates for each year since 1954.

**Deaths from the Principal Epidemic Diseases.** The diseases included in this group are typhoid and paratyphoid fever, scarlet fever, whooping cough, diphtheria and dysentery, influenza, smallpox, measles, typhus and diarrhoeal diseases of children under 2 years of age. The total number of such deaths was 274 giving a rate of 0.20 per 1,000 population, the corresponding figures for 1956 being 194 and 0.14 respectively.

The marked increase in deaths from diseases in this group was due, for the most part, to the minor influenza epidemic during the year. There are, however, two other diseases coming under the general heading, which merit examination, namely diarrhoeal diseases in children under 2 years of age, and whooping cough.

It should be noted that, whilst deaths from diarrhoeal diseases in children under 2 years have doubled as compared with 1956, when only 18 deaths were attributed to these causes, the general downward trend of the past number of years continued. The 1956 figure was unusually low, and therefore the 36 deaths in 1957 should be compared with 48 in 1955 and 107 in 1953 rather than with 18 deaths in 1956.

Deaths from whooping cough dropped sharply from 13 in 1956 to 2 in 1957, and though it is hoped that the campaign of inoculation is beginning to take effect, it is too early to reach a definite conclusion on the matter. Of the remaining six deaths in this group three were ascribed to measles.

There were no deaths from diphtheria although two cases were notified to Health Authorities in 1957. During the past five years only two deaths were ascribed to this disease, one in each of the years 1953 and 1955, but the records show that no fewer than 155 deaths were caused by diphtheria in 1935.

The notifications of certain infectious diseases for each District in Northern Ireland for the year 1956 are shown in Abstract XXIV, and the diseases named are those laid down by Regulations (issued by the Ministry of Health and Local Government) as compulsorily notifiable throughout Northern Ireland. The Abstract does not include certain diseases of which no cases were notified during the year. It should be noted that, as regards measles and whooping cough, only the first case of either of these diseases in a household during each outbreak is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

**Influenza.** Deaths from influenza numbered 230 representing a rate of 0.16 per 1,000 population as compared with figures of 160 deaths and a rate of 0.11 in 1956. The increase in deaths from this cause was attributable mainly to the effects of the minor epidemic during the final quarter of the year which accounted for 87 per cent. of the deaths from this cause during the year.

**Tuberculosis.** The death rate from this cause was 0.13 per 1,000 of the population as against 0.12 in 1956 and the average rate of 0.20 for the five years 1952-56. Diagram IV shows that the death rate in Northern Ireland from all forms of tuberculosis has declined very steadily since 1928, the only fluctuation occurring during the war years, when a similar experience was common to all other parts of the British Isles. The general trend of mortality from this disease has been markedly downwards in recent years and the rate for 1956 was the lowest ever recorded. The tuberculosis death rates for England and Wales, Scotland and the Irish Republic in 1957 were 0.11, 0.14 and 0.24 respectively. The rate for the Irish Republic is provisional.

Of the 175 deaths from all forms of the disease, 85.7 per cent. were ascribed to tuberculosis of the respiratory system, as compared with 89.6 in 1956. Abstract IX shows that the greatest percentage of deaths occurred in the 55-64 age group for both males and females, the figures being 29.0 per cent. and 25.5 per cent. respectively, whilst the lowest number of deaths was in the 15-24 age group.

Tuberculosis is in general more prevalent in the cities and towns than in the country districts. In 1957 the rate per 1,000 of the population for all urban areas was 0.15 and for rural areas 0.10. The rates in 1956 were 0.15 and 0.08 respectively.

TABLE J.—Northern Ireland: Number of Deaths from the Principal Causes, Death Rates per 100,000 of Estimated Population, and the Number and Percentage of Uncertified Deaths, 1954–57.

Detailed List Nos.	CAUSES OF DEATH	Number of Deaths				Rate per 100,000 popln.			
		1954	1955	1956	1957	1954	1955	1956	1957
001-008	Tuberculosis of respiratory system . . .	196	180	147	150	14.1	12.9	10.5	10.7
010-019	Tuberculosis, other forms . . . . .	55	31	17	25	4.0	2.2	1.2	1.8
020-029	Syphilis and its sequelae . . . . .	32	38	46	38	2.3	2.7	3.3	2.7
040	Typhoid fever . . . . .	.	.	1	.	.	.	.	0.1
043	Cholera . . . . .	.	.	.	.	.	.	.	.
045-048	Dysentery, all forms . . . . .	2	5	2	.	0.1	0.4	0.1	.
050, 051	Scarlet fever and streptococcal sore throat . . . . .	2	3	.	.	0.1	0.2	.	.
055	Diphtheria . . . . .	.	1	.	.	0.1	.	.	.
056	Whooping cough . . . . .	8	18	13	2	0.6	1.3	0.9	0.1
057	Meningococcal infections . . . . .	6	11	10	4	0.4	0.8	0.7	0.3
058	Plague . . . . .	4	.	5	9	0.3	.	0.4	0.6
080	Acute poliomyelitis . . . . .	4	.	.	.	.	.	.	.
084	Smallpox . . . . .	3	7	1	3	0.2	0.5	0.1	0.2
085	Measles . . . . .	.	1	.	.	.	0.1	.	.
100-108	Typhus and other rickettsial diseases . . . . .	.	.	.	.	.	.	.	.
110-117	Malaria . . . . .	.	1	.	.	.	.	.	.
030-039, 041, 042, 044, 049, 052-054, 059- 074, 081-083, 086-096, 120- 138	All other infective and parasitic diseases . . . . .	48	49	48	44	3.5	3.5	3.4	3.1
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues								
(a) Cancer . . . . .	2,057	2,170	2,201	2,306	148.3	155.7	157.6	164.9	
(b) Hodgkin's disease and leukaemia . . . . .	83	65	80	77	6.0	4.7	5.7	5.5	
210-239	Benign and unspecified neoplasms . . . . .	41	35	28	18	3.0	2.5	2.0	1.3
280	Diabetes mellitus . . . . .	104	97	89	89	7.5	7.0	6.4	6.4
290-293	Anaemias . . . . .	82	65	60	46	5.9	4.7	4.3	3.3
330-334	Vascular lesions affecting central nervous system . . . . .	2,086	2,113	2,126	2,064	150.2	151.6	152.2	147.6
340	Nonmeningococcal meningitis . . . . .	10	12	8	9	0.7	0.9	0.6	0.6
400-402	Rheumatic fever . . . . .	36	36	34	20	2.6	2.6	2.4	1.4
410-416	Chronic rheumatic heart disease . . . . .	147	170	202	213	10.6	12.2	14.5	15.2
420-422	Arteriosclerotic and degenerative heart disease . . . . .	4,005	4,057	4,013	4,186	288.7	291.1	287.3	299.3
430-434	Other diseases of the heart . . . . .	533	510	533	483	38.4	38.6	38.2	34.5
440-443	Hypertension with heart disease . . . . .	416	393	488	428	30.0	28.2	34.9	30.6
444-447	Hypertension without mention of heart . . . . .	168	191	155	143	12.1	13.7	11.1	10.2
480-483	Influenza . . . . .	85	129	160	230	6.1	9.3	11.5	16.4
490-493	Pneumonia . . . . .	571	674	510	639	41.2	48.4	36.5	45.7
500-502	Bronchitis . . . . .	461	512	532	516	33.2	36.7	38.1	36.9
540, 541	Ulcer of stomach and duodenum . . . . .	105	122	104	124	7.6	8.8	7.4	8.9
550-553	Appendicitis . . . . .	19	15	11	18	1.4	1.1	0.8	1.3
560, 561, 570	Intestinal obstruction and hernia . . . . .	115	78	73	78	8.3	5.6	5.2	5.6
543, 571	Gastritis, duodenitis, enteritis and colitis except diarrhoea of new born . . . . .	105	87	72	81	7.6	6.2	5.2	5.8
572	Cirrhosis of liver . . . . .	36	38	36	39	2.6	2.7	2.6	2.8
581	Nephritis and nephrosis . . . . .	173	159	145	134	12.5	11.4	10.4	9.6
590-594	Hyperplasia of prostate . . . . .	147	144	118	108	10.6	10.3	8.4	7.7
610	Complications of pregnancy, childbirth and the puerperium . . . . .	21	24	17	33	1.5	1.7	1.2	2.4
640-652	Congenital malformations . . . . .	215	243	256	244	15.5	17.4	18.3	17.4
670-689	Birth injuries, postnatal asphyxia and atelectasis . . . . .	208	170	216	199	15.0	12.2	15.5	14.2
750-759	Infections of the newborn . . . . .	28	41	44	55	2.0	2.9	3.2	3.9
760-762	Other diseases peculiar to early infancy, and immaturity unqualified . . . . .	264	262	183	204	19.0	18.8	13.1	14.6
763-768	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	843	829	641	568	60.9	59.5	45.9	40.6
769-776	All other causes . . . . .	1,115	1,086	954	1,025	80.5	77.9	63.3	73.3
780-795	Motor vehicle accidents . . . . .	165	147	136	161	11.9	10.5	9.7	11.5
E810-E835	All other accidents . . . . .	270	338	285	314	19.4	24.3	20.4	22.5
E800-E802, E840-E962	Suicide and self-inflicted injury . . . . .	48	46	54	50	3.4	3.3	3.9	3.6
E963, E970- E979	Homicide and operations of war . . . . .	6	5	5	9	0.4	0.4	0.4	0.6
E980-E999	ALL CAUSES . . . . .	15,124	15,407	14,858	15,187	1090.2	1105.4	1063.9	1085.9
	Number and percentage of uncertified deaths . . . . .	261	237	188	225	1.7	1.5	1.3	1.5

**DIAGRAM IV. Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and Irish Republic, 1932-57.**  
**Rate per 100,000 Population.**




TABLE K.—*Northern Ireland: Deaths and Death Rates from Tuberculosis (All Forms), 1926, 1937, 1951 and 1953–1957.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1953	172	0.25	144	0.20	316	0.23
1954	165	0.24	86	0.12	251	0.18
1955	133	0.20	78	0.11	211	0.15
1956	93	0.14	71	0.10	164	0.12
1957	124	0.18	51	0.07	175	0.13

TABLE L.—*Northern Ireland: Death Rates per 1,000 of the Population from Tuberculosis (All Forms) by Counties, 1926, 1937, 1951 and 1953–57.*

YEAR	Antrim	Armagh	Belfast County Borough	Down	Fermanagh	Londonderry excluding County Borough	Londonderry County Borough	Tyrone
1926	1.29	1.38	1.74	1.43	0.98	1.25	1.37	1.38
1937	0.81	1.14	1.16	0.85	1.03	0.56	1.11	0.92
1951	0.31	0.34	0.59	0.44	0.41	0.25	0.56	0.46
1953	0.22	0.27	0.29	0.23	0.15	0.10	0.18	0.14
1954	0.17	0.15	0.22	0.20	0.19	0.07	0.22	0.14
1955	0.14	0.14	0.18	0.15	0.11	0.06	0.17	0.17
1956	0.11	0.10	0.17	0.11	0.04	0.05	0.06	0.08
1957	0.10	0.09	0.16	0.12	0.10	0.06	0.14	0.16

The Abstracts of causes of death give particulars regarding the sexes and ages of the persons who died from the various forms of tuberculous disease during the year, and also the deaths from tuberculosis allocated to each county and to each administrative area in Northern Ireland.

Table K affords comparison of the summarised figures for 1957 with those for certain preceding years. Table L shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast and Londonderry County Boroughs.


**Cancer.** The number of deaths from cancer in Northern Ireland during 1957 was 2,306 giving a death rate of 1.65 per 1,000 of the population, which is 0.07 above the rate for 1956 and 0.12 above the average rate for the previous five years. From Diagram V it can be seen that the general tendency has been for this rate to show a more or less steady increase.

Diagram VI compares the death rates from tuberculosis and cancer; and from this it can be seen that, prior to 1931, tuberculosis accounted for a greater number of deaths, whereas since that year cancer has proved the more deadly.

The death rates from cancer among males and females were 1.79 and 1.51 respectively. In 1956 the male and female rates were 1.62 and 1.54 respectively.

The most frequent sites of fatal cancer among males during the year were trachea, bronchus and lungs, 268; stomach, 231; intestines, 133;

**DIAGRAM V. Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-57.**  
**Rate per 1,000 Population.**



prostate, 115; rectum, 73; and pancreas, 63. Among females the most frequent sites were stomach, 200; breast, 192; intestines, 141; and uterus, 99.

Prior to 1954, cancer of the stomach proved to be the most frequent site of fatal cancer for both sexes. From 1954 cancer of the lungs, etc., has been more prevalent among males, and the rate of increase is substantially greater for the male population. The following figures reveal the difference between the sexes for the past 12 years.

#### *Deaths from Lung Cancer*

YEAR	Number		Rate per 100,000 population	
	Males	Females	Males	Females
1946	84	25	13	4
1947	95	22	15	3
1948	119	40	18	6
1949	122	46	18	7
1950	144	29	22	4
1951	154	31	23	4
1952	162	38	24	5
1953	185	45	27	6
1954	209	56	31	8
1955	232	37	34	5
1956	260	72	38	10
1957	268	45	39	6

It will be seen that there has been a steady increase in the death rate for males, amounting to 192 per cent. over the eleven years 1946–1956, but with an apparent slowing down in 1957, when the rate showed an increase of 1 per 100,000 over that for 1956.

The following table affords comparison of the summarised figures of mortality from cancer for all sites with that of lung cancer in—

- A. Belfast County Borough.
- B. Londonderry County Borough.
- C. Nine urban areas each having a population between 10,000 and 21,000.
- D. Eight urban areas each having a population between 5,000 and 10,000.
- E. Other urban areas and all rural areas.

#### *Deaths from cancer per 100,000 population, 1955–57.*

	A		B		C		D		E		
	All Sites	Lung									
Persons	1955	167	34	148	32	169	16	147	14	152	11
	1956	189	39	148	22	197	22	135	27	138	15
	1957	190	35	162	20	192	26	187	23	148	14
Males	1955	184	63	142	56	158	30	144	27	143	18
	1956	200	63	159	26	214	40	137	53	138	24
	1957	214	66	176	39	216	49	186	42	158	23
Females	1955	152	9	153	11	179	4	150	3	162	4
	1956	180	16	138	19	181	7	133	3	138	7
	1957	169	8	149	4	172	6	187	7	139	6

Rates based on the 1951 Census populations.

Two interesting points emerge from a study of above table. Firstly, both for cancer of all sites and cancer of the lung, Londonderry city had the lowest rate in 1957 of any urban area with a population above 5,000, and, secondly, as compared with the two earlier years, the increases in 1957 of the rates for Group D for all sites is substantial.

No definite trend has emerged from the compilation of these figures for a period of three years, and, as pointed out in the Report for 1956, it will be necessary to wait for a further two years at least before it is possible to determine whether the information is likely to be of any value in the field of cancer research.

Abstract XVI gives particulars regarding sex, age and sites of fatal cancer during the year 1957. Whilst Abstract XVII shows the number of deaths, by sex and site, in each County and County Borough.

TABLE M.—*Northern Ireland: Deaths and Death Rates from Cancer, 1926, 1937, 1951, and 1953–1957.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	619	1.02	791	1.22	1,410	1.12
1937	777	1.25	891	1.36	1,668	1.30
1951	1,041	1.56	993	1.41	2,034	1.48
1953	1,049	1.55	1,076	1.52	2,125	1.54
1954	1,030	1.52	1,027	1.44	2,057	1.48
1955	1,051	1.55	1,119	1.57	2,170	1.56
1956	1,102	1.62	1,099	1.54	2,201	1.58
1957	1,220	1.79	1,086	1.51	2,306	1.65

**Cerebral Haemorrhage, Apoplexy, etc.** The deaths assigned to this group (described as "Vascular lesions affecting central nervous system") numbered 2,064 giving a rate of 1.48 per 1,000 of the population. This rate is 0.04 below that for 1956, and is 0.01 above the average rate for the period 1952–56.

**Heart Diseases.** The deaths from the various forms of heart disease during the year numbered 5,310, the rate per 1,000 of the population being 3.80, which is 0.05 above that for the previous year. The average rate for the five years 1952–56 was 3.62. The death rate from this group of diseases has been more or less steadily increasing over a number of years. Almost 79 per cent. of the persons who died of heart diseases suffered from one or other of the diseases in the group known collectively as "Arteriosclerotic and Degenerative Heart Disease." This includes such conditions as coronary thrombosis, myocardial degeneration, etc. Deaths attributable to the arteriosclerotic and degenerative group have been noticeably on the increase in recent years and in 1957 formed well over a quarter of all deaths. In 1957 almost 40 of every 100 male deaths from coronary disease were of men under 65, as compared with 42 for 1956.

TABLE N.—*Northern Ireland: Deaths and Death Rates from Heart Disease (All Forms), 1926, 1937, 1951, and 1953–57.*

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1953	2,525	3.74	2,286	3.22	4,811	3.48
1954	2,664	3.94	2,437	3.43	5,101	3.68
1955	2,694	3.97	2,436	3.41	5,130	3.68
1956	2,794	4.10	2,442	3.41	5,236	3.75
1957	2,809	4.12	2,501	3.49	5,310	3.80

**Bronchitis.** The deaths from bronchitis during the year numbered 516, giving a rate of 0.37 per 1,000 of the population, which is 0.01 below the rate for 1956.

**Pneumonia.** It should be noted that in the various tables and abstracts deaths from pneumonia are included under two headings. The general heading "Pneumonia" includes deaths of all persons aged over four weeks, and the heading "Infections of the Newborn" includes deaths from pneumonia of children under four weeks old.

Total deaths from pneumonia (under both headings) numbered 678 during the year 1957, the rate per 1,000 of the population being 0.48, compared with a rate of 0.39 in 1956. The rate for 1957 is 0.09 above the average rate for the five preceding years.

**Pregnancy and Childbirth.** The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) diseases of pregnancy, childbirth and the puerperal state, and (2) diseases or causes combined with pregnancy or childbirth. The causes of death shown in Table O are those to which the various deaths were assigned.

From Table P it will be seen that the deaths from diseases of pregnancy, childbirth and the puerperal state in 1957 yielded a rate of 1.10 per 1,000 live births, which is almost double the rate of 0.58 in 1956 and is the highest rate since 1950. Table Q shows the proportionate increase to have been much greater in rural areas than in the towns.

The rate for diseases combined with pregnancy and childbirth was 0.17 in 1957, which was the same as in 1955 and 0.07 higher than in 1956.

TABLE O.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1957.

Detailed List Nos.	Causes of Death	All Ages	Ages					
			15-	20-	25-	30-	35-	40-
DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE:								
640	Pyelitis and pyelonephritis of pregnancy	.	.	.	.	.	.	.
641	Other infections of genito-urinary tract during pregnancy	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	12	.	4	2	4	1	1
643, 644	Haemorrhage of pregnancy	1	.	.	.	1	.	.
645	Ectopic pregnancy	1	.	.	.	1	.	.
646-649	Other complications arising from pregnancy	1	.	.	.	.	1	.
650	Abortion without mention of sepsis or toxæmia	.	.	.	.	.	.	.
651	Abortion with sepsis	.	.	.	.	.	.	.
652	Abortion with toxæmia	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia	2	1	.	.	.	1	.
671	Delivery complicated by retained placenta	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	3	.	.	2	.	1	.
673-678	Delivery with other complications of childbirth	4	.	.	.	.	3	1
680	Puerperal urinary infection without other sepsis	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium	1	.	.	1	.	.	.
682	Puerperal phlebitis and thrombosis	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	3	.	.	.	2	1	.
685, 686	Puerperal toxæmia	2	.	.	2	.	.	.
683, 687-689	Other complications of the puerperium	3	.	.	.	2	.	1
TOTAL . . . . .		33	1	4	7	10	8	3
DISEASES OR CAUSES COMBINED WITH PREGNANCY OR CHILDBIRTH:								
023	Syphilitic aortitis	1	.	.	.	.	1	.
181	Malignant neoplasm of bladder	1	.	.	.	.	1	.
410	Mitral stenosis	1	1	.	1	.	.	.
480	Influenza with pneumonia	1	.	.	.	.	.	.
481	Influenza	1	.	.	.	.	1	.
TOTAL . . . . .		5	1	.	1	.	2	1

**DIAGRAM VI. Death Rates from Tuberculosis and Cancer in Northern Ireland, 1932-57.**  
Rate per 100,000 Population.




TABLE P.—*Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1926, 1937, 1951, and 1953–57.*

YEAR	Deaths from Diseases of Pregnancy, Childbirth and the Puerperal State (classed as Childbirth)							Deaths from Diseases or Causes combined with Pregnancy and Childbirth (not classed as Childbirth)		
	Puerperal and Post Abortive Sepsis		Haemorrhage of Childbirth		Other Maternal Causes		Total Puerperal Diseases	No.	Rate per 1,000 Live Births	
	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births		
1926	49	1.74	12	0.43	97	3.44	158	5.61	17	0.60
1937	31	1.22	22	0.87	74	2.91	127	5.00	37	1.46
1951	6	0.21	4	0.14	21	0.74	31	1.09	8	0.28
1953	2	0.07	4	0.14	11	0.38	17	0.59	4	0.14
1954	4	0.14	5	0.17	12	0.41	21	0.73	2	0.07
1955	8	0.28	3	0.10	13	0.45	24	0.83	5	0.17
1956	5	0.17	2	0.07	10	0.34	17	0.58	3	0.10
1957	4	0.13	5	0.17	24	0.80	33	1.10	5	0.17

TABLE Q.—*Northern Ireland: Deaths of Women in Pregnancy and Childbirth in Urban and Rural Areas, and in each County and County Borough 1954–57.*

AREA	Number of Deaths				Maternal Mortality Rate per 1,000 Live Births			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . .	21	24	17	33	0.73	0.83	0.58	1.10
All Urban Areas .	10	13	11	15	0.67	0.89	0.73	0.97
All Rural Areas .	11	11	6	18	0.79	0.77	0.42	1.23
Belfast County Borough . . . . .	4	5	6	8	0.48	0.62	0.73	0.95
Londonderry County Borough .	2	1	.	.	1.40	0.67	.	.
County Antrim . . .	2	4	4	10	0.40	0.77	0.73	1.78
County Armagh . . .	4	4	1	2	1.58	1.63	0.40	0.78
County Down . . .	2	4	5	5	0.41	0.81	0.99	0.97
County Fermanagh . . .	.	1	.	2	.	0.88	.	1.86
*County Londonderry . . .	3	4	1	3	1.19	1.65	.	1.19
County Tyrone . . .	4	1	1	3	1.29	0.32	0.33	0.93


\* Excluding County Borough

**Violent Deaths.** Deaths from violence are classified according to both the external circumstances giving rise to injury, expressed as the "External Cause of Injury", and to the nature of the injury sustained, designated as the "Nature of Injury." Tables R and S show the number of deaths from Violence by the "External Cause of Injury" and "Nature of Injury" respectively.

The number of deaths ascribed to violence during the year was 534 (330 males and 204 females), which is an increase of 54 on the number registered for 1956, and is equivalent to 3.5 per cent. of the total deaths registered.

Of the 534 deaths, 192 were attributed to transport accidents, of which 180 were due to road traffic accidents, as compared with 152 in 1956. The following figures afford comparison of deaths from road traffic accidents in 1957 with those for the three preceding years by sex and certain age-periods.

**DIAGRAM VII. Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-57.**  
**Rate per 1,000 Live Births.**



### Deaths from Road Transport Accidents

	All ages	Under 5 years	5-14	15-34	35-54	55-74	75 and over
MALES . . . . .	1954	137	5	15	51	28	25
	1955	135	9	12	45	32	29
	1956	120	8	11	37	26	27
	1957	140	12	14	41	38	25
FEMALES . . . . .	1954	43	9	6	3	10	10
	1955	31	4	6	9	4	5
	1956	32	1	7	7	5	8
	1957	40	3	5	4	9	13

Male deaths caused by transport accidents greatly exceed those of females: on average, mortality is heaviest in the age groups 15-34; 35-54 and 55-74 in the case of males and 55-74 and 35-54 in the case of females.

Other fatal accidents accounted for 283 deaths and of these deaths 136 were ascribed to falls. Deaths due to drowning numbered 34, and of the remaining deaths in this group 16 were due to poisons or poisonous gases, 27 to fire, 17 to mechanical suffocation, 7 to machinery, 10 to firearms and 36 to other accidental causes.

Accidents in the home, which resulted in death, numbered 193, which is equivalent to 68 per cent. of the total deaths from non-transport accidents and exceeds by 13 the number of deaths due to motor vehicle accidents. Of the 193 fatal home accidents, 109 were due to falls, 92 being of persons aged 75 and over as compared with 73 in 1956. Further information regarding fatal accidents (other than those caused by transport) is given in Abstract IXa.

During the year there were 50 cases of suicide (31 males and 19 females) and 9 of homicide.

Of the 24 deaths from burns and scalds shown in Table S, 7 were of children under 5 years of age and 11 were of persons over 70 years of age.

TABLE R.—Northern Ireland: Violent Deaths by External Cause of Injury, 1954-1957.

CAUSES OF DEATH (With detailed List Nos.)	1954	1955	1956	1957		
				Total	Males	Females
<i>Accidental Causes:</i>						
Drowning (E.850, 851 and 929) . . . . .	32	45	44	34	28	6
Falls (E.900-904) . . . . .	120	135	121	136	45	91
Fire, etc. (Exc. Fire on Transport) (E.916, 917) . . . . .	19	36	20	27	12	15
Firearms (E.919) . . . . .	3	11	4	10	9	1
Machinery (E.912) . . . . .	.	6	8	7	7	.
Mechanical Suffocation (E.924, 925) . . . . .	16	16	12	17	6	11
Poisons (E.870-888) . . . . .	7	13	7	5	2	3
Poisonous Gases (E.890-895) . . . . .	14	15	16	11	7	4
Other accidental causes . . . . .	36	31	31	36	26	10
<i>Transport:</i>						
Motor Vehicles (E.810-835) . . . . .	165	147	136	161	125	36
Other road vehicles (E.840-845) . . . . .	15	19	16	19	15	4
Railways (E.800-802) . . . . .	3	5	4	3	3	.
Aircraft (E.860-866) . . . . .	4	6	1	8	6	2
Shipping (Excluding Drowning)(E.852-858) . . . . .	1	.	1	1	1	.
<i>Suicide:</i>						
Drowning (E.975) . . . . .	1	7	8	8	3	5
Hanging (E.974) . . . . .	9	10	8	3	3	.
Firearms (E.976) . . . . .	11	6	6	4	4	.
Poisons (E.970, 971) . . . . .	3	5	8	9	3	6
Poisonous Gases (E.972, 973) . . . . .	18	18	22	23	15	8
Other suicide . . . . .	6	.	2	3	3	.
<i>Homicide:</i>						
Poisons (E.980) . . . . .	1	.	.	.	.	.
Assault by Firearms (E.981) . . . . .	1	1	.	4	4	.
Assault by Other Means (E.982-984) . . . . .	4	3	5	5	3	2
Legal Execution (E.985) . . . . .	.	.	.	.	.	.
Operations of War (E.965, 990-999) . . . . .	.	1	.	.	.	.
<b>TOTAL DEATHS FROM VIOLENCE . . .</b>	<b>489</b>	<b>536</b>	<b>480</b>	<b>534</b>	<b>330</b>	<b>204</b>

TABLE S.—*Northern Ireland: Violent Deaths by Nature of Injury, 1954–1957.*

Injuries Sustained (with Detailed List Nos.)	1954	1955	1956	1957		
				Total	Males	Females
<b>Fractures:</b>						
Skull (N.800–804)	108	103	119	136	104	32
Spine and Trunk (N.805–809)	20	20	20	24	17	7
Upper limbs (N.810–819)	4	3	2	3	2	1
Lower limbs (N.820–829)	86	92	97	97	22	75
Dislocation without Fracture (N.830–839)	3	2	1	7	6	1
Head Injuries (Excluding Skull Fracture) (N.850–856)	50	59	39	40	30	10
Internal Injuries: (N.860–869)	23	27	16	39	33	6
<b>Lacerations and Open Wounds:</b>						
Face, Neck and Trunk (N.870–879)	9	7	5	5	5	.
Upper Limbs (N.880–888)	.	.	1	.	.	.
Lower Limbs (N.890–898)	3	5	2	1	1	1
Multiple location (N.900–908)	3	2	.	6	5	.
Superficial Injuries and Contusions (N.910–929)	3	2	.	.	.	.
Effects of foreign body entering through orifices (N.930–936)	15	16	15	14	7	7
Burns and Scalds (N.940–949)	19	31	23	24	11	13
Effects of poisons and Poisonous Gases (N.960–979)	45	54	54	52	30	22
All other effects of External Causes	101	114	84	86	57	29
TOTAL DEATHS . . . . .	489	536	480	534	330	204

**Uncertified Deaths.** The deaths registered as uncertified, i.e., those in which there was neither a medical attendant during the last illness nor an inquest held by a coroner, numbered 225, representing 1·5 per cent. of the total deaths registered. The percentage of uncertified deaths has been rapidly falling since 1922. The figure for that year was 12·7 which by 1937 was reduced to 6·3 per cent. and by 1947 to 3 per cent.

Of the total deaths in rural areas, 97 (1·4 per cent.) were uncertified, which represents a fall of 73 per cent. when compared with 357 registered in 1947. In urban areas, the figure for 1957 was 128 (1·5 per cent.), a fall of 18 per cent. when compared with 156 registered in 1947.

Table T shows the number of uncertified deaths in each County and County Borough, distinguishing between those referred to Coroners in respect of which inquests were considered unnecessary, and those not referred to Coroners.

Deaths of persons aged 65 years and upwards represented 68 per cent. of the uncertified cases, and deaths of infants under 1 year of age 3·6 per cent.

**Inquests.** The circumstances of 963 deaths were considered by the Coroners in 1957, including 200 of the uncertified deaths referred to above. Inquests were held in 661 of these cases, which represents one inquest for every 23 deaths registered. In 1956 the inquests numbered 545.

TABLE T.—*Northern Ireland: Certified and Uncertified Deaths, Inquests, 1957.*

COUNTIES, ETC.	Total Deaths	Certified		Uncertified		
		By Medical Practitioners		By Coroners after Inquest	Not referred to Coroners	Referred to Coroners Inquest considered unnecessary
		Not referred to Coroners	Referred to Coroners Inquest considered unnecessary			
Northern Ireland .	15,187	14,199	102	661	25	200
All Urban Areas .	8,292	7,726	48	390	1	127
All Rural Areas .	6,895	6,473	54	271	24	73
Belfast County Borough . . . . .	4,898	4,495	13	302	.	88
Londonderry County Borough .	522	499	.	15	.	8
County Antrim . . . . .	2,521	2,381	14	109	2	15
County Armagh . . . . .	1,301	1,243	5	34	5	14
County Down . . . . .	2,710	2,531	37	86	1	55
County Fermanagh . . . . .	612	555	19	26	6	6
*County Londonderry . . . . .	1,129	1,078	7	40	11	4
County Tyrone . . . . .	1,494	1,417	7	49	11	10

\* Excluding County Borough

**Infant Mortality.** In the text and tables the term "Neo-natal Mortality" relates to deaths of children under 4 weeks of age, and the term "Infant Mortality" to deaths of all children (including Neo-natal) under 1 year of age.

Deaths of infants under 1 year of age numbered 869, or 29 per 1,000 live births registered. This rate is the same as for 1956 which was the lowest ever recorded in Northern Ireland, and shows a decrease of 5 when compared with the average rate for the previous 5 years. Of the 869 deaths, 472 were of males and 397 of females, the former number being equivalent to 30 per 1,000 live births of males and the latter to 27 per 1,000 live births of females. The corresponding rates for 1956 were 31 and 27 respectively.

TABLE U.—*Northern Ireland: Neo-natal and Infant Mortality Rates per 1,000 Life Births by Counties, 1954–1957.*

AREA	Neo-natal Mortality per 1,000 Live Births				Infant Mortality per 1,000 Live Births			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . . . . .	22	21	21	20	33	32	29	29
All Urban Areas . . . . .	25	23	21	21	37	37	31	31
All Rural Areas . . . . .	19	20	21	19	28	28	27	27
Belfast County Borough . . . . .	24	21	18	22	39	37	29	33
Londonderry County Borough . .	31	29	32	16	40	42	39	26
County Antrim . . . . .	20	20	21	15	27	29	28	23
County Armagh . . . . .	23	24	20	19	33	33	28	34
County Down . . . . .	21	17	21	16	31	26	28	23
County Fermanagh . . . . .	18	23	23	24	29	32	27	34
*County Londonderry . . . . .	20	21	20	22	31	32	28	31
County Tyrone . . . . .	17	22	22	25	30	32	28	32

\* Excluding County Borough

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1957 was 31 per 1,000 live births, and the rate for the aggregate of the Rural Districts was 27 per 1,000. These were the same as the corresponding rates for 1956.

In 1957 and 1956 the rates of deaths of infants under 1 year of age were 23 and 24 per 1,000 live births, respectively, for England and Wales; 29 and 29 for Scotland; and 33 and 36 for the Irish Republic. The rate for the Irish Republic for 1957 is provisional.

Deaths of Infants aged under 4 weeks ("neo-natal" mortality) numbered 589, representing a rate of 20 per 1,000 live births. This is equivalent to 67.8 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1956 were 607, 21 and 71.4 per cent. respectively.

**TABLE V.—Infant Mortality Rates for Belfast Co. Borough and Londonderry Co. Borough with Comparative Rates for Towns of approximately the same Populations in Great Britain, 1957.**

TOWN	Population	Deaths of Infants under 1 year of Age per 1,000 Live Births	Birth Rate per 1,000 Population
<b>BELFAST . . . . .</b>	440,100	33	19.2
Bristol . . . . .	439,600	18	15.8
Leeds . . . . .	509,790	25	16.5
Sheffield . . . . .	498,500	20	15.1
Edinburgh . . . . .	465,700	24	16.9
<b>LONDONDERRY . . . . .</b>	51,600	26	28.4
Burton-on-Trent . . . . .	49,050	24	17.9
Dewsbury . . . . .	53,190	20	17.6
Crewe . . . . .	51,490	27	15.2
Shrewsbury. . . . .	47,380	24	15.6
Lancaster . . . . .	49,330	30	14.3
Ayr . . . . .	43,700	30	18.9
Kirkcaldy . . . . .	51,800	23	18.3

NOTE—The populations are as estimated at mid-year, 1957


In Table V the infant mortality rates and birth rates for Belfast and Londonderry County Boroughs are compared with those for towns of approximately the same populations in Great Britain. Whilst the rate for Belfast does not compare favourably with those for cross-channel cities of comparable size, there has been a substantial reduction in recent years. In 1947, the rate was 60 as compared with 29 in 1956 and 33 in 1957. There was a considerable reduction in the rate for Londonderry in the year under review. The rate of 39 for 1956 fell to 26, which compares with 68 in 1947.

Abstract XXII gives the number of deaths of children under 1 year of age for Northern Ireland by Counties and County Boroughs (also for the aggregates of the urban and rural areas) for the years 1954–57. For the last of these years the numbers are given by sex and age-periods.

The number of infant deaths for 1957 by age and causes of death are given in Abstract XX, together with the infant mortality rates by causes.

Abstract XI gives the number of infant deaths, together with the number of births, for each administrative area in Northern Ireland.

**DIAGRAM VIII. Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-57.**  
**Rate per 1,000 Live Births.**



**Mortality among Illegitimate Children.** Deaths of illegitimate children under 1 year of age numbered 31 in 1957, which is equivalent to a rate of 42 per 1,000 of the illegitimate live births registered, as compared with a rate of 43 for the previous year. The corresponding rate for legitimate children in 1957 and 1956 was 28 per 1,000 live births.

TABLE W.—*Northern Ireland: Illegitimate Neo-natal and Infant Mortality Rates per 1,000 Illegitimate live Births by Counties, 1954–57.*

AREA	Illegitimate Neo-natal Mortality per 1,000 Illegitimate Live Births				Illegitimate Infant Mortality per 1,000 Illegitimate Live Births			
	1954	1955	1956	1957	1954	1955	1956	1957
Northern Ireland . . .	31	32	30	31	52	43	43	42
All Urban Areas . . .	40	29	36	43	77	41	56	57
All Rural Areas . . .	24	34	25	21	31	46	30	29
Belfast County Borough . . . .	27	34	17	41	82	49	44	56
Londonderry County Borough . . .	83	54	32	38	83	54	32	77
County Antrim . . . .	29	25	31	41	29	33	37	41
County Armagh . . . .	21	50	60	.	43	75	60	19
County Down . . . .	65	22	49	43	74	33	49	43
County Fermanagh . . . .	.	.	29	25	63	27	29	50
*County Londonderry . . . .	24	28	19	29	24	42	38	49
County Tyrone . . . .	17	45	39	10	25	45	53	10

\* Excluding County Borough

Deaths of illegitimate infants aged under 4 weeks (illegitimate neo-natal mortality) numbered 23, representing 74·2 per cent. of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1956 were 24 and 70·6 per cent. respectively.

Abstract XX gives the number of deaths and mortality rates of illegitimate children under 1 year of age by the principal causes. Most of the rates are considerably in excess of the corresponding rates for all children, but it should be noted that the rates for some of the causes are based on very small numbers of deaths.

Abstract XXIII shows the number of deaths of illegitimate children under 1 year of age for Northern Ireland by Counties and County Boroughs, also for the aggregates of the urban and rural areas, for the years 1954–57. The sex and age distribution is shown for the year 1957.

#### LIFE TABLE

The preparation of an Abridged Life Table for an inter-censal period has been undertaken for the first time in Northern Ireland, and the result, which is published below, is based upon the mortality experienced in the three years 1954–1956.

The column headed  $I_x$  shows the numbers who would survive to exact age  $x$  out of 10,000 born, if subjected throughout their lives to the death probabilities indicated by the mortality records of the years 1954–1956.

Column  $e_x^o$  gives the "expectation of life," that is the average future lifetime which would be lived by a person aged exactly  $x$ , if likewise subject to those death probabilities.

*Abridged Life Table: Northern Ireland, 1954-1956.*

Age $x$	Males		Females	
	$l_x$	$\frac{o}{e_x}$	$l_x$	$\frac{o}{e_x}$
0	10,000	67.36	10,000	71.05
1	9,658	68.74	9,715	72.13
2	9,642	67.86	9,696	71.28
3	9,630	66.94	9,688	70.33
4	9,620	66.01	9,681	69.38
5	9,614	65.05	9,677	68.41
10	9,590	60.21	9,661	63.52
15	9,570	55.32	9,644	58.62
20	9,535	50.52	9,623	53.75
25	9,491	45.74	9,594	48.90
30	9,436	40.99	9,555	44.09
35	9,362	36.30	9,492	39.37
40	9,254	31.69	9,399	34.74
45	9,094	27.21	9,269	30.19
50	8,836	22.93	9,076	25.77
55	8,377	19.05	8,776	21.57
60	7,690	15.53	8,344	17.56
65	6,775	12.29	7,631	13.97
70	5,522	9.50	6,619	10.72
75	3,947	7.30	5,130	8.10
80	2,435	5.28	3,513	5.68
85	1,139	3.44	1,751	3.89

The Life Tables for Northern Ireland for 1950-1952 prepared by the Government Actuary in London, are obtainable from H.M. Stationery Office (price 2s. 6d.) and those for earlier census periods are included in section III of the Ulster Year Book, 1956, also obtainable from H.M. Stationery Office (price 5s.). The expectation of life at birth in the case of boys was 47.1 years in 1901, 55.3 in 1926, 65.5 in 1951 and 67.4 in 1956. The respective figures for girls are—46.7, 56.1, 68.8 and 71.0.

### MIGRATION

The population figures ascertained as each census enable the net migration during the inter-censal periods to be calculated. The last two censuses in Northern Ireland were taken on 28th February, 1937, and 8th April, 1951. The following statement reveals that, during the intervening period of a little over 14 years, there was a net outward movement of 67,267 persons. Gross figures for migration inwards and outwards are not available. The table relates to migration to and from all countries, including other parts of the British Isles.

	Males	Females	Total
Population, Census of 1937 . . . . .	623,154	656,591	1,279,745
Births, 1937-51 . . . . .	207,270	194,914	402,184
Deaths, 1937-51 . . . . .	122,452	121,289	243,741
Natural Increase . . . . .	84,818	73,625	158,443
Population 1937 plus Natural Increase . . .	707,972	730,216	1,438,448
Population, Census of 1951 . . . . .	667,819	703,102	1,370,921
Net movement outwards . . . . .	40,153	27,114	67,267

The term "natural increase" represents the excess of births over deaths. The net movement outwards during the two inter-censal periods immediately preceding the census of 1937 amounted to: 1911-26, 107,573 persons, and 1926-37, 57,651 persons.

According to returns furnished by the Board of Trade (Statistics Division), and the Central Statistics Office of the Irish Republic the number of emigrants of British nationality from Northern Ireland to countries outside Europe during 1957 was 4,984, and the number of immigrants arriving in Northern Ireland from those countries was 978. The following tables give the available figures for the years 1936 to 1957, with the exception of the period 1939-45, during which records were not maintained, and a partial analysis of the age and sex distribution of migrants in 1957. Figures were not furnished by the Central Statistics Office prior to 1953.

YEAR	Emigrants	Immigrants	Outward (-) or Inward (+) Balance
1936	655	1,273	+ 618
1937	835	1,011	+ 176
1938	844	1,102	+ 258
1946	2,878	978	-1,900
1947	1,941	787	-1,154
1948	3,300	796	-2,504
1949	3,259	868	-2,391
1950	3,370	951	-2,419
1951	3,048	1,042	-2,006
1952	4,772	1,008	-3,764
1953	6,300	1,152	-5,148
1954	4,988	1,548	-3,440
1955	3,745	1,152	-2,593
1956	5,088	896	-4,192
1957	4,984	978	-4,006

	All Ages	Under 20 yrs.	20-24	25-29	30-34	35-44	45-54	55 and over
Emigrants								
Males . . . . .	2,410	670	604	367	293	271	121	84
Females . . . . .	2,574	756	566	374	265	288	153	172
Immigrants								
Males . . . . .	505	156	55	82	59	67	37	49
Females . . . . .	473	136	52	76	49	52	46	62

### THE WEATHER

Reports on the weather experienced in Northern Ireland during each month of the year 1957, as furnished by the Director of the Meteorological Office, Air Ministry, are published in the Quarterly Returns of Births, Deaths and Marriages for that year. Table X shows the air temperatures, rainfall and sunshine recorded during the year 1957 at six stations throughout the Province.

The year as a whole was rather wet with both temperature and sunshine somewhat above the average. It was notable for an exceptionally mild March, a fine June and dry November during an otherwise dull and wet summer and autumn.

Rainfall over the year was 108 per cent. of the 1881-1915 average. There were seven months with above average rainfall, five of which were during the second half of the year. Late spring and early summer was dry with each of the three months April to June recording less than their average amount of rain. The Autumn began unusually wet and ended very dry; September had 167 per cent. of its average rainfall but November only 42 per cent.

Temperature was  $0.6^{\circ}\text{F}$ . above the 1921–50 annual average. The outstanding feature of the year was the very high average temperature during March, over  $5^{\circ}\text{F}$ . above the average for the month and more than the average for April. Otherwise temperature did not differ greatly from the average during most months. It was above the average for seven months of the year and within half a degree of the average during six months. April and September were about  $1^{\circ}\text{F}$ . above and below the average respectively.

Sunshine over the year was 105 per cent. of the 1921–50 average. The sunniest month was June with 155 per cent. but the two winter months of January and February were also unusually sunny with 139 and 148 per cent. of the average respectively. Every month of the first half of the year, except March, had above average sunshine, but during the second half only December recorded more.

The first week of *January* was mild and changeable with widespread rain and gales, but from 10th–19th it was colder with sharp night frosts but with fine and sunny days. Weather became mild and unsettled again until about the middle of *February* when on the 14th northerly winds brought a week's spell of wintry weather to the Province with frequent snow and sleet showers, but mild Atlantic air spread back on the 23rd bringing a general rise in temperature. During most of the very mild month of *March* wind was from a predominantly southerly direction with pressure high over Europe and low on the Atlantic. The warmest period was from 11th to 13th when temperature exceeded  $60^{\circ}\text{F}$ . at many places. During a fine period in early *April* many stations recorded more than 10 hr. sunshine daily from 4th to 10th. Most of *May*'s rainfall occurred during the unsettled weather of the second and third weeks; it was sunny and dry at the beginning and end of the month. *June* was unusually sunny and warm; temperature exceeded  $70^{\circ}\text{F}$ . every day at Ballykelly from 12th to 21st, reaching  $81^{\circ}\text{F}$ . on the 16th, and during this period Aldergrove recorded 15 hr. sunshine on seven consecutive days. There were some sunny periods during the first week of *July* with scattered thunderstorms but the remainder of the month was unsettled and mostly dull with rain nearly every day. Except for the third week and the first and last few days of the month, *August* was wet and rather stormy. *September*, the wettest month of the year, had less than average rainfall during the first week, but more than  $3\frac{1}{2}$  times the average during the third. The first half of *October* was quiet and dull; most of the rain of the month fell during the second half bringing the month's rainfall up to 118 per cent. of the average. *November* was the driest month of the year with little more than 40 per cent of normal rainfall and most of this fell during the first five days; there was little sunshine after the 11th except around the 22nd and 29th. *December* was a changeable month for although rainfall was above the average, so also was sunshine. Cold northerly winds brought snow and sleet showers to many parts of the Province on the 9th, but weather from the 15th was unsettled and mainly dull with rain most days; over 2 in. of rain fell at Newcastle, Co. Down, on the last day of the year.

The following table gives the monthly deviation from average mean temperature in degrees Fahrenheit and the monthly rainfall and sunshine expressed as percentages of average.

	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Temperature . . .	+0.9	-0.1	+5.3	+1.1	-0.4	+0.9	-0.3	0.0	-1.2	+0.6	+0.3	+0.5
Rainfall . . .	159	95	109	57	80	73	144	115	167	118	42	132
Sunshine . . .	139	148	57	126	108	155	61	88	90	71	98	125

TABLE X.—*Northern Ireland: Air Temperature, Rainfall, and Sunshine recorded during the year, 1957.*

MONTH	Air Temperature						Rainfall			Sunshine	
	Highest	Lowest	Means of			Difference of Mean from Average	Total	Percentage of Average	No. of Days	Daily Mean	Difference from Average of Daily Mean
			Daily Maximum	Daily Minimum	Mean (Max. + Min)						
January . . .	58	22	47.1	36.6	41.9	—	116	%	20	2.21	—
February . . .	54	23	46.6	35.3	40.9	—	52	—	22	3.97	—
March . . .	63	28	54.1	43.8	48.9	—	64	—	22	2.59	—
April . . .	60	31	54.8	40.4	47.6	—	21	—	16	6.61	—
May . . .	68	35	58.6	43.1	50.9	—	24	—	13	6.42	—
June . . .	81	35	66.6	48.2	57.4	—	27	—	9	9.10	—
July . . .	73	41	62.8	52.2	57.5	—	115	—	22	3.22	—
August . . .	75	36	63.6	52.5	58.1	—	81	—	19	3.44	—
September . . .	67	33	58.9	48.9	53.9	—	116	—	22	3.34	—
October . . .	64	38	56.1	47.1	51.6	—	82	—	21	2.05	—
November . . .	55	26	49.1	39.7	44.4	—	27	—	12	1.98	—
December . . .	54	20	46.4	39.9	43.1	—	125	—	23	1.29	—
YEAR . . .	81	20	55.4	44.0	49.7	—	851	—	221	3.84	—
GARVAGH											
January . . .	57	23	46.7	33.3	40.0	+0.8	144	165	21	—	—
February . . .	51	22	45.5	33.1	39.3	-0.6	78	98	22	—	—
March . . .	63	29	53.1	41.7	47.4	+5.2	70	88	26	—	—
April . . .	61	29	54.9	38.4	46.7	+1.1	35	56	17	—	—
May . . .	68	29	58.3	41.0	49.7	-0.6	49	76	14	—	—
June . . .	79	33	66.4	45.9	56.1	+1.0	52	81	11	—	—
July . . .	75	41	63.7	51.5	57.6	-0.3	168	204	25	—	—
August . . .	73	38	64.1	51.2	57.7	+0.4	103	103	22	—	—
September . . .	65	33	59.1	47.2	53.1	-0.8	136	180	25	—	—
October . . .	63	33	55.4	43.3	49.3	+0.8	101	113	22	—	—
November . . .	57	25	48.8	37.4	43.1	+0.4	38	38	14	—	—
December . . .	54	22	45.7	35.7	40.7	+0.3	144	142	22	—	—
YEAR . . .	79	22	55.1	41.6	48.3	+0.6	1118	113	241	—	—
ALDERGROVE											
January . . .	56	23	45.7	35.3	40.5	+0.8	94	135	21	2.02	+0.62
February . . .	51	20	45.1	35.1	40.1	-0.1	40	65	16	3.34	+1.19
March . . .	63	30	52.5	42.8	47.7	+5.1	58	91	23	1.90	-1.55
April . . .	61	31	53.8	39.2	46.5	+0.9	29	54	12	6.56	+1.65
May . . .	67	27	57.7	42.1	49.9	-0.4	44	77	11	6.74	+0.48
June . . .	78	32	65.8	47.1	56.5	+0.9	42	68	11	9.57	+3.68
July . . .	73	41	63.5	52.5	58.0	-0.3	106	150	20	3.15	-1.25
August . . .	71	39	63.3	52.0	57.7	-0.1	106	116	20	3.95	-0.37
September . . .	65	31	58.3	47.9	53.1	-1.3	120	190	21	3.44	-0.28
October . . .	63	33	54.4	44.3	49.3	+0.2	82	108	18	1.86	-0.88
November . . .	55	24	48.0	39.0	43.5	+0.2	27	33	13	2.05	+0.17
December . . .	54	23	44.6	37.7	41.1	+0.4	121	135	21	1.46	+0.29
YEAR . . .	78	20	54.4	42.9	48.7	+0.6	869	104	207	3.82	0.29

ARMAGH

MONTH	Air Temperature*						Rainfall			Sunshine	
			Means of			Difference of Mean from Average	Total	Percentage of Average	No. of Days	Daily Mean	Difference from Average of Daily Mean
	Highest	Lowest	Daily Maximum	Daily Minimum	Daily Mean + (Max. + Min)						
	°F.	°F.	°F.	°F.	°F.	°F.	mm.	%	hrs.	hrs.	
January . . .	57	26	47.4	35.2	41.3	+1.1	116	181	22	1.87	+0.35
February . . .	53	23	47.1	35.2	41.1	+0.3	51	91	20	3.04	+0.78
March . . .	62	31	54.3	43.6	48.9	+5.6	62	104	24	2.02	-1.40
April . . .	63	33	55.8	39.6	47.7	+1.4	30	56	13	5.78	+0.96
May . . .	69	30	59.4	42.5	50.9	-0.3	62	102	14	6.06	+0.36
June . . .	82	36	67.7	47.0	57.3	+0.8	36	56	8	8.14	+2.50
July . . .	77	47	65.0	52.9	58.9	-0.4	93	127	24	2.10	-2.07
August . . .	72	42	64.6	51.7	58.1	-0.4	141	154	22	3.59	-0.68
September . . .	66	35	59.4	47.3	53.3	-1.5	98	157	21	2.96	-0.76
October . . .	63	37	55.8	44.5	50.1	+0.7	89	128	20	2.03	-0.76
November . . .	56	27	48.9	38.9	43.9	+0.3	25	35	9	1.86	-0.21
December . . .	55	23	46.8	36.8	41.8	+0.7	109	137	23	1.58	+0.44
YEAR . . .	82	23	56.0	42.9	49.5	+0.8	912	113	220	3.41	-0.05

HILLSBOROUGH

January . . .	55	22	46.1	34.2	40.1	—	108	—	22	2.18	+0.73
February . . .	51	24	44.5	34.7	39.6	—	52	—	19	3.42	+1.20
March . . .	64	31	51.9	42.4	47.1	—	70	—	21	1.95	-1.41
April . . .	58	32	53.1	38.9	46.0	—	31	—	13	6.07	+1.23
May . . .	66	29	56.9	41.6	49.3	—	60	—	14	6.65	+0.60
June . . .	77	35	65.6	46.6	56.1	—	25	—	10	9.59	+3.53
July . . .	75	43	63.9	51.8	57.9	—	103	—	19	2.73	-1.84
August . . .	69	41	63.5	51.4	57.5	—	123	—	20	3.89	-0.47
September . . .	66	34	58.5	47.0	52.7	—	112	—	20	3.71	-0.04
October . . .	62	37	55.1	44.3	49.7	—	98	—	20	2.09	-0.76
November . . .	55	29	48.4	38.7	43.5	—	45	—	15	1.98	-0.08
December . . .	54	26	45.5	36.7	41.1	—	112	—	21	1.42	+0.14
YEAR . . .	77	22	54.4	42.4	48.4	—	940	—	214	3.79	+0.22

KILKEEL

January . . .	53	30	46.8	38.6	42.7	—	77	—	20	—	—
February . . .	53	26	46.0	37.7	41.9	—	43	—	20	—	—
March . . .	59	32	50.5	43.9	47.2	—	96	—	21	—	—
April . . .	58	36	52.4	41.9	47.1	—	30	—	13	—	—
May . . .	66	35	56.8	44.9	50.9	—	78	—	14	—	—
June . . .	73	38	64.0	49.5	56.7	—	22	—	7	—	—
July . . .	74	48	65.1	54.3	59.7	—	71	—	17	—	—
August . . .	67	43	63.6	53.6	58.6	—	116	—	20	—	—
September . . .	67	41	59.5	49.8	54.7	—	132	—	19	—	—
October . . .	63	40	55.4	46.3	50.9	—	110	—	15	—	—
November . . .	55	32	49.5	41.0	45.3	—	37	—	10	—	—
December . . .	57	30	47.5	39.6	43.5	—	117	—	19	—	—
YEAR . . .	74	26	54.8	45.1	49.9	—	930	—	195	—	—

NOTE.—In this table the rainfall average is that for the period 1881-1915: the air temperature and sunshine average relate to the period 1921-50.

GENERAL

The figures contained in this Report may be regarded as final, and as superseding the provisional figures already published for the year 1957 in the Registrar-General's weekly and quarterly returns. It should be noted that statistics of deaths for years 1941-49 relate to civilians only.

The value of the statistical information concerning deaths contained in the Registrar-General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death. The particulars so

given are incorporated in the death entries, and thus in every case in which a person had been attended in his or her last illness by a medical practitioner, the medical certificate given by the latter forms the basis upon which the cause of death is classified.

Comparisons with rates (births, deaths, etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but, owing to changes in the mode of computing population figures in certain countries in certain years, complete accuracy has not been achieved. The figures shown for the Irish Republic in respect of the year 1957 are provisional.

Generally speaking, the classifications adopted for the purposes of this Report are the Intermediate and Abbreviated Lists contained in the 'Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948.'

Abstract IX shows the deaths classified under the headings of the Intermediate List (slightly modified to give a more detailed classification in the case of certain diseases), whilst the causes shown in Abstracts X and XV and certain tables in the text are in accordance with the Abbreviated List. The Detailed List numbers have also been given in Abstract IX for the purpose of reference.

In general in the tables and abstracts, dots (·) are used to indicate "none", and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

Throughout the Report, births and deaths have been allocated to the district of normal residence, births having been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons.

## ADMINISTRATION

**Introductory.** The administrative functions of the office of the Registrar-General comprise the registration of births, deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

**Buildings licensed or registered for Marriages.** The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31st December in each of the years 1955, 1956 and 1957, were as follows:

DENOMINATION	1955	1956	1957
Church of Ireland . . . . .	396	397	399
Presbyterian . . . . .	502	504	508
Methodist . . . . .	156	157	158
Others . . . . .	231	233	234
<b>TOTAL . . . . .</b>	<b>1,285</b>	<b>1,291</b>	<b>1,299</b>

**State of Registration.** The measures adopted for particulars of births notified under the Notification of Births Act, 1907, to be furnished to Registrars in the two County Boroughs have continued to be of value in securing the registration of a number of births which have not been registered within the prescribed period of 6 weeks. In connection with the registration of deaths, returns of burials made to Registrars by Clerks of Burial Boards and Cemetery Companies have been of assistance.

Births and deaths not registered within a year of their occurrence can be recorded only with the authority of the Registrar-General. During 1957 such authority was granted for the registration of 52 births, as compared with 32 in 1956 and 52 in 1955. The registration of 31 deaths was authorised as compared with 9 in 1956 and 14 in 1955.

**Legitimacy Act (N.I.), 1928.** Under this Act an illegitimate child whose parents have married is, subject to certain conditions, legitimised, and the Registrar-General is empowered to authorise the re-registration of the birth. During 1957 the re-registration of the births of 108 children was authorised under the Act, the figures for 1956 and 1955 being 119 and 113 respectively.

**Adoption of Children Act (N.I.), 1950.** Registers of children adopted under the provisions of the above Act and of the previous Adoption Act of 1929 are kept in the General Register Office, to which the Adoption Orders made by the Courts are transmitted. A certified copy of an entry in an Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Registers during 1957 numbered 296, whilst the figures for 1956 and 1955 were 251 and 259 respectively.

**Searches and Certificates.** The original records of births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes and obtaining certificates from records in the General Register Office for Northern Ireland (including the Adopted Children Register) is afforded by the following table:

YEAR	Official		Paid				Fees Received	
	Searches	Certificates	Searches	Certificates				
				Full	Short			
1927	56	29	109	112	—	£ 19 s. 9 d. 0		
1937	94	88	363	290	—	55 2 0		
1951	222	220	1,683	1,609	1,270	317 0 6		
1953	114	114	1,926	1,961	1,454	377 15 6		
1954	259	259	2,068	2,117	1,426	403 13 6		
1955	328	316	2,338	2,361	1,744	456 11 6		
1956	352	331	2,431	2,668	1,990	665 4 6*		
1957	319	305	2,278	2,498	1,855	702 12 0		

\* Fees for certificates and searches were increased with effect from the 21st April, 1956.

**Verifications.** Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for Family allowances, Pensions, etc. During the year the number of cases dealt with was 28,810, out of which 23,643 were checked from the records in this office and 5,167 events (where records were not available at headquarters) were referred to local officers.



**ABSTRACTS  
OF BIRTHS, DEATHS, AND MARRIAGES  
REGISTERED IN NORTHERN IRELAND  
DURING THE YEAR 1957**

**ABSTRACT I. Northern Ireland: Method of Celebration of  
Marriages Registered, 1957.**

COUNTIES	TOTAL MARRIAGES		ROMAN CATHOLIC	PRESBYTERIAN		CHURCH OF IRELAND		METHODIST		OTHER CHURCHES		IN REGISTRARS' OFFICES
	BY LICENCE	BY SPECIAL LICENCE		BY LICENCE	BY SPECIAL LICENCE	BY LICENCE	BY SPECIAL LICENCE	BY LICENCE	BY SPECIAL LICENCE	BY LICENCE OR CERTIFICATE	BY SPECIAL LICENCE	
NORTHERN IRELAND . . .	9,391	2,811	2,760	49	2,294	63	20	489	18	334	14	539
BELFAST COUNTY BOROUGH . .	3,645	852	1,029	12	882	18	6	295	11	211	5	324
LOWDONBERRY COUNTY BOROUGH .	427	278	70	1	52	1	8	8	1	1	1	16
ANTRIM . . . . .	1,540	347	649	21	327	5	1	39	2	64	3	82
ARMAGH . . . . .	724	277	96	1	270	1	3	52	2	18	3	30
DOWN . . . . .	1,451	403	552	10	309	24	6	45	1	25	1	75
FERMANAGH . . . . .	296	129	14	.	116	2	.	25	1	.	1	9
LONDONDERRY . . . . .	619	211	199	3	160	8	4	8	1	4	1	20
TYRONE . . . . .	689	314	151	1	178	4	.	17	.	11	1	12

**ABSTRACT II. Northern Ireland: Marriages Registered in each Month  
and Conjugal Condition of Persons contracting Marriages, 1957.**

COUNTIES		Year												
			January	February	March	April	May	June	July	August	September	October	November	December
NORTHERN IRELAND	9,391	488	544	1,358	781	340	1,012	947	1,072	1,198	603	462	586	
BELFAST COUNTY BOROUGH	3,645	187	232	640	256	115	390	385	368	445	230	170	227	
LONDONDERRY COUNTY BOROUGH	427	45	34	49	40	10	41	33	71	38	24	5	37	
ANTRIM	1,540	73	86	222	137	67	157	170	160	210	91	77	90	
ARMAGH	724	23	36	87	76	34	67	75	117	84	37	40	48	
DOWN	1,451	71	58	200	130	59	184	144	172	183	87	77	86	
FERMANAGH	296	18	24	20	31	4	36	18	37	46	35	16	11	
LONDONDERRY	619	34	41	68	55	25	64	56	67	83	49	33	44	
TYRONE	689	37	33	72	56	26	73	66	80	109	50	44	43	
COUNTIES		Total	Rate per 1,000 population	Marriages contracted between										Marriages of
NORTHERN IRELAND	9,391			Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced Men and Spinsters	Divorced Women and Bachelors	Divorced Men and Widows	Divorced Women and Widowers	Divorced Men	Divorced Women	
BELFAST COUNTY BOROUGH	3,645	6·7	8,900	80	184	88	54	58	7	6	14	67	79	
LONDONDERRY COUNTY BOROUGH	427	8·3	3,408	40	77	48	31	26	4	3	8	38	38	
ANTRIM	1,540	6·2	1,476	12	31	6	6	4	2	2	1	10	7	
ARMAGH	724	6·2	703	1	15	2	2	1	1	1	1	2	1	
DOWN	1,451	5·8	1,353	17	28	21	11	17	2	2	2	13	20	
FERMANAGH	296	5·7	283	3	5	2	1	2	1	1	1	1	2	
LONDONDERRY	619	5·7	595	3	11	5	1	3	1	1	1	1	4	
TYRONE	689	5·2	673	3	8	2	.	3	1	1	1	1	3	

**ABSTRACT III. Northern Ireland : Ages of Men at Marriage, 1957.**

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and upwards	Not stated
NORTHERN IRELAND	28.55	9,391	3	13	90	229	412	747	3,116	2,767	1,294	624	342	178	124	73	52	35	22	4	3	10
BELFAST Co. BOROUGH	27.73	3,645	2	8	40	119	189	358	1,409	1,016	403	171	102	59	45	27	20	20	12	1	1	1
LONDONDERRY Co. BOROUGH	26.69	427	.	.	6	18	32	56	163	113	49	21	11	7	1	4	1	.	.	2	.	1
ANTRIM	28.48	1,540	.	1	11	41	72	125	491	454	232	113	51	26	19	8	10	4	1	1	.	3
ARMAGH	28.43	724	.	1	7	16	20	44	226	229	112	48	41	10	3	5	2	1	1	.	.	2
DOWN	29.35	1,451	1	2	15	16	56	90	411	476	217	114	54	27	28	16	9	5	3	1	.	.
FERMANAGH	32.61	296	.	.	.	3	4	7	48	86	64	41	13	18	6	4	4	3	1	.	.	1
LONDONDERRY	29.82	619	.	1	7	13	18	38	180	188	88	48	34	15	13	6	5	2	2	1	.	.
TYRONE	29.68	689	.	1	4	3	21	29	188	205	129	68	36	16	9	3	1	.	2	1	.	2

**ABSTRACT IV. Northern Ireland : Ages of Women at Marriage, 1957.**

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and upwards	Not stated
NORTHERN IRELAND	25.53	9,391	54	185	443	678	847	2,207	3,497	2,068	793	377	172	123	61	36	34	7	5	2	.	9
BELFAST Co. BOROUGH	25.23	3,645	22	91	200	283	369	965	1,407	727	244	107	59	55	30	23	19	5	2	1	.	1
LONDONDERRY Co. BOROUGH	24.69	427	2	7	27	37	55	128	154	81	31	17	6	6	3	1	5	5	.	.	.	.
ANTRIM	25.48	1,540	12	28	62	104	117	321	591	361	140	62	28	19	4	5	5	2	1	.	.	2
ARMAGH	25.19	724	4	7	35	54	63	163	277	156	72	36	7	8	2	1	.	.	.	.	.	2
DOWN	26.23	1,451	4	23	47	90	121	285	541	333	144	68	33	19	15	5	5	2	1	.	.	1
FERMANAGH	27.46	296	.	5	5	14	17	41	87	91	34	24	9	4	1	2	2	.	.	.	.	1
LONDONDERRY	25.70	619	3	17	30	44	53	147	213	153	49	26	17	7	5	.	2	.	1	.	.	2
TYRONE	25.61	689	7	9	37	52	52	157	227	166	79	37	13	5	1	.	1	.	1	.	.	2

**ABSTRACT V. Northern Ireland : Ages and Conditions of Persons Married in the Year 1957.**

**Men**

Age Last Birthday	All Men	All Bachelors	All Widowers	All Divorced Men	Bachelors who married			Widowers who married			Divorced Men who married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	9,391	9,038	286	67	8,900	80	58	184	88	14	54	6	7
16	3	3	.	.	3	.	.	.	.	.	.	.	.
17	13	13	.	.	13	.	.	.	.	.	.	.	.
18	90	90	.	.	90	.	.	.	.	.	.	.	.
19	229	229	.	.	229	.	.	.	.	.	.	.	.
20	412	412	.	.	412	.	.	.	.	.	.	.	.
Under 21	747	747	.	.	747	.	.	.	.	.	.	.	.
21	693	693	.	.	693	.	2	.	.	.	.	.	.
22	802	802	.	.	800	1	.	.	.	.	.	.	.
23	852	852	.	.	851	1	.	.	.	.	.	.	.
24	769	769	.	.	765	2	2	.	.	.	.	.	.
21-24	3,116	3,116	.	.	3,109	3	4	.	.	.	.	.	.
25	691	689	1	1	685	2	2	1	.	.	1	.	.
26	669	668	1	.	661	5	2	1	.	.	.	.	.
27	538	537	1	.	535	1	1	1	.	.	.	.	.
28	483	479	2	2	474	3	2	2	.	.	2	.	.
29	386	382	4	.	379	.	3	3	1	.	.	.	.
25-29	2,767	2,755	9	3	2,734	11	10	8	1	.	3	.	.
30	350	339	6	5	333	1	5	5	.	1	5	.	.
31	313	310	.	3	303	1	6	.	.	3	3	.	.
32	241	238	.	3	233	4	1	.	.	2	.	1	.
33	225	219	3	3	213	3	3	3	.	3	.	.	.
34	165	159	2	4	156	1	2	2	.	.	4	.	.
30-34	1,294	1,265	11	18	1,238	10	17	10	.	1	17	.	1
35	167	162	2	3	155	4	3	1	.	1	3	.	.
36	162	150	10	2	145	.	5	9	.	1	2	.	.
37	109	102	3	4	100	1	1	3	.	.	4	.	.
38	101	91	7	3	83	8	7	.	.	2	1	.	.
39	85	74	6	5	69	4	1	5	1	.	4	.	1
35-39	624	579	28	17	552	17	10	25	1	2	15	1	1
40	86	80	3	3	77	3	.	2	1	.	2	.	1
41	67	59	6	2	57	1	1	4	2	.	2	.	.
42	66	52	9	5	47	.	5	7	2	.	4	.	1
43	70	57	11	2	54	2	1	6	4	1	2	.	.
44	53	46	7	.	39	5	2	7	.	.	.	.	.
40-44	342	294	36	12	274	11	9	26	9	1	10	.	2

45	35	23	7	5	22	.3	1	7	.1	3	1	1	1	1
46	39	30	7	2	26	3	1	5	1	3	1	1	1	1
47	50	38	10	2	34	3	2	7	1	3	1	1	1	1
48	29	22	5	2	22	1	1	4	1	3	1	1	1	1
49	25	20	5	.	17	1	2	3	2	1	1	1	1	1
<b>45-49</b>	<b>178</b>	<b>133</b>	<b>34</b>	<b>11</b>	<b>121</b>	<b>7</b>	<b>5</b>	<b>26</b>	<b>7</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>2</b>
50	27	18	8	1	15	3	.	7	1	3	1	1	1	1
51	27	18	9	1	17	1	1	5	2	1	1	1	1	1
52	20	16	3	1	13	2	1	2	1	2	1	1	1	1
53	22	16	5	1	14	1	1	3	3	2	1	1	1	1
54	28	15	13	.	14	1	1	6	6	2	6	.	.	.
<b>50-54</b>	<b>124</b>	<b>83</b>	<b>38</b>	<b>3</b>	<b>73</b>	<b>8</b>	<b>2</b>	<b>23</b>	<b>13</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>
55	9	5	4	.	5	.	.	2	2	1	1	1	1	1
56	20	7	12	1	4	2	1	9	3	3	8	3	3	1
57	19	6	12	1	5	1	.	3	3	4	3	3	6	.
58	12	5	7	1	5	2	1	.	.	.	.	.	.	.
59	13	3	10	.	2	.	.	.	.	.	.	.	.	.
<b>55-59</b>	<b>73</b>	<b>26</b>	<b>45</b>	<b>2</b>	<b>21</b>	<b>4</b>	<b>1</b>	<b>21</b>	<b>21</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>.</b>	<b>2</b>
60	19	6	13	.	5	1	.	9	3	2	2	1	1	.
61	8	4	4	.	3	1	.	2	3	2	2	1	1	.
62	11	5	6	.	4	1	.	3	3	3	3	1	1	.
63	8	4	4	.	2	2	1	.	3	3	3	1	.	.
64	6	2	4	.	1	1	1	.	3	3	3	1	.	.
<b>60-64</b>	<b>52</b>	<b>21</b>	<b>31</b>	.	<b>15</b>	<b>6</b>	.	<b>20</b>	<b>9</b>	<b>2</b>	<b>2</b>	<b>.</b>	<b>.</b>	<b>.</b>
65	7	2	5	.	1	1	.	4	1	4	4	4	4	.
66	8	1	7	.	1	1	.	3	2	2	1	1	1	.
67	9	2	7	.	2	.	.	1	2	1	1	1	1	.
68	5	5	5	.	1	.	.	.	.	.	.	.	.	.
69	6	1	5	.	1	.	.	.	.	.	.	.	.	.
<b>65-69</b>	<b>35</b>	<b>6</b>	<b>29</b>	.	<b>5</b>	<b>1</b>	.	<b>12</b>	<b>16</b>	<b>1</b>	<b>1</b>	<b>.</b>	<b>.</b>	<b>.</b>
70	8	2	6	.	1	1	1	3	2	1	1	1	1	.
71	1	.	1	.	1	.	.	3	1	1	1	1	1	.
72	4	1	3	1	1	1	.	2	3	1	1	1	1	.
73	6	1	5	.	1	1	.	1	2	1	1	1	1	.
74	3	1	2	.	1	1	.	.	.	.	.	.	.	.
<b>70-74</b>	<b>22</b>	<b>4</b>	<b>17</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>.</b>	<b>9</b>	<b>7</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>.</b>	<b>.</b>
75	.	.	.	.	.	1	.	.	.	.	.	.	.	.
76	1	1	.	.	.	1	.	.	.	.	.	.	.	.
77	.	.	.	.	.	.	.	.	.	.	.	.	.	.
78	1	.	1	.	.	.	.	.	.	.	1	2	.	.
79	2	.	2	.	.	.	.	.	.	.	.	.	.	.
<b>75-79</b>	<b>4</b>	<b>1</b>	<b>3</b>	.	<b>1</b>	.	.	.	.	.	3	.	.	.
<b>80 and over</b>	<b>3</b>	.	<b>3</b>	.	.	.	.	<b>2</b>	<b>1</b>	.	.	.	.	.
<b>Not stated</b>	<b>10</b>	<b>8</b>	<b>2</b>	.	<b>7</b>	<b>1</b>	.	<b>2</b>	<b>1</b>	.	.	.	.	.

**ABSTRACT V (continued). Northern Ireland : Ages and Conditions of Persons Married in the Year 1957.**

**Women**

Age Last Birthday	All Women	All Spinsters	All Widows	All Divorced Women	Spinsters who married			Widows who married			Divorced Women who married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	9,391	9,138	174	79	8,900	184	54	80	88	6	58	14	7
16	54	54	.	.	54	.	.	.	.	.	.	.	.
17	185	185	.	.	185	.	.	.	.	.	.	.	.
18	443	443	.	.	443	.	.	.	.	.	.	.	.
19	678	678	.	.	676	1	1	.	.	.	.	.	.
20	847	847	.	.	844	1	2	.	.	.	.	.	.
Under 21 years	2,207	2,207	.	.	2,202	2	3	.	.	.	.	.	.
21	1,047	1,047	.	.	1,043	1	3	.	.	.	.	.	.
22	967	965	.	2	960	3	2	.	.	.	2	.	.
23	777	776	1	1	773	1	2	.	.	.	1	.	.
24	708	708	.	.	700	4	2	.	.	.	.	.	.
21-24	3,497	3,494	.	3	3,476	9	9	.	.	.	3	.	.
25	633	632	.	1	625	5	2	.	.	.	1	.	.
26	468	462	1	3	457	2	2	1	.	.	3	.	.
27	419	414	2	3	408	2	4	1	1	.	2	.	.
28	315	310	4	1	298	6	6	3	1	.	1	.	.
29	235	234	.	1	225	5	4	.	.	.	1	.	.
25-29	2,068	2,052	7	9	2,013	21	18	5	2	.	8	1	.
30	201	194	4	3	190	3	1	3	1	.	2	.	1
31	167	160	5	2	153	6	1	5	.	.	2	.	.
32	153	151	2	2	138	9	4	.	.	.	2	.	.
33	138	121	7	10	118	3	6	6	1	.	8	2	.
34	134	124	6	4	120	3	1	4	2	.	3	.	1
30-34	793	750	22	21	719	24	7	18	4	.	17	2	2
35	94	82	4	8	74	7	1	3	1	.	6	.	2
36	101	89	6	6	75	10	4	4	2	.	5	1	.
37	74	64	5	5	57	5	2	4	.	1	4	.	1
38	49	41	6	2	31	9	1	3	3	.	2	.	.
39	59	52	4	3	44	7	1	3	1	.	2	.	1
35-39	377	328	25	24	281	38	9	17	7	1	19	2	3
40	44	34	4	6	27	5	2	2	2	.	3	2	1
41	27	23	4	3	19	3	1	1	1	.	1	.	.
42	32	28	3	1	19	9	.	1	1	1	.	1	.
43	32	28	2	2	19	8	1	2	3	.	1	.	1
44	37	31	5	1	27	3	1	2	3	.	1	.	.
40-44	172	144	18	10	111	28	5	8	9	1	6	2	2



**ABSTRACT VI. Northern Ireland : Ages in Combination of Men and Women at Marriage, 1957.**

52

	AGES OF WIVES																			Total Hus- bands	
	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over	Not stated		
16—	2	.	4	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	16
17—	2	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	13	17
18—	6	15	28	13	8	17	2	.	1	.	.	.	.	.	.	.	.	.	.	90	18
19—	5	35	44	47	39	47	11	1	.	.	.	.	.	.	.	.	.	.	.	229	19
20—	11	29	67	78	76	131	20	.	.	.	.	.	.	.	.	.	.	.	.	412	20
21—	22	74	231	380	481	1,557	333	33	5	.	2	.	.	.	.	.	.	.	.	3,116	21
25—	6	25	53	127	198	1,281	908	136	28	3	1	2	.	.	.	.	.	.	.	2,787	25
30—	.	1	15	26	31	343	519	286	53	16	1	2	.	.	.	.	.	.	.	1,294	30
35—	.	1	1	5	8	85	196	163	126	27	10	2	.	.	.	.	.	.	.	624	35
40—	.	.	.	.	4	26	52	102	90	50	12	5	1	.	.	.	.	.	.	342	40
45—	.	.	.	1	.	6	20	48	32	33	30	7	1	.	.	.	.	.	.	178	45
50—	.	.	.	.	.	3	5	15	19	24	33	15	2	.	.	.	.	.	.	50	50
55—	.	.	.	.	.	.	1	5	12	14	14	13	5	9	.	.	.	.	.	73	55
60—	.	.	.	.	.	.	1	3	7	3	13	9	8	8	.	.	.	.	.	52	60
65—	.	.	.	.	.	.	.	2	1	5	6	9	6	4	1	1	.	.	.	35	65
70—	.	.	.	.	.	.	.	.	1	1	2	2	4	8	1	3	.	.	.	22	70
75—	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	4	75
80 and over	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	3	80 a ov
Not stated	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	8	10	Not sta
Total Wives	54	185	443	678	847	3,497	2,068	793	377	172	123	61	36	34	7	5	2	.	9	9,391	

**ABSTRACT VII. Northern Ireland : Births in each of the Four Quarters, 1957.**  
 (exclusive of still-born children).

COUNTRIES	PERSONS				MALES				FEMALES						
	Total	Quarter ended the last day of			Total	Quarter ended the last day of			Total	Quarter ended the last day of					
		March	June	Sept.		March	June	Sept.		March	June	Sept.			
NORTHERN IRELAND . . .	30,108	7,356	7,894	7,676	7,182	15,490	3,806	4,089	3,952	3,643	14,618	3,550	3,805	3,724	3,539
BELFAST CO. BOROUGH . . .	8,459	2,148	2,215	2,107	1,989	4,363	1,098	1,148	1,077	1,040	4,096	1,050	1,067	1,030	949
LONDONDERRY CO. BOROUGH . . .	1,465	375	365	401	324	755	187	198	203	167	710	188	167	198	157
ANTRIM . . . . .	5,618	1,351	1,478	1,436	1,353	2,848	686	755	727	680	2,770	665	723	709	673
ARMAGH . . . . .	2,575	632	654	664	625	1,367	339	341	366	321	1,208	293	313	298	304
DOWN . . . . .	5,157	1,216	1,382	1,291	1,268	2,609	624	709	654	622	2,548	592	673	637	646
FERMANAGH . . . . .	1,073	266	278	257	272	544	137	147	131	129	529	129	131	126	143
LONDONDERRY . . . . .	2,530	595	697	645	593	1,345	331	371	347	296	1,185	264	326	298	297
TYRONE . . . . .	3,231	773	825	875	758	1,659	404	420	447	388	1,572	369	405	428	370

**ABSTRACT VIII. Northern Ireland : Deaths in each of the Four Quarters, 1957.**

COUNTRIES	PERSONS				MALES				FEMALES						
	Total	Quarter ended the last day of			Total	Quarter ended the last day of			Total	Quarter ended the last day of					
		March	June	Sept.		March	June	Sept.		March	June	Sept.			
NORTHERN IRELAND . . .	15,187	4,109	3,631	3,259	4,188	7,929	2,091	1,949	1,700	2,189	7,258	2,018	1,682	1,559	1,999
BELFAST CO. BOROUGH . . .	4,899	1,338	1,135	998	1,427	2,465	672	589	502	702	2,434	666	546	496	726
LONDONDERRY CO. BOROUGH . . .	522	140	109	111	162	246	64	56	52	74	276	76	53	59	88
ANTRIM . . . . .	2,520	691	606	543	680	1,359	365	321	290	383	1,161	326	285	253	297
ARMAGH . . . . .	1,301	334	313	287	367	687	170	172	149	196	614	164	141	138	171
DOWN . . . . .	2,710	690	702	605	713	1,385	326	387	302	370	1,325	364	315	303	343
FERMANAGH . . . . .	612	199	142	135	136	325	102	82	71	70	287	97	60	64	66
LONDONDERRY . . . . .	1,129	313	263	235	318	620	170	135	142	173	509	143	128	93	145
TYRONE . . . . .	1,494	404	361	345	385	842	222	207	192	221	652	182	154	153	163

**ABSTRACT IX. Northern Ireland : Causes**

Intermediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo Natal under 1 mo'th	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
	TOTAL DEATHS (ALL CAUSES) {M F}	7,929 7,258	319 269	472 397	21 21	18 10	15 14	12 8	37 29	28 11	47 26
A1-A43	I Infective and Parasitic {M F} Diseases	185 91	1 2	10 3	2 3	3 .	3 3	1 1	2 3	3 1	4 3
A44-A60	II Neoplasms (a) Cancer {M F} (b) Other {M F} Neoplasms	1,220 1,086 52 43	.	1 .	3 .	.	2 1	2 1	2 3	1 1	4 3
A61-A64 A66(pt of)	III Allergic, Endocrine System, {M Metabolic and Nutritional {F Diseases	96 130	.	1 1	1 .	.	.	.	2 2	2 1	3 1
A65-A68 (pt. of)	IV Diseases of Blood and Blood Forming Organs {M F}	23 37	.	.	.	.	.	1 .	.	.	.
A67-A69	V Mental, Psychoneurotic {M and Personality Disorders {F	14 13	1 1	1 2	.	1 .	.	.	1 1	1 1	2 .
A70-A78	VI Diseases of the Nervous System and Sense Organs {M F}	993 1,283	2	2 4	1 .	2 .	.	2 .	8 3	3 2	4 4
A79-A86	VII Diseases of the Circulatory {M System {F	3,048 2,702	.	.	.	.	.	1 .	2 1	3 1	1 2
A87-A97	VIII Diseases of the Respiratory {M System {F	865 633	1	63 42	5 7	3 5	4 .	1 1	2 1	2 1	1 5
A98-A107	IX Diseases of the Digestive {M System {F	231 213	1	18 19	2 2	1 1	1 1	1 .	3 1	2 .	1 1
A108-A114	X Diseases of Genito-Urinary {M System {F	238 88	.	1 .	.	.	1 .	1 1	1 2	.	2 1
A115-A120	XI Deliveries and Complications of Pregnancy, Childbirth and the Puerperium {M F}	33	.	.	.	.	.	.	.	.	1
A121- A126(pt.of)	XII Diseases of the Skin and Cellular Tissue {M F}	3 .	.	.	.	.	.	.	.	.	.
A122-A125 A126(pt.of)	XIII Diseases of the Bones and Organs of Movement {M F}	22 41	.	.	.	.	1 .	.	.	.	.
A127-A129	XIV Congenital Malformations {M F}	108 136	47 70	88 113	2 5	2 1	1 1	1 1	1 2	1 .	3 2
A130- A135	XV Certain Diseases of Early Infancy (a) With Prematurity {M F} (b) Without Prematurity {M F}	155 126 112 65	155 126 112 65	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	
A136- A137	XVI Symptoms, Senility and Ill-Defined Conditions {M F}	234 334	1 1	2 .	.	1 .	.	.	.	.	.
AE138- AE150	XVII Accidents, Poisonings, and Violence {M F}	330 204	6 8	18 21	5 3	7 1	8 1	4 3	13 5	7 1	20 3

**of Death at different Age-Periods, 1957.**

**DEATH**

Detailed List Nos.																
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	over 95	M F }
48 27	58 29	60 54	106 97	145 120	241 186	396 252	552 344	758 573	931 753	1,082 1,058	1,131 1,113	1,020 1,106	568 701	150 257	33 72	
.	4 2	7 5	7 8	10 1	15 5	11 6	25 9	19 10	22 11	18 9	11 4	8 3	1 2	.	.	M F } 001-138
3 4 1 2	11 2 1 1	9 12 3 2	14 23 5 2	33 36 73 2	53 101 73 2	90 142 73 3	112 142 150 4	165 142 170 7	178 150 115 5	192 170 117 3	163 135 117 4	133 42 11 1	42 7 11 2	.	M F } 140-239	
1 1	2 2	1 3	1 1	1 5	3 5	9 6	10 5	11 23	15 17	10 19	13 16	4 15	6 7	1 7	.	M F } 240-289
.	.	.	1	2	.	1	3	1	3	3	4	3	2	2	.	M F } 290-299
3 .	1 1	2 2	.	1	1	2	.	1	.	1	1	1	2	.	1	M F } 300-328
3 3	5 1	6 2	11 11	11 15	16 23	39 42	42 57	86 105	123 147	153 235	188 260	169 216	89 119	25 30	5 4	M F } 330-398
3 5	5 5	6 9	22 22	44 33	105 31	142 71	243 113	317 202	384 302	492 454	509 480	441 498	259 316	56 127	14 29	M F } 400-468
1 2	4 4	3 2	11 10	11 12	21 16	43 23	69 20	85 45	118 59	117 75	126 104	94 99	61 62	20 25	4 7	M F } 470-527
.	2 2	4 1	6 4	8 4	6 9	13 6	20 18	25 23	28 24	25 33	29 29	26 17	9 15	2 1	1 2	M F } 530-587
4 2	6 1	7 2	4 3	1 3	9 6	8 9	9 5	16 8	21 10	33 11	43 12	41 10	23 1	7 2	.	M F } 590-637
.	4 .	7 1	10 1	8 1	3 1	.	.	.	.	.	.	.	.	.	.	F M F } 640-689
.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	M F } 690-716
1 .	1 1	.	.	.	1 1	2 1	2 1	3 4	7 5	1 6	1 7	2 6	2 7	.	.	M F } 720-749
3 1	1 1	.	1 1	1 1	1 3	2 3	1 .	1 1	.	1	.	1	.	.	.	M F } 750-759
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 760-776
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 776-777
.	.	.	.	.	.	1	2	2	1	4	16	27	74	72	30	M F } 780-795
25 1	18 2	16 5	26 3	20 4	9 12	28 6	10 5	18 5	20 14	17 18	13 25	23 32	22 22	2 2	1 5	M F } E800-E999

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A1-A43	<i>I. Infective and Parasitic Diseases</i>										
A1a	Pulmonary tuberculosis . { M F	107 43	.	.	.	.	.	.	.	.	.
A1b	Other respiratory tuberculosis { M F	.	.	.	.	.	.	.	.	.	.
A2	Tuberculosis of meninges and central nervous system . { M F	6 3	.	i	.	2	1	.	.	.	1
A3	Tuberculosis of intestines, peritoneum and mesenteric glands . { M F	1	.	.	.	.	.	.	.	.	.
A4	Tuberculosis of bones and joints . { M F	3 3	.	.	.	.	.	.	.	.	.
A5a	Tuberculosis of genito-urinary system . { M F	3 1	.	.	.	.	.	.	.	.	.
A5b	Disseminated tuberculosis . { M F	3	.	.	.	.	.	.	.	.	.
A5c	Tuberculosis, all other forms . { M F	1 1	.	.	.	.	.	.	.	.	.
A6	Congenital syphilis . . . { M F	.	.	.	.	.	.	.	.	.	.
A7	Early syphilis . . . { M F	.	.	.	.	.	.	.	.	.	.
A8	Tabes dorsalis . . . { M F	4 2	.	.	.	.	.	.	.	.	.
A9	General paralysis of the insane . { M F	1 1	.	.	.	.	.	.	.	.	.
A10	All other syphilis . . . { M F	20 10	.	.	.	.	.	.	.	.	.
A11	Gonococcal infection . . . { M F	.	.	.	.	.	.	.	.	.	.
A12	Typhoid fever . . . { M F	1	.	.	.	.	.	.	.	.	.
A13	Paratyphoid fever and other Salmonella infections . { M F	2	.	.	.	.	i	.	.	.	.
A14	Cholera . . . { M F	.	.	.	.	.	.	.	.	.	.
A15	Brucellosis (Undulant fever) { M F	.	.	.	.	.	.	.	.	.	.
A16	Dysentery, all forms . . . { M F	.	.	.	.	.	.	.	.	.	.
A17	Scarlet fever . . . { M F	.	.	.	.	.	.	.	.	.	.
A18	Streptococcal sore throat . { M F	.	.	.	.	.	.	.	.	.	.

**of Death at different Age-Periods, 1957.**

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	2	4	5	6	9	9	20	13	11	11	10	7	.	.	M } 002	
.	.	4	6	1	3	4	6	6	6	5	5	2	1	.	.	F } 001,	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 003-008	
.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	M } 010	
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	M } 011	
.	.	1	.	.	.	.	.	2	.	1	1	.	1	.	.	M } 012-013	
.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	M } 016	
.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	.	M } 019	
.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	M } 014, 015, F } 017, 018	
.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	M } 020	
.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	M } 021	
.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	M } 024	
.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	M } 025	
.	.	.	.	1	1	1	1	.	2	3	9	2	1	1	.	M } 022, 023, F } 026-029	
.	.	.	.	.	.	.	.	.	2	2	3	2	.	.	.	M } 030-035	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 040	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 041, 042	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 043	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 044	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 045-048	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 050	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	M } 051	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A19	Erysipelas . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A20	Septicaemia and pyaemia . . {M F	13 4	1	7	1	1	.	.	.	.	1 2
A21	Diphtheria . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A22	Whooping Cough . . . . . {M F	1 1	.	1	1	.	.	.	.	.	.
A23	Meningococcal infections . . {M F	3 1	.	.	1	.	1	.	.	.	.
A24	Plague . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A25	Leprosy... . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A26	Tetanus . . . . . {M F	2 2	.	.	.	.	.	.	1	2 1	.
A27	Anthrax . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A28	Acute poliomyelitis . . . . . {M F	5 4	.	1	.	.	1	1	2	1	.
A29	Acute infectious encephalitis {M F	1 1	.	.	1	.	.	.	.	.	1
A30	Late effects of acute polio- myelitis and acute infectious encephalitis . . . . . {M F	3	.	.	.	.	.	.	.	.	.
A31	Smallpox . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A32	Measles . . . . . {M F	1 2	.	1	.	.	.	.	2	.	.
A33	Yellow fever . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A34	Infectious hepatitis . . . . . {M F	2 4	.	.	.	.	.	.	.	.	1
A35	Rabies . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A36	Typhus and rickettsial diseases {M F	.	.	.	.	.	.	.	.	.	.
A37	Malaria . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A38	Schistosomiasis . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A39	Hydatid disease . . . . . {M F	.	.	.	.	.	.	.	.	.	.
A40	Filariasis . . . . . {M F	.	.	.	.	.	.	.	.	.	.

**of Death at different Age-Periods, 1957.**

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 052
.	.	.	1	.	1	1	.	.	.	1	.	.	1	.	.	F } 053
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 055	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 056	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	M } 057	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 058	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 060	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 061	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 062	
.	1	1	i	.	.	.	.	.	.	.	.	.	.	.	F } 080	
.	.	.	i	.	i	i	i	.	.	.	.	.	.	.	M } 082	
.	.	.	i	.	i	i	i	.	.	.	.	.	.	.	M } 081, 083	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 084	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 085	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 091	
.	.	.	.	.	1	i	i	i	i	i	i	i	i	.	M } 092	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 094	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 100-108	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 110-117	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 123	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 125	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 127	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A41	Ankylostomiasis . . . {M F	: :	: :	: :	: :	: :	: :	: :	: :	: :	:
A42	Other diseases due to helminths {M F	: :	: :	: :	: :	: :	: :	: :	: :	: :	:
A43	All other diseases classified as infective and parasitic {M F	7 3	: :	1 1	: :	: :	: :	: :	: :	: :	1
<b>A44-A60 II. Neoplasms</b>											
A44	Malignant neoplasm of buccal cavity and pharynx . . {M F	49 18	: :	: :	: :	: :	: :	: :	: :	: :	:
A45	Malignant neoplasm of oesophagus . . . {M F	40 22	: :	: :	: :	: :	: :	: :	: :	: :	:
A46	Malignant neoplasm of stomach {M F	231 200	: :	: :	: :	: :	: :	: :	: :	: :	:
A47	Malignant neoplasm of intes- tine, except rectum . . {M F	133 141	: :	: :	: :	: :	: :	: :	: :	: :	1
A48	Malignant neoplasm of rectum {M F	73 63	: :	: :	: :	: :	: :	: :	: :	: :	:
A49	Malignant neoplasm of larynx {M F	13 6	: :	: :	: :	: :	: :	: :	: :	: :	:
A50	Malignant neoplasm of trachea bronchus and lung, not specified as secondary . {M F	268 45	: :	: :	: :	: :	: :	: :	: :	: :	:
A51	Malignant neoplasm of breast {M F	192	: :	: :	: :	: :	: :	: :	: :	: :	:
A52	Malignant neoplasm of cervix uteri F	42	: :	: :	: :	: :	: :	: :	: :	: :	:
A53	Malignant neoplasm of other and unspecified parts of uterus F	57	: :	: :	: :	: :	: :	: :	: :	: :	:
A54	Malignant neoplasm of prostate M	115	: :	: :	: :	: :	: :	: :	: :	: :	:
A55	Malignant neoplasm of skin ... {M F	19 19	: :	: :	: :	: :	: :	: :	: :	: :	:
A56	Malignant neoplasm of bone and connective tissue . {M F	17 13	: :	: :	: :	: :	: :	: :	: :	: :	1
A57	Malignant neoplasm of all other and unspecified sites . {M F	244 252	: :	: :	2 2	: 2	: 2	: 1	: 2	: 1	2 3

**of Death at different Age-Periods, 1957.**

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M F } 129
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M F } 124, 126 128, 130
.	1	.	.	.	1	1	1	.	.	2	.	1	.	.	.	.	M F } 036-039, 049, 054, 059, 063- 074, 086- 090, 093, 095, 096, 120-122, 131-138
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	2	.	.	2	3	2	4	5	7	1	10	5	.	1	M F } 140-148
.	.	.	.	.	4	1	1	3	2	9	8	5	7	2	.	.	M F } 150
1	1	1	1	6	16	18	20	34	31	40	35	22	5	1	1	M F } 151	
.	.	.	1	1	7	8	14	21	36	42	28	29	7	3	1	M F } 152, 153	
1	.	1	1	1	2	2	5	11	14	16	26	19	30	5	1	.	M F } 154
.	.	.	1	1	7	7	14	16	19	16	27	17	14	3	.	.	M F } 161
.	2	4	6	11	17	30	42	55	46	27	19	6	3	1	.	.	M F } 162, 163
.	1	1	1	.	3	3	4	4	9	9	2	2	1	1	.	.	M F } 170
.	.	2	12	14	25	12	19	25	21	23	12	16	7	1	3	F } 171	
.	.	4	2	7	3	6	2	6	3	5	2	2	.	.	.	F } 171	
.	1	.	.	1	9	5	9	6	8	6	6	4	1	.	1	F } 172-174	
.	.	1	.	.	.	1	4	5	20	25	27	19	10	3	.	M } 177	
.	.	.	.	2	.	2	.	3	4	1	3	2	2	3	.	M F } 190, 191	
1	.	.	2	1	.	1	1	2	2	4	4	2	.	.	.	M F } 196, 197	
2	7	2	4	9	6	25	23	35	30	39	28	17	7	1	2	M F } 155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	All Ages	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A58	Leukaemia and aleukaemia {M F	33 30	.	.	1	1	.	.	1 3	2 2	.
A59	Hodgkin's disease . . . {M F	11 3	.	.	.	.	.	.	.	.	.
	Lymphosarcoma and other neoplasms of lymphatic and haematopoietic system {M F	18 16	.	1	1	.	.	.	1	.	.
A60	Benign neoplasms and neo- plasms of unspecified nature {M F	8 10	1	1	.	.	1 1	.	.	1	2
A61-A64 A66 pt.	<i>III. Allergic, Endocrine System, Metabolic, and Nutritional Diseases</i>										
A61	Nontoxic goitre . . . {M F	.	.	.	.	.	.	.	.	.	.
A62	Thyrotoxicosis, with or without goitre {M F	1 13	.	.	.	.	.	.	.	.	.
A63	Diabetes mellitus . . . {M F	30 59	.	.	.	.	.	.	.	1	.
A64	Avitaminosis and other deficiency states {M F	4 2	.	.	.	.	.	.	1	1	.
A66a	Asthma . . . {M F	54 41	.	.	.	.	.	.	1 2	.	2
A66b	Other allergic disorders, en- docrine and metabolic dis- eases . . . {M F	7 15	.	1 1	.	.	.	.	.	1	.
A65 and 66pt	<i>IV. Diseases of the Blood and Blood Forming Organs</i>										
A65a	Pernicious and other hyper- chromic anaemias {M F	8 7	.	.	.	.	.	.	.	.	.
A65b	Iron deficiency anaemias . {M F	1 3	.	.	.	.	.	.	.	.	.
A65c	Other anaemias of specified type {M F	7 6	.	.	.	.	.	.	.	.	.
A65d	Anaemia of unspecified type {M F	2 12	.	.	.	.	.	.	.	.	.
A66c	All other diseases of the blood and blood forming organs {M F	5 9	.	.	.	.	.	1	.	.	.
A67-A69	<i>V. Mental Psychoneurotic and Personality Disorders</i>										
A67	Psychosis . . . {M F	5 6	.	.	.	.	.	.	.	1	.

### **of Death at different Age-Periods, 1957.**

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
1 2	.	.	1 2	1	2 1	2 2	5 1	4 2	6 4	3 2	4 1	1 5	1	.	.	M F } 204
.	1	1	1 4	1	2	1	1	1	1	.	.	.	.	.	.	M F } 201
.	.	.	1 6	1	1	1	2 6	1 1	1 1	3 1	1	1	.	.	M F } 200, 202	
.	.	.	1 1	1	1	1	2	.	1	1	1	.	.	.	M F } 203, 205	
.	.	.	1 1	1	1	1	1 2	.	1	1	1	1	.	.	M F } 210-239	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M F } 250, 251	
.	.	.	.	.	.	1 2	1	5	1	2	1	1	.	.	M F } 252	
1 1	1 .	1 1	1 1	1	2	3 2	1 6	5 12	4 11	5 11	2 7	2 5	1	.	M F } 260	
1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	M F } 280-286	
.	1 1	1 1	1 4	1	5 2	7 1	9 7	9 3	5 4	8 3	2 6	4 2	.	.	M F } 241	
.	1 1	2 .	.	1 1	1	1 5	1 1	1 1	1 1	1	.	.	.	.	M F } 240, 242- 245, 253, 254, 270- 277, 287- 289	
.	.	.	.	.	.	.	.	1	2	3 1	1 1	1 2	.	.	M F } 290	
.	.	.	.	.	.	.	.	.	1	.	.	1 1	1	.	M F } 291	
.	.	.	1	.	.	1	2	1 1	1	1	2	1	.	.	M F } 292	
.	.	.	.	.	1	.	.	3	2	1 2	1 4	.	.	.	M F } 293	
.	.	.	2	.	.	2 1	1 1	1	1 1	3	.	.	.	.	M F } 294-299	
.	.	2	.	.	1	.	1	.	1	1 1	2	.	.	1	M F } 300-309	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo-Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A68	Psychoneurosis and disorders of personality	{ M F 3 1	.	.	.	.	.	.	.	.	.
A69	Mental deficiency	{ M F 6 6	1 1	1 2	.	1	.	.	1	1	2
A70-A78	<i>VI. Diseases of the Nervous System and Sense Organs</i>										
A70a	Subarachnoid haemorrhage	{ M F 31 36	.	.	.	.	.	.	1	1	1
A70b	Cerebral haemorrhage	{ M F 329 502	.	.	.	.	.	.	.	1	.
A70c	Cerebral embolism and thrombosis	{ M F 457 579	.	.	.	.	.	.	1	.	.
70d	Other vascular lesions affecting central nervous system	{ M F 55 75	.	.	.	.	.	.	1	.	1
A71	Nonmeningococcal Meningitis	{ M F 5 4	2	1 3	.	.	.	.	1	.	1
A72	Multiple sclerosis	{ M F 17 22	.	.	.	.	.	.	.	.	.
A73	Epilepsy	{ M F 20 11	.	.	.	1	.	1	1 2	1	1
A74	Inflammatory diseases of eye	{ M F .	.	.	.	.	.	.	.	.	.
A75	Cataract	{ M F 1	.	.	.	.	.	.	.	.	.
A76	Glaucoma	{ M F .	.	.	.	.	.	.	.	.	.
A77	Otitis media and mastoiditis	{ M F 4 1	.	1 1	1	.	.	.	.	.	.
A78	All other diseases of the nervous system and sense organs	{ M F 75 52	.	.	.	1	.	1	3 1	1	2
A79-A86	<i>VII. Diseases of the Circulatory System</i>										
A79	Rheumatic Fever	{ M F 9 11	.	.	.	.	.	.	1	1	1
A80a	Diseases of mitral valve	{ M F 49 91	.	.	.	.	.	.	.	.	.
A80b	Other chronic rheumatic heart disease	{ M F 24 49	.	.	.	.	.	.	.	.	.

**of Death at different Age-Periods, 1957.**

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
1	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	M } 310, 324, F } 326	
2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	M } 325 F }	
.	1	2	3	4	3	6	5	4	2	3	1	2	1	1	1	M } 330 F }	
1	1	1	3	4	3	5	9	19	20	17	31	47	48	63	58	M } 331 F }	
1	.	.	4	3	5	9	27	55	63	46	96	100	77	26	4	M } 332 F }	
.	.	.	1	2	3	7	9	11	37	57	84	98	85	50	19	M } 333, 334 F }	
.	.	.	1	.	1	1	3	2	6	3	7	11	16	10	2	M } 340 F }	
.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	M } 345 F }	
.	.	1	2	2	1	4	6	2	3	1	1	1	2	.	.	M } 353 F }	
2	2	2	2	1	2	2	1	2	1	1	1	1	1	.	.	M } 370-379 F }	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 385 F }	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 387 F }	
.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	M } 391-393 F }	
1	1	1	.	1	1	3	1	7	9	12	11	14	7	3	1	M } 341-344, F } 350-352, 354-369, 380-384, 386, 388- 390, 394- 398	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 400-402 F }	
1	2	2	2	2	10	2	9	7	4	5	3	6	9	.	1	M } 410 F }	
.	1	1	3	1	4	1	5	3	4	4	1	3	2	1	2	M } 411-416 F }	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	All AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A81a	Arteriosclerotic heart disease { M F	71 59	.	.	.	.	.	.	.	.	.
A81b	Heart disease involving coronary arteries { M F	1,474 835	.	.	.	.	.	.	.	.	.
A81c	Angina Pectoris without coronary disease { M F	11 4	.	.	.	.	.	.	.	.	.
A81d	Chronic endocarditis not specified as rheumatic { M F	43 31	.	.	.	.	.	.	.	.	.
A81e	Other myocardial degeneration { M F	726 932	.	.	.	.	.	.	.	.	.
A82a	Acute and subacute endocarditis { M F	7 2	.	.	.	.	.	.	.	2	1
A82b	Functional diseases of heart { M F	74 80	.	.	.	.	.	.	.	.	.
A82c	Other and unspecified diseases of heart { M F	141 179	.	.	.	.	.	.	1	.	.
A83	Hypertension with heart disease { M F	189 239	.	.	.	.	.	.	.	.	.
A84	Hypertension without mention of heart { M F	81 62	.	.	.	.	.	.	.	.	.
A85	Diseases of arteries { M F	128 104	.	.	.	.	.	.	1	.	.
A86	Other diseases of the circulatory system { M F	21 24	.	.	.	.	.	.	.	.	.
A87-A97	VIII. Diseases of the Respiratory System										
A87	Acute upper respiratory infection { M F	1 1	.	.	.	.	.	.	.	.	.
A88a	Influenza with pneumonia ... { M F	50 56	.	2	.	1	.	.	.	.	2
A88b	Influenza with other respiratory manifestations and influenza unqualified ... { M F	66 54	1	2	.	1	.	.	1	1	.
A88c	Influenza with other manifestations ... { M F	2 2	.	1	.	.	.	.	.	.	.
A89	Lobar pneumonia { M F	61 50	—	5	2	1	.	1	.	.	1
A90	Broncho pneumonia { M F	233 217	—	46	3	3	2	.	1	1	1
A91	Primary atypical, other and unspecified pneumonia { M F	36 42	—	6	7	1	.	1	.	1	.
A92	Acute bronchitis { M F	12 15	.	1	.	.	1	1	1	.	.

**of Death at different Age-Periods, 1957.**

**DEATH**

Detailed List Numbers																		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	.	.	.	.	.	.	1	3	3	9	12	18	14	9	1	1	M F } 420.0	
1	2	3	14	26	73	96	171	197	244	245	197	123	65	15	2	M F } 420.1		
.	.	.	3	12	12	29	54	88	140	181	156	92	49	18	1	M F } 420.2		
.	.	.	.	.	.	.	1	1	4	1	2	1	.	.	.	M F }		
1	.	.	.	1	2	2	7	3	7	7	5	5	2	.	.	M F } 421		
.	1	.	.	1	1	8	7	16	38	42	109	154	189	124	28	9	M F } 422	
.	1	.	.	1	1	2	6	15	33	57	135	160	247	171	81	22	M F }	
.	1	.	.	.	1	1	.	.	1	.	1	.	.	.	.	M F }		
.	1	.	.	.	.	.	2	3	4	13	9	13	17	10	3	.	M F } 433	
.	1	.	.	1	.	.	1	3	8	14	11	14	16	9	3	.	M F } 434	
.	1	.	.	1	2	1	10	11	13	13	23	27	31	8	1	.	M F } 431, 432,	
.	1	.	.	1	2	1	3	6	15	16	30	42	37	22	4	.	M F } 434	
.	1	.	.	1	4	6	11	9	24	16	42	37	23	12	4	2	M F } 440-443	
1	.	1	2	2	4	2	2	2	4	10	14	13	17	7	6	1	M F } 444-447	
1	.	1	1	1	1	1	2	3	9	12	18	28	29	22	2	2	M F } 450-456	
.	1	.	2	1	.	3	2	3	1	6	5	2	1	1	1	.	M F } 460-468	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	M F } 470-475		
1	1	1	1	3	1	2	3	6	2	11	7	8	2	4	2	1	M F } 480	
.	1	1	1	1	1	1	2	3	4	7	13	9	9	4	2	1	M F } 481	
.	1	1	1	1	1	2	1	3	1	7	8	3	11	7	5	.	M F } 482, 483	
.	1	1	1	1	1	2	2	3	7	6	5	5	10	3	6	3	M F } 490	
.	1	1	1	2	1	3	1	3	1	4	5	5	12	6	8	3	M F } 491	
.	1	1	1	2	4	3	5	5	5	6	16	18	32	43	20	5	M F } 492, 493	
1	1	1	1	1	1	1	2	2	2	4	1	7	5	6	2	1	M F } 500	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter mediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A93a	Bronchitis, unqualified . . . {M F	18 16	.	2 2	.	.	.	.	.	.	.
A93b	Bronchitis, chronic . . . {M F	316 139	.	.	.	.	.	.	.	.	.
A94	Hypertrophy of tonsils and adenoids . . . {M F	.	.	.	.	.	.	.	.	.	.
A95	Empyema and abscess of lung {M F	3	.	.	.	.	.	.	.	.	.
A96	Pleurisy . . . . . {M F	1 2	.	.	.	.	.	.	.	.	.
A97	All other respiratory diseases {M F	66 39	.	.	.	.	.	.	.	1	.
A98-A107	<i>IX. Diseases of the Digestive System</i>										
A98	Diseases of the teeth and supporting structures {M F	1	.	.	.	.	.	.	.	.	.
A99	Ulcer of stomach . . . {M F	42 24	.	.	.	.	.	.	.	.	.
A100	Ulcer of duodenum . . . {M F	41 17	.	.	.	.	.	.	.	.	.
A101	Gastritis and duodenitis . . {M F	3	.	.	.	1	.	.	.	.	.
A102	Appendicitis . . . . {M F	12 6	.	.	1	.	.	.	1	1	.
A103a	Hernia of abdominal cavity without mention of obstruction . . . {M F	6 6	1	1	.	.	.	.	.	.	.
A103b	Hernia of abdominal cavity with obstruction . . . {M F	10 15	.	1	.	.	.	.	.	.	.
A103c	Intestinal obstruction without mention of hernia . . . {M F	19 22	.	3	.	.	.	.	.	.	.
A104a	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over . . . {M F	19 20	—	13	1	2	.	1	.	.	.
A104b	Chronic enteritis and ulcerative colitis . . . {M F	20 19	.	.	.	.	.	.	.	.	1
A105	Cirrhosis of liver . . . {M F	16 23	.	.	.	.	.	.	.	.	.
A106	Cholelithiasis and cholecystitis {M F	9 27	.	.	.	.	.	.	.	.	.
A107	Other diseases of digestive system . . . {M F	36 31	1	2	6	.	.	1	2	1	1

of Death at different Age-Periods, 1957.

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	.	.	1	.	.	3	1	2	3	6	3	1	.	.	M } 501 F }	501
.	.	.	3 1	5 7	9 5	24 5	28 3	53 16	57 14	47 26	45 27	22 25	18 10	5 4	1	M } 502 F }	502
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 510 F }	510
.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	M } 518, 521 F }	518, 521
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	M } 519 F }	519
.	2	1	4 2	2 3	2	4 1	11 2	6 3	14 7	11 7	4 5	2 4	2 3	1	1	M } 511-517 F } 520, 522-527	511-517 520, 522-527
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	M } 530-535 F }	530-535
.	.	.	1	1	.	2	3	7 2	3 4	4 1	7 4	2 5	11 2	1 3	2	M } 540 F }	540
1	.	1	2	2	1	2	6 1	4 3	4 2	6 3	8 4	2 2	2	.	1	M } 541 F }	541
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	M } 543 F }	543
1	.	.	1	1	.	1	2	2	3	2	2	.	.	.	.	M } 550-553 F }	550-553
.	.	.	.	1	1	.	1	1	1	1	1	1	1	.	.	M } 560 F }	560
.	.	.	.	.	.	1	1	1	1	1	1	2	2	2	.	M } 561 F }	561
.	1	1	.	1	1	1	3	1	1	2	3	3	2	2	.	M } 570 F }	570
.	.	.	.	.	1	.	1	1	1	1	1	1	1	2	.	M } 571 F }	571
.	1	1	2	2	1	1	1	1	2	2	2	3	3	1	1	M } 572 F }	572
.	.	1	2	1	1	1	3	1	1	2	3	2	2	1	.	M } 581 F }	581
.	.	.	.	.	.	1	1	1	1	1	1	1	1	1	.	M } 584, 585 F }	584, 585
.	.	.	.	.	.	1	1	1	1	2	5	5	3	2	1	M } 536-539, F } 542, 544, 545, 573-580, 582, 583, 586, 587	536-539, 542, 544, 545, 573-580, 582, 583, 586, 587

**ABSTRACT IX (continued). Northern Ireland : Causes**

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A108-A114	<i>X. Diseases of Genito-Urinary System</i>										
A108	Acute nephritis . . . {M F	5 4	.	1	.	.	.	.	1	.	.
A109a	Nephritis with oedema, includ- ing nephrosis . . . {M F	4 5	.	.	.	.	1	.	.	.	.
A109b	Chronic nephritis . . . {M F	58 42	.	.	.	.	.	.	.	1	1
A109c	Other and unspecified nephritis {M F	11 5	.	.	.	.	.	.	1	.	1
A110	Infections of kidney . . . {M F	29 15	.	.	.	.	.	1	1	.	.
A111	Calculi of urinary system . . {M F	5 6	.	.	.	.	.	.	.	.	.
A112	Hyperplasia of prostate . M	108	.	.	.	.	.	.	.	.	.
A113	Diseases of breast . . F	.	.	.	.	.	.	.	.	.	.
A114	Other diseases of genito- urinary system . . {M F	18 11	.	.	.	.	.	.	.	.	.
A115-A120	<i>XI. Diseases and Complications of Pregnancy, Childbirth and the Puerperium</i>										
A115	Sepsis of pregnancy, childbirth and the puerperium . . F	4	.	.	.	.	.	.	.	.	.
A116	{Abortions with toxæmia . . F Other toxæmias of pregnancy . . F	12 2	.	.	.	.	.	.	.	.	.
A117	Haemorrhage of pregnancy and childbirth . . F	6	.	.	.	.	.	.	.	.	1
A118	Abortions without mention of sepsis or toxæmia . . F	.	.	.	.	.	.	.	.	.	.
A119	Abortion with sepsis . . F	.	.	.	.	.	.	.	.	.	.
A120	Other complications of pregnancy, childbirth and the puerperium . . . F	9	.	.	.	.	.	.	.	.	.
A121, A126 pt	<i>XII. Diseases of the Skin and Cellular Tissue</i>										
A121	Infections of the skin and sub- cutaneous tissue . . {M F	1 .	.	.	.	.	.	.	.	.	.
A126a	Other diseases of the skin and subcutaneous tissue . . {M F	2 .	.	.	.	.	.	.	.	.	.

**of Death at different Age-Periods, 1957.**

**DEATH**

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	.	.	1	.	.	1	.	2	.	1	1	.	.	.	.	M } 590 F }
.	.	.	1	.	1	.	1	1	.	1	1	1	.	.	.	M } 591 F }
4	6	7	2	1	4	4	5	2	2	12	3	3	2	1	.	M } 592 F }
2	1	1	2	1	4	3	3	3	7	4	6	3	.	1	.	M } 593, 594 F }
.	.	.	.	1	.	2	1	1	3	1	1	1	1	.	.	M } 600 F }
.	.	.	.	.	3	1	1	6	4	2	3	4	2	1	.	M } 602, 604 F }
.	.	.	.	.	1	2	.	1	.	1	2	1	1	.	1	M } 610 F } 620, 621
.	.	.	.	.	1	.	2	3	10	16	28	24	18	6	.	M } 601, 603, F } 605-609, 611-617 622-637
.	.	1	1	1	1	3	.	1	2	2	5	7	1	.	.	F } 640, 641, 681, 682, 684
.	2	4	1	1	.	.	.	.	.	.	.	.	.	.	.	F } 642, 652 F } 685, 686
.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	F } 643, 644, 670-672
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 650 F } 651	
.	.	3	4	2	.	.	.	.	.	.	.	.	.	.	.	F } 645-649, 660, 673- 680, 683, 687-689
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	M } 690-698 M } 700-716	

**ABSTRACT IX (continued). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A122- A125, A126 pt	<i>XIII. Diseases of the bone and organs of movement</i>										
A122	Arthritis and Spondylitis . { M F	16 28	.	.	.	.	.	.	.	.	.
A123	Muscular Rheumatism and rheumatism, unspecified . { M F	3	.	.	.	.	.	.	.	.	.
A124	Osteomyelitis and periostitis { M F	1 2	.	.	.	.	.	.	.	.	.
A125	Ankylosis and acquired musculoskeletal deformities . { M F	2	.	.	.	.	.	.	.	.	.
A126b	All other diseases of musculoskeletal system . { M F	5 6	.	.	.	.	i	.	.	.	.
A127- A129	<i>XIV. Congenital Malformations</i>										
A127	Spina bifida and meningocele { M F	16 34	11 20	16 33	i	:	:	:	:	:	.
A128	Congenital malformations of circulatory system . { M F	37 42	11 13	31 32	i	i	:	i	i	:	3 2
A129	All other congenital malformations . { M F	55 60	25 37	41 48	2 3	2	i	:	1	1	.
A130- A135	<i>XV. Certain Diseases of Early Infancy</i>										
A130	Birth Injuries (a) with prematurity { M F	15 9	15 9	15 9	—	—	—	—	—	—	—
	(b) without prematurity { M F	22 17	21 15	22 17	—	—	—	—	—	—	—
A131	Postnatal Asphyxia and atelectasis (a) with prematurity { M F	46 29	46 29	46 29	—	—	—	—	—	—	—
	(b) without prematurity { M F	43 18	43 17	43 18	—	—	—	—	—	—	—
A132	Infections of the newborn (a) with prematurity { M F	7 5	7 5	7 5	—	—	—	—	—	—	—
	(b) without prematurity { M F	28 15	28 15	28 15	—	—	—	—	—	—	—
A133	Haemolytic disease of newborn (a) with prematurity { M F	2 1	2 1	2 1	—	—	—	—	—	—	—
	(b) without prematurity { M F	8 8	5 8	8 8	—	—	—	—	—	—	—

**of Death at different Age-Periods, 1957.**

DEATH																		Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	.	.	.	.	i	i	2 1	3 4	6 5	1 4	1 4	2 3	1 5	.	.	M F } 720-725		
.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	M F } 726, 727		
.	.	.	.	.	.	.	.	.	.	i	.	.	1 1	.	.	M F } 730		
.	i	.	.	i	.	.	.	.	.	.	.	.	.	.	.	M F } 737, 745- 749		
1	.	.	.	.	1	2	.	.	1	i	i	3	.	.	.	M F } 731-736 738-744		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M F } 751		
2	1	.	.	.	.	i	2	.	.	.	.	.	.	.	.	M F } 754		
1	.	i	1	1	i	1 2	2 1	1	i	i	.	1	.	.	.	M F } 750, 752, 753, 755- 759		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 760, 761		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 760, 761		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 762		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 762		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 763-768		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 763-768		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 770		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F } 770		

**ABSTRACT IX (continued). Northern Ireland : Causes**

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A134	All other defined diseases of early infancy										
	(a) with prematurity	{M F 3 6}	3 6	3 6	—	—	—	—	—	—	—
	(b) without prematurity	{M F 9 4}	8 3	9 4	—	—	—	—	—	—	—
A135	Ill-defined diseases peculiar to early infancy										
	(a) with prematurity	{M F 82 76}	82 76	82 76	—	—	—	—	—	—	—
	(b) without prematurity	{M F 2 3}	1 2	2 3	—	—	—	—	—	—	—
A136, A137	XVI. Symptoms, Senility and Ill-defined Conditions										
A136	Senility without mention of psychosis	{M F 224 322}	.	.	.	.	.	.	.	.	.
A137	Ill-defined and unknown causes of mortality	{M F 10 12}	1 .	2 1	:	1	•	•	•	•	•
A138- A150	XVII. Accidents, Poisoning and Violence										
A138a	Motor vehicle traffic accident to pedestrian	{M F 54 24}	.	.	1 1	3 1	4 .	2 .	9 4	2 .	3 .
A138b	Motor vehicle traffic accident to pedal cyclist	{M F 11 3}	.	.	.	.	.	.	.	1 1	3 .
A138c	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with other motor vehicle	{M F 17 •}	.	.	.	.	.	.	.	.	3 •
A138d	Other motor vehicle accident	{M F 43 9}	.	.	.	.	.	1 1	1 1	1 .	6 1
A139	Other transport accidents	{M F 25 6}	.	.	.	.	.	.	.	1 .	1 1
A140	Accidental poisoning	{M F 9 7}	.	.	.	1 .	.	.	.	.	.
A141	Accidental falls	{M F 45 91}	.	1 .	.	.	.	.	.	.	.
A142	Accidents caused by machinery	{M F 7 •}	.	.	.	.	.	.	.	.	.
A143	Accident caused by fire and explosion of combustible materials	{M F 12 14}	.	2 .	2 .	1 .	1 1	1 2	1 1	.	.
A144	Accident caused by hot substances, corrosive liquid, steam and radiation	{M F • 1}	.	.	.	.	.	.	.	.	.

**of Death at different Age-Periods, 1957.**

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M } 769, 771, F } 772	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M } 769, 771, F } 772	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M } 773-776 F } 773-776	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M } 773-776 F } 773-776	
.	.	.	.	.	.	.	.	1	1	2	15	25	73	72	30	7	M } 794 F }
.	.	.	.	.	.	1	2	1	2	2	1	2	1	1	.	M } 780-793 F } 795	
1	4	1	2	.	1	4	.	1	6	2	2	4	2	2	.	M } E812 F }	
.	.	2	1	.	1	1	.	1	2	.	.	.	.	.	.	M } E813 F }	
.	1	.	.	.	1	.	.	1	.	1	.	.	.	.	.	M } E815 F }	
4	1	.	3	1	.	3	.	1	.	1	.	.	.	.	.	M } E815 F }	
.	.	.	.	.	.	.	.	1	1	2	4	.	.	.	.	M } E810, F } 811, 814, E.818-	
5	.	6	3	4	4	4	1	1	1	2	1	.	.	.	.	M } E810, F } 811, 814, E.818-	
.	1	5	2	5	2	1	3	.	2	1	.	2	1	.	.	M } E800, F } 802, E.840-	
.	.	.	.	1	.	.	3	.	2	1	1	1	.	.	.	M } E800, F } 895	
1	.	1	1	4	2	1	2	3	2	3	5	7	10	21	2	M } E900- F } 904	
.	.	1	1	1	.	.	1	.	.	.	.	1	1	.	.	M } E912 F }	
1	.	.	.	.	.	.	.	.	1	1	3	2	2	.	.	M } E916 F }	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	M } E917, F } 918	

**ABSTRACT IX (*continued*). Northern Ireland : Causes**

Inter- mediate List Nos.	CAUSES OF DEATH	AGES AT									
		ALL AGES	Neo- Natal under 1 month	Total under 1 year	1-	2-	3-	4-	5-	10-	15-
A145	Accident caused by firearm {M F	9 1	.	.	.	.	.	.	.	.	1 1
A146	Accidental drowning and sub- mersion . . . . .	{M F 28 6	.	.	.	3	1	.	3	1	1
A147	All other accidental causes {M F	32 21	5 6	15 18	2 1	.	1	.	1	.	1
A148	Suicide and self-inflicted injury {M F	31 19	.	.	.	.	.	.	.	.	.
A149	Homicide and injury purposely inflicted by other person {M F (not in war) . . . .	7 2	1 2	1 2	.	.	.	.	.	.	.
A150	Injury resulting from operations of war . . . . .	{M F	.	.	.	.	.	.	.	.	.

of Death at different Age-Periods, 1957.

DEATH																			Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	-	85-	90-	95 and over			
2	2	.	.	1	.	1	.	1	1	.	.	.	.	.	.	.	M } E919		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } E919		
4	.	2	.	4	1	1	.	3	1	1	.	4	.	.	.	.	M } E929		
1	.	.	.	1	.	1	.	1	1	.	.	.	.	.	.	.	F } E929		
2	.	2	1	2	1	1	2	.	.	.	.	1	.	.	.	.	M } E910, F } E911, E913- E915- E920- E928- E930- E962		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } E910, F } E911, E913- E915- E920- E928- E930- E962		
2	2	1	2	5	1	2	1	5	4	2	4	1	3	2	2	1	M } E963, F } E970- E979		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } E963, F } E970- E979		
2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	M } E964, F } E980- E985		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } E964, F } E980- E985		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } E965, F } E990- E999		

**ABSTRACT IXa. Northern Ireland : Deaths from Non-Transport**

Age-groups	Home		At Work		Other and unspecified places		Total	
	Male	Female	Male	Female	Male	Female	Male	Female
Accidental poisoning by solid and liquid substances (E870-E888)								
All ages . . . . .	2	2	.	.	.	1	2	3
0-	.	1	.	.	.	.	.	1
5-	.	.	.	.	.	.	.	.
15-	.	.	.	.	.	1	.	1
45-	1	1	.	.	.	.	1	1
65-	1	.	.	.	.	1	.	.
75 and over . . . .	.	.	.	.	.	.	.	.
Accidental poisoning by gases and vapours (E890-E895)								
All ages . . . . .	6	4	1	.	.	.	7	4
0-	.	.	.	.	.	.	.	.
5-	.	.	.	.	.	.	2	.
15-	2	.	.	.	.	.	4	1
45-	4	1	.	.	.	.	1	2
65-	.	2	1	.	.	.	.	1
75 and over . . . .	.	1	.	.	.	.	.	.
Accidental falls (E900-E904)								
All ages . . . . .	23	86	12	1	10	4	45	91
0-	.	1	.	.	1	.	1	1
5-	.	.	5	.	3	.	8	.
15-	.	.	5	1	2	1	8	2
45-	1	.	2	.	1	1	8	11
65-	5	10	2	.	1	2	20	77
75 and over . . . .	17	75	.	.	3	2	.	.
Blow from falling object (E910)								
All ages . . . . .	.	.	5	.	.	1	5	1
0-	.	.	.	.	.	.	.	.
5-	.	.	3	.	.	.	3	.
15-	.	.	2	.	.	.	2	1
45-	.	.	.	.	.	.	.	.
65-	.	.	.	.	.	.	.	.
75 and over . . . .	.	.	.	.	.	.	.	.
Accidents caused by machinery and electric current (E912, E914)								
All ages . . . . .	3	1	9	.	1	.	13	1
0-	1	.	.	.	.	.	1	.
5-	1	.	7	.	.	.	7	.
15-	.	1	1	.	1	.	2	1
45-	.	.	.	.	.	.	.	.
65-	.	.	.	.	.	.	.	.
75 and over . . . .	1	.	1	.	.	.	2	.
Accidental burning and scalding (E916, E917)								
All ages . . . . .	10	15	.	.	2	.	12	15
0-	5	3	.	.	2	.	7	3
5-	.	1	.	.	.	.	1	1
15-	.	1	.	.	.	.	.	.
45-	.	.	.	.	.	.	.	.
65-	2	4	.	.	.	.	2	4
75 and over . . . .	2	6	.	.	.	.	2	6

**Accidents by Place of Occurrence, Age and Sex, 1957.**

Age-groups	Home		At work		Other and unspecified places		Total	
	Male	Female	Male	Female	Male	Female	Male	Female
Accident caused by firearm (E919)								
All ages . . . . .	3	1	4	.	2	.	9	1
0-	.	.	.	.	.	.	.	.
5-	.	.	.	.	.	.	.	.
15-	1	1	3	.	2	.	6	1
45-	1	.	1	.	.	.	2	.
65-	1	.	.	.	.	.	1	.
75 and over . . . .	.	.	.	.	.	.	.	.
Inhalation and ingestion of food and other objects causing obstruction or suffocation (E921, E922)								
All ages . . . . .	7	6	.	.	1	1	8	7
0-	6	6	.	.	1	1	7	7
5-	.	.	.	.	.	.	.	.
15-	.	.	.	.	.	.	.	.
45-	1	.	.	.	.	.	1	.
65-	.	.	.	.	.	.	.	.
75 and over . . . .	.	.	.	.	.	.	.	.
Accidental mechanical suffocation in bed and cradle and in other circumstances (E924, E925)								
All ages . . . . .	6	11	.	.	.	.	6	11
0-	6	11	.	.	.	.	6	11
5-	.	.	.	.	.	.	.	.
15-	.	.	.	.	.	.	.	.
45-	.	.	.	.	.	.	.	.
65-	.	.	.	.	.	.	.	.
75 and over . . . .	.	.	.	.	.	.	.	.
Accidental drowning and submersion (E929)								
All ages . . . . .	2	.	.	.	26	6	28	6
0-	2	.	.	.	4	.	4	.
5-	.	.	.	.	2	.	4	.
15-	.	.	.	.	11	2	11	2
45-	.	.	.	.	4	3	4	3
65-	.	.	.	.	1	1	1	1
75 and over . . . .	.	.	.	.	4	.	4	.
Other and unspecified accidents (Remainder of E870-E936)								
All ages . . . . .	5	.	1	.	1	1	7	1
0-	4	.	.	.	.	1	4	1
5-	1	.	.	.	1	.	2	.
15-	.	.	.	.	.	.	.	.
45-	.	.	.	.	.	.	.	.
65-	.	.	.	.	.	.	.	.
75 and over . . . .	.	.	1	.	.	.	1	.
Total accidents (E870-E936)								
All ages . . . . .	67	126	32	1	43	14	142	141
0-	22	22	.	.	7	2	29	24
5-	3	1	.	.	3	.	6	1
15-	5	1	18	.	17	3	40	4
45-	8	4	9	1	7	5	24	10
65-	9	16	3	.	2	2	14	18
75 and over . . . .	20	82	2	.	7	2	29	84

**ABSTRACT X. Belfast County Borough : Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES												
			AGED												AGED												
			All Ages	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	
	ALL CAUSES	4,899	2,465	97	35	8	140	15	15	23	122	764	654	732	2,434	89	35	11	135	14	10	14	112	535	608	1,0	
B1	Tuberculosis of respiratory system	60	50	.	.	.	.	.	.	.	6	26	12	6	10	.	.	.	.	.	.	.	.	1	5	4	
B2	Tuberculosis, other forms	9	6	.	.	.	.	.	.	.	1	3	1	1	3	.	.	.	.	.	.	.	.	1	2	2	
B3	Syphilis and its sequelae	17	12	.	.	.	.	.	.	.	1	5	5	1	5	.	.	.	.	.	.	.	.	.	.	.	
B4	Typhoid Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B5	Cholera	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B6	Dysentery, all forms	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B7	Scarlet fever and streptococcal sore throat	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B8	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B9	Whooping cough	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B10	Meningococcal infections	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B11	Plague	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B12	Acute poliomyelitis	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.	
B13	Smallpox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B14	Measles	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	
B16	Malaria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B17	Other infectious and parasitic diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:	19	6	.	1	1	2	1	.	1	1	1	.	.	13	.	.	.	.	3	.	2	.	5	.	.	
	(a) Cancer	844	449	.	.	1	1	1	2	30	174	139	101	395	.	.	.	.	.	3	28	151	107	10			
	(b) Hodgkin's disease and leukaemia	20	7	.	.	.	.	.	2	1	3	1	1	13	.	.	.	.	1	2	.	1	5	2	2		
B19	Benign and unspecified neoplasms	7	2	.	.	.	.	.	.	1	1	1	1	5	.	.	.	.	.	1	2	.	1	2	1		
B20	Diabetes mellitus	27	10	.	.	.	.	.	.	2	3	1	4	17	.	.	.	.	.	2	4	4	2	4	4		
B21	Anaemias	11	2	.	.	.	.	.	.	.	1	1	1	9	.	.	.	.	.	.	.	.	.	2	4		
B22	Vascular lesions affecting central nervous system	636	245	.	.	.	.	.	1	.	6	55	70	113	391	.	.	.	.	5	74	113	19	.			
B23	Nonmeningococcal meningitis	3	2	.	.	.	.	.	1	1	1	1	1	1	.	.	.	.	1	.	1	.	2	1			
B24	Rheumatic fever	7	3	.	.	.	.	.	1	1	1	1	4	4	.	.	.	.	1	.	1	.	2	1			
B25	Chronic rheumatic heart disease	105	25	.	.	.	.	.	.	5	14	2	4	80	.	.	.	.	.	1	17	42	11	.			
B26	Arteriosclerotic and degenerative heart disease	1,245	683	.	.	.	.	.	1	16	245	201	220	562	.	.	.	.	.	3	88	172	29	.			

B27	Other diseases of heart . . . . .	138	58	.	.	.	.	.	.	.	.	4	17	18	14	18	23	80	.	.	.	.	.	.	.	.	4	11	21	29	30
B28	Hypertension with heart disease	134	54	.	.	.	.	.	.	.	.	4	18	18	18	18	23	80	.	.	.	.	.	.	.	.	2	16	22	29	30
B29	Hypertension without mention of heart . . . . .	48	22	.	.	.	.	1	1	1	.	2	5	8	7	26	.	.	.	.	.	.	.	.	1	1	2	2	2		
B30	Influenza . . . . .	63	27	—	—	12	1	1	13	1	.	4	6	9	7	36	.	9	1	1	1	2	2	1	1	1	2	10	8	1	
B31	Pneumonia . . . . .	268	138	.	.	1	.	1	.	.	.	3	20	31	70	130	.	2	.	.	.	.	.	.	.	1	9	18	23	6	
B32	Bronchitis.	261	180	.	.	.	.	.	.	.	.	4	67	55	53	81	.	10	.	.	.	.	.	.	.	1	1	20	19	30	
B33	Ulcer of stomach and duodenum	43	26	.	.	.	.	.	.	.	.	1	11	10	4	17	.	.	.	.	.	.	.	.	6	6	6	6	3		
B34	Appendicitis . . . . .	8	6	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.	.	.	.	.	1	1	4	3	0		
B35	Intestinal obstruction and hernia	25	9	.	.	2	.	2	.	.	.	2	2	2	1	16	.	2	.	.	.	.	.	.	1	1	4	3	0		
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	25	10	—	—	4	.	4	.	.	.	1	2	3	15	.	5	1	6	1	.	.	.	2	2	2	2	2			
B37	Cirrhosis of liver . . . . .	16	10	.	.	.	.	.	.	.	.	2	5	6	2	1	.	.	.	.	.	.	.	1	1	2	9	4			
B38	Nephritis and nephrosis . . . . .	44	24	.	.	.	.	.	.	.	.	1	6	6	5	12	.	—	—	—	—	—	—	—	—	—	—	—	—		
B39	Hyperplasia of prostate . . . . .	19	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—			
B41	Congenital malformations . . . . .	76	35	15	10	4	29	1	—	2	.	2	—	1	41	17	9	5	31	3	.	2	7	4	1	—	—	—	—	—	
B42	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B43	(a) with prematurity . . . . .	34	20	20	.	.	20	—	—	—	—	—	—	—	—	—	14	14	.	.	.	14	—	—	—	—	—	—	—	—	—
B43	(b) without prematurity . . . . .	32	24	24	.	.	24	—	—	—	—	—	—	—	—	—	8	8	.	.	.	8	—	—	—	—	—	—	—	—	—
B43	Infections of the newborn:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	.	.	.	3	—	—	—	—	—	—	—	—	—
B44	(a) with prematurity . . . . .	6	3	3	.	.	3	—	—	—	—	—	—	—	—	—	7	7	.	.	.	7	—	—	—	—	—	—	—	—	—
B44	(b) without prematurity . . . . .	14	7	7	.	.	7	—	—	—	—	—	—	—	—	—	7	7	.	.	.	7	—	—	—	—	—	—	—	—	—
B44	Other diseases peculiar to early infancy:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	31	1	1	31	—	—	—	—	—	—	—	—	—	—
B45	(a) with prematurity . . . . .	51	20	20	.	.	20	—	—	—	—	—	—	—	—	—	5	3	1	1	31	—	—	—	—	—	—	—	—	—	
B45	(b) without prematurity . . . . .	11	6	5	1	.	6	—	—	—	—	—	—	—	—	—	5	3	1	1	5	—	—	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	69	18	1	3	.	3	3	4	5	8	43	1	16	51	182	2	4	.	6	.	2	1	20	36	44	3	48	73		
B46	All other causes . . . . .	347	165	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
BE47	Motor vehicle accidents . . . . .	36	26	.	.	.	.	3	4	5	8	43	1	16	51	182	2	4	.	6	.	2	1	20	36	44	2	2	1		
BE48	All other accidents . . . . .	79	37	1	.	.	.	1	5	1	2	10	11	1	4	10	42	3	3	1	7	1	1	.	1	6	9	17			
BE49	Suicide and self-inflicted injury . . . . .	28	17	.	.	.	.	.	.	.	.	1	4	9	2	1	11	.	.	.	.	.	.	.	.	3	6	2	1		
BE50	Homicide and operations of war	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . . . .	12	5	1	4	.	5	.	—	—	—	—	—	—	—	—	7	1	5	1	7	.	—	—	—	—	—	—	—	—	—
	Pneumonia (included in B31 and B43) . . . . .	285	146	8	12	1	21	1	.	.	3	20	31	70	139	9	9	9	1	19	2	.	1	9	18	23	6	7	1	1	

**ABSTRACT X. Londonderry County Borough : Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES										FEMALES														
			All Ages	AGED									All Ages	AGED													
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64		under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	522	246	14	4	2	20	7	2	4	13	73	68	59	276	9	6	3	18	8	2	4	12	63	82	8	
B1	Tuberculosis of respiratory system		6	3	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	2		
B2	Tuberculosis, other forms		1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		
B3	Syphilis and its sequelae		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B4	Typhoid Fever		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B5	Cholera		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B6	Dysentery, all forms		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B7	Scarlet fever and streptococcal sore throat		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B8	Diphtheria		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B9	Whooping cough		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B10	Meningococcal infections		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B11	Plague		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B12	Acute poliomyelitis		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B13	Smallpox		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B14	Measles		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B15	Typhus and other rickettsial diseases		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B16	Malaria		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B17	Other infectious and parasitic diseases		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:	3	3	1	1	.	2	.	.	.	1	.	21	13	4	40	.	.	.	.	.	.	.	5	14	14	
	(a) Cancer	81	41	.	.	.	.	1	.	1	1	21	13	4	40	.	.	.	.	.	.	.	.	5	14	14	
	(b) Hodgkin's disease and leukaemia		2	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.			
B19	Benign and unspecified neoplasms	1	1	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B20	Diabetes mellitus	10	2	.	.	.	.	.	.	.	1	.	1	1	8	.	.	.	.	.	.	.	.	2	4		
B21	Anaemias	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.		
B22	Vascular lesions affecting central nervous system	57	21	.	.	.	.	.	.	1	.	5	8	7	36	.	.	.	.	.	.	.	.	10	11	1	
B23	Nonmeningoococcal meningitis	1	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	1	1	.	.	.	.	.			
B24	Rheumatic fever	2	1	.	.	.	.	.	.	1	.	.	1	1	1	4	.	.	.	.	.	.	.	2	1	1	
B25	Chronic rheumatic heart disease	7	3	.	.	.	.	.	.	.	1	1	1	1	4	.	.	.	.	.	.	.	.	3	13	24	
B26	Arteriosclerotic and degenerative heart disease	122	56	.	.	.	.	.	.	.	3	18	20	15	66	.	.	.	.	.	.	.	.	3	13	24	

B27	Other diseases of heart . . . . .	20	9	.	.	.	.	.	.	.	1	1	4	3	3	11	7	.	.	.	.	.	.	.	.	.	8	2
B28	Hypertension with heart disease	10	3	.	.	.	.	.	.	.	.	1	1	1	1	1	5	7	.	.	.	.	.	.	.	.	1	.
B29	Hypertension without mention of heart . . . . .	9	4	.	.	.	.	.	.	.	.	1	1	5	3	3	7	10	.	.	.	.	.	.	.	.	1	2
B30	Influenza . . . . .	18	11	.	.	.	.	.	.	.	.	1	5	4	1	5	10	.	.	.	.	.	.	.	.	.	4	2
B31	Pneumonia . . . . .	23	13	.	—	.	.	.	.	.	.	1	3	2	1	1	4	11	.	.	.	.	.	.	.	.	3	1
B32	Bronchitis . . . . .	17	6	.	.	.	.	.	.	.	.	2	1	1	1	1	4	11	.	.	.	.	.	.	.	.	3	1
B33	Ulcer of stomach and duodenum	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B34	Appendicitis . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B35	Intestinal obstruction and hernia	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	4	1	—	.	1	1	.	.	.	.	.	.	.	.	3	—	.	.	.	.	.	.	.	.	1	.	
B37	Cirrhosis of liver . . . . .	5	3	.	.	.	.	.	.	.	.	.	.	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.
B38	Nephritis and nephrosis . . . . .	5	5	.	.	.	.	.	.	.	.	1	1	1	4	—	—	—	—	—	—	—	—	—	—	—	2	
B39	Hyperplasia of prostate . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B41	Congenital malformations . . . . .	9	2	1	1	—	—	2	—	—	—	—	—	—	—	—	7	3	i	.	4	2	.	.	.	i	.	.
B42	Birth injuries, postnatal asphyxia and atelectasis	.	.	.	.	.	.	1	—	—	—	—	—	—	—	—	2	2	.	2	—	—	—	—	—	—	—	—
B43	(a) with prematurity . . . . .	3	1	1	.	.	.	1	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.	.
B43	(b) without prematurity . . . . .	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
B43	Infections of the newborn:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B44	(a) with prematurity . . . . .	3	3	3	.	.	.	3	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
B44	(b) without prematurity . . . . .	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
B44	Other diseases peculiar to early infancy:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B44	(a) with prematurity . . . . .	9	7	7	.	.	.	7	—	—	—	—	—	—	—	—	2	2	.	2	—	—	—	—	—	—	—	—
B44	(b) without prematurity . . . . .	2	1	1	.	.	.	1	—	—	—	—	—	—	—	—	1	1	.	.	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill defined and unknown causes . . . . .	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	
B46	All other causes . . . . .	19	8	.	.	.	.	.	1	.	1	.	7	4	8	11	23	.	.	.	1	1	.	2	1	10	3	
BE47	Motor vehicle accidents . . . . .	4	4	.	.	.	.	.	2	1	1	.	1	1	3	1	6	.	.	1	1	.	2	1	1	1	.	
BE48	All other accidents . . . . .	13	7	.	.	1	1	2	.	.	.	1	1	1	1	1	1	.	.	1	1	.	.	.	.	.	1	
BE49	Suicide and self-inflicted injury	3	2	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	.	.	1	.	.	.	.	1	.	
BE50	Homicide and operations of war	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . . . .																												
Pneumonia (included in B31 and B43) . . . . .																												
		25	15	2	1	.	1	3	2	.	.	.	.	4	1	5	10	.	4	1	5	2	.	.	.	.	1	1

**ABSTRACT X. County Antrim : Causes of Death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES													FEMALES													
			All Ages	AGED												All Ages	AGED												
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74					
	ALL CAUSES	2,520	1,359	40	16	9	65	14	11	17	73	304	329	546	1,161	43	14	7	64	10	8	5	51	204	266				
B1	Tuberculosis of respiratory system . . . . .	19	9	.	.	.	.	.	.	.	1	4	2	2	10	.	.	.	1	1	.	.	3	3	2				
B2	Tuberculosis, other forms . . . . .	5	1	.	.	.	.	.	.	.	1	1	2	.	4	.	.	1	1	.	.	1	.	1					
B3	Syphilis and its sequelae . . . . .	6	4	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2				
B4	Typhoid Fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B5	Cholera . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B6	Dysentery, all forms . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B7	Scarlet fever and streptococcal sore throat . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B8	Diphtheria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B9	Whooping cough . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B10	Meningococcal infections . . . . .	3	3	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B11	Plague . . . . .	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B12	Acute poliomyelitis . . . . .	3	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1			
B13	Smallpox . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B14	Measles . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B15	Typhus and other rickettsial diseases . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B16	Malaria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B17	Other infectious and parasitic diseases . . . . .	6	1	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	2	1	.	1	1		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:																												
	(a) Cancer . . . . .	351	205	.	.	.	.	.	3	.	1	11	68	59	63	146	.	.	.	.	2	.	.	.	11	55	38		
	(b) Hodgkin's disease and leukaemia																												
B19	Benign and unspecified neoplasms	7	3	.	.	.	.	.	.	1	1	1	.	.	.	4	.	.	.	.	.	.	.	.	1	.	2		
B20	Diabetes mellitus . . . . .	2	1	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	1	.	4		
B21	Anaemias . . . . .	12	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	2
B22	Vascular lesions affecting central nervous system . . . . .	10	5	.	.	.	.	.	.	.	1	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.		
B23	Nonmeningoococcal meningitis . . . . .	369	171	.	.	.	.	.	.	.	5	22	50	94	198	.	.	.	.	.	.	.	.	1	4	36	64		
B24	Rheumatic fever . . . . .	2	1	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	1	.	1		
B25	Chronic rheumatic heart disease	4	1	.	.	.	.	.	.	.	2	3	1	.	.	3	.	.	.	.	1	.	.	1	5	.			
B26	Arteriosclerotic and degenerative heart disease . . . . .	19	6	.	.	.	.	.	.	.	1	10	110	109	182	321	.	.	.	.	.	.	.	4	5	.			
		733	412	.	.	.	.	.	.	.	1	10	110	109	182	321	.	.	.	.	.	.	.	2	44	81			

B27	Other diseases of heart . . . . .	62	26	.	.	.	.	.	.	.	.	5	14	5	15	36	.	.	.	.	.	.	.	.	2	5	9	9	9					
B28	Hypertension with heart disease . . . . .	102	46	.	.	.	.	.	.	.	.	1	.	.	5	12	20	56	.	.	.	.	.	.	.	1	3	3	4	1				
B29	Hypertension without mention of heart . . . . .	29	20	.	.	.	.	.	.	.	.	1	1	1	5	7	7	9	.	1	.	.	.	.	1	3	3	4	8					
B30	Influenza . . . . .	31	18	—	8	3	11	.	.	.	.	1	.	1	4	7	6	13	.	.	3	4	.	.	1	1	5	6	6					
B31	Pneumonia . . . . .	81	42	.	.	1	1	.	.	.	.	1	.	1	6	8	15	39	.	.	.	.	.	.	.	1	1	1	2	.				
B32	Bronchitis . . . . .	68	43	.	.	.	.	.	.	.	.	1	.	1	10	19	12	25	.	.	.	.	.	.	.	.	.	.	.	.				
B33	Ulcer of stomach and duodenum . . . . .	20	15	.	.	.	.	.	.	.	.	1	.	1	2	3	9	5	.	.	.	.	.	.	.	.	.	.	.	.				
B34	Appendicitis . . . . .	1	1	.	.	.	.	.	.	.	.	.	.	.	2	5	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B35	Intestinal obstruction and hernia . . . . .	11	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	3			
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	17	12	—	2	2	4	.	.	.	.	2	1	2	3	5	.	1	.	1	.	.	.	.	2	2	2	2	1					
B37	Cirrhosis of liver . . . . .	6	3	.	.	.	.	.	.	.	.	1	2	1	2	3	.	1	.	1	.	.	.	.	1	.	.	2	2					
B38	Nephritis and nephrosis . . . . .	20	14	.	.	.	.	.	.	.	.	4	5	3	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1			
B39	Hyperplasia of prostate . . . . .	21	21	.	.	.	.	.	.	.	.	1	4	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	10	—	.	.	.	.	.	.	.	.	—	—	—	—	10	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B41	Congenital malformations . . . . .	41	17	—	6	—	5	—	2	13	1	—	1	1	1	—	—	24	11	7	3	21	2	1	.	10	.	.	.	.	.			
B42	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
B43	(a) with prematurity . . . . .	10	5	5	5	.	.	5	—	—	—	—	—	—	—	—	—	5	5	.	5	5	—	—	—	—	—	—	—	—	—	—		
B43	(b) without prematurity . . . . .	18	8	8	8	.	.	8	—	—	—	—	—	—	—	—	—	10	9	1	.	10	—	—	—	—	—	—	—	—	—	—	—	
B43	Infections of the newborn:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B44	(a) with prematurity . . . . .	4	3	3	3	.	.	3	—	—	—	—	—	—	—	—	—	1	1	.	.	1	—	—	—	—	—	—	—	—	—	—	—	
B44	(b) without prematurity . . . . .	1	1	1	1	.	.	1	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
B44	Other diseases peculiar to early infancy:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	11	.	.	11	—	—	—	—	—	—	—	—	—	—	—	
B45	(a) with prematurity . . . . .	26	15	15	15	1	1	15	—	—	—	—	—	—	—	—	—	11	5	.	.	5	—	—	—	—	—	—	—	—	—	—	—	
B45	(b) without prematurity . . . . .	7	2	1	1	.	.	2	—	—	—	—	—	—	—	—	—	5	5	.	.	5	—	—	—	—	—	—	—	—	—	—	—	
B46	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	109	44	.	.	.	.	.	.	.	.	1	3	6	26	21	42	65	.	1	.	1	.	2	1	2	19	1	1	1	1			
B46	All other causes . . . . .	166	96	.	.	.	.	.	.	.	.	1	3	6	26	21	39	70	.	.	.	.	.	.	.	.	.	.	.	.	.	.	22	
BE47	Motor vehicle accidents . . . . .	41	33	.	.	.	.	.	5	2	5	2	5	7	6	5	3	8	.	2	1	1	1	3	1	1	1	1	1	1				
BE48	All other accidents . . . . .	60	35	1	.	1	2	2	2	3	4	10	2	1	1	3	8	25	1	3	.	4	.	.	.	1	1	1	1	1				
BE49	Suicide and self-inflicted injury . . . . .	7	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
BE50	Homicide and operations of war . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	7	5	1	2	2	5	.	—	—	—	—	—	—	—	2	1	1	.	2	.	—	—	—	—	—	—	—	—	—	—			
	Pneumonia (included in B31 and B43, . . . . .)	83	44	2	8	3	13	.	1	.	1	6	8	15	39	.	.	3	3	4	.	1	.	4	.	4	.	4	8	.	.			

**ABSTRACT X. County Armagh : Causes of death at different Age-Periods 1957.**

B27	Other diseases of heart . . .	59	26	.	.	.	.	.	.	.	.	1	6	3	9	5	11	7	33	20	.	.	.	.	.	.	.	8	10	1			
B28	Hypertension with heart disease	36	16	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	5	11	.	.	.	.	.	.	.	.	4	6	1		
B29	Hypertension without mention of heart . . . . .	11	6	.	.	.	.	.	.	.	.	.	.	.	.	2	6	3	5	11	.	.	.	.	.	.	.	1	4	1			
B30	Influenza . . . . .	25	14	.	.	9	2	11	2	.	.	.	.	.	.	2	2	4	14	31	.	.	.	.	.	.	.	2	3	1			
B31	Pneumonia . . . . .	64	33	.	.	.	.	.	.	.	.	.	.	.	.	13	7	12	10	2	.	.	.	.	.	.	.	2	5	1			
B32	Bronchitis . . . . .	44	34	.	.	.	.	.	.	.	.	.	.	.	.	1	2	4	2	2	.	.	.	.	.	.	.	2	5	1			
B33	Ulcer of stomach and duodenum	9	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1	1			
B34	Appendicitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
B35	Intestinal obstruction and hernia	6	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1			
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	15	7	—	3	.	3	.	.	.	.	.	.	.	.	3	.	1	8	—	.	1	1	.	.	.	.	3	1	1			
B37	Cirrhosis of liver . . . . .	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	2	5	.	.	.	.	.	.	.	1	1	1			
B38	Nephritis and nephrosis . . . . .	13	8	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.	.	.	.	.	1	2	—			
B39	Hyperplasia of prostate . . . . .	8	8	.	.	.	.	.	.	.	.	.	.	.	.	3	4	—	—	—	.	.	.	.	.	.	.	—	—	—			
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6	2	4	12	1	.	1	1	.	.			
B41	Congenital malformations . . . . .	23	9	4	2	3	9	.	.	.	.	.	.	.	.	—	—	—	—	14	6	2	4	12	1	.	1	1	.	.			
B42	Birth injuries, postnatal asphyxia and atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	6	2	4	12	1	.	1	1	.	.		
B43	(a) with prematurity . . . . .	7	4	4	.	.	4	—	—	—	—	—	—	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—			
B44	(b) without prematurity . . . . .	7	4	4	.	.	4	—	—	—	—	—	—	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—			
B45	Infections of the newborn:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B46	(a) with prematurity . . . . .	1	1	1	.	.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B47	(b) without prematurity . . . . .	4	3	3	.	.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B48	Other diseases peculiar to early infancy:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B49	(a) with prematurity . . . . .	17	12	12	.	.	12	—	—	—	—	—	—	—	—	—	—	—	—	5	5	.	.	5	—	—	—	—	—	—			
B50	(b) without prematurity . . . . .	2	2	2	.	.	2	—	—	—	—	—	—	—	—	—	—	—	—	5	5	.	.	5	—	—	—	—	—	—			
BE47	Sensitily without mention of psychosis, ill-defined and unknown causes . . . . .	58	27	.	.	.	.	.	.	.	.	.	.	.	.	18	3	24	15	31	.	.	.	1	1	.	1	1	6	2	4	1	
BE48	All other causes . . . . .	85	45	.	.	.	.	.	.	.	.	.	.	.	.	2	18	3	6	15	40	.	.	.	1	1	.	1	1	6	2	9	9
BE49	Motor vehicle accidents . . . . .	7	6	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	1	1	.	.	.	.	.	.	1	2	1	.		
BE50	All other accidents . . . . .	23	13	.	2	1	3	1	1	1	1	1	1	1	1	1	1	4	1	1	10	.	.	.	.	.	.	2	1	2			
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	6	4	1	3	.	4	.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	1	1	1	—	—	—	—	—	—		
	Pneumonia (included in B31 and B43) . . . . .	68	36	3	9	2	14	2	.	.	.	.	.	.	.	2	4	14	32	1	4	2	7	.	1	.	2	3	5	1			

**ABSTRACT X. County Down : Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES											
			All Ages	AGED											All Ages	AGED										
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74			
	ALL CAUSES	2,710	1,385	44	13	6	63	11	14	19	63	323	347	545	1,325	41	9	6	56	4	1	11	45	197	352	
B1	Tuberculosis of respiratory system	28	20																						2	5
B2	Tuberculosis, other forms	3	3																							
B3	Syphilis and its sequelae	6	6																							
B4	Typhoid Fever																									
B5	Cholera																									
B6	Dysentery, all forms																									
B7	Scarlet fever and streptococcal sore throat																									
B8	Diphtheria																									
B9	Whooping cough																									
B10	Meningococcal infections																									
B11	Plague																									
B12	Acute poliomyelitis	3	2																							1
B13	Smallpox																									
B14	Measles																									
B15	Typhus and other rickettsial diseases																									
B16	Malaria																									
B17	Other infectious and parasitic diseases	6	6																							
B18	Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues:																									
	(a) Cancer	402	204																						2	10
	(b) Hodgkin's disease and leukaemia																								58	70
B19	Benign and unspecified neoplasms	17	12																						1	1
B20	Diabetes mellitus	2	2																						1	1
B21	Anaemias	16	5																						6	
B22	Vascular lesions affecting central nervous system	8	4																							1
B23	Nonmeningococcal meningitis	381	155	1																					24	75
B24	Rheumatic fever	2	1																						2	
B25	Chronic rheumatic heart disease	4	2																						7	1
B26	Arteriosclerotic and degenerative heart disease	27	13																						4	
		878	461																						1	47
																									116	

B27	Other diseases of heart . . . . .	94	44	.	.	.	.	.	2	1	2	9	6	6	24	50	.	.	.	.	.	.	.	4	4	14	
B28	Hypertension with heart disease . . . . .	63	29	.	.	.	.	.	.	.	2	3	2	4	9	50	.	.	.	.	.	.	.	1	1	12	
B29	Hypertension without mention of heart . . . . .	20	11	.	.	.	.	.	.	.	1	2	5	6	6	16	34	.	.	.	.	.	.	1	3	1	
B30	Influenza . . . . .	28	14	.	.	.	.	5	3	8	3	.	.	17	15	12	18	52	.	2	4	6	1	1	1	3	2
B31	Pneumonia . . . . .	92	40	—	.	.	.	.	.	.	.	.	1	5	2	8	3	.	.	.	.	.	.	1	5	4	
B32	Bronchitis . . . . .	63	45	.	.	.	.	.	.	.	.	.	1	1	1	1	3	.	.	.	.	.	.	1	1	2	
B33	Ulcer of stomach and duodenum . . . . .	19	16	.	.	.	.	.	.	.	.	.	1	1	1	1	11	.	.	.	1	1	.	1	1	1	
B34	Appendicitis . . . . .	6	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	1	1	2	
B35	Intestinal obstruction and hernia . . . . .	16	5	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.	.	.	1	3	2	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	7	2	—	.	1	.	.	1	.	.	.	1	2	2	5	4	.	.	.	.	.	.	1	1	2	
B37	Cirrhosis of liver . . . . .	6	2	.	.	.	.	.	.	.	.	.	3	3	2	1	7	.	.	.	.	.	.	2	1	3	
B38	Nephritis and nephrosis . . . . .	17	10	.	.	.	.	.	.	.	.	.	2	6	16	—	—	.	.	.	.	.	.	—	—	—	
B39	Hyperplasia of prostate . . . . .	24	24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	5	—	—	6	—	5	1	12	—	1	—	2	—	—	5	—	.	.	.	.	.	2	3	.		
B41	Congenital malformations . . . . .	38	18	—	6	—	5	1	—	12	—	1	—	2	1	—	20	11	5	1	17	.	1	1	1		
B42	Birth injuries, postnatal asphyxia and atelectasis			(a) with prematurity . . . . .	15	10	10	8	1	.	10	9	—	—	—	—	—	5	5	6	1	.	5	7	—	—	
		(b) without prematurity . . . . .	16	9	8	1	.	.	—	9	—	—	—	—	—	—	7	7	6	1	.	5	7	—	—		
B43	Infections of the newborn:			(a) with prematurity . . . . .	1	1	1	2	.	.	2	—	—	—	—	—	—	2	2	2	.	.	2	—	—	—	
		(b) without prematurity . . . . .	4	2	2	.	.	.	—	2	—	—	—	—	—	—	—	—	—	—	.	—	—	—	—		
B44	Other diseases peculiar to early infancy:			(a) with prematurity . . . . .	26	12	12	2	.	.	12	2	—	—	—	—	—	14	14	1	.	.	14	—	—	—	
		(b) without prematurity . . . . .	3	2	2	.	.	.	—	2	—	—	—	—	—	—	1	1	1	.	.	14	—	—	—		
B45	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	105	47	.	1	1	.	.	2	1	4	3	2	2	5	40	58	.	1	.	1	.	2	7	2	4	
B46	All other causes . . . . .	163	82	1	1	.	.	2	1	4	3	2	22	22	26	81	.	1	.	1	.	.	2	7	18	22	
BE47	Motor vehicle accidents . . . . .	31	23	.	.	.	.	1	3	5	9	4	1	8	25	.	.	.	.	.	.	.	2	1	5		
BE48	All other accidents . . . . .	61	36	1	.	1	.	2	2	.	4	9	7	3	9	2	.	.	.	.	.	.	1	1	3		
BE49	Suicide and self-inflicted injury . . . . .	4	2	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.	.	.	.	1	1	.		
BE50	Homicide and operations of war . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . . . .	4	2	1	1	.	2	.	—	—	—	—	—	—	—	2	2	.	.	2	.	—	—	—	—		
	Pneumonia (included in B31 and B43) . . . . .	93	41	1	5	3	9	3	.	.	.	.	5	6	18	52	.	2	4	6	1	.	1	1	5		

**ABSTRACT X. County Fermanagh : Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES													
			All Ages	AGED										All Ages	AGED													
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74				
	ALL CAUSES	612	325	16	6	1	23	3	3	5	11	50	78	152	287	10	3	.	13	1	4	1	16	49	65			
B1	Tuberculosis of respiratory system	5	4	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.		
B2	Tuberculosis, other forms	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B3	Syphilis and its sequelae	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B4	Typhoid Fever	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B5	Cholera	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B6	Dysentery, all forms	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B7	Scarlet fever and streptococcal sore throat	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B8	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B9	Whooping cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B10	Meningococcal infections	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B11	Plague	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B12	Acute poliomyelitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B13	Smallpox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B14	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B16	Malaria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B17	Other infectious and parasitic diseases	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:																											
	(a) Cancer	78	39	.	.	.	.	.	.	.	1	1	9	13	15	39	.	.	.	.	.	.	1	.	5	16	7	
	(b) Hodgkin's disease and leukaemia	4	2	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	1	.	
B19	Benign and unspecified neoplasms	.		.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
B20	Diabetes mellitus	8	3	.	.	.	.	.	.	.	2	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
B21	Anaemias	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B22	Vascular lesions affecting central nervous system	90	41	.	.	.	.	.	.	1	.	1	5	12	22	49	.	.	.	.	.	.	1	1	2	9	11	
B23	Nonmeningococcal meningitis	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B24	Rheumatic fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B25	Chronic rheumatic heart disease	7	3	.	.	.	.	.	.	.	.	1	1	1	4	.	.	.	.	.	.	.	.	.	2	1		
B26	Arteriosclerotic and degenerative heart disease	.	.	165	91	.	.	.	.	.	3	17	19	52	74	.	.	.	.	.	.	.	2	8	26	.		

B27	Other diseases of heart . . .	10	7	.	.	.	.	.	.	.	.	.	2	2	3	3	.	.	.	.	.	.	.	.	1	1		
B28	Hypertension with heart disease . . .	22	8	.	.	.	.	.	.	.	.	.	1	4	3	3	14	.	.	.	.	.	.	.	2	1		
B29	Hypertension without mention of heart . . .	10	8	.	.	.	.	.	.	.	.	.	3	1	2	2	7	.	.	.	.	.	.	.	1	1		
B30	Influenza . . . . .	8	7	.	.	.	.	.	.	.	.	.	1	1	2	2	5	.	.	.	.	.	.	.	1	1		
B31	Pneumonia . . . . .	15	9	—	4	.	.	4	.	.	.	.	2	2	2	2	6	.	.	.	.	.	.	.	1	1		
B32	Bronchitis . . . . .	14	9	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B33	Ulcer of stomach and duodenum . . .	2	2	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B34	Appendicitis . . . . .	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
R35	Intestinal obstruction and hernia	5	3	1	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	3	2	—	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.	.	.	.	1	1		
B37	Cirrhosis of liver . . . . .	6	4	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B38	Nephritis and nephrosis . . . . .	8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B39	Hyperplasia of prostate . . . . .	8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	1	1		
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	2	.	.		
B41	Congenital malformations . . . . .	6	3	2	.	.	.	2	1	.	.	.	—	—	—	—	3	.	.	.	.	.	.	3	.	.		
B42	Birth injuries, postnatal asphyxia and atelectasis . . . . .	4	3	3	.	.	.	3	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	1	1	.		
	(a) with prematurity . . . . .	6	5	5	.	.	.	5	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	1	1	.		
B43	Infections of the newborn:																											
	(a) with prematurity . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) without prematurity . . . . .	2	2	2	.	.	.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy:																											
	(a) with prematurity . . . . .	5	3	3	.	.	.	3	—	—	—	—	—	—	—	—	2	2	2	.	.	.	.	2	—	—		
	(b) without prematurity . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	.	.	.	.	2	—	—		
B45	Sensitilis without mention of psychosis, ill-defined and unknown causes . . . . .	55	19	.	.	.	.	.	.	.	.	.	3	2	17	36	.	.	.	.	.	.	.	.	1	1		
B46	All other causes . . . . .	38	26	.	.	.	.	.	.	.	.	.	1	1	1	1	12	12	.	.	.	.	.	.	2	4	3	
BE47	Motor vehicle accidents . . . . .	6	2	.	.	.	.	3	1	.	.	.	1	1	1	1	4	.	.	.	.	.	.	.	2	1		
BE48	All other accidents . . . . .	17	6	.	.	2	1	3	1	.	.	.	1	1	1	1	11	.	.	.	.	.	.	1	1	.		
BE49	Suicide and self-inflicted injury . . . . .	1	1	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	1	1	.	
BE50	Homicide and operations of war . . . . .	3	3	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	1	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	.	1	.	.	.	1	.	.	—	
	Pneumonia (included in B31 and B43) . . . . .	18	11	2	4	.	6	.	1	.	.	.	2	2	7	1	2	.	3	.	.	.	.	.	1	1	.	

**ABSTRACT X. County Londonderry: Causes of Death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	All Ages	MALES												FEMALES											
				AGED												AGED											
				under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74		
	ALL CAUSES	1,129	620	37	9	3	49	3	7	11	21	122	154	253	509	18	9	3	30	5	3	5	17	93	108		
B1	Tuberculosis of respiratory system		6	4	.	.	.	.	.	.	1	1	2	.	2	.	.	.	.	.	.	.	.	1	1		
B2	Tuberculosis, other forms		1	1	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	1	.		
B3	Syphilis and its sequelae		3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B4	Typhoid Fever		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B5	Cholera		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B6	Dysentery, all forms		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B7	Scarlet fever and streptococcal sore throat		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B8	Diphtheria		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B9	Whooping cough		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B10	Meningococcal infections		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B11	Plague		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B12	Acute poliomyelitis		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B13	Smallpox		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B14	Measles		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B15	Typhus and other rickettsial diseases		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B16	Malaria		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B17	Other infectious and parasitic diseases		1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:		152	80	.	.	.	.	.	1	1	3	18	25	32	72	.	.	.	.	.	1	4	26	21		
	(a) Cancer																										
	(b) Hodgkin's disease and leukaemia		4	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	1	1	.	.			
B19	Benign and unspecified neoplasms		2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	1	2		
B20	Diabetes mellitus		8	2	.	.	.	.	.	.	1	.	.	.	.	1	6	.	.	.	.	1	.	1	1		
B21	Anaemias		6	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.	.	.	.	.		
B22	Vascular lesions affecting central nervous system		161	70	.	.	.	.	.	.	.	1	12	16	41	91	.	.	.	.	.	.	2	18	26		
B23	Nonmeningococcal meningitis		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
B24	Rheumatic fever		2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.			
B25	Chronic rheumatic heart disease		11	7	.	.	.	.	.	.	.	2	3	2	.	4	.	.	.	.	.	.	3	1			
B26	Arteriosclerotic and degenerative heart disease		309	186	.	.	.	.	.	.	.	1	42	51	92	123	.	.	.	.	.	.	2	17	25		

B27	Other diseases of heart . . . . .	29	14	.	.	.	.	.	.	.	.	.	.	.	7	6	8	15	.	.	.	.	.	.	.	3	1	
B28	Hypertension with heart disease	34	16	.	.	.	.	.	.	.	.	.	.	.	.	5	4	18	18	.	.	.	.	.	.	3	4	
B29	Hypertension without mention of heart . . . . .	6	4	.	.	1	.	1	.	.	.	.	.	.	1	2	3	2	18	.	.	.	.	.	.	2	1	
B30	Influenza . . . . .	26	8	—	—	5	.	1	5	.	.	2	.	1	2	4	9	6	6	.	5	1	6	2	5	2		
B31	Pneumonia . . . . .	40	21	.	.	.	.	.	.	.	.	.	.	.	.	3	4	9	19	.	.	.	.	.	.	3	2	
B32	Bronchitis . . . . .	20	16	.	.	.	.	1	1	.	.	.	.	.	1	2	2	2	2	.	.	.	.	.	.	1	1	
B33	Ulcer of stomach and duodenum	7	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	1	1	
B34	Appendicitis . . . . .	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	1	1	
B35	Intestinal obstruction and hernia	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.	.	.	1	1	
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	3	2	—	—	.	.	.	.	.	.	1	.	1	1	1	1	1	1	—	.	.	.	.	1	1		
B37	Cirrhosis of liver . . . . .	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	5	.	.	.	.	.	.	1	1	
B38	Nephritis and nephrosis . . . . .	8	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	5	.	.	.	.	.	.	2	1	
B39	Hyperplasia of prostate . . . . .	12	12	.	.	.	.	.	.	.	.	.	.	.	1	3	8	—	—	—	—	—	—	—	3	1		
B40	Complications of pregnancy, childbirth and the puerperium	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—		
B41	Congenital malformations . . . . .	23	11	7	2	2	11	.	.	.	.	.	.	.	.	.	.	12	7	3	1	11	.	.	.	3	1	
B42	Birth injuries, postnatal asphyxia and atelectasis	(a) with prematurity . . . . .	15	13	13	.	.	13	—	—	—	—	—	—	—	—	—	—	2	2	3	1	.	2	—	—	—	
	(b) without prematurity . . . . .	8	4	4	.	.	4	—	—	—	—	—	—	—	—	—	—	—	4	3	1	.	4	—	—	—	—	
B43	Infections of the newborn:	(a) with prematurity . . . . .	.	.	.	.	.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) without prematurity . . . . .	4	3	3	.	.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy:	(a) with prematurity . . . . .	12	7	7	.	.	7	—	—	—	—	—	—	—	—	—	—	5	5	.	.	.	5	—	—	—	—
	(b) without prematurity . . . . .	1	1	1	.	.	1	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	84	39	.	1	.	1	.	1	.	1	.	1	2	18	13	33	45	.	.	i	i	1	i	3	1	3	
B46	All other causes . . . . .	74	45	.	.	.	.	.	.	.	.	.	.	.	.	2	18	13	10	29	.	.	i	i	1	i	5	9
BE47	Motor vehicle accidents . . . . .	25	23	—	—	.	.	.	2	2	6	5	3	5	2	1	2	10	.	.	.	.	1	.	.	1	3	
BE48	All other accidents . . . . .	19	9	2	.	.	.	2	.	.	.	2	2	1	2	1	2	10	.	.	.	.	1	.	.	—	—	
BE49	Suicide and self-inflicted injury	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	—	—	
BE50	Homicide and operations of war	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	1	1	1	.	.	1	.	—	—	—	—	—	—	—	—	—	—	.	.	.	.	—	—	—	—	—	
	Pneumonia (included in B31 and B43) . . . . .	43	23	2	5	.	7	.	2	1	.	.	4	9	20	1	5	1	7	2	.	.	.	.	3	2		

**ABSTRACT X. County Tyrone: Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES												
			All Ages	AGED											All Ages	AGED											
				under 1 mth.	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	under 1 mth.	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74				
	ALL CAUSES	1,494	842	42	8	7	57	6	7	11	37	150	208	366	652	40	7	1	48	7	5	7	21	93	160		
B1	Tuberculosis of respiratory system . . . . .	16	10	.	.	.	.	.	.	.	2	5	1	2	6	.	.	.	.	.	.	.	.	3	2	1	
B2	Tuberculosis, other forms . . . . .	5	5	.	.	.	.	3	.	.	1	1	1	.	3	.	.	.	.	.	.	.	.	.	1	2	
B3	Syphilis and its sequelae . . . . .	5	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
B4	Typhoid Fever . . . . .	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B5	Cholera . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B6	Dysentery, all forms . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B7	Scarlet fever and streptococcal sore throat . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B8	Diphtheria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B9	Whooping cough . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
B10	Meningococcal infections . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B11	Plague . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B12	Acute poliomyelitis . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B13	Smallpox . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B14	Measles . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B16	Malaria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B17	Other infectious and parasitic diseases . . . . .	5	5	.	1	.	1	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:																										
	(a) Cancer . . . . .	202	112	.	.	.	.	.	.	.	1	2	33	32	44	90	.	.	.	.	.	2	1	7	29	34	
	(b) Hodgkin's disease and leukaemia	8	6	.	.	.	.	.	.	.	1	1	4	.	2	.	.	.	.	1	.	.	.	.	.	1	
B19	Benign and unspecified neoplasms	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B20	Diabetes mellitus . . . . .	2	1	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	.	.	.	.	1	
B21	Anaemias . . . . .	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	.	.	.	.	.	.	
B22	Vascular lesions affecting central nervous system . . . . .	200	90	.	.	.	.	.	.	.	1	2	9	21	57	110	.	.	.	.	.	.	.	.	1	13	30
B23	Nonmeningococcal meningitis . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B24	Rheumatic fever . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	1	5	2	1	10	.	.	.	.	.	1	.	
B25	Chronic rheumatic heart disease	19	9	.	.	.	.	.	.	.	.	.	.	.	5	47	81	113	150	.	.	.	.	.	.	3	4
B26	Arteriosclerotic and degenerative heart disease . . . . .	396	246	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	17	40

B27	Other diseases of heart . . . . .	71	38	.	.	.	.	.	.	.	.	.	6	9	23	33	.	.	.	.	.	1	1	5	7	4
B28	Hypertension with heart disease	27	17	.	.	.	.	.	.	.	.	.	1	8	8	10	.	.	.	.	.	.	.	1	1	1
B29	Hypertension without mention of heart . . . . .	10	6	.	.	.	.	.	.	.	.	.	1	2	3	4	.	.	.	.	.	.	.	1	1	1
B30	Influenza . . . . .	31	19	—	1	3	1	4	1	.	.	.	1	8	7	8	17	22	.	.	.	.	.	1	1	6
B31	Pneumonia . . . . .	56	34	—	.	.	.	.	.	.	.	.	2	6	5	16	2	16	.	.	.	.	.	1	1	4
B32	Bronchitis . . . . .	29	13	.	.	.	.	.	.	.	.	.	2	3	1	8	.	.	.	.	.	.	.	1	1	2
B33	Ulcer of stomach and duodenum	16	8	.	.	.	.	.	.	.	.	.	1	2	3	4	.	.	.	.	.	.	.	2	.	.
B34	Appendicitis	10	6	.	.	.	.	.	.	.	.	.	1	2	3	4	.	.	.	.	.	.	.	1	1	1
B35	Intestinal obstruction and hernia	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.	.	.	.	.	1	1	2
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	7	3	—	.	.	.	.	1	.	.	.	1	1	.	4	—	1	.	.	.	.	1	1	1	2
B37	Cirrhosis of liver . . . . .	5	—	.	.	.	.	1	1	.	.	.	2	4	2	9	.	.	.	.	.	1	1	1	2	1
B38	Nephritis and nephrosis . . . . .	21	12	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.	.	.	.	—	—	—	—
B39	Hyperplasia of prostate . . . . .	11	11	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.	.	.	.	—	—	—	—
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	3	—	—	—	3	1	10	—	—	1	—	—	—	—	3	12	2	.	.	14	.	1	2	1	
B41	Congenital malformations . . . . .	28	13	6	3	1	10	—	—	1	1	—	—	—	—	15	12	2	.	.	14	.	1	2	1	
B42	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(a) with prematurity . . . . .	11	5	5	.	.	.	5	—	—	—	—	—	—	—	—	6	6	.	.	.	6	—	—	—	—	
(b) without prematurity . . . . .	13	11	11	.	.	.	11	—	—	—	—	—	—	—	—	2	2	.	.	.	2	—	—	—	—	
B43	Infections of the newborn:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(a) with prematurity . . . . .	2	1	1	.	.	.	1	—	—	—	—	—	—	—	—	1	3	1	.	.	1	—	—	—	—	
(b) without prematurity . . . . .	8	5	5	.	.	.	5	—	—	—	—	—	—	—	—	3	3	.	.	.	3	—	—	—	—	
B44	Other diseases peculiar to early infancy:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	13	.	.	.	13	—	—	—	—
(a) with prematurity . . . . .	23	10	10	.	.	3	10	—	—	—	—	—	—	—	—	13	1	1	.	.	13	—	—	—	—	
(b) without prematurity . . . . .	7	6	3	.	.	3	6	—	—	—	—	—	—	—	—	1	1	1	.	.	1	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	69	32	.	.	.	.	.	2	.	.	5	13	13	30	37	.	.	.	.	2	1	2	2	2	
B46	All other causes . . . . .	112	68	.	.	.	.	.	.	.	.	.	—	—	35	44	.	.	.	.	2	1	2	5	12	
BE47	Motor vehicle accidents . . . . .	11	8	.	.	1	1	2	1	2	2	1	2	3	3	—	—	—	—	—	—	—	—	—	—	
BE48	All other accidents . . . . .	42	24	.	.	1	1	2	1	2	5	4	2	3	5	18	1	4	1	6	.	.	1	1	2	
BE49	Suicide and self-inflicted injury	2	2	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
BE50	Homicide and operations of war	2	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	.	—	—	
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	2	1	.	.	.	.	1	—	—	—	—	—	—	—	1	.	1	.	1	—	—	—	—	—	
	Pneumonia (included in B31 and B43) . . . . .	63	39	5	3	1	9	1	.	.	1	8	3	17	24	2	.	.	.	2	2	.	.	1	6	

**ABSTRACT X. All Urban Areas : Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES													
			AGED												AGED													
			All Ages	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	8,292	4,165	158	62	23	243	37	30	45	210	1,212	1,085	1,303	4,127	159	56	22	237	32	22	25	184	840	1,040	1,7		
B1	Tuberculosis of respiratory system	99	75	.	.	.	.	.	.	.	11	38	16	10	24	.	.	.	.	.	.	.	.	4	10	9		
B2	Tuberculosis, other forms	15	10	.	.	.	.	2	.	.	2	4	1	1	5	.	.	.	.	1	.	.	.	1	2	1	6	
B3	Syphilis and its sequelae	23	14	.	.	.	.	.	.	.	1	5	7	1	9	.	.	.	.	.	.	.	.	.	.	.	.	
B4	Typhoid Fever	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B5	Cholera	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B6	Dysentery, all forms	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B7	Scarlet fever and streptococcal sore throat	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B8	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B9	Whooping cough	2	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
B10	Meningococcal infections	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
B11	Plague	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
B12	Acute poliomyelitis	5	2	.	.	.	.	.	.	1	.	1	.	.	.	3	.	.	.	1	1	1	.	.	1	.		
B13	Smallpox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.		
B14	Measles	3	1	.	.	1	1	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B16	Malaria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B17	Other infectious and parasitic diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:	30	15	1	4	2	7	2	.	2	3	1	.	.	15	.	.	.	.	3	.	2	.	6	1	.		
	(a) Cancer	1,370	710	.	.	1	1	3	2	6	42	280	212	164	660	.	.	.	.	1	4	47	252	181	1			
	(b) Hodgkin's disease and leukaemia	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	1	1	5	3	2	1		
B19	Benign and unspecified neoplasms	36	19	.	.	.	.	.	2	.	2	9	4	2	17	.	.	.	.	1	4	1	1	5	3	2	1	
B20	Diabetes mellitus	10	4	.	.	.	.	1	.	1	1	1	1	1	6	.	.	.	.	1	.	.	.	1	2	7	12	
B21	Anaemias	48	16	.	.	.	.	.	.	2	5	3	6	32	.	.	.	.	2	3	6	25	15	1	3	6		
B22	Vascular lesions affecting central nervous system	21	4	.	.	.	.	.	.	1	1	1	1	17	.	.	.	.	.	.	.	.	.	.	.	.		
B23	Nommeningococcal meningitis	1,080	421	.	.	.	.	1	.	3	2	12	82	125	197	659	.	.	.	1	2	.	.	7	123	193	33	
B24	Rheumatic fever	6	4	1	.	.	.	1	.	1	1	1	1	1	5	.	.	.	1	2	.	.	2	1	2	1		
B25	Chronic rheumatic heart disease	9	4	.	.	.	.	.	1	1	1	1	1	1	5	.	.	.	1	2	.	.	2	1	2	1		
B26	Arteriosclerotic and degenerative heart disease	151	45	.	.	.	.	.	.	.	6	26	9	4	106	.	.	.	.	1	25	52	15	.	.	.		
		2,210	1,195	.	.	.	.	.	.	1	32	388	360	414	1,015	.	.	.	.	1	10	144	305	53	.	.		

B27	Other diseases of heart . . . . .	248	100	.	.	.	.	.	.	.	1	1	25	25	48	48	.	.	.	.	.	4	20	24	45			
B28	Hypertension with heart disease	244	101	.	.	.	.	.	.	.	4	4	25	29	43	143	.	.	.	.	.	1	2	5	12			
B29	Hypertension without mention of heart . . . . .	91	49	.	.	.	.	.	.	.	5	5	16	20	16	60	.	.	.	.	.	1	4	14	12			
B30	Influenza . . . . .	119	59	.	.	.	.	1	1	.	1	4	30	39	91	192	.	18	10	28	7	1	1	10	32			
B31	Pneumonia . . . . .	394	202	—	22	7	29	7	2	.	4	5	90	78	74	111	.	2	2	2	2	2	2	28	30			
B32	Bronchitis . . . . .	359	248	.	1	.	1	.	.	.	5	5	20	13	10	25	.	.	.	.	.	.	.	11	7			
B33	Ulcer of stomach and duodenum	72	47	.	.	.	.	.	.	.	4	1	2	1	2	2	.	.	.	.	.	.	.	1	5			
B34	Appendicitis	8	6	.	.	.	.	.	.	.	1	1	5	2	4	26	.	2	.	2	.	.	2	6	5			
B35	Intestinal obstruction and hernia	42	16	.	2	.	2	.	.	.	3	5	2	4	26	.	.	.	.	.	.	.	.	.				
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	47	23	—	7	3	10	.	.	.	3	2	3	5	24	.	6	1	7	3	.	1	3	1	2			
B37	Cirrhosis of liver . . . . .	24	12	.	.	.	1	1	.	.	3	1	8	2	1	12	.	.	.	.	.	1	2	8	10			
B38	Nephritis and nephrosis . . . . .	71	38	.	.	.	.	.	.	.	9	9	9	6	33	.	.	.	.	.	1	1	4	10	10			
B39	Hyperplasia of prostate . . . . .	37	37	.	.	.	.	.	.	.	2	12	23	—	.	.	.	.	.	.	.	.	.	.	.			
B40	Complications of pregnancy, childbirth and the puerperium	15	—	—	16	5	43	2	—	4	2	2	—	—	15	37	18	5	60	6	2	2	13	5	1			
B41	Congenital malformations . . . . .	131	54	—	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B42	Birth injuries, postnatal asphyxia and atelectasis	(a) with prematurity . . . . .	61	33	33	1	.	33	—	—	—	—	—	—	—	28	28	12	1	28	—	—	—	—	—	—	—	
	(b) without prematurity . . . . .	43	30	29	1	.	30	—	—	—	—	—	—	—	—	13	13	1	1	13	—	—	—	—	—	—	—	
B43	Infections of the newborn:	(a) with prematurity . . . . .	6	3	3	1	.	3	—	—	—	—	—	—	—	3	3	.	3	—	—	—	—	—	—	—	—	
	(b) without prematurity . . . . .	20	12	12	1	.	12	—	—	—	—	—	—	—	—	8	8	.	8	—	—	—	—	—	—	—	—	
B44	Other diseases peculiar to early infancy:	(a) with prematurity . . . . .	102	45	45	1	.	45	—	—	—	—	—	—	—	57	57	7	1	1	57	—	—	—	—	—	—	—
	(b) without prematurity . . . . .	19	10	9	1	.	10	—	—	—	—	—	—	—	—	9	9	7	1	1	57	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and un- known causes . . . . .	199	68	1	4	.	1	6	8	8	11	2	6	59	131	.	2	4	1	7	1	5	31	2	11	65		
B46	All other causes . . . . .	569	281	.	.	.	.	4	6	8	8	11	86	77	81	288	2	4	1	7	7	5	31	66	65			
BE47	Motor vehicle accidents . . . . .	64	48	.	.	.	.	5	6	7	8	10	6	6	16	.	1	2	.	1	2	.	1	2	5			
BE48	All other accidents . . . . .	146	75	1	3	2	6	8	3	6	17	14	7	14	71	3	4	1	8	2	1	.	2	7	13			
BE49	Suicide and self-inflicted injury	37	24	1	.	.	.	.	.	2	7	11	3	1	13	.	1	1	.	1	.	.	4	7	2			
BE50	Homicide and operations of war	3	2	1	.	.	.	1	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.		
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . .	23	13	3	7	3	13	.	—	—	—	—	—	—	—	10	2	6	1	9	1	—	—	—	—	—		
	Pneumonia (included in B31 and B43) . . . . .	414	213	11	22	7	40	7	2	.	4	30	39	91	201	9	18	10	37	7	.	1	10	20	32			

**ABSTRACT X. All Rural Areas: Causes of death at different Age-Periods, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	Total Dths	MALES												FEMALES													
			AGED												AGED													
			All Ages	under 1 mth.	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth.	1-6 mths	6-12 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74			
	ALL CAUSES	6,895	3,764	162	47	20	229	29	35	50	159	735	928	1,599	3,131	110	39	17	160	21	18	28	116	515	771			
B1	Tuberculosis of respiratory system	51	32	.	.	.	.	.	1	.	1	6	13	6	7	19	.	.	.	1	.	.	.	7	9	1		
B2	Tuberculosis, other forms	10	7	.	.	.	.	1	.	1	2	3	.	1	3	.	.	.	1	.	.	.	1	1	1			
B3	Syphilis and its sequelae	15	11	.	.	.	.	.	.	.	1	3	7	.	4	.	.	.	.	.	.	.	.	.	.	.		
B4	Typhoid Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B5	Cholera	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B6	Dysentery, all forms	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B7	Scarlet fever and streptococcal sore throat	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B8	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B9	Whooping cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B10	Meningococcal infections	2	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B11	Plague	.	.	.	.	.	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.		
B12	Acute poliomyelitis	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B13	Smallpox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B14	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B16	Malaria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B17	Other infectious and parasitic diseases	14	10	.	1	.	1	.	2	1	.	2	3	1	4	.	.	.	.	2	1	1	.	.	.	.		
B18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues:	936	510	.	.	.	.	4	1	1	25	140	158	181	426	.	.	.	3	3	3	26	137	139	.	.	.	
	(a) Cancer	41	25	.	.	.	.	1	1	1	5	8	6	3	16	.	1	1	1	1	1	3	2	4	.	.	.	
B19	Hodgkin's disease and leukaemia	8	4	.	.	.	.	1	1	1	1	1	1	4	1	.	1	1	1	1	1	1	2	3	11	3	3	
B20	Benign and unspecified neoplasms	41	14	.	.	.	.	.	.	1	1	2	6	4	27	.	.	.	1	.	.	.	.	.	.	.	.	.
B21	Diabetes mellitus	25	14	.	.	.	.	.	.	.	3	5	6	11	.	.	.	.	.	.	.	.	.	.	.	.	.	
B22	Anaemia	984	451	.	.	.	.	2	1	7	65	125	251	533	.	.	.	1	2	9	82	166	.	.	.	.	.	
	Vascular lesions affecting central nervous system	3	1	.	.	.	.	1	1	1	2	1	2	6	1	.	1	1	1	1	1	1	1	2	1	1	1	
B23	Nonmeningocephalitis meningitis	11	5	.	.	.	.	1	1	1	1	1	1	6	6	.	1	1	1	1	1	1	1	2	1	1	1	
B24	Rheumatic fever	62	28	.	.	.	.	.	.	.	5	14	5	4	34	.	.	.	.	.	.	.	.	6	13	6	.	.
B25	Chronic rheumatic heart disease	1,976	1,130	.	.	.	.	.	1	17	242	320	550	846	.	.	.	.	.	.	.	.	9	108	233	.	.	.

B27	Other diseases of heart . . . . .	235	122	.	.	.	.	.	.	3	.	2	21	34	62	113	.	.	.	.	.	1	.	17	26	68				
B28	Hypertension with heart disease	184	88	.	.	.	.	.	.	1	2	25	29	33	96	.	.	.	.	.	2	2	2	16	25	53				
B29	Hypertension without mention of heart . . . . .	52	32	1	1	25	3	2	2	2	1	1	12	20	24	52	.	1	8	2	10	6	1	2	4	5	9			
B30	Influenza . . . . .	111	59	—	—	—	—	—	—	—	1	15	20	59	117	.	—	—	—	—	—	—	—	2	5	12	18			
B31	Pneumonia . . . . .	245	128	—	—	—	—	—	—	—	3	29	32	32	59	.	.	.	.	.	.	.	.	15	19	62	62			
B32	Bronchitis . . . . .	157	98	.	.	.	.	.	.	1	.	.	.	8	19	16	.	.	.	.	.	7	14	.	3	3	9			
B33	Ulcer of stomach and duodenum	52	36	.	.	.	.	.	.	1	.	1	2	1	4	.	.	.	.	.	.	.	.	1	1	1	2	2		
B34	Appendicitis . . . . .	10	6	.	.	.	.	.	.	1	.	1	7	10	17	.	.	.	1	1	.	.	.	4	6	6	6			
B35	Intestinal obstruction and hernia	36	19	1	.	.	.	.	.	1	.	1	7	10	17	.	.	.	.	.	.	.	.	2	3	4	5			
B36	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn . . . . .	34	16	—	3	.	3	1	1	.	3	5	1	2	18	.	—	2	1	3	1	.	.	2	3	4	5			
B37	Cirrhosis of liver . . . . .	15	4	.	.	.	.	.	.	1	3	.	.	11	.	.	.	.	.	.	.	.	1	1	2	3	2			
B38	Nephritis and nephrosis . . . . .	63	40	.	.	.	.	.	.	3	8	14	9	6	23	.	.	.	.	.	.	.	1	2	3	7	5			
B39	Hyperplasia of prostate . . . . .	71	71	.	.	.	.	.	.	.	4	14	53	.	.	.	.	.	.	.	.	.	—	—	—	—	—			
B40	Complications of pregnancy, childbirth and the puerperium . . . . .	18	—	—	—	—	—	—	—	—	—	—	—	18	.	.	.	.	.	3	15	.	2	1	.	.	.			
B41	Congenital malformations . . . . .	113	54	25	12	8	45	2	2	2	1	2	—	—	59	33	11	9	53	2	1	1	2	1	.	.	.	.		
B42	Birth injuries, postnatal asphyxia and atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	(a) with prematurity . . . . .	38	28	28	—	—	—	—	—	—	—	—	—	—	—	10	10	22	20	2	—	—	—	—	—	—	—	—	—	
	(b) without prematurity . . . . .	57	35	35	.	.	.	.	.	.	28	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	—	—	—	
B43	Infections of the newborn:	.	.	.	.	.	.	.	.	.	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	(a) with prematurity . . . . .	6	4	4	.	.	.	4	.	.	16	—	—	—	—	—	—	—	—	—	2	2	.	.	2	—	—	—	—	
	(b) without prematurity . . . . .	23	16	16	.	.	.	16	.	.	.	—	—	—	—	—	—	—	—	—	7	7	.	.	7	—	—	—	—	
B44	Other diseases peculiar to early infancy:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	(a) with prematurity . . . . .	67	41	41	6	1	3	41	—	—	—	—	—	—	—	—	26	26	6	.	.	26	—	—	—	—	—	—	—	—
	(b) without prematurity . . . . .	16	10	10	6	1	3	10	—	—	—	—	—	—	—	—	26	26	6	.	.	26	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes . . . . .	369	166	.	1	.	1	3	6	5	14	64	14	151	203	.	1	2	3	2	2	4	12	4	10	59	188			
B46	All other causes . . . . .	456	263	1	.	.	.	1	3	6	5	14	64	62	108	193	.	1	2	3	2	2	4	12	4	10	59	71		
BE47	Motor vehicle accidents . . . . .	97	77	4	3	4	11	7	7	18	20	12	11	2	20	.	2	3	1	2	3	1	3	6	4	46	1			
BE48	All other accidents . . . . .	168	92	.	.	.	.	4	4	10	21	16	8	18	76	3	7	1	11	3	3	3	4	6	4	6	46			
BE49	Suicide and self-inflicted injury . . . . .	13	7	.	.	.	.	.	.	3	2	2	2	6	.	1	1	.	.	.	.	1	.	1	2	2	1			
BE50	Homicide and operations of war . . . . .	6	5	.	.	.	.	.	.	2	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.		
	Gastro-Enteritis and colitis of children under two years of age (included in B36 and B43) . . . . .	13	7	3	3	.	6	1	—	—	—	—	—	—	—	6	2	2	1	5	1	—	—	—	—	—	—			
	Pneumonia (included in B31 and B43) . . . . .	264	142	14	25	3	42	2	2	1	1	15	20	59	122	5	8	2	15	6	1	2	2	15	19	62	62			

**ABSTRACT XI. Northern Ireland: Births and Deaths in each Administrative Area, 1957,  
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS			Belfast C.B.	Co. Antrim	Ballycastle U.D.	Ballyclare U.D.	Ballymena M.B.	Ballymoney U.D.	Carrickfergus M.B.	Larne M.B.	Lisburn U.D.	Portrush U.D.	Whitehead U.D.	Antrim R.D.	Ballycastle R.D.	Ballymena R.D.	Ballymoney R.D.	Belfast R.D.	Larne R.D.	Lisburn R.D.
Population, Census 1951 . . . . M	209,613	112,191	1,132	1,969	6,538	1,544	4,118	5,561	6,834	1,725	815	13,748	4,638	16,251	10,328	14,228	9,457	13,305		
	F	234,058	118,958	1,427	2,019	7,635	1,764	4,541	6,417	7,947	2,442	1,049	13,445	4,247	16,203	10,115	15,590	9,939	14,178	
Births, total . . . . . M	4,363	2,848	24	44	135	14	137	190	161	31	23	254	80	306	223	718	185	323		
	F	4,096	2,770	34	26	128	41	139	177	149	34	246	69	284	227	675	107	331		
Illegitimate Births . . . . . M	102	66	1	5	6	1	6	2	1	1	1	12	3	4	12	8	2	3		
	F	95	55	1	3	3	2	1	1	3	1	8	3	8	9	5	3	4		
Deaths, total . . . . . M	2,465	1,359	19	15	74	24	45	73	96	22	11	151	74	193	121	164	126	151		
	F	2,434	1,161	15	18	75	15	39	77	83	23	7	142	34	165	97	133	95	143	
Ages at Death—Under 1 month . M	97	40	2	2	1	1	1	1	1	1	1	3	1	3	3	2	1	1	2	
	F	89	43	25	1	3	1	1	1	1	1	4	1	4	6	2	1	4	6	
Under 1 year . . . . . M	43	25	1	1	1	1	1	1	1	1	1	2	1	2	2	1	1	1	2	
	F	46	21	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	
1 year to 44 . . . . . M	175	115	1	2	1	4	1	3	10	7	1	16	5	9	8	22	12	16		
	F	150	74	1	5	1	4	1	7	6	1	10	1	6	6	15	4	6		
45-64 . . . . . M	764	304	2	2	19	4	12	22	25	7	7	29	13	34	28	36	31	38		
	F	535	204	1	4	12	1	12	14	16	2	27	2	28	17	23	15	28		
65 and over . . . . . M	1,386	875	16	11	47	18	28	37	62	14	6	99	55	148	83	81	82	88		
	F	1,614	819	11	11	49	12	20	54	60	5	100	30	122	70	86	67	102		
Deaths from—																				
Tuberculosis, pulmonary . . . . .	60	19	1	1	1	1	1	5	1	1	1	2	1	1	1	2	1	2	2	
Tuberculosis, other forms . . . . .	9	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Typhoid fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping cough . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Acute poliomyelitis . . . . .	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles . . . . .	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cancer . . . . .	844	351	2	7	23	9	13	20	25	6	3	43	11	51	22	49	27	41		
Heart diseases . . . . .	1,622	916	16	9	50	12	31	50	85	19	9	114	41	131	73	85	78	113		
Influenza . . . . .	63	31	1	3	4	2	8	5	2	2	6	2	7	1	4	3	1	1		
Pneumonia . . . . .	285	83	1	1	1	1	1	1	1	1	1	7	7	5	7	15	11	9		
Bronchitis . . . . .	261	68	1	1	2	2	1	3	4	1	1	1	2	1	1	6	12	8	11	
Diarrhoea under 2 years . . . . .	12	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Motor vehicle accidents . . . . .	36	41	1	1	1	1	1	1	1	1	1	13	2	11	5	6	4	4		
Other accidents . . . . .	79	60	1	1	1	1	1	1	1	1	1	7	7	7	10	6	8	4		

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1957,  
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Down	Banbridge U.D.	Bangor M.B.	Donaghadee U.D.	Downpatrick U.D.	Dromore U.D.	Holywood U.D.	Kilkeel U.D.	Newcastle U.D.	Newry U.D.	Newtownards M.B.	Warrenpoint U.D.	Banbridge R.D.	Castlereagh R.D.	Downpatrick R.D.	Hillsborough R.D.	Kilkeel R.D.	Moira R.D.	Newry No. 1 R.D.	North Down R.D.
Population—Census, 1951 . . . . .	M	117,772	2,868	8,986	1,556	1,846	1,126	2,963	1,120	1,296	6,189	5,761	1,364	10,966	10,216	16,267	11,755	6,708	4,465	6,678	15,642
	F	123,409	3,231	11,624	1,844	2,033	1,264	3,353	1,217	1,785	7,072	6,482	1,442	10,964	10,271	15,262	12,121	6,774	4,472	6,315	15,883
Births, total . . . . .	M	2,609	77	183	22	55	20	94	30	28	165	135	27	215	352	329	240	143	88	141	265
	F	2,548	50	177	23	49	17	80	37	33	168	121	38	208	322	345	236	122	87	174	261
Illegitimate Births . . . . .	M	47	1	3	1	1	1	2	1	1	5	4	1	1	6	7	4	6	1	4	5
	F	45	1	4	1	1	1	1	1	1	5	4	1	1	3	5	1	3	1	8	6
Deaths, total . . . . .	M	1,385	27	153	25	16	14	61	14	21	65	77	29	134	119	146	123	75	41	67	178
	F	1,325	24	163	24	29	20	52	10	31	89	66	21	127	87	148	96	62	31	59	186
Ages at Death—Under 1 month . . . . .	M	44	2	2	2	2	2	3	2	3	1	3	2	5	9	8	6	4	2	2	2
	F	41	1	2	1	3	1	1	1	1	1	1	1	4	5	3	6	1	1	1	3
Under 1 year . . . . .	M	19	1	3	1	3	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1
	F	15	2	2	2	2	1	2	2	2	3	6	4	2	2	2	2	1	1	2	2
1 year to 44 . . . . .	M	107	3	12	2	1	2	8	2	2	3	6	2	6	14	5	15	7	2	6	11
	F	61	2	8	2	4	2	1	1	1	4	1	1	2	6	1	3	2	4	14	41
45–64 . . . . .	M	323	6	35	6	6	4	17	6	5	13	19	6	27	34	38	26	11	7	16	22
	F	197	5	17	5	5	2	9	1	5	18	8	3	21	22	23	9	6	6	10	22
65 and over . . . . .	M	892	15	101	19	6	8	35	6	14	47	48	21	95	60	94	74	52	32	42	123
	F	1,011	15	134	19	18	16	39	9	25	61	50	17	100	52	114	80	51	21	45	145
Deaths from—																					
Tuberculosis, pulmonary . . . . .			28	1	3	1	1	1	1	1	2	1	1	2	1	7	1	2	.	.	6
Tuberculosis, other forms . . . . .			3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
Typhoid fever . . . . .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet fever . . . . .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria . . . . .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping cough . . . . .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute poliomyelitis . . . . .			3	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles . . . . .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer . . . . .			402	7	50	7	6	6	15	1	7	27	22	11	45	48	35	17	18	8	18
Heart diseases . . . . .			1,062	18	145	21	17	16	36	7	19	60	62	19	92	58	135	82	53	31	42
Influenza . . . . .			28	1	1	3	2	3	1	1	4	2	1	3	2	5	2	1	3	3	3
Pneumonia . . . . .			93	2	9	1	2	2	3	1	5	4	1	7	9	10	15	5	4	4	8
Bronchitis . . . . .			63	.	8	2	2	2	1	2	5	1	1	6	4	10	6	6	2	1	4
Diarrhoea under 2 years . . . . .			4	.	.	2	2	1	1	1	1	2	3	5	4	1	1	1	1	1	6
Motor vehicle accidents . . . . .			31	2	1	1	1	1	2	1	1	1	2	3	5	4	1	1	1	1	6
Other accidents . . . . .			61	.	9	1	1	1	8	1	1	1	2	3	5	4	1	1	1	1	10

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1957,  
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Armagh	Armagh U.D.	Keady U.D.	Lurgan M.B.	Portadown M.B.	Tandragee U.D.	Armagh R.D.	Lurgan R.D.	Newry No. 2 R.D.	Tandragee R.D.	Co. Tyrone	Cookstown U.D.	Dungannon U.D.	Omagh U.D.	Strabane U.D.	Castlederg R.D.	Clogher R.D.	Cookstown R.D.	Omagh R.D.	Dungannon R.D.	Strabane R.D.
Population—Census, 1951 . . M	56,426	4,428	689	7,523	8,169	648	14,748	6,004	12,547	1,670	67,531	1,973	2,674	3,190	3,077	4,948	5,533	8,032	12,902	16,358	8,844	
	F	4,852	773	8,660	9,033	746	14,152	6,101	11,980	1,531	64,551	2,274	3,008	3,567	3,542	4,769	5,155	7,482	12,171	14,172	8,411	
Births, total . . . . . M	1,367	110	22	208	187	18	323	141	322	36	1,659	49	83	121	107	96	100	195	328	373	207	
	F	1,208	107	16	180	215	6	263	112	276	33	1,572	60	79	96	117	91	111	180	304	331	203
Illegitimate Births . . . . . M	23	5	.	1	6	.	6	5	5	.	60	1	1	3	1	7	6	8	6	20	7	
	F	29	3	4	5	1	6	2	8	8	41	1	1	2	1	5	3	3	5	12	8	
Deaths, total . . . . . M	687	57	8	93	107	4	156	64	180	18	842	31	30	46	45	52	64	90	191	188	105	
	F	614	56	5	87	94	8	134	56	154	20	652	19	26	40	35	47	59	70	140	132	84
Ages at Death—Under 1 month M	30	2	.	7	3	.	6	5	7	.	42	4	2	3	1	3	2	4	5	11	7	
	F	19	.	1	9	.	4	3	2	.	40	2	4	3	3	1	1	1	4	9	6	
Under 1 year . . M	25	1	1	4	5	.	4	2	8	.	15	1	1	1	1	1	1	1	2	2	2	
	F	14	2	1	4	.	3	2	2	.	8	1	1	1	1	1	1	1	1	1	1	
1 year to 44 . . M	47	12	1	6	10	.	4	1	13	.	61	2	3	7	3	2	2	4	14	15	8	
	F	43	8	5	6	1	6	5	9	3	40	2	2	2	3	3	2	7	7	8	6	
45–64 . . . M	161	13	3	32	31	1	30	14	34	3	150	6	11	13	8	8	9	15	37	29	14	
	F	121	13	2	19	23	1	21	9	32	2	93	3	5	7	2	6	5	7	27	21	10
65 and over . . M	424	29	3	44	58	3	112	42	118	15	574	19	13	22	32	37	50	67	133	127	74	
	F	417	33	2	53	61	7	100	37	109	15	471	12	16	28	28	37	50	51	100	92	59
Deaths from—																						
Tuberculosis, pulmonary . .	10	.	.	4	2	.	1	1	2	.	16	.	1	2	3	.	1	.	4	5	.	
Tuberculosis, other forms . .	1	.	.	.	.	.	1	.	.	.	5	1	1	1	.	.	.	2	.	.	.	
Typhoid fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping cough . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
Acute poliomyelitis . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles . . . . .	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cancer . . . . .	196	23	.	38	27	1	37	13	51	6	202	12	7	19	13	15	14	13	35	46	28	
Heart diseases . . . . .	451	34	6	54	65	7	107	39	119	20	513	14	20	29	24	31	37	60	118	122	58	
Influenza . . . . .	25	2	7	7	6	3	3	3	4	3	31	1	1	1	1	2	3	3	8	8	7	
Pneumonia . . . . .	68	7	1	5	15	1	14	11	14	1	63	3	3	3	3	5	4	2	14	9	9	
Bronchitis . . . . .	44	7	.	6	11	.	1	2	2	2	29	3	1	1	1	2	4	2	10	1	7	
Diarrhoea under 2 years . .	6	.	.	1	1	.	1	2	2	1	11	1	1	1	1	2	1	2	3	2	.	
Motor vehicle accidents . .	7	.	1	2	7	.	2	4	4	3	42	.	3	1	1	2	3	5	11	12	4	
Other accidents . . . . .	23	.	1	2	7	.	2	4	4	3	42	.	3	1	1	2	3	5	11	12	4	

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1957,  
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Fermanagh	Enniskillen M.B.	Enniskillen R.D.	Irvinestown R.D.	Lisnaskea R.D.	Co. Londonderry	Coleraine M.B.	Limavady U.D.	Portstewart U.D.	Coleraine R.D.	Limavady R.D.	Londonderry R.D.	Magherafelt R.D.	Londonderry C.B.
Population, Census, 1951 . . . . .	M	27,742	2,986	8,304	6,545	9,907	53,239	5,070	1,522	1,416	9,854	8,515	10,894	15,968	23,305
	F	25,302	3,336	7,462	5,601	8,903	52,209	5,678	1,654	2,147	9,664	7,691	10,137	15,238	26,787
Births, total . . . . .	M	544	106	157	124	157	1,345	152	60	30	233	212	285	373	755
	F	529	72	163	114	180	1,185	118	52	39	180	205	252	339	710
Illegitimate Births . . . . .	M	17	5	5	4	3	58	7	4	1	16	10	11	9	14
	F	23	2	11	3	7	44	4	2	.	11	9	9	9	12
Deaths, total . . . . .	M	325	38	93	84	110	620	68	16	30	107	75	118	206	246
	F	287	35	87	71	94	509	70	18	43	84	55	78	161	276
Ages at Death—Under 1 month . . . . .	M	16	4	4	3	5	37	5	1	.	8	2	9	12	14
	F	10	2	3	3	2	18	3	2	.	3	3	7	3	9
Under 1 year . . . . .	M	7	1	3	1	2	2	12	1	1	1	1	1	3	6
	F	3	.	.	.	.	3	12	1	.	1	1	2	5	9
1 year to 44 . . . . .	M	22	4	3	7	8	42	3	1	1	8	7	10	12	26
	F	22	3	5	7	7	30	7	1	.	7	3	5	7	26
45 to 64 . . . . .	M	50	6	14	13	17	122	20	4	7	14	10	18	49	73
	F	49	6	16	13	14	93	11	1	8	19	8	14	32	63
65 and over . . . . .	M	230	23	69	60	78	407	39	10	21	76	53	78	130	127
	F	203	24	63	48	68	356	48	14	35	54	41	50	114	169
Deaths from—															
Tuberculosis, pulmonary . . . . .		5	2	.	.	3	6	.	1	1	2	1	1	.	6
Tuberculosis, other forms . . . . .		.	.	.	.	.	1	.	.	.	.	.	.	1	1
Typhoid fever . . . . .		1	1	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet fever . . . . .		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria . . . . .		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping cough . . . . .		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute poliomyelitis . . . . .		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles . . . . .		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer . . . . .		78	7	26	17	28	152	20	4	7	24	20	29	48	81
Heart diseases . . . . .		204	23	63	59	59	383	52	8	34	73	38	55	123	159
Influenza . . . . .		8	1	2	2	3	26	3	1	2	6	3	5	8	18
Pneumonia . . . . .		18	1	7	3	7	43	7	.	.	5	5	5	11	25
Bronchitis . . . . .		14	4	2	2	6	20	4	2	.	5	5	3	13	17
Diarrhoea under 2 years . . . . .		1	.	.	.	1	1	.	.	.	1	1	1	5	3
Motor vehicle accidents . . . . .		6	2	1	2	1	25	4	.	.	5	5	5	5	4
Other accidents . . . . .		17	1	8	3	5	19	1	.	.	1	1	1	5	7

**ABSTRACT XII. Northern Ireland: Deaths and Death Rates at different Age-Periods, 1957.**

COUNTIES	TOTAL DEATHS	AGES AT DEATH																									
		Under 1 year	1-	2-	3-	4-	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	50-	65-	70-	75-	80-	85-	90-	95-	
		Males	15,187	869	42	28	29	20	988	66	39	73	75	87	114	203	265	427	648	896	1,331	1,684	2,140	2,244	2,126	1,269	407
NORTHERN IRELAND	Persons	7,929	472	21	18	15	12	538	37	28	47	48	58	60	106	145	241	396	552	758	931	1,082	1,131	1,020	568	150	11
	Males	7,258	397	21	10	14	8	450	29	11	26	27	29	54	97	120	186	252	344	573	753	1,058	1,113	1,020	701	257	11
BELFAST COUNTY BOROUGH	Persons	4,899	275	13	6	6	4	304	18	7	18	19	29	31	69	105	176	247	379	497	588	674	719	580	305	109	11
	Males	2,465	140	7	4	2	2	155	8	7	11	12	16	18	35	53	88	150	240	286	330	324	331	257	109	28	11
LONDONDERRY COUNTY BOROUGH	Persons	2,434	135	6	2	4	2	149	10	.	7	7	13	13	34	52	88	97	139	211	258	350	388	323	196	81	11
	Males	276	18	3	.	3	2	26	1	1	3	1	.	3	5	4	7	11	20	27	32	36	34	48	40	25	16
LONDONDERRY COUNTY BOROUGH	Persons	522	38	3	2	7	3	53	3	1	6	2	1	4	10	10	13	31	32	60	66	84	74	37	26	6	11
	Males	246	20	.	2	4	1	27	2	.	3	1	1	5	6	6	20	27	32	36	34	42	10	10	2	11	
ANTRIM	Persons	2,520	129	9	6	7	2	153	12	7	11	11	20	31	34	39	63	99	123	223	265	330	359	396	244	79	11
	Males	1,359	65	5	4	4	1	79	6	5	7	10	14	14	19	26	35	63	78	128	160	169	181	216	112	28	11
ARMAGH	Persons	1,301	88	2	3	2	4	99	9	4	5	6	7	9	19	20	27	54	77	124	147	198	183	191	79	35	11
	Males	687	55	1	2	1	3	62	4	2	3	2	7	2	9	11	17	31	46	67	78	97	92	92	46	18	11
	Females	614	33	1	1	1	1	37	5	2	2	4	.	7	10	9	10	23	31	57	69	91	99	33	17	11	
DONEGAL	Persons	2,710	119	7	4	1	3	134	7	8	14	16	16	22	31	39	64	117	136	203	307	392	404	419	283	80	11
	Males	1,385	63	6	3	.	2	74	6	8	12	7	9	16	15	23	42	73	81	127	147	200	211	178	125	28	11
	Females	1,325	56	1	1	1	1	60	1	.	2	9	7	6	16	16	22	44	55	76	160	192	193	241	158	52	11
FERMANAGH	Persons	612	36	2	.	1	1	40	5	2	3	3	2	2	10	13	10	18	32	39	52	91	100	94	76	14	11
	Males	325	23	1	1	1	1	26	3	3	1	1	4	5	5	11	17	17	27	51	54	51	39	4	37	10	11
	Females	287	13	1	.	1	.	14	2	2	1	.	1	1	6	8	5	7	15	22	25	40	46	43	37	10	11
LONDONDERRY	Persons	1,129	79	1	3	2	2	87	4	6	8	8	4	8	11	15	34	39	57	85	100	162	170	159	123	41	11
	Males	620	49	.	1	2	1	52	3	4	5	6	3	3	7	8	24	24	30	44	66	88	90	85	58	17	11
	Females	509	30	1	3	1	.	35	1	2	3	2	1	5	4	7	10	15	27	41	34	74	80	74	65	24	11
TYRONE	Persons	1,494	105	5	4	3	1	118	8	4	8	10	8	7	19	24	40	43	60	100	159	209	235	250	133	43	11
	Males	842	57	1	3	2	.	63	5	2	4	7	7	5	12	13	24	24	40	62	91	117	138	129	69	25	11
	Females	652	48	4	1	1	1	55	3	2	4	3	1	2	7	11	16	19	20	38	68	92	97	121	64	18	11
NORTHERN IRELAND— Death rate per 1,000 Population in each Age-group	Persons	10.9	*28.9	1.5	1.0	1.1	0.7	7.2	0.5	0.3	0.6	0.8	1.0	1.3	2.3	3.1	4.9	8.3	12.5	22.7	35.3	56.6	79.6	126.5	287.3	300.4	278.4
	Males	11.6	30.5	1.4	1.3	1.1	0.9	7.6	0.5	0.4	0.8	1.0	1.3	1.4	2.5	3.5	5.8	10.6	16.4	28.3	44.8	65.6	93.5	141.7	278.4	300.4	278.4
	Females	10.1	27.2	1.5	0.8	1.1	0.6	6.7	0.4	0.2	0.5	0.5	0.6	1.1	2.2	2.7	4.1	6.2	9.1	18.0	28.0	49.7	69.1	115.2	278.4	300.4	278.4

\* Rate per 1,000 live births.

† Including the deaths of 9 persons (1 male and 8 females) whose ages at death were returned at 100 years and upwards.

**ABSTRACT XIII. Northern Ireland: Death Rates by Sex and Age-Groups, 1926, 1937-1957.**

	All Ages	AGES AT DEATH																			85 and upwards
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			
MALES																					
1926	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8		
1937	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2		
1938	14.0	25.1	2.1	1.5	2.1	2.7	3.4	3.9	5.0	6.6	9.5	14.4	19.0	29.9	41.1	73.0	102.6	133.2	221.2		
1939	13.9	22.0	1.4	1.4	2.0	2.4	3.1	3.7	4.7	6.1	9.6	13.7	20.3	28.0	45.9	79.7	98.0	153.6	225.3		
1940*	15.4	27.9	2.0	1.4	2.3	4.5	4.1	4.6	4.9	6.7	11.8	14.3	20.1	29.6	47.1	79.7	109.0	154.1	243.7		
1941*	15.9	25.7	2.4	2.3	2.9	4.8	4.1	5.3	5.9	7.8	10.4	15.3	22.5	31.1	48.5	79.6	107.5	157.7	256.0		
1942*	14.3	26.1	1.8	1.6	2.4	4.2	2.8	4.1	4.4	5.8	9.4	12.7	18.2	25.2	42.8	73.2	103.0	151.3	253.6		
1943*	14.2	26.1	1.7	1.3	2.2	3.7	2.5	2.9	4.1	6.5	10.3	12.2	17.5	25.4	42.1	75.4	100.3	154.4	257.2		
1944*	13.4	20.5	1.4	1.1	1.8	3.1	2.4	3.2	3.7	6.4	9.5	12.8	16.7	24.9	38.1	73.3	107.6	160.0	267.9		
1945*	12.8	18.6	1.3	1.1	1.6	2.6	2.2	3.1	3.4	5.2	8.8	12.1	16.9	25.3	35.6	72.3	107.9	151.7	269.2		
1946*	13.0	16.0	1.1	1.0	1.6	2.3	2.2	2.9	4.0	5.8	9.0	12.5	16.8	24.8	40.8	73.7	113.8	169.8	281.1		
1947*	13.2	16.2	1.2	0.8	1.9	2.4	2.1	2.5	3.8	5.3	10.2	13.0	17.5	25.0	37.1	74.6	126.7	184.2	271.0		
1948*	11.7	13.3	0.7	0.8	1.5	1.7	2.0	2.6	3.4	5.0	8.4	12.9	16.6	22.3	35.6	66.2	112.4	165.3	255.7		
1949*	12.0	11.9	0.8	0.6	1.4	1.5	1.9	2.1	3.6	4.5	7.7	11.9	17.0	24.3	35.8	69.9	122.4	190.0	295.5		
1950	12.0	10.6	0.8	0.6	0.9	1.2	1.8	2.2	3.2	4.8	8.1	13.5	17.1	26.1	37.4	68.7	124.9	204.6	296.4		
1951	13.3	10.5	0.9	0.7	1.0	1.8	1.4	2.1	3.3	5.5	9.1	14.1	19.0	25.9	38.1	82.6	144.6	235.2	379.3		
1952	11.4	10.8	0.7	0.5	0.8	1.3	1.5	1.9	3.0	3.5	6.5	10.6	15.6	26.0	39.9	62.1	148.6	224.3			
1953	11.4	10.3	0.7	0.6	0.9	1.3	1.4	1.6	2.5	3.9	6.6	10.8	16.6	25.8	40.1	62.8	188.8	241.3	229.6		
1954	11.5	8.9	0.5	0.6	0.8	0.9	1.3	1.8	2.3	3.3	6.1	10.3	16.3	25.5	41.0	68.4	89.2	145.2	280.0		
1955	11.6	8.3	0.5	0.4	0.8	1.1	1.2	1.7	2.2	3.8	5.4	10.9	17.9	24.1	42.1	66.2	98.3	143.0	317.8		
1956	11.2	7.5	0.4	0.3	0.6	0.8	1.0	1.2	2.4	3.4	5.7	10.8	17.1	26.3	39.1	64.6	97.0	149.4	263.2		
1957	11.6	7.6	0.5	0.4	0.8	1.0	1.3	1.4	2.5	3.5	5.8	10.6	16.4	28.3	44.8	65.6	93.5	141.7	300.4		
FEMALES																					
1926	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1		
1937	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6		
1938	13.5	22.9	2.0	1.6	2.1	3.0	3.5	4.2	5.2	5.9	7.7	11.9	17.9	27.5	36.7	65.5	87.6	128.9	170.6		
1939	13.2	16.7	1.5	1.4	2.3	3.3	3.3	3.4	4.8	5.7	8.4	10.6	16.6	25.0	38.9	69.6	93.4	140.3	203.6		
1940*	14.1	23.2	1.8	1.4	2.1	3.0	3.9	4.2	5.0	6.0	8.6	12.3	17.0	26.8	38.7	70.1	93.8	138.4	212.4		
1941*	14.7	20.4	2.3	2.3	3.5	3.8	3.7	4.3	5.1	6.5	8.9	11.6	16.7	27.8	42.7	74.9	93.0	156.8	227.7		
1942*	12.5	20.4	1.7	1.1	2.1	2.8	3.2	3.9	4.3	6.1	7.0	10.1	14.9	22.7	31.9	60.8	84.2	139.9	188.3		
1943*	12.7	20.7	1.6	0.9	2.0	2.9	2.4	3.8	4.6	4.9	7.8	9.9	15.1	22.8	33.0	62.2	86.8	139.2	211.4		
1944*	12.2	17.2	1.7	1.2	2.0	2.7	3.0	3.6	4.4	4.5	6.9	8.9	13.8	22.7	33.6	61.3	87.0	132.8	207.6		
1945*	11.9	16.2	1.4	0.8	1.7	2.8	2.8	3.3	3.8	4.5	6.8	8.6	13.3	20.6	34.1	60.0	92.3	131.7	222.3		
1946*	12.1	12.2	1.1	1.0	1.9	2.6	2.3	3.1	3.5	4.5	6.9	8.7	14.5	23.3	33.6	65.8	92.3	154.2	225.7		
1947*	12.1	12.3	0.9	0.9	1.8	2.1	2.3	2.5	3.8	4.4	7.0	9.8	13.3	21.1	33.9	61.2	94.4	167.6	253.6		
1948*	10.7	9.7	0.6	0.8	1.6	1.8	1.8	2.8	3.5	4.1	6.1	8.9	11.7	18.6	29.9	56.5	88.9	140.0	226.4		
1949*	11.1	10.1	0.4	0.8	1.1	1.7	2.1	2.0	2.8	3.5	6.2	9.1	12.4	20.3	28.6	60.9	94.4	158.0	262.1		
1950	11.1	8.7	0.6	0.5	0.8	1.1	1.9	1.9	2.7	3.4	5.5	8.9	12.6	20.3	28.8	60.2	96.1	186.0	290.9		
1951	12.4	8.9	0.5	0.3	0.6	1.1	1.5	1.8	2.5	4.0	5.2	10.1	13.9	23.4	34.0	66.1	123.0	206.6	324.8		
1952	10.1	7.8	0.5	0.3	0.5	0.9	1.3	1.5	2.3	3.2	4.5	8.0	10.1	18.0	28.3	48.7	72.8	138.2	196.9		
1953	10.1	7.6	0.4	0.4	0.5	0.9	1.4	1.9	1.8	2.8	4.9	7.2	9.4	16.9	30.2	51.1	70.5	124.2	209.5		
1954	10.4	6.9	0.3	0.4	0.4	0.7	0.8	1.5	2.1	2.8	4.4	7.3	10.6	18.0	27.3	52.4	72.0	141.1	244.2		
1955	10.6	7.3	0.4	0.3	0.5	0.7	0.9	1.2	1.9	3.0	4.4	6.7	10.3	17.5	30.2	50.5	78.4	132.6	275.4		
1956	10.1	6.3	0.3	0.3	0.4	0.5	0.8	1.3	1.9	2.6	3.9	6.2	9.5	18.1	27.7	49.1	74.6	128.9	251.4		
1957	10.1	6.7	0.4	0.2	0.5	0.5	0.6	1.1	2.2	2.7	4.1	6.2	9.1	18.0	28.0	49.7	69.1	115.2	278.4		

\*The rates for 1940-1949 relate to civilians only.

**ABSTRACT XIV. Northern Ireland: Deaths by Sex**

MALES												
Ages	Total	Single	Married	Widowed	Divorced	Ages	Total	Single	Married	Widowed	Divorced	
0	472	472	.	.	.	50	54	18	33	3	.	
1	21	21	.	.	.	51	69	17	51	1	.	
2	18	18	.	.	.	52	80	20	56	4	.	
3	15	15	.	.	.	53	91	19	68	4	.	
4	12	12	.	.	.	54	103	23	74	6	.	
<b>0-4</b>	<b>538</b>	<b>538</b>	.	.	.	<b>50-54</b>	<b>397</b>	<b>97</b>	<b>282</b>	<b>18</b>	.	
5	10	10	.	.	.	55	78	18	55	4	1	
6	8	8	.	.	.	56	119	24	80	15	.	
7	8	8	.	.	.	57	125	26	89	10	.	
8	3	3	.	.	.	58	102	18	79	5	.	
9	8	8	.	.	.	59	127	22	98	7	.	
<b>5-9</b>	<b>37</b>	<b>37</b>	.	.	.	<b>55-59</b>	<b>551</b>	<b>108</b>	<b>401</b>	<b>41</b>	<b>1</b>	
10	4	4	.	.	.	60	144	33	101	10	.	
11	6	6	.	.	.	61	130	26	90	14	.	
12	8	8	.	.	.	62	124	20	91	13	.	
13	5	5	.	.	.	63	183	38	129	16	.	
14	5	5	.	.	.	64	177	24	126	27	.	
<b>10-14</b>	<b>28</b>	<b>28</b>	.	.	.	<b>60-64</b>	<b>758</b>	<b>141</b>	<b>537</b>	<b>80</b>	.	
15	7	7	.	.	.	65	174	25	124	25	.	
16	7	7	.	.	.	66	180	42	114	24	.	
17	13	13	.	.	.	67	190	35	125	30	.	
18	12	12	.	.	.	68	182	30	117	35	.	
19	8	8	.	.	.	69	205	38	139	28	.	
<b>15-19</b>	<b>47</b>	<b>47</b>	.	.	.	<b>65-69</b>	<b>931</b>	<b>170</b>	<b>619</b>	<b>142</b>	.	
20	12	12	.	.	.	70	177	43	95	39	.	
21	8	8	.	.	.	71	214	36	135	43	.	
22	15	13	2	.	.	72	214	51	112	51	.	
23	7	7	1	.	.	73	241	55	141	45	.	
24	6	5	1	.	.	74	236	48	118	70	.	
<b>20-24</b>	<b>48</b>	<b>45</b>	<b>3</b>	.	.	<b>70-74</b>	<b>1,082</b>	<b>233</b>	<b>601</b>	<b>248</b>	.	
25	13	10	3	.	.	75	251	52	123	76	.	
26	13	10	3	.	.	76	228	45	105	78	.	
27	11	4	7	.	.	77	205	42	105	58	.	
28	6	2	4	.	.	78	238	48	100	90	.	
29	15	6	9	.	.	79	209	31	103	75	.	
<b>25-29</b>	<b>58</b>	<b>32</b>	<b>26</b>	.	.	<b>75-79</b>	<b>1,131</b>	<b>218</b>	<b>536</b>	<b>377</b>	.	
30	7	3	4	.	.	80	253	54	90	109	.	
31	7	3	4	.	.	81	174	28	63	83	.	
32	18	10	8	.	.	82	217	36	82	99	.	
33	12	9	3	.	.	83	173	38	68	67	.	
34	16	8	8	.	.	84	203	44	86	73	.	
<b>30-34</b>	<b>60</b>	<b>33</b>	<b>27</b>	.	.	<b>80-84</b>	<b>1,020</b>	<b>200</b>	<b>389</b>	<b>431</b>	.	
35	16	6	10	.	.	85	165	23	54	88	.	
36	20	10	9	1	.	86	151	27	35	89	.	
37	25	9	16	.	.	87	103	23	25	55	.	
38	18	6	11	1	.	88	86	14	20	52	.	
39	27	11	16	.	.	89	63	9	17	37	.	
<b>35-39</b>	<b>106</b>	<b>42</b>	<b>62</b>	<b>2</b>	.	<b>85-89</b>	<b>568</b>	<b>96</b>	<b>151</b>	<b>321</b>	.	
40	22	11	11	.	.	90	56	11	15	30	.	
41	28	7	21	.	.	91	25	2	5	18	.	
42	32	11	21	.	.	92	35	6	9	20	.	
43	25	8	16	1	.	93	18	4	3	11	.	
44	38	6	30	2	.	94	16	3	3	10	.	
<b>40-44</b>	<b>145</b>	<b>43</b>	<b>99</b>	<b>3</b>	.	<b>90-94</b>	<b>150</b>	<b>26</b>	<b>35</b>	<b>89</b>	.	
45	41	12	28	1	.	95	16	2	5	9	.	
46	40	17	22	1	.	96	6	3	.	3	.	
47	43	14	28	1	.	97	8	1	.	7	.	
48	51	12	36	3	.	98	.	.	.	1	.	
49	66	11	51	3	1	99	1	.	.	.	.	
<b>45-49</b>	<b>241</b>	<b>66</b>	<b>165</b>	<b>9</b>	<b>1</b>	<b>95-99</b>	<b>31</b>	<b>6</b>	<b>5</b>	<b>20</b>	.	
						<b>100 and over</b>	<b>2</b>	.	<b>1</b>	<b>1</b>	.	
						<b>All Males</b>	<b>7,929</b>	<b>2,206</b>	<b>3,939</b>	<b>1,782</b>	<b>2</b>	

at each year of age and by Conjugal Condition, 1957.

FEMALES													
Ages	Total	Single	Married	Widowed	Divorced	Ages	Total	Single	Married	Widowed	Divorced		
0	397	397	.	.	.	50	56	15	34	6	1		
1	21	21	.	.	.	51	42	8	27	7	.		
2	10	10	.	.	.	52	44	12	24	8	.		
3	14	14	.	.	.	53	53	14	31	8	.		
4	8	8	.	.	.	54	57	9	37	11	.		
<b>0-4</b>	<b>450</b>	<b>450</b>	.	.	.	<b>50-54</b>	<b>252</b>	<b>58</b>	<b>153</b>	<b>40</b>	<b>1</b>	.	
5	8	8	.	.	.	55	62	16	35	11	.		
6	9	9	.	.	.	56	66	16	38	12	.		
7	6	6	.	.	.	57	80	21	45	14	.		
8	4	4	.	.	.	58	61	18	28	15	.		
9	2	2	.	.	.	59	75	15	43	17	.		
<b>5-9</b>	<b>29</b>	<b>29</b>	.	.	.	<b>55-59</b>	<b>344</b>	<b>86</b>	<b>189</b>	<b>69</b>	.	.	
10	2	2	.	.	.	60	106	30	57	19	.		
11	1	1	.	.	.	61	98	21	52	25	.		
12	2	2	.	.	.	62	133	27	70	36	.		
13	2	2	.	.	.	63	118	31	55	32	.		
14	4	4	.	.	.	64	118	24	42	52	.		
<b>10-14</b>	<b>11</b>	<b>11</b>	.	.	.	<b>60-64</b>	<b>573</b>	<b>133</b>	<b>276</b>	<b>164</b>	.	.	
15	3	3	.	.	.	65	145	35	51	58	1	.	
16	2	2	.	.	.	66	129	31	58	40	.		
17	6	6	.	.	.	67	164	40	61	63	.		
18	11	10	1	.	.	68	166	35	60	70	1	.	
19	4	3	1	.	.	69	149	29	52	68	.		
<b>15-19</b>	<b>26</b>	<b>24</b>	<b>2</b>	.	.	<b>65-69</b>	<b>753</b>	<b>170</b>	<b>282</b>	<b>299</b>	<b>2</b>	.	
20	4	3	1	.	.	70	210	58	67	84	1	.	
21	3	3	.	.	.	71	185	46	65	73	1	.	
22	7	6	1	.	.	72	235	58	59	118	.		
23	7	3	4	.	.	73	197	43	54	100	.		
24	6	4	2	.	.	74	231	59	60	112	.		
<b>20-24</b>	<b>27</b>	<b>19</b>	<b>8</b>	.	.	<b>70-74</b>	<b>1,058</b>	<b>264</b>	<b>305</b>	<b>487</b>	<b>2</b>	.	
25	7	5	2	.	.	75	211	51	39	121	.		
26	5	1	4	.	.	76	227	47	41	139	.		
27	5	2	3	.	.	77	224	56	46	122	.		
28	6	1	5	.	.	78	244	46	47	151	.		
29	6	2	4	.	.	79	207	41	29	137	.		
<b>25-29</b>	<b>29</b>	<b>11</b>	<b>18</b>	.	.	<b>75-79</b>	<b>1,113</b>	<b>241</b>	<b>202</b>	<b>670</b>	.	.	
30	9	3	6	.	.	80	292	71	39	182	.		
31	9	2	7	.	.	81	189	47	27	115	.		
32	6	1	5	.	.	82	241	70	31	140	.		
33	14	2	12	.	.	83	197	45	21	131	.		
34	16	7	8	1	.	84	187	45	16	126	.		
<b>30-34</b>	<b>54</b>	<b>15</b>	<b>38</b>	1	.	<b>80-84</b>	<b>1,106</b>	<b>278</b>	<b>134</b>	<b>694</b>	.	.	
35	19	2	16	1	.	85	187	48	13	126	.		
36	19	8	10	1	.	86	165	51	7	107	.		
37	18	3	15	.	.	87	139	45	8	86	.		
38	17	7	10	.	.	88	103	21	6	76	.		
39	24	8	14	2	.	89	107	22	8	77	.		
<b>35-39</b>	<b>97</b>	<b>28</b>	<b>65</b>	<b>4</b>	.	<b>85-89</b>	<b>701</b>	<b>187</b>	<b>42</b>	<b>472</b>	.	.	
40	21	4	17	.	.	90	82	24	5	53	.		
41	12	2	8	2	.	91	73	21	3	49	.		
42	30	11	18	1	.	92	46	16	.	30	.		
43	30	7	22	1	.	93	25	5	.	20	.		
44	27	6	18	3	.	94	31	10	3	18	.		
<b>40-44</b>	<b>120</b>	<b>30</b>	<b>83</b>	<b>7</b>	.	<b>90-94</b>	<b>257</b>	<b>76</b>	<b>11</b>	<b>170</b>	.	.	
45	38	13	21	4	.	95	21	8	.	13	.		
46	33	12	20	1	.	96	20	7	.	13	.		
47	33	4	24	5	.	97	9	3	.	6	.		
48	47	15	26	6	.	98	8	4	.	4	.		
49	35	9	21	5	.	99	6	2	.	4	.		
<b>45-49</b>	<b>186</b>	<b>53</b>	<b>112</b>	<b>21</b>	.	<b>95-99</b>	<b>64</b>	<b>24</b>	.	<b>40</b>	.	.	
						<b>100 and over</b>	<b>8</b>	<b>1</b>	.	<b>7</b>	.	.	
						All Females	7,258	2,188		1,920		3,145	5

**ABSTRACT XV. Northern Ireland: Proportion of Deaths  
certain Age-**

Abbre-viated List Nos.	CAUSES OF DEATH	All Ages		—1—		1—		5—		10—	
		M	F	M	F	M	F	M	F	M	F
1	Tuberculosis of respiratory system .	13	6	.	.	.	.	.	.	.	.
2	Tuberculosis, other forms . . . . .	2	1	.	.	2	46	19	.	.	.
3	Syphilis and its sequelae . . . . .	3	2	.	.	.	.	.	.	.	.
4	Typhoid fever . . . . .	—	.	.	.	.	.	.	.	.	.
5	Cholera . . . . .	—	.	.	.	.	.	.	.	.	.
6	Dysentery, all forms . . . . .	—	.	.	.	.	.	.	.	.	.
7	Scarlet fever and streptococcal sore throat . . . . .	—	.	.	.	.	.	.	.	.	.
8	Diphtheria . . . . .	—	—	2	.	.	.	19	.	.	.
9	Whooping cough . . . . .	—	—	.	.	.	30	19	.	.	.
10	Meningococcal infections . . . . .	—	—	.	.	.	.	.	.	.	.
11	Plague . . . . .	—	—	.	.	.	.	.	.	.	.
12	Acute poliomyelitis . . . . .	1	1	.	.	2	15	19	54	.	36
13	Smallpox . . . . .	—	—	2	.	.	.	.	.	.	.
14	Measles . . . . .	—	—	.	.	.	.	.	69	.	.
15	Typhus and other rickettsial diseases . . . . .	—	.	.	.	.	.	.	.	.	.
16	Malaria . . . . .	—	.	.	.	.	.	.	.	.	.
17	All other diseases classified as infectious or parasitic . . . . .	—	—	3	17	.	30	57	.	34	71
18	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues . . . . .	154	150	2	.	106	57	54	104	36	91
	(a) Cancer . . . . .	6	5	.	.	15	19	27	104	71	182
	(b) Hodgkin's disease and leukaemia . . . . .	1	1	.	3	15	19	.	.	36	.
19	Benign and unspecified neoplasms . . . . .	4	8	.	.	.	.	.	.	.	91
20	Diabetes mellitus . . . . .	2	4	.	.	.	.	.	.	.	.
21	Anaemias . . . . .	—	—	.	.	.	.	.	.	.	.
22	Vascular lesions affecting central nervous system . . . . .	110	164	2	8	.	.	81	.	71	91
23	Nonmeningococcal meningitis . . . . .	1	1	2	8	.	.	27	.	.	.
24	Rheumatic fever . . . . .	1	1	.	.	.	19	27	.	36	.
25	Chronic rheumatic heart disease . . . . .	9	19	.	.	.	.	.	.	.	.
26	Arteriosclerotic and degenerative heart disease . . . . .	293	256	.	.	.	.	.	.	.	.
27	Other diseases of the heart . . . . .	28	36	.	.	.	.	27	.	71	91
28	Hypertension with heart disease . . . . .	24	33	.	.	.	.	.	.	.	.
29	Hypertension without mention of heart . . . . .	10	8	.	.	.	.	.	.	.	.
30	Influenza . . . . .	15	15	6	5	.	38	.	34	.	91
31	Pneumonia . . . . .	42	43	121	96	136	244	54	34	71	.
32	Bronchitis . . . . .	44	23	6	5	.	38	.	34	.	.
33	Ulcer of stomach and duodenum . . . . .	10	6	.	.	.	.	.	.	.	.
34	Appendicitis . . . . .	2	1	.	.	15	.	.	34	36	.
35	Intestinal obstruction and hernia . . . . .	4	6	6	8	.	.	.	.	.	.
36	Gastritis, duodenitis, enteritis and colitis except diarrhoea of the newborn . . . . .	5	6	28	25	15	75	27	.	.	.
37	Cirrhosis of liver . . . . .	2	3	2	.	15	.	.	.	.	.
38	Nephritis and nephrosis . . . . .	10	8	2	.	.	.	69	.	.	.
39	Hyperplasia of prostate . . . . .	14	—	.	—	.	—	.	.	.	.
40	Complications of childbirth, pregnancy and the puerperium . . . . .	—	5	—	—	—	—	—	—	—	.
41	Congenital malformations . . . . .	14	19	187	285	61	150	27	69	36	.
42	Birth injuries, post natal asphyxia and atelectasis . . . . .	16	10	267	184	.	.	.	.	.	.
43	Infections of the newborn . . . . .	4	3	74	50	.	.	.	.	.	.
44	Other diseases peculiar to early infancy and prematurity unqualified . . . . .	13	13	225	247	.	.	.	.	.	.
45	Senility without mention of psychosis ill-defined and unknown causes . . . . .	29	46	4	2	137	19	243	242	179	181
46	All other causes . . . . .	69	66	11	25	182	38	243	139	143	91
47	Motor vehicles accidents . . . . .	16	5	.	.	57	243	139	107	.	.
48	All other accidents . . . . .	21	20	36	48	182	94	109	34	.	.
49	Suicide and self-inflicted injury . . . . .	4	3	.	.	.	.	.	.	.	.
50	Homicide and operations of war . . . . .	1	—	2	5	.	.	.	.	.	.
ALL CAUSES . . .		1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

from the Principal Causes per 1,000 of the total Deaths at  
Periods, 1957.

15—		25—		35—		45—		55—		65—		75—		85 and over		Abbreviated List Nos.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
11	.	51 17	48 12	44 8	32 8	28 2	16 2	25 2	13 1	11 7	6 4	8 —	1 —	.	.	1
.	.	.	.	8	5	2	.	1	.	.	.	.	.	.	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	
.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	10	
.	.	9	24	.	.	.	.	.	.	.	.	.	.	.	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	14	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16	
31	57	9	.	8	5	5	7	.	3	2	1	.	1	1	1	17
73	132	169	169	187	272	224	334	212	266	184	177	139	105	65	56	18
11	37	8	12	24	14	9	9	8	3	5	4	2	3	.	1	1
21	.	.	.	8	5	.	2	2	3	1	1	.	—	.	1	19
11	.	17	.	4	9	5	5	3	9	5	13	3	8	4	4	20
.	.	.	.	4	.	2	2	2	2	3	5	2	6	3	3	21
32	37	42	12	55	69	69	116	79	168	124	198	155	206	154	146	22
11	.	.	.	4	5	.	2	2	1	1	1	.	.	.	.	23
11	57	.	.	8	5	.	5	2	2	1	1	.	.	.	.	24
.	19	42	109	24	101	25	62	18	41	7	12	3	9	1	3	25
21	19	42	12	175	83	298	123	336	216	338	297	330	310	341	353	26
11	.	.	12	12	18	22	11	24	35	29	39	41	49	29	37	27
.	.	.	12	20	9	26	18	25	35	29	39	28	42	21	31	28
.	19	9	12	24	14	6	7	9	7	13	9	11	9	9	11	29
11	57	25	24	12	32	12	21	15	20	20	13	13	14	16	13	30
11	57	9	48	16	37	25	34	22	22	29	28	49	43	59	58	31
.	19	9	.	32	9	52	32	66	23	55	24	37	30	35	17	32
.	19	.	17	4	9	6	7	2	8	4	6	11	6	8	3	33
.	19	17	.	8	9	2	7	2	2	2	1	1	5	4	6	34
.	19	17	.	4	9	6	7	2	8	4	6	11	6	8	3	35
.	19	17	12	16	18	5	6	9	5	4	2	3	3	4	.	36
63	57	110	24	16	23	17	18	9	10	13	—	24	5	5	3	37
.	—	.	.	.	—	2	—	4	—	—	—	—	—	—	—	38
—	93	—	205	—	51	—	—	2	—	—	—	—	—	—	—	40
63	57	8	12	8	.	2	9	2	3	.	1	—	.	.	.	41
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	43	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	44	
137	169	85	157	60	138	74	92	79	73	10	12	47	58	145	172	45
262	19	119	24	56	9	27	11	4	3	8	5	3	60	63	46	46
167	57	127	24	91	15	24	16	11	4	7	10	14	23	4	32	47
21	.	25	36	28	9	8	14	6	3	2	2	—	.	.	.	48
21	.	17	.	8	.	.	.	.	.	.	.	.	.	.	.	49
																50
1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	

**ABSTRACT XVI—Northern Ireland: Deaths from Cancer by Sex, Age and Site, 1957.**

Detailed List Nos.	SITES	AGES AT DEATH																	
		All Ages	Under 20 yrs.	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and over		
	All Sites . . . . .	M 1,220 F 1,086	15 10	3 4	11 2	9 12	14 23	33 36	53 73	90 73	112 101	165 142	178 150	192 170	183 115	133 117	49 58		
	<i>Buccal Cavity and Pharynx</i>																		
140	Lip . . . . .	M 10 F 1	.	.	.	.	.	.	.	1	.	2	1	.	2	2	2	1	
141	Tongue . . . . .	M 11 F .	.	.	.	.	.	.	.	1	1	.	1	2	2	1	.	3	
142	Salivary Gland . . . . .	M 3 F 1	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	
143-144	Mouth . . . . .	M 7 F 7	.	.	.	.	.	.	.	.	1	1	4	2	1	3	1	.	
145-148	Pharynx . . . . .	M 18 F 9	.	.	1	.	2	.	.	2	2	3	2	3	2	4	1	.	
	<i>Digestive Organs and Peritoneum</i>																		
150	Oesophagus . . . . .	M 40 F 22	.	.	.	.	.	4	1	1	3	9	8	5	7	2	1		
151	Stomach . . . . .	M 231 F 200	.	1	1	.	1	6	16	18	20	34	31	40	35	22	6		
152-153	Intestines . . . . .	M 133 F 141	1	.	.	1	1	1	7	8	14	21	36	42	28	29	11		
154	Rectum . . . . .	M 73 F 63	.	1	.	1	1	2	2	7	7	14	16	16	19	16	27	15	
155-156	Biliary Passages and Liver . . . . .	M 24 F 32	.	1	.	1	1	1	1	4	4	6	6	11	11	16	15	3	
157	Pancreas . . . . .	M 63 F 40	.	.	.	.	.	2	1	3	3	8	9	7	14	10	7	3	
158	Peritoneum . . . . .	M 4 F 2	.	.	.	.	.	.	.	2	3	2	1	1	2	2	.	2	
159	Other Digestive Organs . . . . .	M 1 F 2	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	
	<i>Respiratory System</i>																		
160	Nose, Nasal Cavities, etc. . . . .	M 5 F 6	.	.	.	.	.	1	1	.	2	1	.	.	1	2	1	.	
161	Larynx . . . . .	M 13 F 6	.	.	.	.	1	.	2	1	1	2	1	.	2	2	1	1	

162-163	Trachea, Bronchus and Lungs . . . . .	M	268	.	.	.	2	4	6	11	17	30	42	55	46	27	19	6	3	1
164	Mediastinum . . . . .	M	45	.	.	.	1	1	1	1	3	3	4	1	9	9	2	.	.	.
165	Thoracic Organs (specified as secondary)	M	5	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	<i>Breast and Genito-Urinary Organs</i>																			
170	Breast . . . . .	M	192	.	.	.	.	2	12	14	25	12	19	25	21	23	12	16	11	11
171-174	Uterus . . . . .	M	—	.	.	.	1	4	2	8	12	11	11	12	11	11	8	6	—	2
175	Ovary, Fallopian Tube and Broad Ligament	M	99	.	.	.	.	1	1	3	4	7	7	12	10	8	3	5	.	.
176	Other Female Genital Organs . . . . .	M	61	1	.	.	.	.	.	.	.	.	.	.	2	4	—	1	—	.
177	Prostate . . . . .	M	8	.	.	.	.	1	.	.	.	1	4	5	20	25	27	19	13	.
178	Testis . . . . .	M	115	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
179	Testis . . . . .	F	7	1	.	.	3	.	.	2	.	.	.	.	.	.	.	1	1	.
180	Other Male Genital Organs . . . . .	M	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
181	Kidney . . . . .	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	12	1	.	.	.	.	1	.	1	1	1	4	2	2	5	1	1	.
		M	18	2	.	.	.	.	.	.	1	1	1	3	3	6	6	5	3	1
		F	34	.	.	.	.	.	.	1	.	.	2	4	2	1	6	4	—	
		M	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		F	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	<i>Other and Unspecified Sites</i>																			
190-191	Skin . . . . .	M	19	.	.	.	.	.	.	2	.	2	.	3	4	1	3	2	2	6
192	Eye . . . . .	F	19	.	.	.	.	.	.	.	1	.	.	4	.	3	2	.	.	.
193	Brain and other parts of Nervous System	M	2	1	.	.	2	1	1	1	.	6	.	7	3	2	2	1	.	.
194	Brain and other parts of Nervous System	F	34	9	.	.	2	1	1	1	.	1	5	1	1	4	2	1	.	.
195	Thyroid Gland . . . . .	M	22	4	.	.	.	2	.	1	1	5	1	.	.	1	4	2	1	.
196	Thyroid Gland . . . . .	F	2	.	.	.	.	.	.	.	1	.	.	.	1	1	4	2	.	.
197	Other Endocrine Glands . . . . .	M	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.
198-199	Other Endocrine Glands . . . . .	F	1	.	.	1	.	.	.	.	.	.	.	.	.	1	2	3	1	.
200, 202, 203, 205	Connective Tissue . . . . .	M	15	1	1	1	.	1	2	1	1	5	6	6	2	6	6	6	5	2
		F	10	1	.	.	.	.	.	2	.	.	.	.	1	2	2	2	1	.
		M	2	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.
		F	3	.	.	.	2	.	2	1	5	6	6	1	1	2	6	6	4	2
		M	49	.	.	.	.	.	.	.	1	1	1	1	1	2	6	6	6	1
		F	23	2	.	.	.	.	.	.	1	6	1	1	1	1	1	3	1	1
		M	18	.	.	.	.	.	.	.	1	1	1	1	1	2	6	6	6	1
		F	16	1	.	.	.	.	.	.	1	1	1	1	1	2	6	6	6	1

**ABSTRACT XVII. Northern Ireland: Deaths from Cancer in each County and County Borough by Sex and Site, 1957.**

Detailed List Nos.	SITES	CO. BOROUGHS				COUNTIES											
		Belfast		London-derry		Antrim		Armagh		Down		Fer-managh		London-derry (Exc. Co. Boro.)		Tyrone	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Buccal Cavity and Pharynx</i>																	
140	Lip . . . . .	3	.	.	.	2	1	1	.	1	.	2	.	1	.	3	.
141	Tongue . . . . .	3	1	2	.	3	1	1	.	2	.	.	.	.	.	.	.
142	Salivary Gland . . . . .	1	1	.	.	.	.	1	1	1	1	.	.	.	.	.	.
143, 144	Mouth . . . . .	2	3	.	.	3	.	1	1	1	1	1	.	.	1	2	.
145-148	Pharynx . . . . .	9	3	.	.	4	.	1	2	1	3	1	.	.	1	2	.
<i>Digestive Organs and Peritoneum</i>																	
150	Oesophagus . . . . .	16	10	1	7	8	4	4	1	9	5	.	.	1	1	1	1
151	Stomach . . . . .	80	53	7	7	38	29	19	24	43	39	4	12	14	11	26	25
152, 153	Intestines . . . . .	40	55	4	3	26	19	10	20	19	23	5	4	13	8	16	9
154	Rectum . . . . .	28	31	2	3	11	6	7	2	6	11	6	.	8	7	5	3
155, 156	Biliary Passages and Liver . . . . .	7	14	1	6	5	1	3	7	3	.	2	1	1	2	3	.
157	Pancreas . . . . .	20	13	4	2	12	4	6	3	10	15	.	.	5	2	6	1
158	Peritoneum . . . . .	2	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.
159	Other Digestive Organs . . . . .	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
<i>Respiratory System</i>																	
160	Nose, Nasal Cavities, etc. . . . .	1	3	.	.	1	.	1	.	1	1	.	1	1	1	1	.
161	Larynx . . . . .	6	3	.	.	1	1	.	1	2	1	1	.	2	1	1	.
162, 163	Trachea, Bronchus and Lungs . . . . .	139	18	9	1	44	9	10	3	36	12	9	.	9	1	12	2
164	Mediastinum . . . . .	1	1	.	.	.	.	.	.	2	2	.	1	1	1	.	.
165	Thoracic Organs (Secondary) . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Breast and Genito-Urinary Organs</i>																	
170	Breast . . . . .	.	77	.	8	5	.	35	15	11	13	.	31	.	4	6	.
171-174	Uterus . . . . .	—	24	—	5	—	—	—	—	13	19	—	—	10	8	—	16
175	Ovary, Fallopian Tube and Broad Ligament . . . . .	—	24	—	1	—	4	—	7	—	9	—	4	—	7	—	6
176	Other Female Genital Organs . . . . .	—	4	—	1	—	—	—	2	—	—	—	—	—	1	—	—
177	Prostate . . . . .	28	—	2	—	20	—	9	—	22	—	4	—	9	—	21	—
178	Testis . . . . .	3	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—
179	Other Male Genital Organs . . . . .	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
180	Kidney . . . . .	1	8	2	1	2	4	1	.	3	1	1	2	1	.	1	2
181	Bladder and other Urinary Organs . . . . .	16	11	1	1	3	.	1	2	8	2	2	.	1	3	2	1
<i>Other and Unspecified Sites</i>																	
190, 191	Skin . . . . .	5	5	1	.	4	1	2	3	3	4	1	1	1	3	2	2
192	Eye . . . . .	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
193	Brain and other parts of the Nervous System . . . . .	9	9	2	2	2	2	5	.	9	4	.	.	4	2	3	3
194	Thyroid Gland . . . . .	2	4	.	.	.	.	.	1	.	.	.	.	1	.	.	3
195	Other Endocrine Glands . . . . .	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
196	Bone . . . . .	3	3	.	.	2	2	1	.	4	3	2	.	2	.	1	2
197	Connective Tissue . . . . .	1	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
198, 199	Other Sites . . . . .	17	8	2	1	5	3	5	3	11	5	.	.	5	2	4	1
200, 202,	Lymphatic and Haematopoietic Tissue . . . . .	6	7	1	1	5	1	2	3	1	3	1	1	.	.	2	.
203, 205		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	<b>TOTAL . . . . .</b>	<b>449</b>	<b>395</b>	<b>41</b>	<b>40</b>	<b>205</b>	<b>146</b>	<b>90</b>	<b>106</b>	<b>204</b>	<b>198</b>	<b>39</b>	<b>39</b>	<b>80</b>	<b>72</b>	<b>112</b>	<b>90</b>

**ABSTRACT XVIII. Northern Ireland: Ages of the Population according to the Census of 1951.**

Ages	Northern Ireland		Belfast C.B.		Londonderry C.B.		Co. Antrim		Co. Armagh		Co. Down		Co. Londonderry		Co. Tyrone				
	Persons	Males	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females			
Under 1 yr.	26,676	13,811	12,865	4,089	3,841	599	582	2,317	2,246	1,171	1,075	2,376	2,140	550	1,197	1,080	1,515	1,395	
1 yr.	27,101	13,945	13,156	4,089	3,889	591	532	2,457	2,256	1,171	1,178	2,492	2,220	556	1,192	1,130	1,397	1,426	
2 "	27,486	14,154	13,332	4,126	3,886	629	581	2,450	2,337	1,111	1,258	2,476	2,312	541	1,199	1,144	1,475	1,392	
3 "	28,068	14,182	13,886	4,280	4,127	602	548	2,380	2,350	1,221	1,221	2,523	2,442	552	1,249	1,137	1,455	1,474	
4 "	28,512	14,549	13,963	4,342	4,296	538	570	2,196	2,378	1,181	1,179	2,549	2,363	614	1,260	1,179	1,519	1,408	
5-9	129,205	68,905	69,140	19,816	2,494	2,527	10,938	10,662	5,387	5,286	11,403	10,806	2,643	2,398	5,949	6,716	6,395	6,395	
10-14	111,689	56,904	54,785	18,098	17,481	2,439	2,217	9,159	8,708	5,040	4,914	9,183	8,855	2,214	2,125	5,925	5,356	5,723	
15-19	119,181	55,441	53,056	17,626	17,860	2,224	2,306	8,375	8,668	4,702	4,503	8,775	8,627	2,059	1,913	4,490	4,210	4,989	
20-24	100,910	48,881	52,229	16,125	18,512	2,728	2,204	7,946	8,985	4,004	4,089	8,159	8,723	1,857	1,565	4,048	3,710	4,774	
25-29	99,492	47,881	47,881	15,631	15,812	2,043	2,043	8,371	9,247	4,182	4,182	9,129	1,758	1,647	1,647	3,573	3,630	4,340	
30-34	91,227	44,660	46,567	13,776	15,428	1,425	1,794	8,117	8,390	3,587	3,587	8,476	8,208	1,811	1,577	3,335	3,227	4,401	
35-39	94,113	45,497	48,616	14,508	16,589	1,425	1,759	7,776	8,334	3,624	4,022	8,211	8,522	1,989	1,670	3,431	4,477	4,573	
40-44	99,055	43,046	46,049	14,033	14,458	1,383	1,383	7,101	7,485	3,338	4,022	8,211	8,211	1,989	1,670	3,431	4,036	3,713	
45-49	80,824	38,848	41,976	13,284	15,174	1,230	1,519	6,537	7,188	3,142	3,332	6,894	7,311	1,533	1,316	2,775	3,542	3,381	
50-54	76,332	36,074	40,259	12,387	14,614	1,035	1,405	5,906	6,513	2,989	3,230	6,387	7,186	1,995	1,298	2,647	3,323	3,387	
55-59	62,216	28,923	33,293	9,572	11,841	905	1,093	4,886	5,486	2,421	2,711	5,149	5,971	1,237	1,130	2,146	2,226	2,835	
60-64	54,525	24,430	30,095	7,532	10,288	691	1,003	3,929	4,829	2,190	2,411	5,619	6,192	1,147	1,147	2,125	2,547	2,673	
65-69	47,401	21,832	25,769	6,007	8,262	608	869	3,550	4,298	2,012	2,110	4,094	5,052	1,147	1,064	1,767	2,447	2,349	
70-74	40,520	18,289	22,231	4,708	6,684	532	746	3,105	3,652	1,996	1,911	3,988	4,382	1,068	1,068	1,563	2,219	2,277	
75-79	27,234	14,444	14,830	4,310	515	477	2,154	2,588	1,488	1,488	2,581	2,799	736	680	1,068	1,068	2,199	2,590	
80-84	13,743	6,038	7,705	1,282	2,188	155	207	1,089	1,424	598	623	1,187	1,499	373	391	554	588	785	
85-89	4,766	1,929	2,837	345	42	80	388	528	197	215	409	409	104	123	50	52	289	278	
90-94	1,111	382	719	57	168	16	75	145	145	37	68	146	146	38	50	74	64	64	
95 & over	218	64	154	9	33	2	8	34	4	16	10	33	13	5	4	13	13	16	
All Ages	1,370,921	667,819	703,102	209,613	234,058	23,305	26,787	112,191	118,958	56,426	57,828	117,772	123,409	27,742	25,302	53,239	52,239	67,531	64,551

N.B. Lined figures.

**ABSTRACT XIX. Northern Ireland: Deaths from the Principal Causes by Months of Registration, 1957.**

Abbreviated List Nos.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
B1	Tuberculosis of respiratory system .	15	5	5	3	7	2	10	3	11	7	11	1	6	2	8	1	8	3	13	8	4	4	9	4	
B2	Tuberculosis, other forms . . . . .	3	1	1	1	2	1	4	1	3	1	1	1	4	1	2	1	3	1	2	2	2	2	5	3	
B3	Syphilis and its sequelae . . . . .	2	.	1	3	2	1	2	.	3	1	1	1	4	1	1	3	1	1	2	2	2	2	5	1	
B4	Typhoid fever . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B5	Cholera . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B6	Dysentery, all forms . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B7	Scarlet fever and streptococcal sore throat . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B8	Diphtheria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B9	Whooping cough . . . . .	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B10	Meningococcal meningitis . . . . .	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
B11	Plague . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	1	.	1	.	.
B12	Acute poliomyelitis . . . . .	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
B13	Smallpox . . . . .	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
B14	Measles . . . . .	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
B15	Typhus and other rickettsial diseases . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B16	Malaria . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B17	All other diseases, classified as infectious and parasitic . . . . .	3	1	1	2	2	1	1	3	4	1	3	1	2	2	4	2	2	3	1	.	2	2	.	1	
B18	Malignant neoplasms including neoplasms of lymphatic and haemopoietic tissues (a) Cancer (b) Hodgkin's disease and leukaemia . . . . .	106	110	95	93	97	82	107	80	109	89	103	87	103	81	98	100	107	84	96	96	96	98	88	101	96
B19	Benign and unspecified neoplasms . . . . .	3	3	3	2	2	3	5	3	8	2	3	1	5	3	2	4	3	2	3	3	4	5	3	2	
B20	Diabetes mellitus . . . . .	1	1	2	2	1	1	2	1	2	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
B21	Anaemias . . . . .	1	4	3	3	1	3	4	8	4	5	2	3	4	5	2	4	1	12	2	4	1	5	5	3	
B22	Vascular lesions affecting central nervous system . . . . .	3	5	2	.	1	2	1	2	.	8	4	1	4	2	1	4	1	3	1	.	1	.	.	1	
		102	110	69	109	84	113	82	99	61	97	75	72	74	92	60	100	46	89	64	88	63	109	92	114	



**ABSTRACT XX. Northern Ireland: Infant**

Detailed List Nos.	CAUSES OF DEATH	Total Deaths	DAYS							Total under 1 week
			Under 1 day	1-	2-	3-	4-	5-	6-	
	All Causes . . . . . M F	472 397	147 144	51 33	23 23	21 17	11 2	11 9	5 10	269 238
010	Tuberculosis of meninges . . . . . M F	1	.	.	.	.	.	.	.	.
011	Tuberculosis of intestines . . . . . M F	.	.	.	.	.	.	.	.	.
001-008, 012-019	Other tuberculous diseases . . . . . M F	.	.	.	.	.	.	.	.	.
020-029	Syphilis . . . . . M F	.	.	.	.	.	.	.	.	.
050	Scarlet fever. . . . . M F	.	.	.	.	.	.	.	.	.
055	Diphtheria . . . . . M F	.	.	.	.	.	.	.	.	.
056	Whooping cough . . . . . M F	1	.	.	.	.	.	.	.	.
057	Meningococcal infections . . . . . M F	.	.	.	.	.	.	.	.	.
080	Acute poliomyelitis . . . . . M F	1	.	.	.	.	.	.	.	.
085	Measles . . . . . M F	1	.	.	.	.	.	.	.	.
325	Mental deficiency . . . . . M F	1 2	1 1	.	.	.	.	.	.	1 1
340	Meningitis. . . . . M F	1 3	.	.	.	.	.	.	1	1
480-483	Influenza . . . . . M F	3 2	.	.	.	.	.	.	.	.
490-493	Pneumonia (excluding newborn) . . . . . M F	57 38	.	.	.	.	.	.	.	.
500-503	Bronchitis. . . . . M F	3 2	.	.	.	.	.	.	.	.
571.0, 572	Diarrhoea (excluding newborn) . . . . . M F	13 10	.	.	.	.	.	.	.	.
750-759	Congenital malformations . . . . . M F	88 113	20 36	4 7	2 3	1 4	1 1	2 5	2 3	32 59
760.0, 761.0	Birth injuries without prematurity . . . . . M F	22 17	6 5	2 4	1 3	2 1	4 1	2 2	1 1	18 15
760.5, 761.5	Birth injuries with prematurity . . . . . M F	15 9	7 6	4 2	1 1	1 1	1 1	1 1	1 1	14 9
762.0	Asphyxia and atelectasis without prematurity . . . . . M F	43 18	29 10	6 3	5 2	1 1	1 1	1 1	1 1	42 17
762.5	Asphyxia and atelectasis with prematurity . . . . . M F	46 29	20 17	11 5	5 2	6 2	1 1	2 1	1 1	45 27

**Mortality by Cause, Age and Sex, 1957.**

WEEKS				MONTHS											Mortality rate per 10,000 Live Births	Deaths of Illegitimate Infants No.	Rate per 10,000 Illegitimate Births	Detailed List Nos.		
	1-	2-	3-	Total under 4 weeks	1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-					
	30	13	8	320	34	25	18	18	14	15	9	7	4	6	2	305	15	388		
	15	9	7	269	19	21	21	17	11	22	3	4	3	3	4	272	16	465		
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	010	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	011	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	001-008, 012-019	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	050	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	055	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	056	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	057	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	080	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	085	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	325	
.	1	.	1	2	.	.	.	.	.	1	.	.	.	.	.	1	2	.	340	
.	.	1	1	.	1	.	1	.	.	1	.	.	.	.	.	2	1	1	480-483	
.	.	.	.	.	14	10	5	9	9	2	3	2	2	1	3	1	37	1	26	490-493
.	.	.	.	.	7	6	7	6	.	6	1	.	1	3	1	26	3	87	500-502	
.	.	.	.	.	1	.	1	1	.	1	1	1	1	.	1	2	1	.	571-0, 572	
.	.	.	.	.	3	2	1	3	1	1	1	1	1	.	1	8	7	1	26	
.	.	.	.	.	3	3	1	1	1	1	1	1	1	.	1	7	1	1	29	
11	3	1	2	47	12	7	5	2	2	4	2	2	2	1	3	1	57	2	58	750-759
8	1	2	70	8	4	8	4	5	6	1	2	2	2	.	3	3	77	.	.	
3	.	.	21	1	1	1	.	.	.	.	.	.	.	.	.	14	12	2	52	760-0,
.	.	.	15	1	.	.	.	.	.	.	.	.	.	.	.	12	.	.	761-0	
1	.	.	15	.	.	.	.	.	.	.	.	.	.	.	.	10	6	.	.	760-5,
.	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	761-5	
.	1	.	43	1	.	.	.	.	.	.	.	.	.	.	.	28	12	3	78	762-0
2	1	.	46	29	.	.	.	.	.	.	.	.	.	.	.	30	20	1	26	762-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	.	.	.	

**ABSTRACT XX (continued). Northern Ireland:**

Detailed List Nos.	CAUSES OF DEATH	Total Deaths	DAYS						Total under 1 week
			Under 1 day	1-	2-	3-	4-	5-	
763.0	Pneumonia of newborn without prematurity . . . M F	19 10	2 .	3 2	1 2	1 .	3 1	1 1	11 6
763.5	Pneumonia of newborn with prematurity . . . M F	6 4	1 1	1 1	1 1	1 .	1 .	1 .	4 4
764.0	Diarrhoea of newborn without prematurity . . . M F	6 4	. .	. .	. 1	. .	. .	. .	1
764.5	Diarrhoea of newborn with prematurity . . . M F	. .	. .	. .	. .	. .	. .	. .	.
765-768.0	Other infections of newborn without prematurity . . . M F	3 1	. .	. .	. 1	1 .	. .	. .	1 1
765-768.5	Other infections of newborn with prematurity . . . M F	1 1	. .	1 .	. .	. .	. .	. .	1
770.0	Haemolytic disease of newborn without prematurity . . . M F	8 8	3 5	1 .	1 1	1 .	. .	1 .	5 7
770.5	Haemolytic disease of newborn with prematurity . . . M F	2 1	1 1	. .	1 .	. .	. .	. .	2 1
769, 771, 772.0	Other defined diseases of early infancy without prematurity . . . M F	9 4	3 2	2 1	. .	2 .	. .	. .	8 2
769, 771, 772.5	Other defined diseases of early infancy with prematurity . . . M F	3 6	2 3	1 .	1 .	. .	. .	2 .	3 6
773-775.0	Ill-defined diseases peculiar to early infancy without prematurity . . . M F	4 3	2 2	. .	. .	. .	. .	. .	2 2
773-775.5	Ill-defined diseases peculiar to early infancy with prematurity . . . M F	1 .	. .	1 .	. .	. .	. .	. .	1
776	Prematurity unqualified . . . . . M F	80 75	46 52	16 9	6 7	5 3	1 .	1 .	75 72
	Other natural causes . . . . . M F	19 13	1 .	. .	1 .	1 1	. .	. .	2 1
E921-922	Inhalation and ingestion of food, etc. causing obstruction or suffocation . . . . . M F	6 7	. .	1 .	. .	. .	. .	. .	1
E924-925	Accidental mechanical suffocation . . . . . M F	6 10	. .	. .	. .	. .	. .	. .	.
E926	Lack of care of infants under 1 year of age M F	3 1	3 1	. .	. .	. .	. .	. .	3 1
	Other violence . . . . . M F	3 3	1 2	. .	. .	. .	. .	. .	1 2

**Infant Mortality by Cause, Age and Sex, 1957.**

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 Live Births	Deaths of Illegitimate Infants		Detailed List Nos.
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 Illegitimate Births	
1	3	2	19	.	.	.	.	.	.	.	.	.	.	.	12	1	26	763-0
1	1	.	10	.	.	.	.	.	.	.	.	.	.	.	7	.	.	.
.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	4	.	.	763-5
.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.
3	2	1	6	.	.	.	.	.	.	.	.	.	.	.	4	1	29	764-0
.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	3	.	.	764-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	.	3	1	.	.	.	.	.	.	.	.	.	.	2	1	.	765-768,-0
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	765-768,-
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
1	1	.	5	8	.	.	.	1	2	.	.	.	.	.	5	5	.	770-0
.	.	.	8	8	.	.	.	1	2	.	.	.	.	.	5	5	.	770-0
.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	770-5
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	770-5
.	i	.	8	3	.	1	1	.	.	.	.	.	.	.	6	3	.	769, 771, 772 } -0
.	.	.	6	6	.	.	.	.	.	.	.	.	.	.	2	4	.	769, 771, 772 } -5
.	1	.	3	2	.	.	.	.	.	1	1	.	.	.	3	2	.	773-775
.	.	.	2	2	.	.	.	.	.	1	1	.	.	.	3	2	.	773-775
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	773-775
5	2	i	80	75	.	.	.	.	.	.	.	.	.	.	52	3	78	776
1	1	.	3	2	3	4	3	2	1	2	1	1	1	.	12	9	.	.
.	1	.	2	1	3	2	1	3	2	1	3	1	1	.	9	.	.	.
1	1	.	2	1	1	1	1	1	1	1	1	1	1	.	4	5	1	E921-922
.	2	i	3	1	2	1	2	1	3	1	3	1	1	.	4	7	.	E924-925
.	.	.	3	1	2	1	2	1	3	1	3	1	1	.	2	1	2	E926
.	.	.	1	2	1	2	1	2	1	3	1	3	1	.	2	2	1	26
.	.	.	2	2	1	2	1	2	1	3	1	3	1	.	2	2	1	58

**ABSTRACT XXI. Northern Ireland: Infant Mortality by Cause and Month of Registration, 1957.**

Detailed List Nos.	CAUSES OF DEATH	MONTH OF REGISTRATION												December	
		Total	January	February	March	April	May	June	July	August	September	October	November		
010	Tuberculosis of meninges . M	.													
011	Tuberculosis of intestines . M	1													
001-008,		F													
012-019	Other tuberculous diseases M	.													
020-029	F	.													
	Syphilis . . . . . M	.													
050	Scarlet fever. . . . . M	.													
055	F	.													
056	Diphtheria . . . . . M	.													
057	F	.													
	Whooping cough . . . . . M	1													
080	F	.													
085	Meningococcal infections . M	.													
340	F	.													
480-483	Acute poliomyelitis . . . M	.													
490-493	F	.													
	Measles . . . . . M	1													
	F	.													
500-502	Meningitis. . . . . M	1	1												
	F	3													
511-512	Influenza . . . . . M	3													
	F	2													
513-514	Pneumonia (excluding new-born) . . . . . M	57	10	7	9	4	6	4	2	3	2	1	3	6	
	F	38	14	5	4	5	5	1	2	1	3	.	3	3	
515-516	Bronchitis. . . . . M	3	.	.	.	1	.	.	.	1	.	.	1	.	
	F	2													
517-518	Diarrhoea (excluding new-born) . . . . . M	13	2	.	1	2	1	1	2	1	2	1	.	.	
	F	10	2	.	2	3	1	1	2	1	1	1	.	.	
519-520	Congenital malformations M	88	9	12	6	5	10	6	4	9	3	10	8	6	
	F	113	11	5	12	4	7	8	10	8	7	9	16	16	
521-522	Birth injuries . . . . . M	37	1	2	.	4	2	4	5	3	2	4	5	5	
	F	26	3	1	3	2	2	2	3	1	2	2	2	3	
523-524	Asphyxia and atelectasis . M	89	6	8	12	10	8	9	3	8	12	4	1	8	
	F	47	5	5	6	5	3	4	2	3	6	2	4	4	
525-526	Pneumonia of newborn . M	25	3	2	5	1	4	3	1	1	3	.	.	2	
	F	14	1	1	.	1	3	.	1	1	1	.	1	1	
527-528	Diarrhoea of newborn . M	6	4	2	.	.	.	1	1	.	.	1	.	1	
	F	2	2	.	.	.	.	1	1	.	.	1	.	1	
529-530	Other infections of newborn M	4	.	.	.	.	.	1	.	.	.	.	1	.	
	F	2	.	.	.	.	.	1	.	.	.	.	1	.	
531-532	Haemolytic disease of newborn . M	10	1	2	1	1	1	2	.	1	1	1	.	.	
	F	9	3	2	2	1	1	1	.	1	2	1	2	.	
533-534	Other defined diseases of early infancy . . . . . M	12	1	2	2	2	1	.	.	1	.	1	2	2	
	F	10	2	3	1	1	.	.	.	2	1	2	.	.	
535-536	Ill-defined diseases peculiar to early infancy . . . . . M	4	1	1	.	1	1	.	.	.	.	2	.	2	
	F	4	1	1	.	1	1	.	.	.	.	2	.	.	
537-538	Prematurity unqualified . M	80	6	5	8	7	8	3	10	4	6	8	6	9	
	F	75	5	5	5	11	7	5	4	5	9	6	6	4	
539-540	Other natural causes . . M	20	4	1	2	2	2	1	3	2	1	3	1	5	
	F	18	3	2	2	2	2	2	1	3	.	1	3	2	
541-542	Deaths from violence . . M	18	2	3	2	2	2	4	.	1	4	.	2	1	
	F	21	2	3	2	2	2	4	.	1	4	.	2	1	
<b>TOTAL . . . . .</b>		<b>M</b>	<b>472</b>	<b>46</b>	<b>45</b>	<b>49</b>	<b>38</b>	<b>47</b>	<b>35</b>	<b>33</b>	<b>35</b>	<b>32</b>	<b>39</b>	<b>31</b>	<b>42</b>
		<b>F</b>	<b>397</b>	<b>51</b>	<b>29</b>	<b>36</b>	<b>34</b>	<b>34</b>	<b>23</b>	<b>25</b>	<b>26</b>	<b>33</b>	<b>27</b>	<b>38</b>	<b>41</b>

**ABSTRACT XXII. Northern Ireland : Deaths of Children under 1 year in each County and County Borough, 1954-57.**

AREA	Deaths of All Children under 1 year of Age																											
				Year 1957												Females												
				MALES AND FEMALES						MALES						FEMALES												
	1954	1955	1956	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	
<b>NORTHERN IRELAND:</b>	951	938	850	869	291	216	82	53	46	99	82	472	147	122	51	34	25	50	43	397	144	94	31	19	21	49	3	
All Urban Areas . . . . .	554	543	462	480	160	110	47	29	32	57	45	243	69	60	29	16	18	28	23	237	91	50	18	13	14	29	2	
All Rural Areas . . . . .	397	395	388	389	131	106	35	24	14	42	37	229	78	62	22	18	7	22	20	160	53	44	13	6	7	20	2	
Belfast County Borough . . . . .	321	300	240	275	92	67	27	16	20	34	19	140	43	40	14	10	10	15	8	135	49	27	13	6	10	19	1	
Londonderry Cnty Borough . . . . .	57	63	59	38	10	6	7	2	1	7	5	20	4	4	6	1	3	2	18	6	2	1	1	1	4	1	4	
County Antrim . . . . .	136	151	153	129	41	34	8	9	6	15	16	65	17	17	6	6	3	7	9	64	24	17	2	3	3	8	8	
" Armagh . . . . .	84	80	70	88	17	26	6	5	5	14	15	55	8	17	5	4	3	11	7	33	9	9	1	1	2	3	3	
" Down . . . . .	150	129	141	119	40	32	13	7	7	8	12	63	26	12	6	2	6	5	6	56	14	20	7	5	1	1	3	
" Fermanagh . . . . .	32	37	30	36	16	9	1	5	2	2	1	23	8	7	1	4	1	1	1	13	8	2	1	1	1	1	1	
" Londonderry . . . . .	77	77	71	79	32	14	9	5	3	10	6	49	19	10	8	3	2	4	3	30	13	4	1	2	1	1	6	
" Tyrone . . . . .	94	101	86	105	43	28	11	4	2	9	8	57	22	15	5	4	4	7	48	21	13	6	.	2	5	5		

**ABSTRACT XXIII. Northern Ireland : Mortality among Illegitimate Children in each County and County Borough, 1954-57.**

AREA	Deaths of All Children under 1 year of Age																											
				Year 1957												Females												
				MALES AND FEMALES						MALES						FEMALES												
	1954	1955	1956	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	Total	under 1 day	1-7 days	1-4 wks	1-2 mths	2-3 mths	3-6 mths	6-12 mths	
<b>NORTHERN IRELAND:</b>	43	30	34	31	16	6	1	3	3	.	2	15	10	3	.	1	1	.	.	16	6	3	1	2	2	.		
All Urban Areas . . . . .	29	14	22	20	12	3	.	1	2	2	.	2	7	6	1	.	.	.	.	13	6	2	1	1	2	.		
All Rural Areas . . . . .	14	16	12	11	4	3	1	2	1	.	.	8	4	2	.	1	1	.	.	3	.	1	1	1	.			
Belfast County Borough . . . . .	18	10	10	11	7	1	.	.	1	.	2	4	4	.	.	.	.	.	.	7	3	1	.	.	1	.		
Londonderry Cnty Borough . . . . .	3	2	1	2	1	2	.	1	.	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.		
County Antrim . . . . .	4	4	6	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	5	2	2	1	.	.	.		
" Armagh . . . . .	2	3	3	1	.	.	.	1	.	.	.	.	1	4	4	.	.	.	.	.	.	.	.	.	.	.		
" Down . . . . .	8	3	5	4	4	.	.	1	.	1	.	.	1	1	2	.	.	.	.	1	.	.	.	.	1	.		
" Fermanagh . . . . .	2	1	1	2	.	1	.	1	.	1	.	.	4	1	1	.	.	.	.	1	.	.	.	.	1	.		
" Londonderry . . . . .	3	3	4	5	1	1	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	.	.	.	1	.		
" Tyrone . . . . .	3	4	4	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	.	.	.	1	.		

**ABSTRACT XXIV. Northern Ireland: Notifications of certain Infectious Diseases, 1957.**

COUNTY BOROUGHS BOROUGHS URBAN AND RURAL DISTRICTS	NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES, 1957																				
	Acute Influenza and Acute Primary Pneumonia	Cerebro-Spinal Fever	Diphtheria	Dysentery	Erysipelas	Food Poisoning (Bacterial Origin)	Gastro-Enteritis (under 2 years)	Infective Hepatitis	Measles	Poliomyelitis	Puerperal Pyrexia including Puerperal fever	Rheumatic Fever	Scarlet Fever	Typhoid and Para- typhoid Fevers	Vincent's Angina	Whooping Cough	Pulmonary Tuberculosis	Non-Pulmonary Tuberculosis	Other Diseases		
Belfast County Borough . . . . .	251	13	.	284	27	21	390	112	4,109	135	50	25	492	4	20	117	390	64	18	6,522	
Londonderry County Borough	55	.	.	9	2	1	42	13	125	.	1	2	95	3	3	54	60	7	3	475	
<b>County Antrim</b>																					
Ballycastle Urban District . . . . .	.	.	.	.	1	.	.	1	28	3	.	.	.	.	.	3	4	.	.	8	
Ballyclare . . . . .	.	.	.	.	1	.	.	2	167	2	.	.	.	.	.	2	8	1	.	31	
Ballymena Municipal Borough . . . . .	.	.	.	3	.	.	.	2	.	.	.	.	.	.	.	1	1	2	.	186	
Ballymoney Urban District . . . . .	.	.	.	.	.	.	.	7	21	290	6	.	.	.	.	9	2	1	.	7	
Carickfergus Municipal Borough . . . . .	1	1	.	7	3	.	.	3	205	12	1	1	14	.	3	1	3	1	363		
Larne . . . . .	3	1	.	13	1	1	6	1	397	1	.	.	26	.	.	1	5	3	1	268	
Lisburn Urban District . . . . .	2	2	.	1	1	7	6	1	397	1	.	.	33	.	3	3	14	3	.	480	
Portrush . . . . .	.	.	.	.	.	.	.	5	250	3	.	.	.	.	.	2	1	1	1	3	
Whitehead . . . . .	.	.	.	.	.	.	.	1	5	2	.	.	.	.	.	2	1	1	1	29	
Anttrim Rural District . . . . .	2	.	1	20	.	.	.	1	146	10	.	.	15	.	.	3	4	3	2	311	
Ballycastle . . . . .	.	.	.	.	6	.	.	1	1	2	.	.	2	.	.	1	1	1	2	16	
Ballymena . . . . .	.	.	.	1	10	1	1	5	556	25	3	2	15	.	.	4	9	1	1	177	
Ballymoney . . . . .	.	.	.	5	2	.	26	18	556	25	3	2	65	1	1	4	9	1	1	60	
Belfast . . . . .	3	1	.	5	2	.	3	5	43	111	6	16	16	.	1	1	9	26	3	3	749
Larne . . . . .	6	.	.	32	1	.	10	5	410	6	5	5	55	.	1	1	6	1	1	200	
Lisburn . . . . .	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	14	3	12	561		
<b>County Armagh</b>																					
Armagh Urban District . . . . .	2	1	.	15	7	.	.	2	50	.	.	.	5	.	.	.	7	.	2	82	
Keady . . . . .	.	.	.	.	1	.	.	4	3	189	2	1	1	.	.	1	1	1	.	39	
Lurgan Municipal Borough . . . . .	.	.	.	.	1	.	.	3	223	1	1	1	22	.	.	5	13	4	1	245	
Portadown . . . . .	5	1	.	14	1	5	3	5	6	2	2	1	1	.	3	12	4	4	.	261	
Tanderagee Urban District . . . . .	.	.	.	.	1	1	.	1	191	2	2	2	7	1	.	5	15	5	1	7	
Armagh Rural District . . . . .	21	.	.	14	1	5	3	5	60	60	2	2	7	1	.	6	6	2	1	278	
Lurgan . . . . .	2	.	.	3	.	1	.	2	30	30	.	.	1	1	.	9	9	1	1	82	
Newry No. 2 . . . . .	4	1	1	.	.	.	.	2	10	10	.	.	6	6	1	1	1	1	1	56	
Tanderagee . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	1	1	21		

Only the first case of measles or whooping cough in a household is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

\* Including 9 cases of acute encephalitis, 1 of anthrax, 54 of glandular fever, 12 of leptospiral jaundice, 1 of ophthalmia neonatorum, 1 of pemphigus neonatorum, 6 of undulant fever and 1 of encephalitis lathargica.

**ABSTRACT XXV. Northern Ireland: Belfast Co. Borough and Londonderry Co. Borough**  
**Summary of Vital Statistics for the years 1955, 1956 and 1957.**

SUBJECT	NORTHERN IRELAND			BELFAST COUNTY BOROUGH			LONDONDERRY CO. BOROUGH		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Birth Rate . . . . .	20.78	21.11	21.53	17.84	18.49	19.22	29.00	28.25	28.39
Marriage Rate . . . . .	6.83	6.70	6.72	8.04	8.21	8.28	8.66	7.67	8.28
Death Rate . . . . .	11.05	10.64	10.86	10.47	10.43	11.13	10.29	9.89	10.12
Death Rates from certain specified diseases:									
Tuberculosis (all forms) . . . . .	0.15	0.12	0.13	0.18	0.17	0.16	0.17	0.06	0.14
Cancer . . . . .	1.56	1.58	1.65	1.63	1.89	1.92	1.44	1.38	1.57
Influenza . . . . .	0.09	0.11	0.16	0.07	0.06	0.14	0.02	0.11	0.35
Pneumonia . . . . .	0.51	0.39	0.49	0.66	0.47	0.65	0.41	0.43	0.48
Heart Disease . . . . .	3.68	3.75	3.80	3.43	3.46	3.69	2.85	3.13	3.08
Infant Mortality Rate (per 1,000 live births)	32	29	29	37	29	32	42	39	28
Maternal Mortality Rate (per 1,000 live births)	0.83	0.58	1.1	0.62	0.73	0.95	0.67	.	.
Chief Notifiable Diseases—cases notified:									
Typhoid Fever . . . . .	70	17	15	20	6	4	.	1	3
Scarlet Fever . . . . .	1,922	1,301	1,269	784	539	492	104	63	95
Diphtheria . . . . .	4	.	2	1	.	.	.	.	.
Cerebro-spinal Fever . . . . .	51	44	41	25	20	13	5	.	.
Tuberculosis (all forms) . . . . .	1,375	1,289	1,155	502	464	454	71	90	67

NOTE.—Where not otherwise stated, the rates given are per 1,000 of estimated population.