

PARLIAMENT OF NORTHERN IRELAND

**Thirty-Seventh
Annual Report of
the Registrar-General
1958**

Presented to Parliament pursuant to Statute

*Ordered by The House of Commons to be Printed
13th October, 1959*

BELFAST
HER MAJESTY'S STATIONERY OFFICE
SIX SHILLINGS NET
H.C. 1369

General Register Office,
Fermanagh House,
Ormeau Avenue,
Belfast.
23rd September, 1959

To CAPTAIN THE RIGHT HONOURABLE TERENCE O'NEILL, D.L., M.P.
Minister of Finance for Northern Ireland.

SIR,

I have the honour to submit the Thirty-Seventh Annual Report on the Births, Deaths, and Marriages registered in Northern Ireland, together with Abstracts of the particulars of such registrations. The Report relates to the year ended 31st December, 1958. The Abstracts have been prepared for presentation to Parliament, pursuant to the provisions of statutes governing the registration system. The Report draws attention to the salient features of the vital statistics contained in the Abstracts, and information is given relating to notifications of infectious diseases, migration and the weather.

I wish to acknowledge the material assistance of the Central Automatic Data Processing Unit of the Ministry of Finance in the compilation of the statistics by machine tabulation, also the assistance rendered by the Medical Staff of the Ministry of Health and Local Government, for advice on medical matters, and to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland and the Irish Republic, in furnishing information relating to the areas under their respective administrations.

I have the honour to be, Sir,

Your obedient Servant,

L. C. MULLIGAN,
Registrar-General of Births, Deaths, and
Marriages for Northern Ireland.

TABLE OF CONTENTS

REPORT

	<i>Page</i>
GENERAL	6
SUMMARY	7
POPULATION	8
MARRIAGES	
Number and Rate	9
Seasonal Incidence of Marriage	9
Ages at Marriage	10
Method of Celebration	10
BIRTHS	
Number and Rate	14
Proportion of Males to Females	14
Multiple Births	16
DEATHS	
Number and Rate	16
Deaths in Hospitals	18
Proportion of Deaths from the Principal Causes	18
Deaths from the Principal Epidemic Diseases	19
Influenza	19
Tuberculosis	19
Cancer	22
Cerebral Haemorrhage, etc.	25
Heart Diseases	25
Bronchitis	26
Pneumonia	26
Pregnancy and Childbirth	26
Violent Deaths	29
Uncertified Deaths	32
Inquests	33
Infant Mortality	33
Mortality among Illegitimate Children	36
ABRIDGED LIFE TABLE	36
MIGRATION	38
THE WEATHER	39
ADMINISTRATION	
Introductory	43
Buildings licensed or registered for Marriages	43
State of Registration	43
Legitimacy Acts (N.I.), 1928 and 1958	43
Adoption of Children Act (N.I.), 1950	43
Searches and Certificates	43
Verifications	44

ABSTRACTS

I. Marriages registered in each of the Counties, showing Method of Celebration	46
II. Marriages registered in each of the Counties, showing the number registered in each month of the year and the Civil Condition of the Persons married	46
III. Ages of Men at Marriage	47
IV. Ages of Women at Marriage	47
V. Ages and Conjugal Conditions of Persons Married	48
VI. Ages in combination of Men and Women at Marriage	52

	<i>Page</i>
VII. Births in each of the Counties, showing the number in each quarter of the year, distinguishing Males and Females	53
VIII. Deaths in each of the Counties showing the number in each quarter of the year, distinguishing Males and Females	53
IX. Deaths by causes of Males and Females at different Age-Periods	54
IXa. Deaths from non-transport accidents by Age, Sex and Place of Occurrence	76
X. Deaths in each of the Counties and County Boroughs, also in the aggregates of the Urban and Rural Areas by causes and at certain Age-Periods, distinguishing Males and Females	78
XI. Births and Deaths in each Administrative Area	98
XII. Deaths of Males and Females at different Age-Periods in each of the Counties: Death Rates by Sex and Age-Periods for Northern Ireland	102
XIII. Death Rates by Sex and Age-Periods, 1926, 1937, 1939-58	103
XIV. Deaths by Sex at each year of age and by Conjugal Condition	104
XV. Proportion of Deaths from Principal Causes at certain Age-Periods	106
XVI. Deaths from Cancer by Sex, Age and Site	108
XVII. Deaths from Cancer in each County and County Borough by Sex and Site	110
XVIII. Population of Northern Ireland by Sex and Age according to the Census of 1951	111
XIX. Deaths from the Principal Causes by Month of Registration, distinguishing Males and Females	112
XX. Infant Mortality by Cause, Age and Sex, also Illegitimate Infant Mortality by Cause, 1958	114
XXI. Infant Mortality by Cause and Month of Registration	118
XXII. Infant Mortality in each County and County Borough, also the aggregates of the Urban and Rural Areas, 1955-1958	119
XXIII. Mortality among Illegitimate Children in each County and County Borough, 1955-1958	119
XXIV. Notifications of certain Infectious Diseases	120
XXV. Northern Ireland, Belfast County Borough and Londonderry County Borough—Summary of Vital Statistics for the years 1956, 1957 and 1958	122

DIAGRAMS

I. Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic	11
II. Birth Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic	15
III. Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic	17
IV. Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and the Irish Republic	21
V. Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic	23
VI. Death Rates from Cancer and Tuberculosis in Northern Ireland	28
VII. Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic	30
VIII. Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic	35

GENERAL

The figures contained in this Report may be regarded as final, and as superseding the provisional figures already published for the year 1958 in the Registrar-General's weekly and quarterly returns. It should be noted that statistics of deaths for the years 1941-49 relate to civilians only.

The value of the statistical information concerning deaths contained in the Registrar-General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death. The particulars so given are incorporated in the death entries, and thus in every case in which a person had been attended in his or her last illness by a medical practitioner, the medical certificate given by the latter forms the basis upon which the cause of death is classified.

Rates are assessed per 1,000 of the estimated home population as at the 30th June, 1958, unless otherwise stated.

Comparisons with rates (births, deaths, etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but, owing to changes in the mode of computing population figures in certain countries in certain years, complete accuracy has not been achieved. The figures shown for the Irish Republic in respect of the year 1958 are provisional.

Generally speaking, the classifications adopted for the purposes of this Report are the Intermediate and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955."

Abstract IX shows the deaths classified under the headings of the Intermediate List (slightly modified to give a more detailed classification in the case of certain diseases), whilst the causes shown in Abstracts X and XV and certain tables in the text are in accordance with the Abbreviated List. The Detailed List numbers have also been given in Abstract IX for the purpose of reference.

In general in the tables and abstracts, dots (·) are used to indicate "none", and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

Throughout the Report, births and deaths have been allocated to the district of normal residence, births having been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons.

Thirty-Seventh Annual Report of the Registrar-General for Northern Ireland

SUMMARY

Births: The birth rate was the highest for ten years. The proportion of illegitimate births was the lowest for any year this century.

Marriages: Except for the year 1950, when the same rate obtained, the marriage rate was the lowest since 1934.

Deaths: The death rate showed a slight decrease on that for 1957, but was the same as the average rate for the past five years. This was lower than for any preceding year since 1900.

The following figures indicate the general trend of births, marriages and deaths over the past thirty years. A more detailed comparison will be found on page 12

	1928	1948	1957	1958
Estimated population .	1,247,000	1,351,000	1,398,500	1,402,300
Births No. .	25,963	29,532	30,108	30,301
Rate	20·8	21·9	21·5	21·6
Deaths No. .	18,004	15,125	15,187	15,132
Rate	14·4	11·2	10·9	10·8
Marriages No. .	7,264	9,360	9,391	9,257
Rate	5·8	6·9	6·7	6·6
Illegitimate births No. .	1,192	1,072	731	709
Infant deaths No. .	2,022	1,347	869	850
Rate*	78	46	29	28
Neo-natal deaths No. .	760	699	588	579
Rate*	29	24	20	19
Maternal deaths No. .	136	45	33	17
Rate*	5·2	1·5	1·1	0·6

Comparison of the principal causes of death during the past years shows a remarkable decrease in deaths from tuberculosis and a substantial increase in deaths resulting from cancer, cerebral haemorrhage and heart disease.

	1928	1948	1957	1958
Deaths from				
Tuberculosis . .	1,745	932	175	154
Cancer (all forms) . .	1,458	1,963	2,306	2,253
Lung cancer . .	†	159	313	314
Cerebral haemorrhage, etc. . . .	†	1,559	2,064	2,149

* Rate per 1,000 live births.

† Not available.

		1928	1948	1957	1958
Heart disease (all forms)	.	†	4,304	5,310	5,452
Coronary disease					
" "	Age under 50	†	†	146	143
" "	Age 50-64	†	†	635	783
" "	Age 65 and over	†	†	1,528	1,612
Road transport accidents	.	†	123	175	158
Accidents in the home		†	†	193	172
Other violent causes		509 ‡	333	166	152
Inquests held	.	467	508	661	696
Uncertified deaths	.	1,790	419	225	134

† Not available. ‡ All violent deaths.

POPULATION

The home population of Northern Ireland as estimated at 30th June, 1958, was 1,402,300 persons, an increase of 3,800 over 1957. This estimate, comprising civilians and members of H.M. Forces stationed in Northern Ireland, was based on the census population ascertained on 8th April, 1951, revised to allow for the natural increase and for net outward migration. During the year ended 30th June, 1958, there was an excess of births over deaths of 14,770, but this was reduced by a balance of outward over inward migration estimated at 10,900.

TABLE A. *Populations of Counties, County Boroughs and Urban and Rural Areas as recorded at the censuses of 1911, 1926, 1937 and 1951, and as estimated at mid-year 1958.*

AREA	Census 1911	Census 1926	Census 1937	Census † 1951	Mid-Year Estimate 1958
Northern Ireland	1,250,531	1,256,561	1,279,745	1,370,921	1,402,300
Total Urban Areas	586,694	637,719	677,545	728,297	772,430
Total Rural Areas	663,837	618,842	602,200	642,624	629,870
Belfast County Borough	386,947	415,151	438,086	443,671	436,200
Londonderry County Borough	40,780	45,159	47,813	50,092	51,500
Counties:					
Antrim	193,864	191,643	197,266	231,149	253,600
Armagh	120,291	110,070	108,815	114,254	117,400
Down	204,303	209,228	210,687	241,181	251,300
Fermanagh	61,836	57,984	54,569	53,044	50,900
Londonderry*	99,845	94,534	94,923	105,448	109,700
Tyrone	142,665	132,792	127,586	132,082	131,700

* Excluding County Borough.

† The 1951 census population for each administrative area is given in Abstract XI.

TABLE A1. Northern Ireland: Sex and Age distribution of population as estimated at 30th June, 1958, and percentage of total population in each age group.

Age-groups	Persons		Males		Females	
	No.	Percentage of total	No.	Percentage of total	No.	Percentage of total
All Ages	1,402,300	100·0	683,600	100·0	718,700	100·0
0-4	139,500	9·9	71,900	10·5	67,600	9·4
5-9	133,000	9·5	68,400	10·0	64,600	9·0
10-14	131,600	9·4	67,000	9·8	64,600	9·0
15-19	116,000	8·3	60,700	8·9	55,300	7·7
20-24	98,800	7·0	49,500	7·2	49,300	6·9
25-29	89,700	6·4	43,000	6·3	46,700	6·5
30-34	86,800	6·2	40,700	6·0	46,100	6·4
35-39	89,300	6·4	43,100	6·3	46,200	6·4
40-44	81,900	5·8	39,500	5·8	42,400	5·9
45-49	88,100	6·3	42,300	6·2	45,800	6·4
50-54	78,700	5·6	37,500	5·5	41,200	5·7
55-59	72,700	5·2	34,200	5·0	38,500	5·4
60-64	59,300	4·2	27,000	3·9	32,300	4·5
65-69	47,900	3·4	20,900	3·1	27,000	3·7
70-74	37,800	2·7	16,400	2·4	21,400	3·0
75-79	27,600	2·0	11,600	1·7	16,000	2·2
80-84	17,300	1·2	7,400	1·1	9,900	1·4
85 and over	6,300	0·5	2,500	0·3	3,800	0·5

The 1951 census population by age and sex for Northern Ireland and for Counties and County Boroughs is given in Abstract XVIII.

MARRIAGES

Number and Rate. Marriages registered during the year numbered 9,257 which is 134 less than the previous year. The rate 6·60 per 1,000 of the estimated population is 0·12 below that for the year 1957. Of the total marriages 95·6 per cent. were between bachelors and spinsters, 2·2 per cent. between widowers and spinsters, 1·0 per cent. between bachelors and widows and 1·2 per cent. between widowers and widows. Thus 3·4 per cent. of the men married during the year were widowers and 2·2 per cent. of the women were widows or, in 6 out of every 100 marriages, one or both of the contracting parties had been married before. It should be noted that for the purpose of these calculations, divorced men and women who marry are included with bachelors and spinsters respectively.

Seasonal Incidence of Marriage. The number of marriages celebrated in each month in 1958 was as follows:

January	463	April	820	July	993	October	628
February	613	May	321	August	1,097	November	472
March	1,122	June	879	September	1,183	December	666
Qtrs.: 1st	2,198	2nd	2,020	3rd	3,273	4th	1,766

The table shows that the period July to September was the most popular quarter for weddings, September heading the monthly totals. In the first six months of the year, there were 305 fewer marriages than in the corresponding period of the previous year, but in the latter half of 1958 there were 171 more marriages than during July-December, 1957.

Ages at Marriage. The average age of men marrying in 1958 was 28·7 and of women 25·6. During 1957 this age was 28·6 among men and 25·5 among women. Ten years ago, the average age was 29·2 for men and 26·4 for women. Of the contracting parties 8·0 per cent. of the husbands and 23·7 per cent. of the wives were minors. Further statistics will be found in Abstracts III, IV, V and VI.

Method of Celebration. Table B shows the marriages registered during the years 1927, 1937 and 1951 to 1958 according to methods of celebration. The religious denominations are placed in the order of the number of members at the last Census.

Marriages taking place in Registrars' Offices in the year under review represented 4·9 per cent. of the total marriages as compared with 5·7 in the previous year.

TABLE B. *Northern Ireland: Marriages Registered, according to Methods of celebration, 1927, 1937, 1951-58.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	In Other Churches	In Registrars' Offices	Jewish	Total Marriages Registered	Total Marriage Rate per 1,000 of Estimated Population
1927	2,091	2,074	2,150	235	233	388	4	7,175	5·74
1937	2,396	2,473	2,426	426	247	647	8	8,623	6·73
1951	2,723	2,975	2,270	446	304	694	2	9,414	6·86
1952	2,731	2,845	2,244	487	314	676	3	9,300	6·77
1953	2,887	2,880	2,261	462	266	656	4	9,416	6·80
1954	2,847	2,739	2,195	448	305	615	5	9,154	6·60
1955	3,032	2,897	2,219	455	286	617	7	9,513	6·83
1956	2,986	2,817	2,255	452	315	527	7	9,359	6·70
1957	2,811	2,809	2,377	507	346	539	2	9,391	6·72
1958	2,959	2,807	2,234	466	336	453	2	9,257	6·60

DIAGRAM I. Marriage Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932–58.
Rate per 1,000 Population.




TABLE C. *Northern Ireland: Population, Marriages, Births, and Deaths, 1946–1958, with Quinquennial Averages from 1911.*

YEAR	Estimated Mid-Year Population	Marriages	Births (Total)	Illegitimate Births	Deaths	Deaths of Infants under 1 year of Age
1911–15	1,238,000	7,535	29,675	1,296	21,929	3,030
1916–20	1,227,000	8,250	27,560	1,258	22,128	2,620
1921–25	1,260,000	7,873	29,104	1,248	19,594	2,392
1926–30	1,246,000	7,328	26,418	1,249	18,403	2,083
1931–35	1,258,000	7,806	25,098	1,259	18,026	1,966
1936–40	1,287,000	9,073	25,533	1,178	18,369	1,970
1941–45	1,304,000*	10,751	29,592	1,560	17,478*	2,169
1946	1,333,000*	9,801	30,134	1,319	16,666*	1,626
1947	1,339,000*	9,517	31,254	1,179	16,913*	1,658
1948	1,351,000*	9,360	29,532	1,072	15,125*	1,347
1949	1,360,000*	9,216	29,106	1,066	15,652*	1,317
1950	1,369,000*	9,084	28,794	986	15,839	1,166
1946–50	1,350,000*	9,396	29,764	1,124	16,039	1,423
1951	1,373,000	9,414	28,477	895	17,628	1,173
1952	1,375,000	9,300	28,760	959	14,812	1,117
1953	1,384,000	9,416	28,984	818	14,813	1,090
1954	1,387,000	9,154	28,803	827	15,124	951
1955	1,394,000	9,513	28,965	690	15,407	938
1951–55	1,383,000	9,359	28,798	838	15,557	1,054
1956	1,397,000	9,359	29,489	790	14,858	850
1957	1,399,000	9,391	30,108	731	15,187	869
1958	1,402,300	9,257	30,301	709	15,132	850

NOTE. For Births and Deaths in each administrative area, see Abstract XI.

TABLE D. *Northern Ireland: Annual Marriage, Birth, and Death Rates, and Deaths of Infants under 1 year per 1,000 births, 1946–58, with Quinquennial Averages from 1911.*

YEAR	Rates per 1,000 of Estimated Population			Illegitimate Births per cent. of Total Births	Deaths of Infants under 1 year of Age per 1,000 Live Births
	Marriages	Births	Deaths		
1911–15	6·1	24·0	17·7	4·37	102
1916–20	6·7	22·5	18·0	4·56	95
1921–25	6·3	23·1	15·6	4·29	82
1926–30	5·9	21·2	14·8	4·73	79
1931–35	6·2	20·0	14·3	5·02	78
1936–40	7·1	19·8	14·3	4·61	77
1941–45	8·2	22·7	13·4*	5·27	73
1946	7·4	22·6	12·5*	4·37	54
1947	7·1	23·3	12·6*	3·77	53
1948	6·9	21·9	11·2*	3·63	46
1949	6·8	21·4	11·5*	3·66	45
1950	6·6	21·0	11·6	3·42	40
1946–50	7·0	22·0	11·9	3·78	48
1951	6·9	20·7	12·8	3·14	41
1952	6·8	20·9	10·8	3·33	39
1953	6·8	20·9	10·7	2·82	38
1954	6·6	20·8	10·9	2·87	33
1955	6·8	20·8	11·1	2·38	32
1951–55	6·8	20·8	11·3	2·91	37
1956	6·7	21·1	10·6	2·68	29
1957	6·7	21·5	10·9	2·43	29
1958	6·6	21·6	10·8	2·34	28

* Civilians only.

TABLE E. Comparative Statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1954-1958.

MARRIAGE RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5·8	7·2	6·4	4·6
1937	6·7	8·8	7·7	5·0
1951	6·9	8·2	8·1	5·4
1954	6·6	7·7	8·2	5·4
1955	6·8	8·1	8·4	5·7
1956	6·7	7·9	8·5	5·8
1957	6·7	7·7	8·3	5·1
1958	6·6	7·6	8·0	5·3*

BIRTH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22·5	17·8	21·1	20·6
1937	19·8	14·9	17·6	19·2
1951	20·7	15·5	17·7	21·2
1954	20·8	15·2	18·0	21·3
1955	20·8	15·0	18·0	21·2
1956	21·1	15·7	18·5	21·0
1957	21·5	16·1	19·0	21·2
1958	21·6	16·4	19·2	20·9*

DEATH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15·0	11·6	13·1	14·1
1937	15·1	12·4	13·9	15·3
1951	12·8	12·5	12·9	14·3
1954	10·9	11·3	12·0	12·1
1955	11·1	11·7	12·0	12·6
1956	10·6	11·7	12·0	11·7
1957	10·9	11·5	11·9	11·9
1958	10·8	11·7	12·0	12·0*

INFANT MORTALITY RATES PER 1,000 LIVE BIRTHS				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	85	70	83	74
1937	77	58	80	73
1951	41	30	37	46
1954	33	25	31	38
1955	32	25	30	37
1956	29	24	29	36
1957	29	23	29	33
1958	28	23	28	35*

DEATHS FROM TUBERCULOSIS (ALL FORMS) PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	1·47	0·96	1·00	1·47
1937	0·98	0·68	0·74	1·23
1951	0·45	0·32	0·43	0·73
1954	0·18	0·18	0·22	0·34
1955	0·15	0·15	0·19	0·31
1956	0·12	0·12	0·16	0·24
1957	0·13	0·11	0·14	0·24
1958	0·11	0·10	0·13	0·20*

* Provisional

BIRTHS

Number and rate. The births registered during the year numbered 30,301, an increase of 193 compared with the previous year. The birth rate was 21·6 per 1,000 of the estimated population, being 0·1 above the rate for the previous year. For the third year in succession it was higher than in any other country of the British Isles.

Illegitimate births numbered 709, a decrease of 22 compared with the number recorded for 1957, the proportion to total births (2·34 per cent.) being 0·09 below that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total births in the year 1958 were 4·9, 4·1 and 1·6 respectively. The figure for the Irish Republic is provisional.

The monthly incidence of births was as follows:

January	2,694	April	2,748	July	2,515	October	2,583
February	2,360	May	2,774	August	2,342	November	2,299
March	2,607	June	2,530	September	2,480	December	2,369
Qtrs.: 1st	7,661	2nd	8,052	3rd	7,337	4th	7,251

Compared with 1957 increases of 305, 158 and 69 were recorded in the first, second and fourth quarters respectively while the third quarter showed a decrease of 339. As is usually the case, the incidence was highest in the second quarter and lowest in the fourth.

Births registered during 1958, where the normal residence of the parents was outside Northern Ireland, numbered 272 as compared with 276 in 1957. In 166 cases, an address in the Irish Republic was given, and of these, 65 births occurred in hospitals: the 1957 figures were 178 and 63 respectively.


TABLE F. *Northern Ireland: Births and Birth Rates by Counties, 1955–1958.*

AREA	Number of Births				Birth Rate per 1,000 of the population			
	1955	1956	1957	1958	1955	1956	1957	1958
Northern Ireland .	28,965	29,489	30,108	30,301	20·8	21·1	21·5	21·6
All Urban Areas .	14,648	15,126	15,463	16,149	19·8	20·3	20·8	20·9
All Rural Areas .	14,317	14,363	14,645	14,152	21·9	22·1	22·3	22·5
Belfast County Borough	8,100	8,212	8,459	8,263	17·8	18·5	19·2	18·9
Londonderry County Borough .	1,493	1,517	1,465	1,660	29·0	29·3	28·4	32·2
County Antrim .	5,227	5,463	5,618	5,815	22·0	22·4	22·7	22·9
County Armagh .	2,457	2,516	2,575	2,602	21·4	21·7	22·0	22·2
County Down .	4,951	5,087	5,157	5,144	20·2	20·5	20·7	20·5
County Fermanagh .	1,142	1,099	1,073	1,060	21·8	21·0	20·8	20·8
*County Londonderry .	2,429	2,571	2,530	2,595	22·6	23·5	23·1	23·7
County Tyrone .	3,168	3,044	3,231	3,162	24·0	23·2	24·6	24·0

* Excluding County Borough.

Proportion of Males to Females. Births of males in Northern Ireland in 1958 numbered 15,700 and those of females 14,601, the proportion of male to female births being 1,075 to 1,000. The corresponding proportions for each of the years 1953–57 were 1,078, 1,059, 1,087, 1,049 and 1,060 respectively.

DIAGRAM II. Birth Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932–58.
Rate per 1,000 Population.



Multiple Births. Out of the total of 30,301 children whose births were registered in 1958, 29,436 were born singly, 856 were the product of twin and 9 of triple pregnancies. There is no provision for the registration of still-births in Northern Ireland, so that the birth of one live infant and one still-born infant is regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth.

DEATHS

Number and Rate. The number of deaths recorded during the year 1958, and the death rate per 1,000 of the population, were 15,132 and 10·8 respectively. The comparable figures for 1957 were 15,187 and 10·9.

The monthly incidence of deaths was as follows:

January	1,528	April	1,456	July	1,153	October	1,055
February	1,447	May	1,199	August	996	November	1,131
March	1,590	June	1,134	September	1,002	December	1,421
Qtrs.: 1st	4,565	2nd	3,789	3rd	3,171	4th	3,607

Of the total deaths 7,918 were of males and 7,214 were of females, the equivalent annual death rates being 11·6 and 10·0 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1957 were 11·6 and 10·1.

According to the ages stated to Registrars, 6·4 per cent. of the total deaths were of children under 5 years of age and 66·6 per cent. were of persons aged 65 and upwards. There were 95 deaths of persons (22 males and 73 females) aged 95 and upwards; 10 of these deaths (3 males and 7 females) were of persons whose ages at death were returned as 100 years and upwards. The ages of the males were given as 100, 101 and 102 years, and the ages of the females as 2 at 100, 1 at 101, 2 at 102 and 2 at 104.

The following table gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

		Total	Under 1 year	1-14	15-44	45-64	65 and over
Number of deaths	P	15,132	850	202	718	3,283	10,079
	M	7,918	491	125	418	1,942	4,942
	F	7,214	359	77	300	1,341	5,137
Percentage of total deaths	P	100	5·6	1·3	4·7	21·7	66·6
	M	100	6·2	1·6	5·3	24·5	62·4
	F	100	5·0	1·1	4·2	18·6	71·2

DIAGRAM III. Death Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-58.
Rate per 1,000 Population.




TABLE G. *Northern Ireland: Deaths and Death Rates by Counties, 1955-1958.*

AREA	Number of Deaths				Death Rate per 1,000 of population			
	1955	1956	1957	1958	1955	1956	1957	1958
Northern Ireland .	15,407	14,858	15,187	15,132	11·1	10·6	10·9	10·8
All Urban Areas .	8,058	7,882	8,292	8,332	10·9	10·6	11·2	10·8
All Rural Areas .	7,349	6,976	6,895	6,800	11·2	10·7	10·5	10·8
Belfast County Borough	4,752	4,632	4,899	4,818	10·5	10·4	11·1	11·0
Londonderry County Borough .	530	531	522	530	10·3	10·3	10·1	10·3
County Antrim .	2,542	2,445	2,520	2,549	10·7	10·7	10·2	10·1
County Armagh .	1,374	1,248	1,301	1,301	12·0	10·8	11·1	11·1
County Down .	2,724	2,764	2,710	2,750	11·1	11·2	10·9	10·9
County Fermanagh .	734	702	612	651	14·0	13·4	11·8	12·8
*County Londonderry .	1,146	1,124	1,129	1,085	10·7	10·3	10·3	9·9
County Tyrone .	1,605	1,412	1,494	1,448	12·2	10·8	11·4	11·0

* Excluding County Borough.

Deaths in Hospitals. The number of deaths occurring in hospitals in each of the years 1949-58 is shown in Table H. 46·4 per cent. of the deaths registered in 1958 took place in hospitals (4·4 per cent. in mental hospitals), and the remaining 53·6 per cent. occurred in the deceased person's own home, in private nursing homes, or in places other than hospitals. It will be seen from Table H that the proportion of deaths occurring in hospitals has been increasing steadily through the years. Thirty years ago the proportion of deaths occurring in hospitals amounted to 20 per cent. of the total deaths.

TABLE H. *Northern Ireland: Deaths in Hospitals, 1949-58.*

	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
Number of Deaths in:										
Mental Hospitals .	405	489	495	446	448	504	565	535	550	673
General Hospitals .	4,692	4,719	5,061	4,814	5,076	5,351	5,678	5,648	6,182	6,348
*Own Homes, etc. .	10,555	10,631	12,072	9,552	9,289	9,269	9,164	8,675	8,455	8,111
Total Deaths .	15,652	15,839	17,628	14,812	14,813	15,124	15,407	14,858	15,187	15,132
Percentage of Deaths in Hospitals .	32·6	32·9	31·5	35·5	37·3	38·7	40·5	41·6	44·3	46·4

* Including deaths in nursing homes

Proportion of Deaths from Principal Causes. Abstract XV sets out the deaths from the principal causes as proportions per 1,000 of the total deaths in certain age groups. This abstract shows that heart disease continued to bear the greatest proportion to the total deaths, and that the number of such deaths increased rapidly from age 35 years onward especially amongst men. Other diseases having a high proportion were cancer and vascular lesions affecting the central nervous system (mainly cerebral thrombosis and cerebral haemorrhage).

At ages under one year, apart from congenital malformations, the highest proportions of deaths were caused by birth injuries and atelectasis, premature birth and pneumonia.

Between the ages of one and ten the highest proportions were caused by motor vehicle and other accidents, congenital malformations, malignant diseases, pneumonia and diseases of the digestive system.

Between the ages of ten and thirty-five, motor vehicle and other accidents caused by far the largest proportions of deaths. The proportion from malignant diseases was also high.

From age thirty-five onwards, heart disease, cancer, vascular lesions affecting central nervous system, bronchitis, pneumonia and deaths resulting from accidents were responsible for the largest proportions of the total mortality.

Table J shows, for each of the principal causes, the numbers of deaths and the death rates for each year since 1955.

Deaths from the Principal Epidemic Diseases. A total of 93 deaths (0·07 per 1,000 population) fell within this group. Of these, 55 were caused by influenza, 28 by diarrhoeal diseases of children under 2 years of age, 8 by whooping cough and 2 by dysentery. No deaths resulted from the other diseases comprising this group, viz., typhoid and paratyphoid fever, scarlet fever, diphtheria, smallpox, measles and typhus.

The number of deaths under this heading in 1957 was 274 and the relative rate was 0·20.

The substantial decrease is partly accounted for by the fact that there was a minor influenza epidemic in 1957. The number of deaths caused by these epidemic diseases is noticeably lower than in previous years.

The notifications of certain infectious diseases for each District in Northern Ireland for the year 1958 are shown in Abstract XXIV, and the diseases named are those laid down by Regulations (issued by the Ministry of Health and Local Government) as compulsorily notifiable throughout Northern Ireland. It should be noted that, as regards measles and whooping cough, only the first case of either of these diseases in a household during each outbreak is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

Influenza. There were 55 deaths from influenza during the year—the lowest number since 1912, the earliest year for which figures are readily available.

Tuberculosis. The death rate from this cause was 0·11 per 1,000 of the population as against 0·13 in 1957 and the average rate of 0·16 for the five years 1953–57. Diagram IV shows that the death rate in Northern Ireland from all forms of tuberculosis has declined very steadily since 1932, the only fluctuation occurring during the war years, when a similar experience was common to all other parts of the British Isles. The general trend of mortality from this disease has been markedly downwards in recent years and the rate for 1958 was the lowest ever recorded. The tuberculosis death rates for England and Wales, Scotland and the Irish Republic in 1958 were 0·10, 0·13 and 0·20 respectively. The rate for the Irish Republic is provisional.

Of the 154 deaths from all forms of the disease, 88·3 per cent. were ascribed to tuberculosis of the respiratory system, as compared with 85·7 in 1957. Abstract IX shows that the greatest percentage of male deaths occurred in the 55–64 age group, the figure being 20·1 per cent. of all male deaths from this disease.

Tuberculosis is in general more prevalent in the cities and towns than in the country districts. In 1958 the rate per 1,000 of the population for all urban areas was 0·13 and for rural areas 0·08. The rates in 1957 were 0·15 and 0·10 respectively.

TABLE J. Northern Ireland: Number of Deaths from the Principal Causes, Death Rates per 100,000 of Estimated Population, and the Number and Percentage of Uncertified Deaths, 1955-58.

Detailed List Nos.	CAUSES OF DEATH	Number of Deaths				Rate per 100,000 popltn.			
		1955	1956	1957	1958	1955	1956	1957	1958
001-008	Tuberculosis of respiratory system	180	147	150	139	12·9	10·5	10·7	9·9
010-019	Tuberculosis, other forms	31	17	25	15	2·2	1·2	1·8	1·1
020-029	Syphilis and its sequelae	38	46	38	31	2·7	3·3	2·7	2·2
040	Typhoid fever	1	0·1
043	Cholera
045-048	Dysentery, all forms	5	2	2	0·4	0·1	0·1
050, 051	Scarlet fever and streptococcal sore throat	3	0·2
055	Diphtheria	1	0·1
056	Whooping cough	18	13	2	8	1·3	0·9	0·1
057	Meningococcal infections	11	10	4	3	0·8	0·7	0·3
058	Plague
080	Acute poliomyelitis	5	9	5	0·4	0·6
084	Smallpox	0·4
085	Measles	7	1	3	0·5	0·1
100-108	Typhus and other rickettsial diseases	0·5	0·1	0·2
110-117	Malaria	1	0·1
030-039, 041, 042, 044, 049, 052-054, 059, 074, 081-083, 086-096, 120- 138	All other infective and parasitic diseases	49	48	44	39	3·5	3·4	3·1	2·8
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	2,170	2,201	2,306	2,253	155·7	157·6	164·9	160·7
(a) Cancer	65	80	77	88	4·7	5·7	5·5	6·3	
(b) Hodgkin's disease and leukaemia	35	28	18	38	2·5	2·0	1·3	2·7	
210-239	Benign and unspecified neoplasms	97	89	89	97	7·0	6·4	6·1	6·9
260	Diabetes mellitus	65	60	46	60	4·7	4·3	3·3	4·3
290-293	Anaemias
330-334	Vascular lesions affecting central nervous system	2,113	2,126	2,064	2,149	151·6	152·2	147·6	153·2
340	Nonmeningococcal meningitis	12	8	9	9	0·9	0·6	0·6	0·6
400-402	Rheumatic fever	36	34	20	20	2·6	2·4	1·4	1·4
410-416	Chronic rheumatic heart disease	170	202	213	200	12·2	14·5	15·2	14·3
420-422	Arteriosclerotic and degenerative heart disease	4,057	4,013	4,186	4,389	291·1	287·3	299·3	313·0
430-434	Other diseases of the heart	510	533	483	513	36·6	32·8	34·5	36·6
440-443	Hypertension with heart disease	393	488	428	350	28·2	34·9	30·6	25·0
444-447	Hypertension without mention of heart	191	155	143	159	13·7	11·1	10·2	11·3
480-483	Influenza	129	160	230	55	9·3	11·5	16·1	3·9
490-493	Pneumonia	674	510	639	636	48·4	36·5	45·7	45·4
500-502	Bronchitis	512	532	516	539	36·7	38·1	36·9	38·4
540, 541	Ulcer of stomach and duodenum	122	104	124	99	8·8	7·4	8·9	7·1
550-553	Appendicitis	15	11	18	11	1·1	0·8	1·3	0·8
560, 561, 570	Intestinal obstruction and hernia	78	73	73	78	5·6	5·2	5·6	5·6
543, 571	Gastritis, duodenitis, enteritis and colitis except diarrhoea of newborn	87	72	81	72	6·2	5·2	5·8	5·1
572	Cirrhosis of liver	38	36	39	34	2·7	2·6	2·8	2·4
581	Nephritis and nephrosis	159	145	134	121	11·4	10·4	9·6	8·6
590-594	Hyperplasia of prostate	144	118	108	120	10·3	8·4	7·7	8·6
610	Complications of pregnancy, childbirth and the puerperium	24	17	33	17	1·7	1·2	2·4	1·2
640-652	Congenital malformations	243	256	244	222	17·4	18·3	17·4	15·8
670-689	Birth injuries, postnatal asphyxia and atelectasis	170	216	199	170	12·2	15·5	14·2	12·1
750-759	Infections of the newborn	41	44	55	46	2·9	3·2	3·9	3·3
760-762	Other diseases peculiar to early infancy, and immaturity unqualified	262	183	204	254	18·8	13·1	14·6	18·1
763-778	Senility without mention of psychosis, ill-defined and unknown causes	829	641	568	568	59·5	45·9	40·6	40·5
769-776	All other causes	1,086	954	1,025	1,031	77·9	68·3	73·3	73·5
780-795	Motor vehicle accidents	147	136	161	140	10·5	9·7	11·5	10·0
E810-E835	All other accidents	338	285	314	303	24·3	20·4	22·5	21·6
E840-E862	Suicide and self-inflicted injury	46	54	50	43	3·3	3·9	3·6	3·1
E963-E970-	Homicide and operations of war	5	5	9	6	0·4	0·4	0·6	0·4
E979-E999	ALL CAUSES	15,407	14,858	15,187	15,132	1105·4	1063·9	1085·9	1079·1
	Number and percentage of uncertified deaths	237	188	225	134	1·5	1·3	1·5	0·9

DIAGRAM IV. Death Rates from Tuberculosis in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932–58.
Rate per 100,000 Population.




TABLE K. Northern Ireland: Deaths and Death Rates from Tuberculosis (All Forms), 1926, 1937, 1951 and 1954–1958.

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1954	165	0.24	86	0.12	251	0.18
1955	133	0.20	78	0.11	211	0.15
1956	93	0.14	71	0.10	164	0.12
1957	124	0.18	51	0.07	175	0.13
1958	108	0.16	46	0.06	154	0.11

TABLE L. Northern Ireland: Death Rates per 1,000 of the Population from Tuberculosis (All Forms) by Counties, 1926, 1937, 1951 and 1954–58.

YEAR	Antrim	Armagh	Belfast County Borough	Down	Fermanagh	Londonderry excluding County Borough	Londonderry County Borough	Tyrone
1926	1.29	1.38	1.74	1.43	0.98	1.25	1.37	1.38
1937	0.81	1.14	1.16	0.85	1.03	0.56	1.11	0.92
1951	0.31	0.34	0.59	0.44	0.41	0.25	0.56	0.46
1954	0.17	0.15	0.22	0.20	0.19	0.07	0.22	0.14
1955	0.14	0.14	0.18	0.15	0.11	0.06	0.17	0.17
1956	0.11	0.10	0.17	0.11	0.04	0.05	0.06	0.08
1957	0.10	0.09	0.16	0.12	0.10	0.06	0.14	0.16
1958	0.07	0.13	0.13	0.15	0.08	0.05	0.20	0.08

The Abstracts of causes of death give particulars regarding the sex and ages of the persons who died from the various forms of tuberculous disease during the year, and also the deaths from tuberculosis allocated to each county and to each administrative area in Northern Ireland.


Table K affords comparison of the summarised figures for 1958 with those for certain preceding years. Table L shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast and Londonderry County Boroughs.

Cancer. The number of deaths from cancer in Northern Ireland during 1958 was 2,253 giving a death rate of 1.61 per 1,000 of the population, which is 0.04 below the rate for 1957 but 0.05 above the average rate for the previous five years. From Diagram V it can be seen that the general tendency has been for this rate to show a more or less steady increase.

Diagram VI compares the death rates from tuberculosis and cancer; although prior to 1931 tuberculosis accounted for a greater number of deaths, since that year cancer has proved the more deadly.

The death rates from cancer among males and females were 1.67 and 1.54 respectively. In 1957 the male and female rates were 1.79 and 1.51 respectively.

DIAGRAM V. Death Rates from Cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic. 1932-58.
Rate per 1,000 Population.



The most frequent sites of fatal cancer among males during the year were trachea, bronchus and lungs, 263; stomach, 236; intestines, 111; prostate, 104; rectum, 78; and pancreas, 49. Among females the most frequent sites were stomach, 201; breast, 197; intestines, 139; and uterus 95.

For many years cancer of the stomach proved to be the most frequent site of fatal cancer for both sexes and it remains so among females. Since 1954 however, cancer of the lung has been more prevalent among males. The number of male deaths from this cause has been rising rapidly since 1946, but for the first time since then a slight decrease was recorded during the year under review.

The following table reveals the difference in the incidence of fatal lung cancer between the sexes for the past 12 years.

Deaths from Lung Cancer

YEAR	Number		Rate per 100,000 population	
	Males	Females	Males	Females
1947	95	22	15	3
1948	119	40	18	6
1949	122	46	18	7
1950	144	29	22	4
1951	154	31	23	4
1952	162	38	24	5
1953	185	45	27	6
1954	209	56	31	8
1955	232	37	34	5
1956	260	72	38	10
1957	268	45	39	6
1958	263	51	38	7

The following table affords comparison of the summarised figures of mortality from cancer for all sites with that of lung cancer in—

- A. Belfast County Borough
- B. Londonderry County Borough.
- C. Nine urban areas each having a population between 10,000 and 21,000.
- D. Eight urban areas each having a population between 5,000 and 10,000.
- E. Other urban areas and all rural areas.

Deaths from cancer per 100,000 population, 1955–58.

	A		B		C		D		E		
	All Sites	Lung									
Persons	1955	167	34	148	32	169	16	147	14	152	11
	1956	189	39	148	22	197	22	135	27	138	15
	1957	190	35	162	20	192	26	187	23	148	14
	1958	185	39	130	24	185	24	194	25	147	12
Males	1955	184	63	142	56	158	30	144	27	143	18
	1956	200	63	159	26	214	40	137	53	138	24
	1957	214	66	176	39	216	49	186	42	158	23
	1958	205	69	129	30	185	41	224	53	147	21
Females	1955	152	9	153	11	179	4	150	8	162	4
	1956	180	16	138	19	181	7	133	3	138	7
	1957	169	8	149	4	172	6	187	7	139	6
	1958	167	12	131	19	186	9	166	.	147	4

Rates based on the 1951 Census populations.

No definite trend has emerged from the compilation of these figures for a period of four years, but it would appear advisable to continue to publish the information, which may prove of value when used in conjunction with the records of the Cancer Registration Scheme, which was recently established in Northern Ireland.

Abstract XVI gives particulars regarding sex, age and sites of fatal cancer during the year 1958, whilst Abstract XVII shows the number of deaths, by sex and site, in each County and County Borough.

TABLE M. Northern Ireland: Deaths and Death Rates from Cancer, 1926, 1937, 1951, and 1954–1958.

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	619	1·02	791	1·22	1,410	1·12
1937	777	1·25	891	1·36	1,668	1·30
1951	1,041	1·56	993	1·41	2,034	1·48
1954	1,030	1·52	1,027	1·44	2,057	1·48
1955	1,051	1·55	1,119	1·57	2,170	1·56
1956	1,102	1·62	1,099	1·54	2,201	1·58
1957	1,220	1·79	1,086	1·51	2,306	1·65
1958	1,143	1·67	1,110	1·54	2,253	1·61

Cerebral Haemorrhage, Apoplexy, etc. The deaths assigned to this group (described as "Vascular lesions affecting central nervous system") numbered 2,149 giving a rate of 1·53 per 1,000 of the population. This rate is 0·05 above that for 1957, and is 0·05 above the average rate for the period 1953–1957.

Heart Diseases. The deaths from the various forms of heart disease during the year numbered 5,452, the rate per 1,000 of the population being 3·89, which is 0·09 above that for the previous year. The average rate for the five years 1953–57 was 3·68. The death rate from this group of diseases has been more or less steadily increasing over a number of years. Over 80 per cent. of the persons who died of heart diseases suffered from one or other of the diseases in the group known collectively as "Arteriosclerotic and Degenerative Heart Disease." This includes such conditions as coronary thrombosis, myocardial degeneration, etc. Deaths attributable to the arteriosclerotic and degenerative group have been noticeably on the increase in recent years and in 1958 formed over 29 per cent. of all deaths. In 1958 over 41 of every 100 male deaths from coronary disease were of men under 65, as compared with 40 for 1957.

TABLE N. Northern Ireland: Deaths and Death Rates from Heart Disease (All Forms), 1926, 1937, 1951, and 1954-58.

YEAR	MALES		FEMALES		TOTAL	
	Number of Deaths	Rate per 1,000 of the estimated Male population	Number of Deaths	Rate per 1,000 of the estimated Female population	Number of Deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1954	2,664	3.94	2,437	3.43	5,101	3.68
1955	2,694	3.97	2,436	3.41	5,130	3.68
1956	2,794	4.10	2,442	3.41	5,236	3.75
1957	2,809	4.12	2,501	3.49	5,310	3.80
1958	2,959	4.33	2,493	3.47	5,452	3.89

Bronchitis. The deaths from bronchitis during the year numbered 539, giving a rate of 0.38 per 1,000 of the population, which is 0.01 above the rate for 1957.

Pneumonia. It should be noted that in the various tables and abstracts deaths from pneumonia are included under two headings. The general heading "Pneumonia" includes deaths of all persons aged over four weeks, and the heading "Infections of the Newborn" includes deaths from pneumonia of children under four weeks old.

Total deaths from pneumonia (under both headings) numbered 671 during the year 1958, the rate per 1,000 of the population being 0.48, which is the same as the rate for 1957. The average rate for the five preceding years was 0.45.

Pregnancy and Childbirth. The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) diseases of pregnancy, childbirth and the puerperal state, and (2) diseases or causes combined with pregnancy or childbirth. The causes of death shown in Table O are those to which the various deaths were assigned.

From Table P it will be seen that the deaths from diseases of pregnancy, childbirth and the puerperal state in 1958 yielded a rate of 0.56 per 1,000 live births, which is 0.54 below the rate for 1957. Table Q shows the proportionate decrease to have been much greater in rural areas than in towns.

The rate for diseases combined with pregnancy and childbirth was 0.26 in 1958, which is 0.09 higher than in 1957.

TABLE O. Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1958.

Detailed List Nos.	Causes of Death	All Ages	Ages						
			15-	20-	25-	30-	35-	40-	45 and upwards
DISEASES OF PREGNANCY, CHILD-BIRTH AND THE PUERPERAL STATE									
640	Pyelitis and pyelonephritis of pregnancy
641	Other infections of genito-urinary tract during pregnancy
642	Toxaemias of pregnancy	3	.	.	1	.	1	1	.
643, 644	Haemorrhage of pregnancy
645	Ectopic pregnancy
646-649	Other complications arising from pregnancy	1	.	.	1
650	Abortion without mention of sepsis or toxæmia	1	1	.
651	Abortion with sepsis
652	Abortion with toxæmia
670	Delivery complicated by placenta prævia
671	Delivery complicated by retained placenta	1	.	1
672	Delivery complicated by other postpartum haemorrhage	3	.	.	3
673-678	Delivery with other complications of childbirth	3	.	.	.	2	.	1	.
680	Puerperal urinary infection without other sepsis
681	Sepsis of childbirth and the puerperium	3	.	.	.	1	2	.	.
682	Puerperal phlebitis and thrombosis
684	Puerperal pulmonary embolism
685, 686	Puerperal toxæmia	1	1	.
683, 687-689	Other complications of the puerperium	1	1	.	.
TOTAL		17	.	1	5	3	4	4	.
DISEASES OR CAUSES COMBINED WITH PREGNANCY OR CHILD-BIRTH:									
080	Acute poliomyelitis	1	1
345	Multiple sclerosis	1	1	.	.
410	Diseases of mitral valve	3	.	1	1	.	1	.	.
416	Other heart disease specified as rheumatic	1	1	.	.
491	Bronchopneumonia	1	1	.	.
550	Acute appendicitis	1	1	.
TOTAL		8	1	1	1	.	4	1	.

DIAGRAM VI. Death Rates from Tuberculosis and Cancer in Northern Ireland, 1932-58.
Rate per 100,000 Population.




TABLE P. Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1926, 1937, 1951, and 1954-58.

YEAR	Deaths from Diseases of Pregnancy, Childbirth and the Puerperal State (classed as Childbirth)							Deaths from Diseases or Causes combined with Pregnancy and Childbirth (not classed as Childbirth)		
	Puerperal and Post Abortive Sepsis		Haemorrhage of Childbirth		Other Maternal Causes		Total Puerperal Diseases			
	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births	No.	Rate per 1,000 Live Births		
1926	49	1.74	12	0.43	97	3.44	158	5.61	17	0.60
1937	31	1.22	22	0.87	74	2.91	127	5.00	37	1.46
1951	6	0.21	4	0.14	21	0.74	31	1.09	8	0.28
1954	4	0.14	5	0.17	12	0.41	21	0.73	2	0.07
1955	8	0.28	3	0.10	13	0.45	24	0.83	5	0.17
1956	5	0.17	2	0.07	10	0.34	17	0.58	3	0.10
1957	4	0.13	5	0.17	24	0.80	33	1.10	5	0.17
1958	3	0.10	4	0.13	10	0.33	17	0.56	8	0.26

TABLE Q. Northern Ireland: Deaths of Women in Pregnancy and Childbirth in Urban and Rural Areas, and in each County and County Borough 1955-58.

AREA	Number of Deaths				Maternal Mortality Rate per 1,000 Live Births			
	1955	1956	1957	1958	1955	1956	1957	1958
Northern Ireland . .	24	17	33	17	0.83	0.58	1.10	0.56
All Urban Areas . .	13	11	15	10	0.89	0.73	0.97	0.62
All Rural Areas . .	11	6	18	7	0.77	0.42	1.23	0.49
Belfast County Borough .	5	6	8	3	0.62	0.73	0.95	0.36
Londonderry County Borough . .	1	.	.	2	0.67	.	.	1.20
County Antrim . .	4	4	10	5	0.77	0.73	1.78	0.86
County Armagh . .	4	1	2	1	1.63	0.40	0.78	0.38
County Down . .	4	5	5	3	0.81	0.99	0.97	0.58
County Fermanagh . .	1	.	2	2	0.88	.	1.86	1.89
*County Londonderry . .	4	.	3	.	1.65	.	1.19	.
County Tyrone . .	1	1	3	1	0.32	0.33	0.93	0.32


* Excluding County Borough

Violent Deaths. Deaths from violence are classified according to both the external circumstances giving rise to injury, expressed as the "External Cause of Injury", and to the nature of the injury sustained, designated as the "Nature of Injury." Tables R and S show the number of deaths from Violence by the "External Cause of Injury" and "Nature of Injury" respectively.

The number of deaths ascribed to violence during the year was 492 (313 males and 179 females), which is a decrease of 42 on the number registered for 1957, and is equivalent to 3.3 per cent. of the total deaths registered.

Of the 492 deaths, 172 were attributed to transport accidents (excluding drowning from watercraft) of which 162 were due to road vehicle accidents, as compared with 180 in 1957. The following figures afford comparison of deaths from road vehicle accidents in 1958 with those for the three preceding years by sex and certain age-periods.

DIAGRAM VII. Maternal Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-58.
Rate per 1,000 Live Births.



Deaths from Road Vehicle Accidents

	All Ages	Under 5 years	5-14	15-34	35-54	55-74	75 and over	
MALES	1955	135	9	12	45	32	29	8
	1956	120	8	11	37	26	27	11
	1957	140	12	14	41	38	25	10
	1958	125	6	13	42	22	30	12
FEMALES	1955	31	4	6	9	4	5	3
	1956	32	1	7	7	5	8	4
	1957	40	3	5	4	9	13	6
	1958	37	4	2	6	7	14	4

Other fatal accidents accounted for 271 deaths and of these deaths 116 were ascribed to falls. Deaths due to drowning numbered 47, and of the remaining deaths in this group 22 were due to poisons or poisonous gases, 25 to fire, 4 to mechanical suffocation, 6 to machinery, 6 to firearms and 45 to other accidental causes.

Accidents in the home, which resulted in death, numbered 172, which is equivalent to 63 per cent. of the total deaths from non-transport accidents, and is ten more than the number of deaths due to road vehicle accidents. Of the 172 fatal *home* accidents, 100 were due to falls, 75 being of persons aged 75 and over as compared with 92 in 1957. Further information regarding fatal accidents (other than those caused by transport) is given in Abstract IXa.

During the year there were 43 cases of suicide (31 males and 12 females) and 6 of homicide.

Of the 23 deaths from burns and scalds shown in Table S, 7 were of children under 5 years of age and 11 were of persons over 70 years of age.

TABLE R. Northern Ireland: Violent Deaths by External Cause of Injury, 1955-1958.

CAUSES OF DEATH (With detailed List Nos.)	1955	1956	1957	1958		
				Total	Males	Females
<i>Accidental Causes:</i>						
Drowning (E850, 851 and 929)	45	44	34	47	39	8
Falls (E900-904)	135	121	136	116	41	75
Fire, etc., (Exc. Fire on Transport) (E916, 917)	36	20	27	25	14	11
Firearms (E919)	11	4	10	6	5	1
Machinery (E912)	6	8	7	6	6	·
Mechanical Suffocation (E924, 925)	16	12	17	4	2	2
Poisons (E870-888)	13	7	5	7	2	5
Poisonous Gases (E890-895)	15	16	11	15	6	9
Other accidental causes	31	31	36	45	30	15
<i>Transport:</i>						
Motor Vehicles (E810-835)	147	136	161	140	105	35
Other road vehicles (E840-845)	19	16	19	22	20	2
Railways (E800-802)	5	4	3	5	3	2
Aircraft (E860-866)	6	1	8	4	4	·
Shipping (Excluding Drowning) (E852-858)	·	1	1	1	1	·
<i>Suicide:</i>						
Drowning (E975)	7	8	8	11	8	3
Hanging (E974)	10	8	3	4	3	1
Firearms (E976)	6	6	4	6	6	·
Poisons (E970, 971)	5	8	9	2	1	1
Poisonous Gases (E972, 973)	18	22	23	17	10	7
Other suicide	·	2	3	3	3	·
<i>Homicide:</i>						
Poisons (E980)	·	·	·	·	·	·
Assault by Firearms (E981)	1	·	4	1	1	·
Assault by Other Means (E982-984)	3	5	5	5	3	2
<i>Legal Executions (E985)</i>						
<i>Operations of War (E965, 990-999)</i>						
TOTAL DEATHS FROM VIOLENCE	536	480	534	492	313	179

TABLE S. Northern Ireland: *Violent Deaths by Nature of Injury, 1955-1958.*

INJURIES SUSTAINED (with detailed List Nos.)	1955	1956	1957	1958		
				Total	Males	Females
Fractures:						
Skull (N800-804)	103	119	136	118	94	24
Spine and Trunk (N805-809)	20	20	24	23	19	4
Upper limbs (N810-819)	3	2	3	4	1	3
Lower limbs (N820-829)	92	97	97	92	26	66
<i>Dislocation without Fracture (N830-839)</i>	2	1	7	2	2	.
<i>Head Injuries (excluding Skull Fracture) (N850-856)</i>	59	39	40	34	23	11
<i>Internal Injuries (N860-869)</i>	27	16	39	31	27	4
Lacerations and Open Wounds:						
Face, Neck and Trunk (N870-879)	7	5	5	7	5	2
Upper limbs (N880-888)	.	1	.	1	1	.
Lower limbs (N890-898)	1	2	1	.	.	.
Multiple location (N900-908)	5	2	6	5	3	2
<i>Superficial Injuries and Contusions (N910-929)</i>	2	.	.	1	.	1
<i>Effects of foreign body entering through orifices (N930-936)</i>	16	15	14	20	11	9
<i>Burns and Scalds (N940-949)</i>	31	23	24	23	12	11
<i>Effects of poisons and Poisonous Gases (N960-979)</i>	54	54	52	44	21	23
<i>All other effects of External Causes</i>	114	84	86	87	68	19
TOTAL DEATHS	536	480	534	492	313	179

Uncertified Deaths. The deaths registered as uncertified, i.e., those in which there was neither a medical attendant during the last illness nor an inquest held by a coroner, numbered 134, representing less than 1·0 per cent. of the total deaths registered. The percentage of uncertified deaths has been rapidly falling since 1922. The figure for that year was 12·7 which by 1937 was reduced to 6·3 per cent. and by 1947 to 3 per cent.

Of the total deaths in rural areas, 88 (1·3 per cent.) were uncertified, which represents a fall of 75 per cent. when compared with 357 registered in 1947. In urban areas, the figure for 1958 was 46 (0·6 per cent.), a fall of 71 per cent. when compared with 156 registered in 1947.

Table T shows the number of uncertified deaths in each County and County Borough, distinguishing between those referred to Coroners in respect of which inquests were considered unnecessary, and those not referred to Coroners.

Deaths of persons aged 65 years and upwards represented 51·5 per cent. of the uncertified cases, and deaths of infants under 1 year of age 4·5 per cent.

Inquests. The circumstances of 1,091 deaths were considered by the Coroners in 1958, including 111 of the uncertified deaths referred to above. Inquests were held in 696 of these cases, which represents one inquest for every 22 deaths registered. In 1957 the inquests numbered 661.

TABLE T. Northern Ireland: Certified and Uncertified Deaths, Inquests, 1958.

AREA	Total Deaths	Certified			Uncertified	
		By Medical Practitioners		By Coroners after Inquest	Not referred to Coroners	Referred to Coroners Inquest considered unnecessary
		Not referred to Coroners	Referred to Coroners Inquest considered unnecessary			
Northern Ireland	15,132	14,018	284	696	23	111
All Urban Areas	8,332	7,700	153	433	3	43
All Rural Areas	6,800	6,318	131	263	20	68
Belfast County Borough	4,818	4,392	88	329	-	9
Londonderry County Borough	530	503	1	15	1	10
County Antrim	2,549	2,342	82	115	3	7
County Armagh	1,301	1,215	14	42	-	30
County Down	2,750	2,567	59	79	5	40
County Fermanagh	651	602	18	20	5	6
*County Londonderry	1,085	1,015	19	44	1	6
County Tyrone	1,448	1,382	3	52	8	3

* Excluding County Borough

Infant Mortality. In the text and tables the term "Neo-natal Mortality" relates to deaths of children under 4 weeks of age, and the term "Infant Mortality" to deaths of all children (including Neo-natal) under 1 year of age.

Deaths of infants under 1 year of age numbered 850, or 28 per 1,000 live births registered. This rate is the lowest ever recorded in Northern Ireland, and shows a decrease of 4 when compared with the average rate for the previous 5 years. Of the 850 deaths, 491 were of males and 359 of females, the former number being equivalent to 31 per 1,000 live births of males and the latter to 25 per 1,000 live births of females. The corresponding rates for 1957 were 30 and 27 respectively.

TABLE U. Northern Ireland: Neo-natal and Infant Mortality Rates per 1,000 Live Births by Counties, 1955-1958.

AREA	Neo-natal Mortality Rate per 1,000 Live Births				Infant Mortality Rate per 1,000 Live Births			
	1955	1956	1957	1958	1955	1956	1957	1958
Northern Ireland	21	21	20	19	32	29	29	28
All Urban Areas	23	21	21	20	37	31	31	30
All Rural Areas	20	21	19	18	28	27	27	26
Belfast County Borough	21	18	22	19	37	29	33	30
Londonderry County Borough	29	32	16	19	42	39	26	26
County Antrim	20	21	15	16	29	28	23	25
County Armagh	24	20	19	23	33	28	34	33
County Down	17	21	16	18	26	28	23	25
County Fermanagh	23	23	24	21	32	27	34	25
*County Londonderry	21	20	22	19	32	28	31	27
County Tyrone	22	22	25	25	32	28	32	32

* Excluding County Borough

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1958 was 30 per 1,000 live births, and the rate for the aggregate of the Rural Districts was 26 per 1,000. These were each 1 less than the corresponding rates for 1957.

In 1958 and 1957 the rates of deaths of infants under 1 year of age were 23 and 23 per 1,000 live births, respectively, for England and Wales; 28 and 29 for Scotland; and 35 and 33 for the Irish Republic. The rate for the Irish Republic for 1958 is provisional.

Deaths of infants aged under 4 weeks ("neo-natal" mortality) numbered 579, representing a rate of 19 per 1,000 live births. This is equivalent to 68·1 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1957 were 589, 20 and 67·8 per cent. respectively.

TABLE V. Infant Mortality Rates for Belfast Co. Borough and Londonderry Co. Borough with Comparative Rates for Towns of approximately the same Populations in Great Britain, 1958.

TOWN	Population	Deaths of Infants under 1 year of Age per 1,000 Live Births	Birth Rate per 1,000 Population
BELFAST	436,200	30	18·9
Bristol	438,000	21	16·0
Leeds	511,600	26	16·5
Sheffield	498,800	21	15·3
Edinburgh	467,400	25	16·8
LONDONDERRY	51,500	26	32·2
Burton-on-Trent	49,230	30	17·6
Dewsbury	53,330	21	17·1
Crewe	51,370	24	15·7
Shrewsbury	47,770	16	16·2
Lancaster	49,150	18	15·6
Ayr	44,000	23	19·2
Kirkcaldy	52,100	20	19·5

NOTE—The populations are as estimated at mid-year, 1958


In Table V the infant mortality rates and birth rates for Belfast and Londonderry County Boroughs are compared with those for towns of approximately the same populations in Great Britain. Whilst the rate for Belfast does not compare favourably with those for cross-channel cities of comparable size, there has been a substantial reduction in recent years. In 1947, the rate was 60 as compared with 33 in 1957 and 30 in 1958. There has been a considerable reduction in the rate for Londonderry. The rate of 39 for 1956 fell to 26 in 1957 and 1958, compared with 68 in 1947.

Abstract XXII gives the number of deaths of children under 1 year of age for Northern Ireland by Counties and County Boroughs (also for the aggregates of the urban and rural areas) for the years 1955–58. For the last of these years the numbers are given by sex and age-periods.

The number of infant deaths for 1958 by age and causes of death are given in Abstract XX, together with the infant mortality rates by causes.

Abstract XI gives the number of infant deaths, together with the number of births, for each administrative area in Northern Ireland.

DIAGRAM VIII. Infant Mortality Rates in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1932-58.
Rate per 1,000 Live Births.



Mortality among Illegitimate Children. Deaths of illegitimate children under 1 year of age numbered 24 in 1958, which is equivalent to a rate of 34 per 1,000 of the illegitimate live births registered, as compared with a rate of 42 for the previous year and is the lowest rate recorded in this century. The corresponding rate for legitimate children in 1958 and 1957 was 28 per 1,000 live births.

TABLE W. *Northern Ireland: Illegitimate Neo-natal and Infant Mortality Rates per 1,000 Illegitimate live births by Counties, 1955–1958.*

AREA	Illegitimate Neo-natal Mortality Rate per 1,000 Illegitimate Live Births				Illegitimate Infant Mortality Rate per 1,000 Illegitimate Live Births			
	1955	1956	1957	1958	1955	1956	1957	1958
Northern Ireland . . .	32	30	31	23	43	43	42	34
All Urban Areas . . .	29	36	43	19	41	56	57	32
All Rural Areas . . .	34	25	21	25	46	30	29	35
Belfast County Borough . . .	34	17	41	30	49	44	56	42
Londonderry County Borough . . .	54	32	38	.	54	32	77	.
County Antrim . . .	25	31	41	24	33	37	41	40
County Armagh . . .	50	60	.	.	75	60	19	41
County Down . . .	22	49	43	19	33	49	43	19
County Fermanagh	29	25	54	27	29	50	54
*County Londonderry . . .	28	19	29	18	42	38	49	37
County Tyrone . . .	45	39	10	21	45	53	10	21

* Excluding County Borough

Deaths of illegitimate infants aged under 4 weeks (illegitimate neo-natal mortality) numbered 16, representing 66·7 per cent. of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1957 were 23 and 74·2 per cent. respectively.

Abstract XX gives the number of deaths and mortality rates of illegitimate children under 1 year of age by the principal causes. Most of the rates are considerably in excess of the corresponding rates for all children, but it should be noted that the rates for some of the causes are based on very small numbers of deaths.

Abstract XXIII shows the number of deaths of illegitimate children under 1 year of age for Northern Ireland by Counties and County Boroughs also for the aggregates of the urban and rural areas, for the years 1955–58. The sex and age distribution is shown for the year 1958.

LIFE TABLE

The following abridged life table, based on the mortality experience of 1956–58, shows the expectation of life at different stages in life. At each age point the expectation of life is the average future life a person of that age would have if the 1956–58 mortality rates had operated throughout the lifetime.

A table is also included showing how the expectation of life at birth has increased since 1890–92. The expectation of life at one year of age is also given for 1925–27, 1950–52, 1954–56 and 1956–58. These two sets of figures show the continued improvement in infant mortality.

Since 1890–92, the expectation of life at birth has increased by 21·3 years for males and by 26·1 years for females. In the last decade of the 19th

century, the span lengthened by 0·8 years for males and by 1·0 for females, whereas, in the first decade of the present century the improvement in males was 3·6 years and in females 4·3 years. In the period 1936–38 to 1950–52, the improvement in males was 7·7 years and in females 9·6 years.

The expectation of life for males at birth now stands at 67·6 years compared with 47·1 at the beginning of the century and at 71·8 years for females compared with 46·7 years. For each successive period a greater increase in life expectation was recorded for females than for males.

In 1925–27 if a child survived the first year of life, the expectation of life rose from 55·4 years at age 0 to 59·9 at age 1 for males and from 56·1 to 59·5 for females. Adding in the year elapsed since birth, the gain was 5·5 for males and 4·4 for females. By 1956–58, as a result of the improvement in child mortality the gain was reduced to 2·1 and 1·9 respectively.

Northern Ireland: Abridged Life Table, 1956–58.

Age _x	Males		Females	
	I_x	$\frac{o}{e_x}$	I_x	$\frac{o}{e_x}$
0	10,000	67·55	10,000	71·79
1	9,690	68·71	9,738	72·72
2	9,673	67·83	9,724	71·82
3	9,661	66·91	9,717	70·88
4	9,652	65·97	9,710	69·93
5	9,646	65·01	9,705	68·96
10	9,624	60·16	9,689	64·07
15	9,606	55·27	9,679	59·14
20	9,569	50·47	9,658	54·26
25	9,529	45·67	9,637	49·37
30	9,472	40·93	9,603	44·54
35	9,411	36·18	9,551	39·77
40	9,306	31·56	9,460	35·13
45	9,143	27·08	9,336	30·56
50	8,886	22·79	9,159	26·10
55	8,432	18·88	8,872	21·87
60	7,748	15·33	8,468	17·79
65	6,757	12·21	7,754	14·20
70	5,467	9·50	6,762	10·91
75	3,928	7·24	5,280	8·27
80	2,390	5·29	3,643	5·87
85	1,124	3·44	1,962	3·76

This abridged life table is constructed from the estimated populations and the total deaths registered during the years 1956–58.

The column headed I_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1956–58.

Column $\frac{o}{e_x}$ gives the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x , if subject to those death probabilities.

Expectation of Life at Birth 1890-92 to 1956-58 and at Age One Year 1925-27, 1950-52, 1954-56 and 1956-58.

	Expectation of Life			
	At Birth		At Age one year	
	Male	Female	Male	Female
1890-92	46.3	45.7	—	—
1900-02	47.1	46.7	—	—
1910-12	50.7	51.0	—	—
1925-27	55.4	56.1	59.9	59.5
1936-38	57.8	59.2	—	—
1950-52	65.5	68.8	67.5	70.3
1954-56	67.4	71.1	68.7	72.1
1956-58	67.6	71.8	68.7	72.7

The Life Tables for Northern Ireland for 1950-1952 prepared by the Government Actuary in London, are obtainable from H.M. Stationery Office (price 2s. 6d.) and those for earlier census periods are included in section III of the Ulster Year Book, 1956, also obtainable from H.M. Stationery Office (price 5s.).

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. The last two censuses in Northern Ireland were taken on 28th February, 1937, and 8th April, 1951. The following statement reveals that, during the intervening period of a little over 14 years, there was a net outward movement of 67,267 persons. Gross figures for migration inwards and outwards are not available. The table relates to migration to and from all countries, including other parts of the British Isles.

	MALES	FEMALES	TOTAL
Population, Census of 1937	623,154	656,591	1,279,745
Births, 1937-51	207,270	194,914	402,184
Deaths, 1937-51	122,452	121,289	243,741
Natural Increase	84,818	73,625	158,443
Population 1937 plus Natural Increase	707,972	730,216	1,438,188
Population, Census of 1951	667,819	703,102	1,370,921
Net movement outwards	40,153	27,114	67,267

The term "natural increase" represents the excess of births over deaths. The net movement outwards during the two inter-censal periods immediately preceding the census of 1937 amounted to: 1911-26, 107,573 persons, and 1926-37, 57,651 persons.

According to returns furnished by the Board of Trade (Statistics Division) and the Central Statistics Office of the Irish Republic, the number of emigrants of British nationality from Northern Ireland to countries outside Europe during 1958 was 2,946, and the number of immigrants arriving in Northern Ireland from those countries was 1,194. The following tables give the available figures for the years 1936 to 1958, with the exception of the period 1939-45, during which records were not maintained, and a partial analysis of the age and sex distribution of migrants in 1958. Figures were not furnished by the Central Statistics Office prior to 1953.

YEAR	Emigrants	Immigrants				Outward (—) or Inward (+) Balance			
		All Ages	Under 20 yrs.	20-24	25-29	30-34	35-44	45-54	55 and over
1936	655			1,273				+ 618	
1937	835			1,011				+ 176	
1938	844			1,102				+ 258	
1946	2,878			978				-1,900	
1947	1,941			787				-1,154	
1948	3,300			796				-2,504	
1949	3,259			868				-2,391	
1950	3,370			951				-2,419	
1951	3,048			1,042				-2,006	
1952	4,772			1,008				-3,764	
1953	6,300			1,152				-5,148	
1954	4,988			1,548				-3,440	
1955	3,745			1,152				-2,593	
1956	5,088			896				-4,192	
1957	4,984			978				-4,006	
1958	2,946			1,194				-1,752	

	All Ages	Under 20 yrs.	20-24	25-29	30-34	35-44	45-54	55 and over
Emigrants								
Males	1,442	535	272	177	151	177	70	60
Females	1,504	499	254	200	140	189	114	108
Immigrants								
Males	575	169	61	106	77	70	36	56
Females	619	189	58	99	79	70	41	83

THE WEATHER

Reports on the weather experienced in Northern Ireland during each month of the year 1958, as furnished by the Director of the Meteorological Office, Air Ministry, are published in the Quarterly Returns of Births, Deaths and Marriages for that year. Table X shows the air temperatures, rainfall and sunshine recorded during the year 1958 at six stations throughout the Province.

NORTHERN IRELAND, 1958

The year as a whole was dull and wet with mean temperature somewhat below the average. The summer was dull and wet, but whereas both spring and autumn were dull and mainly dry, temperature was below average in spring and above in the autumn. January was sunny and comparatively dry but the other winter months were dull and wet.

Mean temperature over the year as a whole was only $0\cdot1^{\circ}\text{F}$. below the 1921-50 average, the first half of the year being relatively cold and the second half correspondingly mild. From July to the end of the year, every month, except December, had above average temperature: in the first half of the year not one was above average. March was exceptionally cold with a mean temperature 4°F . below the average and only $1\cdot0^{\circ}\text{F}$. above January's mean temperature, the coldest month of the year. September on the other hand was unusually mild with mean temperature more than 3°F . above the average.

Rainfall was above average each month from May to September inclusive, and also during February and December. During the five months May to September general rainfall over the Province was about equal to

that which fell during the remaining months of the year. The total rainfall during the spring (March, April and May) was nearly equalled during the very wet month of June.

Only in January, May and July was sunshine above the average. There was nearly twice as much sunshine during May as during the very dull month of June.

January—Severe wintry spell 19th–24th. Temperature around freezing 20th–23rd with severe frost locally at night. 9°F. Aldergrove on 22nd. Considerable accumulation of snow in places. Month ended with a very rapid thaw.

February—Mild weather alternated with cold spells of 2–4 days beginning on the 6th, 16th and 25th.

March—Very cold month with persistent cold north to north-east wind from 5th–11th and an equally persistent cold south-easterly airstream from 14th–24th.

April—After a generally cold start with occasional rain or sleet and considerable rain on the 10th weather became generally milder and drier apart from an outbreak of northerly winds around the 15th.

May—Cool and unsettled with an almost uninterrupted sequence of depressions passing over the Province.

June—The wettest June in the Province since records began in 1920. The first week was the wettest, when over three times the average amount of rain was recorded. 4·25in. of rain fell in Mourne Mountains in 24 hrs. on 25th.

July—The wettest July in the Province since 1947. Nearly 3 times the average amount of rain during the last week of the month.

August—The disturbed weather continued throughout most of the month with considerable cloud and rain although there were fair periods around the 16th–24th.

September—Fifth consecutive month with above average rainfall. Stormy period with considerable rain around the 23rd.

October—Generally unsettled during the first half but mainly dry and dull during the second.

November—Mild and unsettled during the first week but generally dry during the remainder of the month.

December—Quiet and foggy during the first week and from 23rd–25th. Stormy between 19th and 21st.

The following table gives the monthly deviation from average mean temperature in degrees Fahrenheit and the monthly rainfall and sunshine expressed as percentages of average.

	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Temperature	1·1	0·0	-4·0	-0·3	-1·5	-0·9	+0·2	+0·1	+3·2	+1·8	+2·3	-1·2
Rainfall	99	146	67	63	108	192	128	123	113	72	59	113
Sunshine	128	85	88	95	103	67	112	80	86	93	75	94

TABLE X. Northern Ireland: Air Temperature, Rainfall, and Sunshine recorded during the year, 1958.

B A L L Y K E L L Y

MONTH	Air Temperature (°F.)						Rainfall			Sunshine (hrs.)	
	Highest	Lowest	Means of			Difference of Mean from Average	Total	Percentage of Average	No. of Days	Daily Mean	Difference from Average of Daily Mean
			Daily Maximum	Daily Minimum	Daily Mean (Max. + Min.)						
January	56	10	44·1	35·6	39·9	—	96	111	22	1·65	—
February	57	20	45·9	37·5	41·7	—	88	147	22	2·05	—
March	59	23	44·3	35·3	39·8	—	32	62	15	2·89	—
April	64	27	52·3	39·7	46·0	—	50	88	17	4·52	—
May	71	30	57·0	42·0	49·5	—	45	82	14	6·35	—
June	71	40	61·7	49·5	55·6	—	94	168	18	4·01	—
July	75	44	64·7	52·8	58·7	—	112	141	21	5·47	—
August	70	40	64·5	52·5	58·5	—	90	110	22	3·68	—
September	72	45	64·3	52·4	58·3	—	57	71	15	3·50	—
October	63	32	56·3	47·4	51·9	—	82	89	17	2·90	—
November	58	31	50·6	41·9	46·3	—	39	45	15	1·55	—
December	54	24	45·1	36·6	40·9	—	102	114	22	1·29	—
YEAR	75	10	54·2	43·6	48·9	—	888	101	220	3·33	—

G A R V A G H

January	53	14	43·4	32·5	37·9	-1·3	134	127	24	—	—
February	52	13	45·4	33·6	39·5	-0·4	128	178	24	—	—
March	57	22	43·7	33·0	38·3	-3·9	38	57	20	—	—
April	66	26	52·8	37·9	45·3	-0·3	55	81	18	—	—
May	71	30	57·5	39·9	48·7	-1·6	61	88	18	—	—
June	69	38	61·6	47·4	54·5	-0·6	109	157	23	—	—
July	76	39	65·2	51·1	58·1	+0·2	134	135	22	—	—
August	70	39	64·2	51·1	57·7	+0·4	126	124	22	—	—
September	71	41	63·8	50·4	57·1	+3·2	91	96	18	—	—
October	62	33	56·3	44·8	50·5	+2·0	75	66	20	—	—
November	58	10	49·7	39·6	44·7	+2·0	44	41	16	—	—
December	52	26	44·3	34·4	39·3	-1·1	100	90	23	—	—
YEAR	76	10	54·0	41·3	47·7	0·0	1,095	102	248	—	—

A L D E R G R O V E

January	53	9	42·2	34·3	38·3	-1·4	87	94	21	1·75	+0·35
February	52	12	44·2	35·5	39·9	-0·3	95	157	22	1·80	-0·35
March	58	21	43·4	33·5	38·5	-4·1	87	73	17	3·24	-0·21
April	65	24	51·5	38·6	45·1	-0·5	32	57	15	4·89	-0·02
May	69	29	56·5	41·0	48·7	-1·6	70	112	18	6·24	-0·02
June	68	41	60·7	48·0	54·3	-1·3	118	207	22	3·90	-1·99
July	75	41	66·1	52·1	58·6	+0·3	100	129	19	5·32	+0·92
August	69	42	63·5	52·2	57·9	+0·1	71	85	22	3·48	-0·84
September	71	42	63·2	51·7	57·5	+3·1	103	135	17	3·18	-0·54
October	62	33	55·1	46·2	50·7	+1·6	52	57	13	2·53	-0·21
November	56	31	49·2	42·0	45·6	+2·3	41	51	12	1·35	-0·53
December	52	26	43·7	35·2	39·5	-1·2	108	120	21	1·14	-0·03
YEAR	75	9	53·2	42·5	47·9	-0·2	915	104	219	3·25	-0·28

A R M A G H

MONTH	Air Temperature (°F.)						Rainfall			Sunshine (hrs.)	
	Highest	Lowest	Means of		Difference of Mean from Average	Total	Percentage of Average	No. of Days	Daily Mean	Difference from Average of Daily Mean	
			Daily Maximum	Daily Minimum ½ (Max. + Min.)							
January	55	16	44·6	34·6	-0·6	86	104	19	1·85	+0·33	
February	55	23	47·0	35·8	+0·6	99	176	18	2·14	-0·12	
March	60	23	45·1	33·6	-3·0	35	70	15	3·25	-0·17	
April	66	27	53·5	39·1	-0·0	31	58	15	4·44	-0·38	
May	71	33	58·2	41·6	-1·3	67	112	18	6·25	+0·55	
June	69	42	62·5	48·7	-5·6	0·9	137	224	4·05	-1·59	
July	75	46	66·5	52·3	-5·9	+0·1	138	165	22	4·66	+0·49
August	69	44	64·8	52·0	-8·4	-0·1	99	115	25	3·50	-0·77
September	69	43	64·4	51·8	-5·8	+3·3	74	100	20	3·41	-0·31
October	64	35	56·6	45·6	-5·1	+1·7	99	117	15	2·79	-0·00
November	59	31	51·1	41·3	-6·2	+2·6	42	57	15	1·60	-0·47
December	54	25	45·1	34·2	-39·7	-1·4	131	165	21	1·15	+0·01
YEAR	75	16	54·9	42·5	48·7	0·0	1,039	123	223	3·27	-0·19

H I L L S B O R O U G H

January	53	16	43·6	33·7	38·7	—	90	—	20	1·98	+0·53
February	54	22	45·2	34·9	40·1	—	127	—	25	1·69	-0·53
March	58	23	42·7	33·3	38·0	—	45	—	16	2·56	-0·80
April	65	26	51·5	38·6	45·1	—	42	—	17	4·57	-0·27
May	68	33	56·3	41·2	48·7	—	56	—	15	5·98	-0·07
June	67	41	60·7	47·5	54·1	—	157	—	20	3·82	-2·24
July	75	41	65·5	51·1	58·3	—	99	—	23	4·71	+0·14
August	67	43	63·4	51·6	57·5	—	133	—	22	3·40	-0·96
September	68	41	62·7	51·5	57·1	—	128	—	20	2·99	-0·76
October	62	35	55·5	45·6	50·5	—	67	—	14	2·52	-0·33
November	60	33	50·1	41·0	45·5	—	38	—	16	1·57	-0·49
December	53	26	44·6	35·6	40·1	—	122	—	24	1·08	-0·20
YEAR	75	16	53·5	42·1	47·8	—	1,105	—	232	3·08	-0·49

K I L K E E L

January	54	25	44·6	36·6	40·6	—	75	—	18	—	—
February	54	27	46·4	38·2	42·3	—	105	—	17	—	—
March	54	26	44·3	36·2	40·3	—	38	—	15	—	—
April	61	31	51·8	40·2	46·0	—	21	—	11	—	—
May	71	36	55·7	43·5	49·6	—	116	—	21	—	—
June	65	43	59·2	49·9	54·5	—	180	—	22	—	—
July	72	45	64·3	53·0	58·7	—	108	—	20	—	—
August	69	46	62·7	53·4	58·1	—	168	—	26	—	—
September	67	45	62·3	53·7	58·0	—	101	—	21	—	—
October	62	38	57·1	47·8	52·5	—	67	—	12	—	—
November	60	34	51·6	43·7	47·7	—	64	—	18	—	—
December	55	29	47·4	38·2	42·8	—	92	—	22	—	—
YEAR	72	25	53·9	44·5	49·2	—	1,136	—	223	—	—

NOTE.—In this table the rainfall average is that for the period 1881-1915: the air temperature and sunshine averages relate to the period 1921-50.

ADMINISTRATION

Introductory. The administrative functions of the office of the Registrar-General comprise the registration of births, deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for Marriages. The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31st December in each of the years 1956, 1957 and 1958 were as follows:

DENOMINATION	1956	1957	1958
Church of Ireland	397	399	398
Presbyterian	504	508	506
Methodist	157	158	158
Others	233	234	240
TOTAL	1,291	1,299	1,302

State of Registration. The measures adopted for particulars of births notified under the Notification of Births Act, 1907, to be furnished to Registrars in the two County Boroughs have continued to be of value in securing the registration of a number of births which have not been registered within the prescribed period of 6 weeks. In connection with the registration of deaths, returns of burials made to Registrars by Clerks of Burial Boards and Cemetery Companies have been of assistance.

Births and deaths not registered within a year of their occurrence can be recorded only with the authority of the Registrar-General. During 1958 such authority was granted for the registration of 38 births, as compared with 52 in 1957 and 32 in 1956. The registration of 5 deaths was authorised as compared with 31 in 1957 and 9 in 1956.

Legitimacy Acts (N.I.), 1928 and 1958. Under these Acts an illegitimate child whose parents have married is, subject to certain conditions, legitimised, and the Registrar-General is empowered to authorise the re-registration of the birth. During 1958 the re-registration of the births of 93 children was authorised under these Acts, the comparative figures for 1957 and 1956 being 108 and 119 respectively.

Adoption of Children Act (N.I.), 1950. Registers of children adopted under the provisions of the above Act and of the previous Adoption Act of 1929 are kept in the General Register Office, to which the Adoption Orders made by the Courts are transmitted. A certified copy of an entry in an Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Registers during 1958 numbered 264 whilst the figures for 1957 and 1956 were 296 and 251 respectively.

Searches and Certificates. The original records of births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes

and obtaining certificates from records in the General Register Office for Northern Ireland (including the Adopted Children Register) is afforded by the following table:

YEAR	OFFICIAL		PAID			Fees Received £ s. d.	
	Searches	Certificates	Searches	Certificates			
				Full	Short		
1927	56	29	109	112	—	19 9 0	
1937	94	88	363	290	—	55 2 0	
1951	222	220	1,683	1,609	1,270	317 0 6	
1954	259	259	2,068	2,117	1,426	403 13 6	
1955	328	316	2,338	2,361	1,744	456 11 6	
1956	352	331	2,431	2,668	1,990	665 4 6*	
1957	319	305	2,278	2,498	1,855	702 12 0	
1958	421	382	2,420	2,331	1,678	673 6 6	

* Fees for certificates and searches were increased with effect from the 21st April, 1956.

Verifications. Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for Family Allowances, Pensions, etc. During the year the number of cases dealt with was 28,875, out of which 24,055 were checked from the records in this office and 4,820 events (where records were not available at headquarters) were referred to local officers.

**ABSTRACTS
OF BIRTHS, DEATHS, AND MARRIAGES
REGISTERED IN NORTHERN IRELAND
DURING THE YEAR 1958**

ABSTRACT I. Northern Ireland : Method of Celebration of Marriages Registered, 1958.

COUNTIES				TOTAL MARRIAGES		Presby- terian		Church of Ireland		Methodist		Other Churches		In Registrar's Office
						Roman Catholic	By Licence	By Special Licence	By Licence	After Banns	By Special Licence	By Licence	By Special Licence	
NORTHERN IRELAND	.	9,257		2,959	2,744	63	2,135	69	30	432	34	322	16	453
BELFAST COUNTY BOROUGH	.	3,499	920	964	11	836	19	11	253	16	173	6	290	
LONDONDERRY COUNTY BOROUGH	.	469	308	65	1	69	12	2	10	1	2	1	12	
ANTRIM	.	1,552	347	680	23	316	12	3	38	6	76	3	50	
ARMAGH	.	670	304	94	3	195	4	3	46	3	15	1	1	
DOWN	.	1,414	373	560	13	291	23	6	41	2	36	7	64	
FERMANAGH	.	258	123	8	.	86	4	5	27	5	3	9	19	
LONDONDERRY	.	644	236	201	7	153	5	5	12	1	11	•	10	
TYRONE	.	751	348	172	5	189	3	4	12	1	11	•	7	

ABSTRACT II. Northern Ireland: Marriages Registered in each Month and Conjugal Condition of Persons contracting Marriages, 1958.

COUNTIES		Year		January		February		March		April		May		June		July		August		September		October		November		December		
NORTHERN IRELAND	.	9,257	463			613		1,122		820		321		879		993		1,097		1,183		447		219		143		269
BELFAST COUNTY BOROUGH	.	3,499	184			262		528		261	114	299		394				379										
LONDONDERRY COUNTY BOROUGH	.	469	44			53		27	56	15	41	30		76				38										
ANTRIM	.	1,552	63			84		212	163	60	146	170		171				198										
ARMAGH	.	670	37			43		54	61	18	74	71		91				94										
DOWN	.	1,414	70			76		177	120	60	140	150		164				183										
FERMANAGH	.	258	11			19		13	27	6	20	31		33				30										
LONDONDERRY	.	644	26			39		60	55	19	78	53		81				87										
TYRONE	.	751	28			37		51	77	29	81	94		102				106										

COUNTIES		Total		Rate per 1,000 population		Marriages contracted between												Marriages of	
						Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced Men and Spinsters	Divorced Women and Bachelors	Divorced Men and Widows	Divorced Women and Widows						
NORTHERN IRELAND	.	9,257	6.6			8,753	82	192	111	46	48	9	8					65	
BELFAST COUNTY BOROUGH	.	3,499	8.0			3,253	42	78	50	30	32	4	6					40	40
LONDONDERRY COUNTY BOROUGH	.	469	9.1			449	3	6	4	3	4	2	1					5	4
ANTRIM	.	1,552	6.1			1,468	12	40	19	1	2	1	1					1	1
ARMAGH	.	670	5.7			648	3	15	4	2	2	1	1					9	9
DOWN	.	1,414	5.6			1,344	9	30	17	6	4	1	1					2	7
FERMANAGH	.	258	5.1			260	1	4	1	1	2	1	1					3	3
LONDONDERRY	.	644	5.9			615	8	10	6	1	1	1	1					1	1
TYRONE	.	751	5.7			726	4	11	6	1	1	1	1					3	3

ABSTRACT III. Northern Ireland: Ages of Men at Marriage, 1958.

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and Over	Not Stated
NORTHERN IRELAND	28·67	9,257	2	22	79	220	422	745	3,095	2,692	1,238	625	307	211	105	93	63	38	26	4	2	13
BELFAST CO. BOROUGH	27·88	3,499	2	15	38	109	193	357	1,338	965	396	170	77	63	32	39	28	18	13	2	1	.
LONDONDERRY CO. BOROUGH	27·22	469	.	.	1	10	32	43	182	141	46	32	11	5	3	4	1	.	1	.	.	.
ANTRIM . . .	28·93	1,552	.	2	11	41	66	120	496	466	215	96	56	42	18	18	9	10	5	.	.	1
ARMAGH . . .	28·73	670	.	2	5	9	22	38	208	213	107	51	19	17	5	5	4	1	.	.	.	2
DOWN . . .	28·91	1,414	.	2	17	34	59	112	438	428	199	102	53	31	17	12	8	6	4	1	1	2
FERMANAGH . . .	31·56	258	.	.	1	3	4	8	46	81	48	35	17	14	2	3	2	2
LONDONDERRY . . .	29·62	644	.	1	5	8	25	39	186	192	89	66	30	12	11	10	4	1	1	.	.	3
TYRONE . . .	30·69	751	.	.	1	6	21	28	201	206	138	73	44	27	17	2	2	2	1	.	.	3

4

ABSTRACT IV. Northern Ireland: Ages of Women at Marriage, 1958.

COUNTIES	Average Age	All Ages	16—	17—	18—	19—	20—	Under 21 Years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and Over	Not Stated
NORTHERN IRELAND	25·62	9,257	55	158	419	690	874	2,196	3,467	2,002	711	404	180	122	79	39	30	9	7	.	.	11
BELFAST CO. BOROUGH	25·38	3,499	21	72	184	284	401	962	1,299	683	236	129	65	47	34	18	18	4	4	.	.	.
LONDONDERRY CO. BOROUGH	25·12	469	2	7	16	41	57	123	168	105	36	18	8	9	1	.	1
ANTRIM . . .	25·67	1,552	12	84	67	120	125	358	567	368	120	54	34	24	13	9	4	.	1	.	.	.
ARMAGH . . .	25·46	670	1	5	22	48	51	127	276	170	41	32	10	5	5	1	2	1
DOWN . . .	25·65	1,414	8	21	60	93	116	298	564	308	116	64	18	19	13	5	2	5	.	.	.	2
FERMANAGH . . .	26·36	258	2	6	10	26	12	56	73	64	31	23	5	4	2
LONDONDERRY . . .	26·72	644	4	8	38	40	48	138	255	133	51	32	13	6	8	3	1	.	1	.	.	3
TYRONE . . .	26·69	751	5	5	22	38	64	134	265	171	80	52	27	8	5	3	2	.	1	.	.	3

ABSTRACT V. Northern Ireland: Ages and Conditions of Persons Married in the year 1958

Men

Age Last Birthday	All Men	All Bachelors	All Widowers	All Divorced Men	Bachelors who married			Widowers who married			Divorced Men who married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	9,257	8,888	811	63	8,753	82	48	192	111	8	46	8	9
16	2	2	.	.	2
17	22	22	.	.	22
18	74	74	.	.	74
19	225	225	.	.	225
20	422	422	.	.	421	1
Under 21	745	745	.	.	744	1
21	711	711	.	.	711
22	755	755	.	.	755
23	859	859	.	.	856	2	1
24	770	768	1	1	766	2	2	1	.	.	1	.	.
21-24	3,095	3,093	1	1	3,088	2	8	1	.	.	1	.	.
25	695	695	.	.	692	2	1
26	631	631	.	.	629	2	2
27	513	511	2	.	504	4	3	2
28	441	440	1	.	436	2	2	1
29	412	409	2	1	405	3	1	2	.	.	1	.	.
25-29	2,692	2,666	5	1	2,666	11	9	5	.	.	1	.	.
30	342	339	1	2	330	5	4	1	.	.	2	.	.
31	284	277	1	2	274	1	2	5	.	.	2	.	.
32	246	243	1	2	239	2	2	1	.	.	1	.	1
33	193	188	4	1	184	2	2	4	.	.	1	.	.
34	173	169	3	1	161	5	3	3	.	.	1	.	.
30-34	1,238	1,216	14	8	1,188	15	18	14	.	.	7	.	1
35	170	160	2	8	154	3	3	2	.	.	7	.	1
36	152	146	1	5	142	2	2	1	.	.	4	.	1
37	129	121	4	4	116	4	1	3	.	.	4	.	.
38	99	92	6	1	88	3	1	2	.	.	1	.	.
39	75	69	3	3	64	4	1	2	.	.	2	.	1
35-39	625	588	16	21	584	16	8	12	3	1	18	.	3
40	76	68	8	.	66	.	2	7	1
41	60	53	3	4	50	1	2	1	1	.	2	.	1
42	63	49	6	8	47	1	2	2	3	1	7	1	1
43	56	49	5	1	44	3	2	4	1	1	1	.	.
44	53	42	9	2	37	2	3	5	3	1	1	.	.
40-44	307	261	31	15	244	7	10	30	9	8	11	8	9

ABSTRACT V (*continued*). Northern Ireland: Ages and Conditions of Persons Married in the year 1958
Women

Age Last Birthday	All Women	All Spinsters	All Widows	All Divorced Women	Spinsters who married			Widows who married			Divorced Women who married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	8,257	8,991	201	65	8,753	192	46	82	111	8	48	8	9
16	55	55	.	.	54	1
17	158	158	.	.	158
18	419	419	.	.	419
19	690	690	.	.	687	2	1
20	874	874	.	.	870	2	2
Under 21	2,196	2,196	.	.	2,188	5	3
21	1,041	1,041	.	.	1,037	2	2
22	906	906	.	.	899	7	2
23	808	808	1	.	801	5	2	1
24	712	711	.	.	707	2	2
21-24	3,467	3,466	1	.	3,444	16	6	1
25	594	591	1	2	585	6	.	1	.	.	2	.	.
26	448	445	.	3	443	1	1	.	.	.	2	.	1
27	402	398	3	1	393	4	1	3	.	.	1	.	.
28	298	293	4	1	288	5	.	1	.	.	1	.	.
29	260	253	3	4	243	5	5	3	.	.	4	.	.
25-29	2,002	1,980	11	11	1,952	21	7	10	1	.	10	.	1
30	178	171	2	5	164	6	1	2	.	.	5	.	.
31	174	169	2	3	163	3	3	2	.	.	3	.	1
32	140	136	2	2	131	5	.	2	.	.	1	.	.
33	125	120	2	3	117	2	1	2	.	.	3	.	1
34	94	88	4	2	78	6	4	3	1	.	1	.	1
30-34	711	684	12	15	653	22	9	11	1	.	13	.	2
35	106	99	3	4	94	3	2	2	1	.	2	1	1
36	91	88	5	3	71	7	5	4	1	.	2	1	.
37	88	78	6	4	63	8	2	4	2	.	4	.	3
38	74	62	6	6	54	6	2	4	2	.	2	1	.
39	50	40	5	5	36	1	3	2	2	1	4	1	.
35-39	404	357	25	22	318	25	14	16	7	2	14	4	4
40	43	33	10	.	28	5	.	6	4
41	36	31	5	.	20	9	2	2	1	.	2	.	.
42	44	32	10	2	27	4	1	6	4	1	1	.	.
43	27	19	7	1	14	5	.	2	4	1	1	.	2
44	30	22	6	2	16	5	1	3	3
40-44	180	137	38	5	105	28	4	19	17	2	3	2	.

ABSTRACT VI. Northern Ireland: Ages in Combination of Men and Women at Marriage 1958

	AGES OF WIVES																				Total Husbands	Ages of Husbands
	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over	Not stated			
16—	1	1	2	16—
17—	2	7	10	3	22	17—
18—	11	11	19	16	6	13	3	79	18—
19—	13	24	31	52	29	59	12	220	19—
20—	9	31	71	82	98	123	8	422	20—
21—	13	66	222	371	502	1,553	331	31	5	.	1	3,095	21—
25—	3	10	53	126	186	1,241	913	126	30	3	1	2,692	25—
30—	2	6	8	28	29	353	470	261	65	12	3	1	1,238	30—
35—	.	2	3	7	19	95	193	165	113	19	7	1	625	35—
40—	1	1	2	1	4	20	42	77	94	49	14	2	307	40—
45—	1	5	26	39	58	41	28	8	4	211	45—
50—	2	2	4	27	22	24	18	3	3	105	50—
55—	1	1	4	9	21	16	19	16	6	3	93	55—
60—	1	1	4	2	9	19	17	6	3	1	63	60—
65—	1	3	5	8	4	6	6	3	38	65—
70—	1	6	3	5	7	3	1	26	70—
75—	1	1	1	2	4	75—
80 and over	1	1	1	1	1	2	80 and over
Not stated	.	.	.	3	10	Not stated	
Total Wives	55	158	419	690	874	3,467	2,002	711	404	180	122	79	39	30	9	7	.	.	11	9,257		

ABSTRACT VII. Northern Ireland: Births in each of the Four Quarters 1958.
(exclusive of still-born children).

COUNTIES	PERSONS				MALES				FEMALES						
	Total	Quarter ended the last day of			Total	Quarter ended the last day of			Total	Quarter ended the last day of					
		March	June	Sept.		March	June	Sept.		March	June	Sept.	Dec.		
NORTHERN IRELAND	30,301	7,661	8,052	7,337	7,251	15,700	3,938	4,191	3,809	3,762	14,601	3,723	3,861	3,528	3,489
BELFAST CO. BOROUGH	8,263	2,140	2,248	1,918	1,957	4,250	1,122	1,162	969	997	4,013	1,018	1,086	949	960
LONDONDERRY CO. BOROUGH	1,660	449	414	396	401	863	234	207	213	209	797	215	207	183	192
ANTRIM	5,815	1,477	1,506	1,487	1,345	3,084	757	811	775	741	2,731	720	695	712	604
ARMAGH	2,602	615	718	597	672	1,368	321	378	331	338	1,234	294	340	266	334
DOWN	5,144	1,338	1,361	1,239	1,206	2,655	692	689	639	635	2,489	646	672	600	571
FERMANAGH	1,060	244	286	271	259	547	122	155	139	131	513	122	131	132	128
LONDONDERRY	2,595	628	723	626	618	1,311	306	386	315	304	1,284	322	337	311	314
TYRONE	3,162	770	796	803	793	1,622	384	403	428	407	1,540	386	393	375	386

53

ABSTRACT VIII. Northern Ireland: Deaths in each of the Four Quarters 1958.

COUNTIES	PERSONS				MALES				FEMALES						
	Total	Quarter ended the last day of			Total	Quarter ended the last day of			Total	Quarter ended the last day of					
		March	June	Sept.		March	June	Sept.		March	June	Sept.	Dec.		
NORTHERN IRELAND	15,132	4,565	3,789	3,171	3,607	7,918	2,406	1,971	1,634	1,907	7,214	2,159	1,818	1,537	1,700
BELFAST CO. BOROUGH	4,818	1,474	1,131	976	1,237	2,467	764	588	484	631	2,351	710	543	492	606
LONDONDERRY CO. BOROUGH	530	159	116	122	133	284	88	60	63	73	246	71	56	59	60
ANTRIM	2,549	774	634	568	573	1,323	398	336	292	297	1,226	376	298	276	276
ARMAGH	1,301	372	354	251	324	700	197	185	138	180	601	175	169	113	144
DOWN	2,750	819	708	576	647	1,445	429	359	300	357	1,305	390	349	276	290
FERMANAGH	651	192	188	147	124	362	106	100	85	71	289	86	88	62	53
LONDONDERRY	1,085	337	266	244	238	557	186	138	116	117	528	151	128	128	121
TYRONE	1,448	438	392	287	331	780	238	205	156	181	668	200	187	131	150

ABSTRACT IX. Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT									
			Ne- o-Natal under one month	Total under one year	1-	2-	3-	4-	5-	10-	15-	
			335 244	491 359	38 19	17 14	4 8	6 7	28 16	32 13	51 21	
	TOTAL DEATHS (All causes) { M F	7,918 7,214										
A1-A43	<i>I Infective and Parasitic Diseases</i> { M F	166 76	2	8 6	6 1	1	2	.	.	4 1	1 2	
A44-A60	<i>II Neoplasms</i> (a) <i>Cancer</i> { M F (b) <i>Other Neoplasms</i> { M F	1,143 1,110 68 58	.	.	1 1 1 1	1 1 1 1	.	1 1 1 1	1 2 5 1	2 1 4 2		
A61-A64 A66 pt.	<i>III Allergic, Endocrine System, Metabolic and Nutritional Diseases</i> { M F	92 108	.	.	1	1	1	1	.	1 1	1 1	
A65, A66 pt.	<i>IV Diseases of Blood and blood-forming Organs</i> { M F	25 47	.	1	1 1	2 2	
A67-A69	<i>V Mental, Psychoneurotic and personality disorders</i> { M F	10 8	1	2	.	1	.	.	.	2 2	.	
A70-A78	<i>VI Diseases of the Nervous System and Sense Organs</i> { M F	976 1,345	1	7 3	5 3	2 1	1	1	1	2 2	3 1	
A79-A86	<i>VII Diseases of Circulatory System</i> { M F	3,219 2,785	.	1	1	1 1	6 4	
A87-A97	<i>VIII Diseases of Respiratory System</i> { M F	798 580	1	77 43	6 3	3 2	1	1	2 2	1 1	2 3	
A98- A107	<i>IX Diseases of the Digestive System</i> { M F	211 172	2	17 15	4 1	3 1	1	1	.	2 1	2 2	
A108- A114	<i>X Diseases of the Genito-Urinary System</i> { M F	224 83	1	.	1 1	2 2	
A115- A120	<i>XI Deliveries and complication of pregnancy, child-birth, and the puerperium</i> { M F	17	
A121- A126 pt.	<i>XII Diseases of the Skin and Cellular Tissues</i> { M F	6 3	.	1	
A122- A125, A126 pt.	<i>XIII Diseases of the Bones and Organs of Movement</i> { M F	13 37	1	1	1 1	.	
A127- A129	<i>XIV Congenital Malformations</i> { M F	107 115	50 53	82 93	8 3	2 5	.	2	4 1	4 1	2 2	
A130- A135	<i>XV Certain Diseases of Early Infancy</i> (a) <i>with prematurity</i> { M F (b) <i>without prematurity</i> { M F	61 45 224 140	61 45 219 137	61 45 224 140	
A136- A137	<i>XVI Symptoms, Senility and Ill-defined conditions</i> { M F	262 306	1	2	1	
A138- A150	<i>XVII Accidents, poisoning and violence</i> { M F	313 179	2 3	11 9	8 4	5 1	2 3	1 4	10 6	10 6	28 5	

of Death at different Age-Periods, 1958.

DEATH

																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
39 15	53 32	53 41	75 78	147 113	236 162	377 276	591 361	738 542	893 713	1,092 1,046	1,184 1,229	1,034 1,158	554 665	163 253	22 73		
3 1	3 2	3 7	7 4	10 3	14 6	11 4	19 8	23 6	18 7	14 7	14 5	6 2	2 1	.	.	M F } 001-138	
3 3	5 5	5 5	16 19	22 40	53 56	73 101	125 100	167 121	168 153	179 162	164 166	116 114	34 47	6 6	4	M F } 140-239	
4 .	3 .	1 3	3 2	4 1	4 4	6 5	9 10	10 8	8 8	18 23	15 13	11 14	1 3	.	.	M M F } 240-289	
.	.	3 1	2 3	5 4	2 1	10 10	6 4	9 8	10 11	8 8	6 5	6 4	.	.	M F } 290-299		
.	.	.	.	1 3	.	3 3	1 2	3 2	2 3	1 2	9 7	6 8	6 4	1 2	.	M F } 300-326	
1 1	2 1	3 6	7 5	16 11	25 12	31 42	51 69	93 113	122 165	156 242	179 282	160 233	83 108	20 37	4 6	M F } 330-398	
1 3	11 4	15 4	25 17	44 28	93 40	172 88	261 119	305 205	418 274	500 434	542 548	474 528	263 324	81 128	6 34	M F } 400-468	
2 .	4 2	2 1	2 8	17 8	18 8	39 13	60 12	65 21	81 33	122 44	121 86	99 87	54 113	16 59	4 26	M F } 470-527	
.	2 2	2 2	1 4	6 7	6 6	3 7	12 9	23 10	28 17	20 27	22 26	20 19	9 14	4 4	.	M F } 530-587	
4 1	3 1	3 2	3 3	4 2	4 6	6 5	5 6	17 11	26 8	41 13	40 9	28 7	29 6	7 .	1	M F } 590-637	
1 .	5 .	3 .	4 .	4	F 640-689	
.	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	.	M F } 690-716		
1	1 .	1 .	1 .	1 .	4 10	4 8	2 6	.	.	M F } 720-749		
.	1 2	.	1 1	1 1	1 1	.	2 3	1 .	.	1	M F } 750-759	
.	M F } 760-776		
.	M F } 760-776		
.	M F } 780-795		
21 4	21 3	16 5	9 6	16 3	17 3	17 5	29 9	20 12	16 9	12 13	14 24	19 23	8 22	2 5	1 1	M F } E800- E999	

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A1-A43	<i>I Infective and Parasitic Diseases</i>										
A1a	Pulmonary Tuberculosis . . {M F	97 39	2	.
A1b	Other respiratory Tuberculosis {M F	.	3
A2	Tuberculosis of meninges and central nervous system {M F	1 4	1	1
A3	Tuberculosis of intestines, peritoneum and mesenteric glands {M F	3 2	1	.	1	.
A4	Tuberculosis of bones and joints . . {M F	1 1
A5a	Tuberculosis of genito-urinary system . . {M F	2
A5b	Disseminated Tuberculosis {M F
A5c	Tuberculosis, all other forms {M F	1
A6	Congenital syphilis . . {M F
A7	Early syphilis . . {M F
A8	Tabes dorsalis . . {M F	5
A9	General paralysis of the insane . . {M F	2 2
A10	All other syphilis . . {M F	14 8
A11	Gonococcal infection . . {M F	1
A12	Typhoid fever . . {M F
A13	Paratyphoid fever and other Salmonella infections . . {M F
A14	Cholera . . {M F
A15	Brucellosis (Undulant fever) {M F
A16	Dysentery, all forms . . {M F	1 1	.	.	.	1
A17	Scarlet fever . . {M F
A18	Streptococcal sore throat . . {M F

of Death at different Age-Periods, 1958.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	95-	90-	95 and over	Detailed List Numbers
1	1	2	5	7	3	8	2	9	5	5	16	3	14	4	11	5	M F } 002
.	M F } 001,	
.	003-008	
1	.	.	1	M F } 010	
.	2	M F } 011	
.	M F } 012-013	
1	1	M F } 016	
.	M F } 019	
.	1	M F } 014, 015, 017, 018	
.	M F } 020	
.	M F } 021	
.	2	2	.	.	1	.	.	.	M F } 024	
.	1	.	1	.	1	M F } 025	
.	.	1	.	1	.	4	1	4	2	2	2	1	.	.	1	M F } 022, 023, 026-029	
.	1	M F } 030-035	
.	M F } 040	
.	M F } 041, 042	
.	M F } 043	
.	M F } 044	
.	1	.	.	M F } 045-048	
.	M F } 050	
.	M F } 051	

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List. Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A19	Erysipelas {M F
A20	Septicaemia and pyaemia . {M F	8 3	2	3 1	2	.	.	1	.	.	1
A21	Diphtheria {M F
A22	Whooping Cough {M F	5 3	.	4 3	1
A23	Meningococcal infections . {M F	2 1	.	.	.	2	1
A24	Plague {M F
A25	Leprosy {M F
A26	Tetanus {M F	2 1
A27	Anthrax {M F
A28	Acute poliomyelitis {M F	4 1	.	.	1	1
A29	Acute infectious encephalitis {M F	2 4	.	.	2
A30	Late effects of acute polio- myelitis and acute infect- ious encephalitis {M F	2 2
A31	Smallpox {M F
A32	Measles {M F
A33	Yellow fever {M F
A34	Infective hepatitis {M F	3 2
A35	Rabies {M F
A36	Typhus and rickettsial dis- eases {M F
A37	Malaria {M F
A38	Schistosomiasis {M F	1
A39	Hydatid disease {M F
A40	Filariasis {M F

of Death at different Age-Periods, 1958.

DEATH

																		95 and over	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-				M F } 052	
.	M F } 053	
1	.	.	.	1	1	M F } 055	
.	M F } 058		
.	M F } 057		
.	M F } 058		
.	M F } 060		
.	M F } 061		
.	M F } 062		
1	1	1	1	M F } 080		
.	1	.	1	.	1	M F } 082		
.	1	.	.	.	1	.	1	.	1	M F } 081, 083		
.	M F } 084		
.	M F } 085		
.	M F } 091		
.	1	.	.	.	1	1	.	1	1	.	.	.	M F } 092		
.	M F } 094		
.	M F } 100-108		
.	M F } 110-117		
.	M F } 123		
.	M F } 125		
.	M F } 127		

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A41	Ankylostomiasis . . .	{ M F	:	:	:	:	:	:	:	:	:
A42	Other diseases due to helminths . . .	{ M F	:	:	:	:	:	:	:	:	:
A43	All other diseases classified as infective and parasitic . . .	{ M F	6 2	:	1	:	:	:	:	:	:
<hr/>											
A44-A60	<i>II. Neoplasms</i>										
A44	Malignant neoplasm of buccal cavity and pharynx . . .	{ M F	39 21	:	:	:	:	:	:	:	:
A45	Malignant neoplasm of oesophagus . . .	{ M F	28 31	:	:	:	:	:	:	:	:
A46	Malignant neoplasm of stomach . . .	{ M F	236 201	:	:	:	:	:	:	:	:
A47	Malignant neoplasm of intestine, except rectum . . .	{ M F	111 139	:	:	:	:	:	:	:	:
A48	Malignant neoplasm of rectum . . .	{ M F	78 42	:	:	:	:	:	:	:	:
A49	Malignant neoplasm of larynx . . .	{ M F	10 10	:	:	:	:	:	:	:	:
A50	Malignant neoplasm of trachea, bronchus and lung not specified as secondary . . .	{ M F	263 51	:	:	:	:	:	:	:	1
A51	Malignant neoplasm of breast . . .	{ M F	1 197	:	:	:	:	:	:	:	:
A52	Malignant neoplasm of cervix uteri . . .	F	40	:	:	:	:	:	:	:	:
A53	Malignant neoplasm of other and unspecified parts of uterus . . .	F	55	:	:	:	:	:	:	:	:
A54	Malignant neoplasm of prostate . . .	M	104	:	:	:	:	:	:	:	:
A55	Malignant neoplasm of skin . . .	{ M F	11 14	:	:	:	:	:	:	:	:
A56	Malignant neoplasm of bone and connective tissue . . .	{ M F	14 13	:	:	1	:	:	:	1	1
A57	Malignant neoplasm of all other and unspecified sites . . .	{ M F	226 279	:	1	:	1	:	1	1	1
<hr/>											
A58	Leukaemia and aleukaemia . . .	{ M F	35 30	:	1	1	:	:	4	3	1
A59	Hodgkins disease . . .	{ M F	11 12	:	:	:	:	:	:	:	2
	Lymphosarcoma and other neoplasms of lymphatic and haematopoietic tissues . . .	{ M F	22 17	:	:	:	:	:	:	:	:

of Death at different Age-Periods, 1958.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F } 129
.	M F } 124, 126 128, 130	
.	1	.	.	1	.	1	1	1	.	.	M F } 036-039, 049 054, 059, 063-074, 086-090, 093, 095, 096, 120- 122, 131-138	
.	1	M F } 140-148	
.	.	.	.	1	.	1	2	1	3	2	8	6	8	3	6	M F } 150	
.	.	.	.	1	.	1	3	1	5	4	7	5	3	2	1	M F } 151	
.	1	1	1	3	15	15	11	18	16	22	41	46	32	32	6	M F } 152, 153	
.	2	1	1	3	6	11	18	16	17	23	19	26	14	4	6	M F } 154	
.	1	1	2	1	3	6	5	12	25	17	20	18	14	3	2	M F } 161	
.	1	1	1	1	1	9	10	17	23	19	13	5	7	3	2	M F } 162, 163	
.	1	1	1	1	1	1	1	1	2	1	2	1	2	1	1	M F } 170	
.	2	2	4	2	7	16	5	27	56	50	37	36	21	4	1	M F } 171	
.	1	9	11	17	27	15	19	27	21	25	.	15	8	1	1	F } 172-174	
.	.	1	4	4	9	8	2	2	2	2	4	2	2	2	.	M } 177	
.	.	.	5	4	3	9	10	6	7	3	6	2	.	.	M F } 190, 191		
.	.	.	.	1	.	1	7	16	25	31	20	2	1	.	M F } 196, 197		
.	.	.	2	.	.	1	.	.	2	4	2	1	1	3	.	M F } 155-160, 164 165, 175, 176, 178-181, 192-195, 198, 199	
2	2	2	1	6	4	12	19	28	18	39	31	26	30	21	10	M F } 204	
.	2	2	1	5	9	16	28	19	39	39	42	33	28	9	.	M F } 201	
.	1	1	1	1	1	3	1	2	1	1	1	1	1	1	2	M F } 200, 202, 203, 205.	

ABSTRACT IX (continued). Northern Ireland, : Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under one month	Total under one year	1-	2-	3-	4-	5-	10-	15-
A60	Benign neoplasms and neoplasms of unspecified nature	{ M F 22 16	:	:	:	1	:	:	1 1	1	:
A61-A64 A66 pt	<i>III. Allergic, Endocrine System, Metabolic and nutritional diseases</i>										
A61	Non-toxic goitre . . .	{ M F 1	:	:	:	:	:	:	:	:	:
A62	Thyrotoxicosis, with or without goitre . . .	{ M F 2 5	:	:	:	:	:	:	:	:	:
A63	Diabetes mellitus . . .	{ M F 39 58	:	:	1	:	:	:	1	:	:
A64	Avitaminosis and other deficiency states . . .	{ M F 5 4	:	:	:	:	:	:	:	:	:
A66a	Asthma . . .	{ M F 35 23	:	:	:	1	1	:	:	1	:
A66b	Other allergic disorders, endocrine and metabolic diseases . . .	{ M F 10 18	:	:	:	:	:	:	1	:	:
A65 and A66 pt.	<i>IV. Diseases of the Blood and Blood Forming Organs</i>										
A65a	Pernicious and other hyperchromic anaemias . . .	{ M F 9 7	:	:	:	:	:	:	:	:	:
A65b	Iron deficiency anaemias . . .	{ M F 3 4	:	:	:	:	:	:	:	:	:
A65c	Other anaemias of specified type . . .	{ M F 7 12	:	:	:	:	:	1	1	:	:
A65d	Anaemia of unspecified type . . .	{ M F 2 16	:	:	:	:	:	:	:	:	:
A66e	All other diseases of the blood, and blood forming organs . . .	{ M F 4 8	:	1	:	:	:	:	1	:	:
A67-A69	<i>V. Mental, Psychoneurotic and Personality disorders</i>										
A67	Psychosis . . .	{ M F 3 4	:	:	:	:	:	:	:	:	:
A68	Psychoneurosis and disorders of personality . . .	{ M F 2	:	:	:	:	:	:	:	:	:
A69	Mental deficiency . . .	{ M F 5 4	1	2	1	1	:	2	:	:	:
A70-A78	<i>VI. Diseases of the Nervous System and Sense Organs</i>										
A70a	Subarachnoid haemorrhage . . .	{ M F 31 47	:	:	:	:	:	:	1	2	1
A70b	Cerebral haemorrhage . . .	{ M F 355 504	:	:	:	:	:	:	:	:	1
A70c	Cerebral embolism and thrombosis . . .	{ M F 442 636	:	1	:	:	:	:	:	:	:

of Death at different Age-Periods, 1958.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	.	.	.	3 2	1 .	2 1	2 .	2 3	3 2	2 4	2 2	1 .	1 .	1 .	.	.	M F } 210-239.
.	1	M F } 250, 251	
.	1 .	1 .	1 .	1 .	.	1	M F } 252	
.	2 .	.	1 .	1 .	1	M F } 260	
.	.	1 .	1 .	.	1 .	2 2	2 2	3 5	2 7	11 15	9 7	6 13	1 3	.	.	M F } 280-286	
.	1 .	2 .	1 .	1 .	3 5	2 1	7 3	3 3	3 1	6 1	1 1	2 1	.	.	1 .	M F } 241	
.	1 .	1 .	1 .	1 .	3 1	1 .	3 3	2 .	.	5 3	.	1	M F } 240, 242-245, 253, 254, 270-277, 287-289.	
.	1 .	.	.	2 3	.	2 1	3 2	2 1	.	1 .	.	M F } 290	
.	1 .	.	1 .	1 .	1 2	.	1 2	.	.	.	M F } 291	
.	1	3 .	1 .	1 .	1 .	.	1 2	2 1	2 2	.	.	.	M F } 292	
.	1	4 3	1 5	1 1	.	2 .	.	M F } 293	
.	2 .	.	1 1	1 1	2 1	1 1	M F } 294-299	
.	M F } 300-309	
.	1 .	1	2 .	2 .	1 .	.	.	M F } 310-324	
.	.	1 .	.	.	1	M F } 325	
.	2 .	3 .	2 1	3 2	2 2	2 5	4 7	4 8	6 7	2 6	1 3	.	1 .	1 .	.	M F } 330	
.	1 .	.	3 .	7 3	11 5	17 21	21 32	43 57	66 69	56 88	57 119	42 68	26 33	5 7	1 .	M F } 331	
.	.	1 .	.	1 1	4 3	7 7	20 19	37 39	39 72	78 127	96 132	95 144	48 64	12 25	3 3	M F } 332	

ABSTRACT IX (continued). Northern Ireland: Causes

Inter- mediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A70d	Other vascular lesions affecting central nervous system	{ M F 63 71	.	1	1	.
A71	Nonmeningococcal meningitis	{ M F 4 5	1	2	2	1	.	1	.	1	.
A72	Multiple sclerosis	{ M F 12 23
A73	Epilepsy	{ M F 7 9	1	1	.
A74	Inflammatory diseases of eye	{ M F
A75	Cataract	{ M F
A76	Glaucoma	{ M F .	1
A77	Otitis media and mastoiditis	{ M F 3	.	1
A78	All other diseases of the nervous system and sense organs	{ M F 59 49	.	5	4	1	1	1	2	1	.
<hr/>											
A79-A86	VII. Diseases of the Circulatory System										
A79	Rheumatic fever	{ M F 9 11	2
A80a	Diseases of mitral valve	{ M F 46 81	1
A80b	Other chronic rheumatic heart disease	{ M F 38 35	1	1
A81a	Arteriosclerotic heart disease	{ M F 68 65
A81b	Heart disease involving coronary arteries	{ M F 1,640 898
A81c	Angina pectoris without coronary disease	{ M F 5 5
A81d	Chronic endocarditis not specified as rheumatic	{ M F 44 53
A81e	Other myocardial degeneration	{ M F 709 902	1	1
A82a	Acute and subacute endocarditis	{ M F 6 6	.	1	1
A82b	Functional diseases of heart	{ M F 91 118
A82c	Other and unspecified diseases of heart	{ M F 155 137	1	.	2
A83	Hypertension with heart disease	{ M F 157 193
A84	Hypertension without mention of heart	{ M F 74 85

of Death at different Age-Periods, 1958.

DEATH

																			Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over				
.	.	.	.	1	.	1	2	1	4	5	10	14	16	7	3	1	M	333, 334	
.	1	3	9	9	21	11	9	2	2	F	340	
.	M	345		
1	.	2	1	2	2	1	4	4	2	1	1	2	F	353	
.	.	1	1	2	1	2	.	1	2	.	2	M	370-379		
.	F	385		
.	M	387		
.	.	1	1	F	391-393		
1	.	.	.	2	4	1	4	4	2	4	8	9	11	7	2	2	M	341-344, 350-352, 354-369, 380-384, 386, 388- 390, 394- 398	
1	1	1	1	3	1	1	2	1	1	1	2	M	400-402	
2	2	4	4	6	10	10	10	7	2	6	10	7	1	3	1	1	F	410	
1	2	2	4	2	8	1	5	2	6	2	2	1	1	1	.	M	411-416		
.	3	3	2	8	10	21	8	11	.	2	F	420-0		
.	4	5	10	31	65	136	192	234	265	267	215	151	56	9	.	M	420-1		
1	1	3	8	15	40	68	113	134	168	168	157	125	50	10	5	F	420-2		
.	1	.	3	3	1	1	.	.	M	421		
.	.	1	1	2	2	4	4	4	6	9	6	2	3	1	.	F	422		
.	.	.	2	4	1	4	19	23	50	94	165	179	114	50	3	M	430		
.	1	.	2	.	1	2	1	1	1	1	.	1	.	.	.	F	433		
.	1	.	.	.	1	2	5	4	3	9	12	21	21	11	6	M	431, 432, 434		
.	1	1	2	.	1	3	4	4	13	20	26	25	36	18	2	F	440-443		
.	1	1	1	1	1	3	6	5	22	23	41	32	38	24	3	M	444-447		

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	AGES AT							
				Total under one year	1-	2-	3-	4-	5-	10-	15-
A85	Diseases of arteries . . . { M F	150 156	:	:	:	:	:	:	:	:	1 1
A86	Other diseases of the circulatory system . . . { M F	27 40	:	:	:	:	:	1	:	:	:
A87-A97	<i>VIII. Diseases of the respiratory system</i>										
A87	Acute upper respiratory infection . . . { M F	:	:	:	:	:	:	:	:	:	:
A88a	Influenza with pneumonia . . . { M F	10 18	1	1	:	1	:	:	:	:	:
A88b	Influenza with other respiratory manifestations and influenza unqualified . . . { M F	12 13	:	:	:	:	:	:	:	:	:
A88c	Influenza with other manifestations . . . { M F	2	:	:	:	:	:	:	:	:	:
A89	Lobar pneumonia . . . { M F	60 39	:	6 2	1	:	:	:	:	:	1
A90	Broncho-pneumonia . . . { M F	234 214	:	50 29	4 2	2 1	:	1	1	:	1
A91	Primary, atypical, other and unspecified pneumonia . . . { M F	45 44	:	17 9	1	1	:	:	:	:	1
A92	Acute bronchitis . . . { M F	13 16	:	1	:	:	1	:	1	:	:
A93a	Bronchitis unqualified . . . { M F	25 25	:	2 1	:	:	:	:	:	:	:
A93b	Bronchitis, chronic . . . { M F	322 138	:	:	:	:	:	:	:	:	:
A94	Hypertrophy of tonsils and adenoids . . . { M F	:	:	:	:	:	:	:	:	:	:
A95	Empyema and abscess of lung . . . { M F	1 1	:	:	:	:	:	:	:	:	:
A96	Pleurisy . . . { M F	3	:	:	:	:	:	:	:	:	:
A97	All other respiratory diseases . . . { M F	76 67	:	1	:	:	:	:	1	1	1
A98-A107	<i>IX. Diseases of the Digestive System</i>										
A98	Diseases of the teeth and supporting structures . . . { M F	:	:	:	:	:	:	:	:	:	:
A99	Ulcer of stomach . . . { M F	37 17	:	:	:	:	:	:	:	:	:
A100	Ulcer of duodenum . . . { M F	32 18	:	:	:	:	:	:	:	:	:
A101	Gastritis and duodenitis . . . { M F	1 1	:	:	:	:	:	:	:	:	:
A102	Appendicitis . . . { M F	8 3	:	:	:	:	:	:	1	1	1

of Death at different Age-Periods, 1958.

DEATH

																	Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	.	1	.	2	.	1	2	3	4	7	12	20	31	36	26	8	M } 450-456	
.	.	.	.	1	1	2	2	2	4	5	6	7	3	5	35	15	F } 450-456	
.	.	.	.	1	1	2	2	2	4	5	6	7	6	3	.	M } 460-468		
.	M } 460-468		
.	M } 470-475		
.	M } 480		
.	M } 481		
.	1	1	3	1	1	1	2	4	4	3	2	.	M } 482, 483	
1	.	.	.	5	.	3	1	5	2	4	14	7	6	7	6	2	M } 490	
.	1	1	1	5	1	5	3	9	7	15	33	29	32	36	22	11	M } 491	
.	1	1	1	4	3	1	7	9	9	29	29	29	41	41	28	15	M } 492, 493	
.	1	1	1	1	1	2	1	1	2	3	4	7	5	7	2	4	M } 500	
.	1	1	1	1	1	1	1	1	1	3	3	5	1	1	1	2	M } 501	
.	2	2	2	5	1	9	19	5	43	7	39	11	46	52	47	34	M } 502	
.	2	2	2	5	1	9	3	5	7	11	16	16	24	25	25	9	M } 510	
.	M } 518, 521		
.	1	.	1	.	1	.	.	M } 519	
1	1	.	4	1	6	7	8	10	5	8	10	11	11	12	6	4	M } 511-517,	
.	5	1	3	5	1	4	1	3	4	5	5	2	520, 522-527	
.	M } 530-535		
.	1	11	6	5	8	5	4	1	M } 540	
.	1	4	1	2	1	2	.	.	M } 541	
.	.	.	.	1	2	1	1	1	1	4	1	2	1	2	.	.	M } 543	
.	.	.	.	1	1	1	1	1	1	3	1	1	1	1	.	.	M } 550-553	

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A103a	Hernia of abdominal cavity without mention of obstruction . . .	{ M F 6 2
A103b	Hernia of abdominal cavity with obstruction . . .	{ M F 10 15
A103c	Intestinal obstruction without mention of hernia . . .	{ M F 22 23	1	2 1 1	1	.	1
A104a	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over . . .	{ M F 22 16	.	14 11	3	2 1	.	1	.	.	.
A104b	Chronic enteritis and ulcerative colitis . . .	{ M F 14 18
A105	Cirrhosis of liver . . .	{ M F 16 18	1	.
A106	Cholelithiasis and cholecystitis . . .	{ M F 8 16
A107	Other diseases of digestive system . . .	{ M F 35 30	1	1 3	.	1	1
A108- A114	X. Diseases of Genito-Urinary System										
A108	Acute nephritis . . .	{ M F 5 3	1	.	1	.
A109a	Nephritis with oedema, including nephrosis . . .	{ M F 4 1
A109b	Chronic nephritis . . .	{ M F 52 42	2	1
A109c	Other and unspecified nephritis . . .	{ M F 9 5
A110	Infections of kidney . . .	{ M F 17 15
A111	Calculi of urinary system . . .	{ M F 1 3
A112	Hyperplasia of prostate . . .	M	120
A113	Diseases of breast . . .	F
A114	Other diseases of genito-urinary system . . .	{ M F 16 14
A115- A120	XI. Diseases and Complications of Pregnancy: Childbirth and the Puerperium										
A115	Sepsis of pregnancy, childbirth and the puerperium . . .	F	3
A116	Abortions with toxæmia . . .	{ F F 4
A116	Other toxæmias of pregnancy . . .	F
A117	Haemorrhage of pregnancy and childbirth . . .	F	4
A118	Abortion without mention of sepsis or toxæmia . . .	F	1
A119	Abortion with sepsis . . .	F
A120	Other complications of pregnancy, childbirth and the puerperium . . .	F	5

of Death at different Age-Periods, 1958.

DEATH

															Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	M F	560
.	1	.	3	1	.	1	1	1	1	.	M F	561
.	2	2	1	1	1	3	3	4	2	.	M F	570
.	.	1	.	2	1	1	4	1	2	2	3	4	3	5	1	M F	571
.	1	2	2	1	2	1	1	3	1	3	3	2	2	1	3	M F	572
.	1	1	1	2	2	1	1	2	3	1	4	2	1	1	1	M F	581
.	1	1	1	1	1	1	2	4	2	6	1	2	3	2	2	M F	584, 585
.	1	1	1	2	1	1	1	2	1	2	2	1	3	2	3	M F	536-539, 542, 544, 545, 573- 580, 582, 583, 586, 587
1	1	1	1	1	M F	590
.	1	1	.	.	1	1	.	.	1	.	.	M F	591
3 1	2 1	1 2	2 2	4	4 2	4 3	4 4	6	7	6	6	6	1	3	1	M F	592
.	1	.	1	1	2	1	3	1	2	1	.	M F	593, 594
.	.	.	1	1	3	.	1	2	2	4	2	4	1	1	2	M F	600
.	.	1	1	1	.	1	M F	602, 604
.	5	13	24	25	22	24	6	1	M	610
.	1	.	2	1	2	3	1	4	1	2	.	F	620, 621
.	.	.	.	1	.	2	1	2	3	1	2	1	2	1	.	M F	601, 603, 605-609, 611-617, 622-637
.	1	2	F	640, 641, 681, 682, 684
.	1	.	1	2	F F	642, 652, 685, 686
1	3	.	.	1	F	643, 644 670-672
.	.	.	.	1	F	650	
.	1	2	1	1	F	651	
.	1	2	1	1	F	645-649, 660, 673- 680, 683- 687-689	

ABSTRACT IX (continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A121, A126 pt.	<i>XII. Diseases of the Skin and Cellular Tissue</i>										
A121	Infections of the skin and subcutaneous tissue . { M F	1 2	:	1
A126a	Other diseases of the skin and subcutaneous tissue { M F	5 1	:
A122- A125	<i>XIII. Diseases of the Bone and Organs of movement</i>										
A122	Arthritis and Spondylitis . { M F	10 31	:
A123	Muscular rheumatism and rheumatism unspecified . { M F
A124	Osteomyelitis and periostitis { M F
A125	Ankylosis and acquired mus- culoskeletal deformities { M F	.	1	1
A126b	All other diseases of mus- culoskeletal system { M F	3 4	:	1	.
A127- A129	<i>XIV. Congenital Malform- ations</i>										
A127	Spina bifida and meningocele { M F	17 26	10 18	16 24	1 1
A128	Congenital malformations of circulatory system . { M F	44 40	15 8	31 28	3 1	1 2	.	2	3	3	1 2
A129	All other congenital mal- formations . { M F	46 49	25 27	35 41	4 1	1 2	.	.	1	1	1
A130- A135	<i>XV. Certain Diseases of Early Infancy</i>										
A130	Birth injuries (a) with prematurity . { M F	18 7	13 7	13 7
	(b) without prematurity { M F	23 13	23 13	23 13
A131	Postnatal asphyxia and atelectasis (a) with prematurity . { M F	40 27	40 27	40 27
	(b) without prematurity { M F	29 18	29 17	29 18
A132	Infection of the newborn (a) with prematurity . { M F	1 5	1 5	1 5
	(b) without prematurity { M F	28 12	28 12	28 12

of Death at different Age-Periods, 1958.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	1	1	M F } 690-698
.	.	.	.	1	1	2	1	.	.	M F } 700-716
.	
.	1	1	1	5	1	3	8	2	5	.	M F } 720-725
.	M F } 726, 727	
.	M F } 730	
1	M F } 737, 749	
.	1	.	.	1	1	1	1	1	.	.	M F } 731-736, 738-744	
.	
.	M F } 751	
.	1	.	.	.	1	.	2	M F } 754	
.	2	.	.	.	1	.	2	1	.	1	M F } 750, 752, 753, 755-759	
.	
.	M F } 760, 761	
.	M F } 760, 761	
.	M F } 762	
.	M F } 762	
.	M F } 763-768	
.	M F } 763-768	

ABSTRACT IX (continued). Northern Ireland: Causes

AGES AT

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	Neo- Natal under one month	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
A133	Haemolytic diseases of new-born (a) with prematurity	{ M F	1 .	1 .	1
	(b) without prematurity	{ M F	17 12	17 12	17 12
A134	All other defined diseases of early infancy (a) with prematurity	{ M F	3 5	3 5	3 5
	(b) without prematurity	{ M F	2 4	2 4	2 4
A135	Ill-defined diseases peculiar to early infancy (a) with prematurity	{ M F	122 80	119 78	122 80
	(b) without prematurity	{ M F	6 2	4 2	6 2
A136, A137	XVI. Symptoms: Senility and Ill-defined Conditions										
A136	Senility without mention of psychosis	{ M F	238 288
A137	Ill-defined and unknown causes of mortality	{ M F	24 18	1 .	2 .	1
A138- A150	XVII. Accidents: poisoning and violence										
A138a	Motor vehicle traffic accident to pedestrian	{ M F	33 24	.	.	1 1	2 1	2 2	5 2	2 2	.
A138b	Motor vehicle traffic accident to pedal cyclist	{ M F	14 4	2 2	2 1
A138c	Motor vehicle traffic accident to rider or passenger of motor cycle in collision with other motor vehicle	{ M F	18	3
A138d	Other motor vehicle accidents	{ M F	40 7	.	.	1 .	.	.	1 .	1 .	6
A139	Other transport accidents	{ M F	36 4	.	.	.	1 .	.	.	2 .	7 1
A140	Accidental poisoning	{ M F	8 14	1 2	.	.
A141	Accidental falls	{ M F	41 75	1 1	.	.
A142	Accidents caused by machinery	{ M F	6	1
A143	Accidents caused by fire and explosion of combustible materials	{ M F	10 10	1 1	.	.	.
A144	Accidents caused by hot substances, corrosive liquid, steam and radiation	{ M F	4 1	.	.	2 1	1

of Death at different Age-Periods, 1958.

DEATH

															Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	
.	M F } 770
.	M F } 770
.	M F } 769, 771, F } 772
.	M F } 769, 771, F } 772
.	M F } 773-776
.	M F } 773-776
.	2 4	16 13	37 43	81 90	66 79	30 44	M F } 794
.	1 1	.	1 1	.	4 3	2 1	6 4	6 4	2 1	1 1	M F } 780-793 F } 795
.	
1	.	1 1	2	1 1	1 1	2	1 2	4 3	2 3	1 1	4 2	1 1	3 1	.	M F } E.812
.	1 1	.	.	1 1	.	2	4 1	1 1	2 1	.	1 1	.	.	.	M F } E.813
3	3 1	2	.	.	2	1 1	2 1	1 1	.	.	1 1	.	.	.	M F } E.815
5	4 1	6 1	1 1	4 1	3 1	3 1	1 2	1 1	3 1	M F } E.810, E.811, E.814, E.816- E.835
1	4 1	2	3	2	1	3	4	3	1	.	1 2	1 1	.	.	M F } E.800, E.802, E.840- E.866
1	.	2	.	2	1	1 1	1 1	1 1	.	4	1 2	1 1	1 1	.	M F } E.870- E.895
1	.	.	3 1	1 1	1 1	1 1	3 2	2 3	5 6	3 15	14 19	3 19	2 5	1 1	M F } E.900- E.904
2	1	.	.	2	M F } E.912
1	1	.	.	1	1	2 1	1 2	1 1	1 2	.	M F } E.916
.	1	M F } E.917, E.918	

ABSTRACT IX(continued). Northern Ireland: Causes

Intermediate List Nos.	CAUSES OF DEATH	ALL AGES	AGES AT								
			Neo- Natal under one month	Total under one year	1-	2-	3-	4-	5-	10-	15-
A145	Accident caused by firearm	{ M F 5 1	:	:	:	:	:	:	:	:	3 ·
A146	Accidental drowning and submersion	{ M F 31 8	:	:	2	1	1	·	2 1	3 ·	1 2
A147	All other accidental causes	{ M F 32 17	2 2	11 8	2	·	1	·	1	·	2 ·
A148	Suicide and self-inflicted injury	{ M F 31 12	:	:	:	:	:	:	:	:	1 1
A149	Homicide and injury purposely inflicted by other person (not in war)	{ M F 4 2	1	1	:	:	:	:	:	:	·
A150	Injury resulting from operations of war	{ M F ·	:	:	:	:	:	:	:	:	·

of Death at different Age-Periods, 1958.

DEATH

																	95 and over	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-				
1	1	M } E919	
1	F } E919		
1	.	1	1	1	2	1	3	4	3	2	1	1	2	.	.	M } E929		
.	1	.	.	2	1	1	.	1	.	.	.	F } E929		
4	6	3	.	1	1	.	.	2	1	1	M } E910, F } E911, E913-E915, E920-E928, E930-E962		
1	.	1	2	1	3	6	5	8	3	1	1	1	.	.	.	M } E963		
1	1	1	2	1	3	6	5	2	1	1	1	1	.	.	.	F } E970-E979		
1	.	2	1	.	1	.	.	M } E964		
.	F } E980-E985			
.	M } E965, F } E990-E999			

ABSTRACT IXa. Northern Ireland: Deaths from Non-Transport

Age-groups	Home		At Work		Other and unspecified places		Total	
	Male	Female	Male	Female	Male	Female	Male	Female
Accidental poisoning by solid and liquid substances (E870-E888)								
All ages	.	.	2	5	.	.	.	2
0-	5
5-	.	.	.	1	.	.	.	1
15-	.	.	1	1	.	.	.	1
45-	.	.	1	2	.	.	.	2
65-	.	.	.	1	.	.	.	1
75 and over
Accidental poisoning by gases and vapours (E890-E895)								
All ages	.	.	5	9	1	.	.	6
0-	.	.	1	1	.	.	.	9
5-	.	.	1	1	.	.	.	1
15-	.	.	1	1	1	.	.	1
45-	.	.	1	1	.	.	.	1
65-	.	.	.	3	.	.	.	3
75 and over	.	.	2	3	.	.	.	3
Accidental Falls (E900-E904)								
All ages	.	.	29	71	7	.	5	41
0-	.	.	.	1	.	.	.	75
5-	.	.	.	1	.	.	.	1
15-	.	.	1	1	4	.	.	1
45-	.	.	1	4	2	.	4	7
65-	.	.	7	9	.	.	.	4
75 and over	.	.	20	55	1	.	1	22
Blow from falling object (E910)								
All ages	7	.	.	7
0-
5-
15-	5	.	.	5
45-	2	.	.	2
65-
75 and over
Accidents caused by machinery and electric current (E912, E914)								
All ages	.	.	1	2	11	.	1	13
0-	.	.	1	1	.	.	1	1
5-
15-	.	.	1	.	11	.	.	12
45-	.	.	.	1	.	.	.	1
65-
75 and over
Accidental burning and scalding (E916, E917)								
All ages	.	.	12	11	1	.	1	14
0-	.	.	4	3	.	.	.	11
5-	3
15-	.	.	.	1	.	.	.	1
45-	.	.	1	.	1	.	.	2
65-	.	.	3	2	.	.	.	2
75 and over	.	.	4	5	.	.	.	5

Accidents by Place of Occurrence, Age and Sex, 1958.

Age-groups	Home		At Work		Other and unspecified places		Total	
	Male	Female	Male	Female	Male	Female	Male	Female
Accident caused by firearm (E919)								
All ages	3	.	2	1
0—
5—
15—	3	.	1	4
45—	1	1
65—
75 and over
Inhalation and ingestion of food and other objects causing obstruction or suffocation (E921, E922)								
All ages	.	.	11	7	.	.	1	3
0—	.	9	6	.	.	.	1	10
5—	7
15—	.	2	1	.	.	.	1	2
45—	1	1
65—
75 and over
Accidental mechanical suffocation in bed and cradle and in other circumstances (E924, E925)								
All ages	.	.	2	2	.	.	.	2
0—	.	2	2	2
5—
15—
45—
65—
75 and over
Accidental drowning and submersion (E929)								
All ages	.	.	1	1	.	.	30	7
0—	.	1	1	.	3	.	31	3
5—	5	1	5	1
15—	5	2	5	2
45—	10	3	10	3
65—	.	.	1	.	4	1	5	1
75 and over	3	.	3	.
Other and unspecified accidents (Remainder of E870-E936)								
All ages	.	.	1	1	1	.	2	1
0—	.	1	1	.	.	.	1	1
5—
15—	2	2
45—	.	.	1
65—
75 and over	.	.	.	1	.	.	.	1
Total accidents (E870-E936)								
All ages	.	.	63	109	32	.	42	16
0—	.	16	14	.	.	4	2	20
5—	.	1	3	.	.	6	1	7
15—	.	6	5	24	.	8	4	38
45—	.	4	9	5	.	15	4	24
65—	.	10	15	1	.	5	1	16
75 and over	.	26	63	2	.	4	4	32
								67

ABSTRACT X. Belfast County Borough: Causes of Death at different Age-Periods, 1958.

Abbre-viated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES													
			AGED												AGED													
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	4,818	2,467	88	49	9	146	14	13	18	108	739	677	752	2,351	66	23	16	105	15	7	8	92	475	604	1,045		
B1	Tuberculosis of Respiratory System	56	38	1	5	14	8	10	18	4	8	4	2	
B2	Tuberculosis, other forms	2	1	1	.	.	.	7	3	2	1	1	.	.	1	
B3	Syphilis and its sequelae	13	12	1	.	.	.	1
B4	Typhoid Fever
B5	Cholera
B6	Dysentery, all forms	1	1
B7	Scarlet Fever and streptococcal sore throat
B8	Diphtheria
B9	Whooping Cough	5	4	.	2	1	3	1	1	.	1	1	
B10	Meningococcal Infections	1	1	1
B11	Plague
B12	Acute Poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases	12	5	.	1	.	1	.	.	.	1	2	1	.	7	.	.	1	1	1	.	.	1	4	.	.	.	
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues (a) Cancer (b) Hodgkin's disease and Leukaemia	822	430	1	1	1	18	170	137	102	392	.	.	.	1	1	4	26	138	117	105			
B19	Benign and unspecified neoplasms	24	18	2	1	4	3	3	.	11	.	.	1	1	.	.	2	4	2	2	2		
B20	Diabetes Mellitus	13	6	1	.	.	2	2	1	7	1	3	3	.	7		
B21	Anaemias	25	10	1	.	5	4	1	15	1	3	4	8	4		
B22	Vascular Lesions affecting Central Nervous system	15	2	1	.	1	1	1	13	1	.	1	.	8		
B23	Nonmeningococcal Meningitis	671	264	2	1	.	6	51	77	129	407	.	.	1	1	1	.	6	74	108	218		
B24	Rheumatic Fever	5	2	1	.	1	.	.	3	1	2	1	.	.	.		
B25	Chronic Rheumatic Heart Disease	5	2	1	9	18	5	4	55	1	.	5	27	12	10	.		
B26	Arteriosclerotic and Degenerative Heart Disease	92	37	1	23	254	229	233	613	8	98	161	346	.		
		1,353	740	1	23	254	229	233	613	8	98	161	346	.		

B27	Other Diseases of Heart	140	66	1	17	19	29	74	.	.	1	1	.	.	1	.	9	24	39				
B28	Hypertension with Heart Disease	117	49	1	6	16	26	68	13	21	34				
B29	Hypertension without Heart Disease	39	15	.	.	1	.	1	5	29	3	.	1	3	13	28	56	126	.	8	6	14	1	.	3	7	14			
B30	Influenza	13	8	.	.	24	2	5	2	2	3	.	1	3	13	28	56	126	.	8	6	14	1	.	3	7	14			
B31	Pneumonia	259	133	6	66	61	47	95	5	12	27	67			
B32	Bronchitis	277	182	2	15	33	44				
B33	Ulcer of Stomach and Duodenum	36	28	11	11	6	8	1	2	2	3			
B34	Appendicitis	2	2	1	1	1	1	1	2	1	7			
B35	Intestinal Obstruction and Hernia	21	10	1	3	1	5	11	1	1	1	7			
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new born	25	12	—	—	5	2	7	5	.	.	13	—	4	2	6	.	.	.	1	1	1	4			
B37	Cirrhosis of Liver	19	7	6	1	12	20	1	1	5	7			
B38	Nephritis and Nephrosis	41	21	3	4	7	5	2	20	1	1	3	8			
B39	Hyperplasia of Prostate	28	28	2	11	15	—	—	—	—			
B40	Complications of Pregnancy, Childbirth and the Puerperium	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
B41	Congenital Malformations	55	22	—	—	11	5	—	—	16	2	2	—	—	2	—	—	33	18	5	2	25	4	1	—	8	—			
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	16	11	11	12	.	.	.	11	—	—	—	—	—	—	—	—	5	5	6	1	—	—	—	—	—	—			
B43	(a) With Prematurity	19	12	—	—	—	—	—	12	—	—	—	—	—	—	—	—	7	6	1	—	—	—	—	—	—	—			
B43	(b) Without Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B43	Infections of the New born	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B44	(a) With Prematurity	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—		
B44	(b) Without Prematurity	7	6	6	—	—	—	—	6	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—		
B44	Other Diseases peculiar to Early Infancy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B45	(a) With Prematurity	68	38	38	—	—	—	—	38	—	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—	—	—	—	
B45	(b) Without Prematurity	12	8	8	—	—	—	—	8	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—
B45	Sensitvity without mention of Psychosis, Ill-defined and Unknown Causes	59	18	1	1	.	.	.	1	2	14	41	5	42	36			
B46	All Other Diseases	317	145	.	3	1	4	1	1	1	1	1	9	37	40	52	172	.	2	1	3	.	.	1	13	35	78			
BE47	Motor Vehicle Accidents	25	18	1	2	2	2	3	4	5	1	1	7	4	1	1	1			
BE48	All Other Accidents	83	45	1	6	.	.	7	2	2	2	3	10	11	2	8	38	1	2	1	4	3	2	1	5	4	7			
BE49	Suicide	20	15	2	12	1	5	1	1	3	.	12			
BE50	Homicide and Operations of War	1	1	1			
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	13	7	.	5	2	7	.	—	—	—	—	—	—	6	.	4	2	6	.	—	—	—	—	—	—	—	—	—	
—	Pneumonia (included in B31 and B43)	267	139	6	24	5	35	3	.	1	3	13	28	56	128	2	9	5	16	1	.	.	5	12	27	67	.	.	.	

ABSTRACT X. Londonderry County Borough: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES														
			AGED												AGED														
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	530	284	20	5	5	30	1	5	5	12	66	90	75	246	11	2	-	13	2	1	2	9	57	63	99			
B1	Tuberculosis of Respiratory System	9	7	1	3	2	1	2	1	.	1		
B2	Tuberculosis, other forms	1	1	1	1	
B3	Syphilis and its sequelae
B4	Typhoid Fever
B5	Cholera
B6	Dysentery, all forms
B7	Scarlet Fever and streptococcal sore throat
B8	Diphtheria
B9	Whooping Cough
B10	Meningococcal Infections
B11	Plague
B12	Acute Poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases	1
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	65	30	2	11	10	7	35	1	3	14	10	7	
(a) Cancer	(a) Cancer	5	2	1	1	3	2	1	.	.	
	(b) Hodgkin's disease and Leukaemia	1	1	1	1	1	2	1	.	.	
B19	Benign and unspecified neoplasms	5	2	1	.	.	.	3
B20	Diabetes Mellitus	5	2	1	.	2	.	3	2	1	.	.	
B21	Anaemias	2	1	1	1	1	.	.	.
B22	Vascular Lesions affecting Central Nervous system	66	27	8	11	8	39	6	17	.	16	
B23	Nonmeningoococcal Meningitis	1	2	.	.	.	1	1	.	.	.	
B24	Rheumatic Fever	8	2	2	.	.	.	6	1	3	2	.	
B25	Chronic Rheumatic Heart Disease	116	78	24	31	23	38	11	7	20	.		
B26	Arteriosclerotic and Degenerative Heart Disease

B27	Other Diseases of Heart	23	13	2	4	7	10	3	1	6	
B28	Hypertension with Heart Disease	13	7	2	4	1	6	3	3	3	
B29	Hypertension without Heart Disease	13	6	1	.	2	3	7	1	3	1	3	
B30	Influenza	1	1	1	.	1	3	2	11	1	1	2	5	
B31	Pneumonia	22	11	—	2	1	3	1	.	1	.	1	3	9	4	5	.	2	1	1	2	3	
B32	Bronchitis	23	18	.	.	1	1	1	.	1	3	.	3	9	4	5	1	.	1	
B33	Ulcer of Stomach and Duodenum	4	3	3	.	.	.	1	1	1	1
B34	Appendicitis	1	1	1
B35	Intestinal Obstruction and Hernia	4	2	.	1	.	1	1	2	2	
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	4	2	—	.	1	1	1	.	1	.	2	—	1	1	
B37	Cirrhosis of Liver	2	1	1	.	1	2	1	3	1	1	
B38	Nephritis and Nephrosis	7	4	1	.	1	2	3	—	—	—	—	—	—	—	—	1	.	1	
B39	Hyperplasia of Prostate	4	4	1	.	1	3	—	—	—	—	—	—	—	—	—	—	—	—	
B40	Complications of Pregnancy, Childbirth and the Puerperium	2	—	—	2	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	.	
B41	Congenital Malformations	11	8	3	2	2	—	7	.	1	.	—	—	—	—	3	2	.	.	.	2	1	.	.	1	1	.	
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
(a) With Prematurity	6	4	4	.	.	.	4	—	—	—	—	—	—	—	—	2	2	.	.	.	2	1	.	.	—	—	—	
(b) Without Prematurity	4	3	3	.	.	.	3	—	—	—	—	—	—	—	—	1	1	.	.	.	1	1	.	.	—	—	—	
B43	Infections of the New-born	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
(a) With Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
(b) Without Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B44	Other Diseases peculiar to Early Infancy	6	3	3	.	.	.	3	—	—	—	—	—	—	—	3	3	.	.	.	3	3	.	.	—	—	—	
(a) With Prematurity	4	3	3	.	.	.	3	—	—	—	—	—	—	—	—	1	2	.	.	.	1	2	.	.	—	—	—	
(b) Without Prematurity	6	4	4	.	.	.	4	—	—	—	—	—	—	—	—	2	2	.	.	.	1	2	.	.	—	—	—	
B45	Senility without mention of Psychosis, Ill defined and Unknown Causes	30	14	5	9	16	5	5	11
B46	All Other Diseases	35	11	1	1	4	4	2	24	3	7	9	
BE47	Motor Vehicle Accidents	6	5	2	1	1	1	2	1	1	1	1	1	2	9	
BE48	All Other Accidents	19	7	1	1	2	1	1	1	3	12	
BE49	Suicide	
BE50	Homicide and Operations of War	
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	2	2	1	.	1	2	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	Pneumonia (included in B31 and B43)	28	13	2	2	1	5	1	.	1	.	1	3	2	13	2	2	.	4	.	1	.	1	.	2	5		

ABSTRACT X. County Antrim: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES													FEMALES													
			AGED													AGED													
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	2,549	1,323	56	19	6	81	13	12	15	47	319	302	534	1,226	39	16	8	63	7	4	5	56	218	259	614			
B1	Tuberculosis of Respiratory System	17	13	1	.	.	.	9	3	.	4	1	2	.	1	
B2	Tuberculosis, other forms	1	2	.	1	1	.	.	.	
B3	Syphilis and its sequelae	4	3
B4	Typhoid Fever
B5	Cholera
B6	Dysentery, all forms	1
B7	Scarlet Fever and streptococcal sore throat	1	1
B8	Diphtheria
B9	Whooping Cough	3	1	.	1	.	.	1	.	1	2	.	2	2	
B10	Meningococcal Infections	1	1
B11	Plague
B12	Acute Poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial Diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	4	2	1	.	.	.	1	.	.	2	1	.	1	.	
B19	(a) Cancer	366	184	1	1	.	11	63	53	55	182	1	.	13	67	53	48
B20	(b) Hodgkin's disease and Leukaemia	20	11	1	1	1	1	3	4	1	9	3	4	2	.		
B21	Benign and unspecified neoplasms	2	4	.	1	3	8	1	1	1	.	.		
B22	Diabetes Mellitus	7	6	2	4	.	1	3	5	1	1	1	3	3		
B23	Anaemias	17	9	2	1	3	5	8	1	1	1	3	3			
B24	Vascular Lesions affecting Central Nervous system	10	6	2	1	3	4	1	4	1	1	1	3			
B25	Nonmeningococcal Meningitis	397	166	2	3	28	54	79	231	1	37	67	126			
B26	Rheumatic Fever	1	2	.	1	1	11	1	5	4	1		
B27	Chronic Rheumatic Heart Disease	3	2	4	7	1	1	11	1	5	4	.			
B28	Arteriosclerotic and Degenerative Heart Disease	24	13	8	113	103	183	325	5	33	66	221			
		732	407	

B27	Other Diseases of Heart	78	42	8	9	25	36	1	8	12	15		
B28	Hypertension with Heart Disease	63	27	4	10	13	36	10	11	15		
B29	Hypertension without Heart Disease	27	12	—	.	12	5	17	2	.	.	.	3	3	6	15	1	2	1	11		
B30	Influenza	8	1	3	3	8	24	41	.	3	2	5	4	4	4	4	
B31	Pneumonia	98	57	2	22	15	18	22	2	7	4	23		
B32	Bronchitis	79	57	1	1	6	14		
B33	Ulcer of Stomach and Duodenum	.	.	15	11	1	.	3	4	4	1	1	3	
B34	Appendicitis	2	2	2	4	2		
B35	Intestinal Obstruction and Hernia	11	3	1	.	2	8	2	4	2		
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	12	6	—	1	.	1	2	1	3	6	—	2	.	2	2	1	1	1		
B37	Cirrhosis of Liver	4	3	2	2	1	1	11	1	5	2	2	
B38	Nephritis and Nephrosis	20	9	2	1	4	15	—	1	—	—	—	
B39	Hyperplasia of Prostate	20	20	—	—	—	—		
B40	Complications of Pregnancy, Childbirth and the Puerperium	5	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5	—	6	8	5	19	.	.	5	1	.	.		
B41	Congenital Malformations	30	10	5	1	—	—	6	1	2	—	—	1	—	—	—	20	6	8	5	—	.	.	.	—	—	—	—		
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	6	6	6	7	6	—	.	.	.	—	—	—	—		
83	(a) With Prematurity	13	7	7	7	.	.	7	—	—	—	—	—	—	—	—	7	7	7	7	6	—	.	.	—	—	—	—		
	(b) Without Prematurity	14	7	7	7	.	.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B43	Infections of the New-born
B44	(a) With Prematurity	3	3	3	3	.	.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	(b) Without Prematurity	3	3	3	3	.	.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B45	Other Diseases peculiar to Early Infancy	30	—	—	—	—	—	—	—	—	17	16	1	—	17	—	—	—	—	—	—	—	—	—
	(a) With Prematurity	47	30	30	30	1	.	30	—	—	—	—	—	—	—	—	8	3	—	3	—	—	—	—	—	—	—	—	—	
B46	(b) Without Prematurity	7	4	3	3	1	.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Senility without mention of Psychosis, Ill-defined and Unknown Causes	109	46	.	1	.	1	1	2	43	63	1	2	60			
B47	All Other Diseases	183	88	.	1	1	1	1	2	2	.	3	24	14	42	95	1	.	1	2	1	1	2	5	24	17	43			
BE47	Motor Vehicle Accidents	30	17	3	1	2	5	1	5	1	1	13	.	.	.	1	1	1	1	3	2	1	1			
BE48	All Other Accidents	55	30	1	2	6	6	6	2	5	25	.	.	.	2	1	1	1	1	1	1	16			
BE49	Suicide	9	6	4	1	1	—	—	3			
BE50	Homicide and Operations of War		
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	4	2	.	1	.	1	1	—	—	—	—	—	—	—	2	.	2	.	2	.	—	—	—	—	—	—	—		
—	Pneumonia (included in B31 and B43)	100	59	2	12	5	19	2	.	.	.	3	3	8	24	41	.	3	2	5	.	.	.	2	7	4	23			

ABSTRACT X. County Armagh: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES														
			AGED												AGED														
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	1,301	700	38	13	3	54	8	10	14	31	149	182	252	601	21	8	2	31	4	2	7	22	110	140	285			
B1	Tuberculosis of Respiratory System		14	10	5	2	3	.	4	2	1	.	1		
B2	Tuberculosis, other forms		1	1	1	.	.	1	1	2	.	.		
B3	Syphilis and its sequelae		4	1	3	
B4	Typhoid Fever		
B5	Cholera		
B6	Dysentery, all forms		
B7	Scarlet Fever and streptococcal sore throat		
B8	Diphtheria		
B9	Whooping Cough		
B10	Meningococcal Infections		
B11	Plague		1	
B12	Acute Poliomyelitis		2	1	1	1	.	.	
B13	Smallpox		
B14	Measles		
B15	Typhus and other Rickettsial diseases		
B16	Malaria		
B17	Other Infectious and Parasitic Diseases		8	6	1	1	.	.	1	.	3	2	.	1	1	2	
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues		175	85	1	1	.	.	1	.	2	35	29	18	90	6	26	26	32	
B19	(a) Cancer		1	1	.	2	35	29	18	90	
	(b) Hodgkin's disease and Leukaemia		9	7	1	1	1	1	1	2	2	1	1	.	.	
B20	Benign and unspecified neoplasms		1	1	1	1	.	.
B21	Diabetes Mellitus		9	6	2	1	1	2	3	1	1	2	.	
B22	Anaemias		7	4	1	.	3	3	1	.	2	.	
B23	Vascular Lesions affecting Central Nervous system		188	91	1	16	33	41	97	1	.	17	34	45	
B24	Nonmeningococcal Meningitis		1	1	1	
B25	Rheumatic Fever		1	1	3	.	2	4	9	1	4	2	2		
B26	Chronic Rheumatic Heart Disease		18	9	5	57	58	32	182	3	27	41	111		
Arteriosclerotic and Degenerative Heart Disease		384	202	5	57	58	32	182	3	27	41	111		

B27	Other Diseases of Heart	57	25	1	2	10	12	32	2	9	7	14		
B28	Hypertension with Heart Disease	18	7	1	3	3	11	2	3	6	2		
B29	Hypertension without Heart Disease	14	6	1	2	3	1	8	1	.	4	3		
B30	Influenza	2	1	1	2	4	14	24	1	.	4	1		
B31	Pneumonia	50	26	.	.	4	1	5	2	8	5	10	11	3	3	11	8		
B32	Bronchitis	36	25	4	1	2	4	1	2	.	.		
B33	Ulcer of Stomach and Duodenum	.	.	11	7	1	.	1	4	1	.	3	.	
B34	Appendicitis	
B35	Intestinal Obstruction and Hernia	6	2	1	.	1	4	4	.	
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	5	3	—	3	.	.	3	2	—	1	.	.	1	1	.
B37	Cirrhosis of Liver	1	1	2	1	1	2	3	2	1	.	.	
B38	Nephritis and Nephrosis	10	7	1	3	7	
B39	Hyperplasia of Prostate	10	10	
B40	Complications of Pregnancy, Childbirth and the Puerperium	1	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B41	Congenital Malformations	23	11	5	3	1	—	9	1	1	—	—	—	—	—	—	—	12	5	1	1	7	2	.	2	1	.	.		
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	5	—	—	—	—	—	—	—	—	2	2	.	.	2	—	—	—	—	—	—	—	—	
58	(a) With Prematurity	7	5	5	7	.	.	7	—	—	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—	—	—	
	(b) Without Prematurity	10	7	7	.	.	.	2	—	—	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—	—	—	
B43	Infections of the New-born	
B44	(a) With Prematurity	5	2	2	2	.	.	2	—	—	—	—	—	—	—	—	3	3	.	.	3	—	—	—	—	—	—	—	—	
	(b) Without Prematurity	26	20	19	1	.	.	20	—	—	—	—	—	—	—	—	6	6	.	.	6	—	—	—	—	—	—	—	—	
B45	Other Diseases peculiar to Early Infancy	2	2	.	.	2	—	—	—	—	—	—	—	—	—	
B46	(a) With Prematurity	2	2	2	.	.	2	—	—	—	—	—	—	—	—	—
	(b) Without Prematurity	59	29	1	2	26	30	1	.	2	27	.		
B47	Senility without mention of Psychosis, Ill-defined and Unknown Causes	2	5	14	16	36	4	10	7	14		
BE47	All Other Diseases	82	46	.	1	1	2	2	4	1	2	5	14	16	36	2	1	.	.			
BE48	Motor Vehicle Accidents	16	12	1	2	1	3	2	3	2	3	4	1	.	1	.			
BE49	All Other Accidents	27	23	.	1	.	1	2	1	6	.	4	6	3	4	4	.	1	.	1	.	.	.	1	.	1	1			
BE50	Suicide	1	1		
	Homicide and Operations of War	1	1	1		
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	4	3	.	3	.	3	.	—	—	—	—	—	—	—	—	1	.	1	.	1	—	—	—	—	—	—	—		
—	Pneumonia (included in B31 and B43)	53	27	1	4	1	6	1	2	4	14	26	2	4	.	6	1	2	.	3	3	11	.			

ABSTRACT X. County Down: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES													
			AGED												AGED													
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
	ALL CAUSES	2,750	1,445	55	16	3	74	9	6	10	58	352	338	598	1,305	36	14	4	54	9	4	8	42	237	336	615		
B1	Tuberculosis of Respiratory System	29	22	5	11	4	2	7	3	2	2	.	
B2	Tuberculosis, other forms	6	5	1	2	1	1	3	3	.	.	1
B3	Syphilis and its sequelae	6	3	3
B4	Typhoid Fever
B5	Cholera
B6	Dysentery, all forms
B7	Scarlet Fever and streptococcal sore throat
B8	Diphtheria
B9	Whooping Cough
B10	Meningococcal Infections
B11	Plague
B12	Acute Poliomyelitis	1	1	1
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial Diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases	4	3	1	.	.	.	1	1
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	419	194	2	8	65	51	68	225	12	73	57	83	
B19	(a) Cancer	12	5	1	.	1	1	2	7	1	.	4	2	.
	(b) Hodgkin's disease and Leukaemia	9	4	1	.	1	1	2	5	1	1	3	4	
B20	Benign and unspecified neoplasms	15	6	1	.	1	2	2	4	9	1	1	5	4	
B21	Diabetes Mellitus	9	2	2	2	7	2	3	2	2	
B22	Anaemias	387	170	.	1	.	.	1	.	.	5	45	40	79	217	1	3	36	70	107	
B23	Vascular Lesions affecting Central Nervous system	1	1	1	1	2	3	3	1	1	1	.	
B24	Nonmeningococcal Meningitis	3	1	1	1	1	.		
B25	Rheumatic Fever	21	11	1	1	2	4	3	10	3	5	1	1		
B26	Chronic Rheumatic Heart Disease	925	523	11	129	150	233	402	2	66	108	226		

B27	Other Diseases of Heart	93	43	2	5	11	25	50	2	1	3	12	32				
B28	Hypertension with Heart Disease	54	23	5	9	9	31	3	3	13	15				
B29	Hypertension without Heart Disease	27	11	5	3	3	16	3	4	9	2				
B30	Influenza	11	4	.	.	4	2	6	2	1	.	.	1	1	2	7	5	5	12	27				
B31	Pneumonia	105	52	—	—	—	—	—	—	—	—	.	5	13	25	53	—	—	5	1	6	2	1	1	5	7	3	9			
B32	Bronchitis	62	42	11	11	20	20	1	1	1	1	2			
B33	Ulcer of Stomach and Duodenum	.	.	11	7	1	3	2	1	4	1	1	1	1	2			
B34	Appendicitis	2	2	1	1	1	1	1	1	1	5		
B35	Intestinal Obstruction and Hernia	20	13	.	.	1	.	.	1	.	.	.	4	2	6	7	1	1	1	1	1		
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	14	7	.	.	1	.	.	1	.	.	.	1	1	1	3	7	.	1	.	1	1	.	1	1	2	1	1			
B37	Cirrhosis of Liver	7	5	4	1	.	2	1	1	3	.	.		
B38	Nephritis and Nephrosis	10	6	2	4	.	4	1	1	1	.	.		
B39	Hyperplasia of Prostate	28	28	1	5	22	
B40	Complications of Pregnancy, Childbirth and the Puerperium	3	—	3	3	
B41	Congenital Malformations	49	23	—	12	—	7	—	1	—	20	2	—	—	—	—	26	13	8	3	24	2
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	.	.	19	11	11	.	.	.	11	—	—	—	—	—	—	8	8	.	.	8	—	—	—	—	—	—	—	—	—	—
B43	Infections of the New-born	16	11	11	11	—	—	—	—	—	—	5	5	5	.	8	—	—	—	—	—	—	—	—	—	—
B44	Other Diseases peculiar to Early Infancy	.	.	8	5	5	.	.	.	5	—	—	—	—	—	—	3	3	3	.	3	—	—	—	—	—	—	—	—	—	—
B45	Senility without mention of Psychosis, Ill-defined and Unknown Causes	.	.	18	13	12	1	.	.	13	—	—	—	—	—	—	5	5	.	.	5	—	—	—	—	—	—	—	—	—	—
B46	All Other Diseases	79	42	1	4	24	4	38	37	1	1	1	1	9	18	24	35	32
BE47	Motor Vehicle Accidents	177	90	.	.	1	.	.	1	2	1	2	3	8	5	2	2	3	87	1	.	.	1	1	1	1	1	1	1	1	
BE48	All Other Accidents	26	23	1	1	2	6	7	3	6	28	1	1	1	2	1	1	3	21	.	
BE49	Suicide	54	26	1	1	2	.	1	1	1	1	1	.			
BE50	Homicide and Operations of War	.	.	5	4	
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	3	1	.	.	1	.	.	1	2	1	1	.	2	
—	Pneumonia (included in B31 and B43)	111	56	4	4	2	10	2	1	.	.	.	5	13	25	55	2	5	1	8	2	.	.	1	5	12	27	.			

ABSTRACT X. County Fermanagh: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES													FEMALES													
			AGED													AGED													
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over			
	ALL CAUSES	651	362	10	2	1	13	5	3	5	12	66	91	167	289	12	1	.	13	2	2	1	8	53	66	144			
B1	Tuberculosis of Respiratory System	4	3	2	1	.	1	1	.	.		
B2	Tuberculosis, other forms	
B3	Syphilis and its sequelae	
B4	Typhoid Fever	
B5	Cholera	
B6	Dysentery, all forms	
B7	Scarlet Fever and streptococcal sore throat	
B8	Diphtheria	
B9	Whooping Cough	
B10	Meningococcal Infections	
B11	Plague	
B12	Acute Poliomyelitis	
B13	Smallpox	
B14	Measles	
B15	Typhus and other Rickettsial Diseases	
B16	Malaria	
B17	Other Infectious and Parasitic Diseases	1	1	
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues (a) Cancer (b) Hodgkin's disease and Leukaemia	73	39	1	2	14	13	9	34	2	11	11	10	
B19	Benign and unspecified neoplasms	1	1	1	
B20	Diabetes Mellitus	3	2	1	1	1	1	1	.	1	
B21	Anaemias	7	3	1	3	4	1	1	1	1
B22	Vascular Lesions affecting Central Nervous System	83	30	1	.	.	.	3	11	10	53	1	10	18	24	
B23	Nonmeningococcal Meningitis	1	1	1	.	.	1	1	.	4	1	.
B24	Rheumatic Fever	1	1	1
B25	Chronic Rheumatic Heart Disease	7	1	1	6	1	4	1	.	.
B26	Arteriosclerotic and Degenerative Heart Disease	182	116	4	33	30	49	66	1	.	11	15	39	

B27	Other Diseases of Heart	30	16	2	4	10	14	2	2	10			
B28	Hypertension with Heart Disease	26	10	3	7	16	1	2	13			
B29	Hypertension without Heart Disease	9	8	1	1	3	3	1	1			
B30	Influenza	8	3	1	.	.	.	1	1	2	2	5	1	2	3	2		
B31	Pneumonia	19	12	1	.	.	.	1	2	2	7	7	1	3	4		
B32	Bronchitis	16	11	2	2	7	5	1	2	1	
B33	Ulcer of Stomach and Duodenum	8	3	1	2	5	1	1	2	2		
B34	Appendicitis	2	1	1	.	.	.	1	1	1	.		
B35	Intestinal Obstruction and Hernia	1	1	1	.	.	
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	3	2	1	.	.	.	1	1	1	.	.	
B37	Cirrhosis of Liver	4	4	1	1	1	1	
B38	Nephritis and Nephrosis	7	7	3	4
B39	Hyperplasia of Prostate	2	—	2	2	.	.		
B40	Complications of Pregnancy, Childbirth and the Puerperium	15	9	2	2	2	—	4	2	1	1	—	1	—	—	6	3	.	.	3	1	.	.	2	1	1		
B41	Congenital Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	3	2	2	1	.	.	2	—	—	—	—	—	—	—	1	1	.	.	1	1	.	.	—	—	—	—	
B43	Infections of the New-born	2	1	1	1	.	.	1	—	—	—	—	—	—	—	1	1	.	.	1	1	.	.	—	—	—	—	
B44	Other Diseases peculiar to Early Infancy	2	1	1	1	.	.	1	—	—	—	—	—	—	—	1	1	.	.	1	1	.	.	—	—	—	—	
B45	Senility without mention of Psychosis, Ill-defined and Unknown Causes	71	33	5	28	38	5	5	33		
B46	All Other Diseases	34	22	2	7	13	12	1	4	2		
BE47	Motor Vehicle Accidents	2	2	1	.	1	1	2	.	4	3	1	1	.	2	.	.	.	1	.	.		
BE48	All Other Accidents	12	9	1	1	
BE49	Suicide	1	1	1	1	
BE50	Homicide and Operations of War	2	2	1	1	
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)
—	Pneumonia (included in B31 and B43)	22	14	2	.	1	3	.	.	1	1	2	2	5	8	1	.	.	1	1	.	.	.	3	3	.		

ABSTRACT X. County Londonderry: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES															
			All Ages	AGED											All Ages	AGED														
				under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over				
	ALL CAUSES	1,085	557	23	10	1	34	6	.	9	35	107	122	244	528	26	11	.	37	2	2	3	20	76	118	270				
B1	Tuberculosis of Respiratory System	3	2	2	1	1	.			
B2	Tuberculosis, other forms	2	2	1	.		
B3	Syphilis and its sequelae	2	2	1	.		
B4	Typhoid Fever			
B5	Cholera			
B6	Dysentery, all forms			
B7	Scarlet Fever and streptococcal sore throat			
B8	Diphtheria			
B9	Whooping Cough			
B10	Meningococcal Infections			
B11	Plague			
B12	Acute Poliomyelitis			
B13	Smallpox			
B14	Measles			
B15	Typhus and other Rickettsial diseases			
B16	Malaria			
B17	Other Infectious and Parasitic Diseases			
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	3	3	1	.	.	.	1	1	1			
B19	(a) Cancer	149	86	1	3	27	22	33	63	1	3	22	15	22			
	(b) Hodgkin's disease and Leukaemia	6	2	1	1	4	1	.	2	1	.			
B20	Benign and unspecified neoplasms	2	1	1	1	2	6	1	3			
B21	Diabetes Mellitus	9	3	1	1	1	3	1	1			
B22	Anaemias	4	1	1	1	1	3	1	1			
B23	Vascular Lesions affecting Central Nervous system	158	68	4	12	20	32	90	.	.	1	14	36	40	
B24	Nonmeningococcal Meningitis	1	1	.	.	.	1		
B25	Rheumatic Fever	1	1	1		
B26	Chronic Rheumatic Heart Disease	9	3	1	1	1	6	2	2	1		
	Arteriosclerotic and Degenerative Heart Disease	284	154	7	36	39	72	130	2	12	31	85

B27	Other Diseases of Heart	41	18	4	14	23	3	4	16	
B28	Hypertension with Heart Disease	31	20	1	8	11	11	1	2	8	
B29	Hypertension without Heart Disease	14	7	3	1	3	7	1	2	4	
B30	Influenza	7	3	1	2	2	4	1	2	2	
B31	Pneumonia	31	17	—	4	1	.	5	1	.	.	.	2	2	3	14	9	—	5	.	.	.	1	2	7		
B32	Bronchitis	19	10	3	2	5	9	1	2	5	
B33	Ulcer of Stomach and Duodenum	3	3	1	.	2	1	
B34	Appendicitis	1	1	.	1	1	1	1	1
B35	Intestinal Obstruction and Hernia	7	3	1	1	1	4	1	1	1	1	1	
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of new-born	4	3	—	1	.	.	1	1	1	1	1	—	1	.	.	
B37	Cirrhosis of Liver	1	1	2	3	1	1	1	
B38	Nephritis and Nephrosis	8	5	1	1	6	5	—	—	—	—	—	—	—	—	—	—	
B39	Hyperplasia of Prostate	12	12	1	1	6	5	—	—	—	—	—	—	—	—	—	—	
B40	Complications of Pregnancy, Childbirth and the Puerperium	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B41	Congenital Malformations	14	7	4	3	.	.	7	—	—	—	—	7	2	4	.	6	.	.	1	.	.	
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	—	—	—	—	2	2	.	2	—	—	—	—	—	—	
B43	(a) With Prematurity	4	2	2	.	.	.	2	—	—	—	—	—	—	—	—	3	3	.	2	—	—	—	—	—	—	
B43	(b) Without Prematurity	8	5	5	.	.	.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B43	Infections of the New-born	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B44	(a) With Prematurity	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B44	(b) Without Prematurity	5	4	4	.	.	.	4	—	—	—	—	—	—	—	—	1	1	.	1	—	—	—	—	—	—	
B45	Other Diseases peculiar to Early Infancy	6	—	—	—	—	—	—	—	—	18	13	.	13	—	—	—	—	—	—	
B45	(a) With Prematurity	19	6	5	1	.	.	3	—	—	—	—	—	—	—	—	2	2	.	2	—	—	—	—	—	—	
B45	(b) Without Prematurity	5	3	2	1	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B46	Senility without mention of Psychosis, Ill-defined and Unknown Causes	83	34	1	33	49	1	48	.	
B46	All Other Diseases	87	40	1	.	.	.	5	6	9	19	47	1	.	.	1	1	1	1	4	8	14
B47	Motor Vehicle Accidents	17	14	3	3	5	3	3	.	.	.	1	1	.	1	1	4	1
B47	All Other Accidents	25	14	3	.	.	.	4	2	1	1	11	3	2	1	.	4
B49	Suicide	6	3	1	2	.	.	3	2	1	.	1
B50	Homicide and Operations of War	1	—	—	—	—	1	1	.	1
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	2	2	.	1	.	.	1	1	—	—	—	—	—	—	—
—	Pneumonia (included in B31 and B43)	36	21	4	4	1	.	9	1	.	.	.	2	2	4	3	15	1	5	.	6	.	.	.	2	7	.

ABSTRACT X. County Tyrone: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES													FEMALES														
			AGED													AGED														
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over				
	ALL CAUSES	1,448	780	45	11	3	59	9	11	14	25	144	183	335	668	33	9	1	43	7	7	2	15	115	173	306				
B1	Tuberculosis of Respiratory System	7	5	1	.	.	3	.	1	2	1	.	1	.	1		
B2	Tuberculosis, other forms	3	1	1	1	1	1		
B3	Syphilis and its sequelae	2	2	
B4	Typhoid Fever	
B5	Cholera	
B6	Dysentery, all forms	
B7	Scarlet Fever and streptococcal sore throat	
B8	Diphtheria	
B9	Whooping Cough	
B10	Meningococcal Infections	1	
B11	Plague	
B12	Acute Poliomyelitis	2	2	1	1	
B13	Smallpox	
B14	Measles	
B15	Typhus and other Rickettsial Diseases	
B16	Malaria	
B17	Other Infectious and Parasitic Diseases	6	5	1	1	.	2	.	.	1	.	.	1	1	1	1	.	.	
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	184	95	2	.	.	1	.	.	2	33	32	28	89	.	.	.	1	1	.	4	27	26	30
B19	(a) Cancer	1	2	1	1	.	.	1	1	1	1	.	.	.	1	1	.	1	27	26	30	
	(b) Hodgkin's disease and Leukaemia	11	5	1	2	1	1	.	.	6	1	1	.	1	2	.	1	
B20	Benign and unspecified neoplasms	4	3	1	.	.	1	.	.	1	1	1	1	1	.	.	.	
B21	Diabetes Mellitus	14	1	1	.	.	1	1	13	4	1	.	4	4	4	
B22	Anaemias	6	2	1	.	.	1	1	1	1	1	2	2	4	1	
B23	Vascular Lesions affecting Central Nervous system	199	75	1	1	15	16	42	124	17	37	70		
B24	Nonmeningoococcal Meningitis	1	1	3	1	1	1	.	.	
B25	Rheumatic Fever	5	2	1	1	.	.	.	2	1	3	2	13	2	6	4	1	.	
B26	Chronic Rheumatic Heart Disease	21	8	2	50	72	122	167	20	51	87		
Arteriosclerotic and Degenerative Heart Disease		413	246	2	50	72	122	167	20	51	87			

B27	Other Diseases of Heart	51	29	1	.	1	1	7	19	22	10	12		
B28	Hypertension with Heart Disease	28	14	1	.	4	9	14	1	6	7		
B29	Hypertension without Heart Disease	16	9	1	.	1	4	1	3	7	2	5	3		
B30	Influenza	5	2	1	.	1	2	11	10	21	.	4	2	7	10		
B31	Pneumonia	52	31	—	5	2	7	1	.	.	.	1	2	3	10	12	—	1	4	2	2	7		
B32	Bronchitis	27	15	1	2	3	10	12	—	1	4	2	2	2		
B33	Ulcer of Stomach and Duodenum	11	7	1	.	2	3	1	4	4	2	2	2			
B34	Appendicitis	1	1	2	.	.	2	1	3	3	—	1	1	2	1	1		
B35	Intestinal Obstruction and Hernia	8	5	2	.	.	2	1	3	3	—	—	—	2	2	1		
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of the new-born	5	2	2	3	—	.	1	1	1	1	1		
B37	Cirrhosis of Liver	1	1	1	.	5	6	2	7	7	—	—	—	—	—	—	—	—	2	1	2			
B38	Nephritis and Nephrosis	21	14	1	.	5	4	7	—	—	—	—	—	—	—	—	—	—	—	—	—			
B39	Hyperplasia of Prostate	11	11	1	.	5	6	2	7	7	—	—	—	—	—	—	—	—	—	—	—			
B40	Complications of Pregnancy, Childbirth and the Puerperium	1	—	—	8	4	1	13	2	1	1	—	—	—	—	1	8	4	3	1	1	.			
B41	Congenital Malformations	25	17	11	6	—	—	—	—	—	8	4	3	7	.	.			
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	—	—	(a) With Prematurity	19	11	11	.	.	11	6	—	—	—	—	—	8	4	3	8	4	—			
B43	(b) Without Prematurity	10	6	4	—	—	—	—	—	—	—	4	3	—	4	—	—			
B44	Infections of the New-born	3	4	4	—	—	—	—	—	—	—	3	3	—	3	—	—			
B45	(a) With Prematurity	5	4	13	2	—	—	—	—	—	—	1	1	—	1	—	—			
B46	(b) Without Prematurity	23	13	13	13	2	—	—	—	—	—	—	10	3	10	10	3	—			
B47	Other Diseases peculiar to Early Infancy	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B48	(a) With Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B49	(b) Without Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B50	Senility without mention of Psychosis, Ill-defined and Unknown Causes	78	46	3	43	32	1	2	1	1	17	31
—	All Other Diseases	116	56	.	1	.	.	.	1	1	2	.	2	14	12	24	60	.	1	1	1	11	27	
—	Motor Vehicle Accidents	18	14	1	1	1	2	4	3	3	4	9	1	1	1	6		
—	All Other Accidents	28	19	3	4	3	2	3	4	3	4	9	1	1	1	1		
—	Suicide	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	Homicide and Operations of War	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1		
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	3	2	1	1	1	—	—	—	—	—	—	1	.	.	1	1	.	.	.	—	—	—	—		
—	Pneumonia (included in B31 and B43)	56	33	2	5	2	9	1	2	11	10	23	2	4	.	6	7	10	.		

ABSTRACT X. All Urban Areas: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES												FEMALES												
			AGED												AGED												
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	
	ALL CAUSES	8,382	4,239	187	77	19	283	26	28	41	187	1,214	1,139	1,321	4,093	134	47	21	202	28	17	19	158	821	1,024	1,824	
B1	Tuberculosis of Respiratory System	94	67	1	1	13	26	15	12	27	6	11	5	5
B2	Tuberculosis, other forms	7	5	1	1	1	1	1	.	1	1
B3	Syphilis and its sequelae	19	15	10	3	2	4
B4	Typhoid Fever
B5	Cholera
B6	Dysentery, all forms	2	1
B7	Scarlet Fever and streptococcal sore throat
B8	Diphtheria
B9	Whooping Cough	8	5	.	.	3	1	4	1	3	.	2	1	3
B10	Meningococcal Infections	1	1	1
B11	Plague
B12	Acute Poliomyelitis	3	2	1	1	.	.	.	1	1	.	.	.	
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases	22	11	.	1	.	1	1	1	1	1	5	1	.	11	.	1	2	3	1	.	.	2	4	1	.	
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	1,358	688	1	1	3	27	281	205	170	670	1	2	5	43	228	195	196
B19	(a) Cancer	1	1	3	27	281	205	170	670	1	1	.	4	8	5	2
	(b) Hodgkin's disease and Leukaemia	44	23	5	2	6	4	4	2	21	1	1	.	4	8	5	2	
B20	Benign and unspecified neoplasms	19	9	1	.	2	3	2	1	10	1	.	1	3	5	.	.
B21	Diabetes Mellitus	48	18	1	.	5	9	4	30	1	7	11	11	11	.	.
B22	Anaemias	29	9	1	3	2	3	20	1	3	10	6	.
B23	Vascular Lesions affecting Central Nervous system	1,173	456	2	1	2	12	99	138	204	717	.	.	1	1	.	.	8	127	212	369	
B24	Nonmeningoococcal Meningitis	5	2	2	.	2	.	1	.	3	1	.	.	1	1	1	.	4	3	.	.	
B25	Rheumatic Fever	10	3	2	.	2	.	1	.	7	4	3	.	.	
B26	Chronic Rheumatic Heart Disease	183	55	1	15	22	10	7	78	1	1	10	37	17	12	.	
	Arteriosclerotic and Degenerative Heart Disease	2,360	1,299	1	39	428	397	494	1,061	13	184	267	597	.

B27	Other Diseases of Heart	259	117	3	22	37	55	142	.	.	1	1	.	.	2	2	21	39	77
B28	Hypertension with Heart Disease	196	83	1	13	33	36	113	21	35	57
B29	Hypertension without Heart Disease	83	33	1	11	11	10	50	1	10	11	28
B30	Influenza	22	10	.	1	35	10	45	4	2	1	2	4	12	1	3	2	7
B31	Pneumonia	379	197	—	2	35	1	45	3	.	9	95	88	80	182	—	17	7	24	2	1	1	6	16	39	93
B32	Bronchitis	394	262	95	88	67	132	.	.	1	.	.	.	2	2	19	43	67
B33	Ulcer of Stomach and Duodenum	62	45	20	14	11	17	2	3	6	6	
B34	Appendicitis	4	2	2	4	3	10	21	1	2	3	14	
B35	Intestinal Obstruction and Hernia	42	21	.	2	.	2	.	.	2	4	3	10	21	1	.	.	1	2	3	1	
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of new-born	44	22	—	9	3	12	1	.	1	5	.	3	22	—	6	2	8	1	.	.	3	2	2	6	
B37	Cirrhosis of Liver	22	9	8	1	13	1	6	5	1	
B38	Nephritis and Nephrosis	67	35	1	3	6	10	2	32	2	3	9	10	—
B39	Hyperplasia of Prostate	53	53	2	20	31	—	—	—	—	
B40	Complications of Pregnancy, Childbirth and the Puerperium	10	—	—	—	—	—	—	—	—	—	—	—	10	1	9	.	.	
B41	Congenital Malformations	108	49	24	12	2	38	5	3	.	3	.	.	59	27	13	5	45	8	1	2	1	1	1	.	
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	42	28	28	.	.	28	—	—	—	—	—	—	14	14	.	.	14	
B43	(a) With Prematurity	38	22	22	.	.	22	—	—	—	—	—	—	16	15	1	.	16	
	(b) Without Prematurity	2	—	—	—	—	—	—	2	2	.	.	2	
B44	Infections of the New-born (a) With Prematurity	22	16	16	.	.	16	—	—	—	—	—	—	6	6	.	.	6	
B45	(b) Without Prematurity	136	77	77	.	.	77	—	—	—	—	—	—	59	57	2	.	59	
	Other Diseases peculiar to Early Infancy	29	18	18	.	.	18	—	—	—	—	—	—	11	11	.	.	11	
B46	(a) With Prematurity	179	68	1	1	.	2	.	.	.	2	9	55	111	.	.	.	1	.	.	.	1	2	14	93	
	(b) Without Prematurity	566	261	.	5	2	7	5	3	2	12	66	66	100	305	.	2	1	3	1	3	25	71	68	131	
BE47	All Other Diseases	61	46	3	6	8	12	10	5	2	15	6	3	2	2	
BE48	Motor Vehicle Accidents	161	77	1	6	.	7	2	5	10	15	19	6	13	74	1	3	1	5	4	3	1	1	34		
BE49	All Other Accidents	25	18	1	3	13	1	7	1	5	8	14		
BE50	Suicide	—	—	2	4	.		
Homicide and Operations of War		1	1	1		
Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)		21	13	1	9	3	13	.	—	—	—	—	—	8	.	6	2	8	.	—	—	—	—	—	—	
Pneumonia (included in B31 and B43)		307	210	13	35	10	58	4	.	2	4	18	44	80	187	5	17	7	29	2	1	1	6	16	39	93

ABSTRACT X. All Rural Areas: Causes of Death at different Age-Periods, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	Total Deaths	MALES															FEMALES																	
			AGED															AGED																	
			All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All Ages	under 1 mth	1-5 mths	6-11 mths	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over									
	ALL CAUSES	6,800	3,679	148	48	12	208	39	32	49	141	728	846	1,636	3,121	110	37	10	157	20	12	17	106	520	735	1,554									
B1	Tuberculosis of Respiratory System	45	33	2	.	5	18	6	2	12	5	4	3				
B2	Tuberculosis, other forms	8	3	1	2	3	3	6	1	.	2	.	1	2	2	1				
B3	Syphilis and its sequelae	12	6	3	3		
B4	Typhoid Fever	
B5	Cholera	
B6	Dysentery, all forms	
B7	Scarlet Fever and streptococcal sore throat	
B8	Diphtheria	
B9	Whooping Cough	1	
B10	Meningococcal Infections	2	1	1	
B11	Plague	
B12	Acute Poliomyelitis	2	2	1	.	1	
B13	Smallpox
B14	Measles
B15	Typhus and other Rickettsial diseases
B16	Malaria
B17	Other Infectious and Parasitic Diseases	17	14	2	1	.	3	1	.	.	1	2	3	4	3	1	2	.		
B18	Malignant Neoplasms, including neoplasms of lymphatic and haematopoietic tissues	895	455	1	2	2	21	137	142	150	440	1	1	1	26	150	120	141			
B19	(a) Cancer	44	23	1	1	.	2	5	1	5	5	21	.	.	.	1	1	1	3	9	5	2			
	(b) Hodgkin's disease and Leukaemia	19	13	2	5	1	2	6	2	1	6	.	.	.	1	1	1	1	3	1	1	1			
B20	Benign and unspecified neoplasms	49	21	1	1	.	2	3	4	12	28	.	.	.	1	1	1	1	3	11	12	8			
B21	Diabetes Mellitus	31	12	1	1	10	19	1	4	4	4	8			
B22	Anaemia	976	435	.	1	.	1	.	1	8	79	124	222	541	1	1	1	3	84	175	277				
B23	Vascular Lesions affecting Central Nervous system	4	2	1	.	1	2	1	1	2	2	.	.	.	1	1	1	1	1	2			
B24	Nonmeningococcal Meningitis	10	6	1	2	1	2	1	2	4	.	.	.	1	1	1	1	1	2			
B25	Rheumatic Fever	67	29	1	7	7	6	8	38	2	8	18	6	4			
B26	Chronic Rheumatic Heart Disease	2,029	1,167	21	268	315	563	862	1	7	103	213	538			

B27	Other Diseases of Heart	254	185	1	.	2	15	31	86	119	1	2	16	33	67		
B28	Hypertension with Heart Disease	154	74	1	6	24	43	80	11	29	40		
B29	Hypertension without Heart Disease	76	41	2	13	10	16	35	1	4	13	17		
B30	Influenza	33	12	.	—	20	8	28	5	1	1	7	2	12	29	59	115	1	14	2	16	3	1	1	4	4	11			
B31	Pneumonia	257	142	2	22	20	54	47	.	1	1	1	1	1	1	1	1	2	11	21	60	
B32	Bronchitis	145	98	3	6	8	7	13	2	2	10	6	27	
B33	Ulcer of Stomach and Duodenum	37	24	1	1	3	2	2	2	1	1	2	2	9		
B34	Appendicitis	7	6	8	2	5	5	19	1	1	.	4	6	8	
B35	Intestinal Obstruction and Hernia	36	17	2	.	.	.	8	2	5	19	1	.	.	.	1	4	6	8		
B36	Gastritis, Duodenitis, Enteritis and Colitis, except Diarrhoea of new-born	28	15	—	2	.	.	2	5	.	.	1	1	1	5	13	.	2	1	3	2	1	4	3	2	
B37	Cirrhosis of Liver	12	7	1	.	.	4	2	5	5	19	1	2	7	3	5	
B38	Nephritis and Nephrosis	54	35	3	5	9	7	11	19	1	.	1	2	1		
B39	Hyperplasia of Prostate	67	67	3	17	47	7	.	7	.	.	
B40	Complications of Pregnancy, Childbirth and the Puerperium	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B41	Congenital Malformations	114	58	26	15	3	—	44	5	5	2	1	1	—	—	56	26	16	6	48	2	.	.	7	3	3	.	.		
B42	Birth Injury, Postnatal Asphyxia and Atelectasis	45	25	25	.	.	25	—	—	—	—	—	—	—	—	—	20	20	.	.	20	
B43	(a) With Prematurity	45	30	30	.	.	30	—	—	—	—	—	—	—	—	—	15	15	15	15	15
B43	Infections of the New-born	4	1	1	12	.	.	12	—	—	—	—	—	—	—	—	3	3	3	3	3	3	3	3	3	3	3	3	3	3
B44	(b) Without Prematurity	18	12	12	.	.	.	—	—	—	—	—	—	—	—	—	6	6	6	6	6	6	6	6	6	6	6	6	6	6
B44	Other Diseases peculiar to Early Infancy	75	49	46	3	2	.	49	—	—	—	—	—	—	—	—	26	26	.	.	26
B45	(a) With Prematurity	14	7	5	2	.	7	—	—	—	—	—	—	—	—	—	7	7	7	7	7	7	7	7	7	7	7	7	7	7
B45	Sensitily without mention of Psychosis, Ill-defined and Unknown Causes	389	194	15	179	195	52	57	188	
B46	All Other Diseases	465	237	.	1	1	2	4	7	2	13	50	49	110	228	3	1	1	5	2	2	2	2	1	1	1	1	1	93	
BE47	Motor Vehicle Accidents	79	59	3	5	13	11	16	3	8	20	1	1	1	1	1	2	
BE48	All Other Accidents	152	96	1	3	.	4	8	4	15	17	18	11	21	56	1	2	.	3	4	1	4	1	1	1	1	1	1	35	
BE49	Suicide	18	13	1	2	9	1	5	1	1	1	1	1			
BE50	Homicide and Operations of War	5	3	1	2	.	.	.	2	1	.	.	1	1		
—	Gastro-Enteritis and Colitis of Children under two years of age (included in B36 and B43)	10	6	1	2	.	3	3	—	—	—	—	—	—	4	1	2	1	4	.	—	—	—	—	—	—	—	—		
—	Pneumonia (included in B31 and B43)	274	152	10	20	8	38	5	1	1	7	12	29	59	122	7	14	2	23	3	.	1	3	11	21	60				

**ABSTRACT XI. Northern Ireland: Births and Deaths in each Administrative Area, 1958,
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Belfast C.B.	Co. Antrim	Ballycastle U.D.	Ballyclare U.D.	Ballymena M.B.	Ballymoney U.D.	Carrickfergus M.B.	Larne M.B.	*Liburn U.D.	Newtownabbey U.D.	Portrush U.D.	Whitehead U.D.	*Antrim R.D.	Ballycastle R.D.	Ballymena R.D.	Ballymoney R.D.	*Belfast R.D.	*Larne R.D.	*Belfast R.D.	*Larne R.D.
Population, Census 1951	M	209,613	112,191	1,132	1,969	6,538	1,544	4,118	5,561	6,834	9,604	1,725	815	14,493	4,638	16,251	10,328	9,656	16,985		
	F	234,058	118,958	1,427	2,019	7,635	1,764	4,541	6,417	7,947	10,611	2,442	1,049	14,208	4,247	16,203	10,115	10,140	18,193		
Births, total	M	4,250	3,084	35	48	144	47	150	207	147	351	43	18	274	74	327	259	192	246	522	
	F	4,013	2,731	27	34	139	39	121	161	146	304	30	19	238	87	281	188	195	218	504	
Illegitimate Births	M	87	70	.	6	3	2	1	4	2	3	4	.	7	3	11	16	2	4	10	
	F	79	54	.	3	2	1	1	2	4	3	1	1	7	4	7	8	8	4	10	
Deaths, total	M	2,467	1,323	18	19	95	18	50	71	81	73	20	11	154	54	184	118	41	133	183	
	F	2,351	1,226	9	23	87	18	43	66	107	65	41	14	153	33	178	115	40	106	128	
Ages at death—Under 1 month	M	88	56	2	3	.	.	4	7	1	3	1	.	5	1	8	4	4	1	12	
	F	66	39	.	1	.	.	3	3	1	4	.	1	.	5	2	4	6	2	12	
1 mth.—11 mths.	M	58	25	.	2	1	1	2	2	1	3	2	.	1	3	2	1	4	2	2	
	F	39	24	.	1	6	6	2	3	5	6	7	1	7	2	11	10	4	9	14	
1 year to 44 yrs.	M	153	87	.	1	4	4	4	5	5	5	2	1	11	11	11	9	2	3	7	
	F	122	72	.	2	6	2	3	5	5	3	2	1	11	11	11	9	2	3	3	
45-64 yrs.	M	739	319	2	8	25	5	16	15	27	25	5	7	45	5	35	23	12	24	40	
	F	475	218	3	4	27	3	5	11	14	15	5	4	24	4	32	12	10	22	23	
65 yrs. and over	M	1,429	836	14	10	59	11	25	42	46	35	12	4	96	43	128	81	20	95	115	
	F	1,649	873	6	16	53	12	31	45	87	41	34	8	113	29	126	89	22	77	84	
Deaths from—																					
Tuberculosis, pulmonary		56	17	.	2	2	.	2	.	.	.	2	.	2	1	.	2	1	1	2	
Tuberculosis, other forms		2	
Typhoid fever		
Scarlet fever		
Diphtheria		
Whooping cough		5	3	3	
Acute poliomyelitis		
Measles		
Cancer		822	366	3	6	37	11	18	11	28	20	9	8	37	10	47	27	11	33	50	
Heart diseases		1,702	897	13	14	50	13	26	52	81	49	19	7	113	31	126	75	23	84	121	
Influenza		13	8	.	1	.	1	.	.	1	1	.	1	1	4	.	4	.	.	.	
Pneumonia		267	100	.	2	12	2	2	4	4	3	5	5	12	4	13	8	5	14	14	
Bronchitis		277	79	1	2	7	2	4	1	1	1	1	1	6	2	6	7	3	8	2	
Diarrhoea under 2 years		13	4	.	.	.	4	1	1	1	1	1	1	7	1	1	1	1	1	1	
Motor vehicle accidents		25	30	.	.	.	4	5	1	7	1	1	1	5	1	5	2	2	3	4	
Other accidents		88	55	5	1	5	8	1	10	7	

*Newtownabbey U.D. was formed out of Belfast R.D. on the 1st April, 1958. The remainder of Belfast R.D. was transferred to Antrim, Larne or Lisburn Rural Districts. The figures for births and deaths in this Abstract for Newtownabbey U.B. are for the period 1st April—31st December, 1958, and for Belfast R.D. for the period 1st January—31st March, 1958. The population figures for the 1951 census for the areas as now constituted have been adjusted in consequence of these changes.

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1958,
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Armagh	Armagh U.D.	Keady U.D.	Lurgan M.B.	Portadown M.B.	Tandragee U.D.	Armagh R.D.	Lurgan R.D.	Newry No. 2 R.D.	Tandragee R.D.	Co. Tyrone	Cookstown U.D.	Dungannon U.D.	Omagh U.D.	Strabane U.D.	Castlederg R.D.	Clogher R.D.	Cookstown R.D.	Dungannon R.D.	Omagh R.D.	Strabane R.D.
Population, Census 1951		M 56,426	4,428	689	7,523	8,169	648	14,748	6,004	12,547	1,670	67,531	1,973	2,674	3,190	3,077	4,948	5,533	8,032	12,902	16,358	8,844
		F 57,828	4,852	773	8,660	9,033	746	14,152	6,101	11,980	1,531	64,551	2,274	3,008	3,567	3,542	4,769	5,155	7,482	12,171	14,172	8,411
Births, total	.	M 1,368	124	15	216	194	13	290	137	352	27	1,622	53	82	116	113	102	103	177	343	334	199
		F 1,234	110	18	188	197	12	285	118	282	24	1,540	46	76	101	117	106	116	171	290	324	193
Illegitimate Births	.	M 25	1	.	3	6	.	6	4	5	.	44	1	1	1	1	5	6	6	6	9	8
		F 24	2	.	4	4	.	6	7	1	.	51	.	3	.	7	5	3	4	20	9	
Deaths, total	.	M 700	58	10	88	84	7	176	76	179	22	780	22	26	28	51	53	72	102	136	189	101
		F 601	44	10	100	81	8	149	58	136	15	668	30	30	35	35	45	49	90	123	140	91
Ages at Death—																						
Under 1 month	M	38	4	.	7	7	1	4	4	9	2	45	1	2	1	4	4	5	3	4	11	10
	F	21	2	1	4	3	2	2	1	7	1	33	4	4	1	6	1	2	6	5	3	
1 mth.—11mths.	M	16	.	1	1	5	.	5	1	3	.	14	1	.	1	1	.	2	2	3	4	
	F	10	1	1	2	5	.	.	1	1	1	10	.	2	.	1	.	2	2	1	3	
1 year—44 yrs.	M	63	9	1	9	7	2	19	5	10	1	59	.	1	3	5	3	8	10	17	7	
	F	35	5	.	7	4	10	4	5	5	.	31	2	2	3	3	5	3	7	9	3	
45–64 yrs.	M	149	19	.	30	25	.	22	15	33	5	144	5	8	6	10	3	23	35	24	21	
	F	110	8	2	20	22	.	23	7	24	4	115	5	8	9	3	8	16	20	22	16	
65 yrs. and over	M	434	26	8	41	40	4	126	51	124	14	518	15	15	17	31	43	53	66	85	134	59
	F	425	28	7	67	47	8	114	45	99	10	479	19	18	21	23	36	37	68	88	103	66
Deaths from—																						
Tuberculosis, pulmonary		14	2	.	1	5	1	1	1	3	.	7	.	1	.	1	.	1	.	1	1	
Tuberculosis, other forms		1	1	3	1	.	.	1	
Typhoid fever	
Scarlet fever	
Diphtheria	
Whooping cough	
Acute poliomyelitis	.	2	.	.	.	1	.	1	.	.	.	2	.	.	1	.	1	
Measles	
Cancer	.	175	12	2	28	18	2	39	15	54	5	184	8	9	6	15	8	14	28	31	40	25
Heart diseases	.	477	42	7	69	59	3	122	48	110	17	513	11	17	31	26	41	41	65	35	133	68
Influenza	.	2	1	1	.	.	5	1	1	2	1	
Pneumonia	.	53	3	1	10	5	1	16	9	8	.	56	2	4	3	1	3	1	8	8	19	
Bronchitis	.	36	4	.	5	6	6	10	1	9	1	27	.	2	.	1	3	.	2	9	4	
Diarrhoea under 2 years	.	4	.	.	1	2	.	.	1	.	3	.	.	.	1	2	.	3	6	6		
Motor vehicle accidents	.	16	1	.	5	3	.	3	2	2	1	18	.	.	.	2	.	3	5	6		
Other accidents	.	27	2	.	2	3	1	6	2	10	28	.	.	.	1	1	2	.	7	9	3	

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1958,
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Down	Banbridge U.D.	Bangor M.B.	Donaghadee U.D.	Downpatrick U.D.	Dromore U.D.	Holywood U.D.	Kilkeel U.D.	Newcastle U.D.	Newtownards M.B.	Newry U.D.	Warrenpoint U.D.	Banbridge R.D.	Castleragh R.D.	Downpatrick R.D.	Hillsborough R.D.	Kilkeel R.D.	Mohrs R.D.	Newry No. 1 R.D.	North Down R.D.	
Population, Census 1951	M	117,772	2,868	8,986	1,556	1,846	1,126	2,963	1,120	1,296	6,189	5,761	1,364	10,966	10,216	16,267	11,755	6,708	4,465	6,678	15,642	
	F	123,409	3,231	11,624	1,844	2,033	1,264	3,353	1,217	1,785	7,072	6,482	1,442	10,964	10,271	15,262	12,121	6,774	4,472	6,315	15,883	
Births, total	M	2,655	63	179	29	57	24	99	25	52	160	108	32	241	375	305	251	137	99	135	284	
	F	2,489	63	198	20	63	23	72	23	37	151	109	40	200	336	320	228	130	64	164	253	
Illegitimate Births	M	57	.	6	1	2	1	2	.	1	1	6	4	.	5	3	6	3	1	4	6	
	F	47	2	4	.	1	1	1	.	1	1	1	3	.	10	5	6	3	3	3	5	
Deaths, total	M	1,445	39	146	35	21	19	51	13	29	65	39	123	87	186	123	79	52	81	182	159	
	F	1,305	28	191	17	17	17	45	13	24	62	16	126	87	147	120	61	38	60	81	159	
Ages at Death—																						
Under 1 month		M	55	3	5	2	4	1	3	4	3	2	1	2	7	5	2	4	3	2	1	5
1 mth.-11mths.		M	36	2	1	1	1	3	1	1	1	3	1	1	3	2	2	3	1	1	3	3
1 year-44 yrs.		M	19	1	.	.	1	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1
45-64 yrs.		M	18	.	1
65 yrs. and over		M	83	5	4	1	.	2	2	2	1	3	9	7	8	12	5	6	5	5	10	
		F	63	1	3	2	2	2	2	2	1	6	4	2	4	8	5	6	2	1	3	
Deaths from—		M	352	11	29	13	2	7	16	5	26	20	5	27	28	41	27	10	16	16	47	
Tuberculosis, pulmonary		F	237	4	38	1	6	4	3	3	16	14	3	17	21	27	23	8	12	12	29	
Tuberculosis, other forms		M	936	19	108	19	14	10	29	22	40	35	32	80	45	129	83	34	56	117	123	
		F	951	21	148	13	7	9	37	8	19	49	41	11	102	54	105	83	49	28	44	
Scarlet fever		
Diphtheria		
Whooping cough		
Acute poliomylitis		
Measles		
Cancer		.	419	8	54	9	5	5	28	3	8	22	7	42	32	41	31	19	11	19	47	
Heart diseases		.	1,093	27	144	20	13	8	27	12	24	61	21	102	69	142	103	52	42	35	145	
Influenza		.	11	1	.	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	2	
Pneumonia		.	111	3	11	2	1	1	9	1	1	3	3	20	7	8	13	3	7	4	12	
Bronchitis		.	62	.	8	1	.	1	4	1	1	3	3	3	4	4	4	4	2	3	9	
Diarrhoea under 2 years		.	3	1	2	2	3	1	1	1	1	1	1	6	
Motor vehicle accidents		.	26	1	4	1	.	1	1	2	2	3	2	1	1	.	6	
Other accidents		.	54	.	8	1	.	1	1	1	1	1	1	1	1	.	7	

**ABSTRACT XI (continued). Northern Ireland: Births and Deaths in each Administrative Area, 1958,
together with the Census Population, 1951.**

POPULATION, BIRTHS AND DEATHS		Co. Fermanagh	Enniskillen M.B.	Enniskillen R.D.	Irvinestown R.D.	Lisnaskea R.D.	Co. Londonderry	Coleraine M.B.	Limaivid U.D.	Portstewart U.D.	Coleraine R.D.	Limaivid R.D.	Londonderry R.D.	Magherafelt R.D.	Londonderry C.B.
Population, Census, 1951		M 27,742	2,986	8,304	6,545	9,907	53,239	5,070	1,522	1,416	9,854	8,515	10,894	15,968	23,305
		F 25,302	3,336	7,462	5,601	8,908	52,209	5,678	1,654	2,147	9,664	7,691	10,137	15,238	26,787
Births, total		M 547	85	191	134	137	1,311	111	52	40	241	209	257	401	863
		F 513	89	160	109	155	1,284	133	59	34	212	202	263	381	797
Illegitimate Births		M 19	1	6	7	5	48	4	1	.	19	10	9	5	7
		F 18	3	5	4	6	61	7	1	.	19	5	12	17	18
Deaths, total		M 362	39	113	106	104	557	46	19	23	112	77	88	197	284
		F 289	29	98	69	93	528	61	17	36	91	78	85	162	246
Ages at Death—															
Under 1 month		M 10	2	2	2	4	23	2	1	.	3	1	9	7	20
1 mth.—11 mths.		M 12	2	3	4	3	26	3	1	.	5	4	9	4	11
1 year—44 yrs.		M 3	.	1	1	1	11	.	.	.	3	2	3	3	10
45—64 yrs.		M 1	.	.	1	.	11	.	.	.	1	1	3	4	2
65 yrs. and over		M 25	4	8	3	10	50	2	6	1	8	9	3	21	23
		F 13	1	8	4	21	27	5	2	.	4	4	3	9	14
		M 66	14	15	16	21	107	8	3	6	18	17	20	35	66
		F 53	5	19	11	18	76	12	3	6	15	10	15	15	57
		M 258	19	87	84	68	366	34	9	16	80	48	48	131	165
		F 210	21	68	49	72	388	41	11	30	64	57	55	130	162
Deaths from—															
Tuberculosis, pulmonary		.	.	2	1	1	3	1	2	9
Tuberculosis, other forms		2	1	.	1	1
Typhoid fever	
Scarlet fever	
Diphtheria	
Whooping cough	
Acute poliomyelitis	
Measles	
Cancer		.	73	12	20	15	26	149	18	5	9	31	24	21	41
Heart diseases		.	245	23	70	80	72	365	47	6	18	71	51	46	127
Influenza		.	8	.	5	2	1	7	.	1	.	0	1	4	1
Pneumonia		.	22	3	3	11	5	36	3	.	1	4	4	9	15
Bronchitis		.	16	2	4	6	4	19	2	1	1	3	2	5	23
Diarrhoea under 2 years		2	.	1	1	1	1	1	2
Motor vehicle accidents		.	2	.	.	2	.	17	2	3	2	2	1	5	6
Other accidents		.	12	1	3	4	4	25	2	1	4	5	2	3	10

ABSTRACT XII. Northern Ireland: Deaths and Death Rates at different Age-Periods, 1958.

COUNTIES		TOTAL DEATHS	AGES AT DEATH																						95 and up- wards			
			Under 1 year	1-	2-	3-	4-	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-			
NORTHERN IRELAND	{ Persons Males Females	15,132 7,918 7,214	850 491 359	57 38 19	31 17 14	12 4 8	13 6 7	963 556 407	44 28 16	45 32 13	72 51 21	54 39 15	85 53 32	94 53 41	153 75 78	260 147 113	398 236 162	653 377 276	952 591 361	1,280 738 542	1,606 893 713	2,138 1,092 1,046	2,413 1,184 1,229	2,192 1,034 1,158	1,219 554 665	416 163 253	+95 22 73	
BELFAST COUNTY BOROUGH	{ Persons Males Females	4,818 2,467 2,351	251 146 105	12 8 4	9 3 6	5 1 4	3 2 1	280 160 120	8 4 3	12 9 4	12 8 4	14 10 4	22 13 9	35 28 17	53 49 25	90 87 70	157 152 99	251 227 131	358 273 175	448 362 265	580 382 335	701 621 339	714 255 379	610 343 355	343 130 213	106 30 76	24 22	
LONDONDERRY COUNTY BOROUGH	{ Persons Males Females	530 284 246	43 30 13	1 1 1	2 1 1	.	.	46 31 15	4 4 .	2 1 1	4 3 1	3 2 1	3 2 1	4 2 1	10 6 7	4 2 3	13 1 7	32 15 15	34 16 18	44 27 17	76 46 30	77 44 33	75 20 32	52 16 2	38 6 1	8 .	1	
ANTRIM	{ Persons Males Females	2,549 1,323 1,226	144 81 63	10 7 3	4 3 1	2 3 2	4 3 1	164 94 70	8 6 2	8 6 2	14 12 3	6 3 2	19 9 10	11 3 8	31 14 17	42 21 21	58 34 40	87 47 40	162 106 56	230 132 98	251 147 104	310 155 155	407 186 221	404 201 203	220 107 113	93 34 59	24 6 18	
ARMAGH	{ Persons Males Females	1,301 700 601	85 54 31	6 5 1	2 1 1	1 1 .	3 2 2	97 62 35	7 5 2	5 7 .	13 5 6	8 5 1	5 7 3	7 4 3	11 4 7	30 18 12	29 21 24	52 48 44	80 54 44	98 78 60	138 104 80	184 104 118	217 99 97	183 86 48	99 51 18	32 14 4		
DOWN	{ Persons Males Females	2,750 1,445 1,305	128 74 54	12 7 5	4 2 2	.	2	146 83 63	7 4 3	3 2 6	12 6 2	6 4 3	12 9 6	20 14 19	32 22 14	36 22 22	73 51 42	110 68 42	170 103 67	236 130 106	267 144 123	407 194 217	457 242 253	412 195 253	253 32 74	17 6 1		
FERMANAGH	{ Persons Males Females	651 362 289	26 13 13	2 1 1	5 4 1	.	.	33 18 15	1 1 2	4 2 .	3 3 1	3 2 1	5 3 2	1 2 1	2 7 .	12 6 5	12 6 6	27 13 14	35 21 14	45 26 19	72 43 29	85 48 37	121 70 51	112 64 48	53 26 27	20 6 14		
LONDONDERRY	{ Persons Males Females	1,085 557 528	71 34 37	5 4 1	2 1 1	1 .	.	79 40 39	2 .	7 1 2	5 6 7	5 3 2	13 6 2	6 4 2	5 3 2	31 22 29	23 17 9	42 25 6	45 26 17	73 39 34	88 45 43	152 77 75	190 97 93	181 84 97	96 42 54	38 20 18		
TYRONE	{ Persons Males Females	1,448 780 668	102 59 43	9 6 3	3 2 1	3 1 .	1	118 68 50	7 4 3	11 4 1	7 6 1	9 8 1	6 5 2	10 8 4	9 5 2	15 7 8	33 29 19	52 44 23	68 44 24	106 57 49	134 75 59	222 122 114	232 122 110	238 129 109	117 59 58	45 21 24	9 .	9
NORTHERN IRELAND-- Death rate per 1,000 population in each age-group	{ Persons Males Females	10.8 11.6 10.0	*28.1 31.3 24.6	2.0 2.6 1.4	1.1 1.2 1.0	0.4 0.3 0.6	0.5 0.4 0.5	6.0 7.7 6.9	0.3 0.4 0.2	0.3 0.5 0.2	0.6 0.8 0.2	0.5 0.8 0.3	0.9 1.2 0.7	1.1 1.3 0.9	1.1 1.7 1.7	3.2 3.7 2.7	4.5 5.6 3.5	8.3 10.1 6.7	13.1 17.3 9.4	21.6 27.3 16.8	33.5 42.7 26.4	56.6 66.6 48.9	87.4 102.1 76.8	126.7 139.7 117.0	122 130 117	274.6 295.6 260.8		

*Rate per 1,000 live births

†Including the deaths of 10 persons (3 males and 7 females) whose ages at death were returned at 100 years and upwards.

ABSTRACT XIII. Northern Ireland: Death Rates by Sex and Age-Groups, 1926, 1937, 1939-1958.

	All Ages	AGES AT DEATH																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and upwards	
MALES																				
1926	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8	
1937	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2	
1939	13.9	22.0	1.4	1.4	2.0	2.4	3.1	3.7	4.7	6.1	9.6	13.7	20.3	28.0	45.9	79.7	98.0	153.6	225.3	
1940*	15.4	27.9	2.0	1.4	2.3	4.5	4.1	4.6	4.9	6.7	11.8	14.3	20.1	29.6	47.1	79.7	109.0	154.1	243.7	
1941*	15.9	25.7	2.4	2.3	2.9	4.8	4.1	5.3	5.9	7.8	10.4	15.3	22.5	31.1	48.5	79.6	107.5	157.7	256.0	
1942*	14.3	26.1	1.8	1.6	2.4	4.2	2.8	4.1	4.4	5.8	9.4	12.7	18.2	25.2	42.8	73.2	108.0	151.3	253.6	
1943*	14.2	26.1	1.7	1.3	2.2	3.7	2.5	2.9	4.1	6.5	10.3	12.2	17.5	25.4	42.1	75.4	100.3	154.4	257.2	
1944*	13.4	20.5	1.4	1.1	1.8	2.4	3.2	3.7	6.4	9.5	12.8	16.7	24.9	38.1	73.3	107.6	160.0	267.9		
1945*	12.8	18.6	1.3	1.1	1.6	2.6	2.2	3.1	3.4	5.2	8.8	12.1	16.9	25.3	35.6	72.3	107.9	151.7	269.2	
1946*	13.0	18.0	1.1	1.0	1.6	2.3	2.2	2.9	4.0	5.8	9.0	12.5	18.8	24.8	40.8	73.7	113.8	169.8	281.1	
1947*	13.2	16.2	1.2	0.8	1.9	2.4	2.1	2.5	3.8	5.3	10.2	13.0	17.5	25.0	37.1	74.6	126.7	184.2	271.0	
1948*	11.7	13.3	0.7	0.8	1.5	1.7	2.0	2.6	3.4	5.0	8.4	12.9	16.6	22.3	35.6	66.2	112.4	165.3	255.7	
1949*	12.0	11.9	0.8	0.6	1.4	1.5	1.9	2.1	3.6	4.5	7.7	11.9	17.0	24.3	35.8	69.9	122.4	190.0	295.5	
1950	12.0	10.6	0.8	0.6	0.9	1.2	1.8	2.2	3.2	4.8	8.1	13.5	17.1	26.1	37.4	68.7	124.9	204.6	296.4	
1951	13.3	10.5	0.9	0.7	1.0	1.8	1.4	2.1	3.3	5.5	9.1	14.1	19.0	25.9	38.1	82.6	144.6	235.2	379.3	
1952	11.4	10.6	0.7	0.5	0.8	1.3	1.5	1.9	3.0	3.5	6.5	10.6	15.6	26.0	39.9	62.1	89.2	148.6	224.3	
1953	11.4	10.3	0.7	0.6	0.9	1.3	1.4	1.6	2.5	3.9	6.6	10.8	16.6	25.8	40.1	62.8	88.8	141.3	229.6	
1954	11.5	8.9	0.5	0.6	0.8	0.9	1.3	1.8	2.3	3.3	6.1	10.3	16.3	25.5	41.0	68.4	89.2	145.2	280.0	
1955	11.6	8.3	0.5	0.4	0.8	1.1	1.2	1.7	2.2	3.8	5.4	10.9	17.9	24.1	42.1	66.2	98.3	143.0	317.8	
1956	11.2	7.5	0.4	0.3	0.6	0.8	1.0	1.2	2.4	3.4	5.7	10.8	17.1	26.3	39.1	64.6	97.0	149.4	263.2	
1957	11.6	7.6	0.5	0.4	0.8	1.0	1.3	1.4	2.5	3.5	5.8	10.6	16.4	28.3	44.8	65.6	93.5	141.7	300.4	
1958	11.6	7.7	0.4	0.5	0.8	1.2	1.3	1.7	3.7	5.6	10.1	17.3	27.3	42.7	66.6	102.1	139.7	295.6		
FEMALES																				
1926	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1	
1937	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6	
1939	13.2	16.7	1.5	1.4	2.3	3.3	3.3	3.4	4.8	5.7	8.4	10.6	16.6	25.0	38.9	69.6	93.4	140.3	203.6	
1940*	14.1	23.2	1.8	1.4	2.1	3.0	3.9	4.2	5.0	6.0	8.6	12.3	17.0	26.8	38.7	70.1	98.8	138.4	212.4	
1941*	14.7	20.4	2.3	2.3	3.5	3.8	3.7	4.3	5.1	6.5	8.9	11.6	16.7	27.8	42.7	74.9	93.0	156.8	227.7	
1942*	12.5	20.4	1.7	1.1	2.1	2.8	3.2	3.9	4.3	6.1	7.0	10.1	14.9	22.7	31.9	60.8	84.2	133.9	188.3	
1943*	12.7	20.7	1.6	0.9	2.0	2.9	2.4	3.8	4.6	4.9	7.8	9.9	15.1	22.8	33.0	62.2	86.8	139.2	211.4	
1944*	12.2	17.2	1.7	1.2	2.0	2.7	3.0	3.6	4.4	4.5	6.9	8.9	13.8	22.7	33.6	61.3	87.0	132.8	207.6	
1945*	11.9	16.2	1.4	0.8	1.7	2.8	2.8	3.3	3.8	4.5	6.8	8.6	13.3	20.6	34.1	60.0	92.3	131.7	222.3	
1946*	12.1	12.2	1.1	1.0	1.9	2.6	2.3	3.1	3.5	4.5	6.9	8.7	14.5	23.3	33.6	65.8	92.3	154.2	225.7	
1947*	12.1	12.3	0.9	0.9	1.8	2.1	2.3	2.5	3.8	4.4	7.0	9.8	13.3	21.1	33.9	61.2	94.4	167.6	253.6	
1948*	10.7	9.7	0.6	0.8	1.6	1.8	1.8	2.8	3.5	4.1	6.1	8.9	11.7	18.6	29.9	56.5	88.9	140.0	226.4	
1949*	11.1	10.1	0.4	0.8	1.1	1.7	2.1	2.0	2.8	3.5	6.2	9.1	12.4	20.3	28.6	60.9	94.4	158.0	262.1	
1950	11.1	8.7	0.6	0.5	0.8	1.1	1.9	1.9	2.7	3.4	5.5	8.9	12.6	20.3	28.8	60.2	96.1	186.0	290.9	
1951	12.4	8.9	0.5	0.3	0.6	1.1	1.5	1.8	2.5	4.0	5.2	10.1	13.9	23.4	34.0	66.1	123.0	206.6	324.8	
1952	10.1	7.8	0.5	0.3	0.5	0.9	1.3	1.5	2.3	3.2	4.5	8.0	10.1	18.0	28.3	45.7	72.8	138.2	196.9	
1953	10.1	7.6	0.4	0.4	0.5	0.9	1.4	1.9	1.8	2.8	4.9	7.2	9.4	16.9	30.2	51.1	70.5	124.2	209.5	
1954	10.4	6.9	0.3	0.4	0.4	0.7	0.8	1.5	2.1	2.8	4.4	7.3	10.6	18.0	27.8	52.4	72.0	141.1	244.2	
1955	10.6	7.3	0.4	0.3	0.5	0.7	0.9	1.2	1.9	3.0	4.4	6.7	10.3	17.5	30.2	50.5	78.4	132.6	275.4	
1956	10.1	6.3	0.3	0.3	0.4	0.5	0.8	1.3	1.9	2.6	3.9	6.2	9.5	18.1	27.7	49.1	74.6	128.9	251.4	
1957	10.1	6.7	0.4	0.2	0.5	0.5	0.6	1.1	2.2	2.7	4.1	6.2	9.1	18.0	28.0	49.7	69.1	115.2	278.4	
1958	10.0	6.0	0.2	0.2	0.4	0.3	0.7	0.9	1.7	2.7	3.5	6.7	9.4	16.8	26.4	48.9	76.8	117.0	260.8	

*The rates for 1940-1949 relate to civilians only.

ABSTRACT XIV. Northern Ireland: Deaths by Sex

MALES

Ages	Total	Single	Married	Widowed	Divorced	Ages	Total	Single	Married	Widowed	Divorced
0	491	491	.	.	.	50	58	17	38	3	.
1	38	38	.	.	.	51	71	11	55	5	.
2	17	17	.	.	.	52	72	14	57	1	.
3	4	4	.	.	.	53	79	20	54	5	.
4	6	6	.	.	.	54	97	21	68	8	.
0-4	556	556	.	.	.	50-54	377	83	272	22	.
5	5	5	.	.	.	55	86	18	65	3	.
6	5	5	.	.	.	56	109	17	80	12	.
7	6	6	.	.	.	57	127	18	105	4	.
8	6	6	.	.	.	58	145	39	98	8	.
9	6	6	.	.	.	59	124	24	93	7	.
5-9	28	28	.	.	.	55-59	591	116	441	34	.
10	4	4	.	.	.	60	114	27	75	12	.
11	5	5	.	.	.	61	132	21	96	15	.
12	5	5	.	.	.	62	138	37	88	13	.
13	5	5	.	.	.	63	160	29	106	25	.
14	13	13	.	.	.	64	194	28	137	29	.
10-14	32	32	.	.	.	60-64	739	142	502	94	.
15	9	9	.	.	.	65	174	45	108	21	.
16	10	10	.	.	.	66	140	28	94	18	.
17	12	12	.	.	.	67	191	34	124	33	.
18	6	6	.	.	.	68	213	49	120	43	1.
19	14	14	.	.	.	69	175	34	108	33	.
15-19	51	51	.	.	.	65-69	893	190	554	148	1.
20	7	6	1	.	.	70	206	50	118	38	.
21	10	10	.	.	.	71	187	45	97	45	.
22	7	5	2	.	.	72	229	51	131	47	.
23	6	5	1	.	.	73	227	45	127	55	.
24	9	9	.	.	.	74	243	49	132	62	.
20-24	39	35	4	.	.	70-74	1,092	240	605	247	.
25	8	5	3	.	.	75	251	64	112	74	1.
26	9	6	3	.	.	76	231	33	127	71	.
27	11	6	5	.	.	77	211	49	94	68	.
28	12	5	7	.	.	78	275	55	113	107	.
29	13	9	4	.	.	79	216	35	97	84	.
25-29	53	31	22	.	.	75-79	1,184	236	543	404	1.
30	12	7	5	.	.	80	222	64	84	74	.
31	7	4	3	.	.	81	193	34	75	84	.
32	10	5	5	.	.	82	232	49	87	96	.
33	10	2	8	.	.	83	197	35	75	87	.
34	14	5	9	.	.	84	190	44	55	91	.
30-34	53	23	30	.	.	80-84	1,034	226	376	432	.
35	14	5	9	.	.	85	138	21	42	75	.
36	11	5	5	1	.	86	134	17	42	75	.
37	15	4	11	.	.	87	118	20	37	61	.
38	22	6	16	.	.	88	103	19	23	61	.
39	13	3	10	.	.	89	61	11	12	38	.
35-39	75	23	51	1	.	85-89	554	88	156	310	.
40	27	13	11	3	.	90	53	9	18	26	.
41	16	8	8	.	.	91	38	10	7	21	.
42	29	7	22	.	.	92	37	8	3	26	.
43	37	5	30	2	.	93	19	5	5	9	.
44	38	8	27	3	.	94	16	4	2	10	.
40-44	147	41	98	8	.	90-94	163	36	35	92	.
45	40	5	33	2	.	95	3	1	.	2	.
46	47	16	30	1	.	96	5	1	.	4	.
47	30	8	22	.	.	97	5	1	1	3	.
48	64	13	50	1	.	98	3	1	.	2	.
49	55	9	44	2	.	99	3	.	1	2	.
45-49	236	51	179	6	.	95-99	19	4	2	13	.
						100 and over	3	1	.	2	.
						All Males	7,918	2,233	3,870	1,813	2

at each year of age and by Conjugal Condition, 1958.

FEMALES

Ages	Total	Single	Married	Widowed	Divorced	Ages	Total	Single	Married	Widowed	Divorced
0	359	359	.	.	.	50	46	9	32	5	.
1	19	19	.	.	.	51	46	9	33	4	.
2	14	14	.	.	.	52	68	19	43	6	.
3	8	8	.	.	.	53	58	17	31	10	.
4	7	7	.	.	.	54	58	17	36	5	.
0-4	407	407	.	.	.	50-54	276	71	175	30	.
5	4	4	.	.	.	55	52	20	25	7	.
6	4	4	.	.	.	56	71	15	45	10	1
7	5	5	.	.	.	57	78	14	48	16	.
8	1	1	.	.	.	58	91	26	45	20	.
9	2	2	.	.	.	59	69	21	36	12	.
5-9	16	16	.	.	.	55-59	381	96	199	65	1
10	60	110	30	56	24	.
11	3	3	.	.	.	61	88	19	41	28	.
12	3	3	.	.	.	62	119	29	50	40	.
13	5	5	.	.	.	63	112	37	51	24	.
14	2	2	.	.	.	64	113	28	49	36	.
10-14	13	13	.	.	.	60-64	542	143	247	152	.
15	5	5	.	.	.	65	124	35	53	36	.
16	2	2	.	.	.	66	126	33	44	48	1
17	3	3	.	.	.	67	134	36	47	51	.
18	5	5	.	.	.	68	174	44	53	77	.
19	6	5	1	.	.	69	155	37	57	61	.
15-19	21	20	1	.	.	65-69	713	185	254	273	1
20	2	2	.	.	.	70	220	55	63	102	.
21	1	1	.	.	.	71	179	47	54	78	.
22	72	231	46	77	108	.
23	7	6	1	3	.	73	191	38	64	89	.
24	5	2	.	.	.	74	225	51	52	122	.
20-24	15	11	4	.	.	70-74	1,046	237	310	499	.
25	7	2	5	.	.	75	217	49	44	124	.
26	5	3	2	.	.	76	254	64	45	145	.
27	8	5	3	.	.	77	234	57	50	127	.
28	6	4	2	.	.	78	280	68	50	162	.
29	6	1	5	.	.	79	244	56	35	153	.
25-29	32	15	17	.	.	75-79	1,229	294	224	711	.
30	9	4	5	.	.	80	282	86	45	151	.
31	6	2	4	.	.	81	206	61	26	119	.
32	6	3	2	1	.	82	240	56	24	160	.
33	10	4	6	.	.	83	219	55	19	145	.
34	10	1	8	1	.	84	211	60	14	137	.
30-34	41	14	25	2	.	80-84	1,158	318	128	712	.
35	19	7	11	1	.	85	184	40	14	130	.
36	18	6	11	1	.	86	165	44	11	110	.
37	14	4	10	.	.	87	182	33	7	92	.
38	12	3	8	1	.	88	98	30	4	64	.
39	15	5	10	.	.	89	86	27	4	55	.
35-39	78	25	50	3	.	85-89	665	174	40	451	.
40	19	6	13	.	.	90	87	26	2	59	.
41	16	4	10	2	.	91	60	15	1	44	.
42	24	8	16	.	.	92	52	17	1	34	.
43	25	8	16	1	.	93	32	9	2	21	.
44	29	9	19	1	.	94	22	7	3	12	.
40-44	113	35	74	4	.	90-94	253	74	9	170	.
45	19	3	13	3	.	95	15	4	.	11	.
46	28	8	18	1	.	96	20	5	1	14	.
47	37	14	22	1	.	97	18	7	.	11	.
48	35	10	21	4	.	98	9	1	.	8	.
49	43	8	32	3	.	99	4	1	.	3	.
45-49	162	43	106	12	1	95-99	66	18	1	47	.
						100 and over	7	1	.	6	.
						All Females	7,214	2,210	1,804	3,137	3

**ABSTRACT XV. Northern Ireland: Proportion of Deaths*
certain Age-**

Abbre- viated List Nos.	CAUSES OF DEATH	All Ages		—1		1—		5—		10—	
		M	F	M	F	M	F	M	F	M	F
1	Tuberculosis of respiratory system	13	5	63	.
2	Tuberculosis, other forms	1	1	21	.	31	77
3	Syphilis and its sequelae	3	1
4	Typhoid fever
5	Cholera
6	Dysentery, all forms	†	†	21	.	.	.
7	Scarlet fever streptococcal sore throat
8	Diphtheria
9	Whooping cough	1	†	8	8	15
10	Meningococcal infections	†	†	.	.	31	21
11	Plague
12	Acute poliomyelitis	1	†	.	.	15
13	Smallpox
14	Measles
15	Typhus and other rickettsial diseases
16	Malaria
17	Other diseases classified as infectious or parasitic	3	2	8	8	31	21	.	.	31	.
18	Malignant neoplasms including neoplasms of lymphatic and haemopoietic tissues	144	154	.	.	31	42	36	125	63	77
	(a) Cancer	6	6	42	143	94	154
	(b) Hodgkin's disease and leukaemia	3	2	.	.	15	.	36	63	31	.
19	Benign and unspecified neoplasms	5	8	21	.	.	77
20	Diabetes mellitus	3	5	63	77
21	Anaemias
22	Vascular lesions affecting central nervous system	113	174	2	3	63	31
23	Nonmeningococcal meningitis	1	1	.	.	6	46	42	.	.	77
24	Rheumatic fever	1	2
25	Chronic rheumatic heart disease	11	16	77
26	Arteriosclerotic and degenerative heart disease	311	267	77
27	Other diseases of heart	32	36	.	3	.	.	.	36	.	.
28	Hypertension with heart disease	20	27
29	Hypertension without mention of heart	9	12
30	Influenza	3	5	2	3	15
31	Pneumonia	43	41	149	111	138	104	36	63	.	.
32	Bronchitis	45	25	6	3	.	21	.	63	.	.
33	Cleer of stomach and duodenum	9	4
34	Appendicitis	1	†	63	31	.
35	Intestinal obstruction and hernia	5	6	4	3	31	21
36	Gastritis, duodenitis, enteritis and colitis ex-ant diarrhoea of the newborn	5	5	29	31	92	21	.	.	31	.
37	Cirrhosis of liver	2	2
38	Nephritis and nephrosis	9	7	21	36	.	154
39	Hyperplasia of prostate	15	—	.	—	.	—	.	—	.	—
40	Complications of pregnancy, child-birth and the puerperium	—	2	—	—	—	.
41	Congenital malformations	14	16	167	259	154	208	143	63	125	.
42	Birth injuries, post-natal asphyxia and atelectasis	13	9	214	181
43	Infections of the newborn	4	2	59	47
44	Other diseases peculiar to early infancy and prematurity unqualified	19	14	308	287
45	Senility, without mention of psychosis ill-defined and unknown causes	33	42	4	.	.	.	21	.	.	.
46	All other causes	63	74	18	22	138	104	179	63	156	154
47	Motor vehicle accidents	13	5	.	.	92	83	214	125	156	.
48	All other accidents	22	18	22	22	154	167	143	250	156	.
49	Suicide and self-inflicted injury	4	2	.	.	3
50	Homicide and operations of war	1	†

*To the nearest unit

†Less than 0.5.

from the Principal Causes per 1,000 of the total Deaths at
Periods, 1958.

15—		25—		35—		45—		55—		65—		75—		85 and over		Abbreviated List Nos.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
11	.	28	82	68	26	23	18	23	8	11	5	5	2	3	.	1
11	56	9	14	.	5	3	8	1	6	1	8	2	1	1	.	2
.	3
.	4
.	5
.	6
.	7
.	8
.	9
.	10
11	28	19	11
.	12
.	13
.	14
.	15
.	16
11	.	14	9	5	7	5	2	3	2	2	2	2	.	.	.	17
56	167	94	137	171	309	206	358	220	245	175	179	126	117	54	58	18
78	.	38	68	11	10	8	16	3	11	5	6	3	2	.	.	19
.	.	9	14	5	10	5	7	2	4	2	3	7	8	1	3	20
.	.	14	5	5	3	9	2	3	2	2	8	5	1	2	21	
33	28	28	55	77	37	72	103	101	184	132	220	145	209	142	149	22
.	.	27	9	16	2	7	1	1	1	1	1	23
33	.	94	41	54	79	28	73	9	25	8	13	5	7	3	3	24
22	83	94	27	225	94	351	146	362	247	359	273	337	325	337	362	25
.	83	28	14	9	16	20	25	19	29	34	41	47	44	50	39	26
.	.	9	.	.	7	11	11	30	29	36	28	33	23	18	27	
.	.	19	.	5	10	15	9	11	11	11	14	9	13	9	13	28
.	.	5	.	5	5	5	7	1	4	2	3	5	5	3	5	29
33	56	9	27	45	37	16	16	15	22	37	34	43	39	60	62	30
.	38	14	32	16	51	21	65	22	54	28	44	30	31	22	32	31
.	.	14	10	3	.	.	18	6	11	5	8	5	1	3	3	32
11	.	.	14	9	5	2	5	1	2	2	5	5	6	4	7	34
.	.	14	9	.	5	5	9	7	2	3	5	5	6	4	7	35
.	.	19	14	.	21	5	2	2	2	1	3	3	2	1	1	36
67	28	47	41	27	10	16	14	9	11	9	7	5	4	3	3	37
.	—	—	—	—	—	—	—	4	—	19	21	—	42	—	—	38
—	22	28	—	110	—	42	—	—	—	—	—	—	—	—	—	39
—	22	56	9	27	.	10	2	2	2	3	—	1	—	—	—	40
.	41	
.	42	
.	43	
.	44	
.	45	
44	139	66	123	81	162	70	110	55	83	58	71	59	59	141	141	46
233	56	160	27	27	26	20	5	11	10	4	3	70	63	75	1	47
278	139	160	41	68	16	18	7	18	11	9	10	12	18	11	27	48
22	56	9	41	18	5	18	7	8	2	1	—	—	—	—	—	49
11	.	19	1	—	—	—	—	—	50

ABSTRACT XVI. Northern Ireland: Deaths from Cancer by Sex, Age and Site, 1958.

Detailed List Nos.	SITES	AGES AT DEATH																		
		All Ages	Under 20 yrs.	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and over			
	All Sites	M F	1,143 1,110	7 8	3 3	5 5	5 19	16 40	22 58	53 101	73 100	125 121	167 153	168 162	179 166	164 166	116 114	40 57		
	<i>Buccal Cavity and Pharynx</i>																			
140	Lip	M F	7 1	1	3	.	.	1	2	.	
141	Tongue	M F	10 5	1	.	2	3	3	.	.	1	.	
142	Salivary Gland	M F	3	2	2	.	1	.	1	.	
143-144	Mouth	M F	7 6	1	.	1	1	3	1	1	.	
145-148	Pharynx	M F	12 9	1	.	1	2	1	1	2	1	5	3	2	.	
	<i>Digestive Organs and Peritoneum</i>																			
108	Oesophagus	M F	28 31	1	.	1	2	5	4	7	5	3	1	3	
	Stomach	M F	236 201	.	1	2	1	1	3	15	15	30	34	29	36	32	32	7	.	
152-153	Intestines	M F	111 139	.	.	.	2	1	3	6	11	18	16	22	21	41	46	23	11	
154	Rectum	M F	78 42	.	1	1	1	1	5	3	9	10	17	23	19	26	18	10	6	
155-156	Biliary Passages and Liver	M F	29 49	1	1	1	2	1	6	10	5	7	3	2	2	
157	Pancreas	M F	49 42	.	.	1	.	.	2	1	2	3	6	11	8	12	3	2	.	
158	Peritoneum	M F	6 10	1	2	2	3	8	8	6	12	5	3	.	
159	Other Digestive Organs	M F	1 .	.	1	1	3	.	1	1	2	1	1	.	.	
	<i>Respiratory System</i>																			
160	Nose, Nasal Cavities, etc.	M F	3 3	.	1	1	.	1	.	1	1	.	
161	Larynx	M F	10 10	1	1	.	2	1	2	2	1	2	1	2	
162-163	Trachea, Bronchus and Lungs	M F	263 51	1	.	2	2	4	7	16	27	56	50	37	36	21	4	1	1	
164	Mediastinum	M F	3	2	1	5	4	6	7	12	5	4	1	.		
165	Thoracic Organs (specified as secondary)	M F	3	1	1	1	

Breast and Genito-Urinary Organs

170	Breast	M F	1 197	1 1	9 1	11 2	17 4	27 7	15 12	19 12	1 27	21 8	.	25 7	15 8	10 4	
171-174	Uterus	M F	— 95	9 —	8 —	12 17	17 17	12 12	
175	Ovary, Fallopian Tube and Broad Ligament	M F	— 52	.	1	.	.	.	1 —	2 —	4 —	7 1	6 1	5 1	5 5	7 7	6 6	4 4	4 4	.	.	
176	Other Female Genital Organs	M F	— 13	1 1	1 1	1 1	1 1	1 1	1 1	5 5	2 2	2 2	.	
177	Prostate	M F	104	1 1	1 1	1 1	1 1	1 1	1 1	25 31	20 20	.	3 3	
178	Testis	M F	4	1	1 —	— —	1 —	1 —	1 —	1 —	1 —	1 —	
179	Other Male Genital Organs	M F	— 1	1 —	1 —	1 —	1 —	1 —	1 —	
180	Kidney	M F	16	1	2 1	1 4	4 3	2 3	2 3	4 4	1 1	1 1	6 6	5 5	
181	Bladder and Other Urinary Organs	M F	40	1 1	1 3	1 3	1 3	1 3	1 3	5 5	2 2	1 1	4 4	2 2		
	<i>Other and Unspecified Sites</i>																					
190-191	Skin	M F	11 14	2 —	.	.	1 —	.	2 —	4 —	2 —	2 —	2 —	
192	Eye	M F	2 2	1 —	.	1 —	.	.	.	1 —	.	1 —	.	
193	Brain and other parts of Nervous System	M F	30 18	2	1	1	.	.	.	4 1	1 3	4 —	3 —	6 3	7 2	1 1	
194	Thyroid Gland	M F	4 2	2 2	1 1	.	.	.	
195	Other Endocrine Glands	M F	11 2	1 1	3 1	4 1	2 2	1 1	.	.	
196	Bone	M F	2 13	1	1 —	— 1	1 —	1 —	1 —	1 —	1 —	3 3	1 1	2 2	.	3 3	
197	Connective Tissue	M F	1 12	1	1 —	1 —	1 —	1 —	1 —	1 —	8 8	3 3	2 2	6 6	1 1
198-199	Other Sites	M F	33 47	1	.	1	.	1	1 1	1 1	1 1	1 1	3 3	3 3	1 1	8 6	3 3	2 2	2 2	6 6	1 1	
200, 202, 203, 205	Neoplasms of Lymphatic and Haemopoietic Tissues	M F	22 17	.	.	1	1 —	1 —	1 —	5 4	5 4	3 2	3 3	3 3	3 3	1 1	

ABSTRACT XVII. Northern Ireland: Deaths from Cancer in each County and County Borough by Sex and Site, 1958.

Detailed List Nos.	SITES	CO. BOROUGHES				COUNTIES											
		Belfast		London-derry		Antrim		Armagh		Down		Fermanagh		London-derry (Exc. Co Boro.)		Tyrone	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Buccal Cavity and Pharynx</i>																	
140	Lip	2	1	1	.	1	.	1	.	.	.	2	.
141	Tongue	.	3	2	1	1	.	1	1	.	1	1	.	1	1	1	1
142	Salivary Gland	.	.	1	.	1	1	.
143-144	Mouth	.	5	2	.	.	2	.	.	1	1	.	1	.	.	1	2
145-148	Pharynx	.	5	3	.	3	2	.	.	3	2	1	1
<i>Digestive Organs and Peritoneum</i>																	
150	Oesophagus	.	13	8	1	.	3	6	1	5	5	6	1	1	3	3	3
151	Stomach	.	69	55	4	6	48	37	21	20	41	47	11	9	18	9	24
152-153	Intestines	.	33	54	.	4	18	25	6	11	29	29	6	11	4	8	12
154	Rectum	.	24	15	2	.	9	10	5	2	16	7	3	2	8	3	11
155-156	Biliary Passages and Liver	.	13	19	2	.	4	6	2	5	5	7	1	1	2	4	7
157	Pancreas	.	19	19	.	1	8	6	4	3	8	8	1	1	3	3	1
158	Peritoneum	.	4	4	.	.	1	.	.	1	2	.	.	1	2	.	1
159	Other Digestive Organs	1
<i>Respiratory System</i>																	
160	Nose, Nasal Cavities, etc.	2	1	1	1	2	1
161	Larynx	5	3	.	.	.	4	1	1	2	.	.	1	1	2	1	
162, 163	Trachea, Bronchus and Lungs	144	28	7	5	36	3	22	3	30	8	5	1	8	2	11	
164	Mediastinum	3	
165	Thoracic Organs (Secondary)	3	
<i>Breast and Genito-Urinary Organs</i>																	
170	Breast	.	69	.	5	.	30	.	11	1	42	.	6	.	17	.	17
171-174	Uterus	.	38	.	4	.	13	.	6	17	.	4	.	4	—	9	
175	Ovary, Fallopian Tube and Broad Ligament	.	18	.	2	.	14	.	5	—	8	—	2	—	3	—	.
176	Other Female Genital Organs	.	3	.	.	.	4	.	.	4	.	1	1	1	—	1	
177	Prostate	34	—	5	—	15	—	2	—	19	—	5	—	16	—	8	
178	Testis	1	—	2	.	.	.	1	—	1	—	.	
179	Other Male Genital Organs	1	—	1	—	.	
180	Kidney	8	1	1	1	2	1	3	.	1	2	.	1	1	—	1	
181	Bladder and other Urinary Organs	16	9	.	1	6	2	2	2	10	7	1	.	3	2	2	
<i>Other and Unspecified Sites</i>																	
190, 191	Skin	1	3	.	1	1	2	5	2	1	3	.	1	1	2	.	2
192	Eye	2	1	1	1	1	2	
193	Brain and other parts of the Nervous System	7	7	1	1	9	5	3	1	3	3	.	.	3	—	4	
194	Thyroid Gland	.	3	.	.	1	.	2	2	.	5	.	1	.	1	.	
195	Other Endocrine Glands	.	1	.	.	1	.	.	.	1	.	.	1	.	.	3	
196	Bone	2	2	1	2	3	2	.	2	3	.	1	.	.	.	4	
197	Connective Tissue	1	.	1	1	5	6	9	2	1	3	4	
198, 199	Other Sites	10	20	2	2	6	5	1	1	1	2	2	.	3	1	3	
200, 202	Lymphatic and Haemato-poietic Tissues	5	3	2	.	3	.	1	1	2	4	.	5	2	1	1	
203, 205	Lymphatic and Haemato-poietic Tissues	1	2	
	TOTAL	430	392	30	35	184	182	85	90	194	225	89	34	86	63	95	89

ABSTRACT XVIII. Northern Ireland: Ages of the Population according to the Census of 1951.

III

AGES	Northern Ireland			Belfast C.B.		Londonderry C.B.		Co. Antrim		Co. Armagh		Co. Down		Co. Fermanagh		Co. Londonderry		Co. Tyrone	
	Persons	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Under 1 yr.	26,676	13,811	12,865	4,086	3,841	599	588	2,317	2,246	1,171	1,075	2,376	2,140	550	500	1,197	1,080	1,515	1,395
1 yr.	27,101	13,945	13,156	4,089	3,889	591	532	2,457	2,256	1,171	1,178	2,492	2,220	556	525	1,192	1,130	1,397	1,426
2 yrs.	27,486	14,154	13,332	4,126	3,886	620	581	2,450	2,337	1,258	1,111	2,476	2,312	541	569	1,199	1,144	1,475	1,392
3,,	28,088	14,182	13,886	4,260	4,127	602	548	2,360	2,350	1,221	2,523	2,442	552	587	1,249	1,137	1,415	1,474	
4,,	28,512	14,549	13,963	4,342	4,296	588	570	2,496	2,378	1,181	1,179	2,549	2,363	614	590	1,260	1,179	1,519	1,408
5-9	129,205	66,065	63,140	20,619	19,816	2,494	2,527	10,978	10,062	5,587	5,286	11,403	10,806	2,613	2,339	5,625	5,349	6,716	6,335
10-14	111,689	56,904	54,785	18,098	17,481	2,439	2,217	9,159	8,708	5,040	4,914	9,183	8,855	2,214	2,125	4,821	4,762	5,950	5,723
15-19	108,497	55,441	53,056	17,626	17,860	2,224	2,306	8,875	8,668	4,702	4,503	9,775	8,627	2,059	1,913	4,490	4,210	5,690	4,969
20-24	100,910	48,681	52,229	16,125	18,551	1,768	2,204	7,946	8,985	4,004	4,080	8,159	8,723	1,857	1,565	4,048	3,710	4,774	4,402
25-29	99,492	47,861	51,631	15,812	17,470	1,639	2,043	8,371	9,247	3,918	4,182	8,340	9,129	1,758	1,647	3,630	3,573	4,393	4,340
30-34	91,227	44,680	46,567	13,776	15,428	1,425	1,794	8,117	8,390	3,587	3,566	8,208	8,476	1,811	1,557	3,335	3,227	4,401	4,109
35-39	94,113	45,497	48,616	14,508	16,599	1,425	1,759	7,776	8,334	3,634	4,022	8,211	8,522	1,889	1,670	3,481	3,431	4,573	4,279
40-44	89,055	43,046	46,009	14,033	16,456	1,353	1,701	7,465	7,714	3,538	3,602	7,696	8,228	1,762	1,521	3,167	3,074	4,032	3,713
45-49	80,824	38,848	41,976	13,264	15,174	1,230	1,519	6,537	7,188	3,142	3,332	6,894	7,311	1,533	1,346	2,706	2,775	3,542	3,331
50-54	76,332	36,074	40,258	12,367	14,614	1,035	1,405	5,906	6,513	2,969	3,230	6,387	7,166	1,495	1,296	2,592	2,647	3,323	3,387
55-59	62,216	28,923	33,293	9,572	11,841	905	1,093	4,686	5,486	2,421	2,711	5,149	5,971	1,237	1,130	2,146	2,226	2,807	2,835
60-64	54,525	24,430	30,095	7,532	10,288	691	1,003	3,929	4,829	2,190	2,411	4,452	5,619	1,192	1,147	1,897	2,125	2,547	2,673
65-69	47,401	21,632	25,769	6,007	8,262	608	869	3,550	4,296	2,012	2,110	4,094	5,052	1,147	1,064	1,767	2,447	2,349	
70-74	40,520	18,289	22,231	4,708	6,684	532	746	3,105	3,652	1,696	1,911	3,398	4,382	1,068	954	1,563	1,625	2,219	2,277
75-79	27,234	12,404	14,830	2,960	4,310	315	477	2,154	2,588	1,148	1,273	2,381	2,799	736	660	1,088	1,133	1,072	1,590
80-84	13,743	6,038	7,705	1,292	2,188	165	207	1,089	1,424	598	623	1,187	1,499	373	391	554	588	790	785
85-89	4,766	1,929	2,887	345	794	42	80	385	528	197	215	409	588	104	123	178	230	269	279
90-94	1,111	392	719	57	168	13	16	75	146	37	68	70	146	38	38	50	74	52	64
95 & over	218	64	154	9	35	3	2	8	34	4	16	10	33	13	5	4	13	13	16
ALL AGES	1,370,921	667,819	703,102	209,613	234,058	23,305	26,787	112,191	118,058	56,426	57,828	117,772	123,409	27,742	25,302	53,239	52,209	67,531	64,551

ABSTRACT XIX. Northern Ireland: Deaths from the Principal Causes by Months of Registration, 1958.

Abbreviated List Nos.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
B1	Tuberculosis of respiratory system	10	5	10	4	9	3	8	1	12	6	8	2	7	5	7	1	10	1	2	4	12	4	5	3
B2	Tuberculosis, other forms	.	.	.	1	3	2	.	.	1	1	1	2	4	.	1	.	2	.	3	1	.	1	.	.
B3	Syphilis and its sequelae	2	2	1	1	4	1	.	1	3	1	1	2	2
B4	Typhoid fever
B5	Cholera
B6	Dysentery, all forms	1	1
B7	Scarlet fever and streptococcal sore throat
B8	Diphtheria
B9	Whooping cough	1	.	.	1	.	1	.	1	3	1
B10	Meningococcal meningitis	1	1	1
B11	Plague
B12	Acute poliomyelitis	1	.	1	.	1	1	.	.	1
B13	Smallpox
B14	Measles
B15	Typhus and other rickettsial diseases
B16	Malaria
B17	All other diseases classified as infective and parasitic	5	3	2	2	2	2	.	1	4	.	2	1	1	3	2	.	1	.	1	1	1	.	4	1
B18	Malignant neoplasms including neoplasms of lymphatic and haemopoietic tissues	114	90	92	90	109	101	87	86	84	103	94	96	92	95	97	91	90	92	97	91	100	79	87	96
	(a) Cancer	4	3	2	6	3	2	3	1	5	1	7	5	3	2	1	3	5	5	3	8	5	5	1	5
	(b) Hodgkin's disease and leukaemia	2	1	1	2	1	2	4	1	2	2	1	1	1	1	1	1	1	1	2	2	2	2	2	5
B19	Benign and unspecified neoplasms	7	6	2	5	1	5	7	4	2	5	6	6	3	4	3	5	2	5	2	6	2	2	2	5
B20	Diabetes mellitus	1	8	2	5	5	1	10	.	1	3	1	1	5	3	2	2	1	1	1	1	1	1	1	3
B21	Anaemias	96	126	83	113	84	139	82	107	61	101	68	99	69	101	62	81	52	95	70	80	70	106	94	110
B22	Vascular lesions affecting central nervous system	.	1	.	2	1
B23	Non-meningococcal meningitis

ABSTRACT XX. Northern Ireland: Infant

Detailed List Nos.	CAUSES OF DEATH	Total Deaths	DAYS						Total under 1 week
			Under 1 day	1-	2-	3-	4-	5-	
	All Causes	M F 491 359	168 120 37 30 36 20 29 19 9 5 5 9 1 3						285 206
010	Tuberculosis of meninges	M F
011	Tuberculosis of intestines	M F
001-008, 012-019	Other tuberculous diseases	M F
020-029	Syphilis	M F
050	Scarlet fever	M F
055	Diphtheria	M F
056	Whooping cough	M F	.	4 3
057	Meningococcal infections	M F
080	Acute poliomyelitis	M F
085	Measles	M F
325	Mental deficiency	M F	1 2	1	1
340	Meningitis	M F
480-483	Influenza	M F	1 1
490-493	Pneumonia (excluding newborn)	M F	73 40
500-502	Bronchitis	M F	3 1
571·0, 572	Diarrhoea (excluding newborn)	M F	14 11
750-759	Congenital malformations	M F	82 93	20 22	3 6	5 4	4 5	4 1	37 39
760·0, 761·0	Birth injuries without prematurity	M F	23 13	8 6	5 1	1 1	6 1	.	20 12
760·5, 761·5	Birth injuries with prematurity	M F	13 7	10 4	1 1	1 1	1 1	.	13 7

Mortality by Cause, Age and Sex, 1958.

WEEKS	Total under 4 weeks	MONTHS											Mortality rate per 10,000 Live Births	Deaths of Illegitimate Infts.		Detailed List Nos.			
		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 Illegitimate Births				
		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		313 246	15 9	420 256			
20	14	7	335	45	20	24	15	12	7	5	8	2	5	4	313 246	15 9	420 256		
25	8	5	244	24	16	20	15	9	9	5	5	3	3	2					
.	010	
.	011	
.	001-008, 012-019		
.	020-029		
.	050		
.	055		
.	3 2	.	.	056		
.	057		
.	080		
.	085		
.	1 1	.	.	325		
.	.	1	.	1	1	1	1 1	.	.	340	
1	.	1	.	1	1	1	1 1	.	.	480-483	
.	.	1	.	1	1	1	1 1	.	.	500-502	
.	.	9	6	14	6	17	8	8	7	4	5	1	2	4	46 27	2	56	490-493	
.	.	6	6	6	6	8	7	7	4	1	4	2	2	4	2	1	.	84	571·0, 572
.	.	5	2	3	3	1	2	2	1	.	2	1	1	1	9 8	3 1	28	571·0, 572	
7	4	2	50	17	5	2	3	1	1	1	1	1	1	1	52 64	1 2	28	750-759	
9	2	3	53	10	6	5	5	3	4	3	1	1	1	1	15 9	2 1	56 28	760·0, 761·0	
1	2	.	23	8 5	.	.	760·5, 761·5	
.	.	.	13	
.	.	.	13	
.	.	.	7	

ABSTRACT XX. (continued) Northern Ireland:

Detailed List Nos.	CAUSES OF DEATH	Total Deaths	DAYS						Total under 1 week	
			Under 1 day	1-	2-	3-	4-	5-		
762·0	Asphyxia and atelectasis without prematurity	M F 29 18	18 9 6 3	1 1 2 1	1 1 2 1	2 1 2 1	· · · ·	1 · · ·	28 16	
762·5	Asphyxia and atelectasis with prematurity	M F 40 27	20 13 8 3	8 8 5 3	5 3 1 3	5 3 2 1	1 · · ·	· · · ·	39 27	
763·0	Pneumonia of newborn without prematurity	M F 22 8	3 2	· ·	4 1	2 1	· ·	· ·	· ·	9 4
763·5	Pneumonia of newborn with prematurity	M F 1 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
764·0	Diarrhoea of newborn without prematurity	M F 2 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
764·5	Diarrhoea of newborn with prematurity	M F · ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
765-768·0	Other infections of newborn without prematurity	M F 4 3	1 ·	· ·	· ·	1 ·	2 ·	· 1	· ·	4 1
765-768·5	Other infections of newborn with prematurity	M F · 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
770·0	Haemolytic disease of newborn without prematurity	M F 17 12	9 6 1 2	1 1 3 2	1 2 1 2	1 2 1 1	1 1 1 1	· · · ·	16 12	
770·5	Haemolytic disease of newborn with prematurity	M F 1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·
769, 771, }·0 772	Other defined diseases of early infancy without prematurity	M F 2 4	· 1	· ·	1 1	1 1	1 1	· 1	· ·	2 4
769, 771, }·5 772	Other defined diseases of early infancy with prematurity	M F 3 5	1 3	· 2	· ·	1 ·	· ·	· ·	· ·	2 5
773·0-775·0	Ill-defined diseases peculiar to early infancy without prematurity	M F 6 2	2 ·	· 1	· ·	· ·	· ·	1 ·	· ·	3 1
773·5-775·5	Ill-defined diseases peculiar to early infancy with prematurity	M F 3 1	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
776	Prematurity unqualified	M F 119 79	75 51	13 8	15 6	3 4	· 1	2 2	· ·	108 71
—	Other natural causes	M F 17 12	· ·	· ·	· ·	1 ·	1 ·	2 ·	· ·	2 3
E921, E922	Inhalation and ingestion of food, etc., causing obstruction or suffocation	M F 9 6	· ·	· 1	· ·	· ·	· ·	· ·	· ·	1
E924, E925	Accidental mechanical suffocation	M F 2 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
E926	Lack of care of infants under 1 year of age	M F · ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
—	Other violence	M F 1 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·	1

Infant Mortality by Cause, Age and Sex, 1958.

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 Live Births	Deaths of Illegitimate Infants.		Detailed List Nos.
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 Illegitimate Births	
1	1	.	29	18	2	56	762·0
.	1	.	17	1	12	.	.	
.	.	.	40	25	1	28	762·5
.	.	.	27	18	1	28	
7	1	4	22	14	2	56	763·0
1	2	1	8	5	.	.	
1	2	.	1	1	.	.	763·5
.	2	.	4	3	.	.	
.	1	1	1	2	1	1	.	764·0
.	1	.	1	1	.	.	
.	764·5
.	3	.	.	
1	1	.	4	2	.	.	765-768·0
.	.	.	3	
.	.	.	1	765-768·5
1	.	.	17	11	.	.	770·0
.	.	.	12	8	.	.	
.	.	.	1	1	.	.	770·5
.	.	.	2	3	.	.	
.	.	.	4	3	.	.	769, 771, }·0 772
1	.	.	3	2	.	.	769, 771, }·5 772
.	.	.	5	3	.	.	
1	1	.	4	1	.	.	.	1	4	.	.	773·0-775·0
1	1	.	2	1	.	.	
.	1	1	3	2	.	.	773·5-775·5
1	.	.	1	1	.	.	
8	6	.	116	3	76	2	56	776
.	.	.	77	2	54	1	28	
1	.	.	3	6	3	1	1	1	1	1	2	2	2	1	11	.	.	—
.	3	1	2	1	1	1	1	1	1	1	1	1	1	1	8	1	28	
.	1	1	2	3	1	1	1	1	1	1	1	1	1	1	6	.	.	E921, E922
.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	28	E924, E925
.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	.	.	E926
.	.	.	.	i	1	1	28	—

ABSTRACT XXI. Northern Ireland: Infant Mortality by Cause and Month of Registration, 1958.

Detailed List Nos.	CAUSES OF DEATH	MONTH OF REGISTRATION												
		Total	January	February	March	April	May	June	July	August	September	October	November	December
010	Tuberculosis of meninges	M
		F
011	Tuberculosis of intestines	M
		F
001-008, 012-019 020-029	Other tuberculous diseases	M
		F
	Syphilis	M
		F
050	Scarlet fever	M
		F
055	Diphtheria	M
		F
056	Whooping cough	M	4	1	.	1	2
		F	3	1	.	1	1
057	Meningococcal infections	M
		F
080	Acute poliomyelitis	M
		F
085	Measles	M
		F
340	Meningitis	M
		F	2	.	.	2
480-483	Influenza	M	1	.	1	.	1	1
		F	1
490-493	Pneumonia (excluding newborn)	M	73	7	13	7	12	3	7	6	1	1	6	10
		F	40	4	7	6	3	6	2	2	1	1	1	7
500-502	Bronchitis	M	3	.	2
		F	1
571-572	Diarrhoea (excluding newborn)	M	14	2	.	2	1	1	1	1	2	.	5	1
		F	11	4	2	.	1	1	1	1	1	1	1	.
750-759	Congenital malformations	M	82	7	6	6	9	6	7	4	13	4	3	10
		F	93	8	6	11	16	5	4	8	6	4	11	8
760, 761	Birth injuries	M	36	2	4	4	5	4	2	2	2	3	4	2
		F	20	4	3	1	3	2	4	4	1	2	1	4
762	Asphyxia and atelectasis	M	69	7	3	9	8	3	5	2	7	10	5	6
		F	45	4	4	2	6	6	5	2	5	3	3	2
763	Pneumonia of newborn	M	23	3	3	3	4	4	3	4	1	.	1	1
		F	12	1	.	1	1	1	1	1	1	.	1	.
764	Diarrhoea of newborn	M	2	1	.	.	1
		F	1
765-768	Other infections of newborn	M	4	1	.	.	.	1	2	2
		F	4	2	2	2
770	Haemolytic disease of newborn	M	18	3	2	3	2	1	.	4	2	.	1	.
		F	12	4	3	1	.	2	1	1	1	.	.	1
769, 771, 772	Other defined diseases of early infancy	M	5	1	.	2	1	1	1	1	1	1	.	2
		F	9	.	.	1	1	1	1	1	1	1	.	1
773-775	Ill-defined diseases peculiar to early infancy	M	9	.	2	1	1	1	1	1	1	1	1	.
		F	3	.	.	1	1	1	1	1	1	1	1	.
776	Prematurity unqualified	M	119	11	9	7	9	5	8	12	11	10	8	14
		F	79	7	8	8	5	7	10	2	9	3	7	10
—	Other natural causes	M	18	1	3	2	2	2	2	1	1	1	2	2
—	Deaths from violence	M	11	2	3	1	1	1	1	1	1	1	2	1
		F	9	2	1	1	.	2	1	1	1	1	.	.
TOTAL		M	491	47	50	42	55	33	38	33	41	29	35	44
		F	359	39	38	32	35	35	27	19	29	21	24	33

ABSTRACT XXII. Northern Ireland: Deaths of Children under 1 year in each County and County Borough, 1955-58.

AREA	Deaths of All Children under 1 year of Age.																										
	Year 1958																										
				MALES and FEMALES								MALES								FEMALES							
	1955	1956	1957	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths
NORTHERN IRELAND:	938	850	869	850	288	203	88	69	45	95	62	491	168	117	50	45	29	51	31	359	120	86	38	24	16	44	31
All Urban Areas . . .	543	462	480	485	162	112	47	39	27	58	40	283	97	63	27	23	16	38	19	202	65	49	20	16	11	20	21
All Rural Areas . . .	395	388	389	365	126	91	41	30	18	37	22	208	71	54	23	22	13	13	12	157	55	37	18	8	5	24	10
Belfast County Borough . . .	300	249	275	251	89	39	26	23	15	34	25	146	53	21	14	14	11	24	9	105	36	18	12	9	4	10	16
Londonderry Cnty Borough . . .	63	59	38	43	10	14	7	1	5	5	30	6	10	4	1	1	3	5	13	4	4	3	.	.	2	.	
County Antrim . . .	151	153	129	144	55	33	7	11	4	20	14	81	34	18	4	4	2	13	6	63	21	15	3	7	2	7	8
,, Armagh . . .	80	70	88	85	25	30	4	5	5	9	7	54	17	20	1	5	4	4	3	31	8	10	3	5	3	2	2
,, Down . . .	129	141	119	128	40	32	19	9	8	13	7	74	26	18	11	7	6	3	3	54	14	14	8	2	2	10	4
,, Fermanagh . . .	37	30	36	26	5	11	6	2	1	1	1	13	1	6	3	2	.	.	1	43	4	5	3	.	.	1	.
,, Londonderry* . . .	77	71	79	71	30	12	7	9	6	1	34	13	5	5	5	3	2	2	1	37	17	7	2	4	3	4	.
,, Tyrone . . .	101	86	105	102	34	32	12	9	2	9	4	59	18	19	8	7	2	2	3	43	16	13	4	2	.	7	1

116

ABSTRACT XXIII. Northern Ireland: Mortality among Illegitimate Children in each County and County Borough, 1955-58.

AREA	Deaths of All Illegitimate Children under 1 year of Age																										
	Year 1958																										
				MALES and FEMALES								MALES								FEMALES							
	1955	1956	1957	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	1 mth	2 mths	3-5 mths	6-11 mths
NORTHERN IRELAND:	30	34	31	24	7	4	5	3	1	4	.	15	3	3	3	3	1	2	.	9	4	1	2	.	2	.	
All Urban Areas . . .	14	22	20	10	2	1	3	3	1	3	.	5	1	1	1	1	1	1	.	5	1	.	2	.	2	.	
All Rural Areas . . .	16	12	11	14	5	3	2	3	.	1	.	10	2	2	2	3	.	1	.	4	3	1	
Belfast County Borough . . .	10	10	11	7	2	1	2	.	.	2	.	3	1	1	1	4	1	.	1	.	2	.	
Londonderry Cnty Borough . . .	2	1	2	
County Antrim . . .	4	6	5	5	3	.	.	1	1	.	.	4	2	.	.	1	1	.	.	1	1	
,, Armagh . . .	3	3	1	2	.	.	2	1	.	1	.	1	.	.	.	1	
,, Down . . .	3	5	4	2	.	.	1	1	.	1	.	1	.	.	.	1	.	.	1	.	.	.	
,, Fermanagh . . .	1	1	2	2	1	1	1	.	1	.	.	3	.	1	1	1	.	.	1	.	1	1	
,, Londonderry* . . .	3	4	5	4	1	1	1	.	1	.	.	1	.	1	1	1	.	.	1	1	1	1	
,, Tyrone . . .	4	4	1	2	1	1	1	1	.	1	1	1	.	.	1	1	1	1	

*Excluding County Borough.

ABSTRACT XXIV. Northern Ireland: Notifications of certain Infectious Diseases, 1958.

COUNTY BOROUGH BOROUGHS URBAN AND RURAL DISTRICTS		Acute Influenza and Acute Primary Pneumonia	Cerebro-Spinal Fever	Diphtheria	Dysentery	Erysipelas	Food Poisoning (Bacterial Origin)	Gastro-Enteritis (under 2 years)	Infective Hepatitis	Measles	Polyomyelitis	Puerperal Pyrexia including puerperal fever	Rheumatic Fever	Scarlet Fever	Typhoid and Para- typhoid Fevers	Vincent's Angina	Whooping Cough	Pulmonary Tuberculosis	Non-Pulmonary Tuberculosis	Other Diseases	Totals
Belfast County Borough		131	9	.	324	21	24	405	83	280	11	29	13	384	1,180	389	60	25	3,334		
Londonderry County Borough		9	1	.	10	.	.	57	9	15	2	1	2	83	54	76	8	.	327		
County Antrim		8	9	18	
Ballycastle Urban District		.	.	.	4	.	.	.	2	2	4	2	1	18
Ballyclare		1	.	.	2	1	10	.	4	.	1	1	4	1	1	53	
Ballymena Municipal Borough		.	.	.	2	.	2	.	2	.	1	1	5	5	7	7	
Ballymoney Urban District		.	.	.	2	2	2	.	4	.	1	1	5	5	5	5	
Carrickfergus Municipal Borough		1	.	.	1	1	1	1	1	1	1	1	5	5	5	50	
Larne		.	.	.	1	1	1	1	1	1	1	1	1	1	1	55	
Lisburn Urban District		12	2	.	6	1	1	12	7	14	1	1	1	1	1	1	12	15	15	15	108
Newtownabbey Urban District		4	.	.	7	7	7	.	7	15	1	1	1	1	1	1	2	3	5	2	108
Portrush		.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	22
Whitehead		.	.	.	6	3	2	7	8	8	4	2	1	1	1	1	1	1	1	1	56
Antrim Rural District		1	.	.	2	1	1	3	3	8	8	1	1	1	1	1	41
Ballycastle		.	.	.	10	1	1	5	12	86	1	2	1	1	1	1	3	3	3	46	
Ballymena		.	.	.	1	.	1	.	5	2	2	7	7	7	1	156	
Ballymoney		5	2	2	12	12	8	1	26	
Belfast		7	8	4	2	2	2	5	1	47	
Larne		.	.	.	6	3	2	16	20	18	1	1	1	1	1	14	14	5	5	100	
Lisburn		.	.	.	16	3	2	16	20	18	1	1	1	1	1	69	69	15	3	205	
County Armagh		130	
Armagh Urban District		.	.	.	32	62	.	1	.	.	.	18	5	10	1	2	14
Keady		1	.	.	2	2	1	1	.	4	2	1	1	1	1	1	1	1	1	1	102
Lurgan Municipal Borough		.	.	.	1	.	2	2	5	22	2	1	1	1	1	1	2	2	4	32	
Portadown		.	.	.	1	.	2	3	1	6	6	2	5	5	4	2	
Tandragee Urban District		.	.	.	19	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	187
Armagh Rural District		1	1	.	19	.	1	2	3	5	98	2	2	1	1	1	1	1	1	4	32
Lurgan		.	.	.	3	1	.	.	1	11	1	1	1	1	1	1	1	1	1	1	41
Newry No. 2		6	6	6	23	1	17	2	2	
Tandragee		21	1	1	2	

County Down																										
Banbridge Urban District	.	1	.	.	.	3	2	.	1	2	3	1	.	1	1	.	2	4	10	1	1	14
Bangor Municipal Borough	26	3	.	3	.	26	3
Donaghadee Urban District	1	4	10	25	1	10	4	4	4	41	7	
Downpatrick	"	"	.	.	.	17	.	.	1	1	4	10	25	7	.	1	6	5	1	1	5
Dromore	"	"	39	2	1	1	4	.
Holywood	"	"	.	.	.	1	13	1	9	.	54
Kilkeel	"	"	.	.	.	3	13	1	4	.	21
Newcastle	"	"	13	1	9	.	5
Newry	"	"	.	.	.	3	13	1	4	.	24
Newtownards Municipal Borough	.	1	.	.	1	1	1	.	.	.	1	4	.	3
Warrenpoint Urban District	1	1	.	.	.	10	9	5	.
Banbridge Rural District	10	7	1	1	11	2	.	1	6	22	32	1	2	.	141	1	4	23	5	1	71	18	3	3	198	198
Castlereagh	"	"	.	1	1	1	1	1	2	1	16	.	.	16	.	16	.	10	21	4	2	2	2	102	.	
Downpatrick	"	"	.	12	.	6	1	1	5	14	12	.	.	12	.	12	.	10	16	.	25	7	3	2	104	
Hillsborough	"	"	.	12	.	2	1	1	1	1	.	.	.	12	155	1	1	13	.	20	3	2	2	2	24	
Kilkeel	"	"	.	1	.	2	9	125	1	3	3	.	3	1	1	1	1	147	
Moira	"	"	.	9	9	49	4	2	.	.	119	
Newry No. 1	"	"	.	3	.	2	.	.	2	2	2	36	.	.	1	8	
North Down	"	"	.	.	2	.	12	1	.	2	2	36	.	.	1	8	
County Fermanagh																										
Enniskillen Municipal Borough	2	2	6	.	10	
Enniskillen Rural District	4	3	.	.	77	1	.	.	.	2	.	.	5	2	.	21	
Irvinstown	"	"	.	6	.	2	2	.	.	.	3	.	.	1	.	.	.	8	.	1	.	6	3	.	109	
Lisnaskea	"	"	.	.	.	6	1	2	.	.	5	1	47	.	.	.	9	2	.	73		
County Londonderry																										
Coleraine Municipal Borough	4	1	.	.	.	6	3	.	14	
Limavady Urban District	1	3	.	1	.	1	1	.	.	5	1	.	8	
Portstewart	3	.	1	.	1	1	.	.	2	1	.	7	
Coleraine Rural District	3	1	.	2	1	.	.	.	1	.	9	14	1	.	.	32		
Limavady	"	"	.	2	.	13	.	.	1	1	2	3	.	.	1	.	6	2	4	3	.	36	.	.		
Londonderry	"	"	.	1	.	3	1	.	3	1	7	1	1	.	19	1	.	17	5	6	6	.	66	.		
Magherafelt	"	"	.	17	.	3	2	1	1	1	20	1	.	.	7	.	9	9	13	1	3	.	79	.		
County Tyrone																										
Cookstown Urban District	.	34	.	.	.	8	2	3	1	4	50	.	.	1	9	2	1	.	.	115		
Dungannon	"	"	.	.	.	1	6	.	.	.	6	.	.	.	6	.	.	4	.	.	17	
Omagh	"	"	.	10	.	5	.	.	1	1	1	.	.	1	.	.	10	.	.	5	9	5	1	.	48	
Strabane	"	"	3	1	17	2	.	23	
Castleberg Rural District	.	7	5	.	.	.	6	.	.	11	8	2	.	39	
Clougher	"	"	.	4	.	2	.	.	.	1	2	2	.	.	2	.	.	3	.	.	2	12	2	.	28	
Cookstown	"	"	.	52	.	6	5	.	4	5	74	2	.	1	5	24	.	.	7	8	1	3	.	196		
Dungannon	"	"	.	1	1	9	.	3	.	3	130	.	1	2	16	.	.	.	7	8	6	1	3	190		
Omagh	"	"	.	50	.	2	4	.	2	3	29	2	.	1	2	.	.	2	18	3	3	3	121			
Strabane	"	"	.	28	1	11	.	2	10	1	1	.	1	5	1	6	11	14	4	2	4	2	.	98		
Total: Northern Ireland	.	430	21	.	622	54	77	576	310	1,822	55	43	30	1,046	9	30	1,765	943	*99	*60	8,092	

Only the first case of measles or whooping cough in a household is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

*Comprising 2 cases of acute encephalitis, 1 of anthrax, 1 of encephalitis lethargica, 39 of glandular fever, 2 of pemphigus neonatorum, 7 of leptospiral jaundice, 1 of malaria, 2 of ophthalmia neonatorum and 5 of undulant fever.

ABSTRACT XXV. Northern Ireland: Belfast Co. Borough and Londonderry Co. Borough
Summary of Vital Statistics for the years 1956, 1957, and 1958.

SUBJECT	Northern Ireland			Belfast County Borough			Londonderry County Borough		
	1956	1957	1958	1956	1957	1958	1956	1957	1958
Birth Rate	21.11	21.53	21.61	18.49	19.22	18.94	28.25	28.39	32.23
Marriage Rate	6.70	6.72	6.60	8.21	8.28	8.02	7.67	8.28	9.11
Death Rate	10.64	10.86	10.79	10.43	11.13	11.05	9.89	10.12	10.29
Death Rates from certain specified diseases:									
Tuberculosis (all forms)	0.12	0.13	0.11	0.17	0.16	0.13	0.06	0.14	0.19
Cancer	1.58	1.65	1.61	1.89	1.92	1.88	1.38	1.57	1.26
Influenza	0.11	0.16	0.04	0.06	0.14	0.03	0.11	0.35	0.02
Pneumonia	0.39	0.49	0.48	0.47	0.65	0.61	0.43	0.48	0.50
Heart Disease	3.75	3.80	3.89	3.46	3.69	3.90	3.13	3.08	3.11
Infant Mortality Rate (per 1,000 live births)	29	29	28	29	32	30	39	26	26
Maternal Mortality Rate (per 1,000 live births)	0.58	1.1	0.56	0.73	0.95	0.36	·	·	1.20
Chief Notifiable Diseases—cases notified:									
Typhoid Fever	17	15	9	6	4	2	1	3	·
Scarlet Fever	1,301	1,269	1,046	539	492	384	63	95	83
Diphtheria	·	2	·	·	·	·	·	·	·
Cerebro-spinal Fever	44	41	21	20	13	9	·	·	1
Tuberculosis (all forms)	1,289	1,155	1,142	464	454	449	90	67	84

NOTE—Where not otherwise stated, the rates given are per 1,000 of estimated population.