Sixty-ninth Annual Report of the Registrar General 1990

Presented pursuant to:
Section 56 *of the Marriages (Ireland) Act,* 1844
Section 16 *of the Registration of Marriages (Ireland) Act,* 1863
Article 3(3) *of the Births and Deaths Registration (Northern Ireland) Order* 1976

BELFAST: HMSO

© *Crown copyright* 1992
First published 1992

TABLE OF CONTENTS

TEXT

	Page
GENERAL NOTES.	1
SUMMARY	3
SERIAL STATISTICS FOR NORTHERN IRELAND	4
COMPARATIVE STATISTICS, NORTHERN IRELAND, ENGLAND AND WALES, SCOTLAND AND THE IRISH REPUBLIC	5
POPULATION	6
MARRIAGES	
Number and rate	8
Ages at marriage	8
Method of celebration	8
DIVORCES	
Number, rate and type of decree	11
Duration of marriage	11
Marital status at marriage	11
Age at marriage	12
Children affected by divorce	12
Size of family	12
LIVE BIRTHS-FERTILITY	
Number and rate of live births.	13
Proportion of males to females	13
Age of parents	13
Place of occurrence	13
Multiple births	13
Illegitimate births	16
LIVE BIRTHS BY SOCIAL CLASS	17
STILL-BIRTHS	
Number and rate	19
DEATHS	
Number and rate	21
Area mortality comparisons	21
Deaths in hospitals	23
Cause of death	23
Proportion of deaths from the principal causes	23
Deaths from the principal epidemic diseases	23
Influenza	23
Tuberculosis.	27
Cancer	27
Cerebral haemorrhage etc.	29
Heart disease	29
Bronchitis	30
Pneumonia	30
Pregnancy and childbirth	30
Infant mortality	32
Neonatal mortality.	32
Perinatal deaths	32
Infant mortality by social class	35
Mortality among illegitimate children	35
Violent deaths	39
CERTIFICATION OF DEATHS	42
LIFE TABLE	42
MIGRATION	44

TABLE OF CONTENTS *(Continued)*

Page

ADMINISTRATION
- Introductory. 45
- Buildings licensed or registered for marriages 45
- Legitimacy Acts (N.I.) 1928 to 1961. 45
- Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969 45
- Searches and certificates. 45
- Verifications 45

METEOROLOGY 46

ABSTRACTS

Abbreviations:—N.I. = Northern Ireland

Abstract	*Subject of abstract*	*Area for which statistics are given*	*Page*
	POPULATION		
1	Ages of the population according to the 1981 census	District Council Areas	53
	MARRIAGES		
2	Marriages by area and month of registration, 1990	District Council Areas	55
3	Conjugal condition of persons contracting marriage, 1990	District Council Areas	56
4	Ages of men at marriage, 1990	District Council Areas	57
5	Ages of women at marriage, 1990	District Council Areas	58
6	Age and conjugal condition of persons married in the year, 1990	N.I.	59
7	Ages in combination of men and women at marriage, 1990	N.I.	61
8	Marriages by age of bachelors, by age of spinsters, 1990	N.I.	62
	LIVE BIRTHS		
9	Live births by District Council Area, by month and sex, with quarterly totals, 1990	District Council Areas	63
10	Legitimate live births by sex and by age of mother and father, 1990	N.I.	65
11	Legitimate live births by sex, age of mother and parity, 1990	N.I.	66
12	Live births by age of mother and live birth order, 1990	N.I.	68
13	Legitimate live births by sex, age of mother, and duration of marriage, 1990	N.I.	69
14	Live births by sex, legitimacy and age of mother, 1990	N.I.	70
	STILL-BIRTHS		
15	Still-births by sex, legitimacy and age of mother, 1990	N.I.	71
16	Still-births by sex, cause and period of gestation, 1990	N.I.	72
17	Still-births by sex, cause and weight of fetus, 1990	N.I.	74
18	Still-births by sex, age of mother and parity, 1990	N.I.	76
	DEATHS		
19	Deaths by District Council Area, month and sex, with quarterly totals, 1990	District Council Areas	77
20	Causes of death at different age-periods, by I.C.D. detailed list, 1990	N.I.	78
21	Deaths by sex, cause and place of occurrence by I.C.D. abbreviated list, 1990	N.I.	137
22	Deaths by month of registration, by I.C.D. abbreviated list, 1990	N.I.	140
23	Deaths by sex at each year of age, by conjugal condition, 1990	N.I.	142
24	Deaths by sex and age-periods, by I.C.D. abbreviated list, 1990	N.I.	144
25	Causes of death by sex and age-periods, by I.C.D. detailed list, 1990	District Council Areas	148
26	Deaths at different age-periods, by District Council Area, 1990	District Council Areas	175
27	Deaths from violent causes, by nature of injury, external cause and sex, 1990	N.I.	177
28	Deaths from non-transport accidents—by age and sex, (a) by place of occurrence, (b) while working, 1990	N.I.	178
29	Deaths from cancer in each of the District Council Areas by sex and site, 1990	District Council Areas	180
	INFANT MORTALITY		
30	Deaths of all children under one year in each District Council Area, 1990	District Council Areas	182
31	Deaths of illegitimate children under one year in each District Council Area, 1990	District Council Areas	183
32	Infant mortality, by cause, age and sex, also illegitimate infant mortality, by cause, 1990	N.I.	184
33	Infant mortality, by cause, sex and month of registration, 1990	N.I.	187
	SUMMARY		
34	Marriages, births, still-births and deaths by age, sex and cause, in each District Council Area, 1990, together with the census population 1981	District Council Areas	189
	DIVORCES		
35	Divorces by ground and class of decree, 1990	N.I.	191
36	Divorces by method of celebration and duration of marriage, 1990	N.I.	191
37	Divorces by ages of husband and wife at marriage, 1990	N.I.	191
38	Divorces by age of wife at marriage and duration of marriage, 1990	N.I.	192
39	Divorces by age of wife at divorce and duration of marriage, 1990	N.I.	192
40	Divorces by age of wife at marriage and number of children, 1990	N.I.	193

CHARTS

(Rates shown for Northern Ireland, England and Wales, Scotland and the Irish Republic)

		Page
Figure 1	Marriage rates per 1,000 population	9
Figure 2	Live birth rates per 1,000 population	15
Figure 3	Death rates per 1,000 population	26
Figure 4	Death rates from cancer per 100,000 population	28
Figure 5	Maternal mortality rates per 1,000 total births	31
Figure 6	Infant mortality rates per 1,000 live births	34

GENERAL NOTES

The figures contained in this Report may be regarded as superseding the provisional figures already published for the year 1990 in the Registrar General's quarterly returns.

Throughout the Report births and deaths have been recorded according to date of registration and not to date of occurrence. They have also been allocated to the district of normal residence, if in Northern Ireland; births have been assigned to the districts containing the normal residence of parents and deaths to the districts containing the normal residence of the deceased persons. Events occurring in Northern Ireland relating to persons whose normal residence is outside Northern Ireland have been assigned to the district of occurrence.

Rates are assessed per 1,000 of the estimated home population as at 30 June unless otherwise stated. The home population comprises the population of all types in Northern Ireland including Her Majesty's Forces.

Marriage rates relate to the number of marriages solemnised and not to the number of persons married.

Divorce statistics have been compiled from returns of "Decrees made Absolute" supplied by the Lord Chancellor's Department.

Comparisons with rates (births, deaths etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but it should be remembered that (with the exception of Diagram 3) they are crude rates only and take no account of changes in, or differences between, the age and sex structure of the populations.

Generally speaking, the classifications adopted for the purposes of this Report are the Detailed and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1975."

§ The term cancer, where used, refers to all malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues, including Hodgkin's disease, leukaemia and aleukaemia (I.C.D. Nos. 201, 204–208) which prior to 1988 were not included in this heading. Therefore rates will no longer be comparable.

Where more than one cause of death is reported, the death is classified according to the underlying cause, i.e. the diesease or injury which initiated the train of morbid events leading directly to death. This method of classification is followed even if the deceased may have recovered from the underlying cause long before the date of death.

In the text and tables the terms "still-birth" refers to a child born after the 28th week of pregnancy and which did not breathe or show any other sign of life. Perinatal deaths are deaths of infants under one week and also includes still-births; "neonatal mortality" relates to deaths of children under 4 weeks of age and "infant mortality" to deaths of all children (including neonatal) under 1 year of age.

Generally in the tables and abstracts, dots (.) are used to indicate "none" and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

SUMMARY

In 1990 there was a decrease in the death, marriage, and still-birth rates and an increase in the birth rate compared with 1989. The infant, neonatal and perinatal mortality rates remained the same as the previous year.

The following figures indicate the general trend of marriages, births and deaths over the past 30 years. More detailed comparisons will be found in Tables A and A1.

Table B shows comparative statistics for Northern Ireland, England and Wales, Scotland and the Irish Republic. The marriage rate in Northern Ireland was lower than in Scotland but higher than the Irish Republic. The rate for England and Wales was not available at time of publication. The live birth rate was higher than that of the Irish Republic, England and Wales and Scotland; the death rate was lowest in the Irish Republic.

		1960	1980	1989	1990
Estimated population		1,419,800	1,532,800	1,583,000	1,589,400
Marriages	Number	9,881	9,923	10,019	9,588
	Rate	7·0	6·2	6·3	6·0
Live Births	Number	31,989	28,582	26,080	26,499
	Rate	22·5	18·6	16·5	16·7
Illegitimate live births	Number	815	1,751	4,412	4,972
Still-births	Number	*	266	133	116
	Rate†	*	9	5	4
Deaths	Number	15,296	16,835	15,844	15,426
	Rate	10·8	11·0	10·0	9·7
Perinatal	Number	*	450	214	202
	Rate†	*	16	8	8
Neonatal	Number	640	229	104	106
	Rate‡	20	8	4	4
Infant	Number	870	382	180	198
	Rate‡	27	13	7	7
Maternal	Number	14	2	.	.
	Rate†	0·4	0·07	.	.
Divorces	Number	*	*	1,818	1,897
	Rate††	*	*	2·7	2·8
Deaths from:					
Heart diseases (all forms)		5,630	6,155	5,251	5,047
Cerebral haemorrhage etc.		2,190	2,217	1,804	1,642
Cancer (all sites)§		2,301	2,885	3,500	3,445
Lung cancer		335	676	831	771
Road vehicle accidents (E810–E829)		179	291	185	190
Accidents in the home		113	314	105	115
Other violent causes		300	418	403	394
Inquests held		618	730	560	570

*Not available.
†Rate per 1,000 births (live and still).
‡Rate per 1,000 live births.
§From 1988 see definition on page 1.
††Rate per 1,000 married population.
**Revised.

TABLE A. *Northern Ireland: Population, marriages, live births and deaths,* 1981-1990, *with quinquennial averages from* 1911.

YEAR	Estimated mid-year population	Marriages	Live births (total)	Illegitimate live births	Deaths	Deaths of infants under 1 year of age	Still-births
1911–15	*1,238,000*	*7,535*	*29,675*	*1,296*	*21,929*	*3,030*	—
1916–20	*1,227,000*	*8,250*	*27,560*	*1,258*	*22,128*	*2,620*	—
1921–25	*1,260,000*	*7,873*	*29,104*	*1,248*	*19,594*	*2,392*	—
1926–30	*1,246,000*	*7,328*	*26,418*	*1,249*	*18,403*	*2,083*	—
1931–35	*1,258,000*	*7,806*	*25,098*	*1,259*	*18,026*	*1,966*	—
1936–40	*1,287,000*	*9,073*	*25,533*	*1,178*	*18,369*	*1,970*	—
1941–45	*1,304,000**	*10,751*	*29,592*	*1,560*	*17,478**	*2,169*	—
1946–50	*1,350,000**	*9,396*	*29,764*	*1,124*	*16,039**	*1,423*	—
1951–55	*1,383,000*	*9,359*	*28,798*	*838*	*15,557*	*1,054*	—
1956–60	*1,405,000*	*9,500*	*30,539*	*758*	*15,175*	*863*	—
1961–65	*1,447,000*	*10,185*	*33,226*	*890*	*15,628*	*879*	*695*
1966–70	*1,501,500*	*11,357*	*32,866*	*1,180*	*15,987*	*791*	*530*
1971–75	*1,532,000*	*11,383*	*28,849*	*1,260*	*16,948*	*610*	*406*
1976–80	*1,526,200*	*10,010*	*26,959*	*1,531*	*16,750*	*427*	*269*
1981	1,537,700	9,636	27,302	1,902	16,256	360	241
1982	1,537,900	9,913	27,028	2,112	15,918	369	187
1983	1,543,200	9,990	27,255	2,383	16,039	329	204
1984	1,550,500	10,361	27,693	2,802	15,692	291	164
1985	1,557,800	10,343	27,635	3,195	15,955	265	178
1981–85	*1,545,400*	*10,049*	*27,383*	*2,479*	*15,972*	*323*	*195*
1986	1,566,800	10,225	28,152	3,580	16,065	286	125
1987	1,575,200	10,363	27,865	3,976	15,334	242	171
1988	1,578,100	9,961	27,767	4,464	15,813	248	139
1989	1,583,000	10,019	26,080	4,412	15,844	180	133
1990	1,589,400	9,588	26,499	4,972	15,426	198	116
1986–90	*1,578,500*	*10,031*	*27,273*	*4,281*	*15,696*	*231*	*137*

TABLE A1. *Northern Ireland: Annual marriage, birth and death rates and death rates of infants under* 1 *year per* 1,000 *live births,* 1981-1990, *with quinquennial averages from* 1911.

YEAR	Rates per 1,000 of estimated population			Illegitimate live births per cent. of total live births	Death rates of infants under 1 year of age per 1,000 live births	Still-birth rates per 1,000 births (live and still)
	Marriages	Live births	Deaths			
1911–15	*6·1*	*24·0*	*17·7*	*4·37*	*102*	—
1916–20	*6·7*	*22·5*	*18·0*	*4·56*	*95*	—
1921–25	*6·3*	*23·1*	*15·6*	*4·29*	*82*	—
1926–30	*5·9*	*21·2*	*14·8*	*4·73*	*79*	—
1931–35	*6·2*	*20·0*	*14·3*	*5·02*	*78*	—
1936–40	*7·1*	*19·8*	*14·3*	*4·61*	*77*	—
1941–45	*8·2*	*22·7*	*13·4**	*5·27*	*73*	—
1946–50	*7·0*	*22·0*	*11·9**	*3·78*	*48*	—
1951–55	*6·8*	*20·8*	*11·3*	*2·91*	*37*	—
1956–60	*6·8*	*21·7*	*10·8*	*2·48*	*28*	—
1961–65	*7·0*	*23·0*	*10·8*	*2·67*	*26*	*20*
1966–70	*7·6*	*21·0*	*10·6*	*3·59*	*24*	*16*
1971–75	*7·4*	*18·8*	*11·1*	*4·35*	*21*	*14*
1976–80	*6·6*	*17·7*	*11·0*	*5·67*	*16*	*10*
1981	6·3	17·8	10·6	6·96	13	9
1982	6·4	17·6	10·4	7·81	14	7
1983	6·5	17·7	10·4	8·74	12	7
1984	6·7	17·9	10·1	10·12	11	6
1985	6·6	17·7	10·2	11·56	10	6
1981–85	*6·5*	*17·7*	*10·3*	*9·04*	*12*	*7*
1986	6·5	18·0	10·3	12·72	10	4
1987	6·6	17·7	9·7	14·27	9	6
1988	6·3	17·6	10·0	16·08	9	5
1989	6·3	16·5	10·0	16·92	7	5
1990	6·0	16·7	9·7	18·76	7	4
1986–90	*6·4*	*17·3*	*9·9*	*15·75*	*8*	*5*

*Statistics of population and deaths for the years 1941–1949 relate to civilians only.

TABLE B. *Comparative statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic,* 1926, 1937, 1951, 1961, 1966, 1971, 1981, 1984-1990.

MARRIAGE RATES PER 1,000 OF POPULATION

Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5·8	7·2	6·4	4·6
1937	6·7	8·8	7·7	5·0
1951	6·9	8·2	8·1	5·4
1961	6·9	7·5	7·8	5·4
1966	7·3	8·0	8·1	5·8
1971	7·9	8·3	8·1	7·3
1981	6·3	7·1	7·0	6·0
1984	6·7	7·0	7·0	5·2
1985	6·6	6·7	7·1	5·3
1986	6·5	7·0	7·0	5·2
1987	6·6	7·0	7·0	5·2
1988	6·3	6·9	7·0	5·1
1989	6·3	6·9	6·9	5·2*
1990	6·0	**	6·8	5·0*

LIVE BIRTH RATES PER 1,000 OF POPULATION

Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22·5	17·8	21·1	20·6
1937	19·8	14·9	17·6	19·2
1951	20·7	15·4	17·7	21·2
1961	22·4	17·6	19·5	21·2
1966	22·5	17·7	18·6	21·6
1971	20·6	16·0	16·6	22·8
1981	17·8	12·8	13·4	21·0
1984	17·9	12·8	12·7	18·2
1985	17·7	13·1	13·0	17·6
1986	18·0	13·2	12·9	17·4
1987	17·7	13·6	13·0	16·5
1988	17·6	13·8	13·0	15·4
1989	16·5	13·6	12·5	14·8*
1990	16·7	13·6	12·9	15·1*

DEATH RATES PER 1,000 OF POPULATION

Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15·0	11·6	13·1	14·1
1937	15·1	12·4	13·9	15·3
1951	12·8	12·5	12·9	14·3
1961	11·3	12·0	12·3	12·3
1966	11·1	11·7	12·3	12·1
1971	10·5	11·6	11·8	10·6
1981	10·6	11·6	12·4	9·6
1984	10·1	11·4	12·1	9·1
1985	10·2	11·8	12·5	9·4
1986	10·3	11·6	12·4	9·5
1987	9·7	11·3	12·1	8·9
1988	10·0	11·3	12·2	8·9
1989	10·0	11·4	12·8	9·1*
1990	9·7	11·1	12·1	9·1*

PERINATAL, NEONATAL, AND INFANT MORTALITY RATES

Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
	†Peri-natal	‡Neo-natal	‡Infant	†Peri-natal	‡Neo-natal	‡Infant	†Peri-natal	‡Neo-natal	‡Infant	†Peri-natal	‡Neo-natal	‡Infant
1926	—	34	85	—	32	70	—	36	83	—	27	74
1937	—	36	77	60	30	58	—	38	80	—	30	73
1951	—	25	41	38	19	30	44	22	37	—	25	46
1961	38	19	27	32	15	21	36	18	26	36	21	31
1966	31	17	26	26	13	19	29	15	23	29	16	25
1971	27	16	23	22	12	18	24	14	20	23	12	18
1981	15	8	13	12	7	11	12	7	11	13	7	10
1984	11	7	11	10	6	10	11	6	10	14	6	10
1985	11	6	10	10	5	9	10	6	9	12	5	9
1986	10	6	10	10	5	10	10	5	9	12	5	9
1987	10	5	9	9	5	9	9	5	9	10	4	8
1988	9	5	9	9	5	9	9	5	8	11	5	9
1989	8	4	7	8	5	8	9	5	9	10*	5*	8*
1990	8	4	7	8	5	8	9	4	8	10*	5*	8*

†Per 1,000 births (live and still). ‡Per 1,000 live births. *Provisional. **Not available at time of publication.

POPULATION

The home population of Northern Ireland estimated as at 30 June 1990 was 1,589,400 persons. This estimate, comprising civilians and members of H.M. forces stationed in Northern Ireland, is based on the census taken on 5 April 1981 (1,532,196 persons) and takes account of natural increase and net migration. During the year ended 30 June 1990, the natural increase of 11,073 was off-set by net migration of 4,600 *(approx.). Further details regarding* migration are shown *on page 44.*

The total population is further analysed by sex and age in Table C1.

Table C shows the population of the 26 District Council Areas.

TABLE C. *Population of 26 District Council Areas as recorded at the census of 1981 and as estimated at mid-year 1990.*

AREA	Census 1981	Mid-Year Estimate 1990
Northern Ireland	1,532,196	1,589,400
Ards	57,792	65,400
Belfast	314,270	295,100
Castlereagh	60,785	58,100
Down	53,193	57,700
Lisburn	84,007	98,700
North Down	66,264	72,600
Antrim	45,016	47,600
Ballymena.	54,814	57,300
Ballymoney	22,946	24,100
Carrickfergus	28,625	31,000
Coleraine	46,739	48,600
Cookstown	28,257	27,700
Larne	29,076	29,000
Magherafelt	32,494	33,200
Moyle	14,396	15,000
Newtownabbey	72,246	72,900
Armagh	49,223	49,100
Banbridge.	30,110	32,100
Craigavon.	73,260	78,200
Dungannon	43,883	43,800
Newry and Mourne	76,574	89,700
Fermanagh	51,594	50,600
Limavady.	26,964	29,900
Londonderry/Derry	89,101	100,500
Omagh	44,288	45,800
Strabane	36,279	35,700

TABLE C1. *Northern Ireland: Sex and age distribution of home population as estimated at 30 June 1990 and percentage of total population in each age-group.*

(To nearest 100)

Age Groups	Persons	% Age	Males	% Age	Females	% Age
Years						
0–14	395,800	24·9	202,500	25·9	193,300	23·9
15–64	998,900	62·8	501,500	64·3	497,400	61·5
65+	194,700	12·3	76,400	9·8	118,300	14·6
0–	26,200	1·7	13,400	1·7	12,800	1·6
1–	26,500	1·7	13,700	1·8	12,800	1·6
2–	27,400	1·7	14,000	1·8	13,400	1·7
3–	27,700	1·7	14,300	1·8	13,400	1·7
4–	27,400	1·7	14,100	1·8	13,300	1·6
0– 4	135,200	8·5	69,500	8·9	65,700	8·1
5– 9	133,400	8·4	68,200	8·7	65,200	8·1
10–14	127,200	8·0	64,800	8·3	62,400	7·7
15–19	133,500	8·4	70,000	9·0	63,500	7·9
20–24	135,600	8·5	71,800	9·2	63,800	7·9
25–29	125,400	7·9	64,800	8·3	60,600	7·5
30–34	109,600	6·9	54,300	7·0	55,300	6·8
35–39	96,200	6·0	47,500	6·1	48,700	6·0
40–44	94,900	6·0	47,000	6·0	47,900	5·9
45–49	87,600	5·5	43,100	5·5	44,500	5·5
50–54	77,100	4·8	37,700	4·8	39,400	4·9
55–59	71,200	4·5	34,000	4·4	37,200	4·6
60–64	67,800	4·3	31,300	4·0	36,500	4·5
65–69	63,100	4·0	28,000	3·6	35,100	4·3
70–74	49,800	3·1	20,600	2·6	29,200	3·6
75–79	40,900	2·6	15,500	2·0	25,400	3·2
80–84	25,800	1·6	8,500	1·1	17,300	2·1
85+	15,100	1·0	3,800	0·5	11,300	1·4
TOTALS	1,589,400	100	780,400	100	809,000	100

The 1981 Census population by age and sex for Northern Ireland and for District Council Areas is given in Abstract 1.

MARRIAGES

Number and rate. Marriages registered during the year numbered 9,588 giving the rate of 6·0 per 1,000 population. The corresponding number and rate for 1989 was 10,019 and 6·3 respectively. In 8,157 (85·1 per cent.) of the total marriages both contracting parties were single; in 273 (2·8 per cent.) one or both were widowed and in 1,256 (13·1 per cent.) one or both were divorced. Of every 1,000 persons married 81 were previously divorced. This rate is 7 above that for 1989; comparative rates for the years 1970 and 1980 were 12 and 46 respectively. Further details are given in Abstracts 3 and 6.

The number of marriages celebrated in each month in 1990 was as follows:

January	303	April	857	July	1,142	October	852
February	342	May	798	August	1,414	November	385
March	475	June	1,282	September	1,425	December	313
Qtrs.: 1st	1,120	2nd	2,937	3rd	3,981	4th	1,550

This shows that the period July to September was the most popular quarter for weddings, September heading the monthly totals with 1,425. January was the least popular month.

Ages at marriage. Although the most popular age for marriage was 25 years for men and 22 for women, the arithmetical average age of men marrying in 1990 was 27·9 and of women 25·7. During 1989 this age was 27·4 among men and 25·3 among women. In 1980 the average age was 25·6 for men and 23·5 for women. The mean age at marriage of persons marrying for the first time in 1990 was 26·2 years for men and 24·3 for women. Of the contracting parties 0·2 per cent. of the husbands and 1·1 per cent. of the wives were minors (the age of majority was lowered from 21 to 18 from 1 January 1970), the relative figures for 1980 being 0·8 per cent. and 4·5 per cent. Further statistics will be found in Table D and Abstracts 4, 5, 6, 7 and 8.

Method of celebration. Table D1 shows the marriages registered during the years 1927, 1937, 1951, 1961, 1966, 1971, 1981 and 1984 to 1990 according to the form of celebration and Table D2 gives further details of marriages in 1990.

Marriages taking place in registrars' offices in the year under review represented 13·6 per cent. of the total marriages which is 0·6 above that for the previous year.

TABLE D. *Marriages, mean ages at marriage; men and women by previous marital status,* 1986–1990.

YEAR	Males—mean age at marriage												
	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
1986	26·7	25·3	56·8	37·4	24·9	39·8	30·7	50·9	63·0	52·7	35·4	44·6	39·8
1987	27·0	25·5	56·7	37·2	25·2	42·1	31·2	50·3	65·5	53·3	34·7	48·7	39·8
1988	27·2	25·7	56·8	38·9	25·5	36·3	31·8	53·5	63·8	49·1	35·9	48·2	42·1
1989	27·4	25·8	56·3	38·4	25·5	38·1	32·0	51·3	60·9	53·9	35·6	48·0	42·0
1990	27·9	26·2	57·5	38·8	25·8	40·3	32·5	51·2	64·1	54·9	35·9	49·3	41·9

YEAR	Females—mean age at marriage												
	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
1986	24·6	23·4	49·7	34·6	23·0	41·8	28·5	42·0	58·1	43·8	32·2	43·5	36·6
1987	24·8	23·6	49·6	35·1	23·2	39·8	28·2	42·1	58·1	45·8	32·3	45·3	36·9
1988	25·0	23·9	49·3	35·7	23·6	42·6	28·8	39·0	58·4	45·5	32·8	41·5	38·2
1989	25·3	24·0	48·7	35·8	23·7	41·2	28·9	40·0	57·0	43·2	33·3	44·7	37·6
1990	25·7	24·3	50·3	36·5	23·9	39·5	28·7	40·7	59·5	47·2	33·3	48·4	38·6

Marriage Rates (Crude)

Rate per 1000 population

Figure 1



Northern Ireland



England and Wales



Scotland



Republic of Ireland

TABLE D1. *Northern Ireland: Marriages registered according to forms of celebration, 1927, 1937, 1951, 1961, 1966, 1971, 1981, 1984–1990.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	Other denominations	In Registrars' Offices	Total marriages registered	Total marriage rate per 1,000 of estimated population
1927	2,091	2,074	2,150	235	237	388	7,175	5·74
1937	2,396	2,473	2,426	426	255	647	8,623	6·73
1951	2,723	2,975	2,270	446	306	694	9,414	6·86
1961	3,285	2,942	2,258	517	339	520	9,861	6·91
1966	3,707	3,207	2,338	582	356	545	10,735	7·26
1971	4,672	3,138	2,446	563	472	861	12,152	7·92
1981	3,726	2,258	1,570	443	485	1,154	9,636	6·16
1984	3,994	2,267	1,670	417	540	1,473	10,361	6·68
1985	4,028	2,302	1,634	441	538	1,400	10,343	6·64
1986	4,000	2,179	1,562	491	572	1,421	10,225	6·53
1987	4,026	2,242	1,626	439	646	1,384	10,363	6·58
1988	3,960	2,083	1,552	436	581	1,349	9,961	6·31
1989	3,894	2,206	1,576	417	628	1,298	10,019	6·33
1990	3,759	2,048	1,459	380	641	1,301	9,588	6·03

TABLE D2. *Northern Ireland: Marriages registered by District Council Area and method of celebration,* 1990.

AREA	Total Marriages	Roman Catholic	Presbyterian		Church of Ireland			Methodist		In Registrars' Offices	Other denominations	
			By Licence	By Special Licence	After Banns	By Licence	By Special Licence	By Licence or Certificate	By Special Licence		By Licence or Certificate	By Special Licence
Northern Ireland	9,588	3,759	1,977	71	38	1,310	111	275	105	1,301	607	34
Ards	332	45	127	2	2	52	3	7	4	68	21	1
Belfast	1,941	754	331	16	6	179	25	68	50	337	162	13
Castlereagh	287	15	72	1	6	78	4	16	8	54	27	6
Down	337	203	44	4	1	32	6	1	2	25	16	3
Lisburn	484	102	132	8	2	99	28	18	1	65	27	2
North Down	404	30	119	4	3	48	11	20	7	144	18	.
Antrim	266	87	79	.	.	29	1	4	.	59	7	.
Ballymena	348	50	167	10	1	21	10	11	.	30	47	1
Ballymoney	148	62	39	.	.	17	.	.	.	12	18	.
Carrickfergus	183	7	49	1	.	33	1	23	6	44	17	2
Coleraine	355	63	109	9	1	69	4	4	4	67	24	1
Cookstown	191	110	35	.	.	18	.	2	2	15	9	.
Larne	299	163	66	3	.	25	2	5	2	21	12	.
Magherafelt	226	138	38	.	.	31	1	.	.	6	12	.
Moyle	87	50	14	1	1	20	.	.	.	1	.	.
Newtownabbey	431	44	134	3	.	71	3	37	6	86	43	4
Armagh	268	113	55	2	.	55	.	6	1	17	19	.
Banbridge	210	68	55	.	.	37	3	4	.	19	24	.
Craigavon	494	200	41	.	6	99	1	23	5	79	40	.
Dungannon	248	134	29	1	1	45	.	5	2	20	11	.
Newry and Mourne	534	387	66	1	.	25	1	1	1	33	19	.
Fermanagh	309	162	10	.	1	90	.	12	2	17	15	.
Limavady	166	90	35	.	.	26	1	.	.	11	3	.
Derry	562	394	55	4	2	47	5	1	.	48	6	.
Omagh	274	174	30	.	2	39	1	6	.	15	7	.
Strabane	204	114	46	1	3	25	.	1	2	8	3	1

DIVORCES

Number, rate and type of decree. The number of divorce decrees in the year of 1990 numbered 1,897 as compared with 1,818 for 1989, this is an increase of 79. The rates per 1,000 of the married population were 2·8 for 1990 and 2·7 for 1989. Nullities and dissolutions of marriage contribute little to these totals which are made up mostly of decrees absolute. Table Z shows statistics covering 1983–1990.

TABLE Z. *Divorces* by type of decree,* 1983-1990.

Year	All Grounds of Divorce	Nullity of Marriage	Dissolution of Marriage	All Decrees	Rate per 1,000 of Married Population†
1983	1,653	4	.	1,657	2·5
1984	1,547	4	1	1,552	2·3
1985	1,659	8	2	1,669	2·5
1986	1,535	4	.	1,539	2·3
1987	1,507	7	.	1,514	2·3
1988	1,546	4	.	1,550	2·3
1989	1,812	5	1	1,818	2·7
1990	1,893	4	.	1,897	2·8

†Revised.

Duration of marriage. During the years of 1990 and 1989 the highest proportion of divorces, (30%), took place between 5 and 9 years after marriage. In 1990 divorces in the first 5 years of marriage were less frequent, but over 14% of divorces took place between couples who had been married for over 25 years.

TABLE Z1. *Divorces* by duration of marriage,* 1984–1990.

Duration of Marriage (Years)	All Decrees						
	1984	1985	1986	1987	1988	1989	1990
0	.	.	.	.	.	.	.
1	.	1	.	.	2	2	2
2	5	2	1	2	.	2	7
3	27	26	20	24	22	35	33
4	75	72	78	68	59	73	75
0–4	107	101	99	94	83	112	117
5–9	494	503	443	447	480	539	562
10–14	366	426	376	335	345	407	382
15–19	248	263	262	270	251	296	325
20–24	167	187	186	182	203	224	239
25–29	98	99	101	115	99	131	151
30+	72	90	72	71	89	109	121
TOTAL	1,552	1,669	1,539	1,514	1,550	1,818	1,897

Marital status at marriage. In 1990 3·6% of both husbands and wives securing a divorce were already of divorced status when entering the marriage. The equivalent figure for 1989 was 4·5%.

TABLE Z.2. *Divorces* by marital status at time of marriage,* 1983–1990.

Year	Husbands			All Decrees	Wives			All Decrees
	Marital Status at Time of Marriage				Marital Status at Time of Marriage			
	Bachelors	Widowers	Divorced Men		Spinsters	Widows	Divorced Women	
1983	1,592	17	48	1,657	1,603	20	34	1,657
1984	1,507	15	30	1,552	1,503	7	42	1,552
1985	1,601	14	54	1,669	1,609	21	39	1,669
1986	1,476	12	51	1,539	1,467	17	55	1,539
1987	1,459	11	44	1,514	1,467	6	41	1,514
1988	1,494	7	49	1,550	1,488	7	55	1,550
1989	1,716	15	87	1,818	1,729	14	75	1,818
1990	1,815	14	68	1,897	1,817	11	69	1,897

*Includes nullities and dissolutions of marriage.

Age at marriage. The percentages of the total divorces where one or both of the parties were under 21 years of age at the time of marriage for the years 1990 and 1989 were 40% and 42% respectively. Further details are given in Abstract 37.

Children affected by divorce. A total of 3,231 children were affected by divorce in 1990; the majority of these children (1,660) were between 5 and 15 years old. The 1989 figures were 3,014 and 1,558 respectively.

TABLE Z.3. *Divorces* by ages of children,* 1984–1990.

Ages of Children	1984	1985	1986	1987	1988	1989	1990
0–4	203	216	178	179	180	232	223
5–9	637	699	714	645	715	767	800
10–15	745	837	783	682	662	791	860
16–17	193	210	190	208	216	231	258
18+	584	668	802	711	704	993	1,090
All Ages	2,362	2,630	2,667	2,425	2,477	3,014	3,231
No. of Divorces	1,552	1,669	1,539	1,514	1,550	1,818	1,897

Size of family. Approximately a quarter (469, 25%) of the couples granted divorces in 1990 were childless. The figures for 1989 were 473, 26% respectively. Families with 2 children formed the largest proportion of those involved in divorce in 1990 and 1989 respectively.

TABLE Z.4. *Divorces* by size of family,* 1983–1990.

Year	All Sizes	Size of Family					
		0	1	2	3	4	5+
1983	1,657	396	431	437	212	113	68
1984	1,552	445	388	409	182	78	50
1985	1,669	447	420	439	219	90	54
1986	1,539	354	374	444	201	95	71
1987	1,514	383	395	425	172	83	56
1988	1,550	382	398	457	191	67	55
1989	1,818	473	417	493	254	110	71
1990	1,897	469	434	519	275	121	79

Further details of divorces are given in Abstracts 35 to 40. All information relates to divorces granted under The Matrimonial Causes (Northern Ireland) Order 1978 and The Matrimonial Causes Rules (Northern Ireland) 1981.

*Includes nullities and dissolutions of marriage.

FERTILITY

LIVE BIRTHS

Number and rate. Live births registered during 1990 numbered 26,499, an increase of 419 as compared with the previous year. The birth rate was 16·7 per 1,000 of the estimated population, being 0·2 above the rate for 1989.

The monthly incidence of births was as follows:

January	2,610	April	2,172	July	2,338	October	2,442
February	1,965	May	2,384	August	2,192	November	2,147
March	2,243	June	2,237	September	2,087	December	1,682
Qtrs.: 1st	6,818	2nd	6,793	3rd	6,617	4th	6,271

Compared with 1989 the June and September quarters showed decreases of 61 and 150 live births whereas March and December quarters showed increases of 301 and 329 respectively.

Births registered during 1990 where the normal residence of the parents was outside Northern Ireland, numbered 248 as compared with 249 in 1989. In 207 cases an address in the Irish Republic was given, compared with 210 in 1989. Twenty-nine children were born to mothers normally resident in England and Wales and 4 to mothers from Scotland. There were no children born to parents from the British Commonwealth, and 8 children to parents from a foreign country outside the British Commonwealth.

Proportion of males to females. Births of males in Northern Ireland in 1990 numbered 13,557 and those of females 12,942, the proportion of male to female births being 1,048 to 1,000. The corresponding proportion for each of the five years 1985–1989 were 1,054, 1,075, 1,056, 1,055 and 1,061 respectively.

Age of parents. Table E2 classifies legitimate live births according to the age of the mother. The maternal age-group which contributed the greatest number of live births was the group aged 25–29.

Place of Occurrence. Of the live births 99·8 per cent. occurred in hospitals.

Multiple births. Up to and including 1960, the birth of one live and one still-born infant was regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth. Since 1961 still-births have been registered and these are now being taken into account to obtain accurate figures for single and multiple births. Of the 26,499 live births, 25,964 were the product of single, 520 of twin and 15 of triple pregnancies. Table E gives the multiplicity of all births.

TABLE E. *Multiple births (live and still), by age of mother, sex and type,* 1990.

Type	Live births		Still-births	Total	Legitimate	Illegitimate	Age of mother							
	Male	Female					<20	20–24	25–29	30–34	35–39	40–44	45–49	50+
Twin	2	.	.	91	74	17	6	22	31	22	9	1	.	.
Births	1	1	.	83	78	5	2	7	32	28	12	2	.	.
	.	2	.	81	64	17	4	13	28	24	12	.	.	.
	1	.	1	5	3	2	.	.	1	1	3	.	.	.
	.	1	1	5	3	2	1	1	.	2	1	.	.	.
	.	.	2	2	2	.	.	.	1	1	.	.	.	.
Triplet	2	1	.	2	2	.	.	.	1	1	.	.	.	.
Births	1	2	.	2	2	.	.	.	1	1	.	.	.	.
	.	3	.	1	.	1	1	.	.	.	.	.	.	.
Single confinements				26,066	21,159	4,907	1,842	6,326	9,054	6,027	2,313	475	29	.
Twin confinements				267	224	43	13	43	93	78	37	3	.	.
Triple confinements				5	4	1	1	.	2	2	.	.	.	.
Quadruplet confinements				.	.	.	.	.	.	.	.	.	.	.
All confinements				26,338	21,387	4,951	1,856	6,369	9,149	6,107	2,350	478	29	.
All multiple confinements				272	228	44	14	43	95	80	37	3	.	.
Percentage of mothers who had multiple births.				1·03	1·07	0·89	0·75	0·68	1·04	1·31	1·57	0·63	.	.

TABLE E1. *Northern Ireland: Live births, numbers and rates by District Council Area,* 1987–1990.

AREA	Number				Rate per 1,000 of the population			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	27,865	27,767	26,080	26,499	17·7	17·6	16·5	16·7
Ards	1,005	977	951	924	15·8	15·3	14·7	14·1
Belfast	5,164	5,176	4,653	4,748	17·0	17·3	15·7	16·1
Castlereagh	719	806	756	817	12·4	13·9	13·0	14·1
Down	1,004	1,036	947	1,019	17·8	18·2	16·6	17·7
Lisburn	1,479	1,681	1,610	1,692	15·9	17·6	16·5	17·1
North Down	1,022	1,001	905	933	14·5	14·1	12·6	12·9
Antrim	837	774	777	720	18·0	16·2	16·2	15·1
Ballymena	1,035	872	873	836	18·4	15·3	15·3	14·6
Ballymoney	371	389	370	410	15·6	16·3	15·5	17·0
Carrickfergus	461	509	522	505	15·7	17·0	17·2	16·3
Coleraine	792	726	773	771	16·6	15·1	15·9	15·9
Cookstown	522	569	528	499	18·8	20·6	19·1	18·0
Larne	406	453	402	387	14·1	15·6	13·8	13·3
Magherafelt	667	703	640	651	20·0	21·2	19·5	19·6
Moyle	266	227	218	219	17·5	14·9	14·4	14·6
Newtownabbey	1,278	1,159	1,086	1,198	17·7	15·9	14·9	16·4
Armagh	782	873	874	878	15·4	17·7	17·8	17·9
Banbridge	490	506	488	478	15·3	15·9	15·3	14·9
Craigavon	1,546	1,422	1,316	1,412	20·2	18·4	16·9	18·1
Dungannon	939	863	849	840	21·4	19·7	19·4	19·2
Newry and Mourne	1,796	1,832	1,677	1,693	20·6	20·9	18·9	18·9
Fermanagh	928	907	928	912	18·4	18·1	18·4	18·0
Limavady	561	556	533	526	19·0	18·5	17·9	17·6
Derry	2,181	2,186	1,959	2,042	22·4	22·1	19·7	20·3
Omagh	953	920	801	796	20·8	20·5	17·8	17·4
Strabane	661	644	644	593	18·5	18·3	18·1	16·6

TABLE E2. *Northern Ireland: Legitimate live births by age of mother,* 1986–1990.

Year	All Ages	Legitimate live births by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1986	24,572	894	6,530	8,896	5,386	2,354	492	20
1987	23,889	731	6,166	8,737	5,476	2,278	487	14
1988	23,303	658	5,717	8,688	5,605	2,129	490	16
1989	21,668	510	4,881	8,349	5,379	2,062	461	26
1990	21,527	445	4,507	8,236	5,703	2,175	435	26
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1986	100	3·6	26·6	36·2	21·9	9·6	2·0	0·1
1987	100	3·1	25·8	36·6	22·9	9·5	2·0	0·1
1988	100	2·8	24·5	37·3	24·1	9·1	2·1	0·1
1989	100	2·4	22·5	38·6	24·8	9·5	2·1	0·1
1990	100	2·1	20·9	38·3	26·5	10·1	2·0	0·1

Live Birth Rates (Crude)

Rate per 1000 population

Figure 2



Northern Ireland



England and Wales



Scotland



Republic of Ireland

Illegitimate births. The number of illegitimate births was 4,972. This was 560 more than in 1989. The proportion to total live births (18·8 per cent) was 1·9 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total live births in the year 1990 were 27·0, 27·1 and 14·5* respectively. Table F1 shows illegitimate live births by age of mother and reveals that illegitimacy is highest among women in the 20–24 age group.

TABLE F. *Northern Ireland: Illegitimate live births by District Council Area,* 1987–1990.

AREA	Number				Illegitimate births as percentage of total live births			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	3,976	4,464	4,412	4,972	14·3	16·1	16·9	18·8
Ards	118	120	127	143	11·7	12·3	13·4	15·5
Belfast	1,214	1,395	1,315	1,468	23·5	27·0	28·3	30·9
Castlereagh	72	97	98	102	10·0	12·0	13·0	12·5
Down	117	126	132	176	11·7	12·2	13·9	17·3
Lisburn	200	271	283	332	13·5	16·1	17·6	19·6
North Down	116	114	113	116	11·4	11·4	12·5	12·4
Antrim	123	135	130	140	14·7	17·4	16·7	19·4
Ballymena	133	140	129	137	12·9	16·1	14·8	16·4
Ballymoney	51	68	66	68	13·7	17·5	17·8	16·6
Carrickfergus	91	90	101	108	19·7	17·7	19·3	21·4
Coleraine	142	138	168	183	17·9	19·0	21·7	23·7
Cookstown	51	59	53	72	9·8	10·4	10·0	14·4
Larne	71	91	87	93	17·5	20·1	21·6	24·0
Magherafelt	40	60	56	59	6·0	8·5	8·8	9·1
Moyle	37	38	46	35	13·9	16·7	21·1	16·0
Newtownabbey	175	176	163	216	13·7	15·2	15·0	18·0
Armagh	41	70	60	88	5·2	8·0	6·9	10·0
Banbridge	44	44	41	61	9·0	8·7	8·4	12·8
Craigavon	225	217	230	239	14·6	15·3	17·5	16·9
Dungannon	61	63	78	82	6·5	7·3	9·2	9·8
Newry and Mourne	137	171	153	187	7·6	9·3	9·1	11·0
Fermanagh	78	89	94	106	8·4	9·8	10·1	11·6
Limavady	96	69	81	99	17·1	12·4	15·2	18·8
Derry	359	409	418	448	16·5	18·7	21·3	21·9
Omagh	79	104	86	91	8·3	11·3	10·7	11·4
Strabane	105	110	104	123	15·9	17·1	16·1	20·7

TABLE F1. *Northern Ireland: Illegitimate live births by age of mother,* 1986–1990.

Year	All Ages	Illegitimate live births by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1986	3,580	1,202	1,302	601	304	139	31	1
1987	3,976	1,278	1,445	720	355	142	35	1
1988	4,464	1,396	1,686	774	398	161	46	3
1989	4,412	1,391	1,661	775	385	158	41	1
1990	4,972	1,413	1,877	974	466	198	42	2
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1986	100	33·5	36·3	16·8	8·5	3·9	0·9	0·1
1987	100	32·1	36·3	18·1	8·9	3·6	0·9	0·1
1988	100	31·3	37·8	17·3	8·9	3·6	1·0	0·1
1989	100	31·5	37·6	17·6	8·7	3·6	0·9	0·1
1990	100	28·4	37·7	19·6	9·4	4·0	0·8	0·1

*Provisional.

LIVE BIRTHS BY SOCIAL CLASS

Social class is based on the occupation of the father of the child except where the child is illegitimate and the father's name and occupation is not stated. In these cases the social class is determined from the mother's occupation. Occupations are grouped into the following categories:—professional, intermediate* (includes managers, government officials and financial agents), skilled non-manual, skilled manual, partly skilled and unskilled. In addition there are two further groups, namely members of the Armed Forces and those whose occupations are inadequately described. This last group includes students, children under 16, housewives, persons with independent means, the permanently sick and those with no stated occupation.

In 1990 the largest percentage of all live births, 37·3% (9,887) were those of the skilled manual group and the smallest, 6·1% or 1,616 (excluding those born to the Armed Forces and to those with no occupation) were from the professional group. Further details will be found in Table G.

Of the 4,972 illegitimate live births, 46·0% were born to parents' whose occupations could not be adequately described, 9·8% and 25·9% were born to the partly skilled and skilled manual groups respectively. The lowest percentage of illegitimate births were born to professional parents. Table G1 gives more detailed information. Tables G2 and G3 show details of live births by sex, age of mother, number of previous children born and social class.

TABLE G. *Northern Ireland: Live Births by social class,* 1990.

Social Class	Number	Percentage
Professional	1,616	6·1
Intermediate	4,786	18·1
Skilled non-manual	3,228	12·2
Skilled manual	9,887	37·3
Partly skilled	2,645	10·0
Unskilled	1,707	6·4
Armed Forces	27	0·1
Inadequately described occupations	2,603	9·8
TOTAL	26,499	100·0

TABLE G1. *Northern Ireland: Illegitimate live births by social class,* 1990.

Social Class	Number	Percentage
Professional	45	0·9
Intermediate	230	4·6
Skilled non-manual	310	6·2
Skilled manual	1,288	25·9
Partly skilled	488	9·8
Unskilled	326	6·6
Armed Forces	.	.
Inadequately described occupations	2,285	46·0
TOTAL	4,972	100·0

TABLE G2. *Northern Ireland: Legitimate live births by sex, age of mother and social class,* 1990.

Age of mother at birth of child		Professional	Inter-mediate*	Skilled (non-manual)	Skilled (manual)	Partly Skilled	Unskilled	Armed Forces and Inadequately Described Occupations
<20	M	8	14	32	88	46	32	17
	F	6	16	20	102	27	34	3
20–24	M	53	245	332	1,077	297	217	72
	F	56	264	302	985	315	232	60
25–29	M	254	843	666	1,763	439	211	48
	F	272	800	613	1,616	409	247	55
30–34	M	337	804	324	1,059	216	127	20
	F	303	757	369	1,004	197	151	35
35–39	M	138	336	118	379	91	50	15
	F	108	323	102	369	79	53	14
40–44	M	20	72	18	84	21	12	1
	F	14	73	19	65	19	13	4
45+	M	1	6	1	4	.	1	1
	F	1	3	2	4	1	1	.
Total legitimate births	M	811	2,320	1,491	4,454	1,110	650	174
	F	760	2,236	1,427	4,145	1,047	731	171

*See definition on page 17.

TABLE G3. *Northern Ireland: Live births by sex, number of previous children (live and still) and social class,* 1990.

Social Class		All legiti-mate births	Legitimate births classified according to number of previous children born (live and still)											All illegiti-mate births
			0	1	2	3	4	5	6	7	8	9	10+	
Professional	M	811	257	267	172	80	26	5	2	.	1	1	.	19
	F	760	245	288	153	49	18	5	2	.	.	.	.	26
Intermediate*	M	2,320	765	714	470	206	91	40	14	7	6	1	6	114
	F	2,236	703	689	485	217	86	38	10	3	1	2	2	116
Skilled (non-manual	M	1,491	625	512	231	82	26	9	6	.	.	.	.	171
	F	1,427	530	532	248	73	33	6	3	1	1	.	.	139
Skilled (manual)	M	4,454	1,303	1,376	910	453	223	91	45	21	18	6	8	608
	F	4,145	1,206	1,312	799	427	213	101	44	19	10	8	6	680
Partly Skilled	M	1,110	337	358	226	104	49	23	5	7	1	.	.	289
	F	1,047	347	342	180	108	40	22	7	.	.	1	.	199
Unskilled	M	650	151	192	140	75	47	18	14	5	3	.	5	168
	F	731	175	201	165	83	44	28	14	13	7	.	1	158
Armed Forces and Inadequately Described Occupations	M	174	51	61	25	17	12	2	1	.	1	.	4	1,178
	F	171	39	52	37	17	13	4	2	.	4	.	3	1,107
TOTAL	M	11,010	3,489	3,480	2,174	1,017	474	188	87	40	30	8	23	2,547
	F	10,517	3,245	3,416	2,067	974	447	204	82	36	23	11	12	2,425
	T	21,527	6,734	6,896	4,241	1,991	921	392	169	76	53	19	35	4,972

*See definition on page 17.

STILL-BIRTHS

Number and rate. The number of still-births registered in 1990 was 116 giving a rate of 4·4 per 1,000 births (live and still). Comparative 1990 figures for England and Wales, and Scotland and the Irish Republic were 3,256; 4·6, 349; 5·3, and 323†; 6·1†, respectively.

Abstract 34 shows the number of still-births in administrative areas by sex. The number of still-born children who would have been illegitimate had they been born alive was 24 representing 20·7 per cent. of all still-births. Fourteen of the still-births were the product of multiple confinements, further particulars of which will be found in Table E. In 85 cases the births occurred between 28 and 37 weeks gestation or when the weight of the fetus was not more than 2,500 grammes. Of the 116 still-births, 115 were certified by doctors and 1 by Coroner's Certificate *without inquest*. Post-mortem examinations were held in 14 cases. Abstract 16 shows still-births by cause, sex and period of gestation. The percentage of still-births which occurred in hospitals in 1990 was 98·3 per cent. compared to 98·5 per cent. in 1989. Congenital malformations caused 10 still-births (i.e. 8·6 per cent. of the total). This group was also a major cause in 1989 when the corresponding figures were 15 and 11·3 per cent. respectively.

TABLE H. *Northern Ireland: Still-births and rates per* 1,000 *births (live and still) by District Council Area,* 1987-1990.

AREA	Number of still-births				Rate per 1,000 live and still-births			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	171	139	133	116	6·1	5·0	5·1	4·4
Ards	7	4	8	4	6·9	4·1	8·3	4·3
Belfast	31	23	28	19	6·0	4·4	6·0	4·0
Castlereagh	11	8	1	5	15·1	9·8	1·3	6·1
Down	6	4	7	2	5·9	3·8	7·3	2·0
Lisburn	12	5	8	9	8·0	3·0	4·9	5·3
North Down	4	3	4	3	3·9	3·0	4·4	3·2
Antrim	1	4	2	3	1·2	5·1	2·6	4·1
Ballymena	8	3	4	3	7·7	3·4	2·3	3·6
Ballymoney	5	4	4	.	13·3	10·2	10·7	.
Carrickfergus	2	3	3	2	4·3	5·9	5·7	3·9
Coleraine	.	5	5	4	.	6·8	6·4	5·2
Cookstown	2	3	5	.	3·8	5·2	9·4	.
Larne	3	3	2	3	7·3	6·6	5·0	7·7
Magherafelt	5	1	3	4	7·4	1·4	4·7	6·1
Moyle	.	.	1	1	.	.	4·6	4·5
Newtownabbey	5	7	8	3	3·9	6·0	7·3	2·5
Armagh	7	4	3	6	8·9	4·6	3·4	6·8
Banbridge	1	1	1	2	2·0	2·0	2·0	4·2
Craigavon	16	8	4	2	10·2	5·6	3·0	1·4
Dungannon	6	8	1	6	6·3	9·2	1·2	7·1
Newry and Mourne	12	8	6	3	6·6	4·3	3·6	1·8
Fermanagh	4	4	5	3	4·3	4·4	5·4	3·3
Limavady	1	2	3	4	1·8	3·6	5·6	7·5
Derry	17	19	12	17	7·7	8·6	6·1	8·3
Omagh	3	3	3	6	3·1	3·3	3·7	7·5
Strabane	2			2	3·0	3·1	6·2	3·4

†Provisional.

TABLE H1. *Northern Ireland: Births (live and still) by place of occurrence and by District Council Area,* 1990.

AREA	All births (L & S)	Place of occurrence		
		At Home	NHS Hospital	Non NHS Hospital
Northern Ireland	26,615	43	26,441	131
Ards	928	.	928	.
Belfast	4,767	5	4,760	2
Castlereagh	822	1	821	.
Down	1,021	.	1,020	1
Lisburn	1,701	3	1,697	1
North Down	936	.	936	.
Antrim	723	2	721	.
Ballymena	839	.	839	.
Ballymoney	410	.	410	.
Carrickfergus	507	2	505	.
Coleraine	775	.	775	.
Cookstown	499	1	498	.
Larne	390	1	389	.
Magherafelt	655	1	654	.
Moyle	220	1	219	.
Newtownabbey	1,201	5	1,196	.
Armagh	884	4	879	1
Banbridge	480	.	475	5
Craigavon	1,414	1	1,413	.
Dungannon	846	2	844	.
Newry and Mourne	1,696	2	1,575	119
Fermanagh	915	3	911	1
Limavady	530	1	528	1
Derry	2,059	6	2,053	.
Omagh	802	2	800	.
Strabane	595	.	595	.

TABLE H2. *Northern Ireland: Still-births which occurred between* 28 *and* 37 *weeks or when the weight of the fetus was* 2,500 *grams or under;* 1986–1990.

Year	Period of Gestation (Weeks)																			
	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and Over	Not Stated	Total
1986	13	10	1	7	9	8	9	6	11	7	2	2	1	.	.	.	.	.	.	86
1987	7	8	13	10	11	8	17	10	12	3	7	6	3	.	.	.	.	.	.	115
1988	13	4	19	6	10	5	13	10	15	6	1	3	2	.	.	.	1	.	.	108
1989	9	2	7	9	10	10	15	6	12	3	6	1	2	1	.	.	.	.	.	93
1990	9	7	6	7	16	4	6	3	13	5	6	2	.	1	.	.	.	.	.	85

DEATHS

Number and rate. The number of deaths recorded during the year 1990 and the death rate per 1,000 of the population were 15,426 and 9·7 respectively. The comparable figures for 1989 were 15,844 and 10·0.

The monthly incidence of deaths was as follows:

January	1,965	April	1,179	July	1,150	October	1,317
February	1,360	May	1,252	August	1,198	November	1,237
March	1,218	June	1,099	September	1,097	December	1,354
Qtrs.: 1st	4,543	2nd	3,530	3rd	3,445	4th	3,908

Of the total deaths 7,648 were of males and 7,778 were of females, the equivalent annual death rates being 9·8 and 9·6 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1989 were 10·1 and 9·9.

According to the ages stated to registrars, 240 (1·6 per cent.) of the total deaths were of children under 5 years of age and 11,966 (77·6 per cent.) were of persons aged 65 and upwards. There were 326 deaths of persons (62 males and 264 females) aged 95 and upwards and this number included 1 male and 8 females aged 100, 4 males and 8 females aged 101, 1 male and 7 females aged 102, 2 males and 2 females aged 103, 1 female aged 104, 3 females aged 105, and 2 females aged 106.

Table J gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

TABLE I. *Northern Ireland: Deaths and death rates by District Council Area,* 1987–1990.

AREA	Number				Rate per 1,000 of the population			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	15,334	15,813	15,844	15,426	9·7	10·0	10·0	9·7
Ards	651	600	612	614	10·2	9·4	9·5	9·4
Belfast	3,638	3,625	3,856	3,556	12·0	12·1	13·0	12·1
Castlereagh	674	621	702	657	11·6	10·7	12·1	11·3
Down	588	565	578	654	10·4	9·9	10·1	11·3
Lisburn	750	784	762	746	8·1	8·2	7·8	7·6
North Down	714	767	758	714	10·1	10·8	10·5	9·8
Antrim	341	311	381	362	7·3	6·5	7·9	7·6
Ballymena	580	592	583	508	10·3	10·4	10·2	8·9
Ballymoney	237	209	204	216	10·0	8·7	8·5	9·0
Carrickfergus	251	267	323	332	8·6	8·9	10·6	10·7
Coleraine	477	544	521	516	10·0	11·3	10·7	10·6
Cookstown	243	299	233	234	8·8	10·8	8·4	8·4
Larne	269	303	324	272	9·4	10·4	11·1	9·4
Magherafelt	266	293	307	276	8·0	8·9	9·3	8·3
Moyle	154	160	185	166	10·1	10·5	12·3	11·1
Newtownabbey	671	696	640	594	9·3	9·6	8·8	8·1
Armagh	435	530	472	515	8·6	10·8	9·6	10·5
Banbridge	318	294	300	321	9·9	9·2	9·4	10·0
Craigavon	674	700	687	636	8·8	9·1	8·8	8·1
Dungannon	462	466	424	430	10·5	10·7	9·7	9·8
Newry and Mourne	703	724	766	749	8·1	8·2	8·6	8·4
Fermanagh	506	599	535	588	10·1	12·0	10·6	11·6
Limavady	212	234	210	218	7·2	7·8	7·0	7·3
Derry	775	839	731	780	7·9	8·5	7·3	7·8
Omagh	455	444	411	436	9·9	9·9	9·2	9·5
Strabane	290	347	339	336	8·1	9·9	9·5	9·4

TABLE J. *Northern Ireland: Deaths by sex and certain age-groups and as percentage of total deaths,* 1990.

		Total	Under 1 year	1–14 years	15–44 years	45–64 years	65 years and over
Number of deaths	Persons	15,426	198	94	659	2,509	11,966
	Males	7,648	110	49	446	1,497	5,546
	Females	7,778	88	45	213	1,012	6,420
Percentage of total deaths	Persons	100	1·3	0·6	4·3	16·2	77·6
	Males	100	1·4	0·7	5·8	19·6	72·5
	Females	100	1·1	0·6	2·7	13·0	82·6

TABLE K. *Northern Ireland: Death rate per* 1,000 *population within sex and age-groups,* 1926, 1937, 1961, 1971, 1981, 1987–1990.

YEAR		All ages	AGES AT DEATH																
			0–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 & over
1926	Persons	15·0	28·0	2·7	2·1	3·2	4·4	4·8	6·1	5·9	8·5	10·9	16·0	21·0	31·1	39·3	70·2	92·1	132·4	208·4
	Males	15·1	31·2	3·1	2·1	2·9	4·1	4·4	5·1	5·5	8·1	10·9	16·1	21·5	31·0	40·6	73·6	97·1	141·8	228·8
	Females	14·9	24·8	2·4	2·1	3·6	4·8	5·2	7·1	6·3	8·9	10·9	16·0	20·5	31·2	38·0	66·8	87·1	123·0	188·1
1937	Persons	15·0	23·0	1·8	1·5	2·5	3·5	3·6	4·6	5·0	7·5	10·2	14·4	19·4	28·8	46·0	76·4	115·0	153·2	250·9
	Males	15·1	24·3	1·6	1·3	2·5	3·4	3·5	4·6	5·2	7·4	10·9	15·5	19·7	29·5	48·6	83·6	120·0	158·0	254·2
	Females	15·0	21·7	2·1	1·7	2·6	3·7	3·8	4·7	4·8	7·7	9·5	13·3	19·1	28·1	43·5	69·3	110·0	148·5	247·6
1961	Persons	11·3	6·7	0·4	0·4	0·6	0·8	1·0	1·2	1·8	2·8	4·3	8·1	12·9	22·0	35·1	56·9	92·7	142·8	245·2
	Males	12·1	8·0	0·5	0·5	0·8	1·2	1·4	1·5	2·1	3·5	5·0	10·4	17·6	28·7	43·5	65·6	107·0	145·7	259·4
	Females	10·5	5·5	0·3	0·3	0·4	0·5	0·7	1·0	1·5	2·2	3·7	5·9	8·2	15·4	26·8	48·3	78·5	140·0	231·1
1971	Persons	10·5	5·2	0·4	0·3	0·7	0·8	0·7	1·0	1·6	2·9	4·6	7·2	12·5	19·1	32·0	50·6	72·6	119·4	263·0
	Males	11·4	5·7	0·5	0·4	1·0	1·3	1·0	1·3	2·1	3·3	5·8	9·6	16·2	26·3	44·7	63·7	93·9	143·8	328·2
	Females	9·7	4·7	0·2	0·2	0·4	0·3	0·5	0·6	1·2	2·4	3·5	5·1	9·2	12·4	22·2	41·3	59·4	105·1	233·5
1981	Persons	10·6	3·3	0·3	0·3	0·6	1·0	0·8	1·1	1·3	2·3	3·9	7·5	13·0	18·9	30·1	46·4	77·2	116·3	192·8
	Males	11·2	3·8	0·3	0·4	0·9	1·4	1·2	1·6	1·6	3·0	4·7	9·6	17·2	25·4	42·0	63·7	103·4	147·0	226·4
	Females	10·0	2·8	0·2	0·2	0·3	0·4	0·4	0·6	1·1	1·6	3·2	5·6	9·3	13·4	20·6	34·2	61·9	101·4	179·8
1987	Persons	9·7	2·1	0·2	0·2	0·6	0·9	0·8	1·1	1·3	2·1	3·0	5·4	10·8	16·6	27·0	44·4	64·0	102·8	199·9
	Males	10·0	2·3	0·3	0·3	0·8	1·4	1·2	1·4	1·5	2·5	3·8	6·9	14·0	22·2	37·2	58·7	86·2	133·0	248·2
	Females	9·5	1·8	0·1	0·1	0·4	0·4	0·5	0·8	1·0	1·6	2·2	4·0	8·0	11·8	19·0	34·1	50·4	88·2	184·1
1988	Persons	10·0	2·2	0·2	0·2	0·6	1·0	0·8	0·9	1·2	2·1	3·3	6·0	10·8	18·2	27·1	42·9	63·2	107·1	206·1
	Males	10·3	2·4	0·3	0·2	0·9	1·5	1·1	1·4	1·6	2·6	4·0	6·4	13·6	23·9	37·1	60·0	86·5	141·9	254·3
	Females	9·7	2·0	0·2	0·2	0·2	0·5	0·4	0·5	0·9	1·6	2·6	5·6	8·3	13·3	19·2	30·9	49·0	90·1	189·6
1989	Persons	10·0	1·7	0·2	0·2	0·6	0·8	0·7	1·0	1·0	1·9	3·2	5·6	9·6	17·0	28·0	42·0	66·4	106·1	209·9
	Males	10·1	1·9	0·3	0·2	0·9	1·2	1·0	1·5	1·3	2·2	4·0	7·1	12·7	22·1	37·9	58·8	88·3	137·0	244·7
	Females	9·9	1·6	0·1	0·2	0·2	0·3	0·4	0·5	0·8	1·6	2·5	4·2	6·7	12·6	20·1	30·3	53·0	91·0	198·0
1990	Persons	9·7	1·7	0·2	0·2	0·5	0·6	0·8	0·9	1·2	2·0	3·1	5·7	9·1	16·9	27·1	41·6	63·6	96·8	204·4
	Males	9·8	1·8	0·2	0·3	0·8	0·9	1·0	1·4	1·7	2·3	4·0	6·9	11·8	21·2	37·2	57·2	85·7	127·5	240·5
	Females	9·6	1·7	0·2	0·1	0·3	0·3	0·5	0·5	0·7	1·8	2·3	4·5	6·7	13·2	19·1	30·7	50·0	81·7	192·2

Deaths in hospitals. The number of deaths occurring in hospitals in 1990 is shown in Table L. Of the deaths registered, 53.8 per cent. took place in N.H.S. hospitals (2·4 per cent. in mental hospitals).

TABLE L. *Northern Ireland: Deaths in hospitals,* 1987–1990.

Place	1987	1988	1989	1990
Number of deaths in:				
N.H.S. Psychiatric Hospitals	482	418	477	367
N.H.S. other Hospitals	8,161	8,169	8,423	7,934
Non-N.H.S. hospitals and institutions for old and disabled	369	645	1,311	1,610
Elsewhere	6,322	6,581	5,633	5,515
Total deaths	15,334	15,813	15,844	15,426
Percentage of deaths in N.H.S. hospitals	56·4	54·3	56·2	53·8

Cause of death. Where more than one cause of death is reported, the death is classified to the underlying cause, i.e. the starting point in the sequence of events leading to death. See General Notes on page 1.

Proportion of deaths from principal causes. Heart disease continued to bear by far the greatest proportion of the total deaths; other diseases having a high proportion were cancer, respiratory disease and cerebrovascular disease (mainly cerebral thrombosis and cerebral haemorrhage).

At ages under one year premature birth, congenital malformations and respiratory disease were the principal causes of death.

Between the ages of one and nine the highest proportions were caused by accidents, cancer, congenital malformations, and respiratory disease.

Between the ages of ten and twenty-four, accidents caused by far the largest proportion of deaths.

Between the ages of twenty-five and forty-four the principal causes were cancer, accidents, heart disease, and suicide.

From age forty-five the pattern was heart disease followed by cancer, respiratory disease and cerebrovascular diseases.

Table M shows, for each of the principal causes, the number of deaths and the death rates for 1989 and 1990.

Deaths from the principal epidemic diseases. A total of 49 deaths (0·03 per 1,000 population) fell within this group and of these 48 were caused by influenza and 1 by measles. There were no deaths from the remaining diseases in this group, namely diarrhoeal diseases of children under 2 years of age, whooping cough, scarlet fever, acute poliomyelitis, typhoid and paratyphoid fevers, typhus, diptheria and smallpox.

The number of deaths from the principal epidemic diseases in 1989 was 46 and the relative rate was 0·03.

Influenza. There were 48 deaths from influenza in 1990 as against a total of 43 in 1989. The rate per 1,000 of the population was 0·03 in 1990 (0·03 in 1989).

TABLE M. *Northern Ireland: Causes of death and death rates per* 100,000 *of estimated population,* 1989 *and* 1990.

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1989	1990	1989	1990
01–56	ALL CAUSES	15,844	15,426	1,000·9	970·6
01	Intestinal infectious diseases	.	3	.	0·2
020–021	Respiratory tuberculosis	10	11	0·6	0·7
Rem. 02	Other tuberculosis (excluding late effects)	3	1	0·2	0·1
034	Whooping cough	.	.	.	.
036	Meningococcal infection	6	4	0·4	0·3
037	Tetanus	.	.	.	.
038	Septicaemia	9	16	0·6	1·0
041	Smallpox	.	.	.	.
042	Measles	3	1	0·2	0·1
052	Malaria	.	.	.	.
06	Venereal diseases	.	.	.	.
077	Late effects of tuberculosis	.	.	.	.
Rem. 01–07	All other infective and parasitic diseases	18	10	1·1	0·6
091	Malignant neoplasm of stomach	246	219	15·5	13·8
093	Malignant neoplasm of colon	326	322	20·6	20·3
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	119	127	7·5	8·0
096	Malignant neoplasm of pancreas	167	167	10·5	10·5
101	Malignant neoplasm of trachea, bronchus and lung	831	771	52·5	48·5
113	Malignant neoplasm of female breast	303	295	19·1	18·6
120	Malignant neoplasm of cervic uteri	41	38	2·6	2·4
123	Malignant neoplasm of ovary and other uterine adnexa	84	89	5·3	5·6
124	Malignant neoplasm of prostate	159	195	10·0	12·3
141	Leukaemia	79	79	5·0	5·0
Rem. 08–14	All other malignant neoplasms	1,145	1,143	72·3	71·9
15–17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	71	80	4·5	5·0
181	Diabetes mellitus	38	41	2·4	2·6
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	36	36	2·3	2·3
191	Nutritional marasmus	.	.	.	.
192	Other protein-calorie malnutrition	4	.	0·3	.
Rem. 19	Other nutritional deficiencies	5	1	0·3	0·1
200	Anaemias	18	19	1·1	1·2
Rem. 20	Other diseases of blood and blood-forming organs	14	16	0·9	1·0
21	Mental disorders	45	58	2·8	3·6
220	Meningitis	10	15	0·6	0·9
223	Multiple sclerosis	20	20	1·3	1·3
224	Infantile cerebral palsy and other paralytic syndromes	3	14	0·2	0·9
Rem. 22–24	Other diseases of the nervous system and sense organs	145	128	9·2	8·1
250	Acute rheumatic fever	4	2	0·3	0·1
251	Chronic rheumatic heart disease	51	70	3·2	4·4
260	Hypertensive heart disease	27	25	1·7	1·6
Rem. 26	Other hypertensive diseases	36	56	2·3	3·5
270A	Acute myocardial infarction with hypertension	357	352	22·6	22·1
270B	Acute myocardial infarction without hypertension	3,270	3,038	206·6	191·1
Rem. 27A	Other ischaemic heart disease with hypertension	128	131	8·1	8·2
Rem. 27B	Other ischaemic heart disease without hypertension	753	806	47·6	50.7
289	Heart failure	375	305	23·7	19·2
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	290	320	18·3	20·1
29A	Cerebrovascular disease with mention of hypertension	162	126	10·2	7·9
29B	Cerebrovascular disease without mention of hypertension	1,642	1,516	103·7	95·4
300	Atherosclerosis	85	88	5·4	5·5

TABLE M *(continued). Northern Ireland: Causes of death and death rates per* 100,000 *of estimated population,* 1989 *and* 1990.

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1989	1990	1989	1990
Rem. 30	Other diseases of the circulatory system	241	275	15·2	17·3
321	Pneumonia	1,908	1,855	120·5	116·7
322	Influenza	43	48	2·7	3·0
323	Bronchitis, emphysema and asthma	210	209	13·3	13·1
326	Pneumoconiosis and other lung diseases due to external agents	17	9	1·1	0·6
31 Rem. 32	Other diseases of the respiratory system	707	660	44·6	41·5
341	Ulcer of stomach and duodenum	89	90	5·6	5·7
342	Appendicitis	2	3	0·1	0·2
347	Chronic liver disease and cirrhosis	70	70	4·4	4·4
33 Rem. 34	Other diseases of the digestive system	219	229	13·8	14·4
350	Nephritis, nephrotic syndrome and nephrosis	159	159	10·0	10·0
360	Hyperplasia of prostate	6	4	0·4	0·3
37, Rem. 35,36	Other diseases of the genitourinary tract	78	88	4·9	5·5
38	Abortion	.	.	.	.
39	Direct obstetric causes	.	.	.	.
Rem. 40, 41	Other complications of pregnancy, childbirth and the puerperium	.	.	.	.
42, 43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue	76	80	4·8	5·0
440	Spina bifida and hydrocephalus	11	4	0·7	0·3
442	Congenital anomalies of heart and circulatory system	29	37	1·8	2·3
Rem. 44	Other congenital anomalies	52	44	3·3	2·8
453	Birth trauma	2	2	0·1	0·1
454	Hypoxia, birth asphyxia and other respiratory conditions	16	35	1·0	2·2
Rem. 45	Other conditions originating in the perinatal period	38	31	2·4	2·0
46	Symptoms, signs and ill-defined conditions	40	41	2·5	2·6
47	Fractures.	185	193	11·7	12·1
49	Intracranial and internal injuries including nerves	240	204	15·2	12·8
52	Burns	19	9	1·2	0·6
53	Poisoning and toxic effects	92	119	5·8	7·5
Rem. 47–56	Other injuries and poisonings	157	174	9·9	10·9
E471	Motor vehicle traffic accidents.	184	182	11·6	11·5
E50	Accidental falls	141	158	8·9	9·9
Rem. E47-E53	Other accidents and adverse effects	128	120	8·1	7·6
E54	Suicide	116	158	7·3	9·9
E55	Homicide	104	69	6·6	4·3
E56	Other violence.	20	12	1·3	0·8

Death Rates (Standardised)

Rate per 1000 population

Figure 3



Northern Ireland



England and Wales



Scotland



Republic of Ireland

Tuberculosis. Deaths from this cause numbered 12, compared with 13 in 1989. The rate of 0·01 per 1,000 population is the same as that for 1989. Further details of comparable figures over the past years may be seen in Table N. There were no deaths from the late effects of tuberculosis in 1990. Although not related to the condition taken to have initiated the sequence of events leading to death, tuberculosis was also an important contributory factor in a further 25 deaths.

The tuberculosis death rates for England and Wales, Scotland and the Irish Republic in 1990 were 0·01, 0·01 and 0·02† respectively. More detailed information about deaths from tuberculosis is given in Abstracts 20 and 25.

TABLE N. *Northern Ireland: Deaths and death rates from tuberculosis (all forms),* 1926, 1937, 1951, 1961, 1966, 1971, 1981 *and* 1984–1990.

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	849	1·40	992	1·53	1,841	1·47
1937	627	1·00	624	0·95	1,251	0·98
1951	342	0·51	275	0·39	617	0·45
1961	75	0·11	30	0·04	105	0·07
1966	39	0·05	18	0·02	57	0·04
1971	30	0·04	13	0·02	43	0·03
1981	7	0·01	13	0·02	20	0·01
1984	7	0·01	6	0·01	13	0·01
1985	10	0·01	8	0·01	18	0·01
1986	12	0·02	2	0·01	14	0·01
1987	7	0·01	7	0·01	14	0·01
1988	7	0·01	2	0·01	9	0·01
1989	8	0·01	5	0·01	13	0·01
1990	6	0·01	6	0·01	12	0·01

Cancer.* The number of deaths from cancer in Northern Ireland during 1990 was 3,445 giving a death rate of 2·17 per 1,000 of the population which is 0·04 below the rate for 1989.

The death rates from cancer and tuberculosis were roughly the same in 1940 (i.e. 1·36 for cancer and 0·98 for tuberculosis). Since then the cancer rate has increased by 59·6 per cent. and the tuberculosis rate has decreased by 99·0 per cent.

TABLE O. *Northern Ireland: Deaths and death rates from cancer,** 1926, 1937, 1951, 1961, 1966, 1971, 1981 *and* 1984–1990.

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	619	1·02	791	1·22	1,410	1·12
1937	777	1·25	891	1·36	1,668	1·30
1951	1,041	1·56	993	1·41	2,034	1·48
1961	1,138	1·64	1,048	1·43	2,186	1·53
1966	1,284	1·78	1,138	1·50	2,422	1·64
1971	1,463	1·94	1,295	1·65	2,785	1·81
1981	1,465	1·94	1,442	1·84	2,907	1·84
1984	1,654	2·18	1,500	1·90	3,154	2·03
1985	1,639	2·15	1,491	1·88	3,130	2·01
1986	1,600	2·08	1,546	1·94	3,146	2·01
1987	1,667	2·16	1,602	2·00	3,269	2·08
1988	1,714	2·21	1,635	2·03	3,349	2·12
1989	1,839	2·37	1,661	2·06	3,500	2·21
1990	1,765	2·26	1,680	2·08	3,445	2·17

*See new definition on page 1.

†Provisional.

Cancer Death Rates (Crude)

Rate per 100000 population

Figure 4



Northern Ireland



England and Wales



Scotland



Republic of Ireland

The most frequent sites of fatal cancer during the year among males were bronchus and lungs 527, prostate 195, colon 139, stomach 125, pancreas 78, oesophagus 58, rectum 80, bladder 75 and leukaemia 40, among females the most frequent sites were breast 295, bronchus and lungs 244, colon 183, cervix uteri, ovary and other uterine adnexa 127, stomach 94, pancreas 89, rectum 47, oesophagus 46 and leukaemia 39.

For many years cancer of the stomach proved to be the most frequent site for fatal cancer in both sexes and it remained so among females up to 1961 when it took second place to cancer of the breast. Since 1954, however, cancer of the lung has been more prevalent among males and this cause is now the 2nd most frequent site in females.

Table O1 shows the numbers and rates of lung cancer deaths by sex for the past eight years. Abstract 20 gives particulars regarding the cancer sites by sex and age-groups and Abstracts 25, 29 and 34 give details of cancer incidence in administrative areas.

TABLE O1. *Northern Ireland: Deaths and death rates from lung cancer, 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1984–1990.*

YEAR	Number			Rate per 100,000 population		
	Males	Females	Persons	Males	Females	Persons
1926	15	16	31	2	2	2
1937	51	31	82	8	5	6
1951	154	31	185	23	4	13
1961	317	48	365	46	7	26
1966	374	73	447	52	10	30
1971	479	101	580	63	13	38
1981	511	178	689	68	23	45
1984	568	220	788	75	28	51
1985	574	183	757	75	23	49
1986	527	206	733	69	26	47
1987	549	210	759	71	26	48
1988	525	252	777	68	31	49
1989	610	221	831	78	27	52
1990	527	244	771	68	30	49

Cerebral haemorrhage, apoplexy, etc. The deaths assigned to this group (described as "cerebrovascular disease") numbered 1,642 giving a rate of 1·03 per 1,000 of the population. This rate is 0·11 below the rate for 1989 and is 0·21 below the average rate for the period 1985–89. The rate per 1,000 of the male population was 0·73 whilst the female rate was 1·32. Details of deaths in this group by ages are shown in Abstract 20.

Heart disease. The deaths from the various forms of heart disease during the year numbered 5,047, the rate per 1,000 of the population being 3·18 which is 0·14 below that for the previous year and is 0·41 below the average for the five years 1985–1989.

TABLE O2. *Northern Ireland: Deaths and death rates from heart disease (all forms), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1984–1990.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	1,241	2·04	1,437	2·22	2,678	2·14
1937	1,885	3·02	1,815	2·76	3,700	2·89
1951	2,785	4·16	2,722	3·87	5,507	4·01
1961	3,199	4·60	2,708	3·70	5,907	4·14
1966	3,178	4·41	2,611	3·45	5,789	3·92
1971	3,232	4·28	2,551	3·25	5,783	3·75
1981	3,431	4·55	2,681	3·42	6,112	3·97
1984	3,177	4·18	2,599	3·29	5,776	3·73
1985	3,014	3·95	2,686	3·38	5,700	3·66
1986	3,106	4·04	2,543	3·19	5,649	3·61
1987	2,854	3·69	2,561	3·19	5,415	3·44
1988	3,017	3·90	2,626	3·27	5,643	3·58
1989	2,796	3·60	2,455	3·05	5,251	3·32
1990	2,684	3·44	2,363	2·92	5,047	3·18

Of the total number of deaths from heart disease 4,327 (85·7 per cent.) were in the group known as ischaemic heart disease which includes coronary disease. Chronic rheumatic heart disease accounted for 70 (1·4 per cent.), hypertensive heart disease for 25 (0·5 per cent.) and other forms of heart disease for 625 (12·4 per cent.) of all deaths from heart disease.

I.C.D. numbers 393–398, 402, 404, 410–416, 420–429 as shown in Abstract 20, give the age and sex breakdown of all deaths from heart disease.

Bronchitis. The deaths from bronchitis during the year numbered 105, giving the rate of 0·07 per 1,000 of the population, which is the same as the rate for 1989. Bronchitis was also an important contriburory factor in 129 deaths though not related to the condition taken to have initiated the sequence of events leading to death.

Pneumonia. Deaths from pneumonia numbered 1,855 during the year 1990, the rate of 1·17 per 1,000 of the population being 0·04 below the rate for 1989 and 0·16 above the average rate for the five years 1985–1990.

Pregnancy and childbirth. The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) deliveries and complications of pregnancy, childbirth and the puerperium and (2) deaths with mention of pregnancy, childbirth and the puerperium but not classified as maternal. The causes of death shown in detailed list numbers 630–676 of Abstract 20 are those to which the former group are assigned. In 1990 there were 170 deaths from diseases of pregnancy, childbirth, and the puerperal state. There were no such deaths in 1989.

TABLE P. *Northern Ireland: Deaths of women in pregnancy, childbirth and the puerperium* 1926, 1937, 1951, 1961, 1966, 1971, 1981 *and* 1984–1990.

Year	Maternal deaths		Not classed as maternal	
	No.	Rate† per 1,000 births	No.	Rate† per 1,000 births
1926	158	5·61	17	0·60
1937	127	5·00	37	1·46
1951	31	1·09	8	0·28
1961	17	0·53	3	0·09
1966	6	0·18	8	0·24
1971	6	0·19	6	0·19
1981	1	0·04	.	.
1984	3	0·11	2	0·07
1985*	2	0·07	3	0·11
1986	.	.	1	0·04
1987	1	0·04	3	0·11
1988	2	0·07	1	0·04
1989	.	.	.	.
1990	.	.	3	0·11

† Rate per 1,000 live births for years 1926–60. The rates from 1961 are per 1,000 total births (live and still).

* From 1985 onwards statistics may be revised due to information reported to the Confidential Enquiry into Maternal Deaths.

Maternal Mortality Rates (Crude)

Rate per 1000 total births

Figure 5



Northern Ireland



England and Wales



Scotland



Republic of Ireland

Infant mortality. Deaths of infants under 1 year of age numbered 198 or 7·5 per 1,000 live births registered. This rate is 0·6 above that for the previous year. Of these deaths, 110 were of males and 88 of females, the former number being equivalent to 8·1 per 1,000 live births of males and the latter 6·8 per 1,000 live births of females. The corresponding rates for 1989 were 7·4 and 6·3 respectively. The 1990 rates for England and Wales, Scotland and the Irish Republic were 7·9, 7·7 and 8·2*. Comparative figures for previous years are shown in Table B on page 5.

Neonatal mortality. Deaths of infants aged under four weeks numbered 106 representing a rate of 4·0 per 1,000 live births. This is equivalent to 53·5 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1989 were, 104, 40, and 57·8 per cent. respectively. The 1990 rates for England and Wales, Scotland and the Irish Republic were 4·6, 4·4 and 4·6* respectively.

Perinatal Deaths (i.e. deaths of children within the first week of life together with all still-births) numbered 202, giving a rate of 7·6 per 1,000 live and still-births. Comparative rates in England and Wales, Scotland and the Irish Republic for 1990 were 8·1, 8·7 and 10·0* respectively.

Abstract 34 gives the number of infant deaths, together with the number of births for each of the 26 District Council Areas in Northern Ireland. Abstract 30 gives the number of deaths of children under 1 year of age for Northern Ireland by District Council Areas for the year 1990, the numbers are given by sex and age groups.

The number of infant deaths for 1990 by age and cause of death are given in Abstract 32, together with the infant mortality rates by cause.

TABLE Q. *Northern Ireland: Infant mortality by District Council Area,* 1987–1990.

AREA	Number				Rate per 1,000 of the population			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	242	248	180	198	8·7	8·9	6·9	7·5
Ards	11	12	8	5	10·9	12·3	8·4	5·4
Belfast	49	49	30	42	9·5	9·5	6·4	8·8
Castlereagh	2	5	8	5	2·8	6·2	10·6	6·1
Down	10	5	3	9	10·0	4·8	3·2	8·8
Lisburn	16	13	6	14	10·8	7·7	3·7	8·3
North Down	8	8	3	8	7·8	8·0	3·3	8·6
Antrim	3	5	8	1	3·6	6·5	10·3	1·4
Ballymena	7	11	7	5	6·8	12·6	8·0	6·0
Ballymoney	2	4	3	2	5·4	10·3	8·1	4·9
Carrickfergus	3	2	5	4	6·5	3·9	9·6	7·9
Coleraine	6	6	4	10	7·6	8·3	5·2	13·0
Cookstown	5	6	9	3	9·6	10·5	17·0	6·0
Larne	.	5	2	3	.	11·0	5·0	7·8
Magherafelt	5	3	5	6	7·5	4·3	7·8	9·2
Moyle	1	2	4	2	3·8	8·8	18·3	9·1
Newtownabbey	6	9	4	6	4·7	7·8	3·7	5·0
Armagh	11	4	4	6	14·1	4·6	4·6	6·8
Banbridge	3	3	3	3	6·1	5·9	6·1	6·3
Craigavon	16	17	6	11	10·3	12·0	4·6	7·8
Dungannon	13	10	7	5	13·8	11·6	8·2	6·0
Newry and Mourne	12	10	9	8	6·7	5·5	5·4	4·7
Fermanagh	9	9	7	7	9·7	9·9	7·5	7·7
Limavady	8	7	3	2	14·3	12·6	5·6	3·8
Derry	29	27	16	23	13·3	12·4	8·2	11·3
Omagh	3	13	9	7	3·1	14·1	11·2	8·8
Strabane	4	3	7	1	6·1	4·7	10·9	1·7

*Provisional.

TABLE Q1. *Northern Ireland: Neonatal mortality by District Council Area,* 1987–1990.

AREA	Number of neonatal deaths				Neonatal mortality rate per 1,000 live births			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	135	149	104	106	4·8	5·4	4·0	4·0
Ards	8	8	4	1	8·0	8·2	4·2	1·1
Belfast	23	26	19	17	4·5	5·0	4·1	3·6
Castlereagh	.	4	4	2	.	5·0	5·3	2·4
Down	8	2	3	6	8·0	1·9	3·2	5·9
Lisburn	8	8	3	5	5·4	4·8	1·9	3·0
North Down	6	5	2	4	5·9	5·0	2·2	4·3
Antrim	2	1	5	1	2·4	1·3	6·4	1·4
Ballymena	5	7	4	5	4·8	8·0	4·6	6·0
Ballymoney	2	3	1	1	5·4	7·7	2·7	2·4
Carrickfergus	1	2	2	2	2·2	3·9	3·8	4·0
Coleraine	1	6	3	7	1·3	8·3	3·9	9·1
Cookstown	2	5	6	2	3·8	8·8	11·4	4·0
Larne	.	3	1	2	.	6·6	2·5	5·2
Magherafelt	2	1	4	3	3·0	1·4	6·3	4·6
Moyle	1	.	4	.	3·8	.	18·3	.
Newtownabbey	1	4	2	3	0·8	3·5	1·8	2·5
Armagh	7	1	2	3	9·0	1·1	2·3	3·4
Banbridge	3	1	1	3	6·1	2·0	2·0	6·3
Craigavon	7	8	3	5	4·5	5·6	2·3	3·5
Dungannon	9	6	5	3	9·6	7·0	5·9	3·6
Newry and Mourne	8	8	4	7	4·5	4·4	2·4	4·1
Fermanagh	8	7	4	3	8·6	7·7	4·3	3·3
Limavady	5	5	1	.	8·9	9·0	1·9	.
Derry	15	16	9	14	6·9	7·3	4·6	6·9
Omagh	1	10	3	6	1·0	10·9	3·7	7·5
Strabane	2	2	5	1	3·0	3·1	7·8	1·7

TABLE Q2. *Perinatal deaths and rates per* 1,000 *births (live and still) by District Council Area,* 1987–1990.

AREA	Number of perinatal deaths				Perinatal death rate per 1,000 births (live and still)			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	276	259	214	202	9·8	9·3	8·2	7·6
Ards	14	12	12	5	13·8	12·2	12·5	5·4
Belfast	49	42	44	34	9·4	8·1	9·4	7·1
Castlereagh	11	11	4	7	15·1	13·5	5·3	8·5
Down	12	6	9	8	11·9	5·8	9·4	7·8
Lisburn	18	13	10	14	12·1	7·7	6·2	8·2
North Down	9	7	5	6	8·8	7·0	5·5	6·4
Antrim	3	5	5	4	3·6	6·4	6·4	5·5
Ballymena	12	7	6	7	11·5	8·0	6·9	8·3
Ballymoney	7	5	4	1	18·6	12·7	10·7	2·4
Carrickfergus	2	4	4	3	4·3	7·8	7·6	5·9
Coleraine	1	9	7	10	1·3	12·3	9·0	12·9
Cookstown	4	8	9	1	7·6	14·0	16·9	2·0
Larne	3	6	2	4	7·3	13·2	5·0	10·3
Magherafelt	7	2	6	7	10·4	2·8	9·3	10·7
Moyle	1	.	3	1	3·8	.	13·7	4·5
Newtownabbey	6	10	9	6	4·7	8·6	8·2	5·0
Armagh	12	5	5	7	15·2	5·7	5·7	7·9
Banbridge	2	2	2	4	4·1	3·9	4·1	8·3
Craigavon	21	15	7	6	13·8	10·5	5·3	4·2
Dungannon	13	12	6	8	7·2	13·8	7·1	9·5
Newry and Mourne	17	14	10	9	9·4	7·6	5·9	5·3
Fermanagh	12	9	9	5	12·9	9·9	9·6	5·5
Limavady	5	7	4	4	8·9	12·5	7·5	7·5
Derry	29	32	18	27	13·2	14·5	9·1	13·1
Omagh	3	12	6	12	3·1	13·0	7·5	15·0
Strabane	3	4	8	2	4·5	6·2	12·3	3·4

Infant Mortality Rates (Crude)

Rate per 1000 live births

Figure 6



Northern Ireland



England and Wales



Scotland



Republic of Ireland

Infant mortality by social class. Of the 198 infant deaths in Northern Ireland in 1990, 7 deaths occurred to children of professional parents, 28 to parents with intermediate occupations*, 23 to skilled non-manual workers, 78 to skilled manual, 17 to partly-skilled, 15 to unskilled and 30 to those parents whose occupations are inadequartely described and to members of the Armed Forces serving in Northern Ireland. The lowest rate of infant deaths per 1,000 live births was 4·3 (professional occupations) and the highest rate was 11·4 (inadequately described and armed forces). A summary of perinatal, neonatal and infant mortality by social class is given below.

Tables R1 and R2 show live births, neonatal infant and perinatal mortality by District Council Areas and social class in Northern Ireland.

TABLE R. *Northern Ireland: Infant, neonatal, and perinatal numbers and rates by social class, 1989 and 1990.*

Social Class	NUMBERS						RATES					
	Perinatal Mortality		Neonatal Mortality		Infant Mortality		Perinatal Mortality†		Neonatal Mortality‡		Infant Mortality‡	
	1989	1990	1989	1990	1989	1990	1989	1990	1989	1990	1989	1990
Professional. . .	4	12	1	3	5	7	2·6	7·4	0·7	1·9	3·3	4·3
Intermediate. . .	40	27	14	18	24	28	8·3	5·6	2·9	3·8	5·0	5·9
Skilled non-manual .	28	26	14	13	23	23	8·6	8·0	4·3	4·0	7·1	7·1
Skilled manual . .	78	64	45	39	75	78	8·1	6·4	4·7	3·9	7·9	7·9
Partly skilled . .	28	20	17	8	25	17	10·5	7·5	6·4	3·0	9·4	6·4
Unskilled . . .	10	19	4	8	12	15	5·0	11·1	2·0	4·7	6·0	8·8
Inadequately described and Armed Forces .	26	34	9	17	16	30	11·0	12·8	3·8	6·5	6·8	11·4
TOTAL . .	214	202	104	106	180	198	8·2	7·6	4·0	4·0	6·9	7·5

* Definition of intermediate occupations can be found on page 17.
† Per 1,000 births (live and still).
‡ Per 1,000 live births.

Mortality among illegitimate children. Deaths of illegitimate children under 1 year of age numbered 27 in 1990, which is equivalent to a rate of 5·4 per 1,000 of the illegitimate live births registered and is 1·8 above the rate for the previous year. The corresponding rates for legitimate children in 1989 and 1990 were 7·6 and 7·9 per 1,000 legitimate live births.

Deaths of illegitimate infants aged under four weeks (illegitimate neonatal mortality) numbered 10, representing 37·0 per cent. of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1989 were 12 and 75·0 per cent. respectively.

Tables S and S1 show illegitimate infants and neonatal mortality by District Council Areas.

Abstract 31 shows the number of deaths of illegitimate children under 1 year of age for Northern Ireland by District Council Areas; the sex and age distribution is also shown.

Abstract 32 gives the number of deaths and mortality rates of illegitimate children under 1 year of age by cause.

TABLE R1. *Northern Ireland: Live births, neonatal and infant mortality by social class and District Council Area,* 1990.

AREA	TOTAL			PROFESSIONAL			INTERMEDIATE			SKILLED NON-MANUAL			SKILLED MANUAL			PARTLY SKILLED			UNSKILLED			INADEQUATELY DESCRIBED AND ARMED FORCES		
	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant
Ards	924	1	5	55	.	.	188	.	1	165	.	.	312	1	2	107	.	1	51	.	1	46	.	.
Belfast	4,748	17	42	358	1	1	673	4	9	394	.	2	1,672	3	14	499	2	3	366	3	4	786	4	9
Castlereagh	817	2	5	93	.	1	196	.	.	157	2	2	235	.	1	76	.	.	37	.	.	23	.	1
Down	1,019	6	9	46	1	1	187	1	2	129	1	1	434	2	3	109	.	.	40	.	1	74	1	1
Lisburn	1,692	5	14	123	.	1	298	2	4	279	.	1	593	1	5	158	1	2	88	1	1	153	.	.
North Down	933	4	8	102	.	1	224	1	1	222	1	2	248	1	3	70	1	1	33	.	.	34	.	.
Antrim	720	1	1	35	.	.	107	.	.	113	.	.	273	1	1	77	.	.	38	.	.	77	.	.
Ballymena	836	5	5	54	1	1	151	.	.	93	1	1	343	1	1	86	.	.	30	.	.	79	2	2
Ballymoney	410	1	2	18	.	.	78	.	.	29	.	.	176	.	.	39	.	1	45	1	1	25	.	.
Carrickfergus	505	2	4	37	.	1	62	.	.	131	.	.	159	1	2	47	.	.	27	.	.	42	1	1
Coleraine	771	7	10	59	.	.	128	.	.	130	2	3	230	2	2	82	2	3	51	.	.	91	1	2
Cookstown	499	2	3	18	.	.	90	.	.	46	.	.	214	1	2	53	.	.	32	.	.	46	1	1
Larne	387	2	3	14	.	.	57	.	.	39	.	.	169	1	2	39	.	.	25	.	.	44	1	1
Magherafelt	651	3	6	28	.	.	106	1	1	41	.	1	311	2	4	48	.	.	75	.	.	42	.	.
Moyle	219	.	2	5	.	.	51	.	.	14	.	.	90	.	2	19	.	.	20	.	.	20	.	.
Newtownabbey	1,198	3	6	94	.	.	228	1	1	192	.	1	431	2	4	123	.	.	43	.	.	87	.	.
Armagh	878	3	6	33	.	.	213	.	.	101	.	.	357	2	3	75	.	1	58	1	1	41	.	1
Banbridge	478	3	3	38	.	.	111	1	1	75	.	.	180	1	1	30	.	.	20	.	.	24	1	1
Craigavon	1,412	5	11	90	.	.	225	.	.	150	2	2	571	1	5	193	1	2	95	.	1	88	1	1
Dungannon	840	3	5	48	.	.	175	.	.	63	.	.	372	2	4	59	.	.	48	.	.	75	1	1
Newry and Mourne	1,693	7	8	61	.	.	371	3	3	113	1	2	808	1	1	162	1	1	85	1	1	93	.	.
Fermanagh	912	3	7	47	.	.	216	2	3	109	.	.	321	1	1	81	.	2	73	.	1	65	.	.
Limavady	526	.	2	25	.	.	62	.	.	111	.	.	164	.	1	48	.	.	46	.	1	70	.	.
Derry	2,042	14	23	87	.	.	292	1	1	185	1	2	707	8	10	209	.	.	188	1	2	374	3	8
Omagh	796	6	7	38	.	.	183	1	1	111	2	3	302	3	3	69	.	.	49	.	.	44	.	.
Strabane	593	1	1	10	.	.	114	.	.	36	.	.	215	1	1	87	.	.	44	.	.	87	.	.
NORTHERN IRELAND	26,499	106	198	1,616	3	7	4,786	18	28	3,228	13	23	9,887	39	78	2,645	8	17	1,707	8	15	2,630	17	30

TABLE R2. *Northern Ireland: Perinatal mortality by District Council Area and social class,* 1990.

AREA	TOTAL		PROFESSIONAL		INTERMEDIATE		SKILLED NON-MANUAL		SKILLED MANUAL		PARTLY SKILLED		UNSKILLED		INADEQUATELY DESCRIBED AND ARMED FORCES	
	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality
Ards	928	5	55	.	188	.	165	.	315	4	107	.	52	1	46	.
Belfast	4,767	34	359	2	677	7	395	1	1,675	6	503	6	367	4	791	8
Castlereagh	822	7	93	.	196	.	159	4	237	2	76	.	37	.	24	1
Down	1,021	8	46	1	188	2	129	1	435	3	109	.	40	.	74	1
Lisburn	1,701	14	125	2	300	4	281	2	593	1	159	2	88	1	155	2
North Down	936	6	104	2	224	1	222	1	248	.	70	1	33	.	35	1
Antrim	723	4	35	.	107	.	114	1	275	3	77	.	38	.	77	.
Ballymena	839	7	56	3	151	.	94	2	343	1	86	.	30	.	79	1
Ballymoney	410	1	18	.	78	.	29	.	176	.	39	.	45	1	25	.
Carrickfergus	507	3	37	.	62	.	131	.	161	2	47	.	27	.	42	1
Coleraine	775	10	59	.	129	1	132	4	231	2	82	2	51	.	91	1
Cookstown	499	1	18	.	90	.	46	.	214	.	53	.	32	.	46	1
Larne	390	4	14	.	58	1	39	.	170	1	39	.	25	.	45	2
Magherafelt	655	7	28	.	106	1	42	1	312	3	48	.	77	2	42	.
Moyle	220	1	5	.	51	.	14	.	90	.	20	1	20	.	20	.
Newtownabbey	1,201	6	94	.	228	1	192	.	432	3	125	2	43	.	87	.
Armagh	884	7	33	.	213	.	101	.	360	3	77	2	58	1	42	1
Banbridge	480	4	38	.	111	.	76	1	180	1	30	.	20	.	25	2
Craigavon	1,414	6	90	.	225	.	151	3	572	2	193	1	95	.	88	.
Dungannon	846	8	48	.	176	1	63	.	274	3	59	.	49	1	77	3
Newry and Mourne	1,696	9	62	1	371	2	113	1	810	3	162	1	85	1	93	.
Fermanagh	915	5	47	.	216	2	109	.	321	.	82	1	74	1	66	1
Limavady	530	4	25	.	62	.	112	1	165	1	48	.	47	1	71	1
Derry	2,059	27	88	1	293	2	185	1	714	12	209	.	191	4	379	7
Omagh	802	12	38	.	184	2	111	2	306	7	70	1	49	.	44	.
Strabane	595	2	10	.	114	.	36	.	216	1	87	.	45	1	87	.
NORTHERN IRELAND	26,615	202	1,625	12	4,798	27	3,241	26	9,925	64	2,657	20	1,718	19	2,651	34

TABLE S. *Northern Ireland: Illegitimate infant mortality by District Council Area, 1987–1990.*

AREA	Illegitimate infant mortality				Illegitimate infant mortality rate per 1,000 illegitimate live births			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	20	18	16	27	5·0	4·0	3·6	5·4
Ards	1	.	1	1	8·5	.	7·9	7·0
Belfast	5	6	5	10	4·1	4·3	3·8	6·8
Castlereagh	1	.	.	1	13·9	.	.	9·8
Down	.	.	.	.	.	.	.	.
Lisburn	1	2	1	.	5·0	7·4	3·5	.
North Down	1	.	.	.	8·6	.	.	.
Antrim	.	1	.	.	.	7·4	.	.
Ballymena	.	2	1	1	.	14·3	7·8	7·3
Ballymoney	.	1	1	.	.	14·7	15·2	.
Carrickfergus	.	.	.	.	.	.	.	.
Coleraine	.	1	.	1	.	7·2	.	5·5
Cookstown	.	.	1	1	.	.	18·9	13·9
Larne	.	.	.	1	.	.	.	10·8
Magherafelt	.	.	.	.	.	.	.	.
Moyle	.	.	.	.	.	.	.	.
Newtownabbey	1	.	2	1	5·7	.	12·3	4·6
Armagh	.	.	.	.	.	.	.	.
Banbridge	.	.	.	.	.	.	.	.
Craigavon	2	1	.	1	8·9	4·6	.	4·2
Dungannon	.	.	.	1	.	.	.	12·2
Newry and Mourne	2	.	2	.	14·6	.	13·1	.
Fermanagh	1	2	.	.	12·8	22·5	.	.
Limavady	3	1	.	1	31·3	14·5	.	10·1
Derry	2	1	1	7	5·6	2·4	2·4	15·6
Omagh	.	.	.	.	.	.	.	.
Strabane	.	.	1	.	.	.	9·6	.

TABLE S1. *Northern Ireland: Illegitimate neonatal mortality by District Council Area, 1987–1990.*

AREA	Number of illegitimate neonatal deaths				Illegitimate neonatal mortality rate per 1,000 illegitimate live births			
	1987	1988	1989	1990	1987	1988	1989	1990
Northern Ireland	11	8	12	10	2·8	1·8	2·7	2·0
Ards	1	.	1	.	8·5	.	7·9	.
Belfast	3	1	4	2	2·5	0·7	3·0	1·4
Castlereagh	.	.	.	1	.	.	.	9·8
Down	.	.	.	.	.	.	.	.
Lisburn	.	1	1	.	.	3·7	3·5	.
North Down	1	.	.	.	8·6	.	.	.
Antrim	.	1	.	.	.	7·4	.	.
Ballymena	.	1	1	1	.	7·1	7·8	7·3
Ballymoney	.	.	.	.	.	.	.	.
Carrickfergus	.	.	.	.	.	.	.	.
Coleraine	.	1	.	.	.	7·2	.	.
Cookstown	.	.	1	1	.	.	18·9	13·9
Larne	.	.	.	1	.	.	.	10·8
Magherafelt	.	.	.	.	.	.	.	.
Moyle	.	.	.	.	.	.	.	.
Newtownabbey	.	.	1	.	.	.	6·1	.
Armagh	.	.	.	.	.	.	.	.
Banbridge	.	.	.	.	.	.	.	.
Craigavon	.	1	.	1	.	4·6	.	4·2
Dungannon	.	.	.	1	.	.	.	12·2
Newry and Mourne	2	.	2	.	14·6	.	13·1	.
Fermanagh	1	1	.	.	12·8	11·2	.	.
Limavady	2	1	.	.	20·8	14·5	.	.
Derry	1	.	.	2	2·8	.	.	4·5
Omagh	.	.	.	.	.	.	.	.
Strabane	.	.	1	.	.	.	9·6	.

Violent deaths. Deaths from causes other than natural causes are termed violent deaths and are classified according to both the external circumstances giving rise to injury, expressed as the "external cause of injury" and to the nature of the injury sustained, designated as the "nature of injury" (see Abstract 27).

The number of deaths ascribed to violence during the year was 699 (474 males and 225 females) which is 6 more than the number registered in 1989, and is equivalent to 4·5 per cent. of the total deaths registered.

TABLE T. *Northern Ireland: Violent deaths by external cause of injury,* 1986–1990.

CAUSE OF DEATH	1986	1987	1988	1989	1990
Accidental Causes:					
Drowning	18	19	21	19	11
Falls	155	171	165	141	158
Fire (excld. fire on transport)	34	31	29	18	20
Firearms	2	4	2	3	4
Machinery	10	7	3	12	4
Mechanical suffocation	3	6	1	4	2
Poisons (including drugs)	21	23	34	18	24
Poisonous gases	9	13	17	14	7
Transport:					
Motor vehicles	185	227	233	184	186
Other road vehicles	3	2	2	1	4
Railways	1	1	1	3	2
Aircraft	1	3	1	.	2
Shipping (excld. drowning)	.	.	.	2	.
Other accidental causes (incld. late effects of accidents)	52	36	34	34	36
Suicide:					
Drowning	22	13	22	18	24
Hanging	39	22	46	33	39
Firearms	24	15	34	16	23
Poisons	37	21	23	29	38
Poisonous gases	14	9	13	12	29
Other suicide	9	6	15	8	5
Homicide:					
Poisons	.	.	1	.	.
Assault by firearms and other means	54	90	107	104	69
Legal intervention	8	7	.	2	2
Injury undetermined whether accidentally or purposely inflicted	29	36	30	18	10
TOTAL DEATHS FROM VIOLENCE	730	762	834	693	699

Of the 699 deaths 194 were attributed to transport accidents (E800–E845) (excluding drowning from watercraft (E830, E832)). Road vehicle accidents (E810–E829) accounted for 190 deaths as compared with 185 in 1989. Table T1 affords comparison of numbers of deaths from road vehicle accidents in 1990 with those for the four preceding years by sex and certain age-groups whilst Table T2 shows the various categories of persons killed in motor vehicle accidents and details of other transport accidents.

TABLE T1. *Northern Ireland: Deaths from road vehicle accidents* (E810–E829), 1986–1990.

Sex	Year	All ages	Under 5 years	5–14	15–34	35–54	55–74	75 and over
MALES	1986	149	4	13	69	26	32	5
	1987	170	5	11	98	23	22	11
	1988	166	8	16	81	29	20	12
	1989	126	1	8	73	21	11	12
	1990	137	3	11	70	26	19	8
FEMALES	1986	39	3	5	13	3	12	3
	1987	59	.	3	22	10	12	12
	1988	69	3	5	20	12	17	12
	1989	59	6	6	15	7	15	10
	1990	53	2	7	17	6	12	9

Other accidents accounted for 266 deaths and of these deaths 158 were ascribed to falls; 11 to drownings; 31 to poisons or poisonous gases; 20 to fire and heat; 2 to mechanical suffocation; 4 to machinery and 40 to other accidental causes. A detailed break-down showing non-transport accidents by sex and age-groups is given in Abstract 28.

Deaths from accidents recorded as occurring in the home numbered 115 compared with 105 in 1989 and 155 in 1988. Most accidents in the home are occasioned by falls and it should be noted that in 1990 there were 43 deaths from falls where the place of the accident was unspecified compared with 56 in 1989. Fuller details of these and other accidents (apart from transport accidents) are given in Abstract 28.

During the year there were 158 cases of suicide (115 males and 43 females) compared with 116 during 1989 (89 males and 27 females). There were 69 deaths from homicide. In addition there were 10 deaths in which it was not possible to determine whether the injuries were accidentally or purposely inflicted.

TABLE T2. *Deaths from transport accidents, by sex and age,* 1990.

I.C.D. Numbers	Cause of death		All ages	Under 1 year	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
E810–E825	Motor vehicle accident causing														
E929·0	death to:—														
	(a) pedestrian	M	36	.	1	5	3	3	5	5	4	3	2	4	1
		F	17	.	1	3	2	2	2	.	1	1	1	3	1
	(b) pedal cyclist	M	6	.	.	.	2	1	.	1	.	1	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
	(c) motor cyclist	M	15	.	.	.	1	11	1	1	.	1	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.
	(d) driver of motor vehicle other	M	46	.	.	.	.	15	13	5	4	6	1	2	.
	than motor cycle	F	14	.	.	.	.	2	5	2	1	2	1	1	.
	(e) passenger in motor vehicle	M	13	.	.	.	.	6	5	.	1	.	1	.	.
		F	8	.	1	.	.	1	1	1	2	.	1	1	.
	(f) other persons	M	17	.	1	.	.	5	4	3	2	.	1	1	.
		F	14	.	.	1	1	2	2	.	.	2	3	3	.
E826–E829	Other road vehicle accidents	M	4	.	1	.	.	1	.	.	.	2	.	.	.
E929·1		F	.	.	.	.	.	.	.	.	.	.	.	.	.
	Total road vehicle accidents	M	137	.	3	5	6	42	28	15	11	13	6	7	1
		F	54	.	2	4	3	7	10	3	4	6	6	8	1
E800–E807	Rail, air and water (incld. drowning),	M	5	.	.	1	1	.	1	1	1	.	.	.	.
E830–E838	transport accidents	F	2	.	.	.	1	.	.	.	1	.	.	.	.
E840–E845															
E800–E845	Total transport accidents	M	142	.	3	6	7	42	29	16	12	13	6	7	1
E929·0, E929·1		F	56	.	2	4	4	7	10	3	5	6	6	8	1

Deaths in which violence was stated to be the sequel to some other cause are correlated in Table T3. Alcohol intoxication was the greatest single factor in this group causing the deaths of 71 people.

TABLE T3. *Northern Ireland: Deaths due to injury and poisoning in which there were contributing associated causes of death,* 1990.

Detailed List No.	Associated cause of death		EXTERNAL CAUSE OF INJURY																
			TOTAL	E810–E825. Motor vehicle accidents	E800–E807, E826–E848. Other transport accidents	E850–E869. Accidental poisoning	E880–E888. Accidental falls	E890–E899. Accidents caused by fire or flames	E910. Accidental drowning and submersion	E922. Accident caused by firearm missile	E916–E921, E923–E928. Accidents, including those of industrial type	Rem. E870–E949. All other accidents	E950–E952. Suicide and self-inflicted poisoning	E953–E959. Other suicide and self-inflicted injury	E960–E978. Homicide and injury purposely inflicted by other persons; legal intervention	E980–E982. Poisoning undetermined whether accidentally or purposely inflicted.	E983–E989. Other injury undetermined whether accidentally or purposely inflicted	E990–E999. Injury resulting from operations of war.
303	Alcohol dependence syndrome	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
305	Nondependent abuse of drugs (alcohol intoxication)	M	62	18	1	1	12	3	2	1	1	5	5	9	3	.	1	.
		F	9	1	.	.	4	3	.	.	.	.	.	1	.	.	.	.
340	Multiple sclerosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
345	Epilepsy	M	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL	M	64	18	1	1	13	3	2	1	1	5	5	9	3	.	2	.
		F	9	1	.	.	4	3	.	.	.	.	.	1	.	.	.	.

CERTIFICATION OF DEATHS

All deaths must be certified by either a medical practitioner or a coroner and Table U shows the type of certification during the year. The circumstances of 2,665 deaths (17·3 per cent. of all deaths) were considered by the coroners and in 570 of these cases inquests were held. In 974 cases the deaths were certified by coroners after post-mortem examinations had proved inquests to be unnecessary.

Of the 12,761 deaths certified by medical practioners, the deceased persons were not see after death by the practitioners in 446 cases.

TABLE U. *Northern Ireland: Deaths by certification,* 1990.

AREA	Total deaths	Certified by medical practitioners	Certified by coroners		
			Without inquest		After inquest
			Without post-mortem	After post-mortem	
Northern Ireland	15,426	12,761	1,121	974	570
Ards	614	525	40	35	14
Belfast	3,556	2,856	273	314	113
Castlereagh	657	545	42	55	15
Down	654	546	63	29	16
Lisburn	746	621	50	51	24
North Down	714	604	45	48	17
Antrim	362	300	32	16	14
Ballymena	508	441	29	15	23
Ballymoney	216	187	13	7	9
Carrickfergus	332	271	29	23	9
Coleraine	516	437	39	20	20
Cookstown	234	189	25	11	9
Larne	272	230	22	16	4
Magherafelt	276	227	28	8	13
Moyle	166	143	5	9	9
Newtownabbey	594	468	49	48	29
Armagh	515	434	44	16	21
Banbridge	321	275	18	18	10
Craigavon	636	513	66	35	22
Dungannon	430	360	30	23	17
Newry and Mourne	749	635	42	41	31
Fermanagh	588	488	43	27	30
Limavady	218	184	12	11	11
Derry	780	643	39	50	48
Omagh	436	358	30	25	23
Strabane	336	281	13	23	19

LIFE TABLE

The expectation of life is the average number of years which would be lived by a group of people of given age who are continuously subject to given mortality rates, usually those of a selected year or years.

The abridged life table shown as Table V is based on the mortality rates for 1988-1990 and shows the expectation of life at various age-points together with the number of persons who would survive to given age x out of 10,000 born, if subjected throughout their lives to this mortality experience.

Thus 99 per cent. of males and females would survive the first year of life; 98 per cent. of males and 99 per cent. of females would reach the age of 20; 84 per cent. of males and 90 per cent. of females would reach the age of 60 and the men could then expect an average future lifetime of 16 years compared with 21 years for women.

Based on the mortality experience of 1988–1990 the expectation of life at birth was 71·31 years for males and 77·15 years for females; at age one year the expectations were 70·91 years for males and 76·71 years for females. Table VI affords comparison of these figures with those for certain preceding years.

TABLE V. *Northern Ireland: Abridged Life Table* 1988–1990.

Age *x*	Males		Females	
	lx	*e°x*	*lx*	*e°x*
0	10,000	71·31	10,000	77·15
1	9,916	70·91	9,929	76.71
2	9,911	69·94	9,922	75·76
3	9,905	68·98	9,918	74·79
4	9,902	68·01	9,914	73·82
5	9,898	67·04	9,912	72·83
10	9,885	62·12	9,904	67·89
15	9,872	57·19	9,895	62·95
20	9,831	52·43	9,883	58·02
25	9,770	47·74	9,866	53·12
30	9,719	42·98	9,844	48·23
35	9,651	38·26	9,819	43·35
40	9,578	33·53	9,781	38·51
45	9,465	28·90	9,700	33·81
50	9,279	24·44	9,582	29·19
55	8,968	20·19	9,356	24·84
60	8,416	16·36	9,022	20·66
65	7,522	13·00	8,453	16·89
70	6,236	10·17	7,667	13·36
75	4,642	7·80	6,578	10·16
80	2,990	5·73	5,097	7·38
85	1,478	4·03	3,266	5·12

This abridged life table is constructed from the estimated population and the total deaths registered during the years 1988–1990.

The column headed *lx* shows the numbers who would survive to exact age *x* out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1988–1990.

Column *e°x* gives the "expectation of life"—that is the average future lifetime which would be lived by a person aged exactly *x* if subject to those death probabilities.

TABLE V1. *Northern Ireland: Expectation of life at birth, at one year of age and at 65 years of age for certain periods between* 1890 *and* 1990.

Period	Expectation of life					
	At birth		At age one year		At age 65 years	
	Male	Female	Male	Female	Male	Female
1890–92	46·3	45·7	—	—	10·6	10·6
1900–02	47·1	46·7	—	—	10·5	10·4
1910–12	50·7	51·0	—	—	12·1	12·8
1925–27	55·4	56·1	59·9	59·5	11·9	12·7
1936–38	57·8	59·2	—	—	11·6	12·4
1950–52	65·5	68·8	67·5	70·3	12·1	13·5
1960–62	67·6	72·4	68·7	73·2	12·2	14·4
1965–67	68·1	73·3	68·9	74·1	12·3	15·0
1970–72	67·6	73·7	68·3	74·1	12·0	15·2
1975–77	67·5	73·8	67·9	74·1	11·8	15·3
1980–82	69·3	75·7	69·3	75·4	12·4	16·1
1981–83	69·8	76·0	69·8	75·8	12·7	16·3
1982–84	69·9	76·1	69·9	75·9	12·7	16·4
1983–85	70·1	76·4	69·9	76·1	12·6	16·4
1984–86	70·3	76·5	70·0	76·2	12·7	16·5
1985–87	70·6	76·7	70·3	76·4	12·8	16·6
1986–88	70·8	76·8	70·5	76·5	12·9	16·7
1987–89	71·1	77·1	70·7	76·6	13·0	16·8
1988–90	71·3	77·2	70·9	76·7	13·0	16·9

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. Table W shows that during the period between the censuses taken on the 25 April 1971 and the 5 April 1981 there was a net outward movement of 111,423 persons to all countries including other parts of the British Isles.

TABLE W. *Northern Ireland: Net migration during inter-censal period,* 1971–1981.

	Males	Females	Total
Population, Census of 1971	754,676	781,389	1,536,065
Births, 1971–1981	141,397	133,389	274,786
Deaths, 1971–1981	87,906	79,326	167,232
Natural increase*	53,491	54,063	107,554
Population 1971 plus natural increase	808,167	835,452	1,643,619
Population Census of 1981 (as revised)	749,412	782,784	1,532,196
Net movement outwards	58,755	52,668	111,423

*The excess of births over deaths.

Table W1 shows the natural increase in the population for each inter-censal period since birth and death registration commenced in 1864, together with the net movement outwards and the percentage of the increase lost by migration.

TABLE W1. *Northern Ireland: Inter-censal variations in population,* 1871–1981.

Inter-censal period	Population at beginning of period	Natural increase*	Net movement outwards	Percentage of increase lost by migration
1871–1881	1,359,190	104,350	158,724	152
1881–1891	1,304,816	71,910	140,670	196
1891–1901	1,236,056	68,634	67,738	99
1901–1911	1,236,952	78,996	65,417	83
1911–1926	1,250,531	113,603	107,573†	95
1926–1937	1,256,561	80,835	57,651	71
1937–1951	1,279,745	158,443	67,267†	42
1951–1961	1,370,921	146,349	92,228	63
1961–1966	1,425,042	97,434	37,701	39
1966–1971	1,484,775	76,128	31,521	41
1971–1981	1,536,065	107,554	111,423	104

*Excess of births over deaths.
†Including deaths in H.M. Forces and Mercantile Marine which occurred outside Northern Ireland.

It is estimated that during the year ended 30 June 1990, 15,100 persons immigrated and 19,700 persons emigrated. The net outward migration amounted to 4,600.

ADMINISTRATION

Introductory: The administrative functions of the Registrar General comprise the registration of births (live and still), deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for marriages: The number of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31 December in each of the years 1986–1990 are as follows:—

Denomination	1986	1987	1988	1989	1990
Church of Ireland . . .	432	432	433	434	434
Presbyterian	534	534	534	534	534
Methodist	164	165	166	167	167
Others	518	539	557	564	578
TOTAL . . .	1,648	1,670	1,690	1,699	1,713

Legitimacy Acts (N.I.), 1928 to 1961: Under these Acts an illegitimate child whose parents have married is subject to certain conditions, legitimated, and the Registrar General is empowered to authorise the registration or re-registration of the birth. During 1990 the registration or re-registration of the births of 455 children was authorised, the comparative figures for 1989 and 1988 being 538 and 528 respectively.

The Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969: Registers of children adopted under the provisions of the above Acts and of the previous Adoption Acts of 1929, 1950 and 1967 are kept in the General Register Office, to which the adoption orders made by the Courts are transmitted. A certified copy of an entry in the Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Register during 1990 numbered 144 whilst the figures for 1989 and 1988 were 224 and 270 respectively.

Searches and certificates: The original records of live births, deaths and marriages registered in Northern Ireland were in the custody of local registration officers until 1 October 1973*, since which date the original records of births and deaths have been centralised in the General Register Office at Oxford House, 49/55 Chichester Street, Belfast; marriage original records are held by the local Registrars. The following statement shows the activity during 1990 by way of searches and issue of certificates from the General Register Office:—

*The date of introduction of a new system of registration in Northern Ireland: See The Births, Deaths and Marriages Registration (N.I.) Order 1973.

TABLE X

YEAR	Official Certificates	PAID		Searches
		Certificates		
		Full	Short	
1927	29	112	—	—
1937	88	290	—	—
1951	220	1,609	1,270	—
1971	286	4,306	3,455	—
1982	717	24,348	23,254	46,984
1983	880	23,585	22,611	45,962
1984	932	23,573	21,353	45,575
1985	1,014	23,863	20,171	44,774
1986	1,029	26,296	21,485	48,607
1987	1,034	28,360	24,417	54,402
1988	831	28,496	23,839	54,205
1989	439	28,164	24,496	58,914
1990	34	29,454	21,214	54,068*

*This figure includes 301 general searches.

Verifications. Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for pensions, etc. During the year the number of cases dealt with was 6,767.

METEOROLOGY

The following is a general synopsis of the weather experienced over Northern Ireland during 1990. It is issued by the Director General, Meteorological Office, through the Belfast Weather Centre, 1 College Square East, Belfast BT1 6BQ.

Tables compiled and attached give details in respect of certain climate stations; columns 2 and 3 give the "Highest" and "Lowest" temperatures recorded on any given date during the month indicated. In columns 4 and 5 the Mean Daily Maximum and Minimum Air Temperatures are given. There is also a table giving similar data related to Northern Ireland as a whole based on a selection of stations appropriate to the Climatological Elements, and not necessarily to those stations whose data is published in the preceding tables. This data is known as the Northern Ireland District Values.

Where the term "Average" is used it refers to a standard 30 year period, 1951 to 1980, as used by the Meteorological Office for statistical purposes, in respect of Temperature, Rainfall and Sunshine. These elements are measured in Degrees Celsius; Millimetres (mms) and Hours Daily; respectively.

Temperatures are given in degrees celsius (centigrade equivalent). To convert degrees celsius to degrees fahrenheit multiply the celsius value by 9, divide by 5 and add 32 degrees. To convert "different from average" in degrees celsius to degrees fahrenheit, 1·0 degrees celsius equals 1·8 degrees fahrenheit.

January: A wet but mild and sunny month. Areal rainfall totals were 20·8 mm above the normal 104 mm but not remarkable in comparison to January in previous years. Rainfall distribution varied over the province with Omagh recording 208% of normal whilst Hillsborough recorded only 89%. The wettest period lay between the 21st and 26th with Omagh recording 25.7 mm on the 24th alone and 94.4 mm over the six day period, the equivalent of the normal January total. Excluding 1989, this was the mildest January since 1975 with mean temperatures 1·8 degrees above the normal 3·8 degrees Celsius and there was an overall average of ten days when maximum temperatures exceeded 10 deg.C. Over the province sunshine averaged 7% above the normal 1·45 hours/day. Gales occurred on five occasions, mostly at Orlock Head in North Down and the first substantial snowfall of the winter was recorded.

February: A mild, wet month sunshine totals below normal. It was the wettest February on record with areal rainfall totals 167% above the normal 69 mm. The range of totals varied between 319% of normal in Omagh to 209% in the Belfast area. The wettest period lay between the 23rd and 28th but the wettest single day was the 6th when, for example, 29.1 mm were recorded in Coleraine. It was the mildest February since 1961 when mean temperatures 1·5 degrees Celsius above the normal 3·9 degrees Celsius. The warmest period was from the 16th to the 25th. Sunshine average 2·04 hours/day which represents 88% of the normal total. This was another windy month with up to nine days of gales recorded, again most frequently at Orlock Head.

March: A dry and mild but rather dull month. Londonderry was the dullest area with sunshine totals only 63% of normal and a total of only 6 minutes of sunshine recorded between the 5th and the 10th. Overall sunshine totals amounted to only 78% of the normal 3·23 hours/day. In spite of the lack of sunshine, it was the mildest March since 1979. In some areas the daily maximum temperature averaged nearly 3 degrees above the normal 8·8 degrees Celsius. It was the third month in succession when temperatures were above normal. It was a very dry month with rainfall totals averaging 59·2 mm or 84% of normal. It was the driest March since 1974 but in spite of this statistic, two areas, Londonderry and Omagh, recorded 108% and 135% of the normal 71 mm.

April: A wet but sunny month with average temperatures. Rainfall totals averaged 121% of normal over the province and, although Omagh recorded 159% of its normal, Silent Valley, in the Mournes, received 25% less than its April normal. In many areas the period 12th to the 19th was the wettest with rainfall totals in that spell in excess of 50% of the actual April total. Most areas, with the exception of Enniskillen and Newtownards, experienced only one day without sunshine. The areal average of 5·58 hours/day made this the sunniest April since 1984—the normal is 4·98 hours/day. Maximum temperatures averaged 11·6 degrees Celsius, equal to the normal and mean temperatures of 7·4 deg.C. were also close to normal. Although Easter was cool and rather windy, winds reached gale force on only one day.

May: A dry, sunny and warm month but the low rainfall totals averaging 46·7 mm were not as low as the three previous years. 46·7 mm represents only 70% of normal but it was still the wettest May since 1986. The east coast of Co. Down was the driest area with totals of only 36·6 mm and the wettest was Londonderry with a May total of 55·7 mm. Flooding occurred in the Larne area on the 29th as a result of a local thunderstorm. Sunshine totals averaged 6·31 hours/day representing 110% of normal but, again, distribution was uneven. Armagh recorded only 95% of normal whereas 123% of normal was recorded in Coleraine. The sunniest period was the first four or five days when over 10 hours of sunshine was recorded daily in almost all localities. Overall, there was an average of eight days in May when sunshine totals exceeded 10 hours. Temperatures reflected the high sunshine values with the mean maximum of 16·1 degrees Celsius surpassing the normal by 1·7 degrees. Mean temperatures were also 1·4 degrees above the normal of 10·1 degrees Celsius, making it the warmest May since 1960.

June: A wet, dull and rather cool month. Rainfall totals were 68% above the normal 75 mm and made this the wettest June since 1982. The high rainfall totals were achieved in spite of a dry period between the 9th and 15th. Excluding mountainous areas, the wettest parts were in Fermanagh and Londonderry where 136·5 mm and 141·1 mm were recorded respectively. The driest area was Armagh with 69·5 mm, 110% of their normal. The highest daily total was 26·2 mm, recorded on the 6th in Coleraine. Temperatures were low with the mean maximum 1·1 degrees below the normal 17·2 degrees Celsius. Mean temperatures were 0·5 degrees below the normal 12·8 degrees Celsius. Sunshine totals were disappointing with only 4·63 hours/day on average, 17% below normal. The sunniest area was along the east coast of Co. Down where daily averages were 5·7 hours.

July: A warm, dry and sunny month. Although cooler than the exceptional July of 1989, this was, otherwise, the warmest since 1984. The mean maximum temperature of 19·1 degrees Celsius was one degree above the normal and some places, notably Armagh, averaged 20·2 degrees Celsius. Mean minimum temperatures averaged 11·0 degrees Celsius, 0·6 degrees above normal. Areally, the rainfall amounted to 81% of the normal 79 mm, though distribution was uneven. Omagh recorded 112% of normal rainfall whilst Armagh received only 48%. In one day, the 3rd, Silent Valley recorded a total of 33·2 mm which accounted for 40% of its whole July total. On average there were 14 days in the month when no rain fell. With average sunshine totals of 6·75 hours/day, it was the second sunniest July on record, surpassed only by July 1989. The sunniest spot was near Newcastle in Co. Down where the daily sunshine averaged 7·75 hours.

August: A warm but rather dull month: dry near the coast but wet inland. It was the warmest August since 1984 with average maximum temperatures 0·6 degrees above the normal 18·0 degrees Celsius. Mean temperatures of 15·4 degrees Celsius were 1·7 degrees above the normal. Armagh was the warmest area although Belfast recorded the highest temperature, 28·4 degrees Celsius on the 2nd of the month. High humidities during the month resulting in excess cloudiness which, in turn, gave below average sunshine totals. Daily averages of 3·02 hours were 1·12 hours below normal. Low daily sunshine values were reflected in the fact that only two to three days over the province had no sunshine at all. August can be considered a normal month as far as rainfall is concerned with areal totals only 3% above the normal 92 mm. Omagh, though, recorded 107·5 mm but at the other end of the spectrum, Silent Valley had nine dry days and only 79% of normal, the second month in succession when this important catchment recorded below normal rainfall totals.

September: A cool but very dry and sunny month. Areal rainfall values were only 49·7 mm or 49% of normal with the driest areas near the coast of Co. Down e.g. Newtownards recorded only 17·6 mm or 22% of the local normal. Apart from mountainous areas, the wettest parts were around Omagh but even there the total was only 61% of normal. Most of the province experienced a dry spell between the 9th and the 15th of the month. Although daily sunshine totals were 3·59 hours, this was not an exceptionally sunny September (103% of normal), the sixth sunniest since 1970. Londonderry was the dullest area with only 2·48 hours/day and the sunniest spots were along the coast of Co. Down. Average temperatures were below normal in all categories with mean maxima 0·7 degrees below the normal 15·9 degrees Celsius and mean temperatures 0·9 degrees below the normal 12·3 degrees Celsius. In spite of this, two areas had temperatures in excess of the normal, namely, Newtownards and Armagh. The highest temperature recorded this month was 22 degrees Celsius on the 2nd at Newtownards. This was the fifth consecutive September when both temperatures and rainfall were below normal.

October: Following on the heels of a very dry September, this was a very wet month with many areas recording more than twice the normal 100 mm of rainfall. Flooding occurred on three occasions in three separate localities. The Foyle river complex suffered flooding after heavy rain on the 5th. In Belfast on the 14th/15th, flooding occurred and in Ballycastle on the 27th heavy rain (72·8 mm) wreaked havoc as rivers burst their banks. The areal rainfall total was 205·1 mm or 206% of normal, ranging from 147·7 mm in Armagh to 235·6 mm in Omagh. Not surprisingly, sunshine totals of 2·11 hours/day, or 83% of normal. Armagh was the sunniest with 2·49 hours/day and the dullest area was Altnahinch in the Antrim hills. In spite of the profuse rainfall and lack of sunshine, October was a relatively mild month with mean temperatures 0·6 degrees above the normal 10·5 degrees Celsius and maximum temperatures averaging 13·1 degrees Celsius, 0·1 degrees above normal.

November: A dry month with rainfall totals only 84% of the normal 102 mm, most of which fell on relatively few days in the month. The heaviest single period of rain occurred on the 23rd, especially in the east of the province, and many areas then recorded at least 50% of their actual total. In the Trassey river area of the Mournes, a particular spell of heavy rain lasted for 27 hours spanning the 23rd/24th when 170·1 mm were recorded. Statistically, this has a return period of once in 419 years. The driest area, overall, was Armagh with a total of 51 mm or 66% of the local normal. Maximum temperatures averaged 9·0 degrees Celsius which equals the long term normal and mean temperatures, at 6·2 degrees Celsius, were only 0·1 degrees above normal. The temperatures are unremarkable considering a long mild spell from the 9th to the 17th when daytime temperatures pushed into double figures. It was a sunny month with daily sunshine values at 2·24 hours averaging 26% above normal. Newtownards and Hillsborough were the sunniest areas during November and the dullest was Coleraine with only 2·02 hours daily.

December: A cold but sunny month. Drier than normal in the east but wetter in all other areas. The rainfall total of 117·5 mm represents 120% of normal and makes this the wettest December since 1986. The wettest area was around Omagh where 148·8 mm were recorded, 35% above the normal and the driest area was Altnahinch with only 88% of normal rainfall recorded. The wettest counties in the province were Fermanagh, Tyrone and Londonderry where the areal average was 130·9 mm and more than twice the totals in the two driest counties, Antrim and Down. It was the second cold December in succession with mean maximum and minimum temperatures both below normal giving a daily mean of 4·1 degrees Celsius, 0·6 degrees below normal. Daily averages of 1·51 hours sunshine made this the sunniest December since 1963 although actual totals varied between 2·15 hours/day at Aldergrove and 1·25 hours/day at Altnahinch. Severe gales which occurred during the month brought 1990 to an end in similar fashion to the rather stormy beginning to the year.

Summary: The annual total of 1256·1 mm of rainfall made 1990 the third wettest year on record behind 1928 and 1954 and, with the exception of January, each wet month was followed by a dry month. This was not true of the sunshine with the distribution of the sunny and dull months more haphazard. It was the third year in a row when sunshine totals were above normal. There were only four months, June, September, November and December when mean temperatures were below normal making the annual average 0·5 degrees above normal, not exceptional by any means.

TABLE Y. *Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year 1990 and general values for the Province as a whole (final values*).*

MONTH	Air temperature						Rainfall			Sunshine	
	Highest	Lowest	Mean daily maximum	Mean daily minimum	Daily mean	Difference from average daily mean	Total	Percentage of average	No. of rain days	Daily mean (hours)	Percentage of average
	°C	°C	°C	°C	°C	°C	mm	%		hr.	%
COLERAINE											
January	13·7	−1·7	8·8	2·7	5·8	1·9	124·3	126	29	1·62	123
February	14·2	−3·2	8·8	2·7	5·7	1·8	178·7	263	26	2·01	90
March	15·0	0·2	11·4	5·6	8·5	3·0	57·2	85	22	2·29	72
April	20·6	−0·4	11·5	3·6	7·5	0·1	84·0	145	19	4·98	100
May	23·5	−0·2	15·8	6·7	11·2	1·3	49·3	82	13	6·89	123
June	19·6	5·6	15·7	9·2	12·5	0·0	141·1	204	20	4·18	76
July	25·6	4·4	19·0	11·1	15·0	1·2	73·7	89	17	6·75	170
August	25·0	3·6	18·6	12·3	15·4	1·7	70·0	80	26	3·02	73
September	21·4	0·7	15·1	7·9	11·5	−0·8	58·1	63	18	2·61	81
October	19·9	2·3	13·6	8·0	10·8	0·7	235·1	247	24	2·22	97
November	15·3	−4·0	9·8	3·9	6·8	0·3	89·8	87	19	2·03	127
December	13·2	−4·0	7·5	1·8	4·7	−1·8	115·0	112	20	1·28	80
YEAR	25·6	−4·0	13·0	6·3	9·6	0·8	1276·3	132	253	3·32	101
ALTNAHINCH											
January	12·0	−2·6	6·9	1·6	4·3	1·6	163·6	115	29	0·96	84
February	12·4	−3·1	6·9	1·3	4·1	1·4	205·2	203	26	1·47	71
March	14·0	−0·2	9·3	3·7	6·5	2·4	80·6	83	23	1·95	66
April	19·5	−6·8	10·0	2·1	6·1	0·0	121·6	123	21	4·37	89
May	22·8	1·0	14·8	6·2	10·5	1·6	54·1	59	14	7·25	130
June	18·0	4·0	14·3	7·4	10·9	−0·6	208·9	195	21	3·98	73
July	24·0	3·0	17·7	10·2	13·9	1·2	82·6	68	19	6·52	165
August	24·6	4·5	17·3	10·8	14·0	1·3	134·6	100	30	3·06	73
September	18·2	0·0	13·4	6·5	10·0	−1·1	96·2	68	21	3·17	98
October	18·1	0·5	11·6	6·7	9·1	0·2	272·3	188	24	1·80	80
November	13·8	−2·2	7·8	3·0	5·4	0·3	107·2	70	18	2·23	156
December	10·9	−2·5	5·8	0·6	3·2	−1·9	131·1	86	21	1·25	88
YEAR	24·6	−6·8	11·3	5·0	8·2	0·5	1658·0	113	267	3·17	98
ALDERGROVE											
January	12·6	−1·6	8·4	2·8	5·6	1·0	104·4	129	24	1·91	132
February	13·9	−3·8	8·5	2·5	5·5	0·8	132·0	236	23	2·25	95
March	14·7	−2·3	10·9	5·1	8·0	1·9	36·6	67	20	2·72	84
April	19·8	−2·4	11·6	3·6	7·6	−0·5	63·1	131	18	5·24	99
May	23·8	1·9	16·3	7·6	11·9	1·2	47·5	85	10	6·90	116
June	19·2	5·9	16·5	9·3	12·9	−0·6	117·6	184	20	4·59	78
July	25·3	4·6	19·4	11·7	15·5	0·6	50·3	71	17	7·63	168
August	26·7	3·4	19·0	12·4	15·7	1·0	91·4	116	26	3·36	74
September	20·4	2·2	15·6	8·4	12·0	−1·1	37·3	46	17	3·97	110
October	18·9	3·5	13·2	8·5	10·8	0·1	164·7	203	22	2·32	89
November	15·1	−3·6	8·9	3·5	6·2	−0·9	73·4	92	20	2·28	120
December	11·9	−4·1	6·7	1·2	3·9	−3·2	74·2	87	16	2·15	183
YEAR	26·7	−4·1	12·9	6·4	9·6	0·0	992·5	121	233	3·78	112
NEWCASTLE (Murlough)											
January	15·0	0·4	9·4	3·5	6·4	2·0	124·6	123	25	1·98	103
February	12·7	−2·1	9·3	3·7	6·5	2·0	210·0	296	25	2·57	97
March	16·4	−1·5	12·0	5·7	8·8	3·0	26·8	37	15	3·42	97
April	18·3	−2·1	12·3	3·6	7·9	0·4	41·4	70	14	5·78	109
May	19·5	2·2	15·0	6·8	10·9	0·9	36·6	61	11	6·26	103
June	20·1	5·9	16·7	9·1	12·9	0·2	87·3	146	20	5·70	92
July	21·9	3·7	18·8	11·1	14·9	0·8	50·6	73	11	7·75	152
August	24·0	6·0	19·3	12·7	16·0	2·0	69·2	90	15	4·25	85
September	21·2	0·0	16·4	8·6	12·5	0·0	20·6	24	9	4·33	106
October	19·4	3·6	14·0	8·7	11·4	1·1	180·4	205	24	2·14	70
November	15·8	−1·2	9·6	4·3	6·9	0·2	95·5	109	18	2·28	98
December	13·5	−1·9	8·1	2·2	5·1	−1·6	124·8	127	20	1·45	93
YEAR	24·0	−2·1	13·4	6·7	10·0	0·9	1067·8	113	207	3·99	100

TABLE Y. *(continued). Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year* 1990 *and general values for the Province as a whole (final values*).*

MONTH	Air temperature						Rainfall			Sunshine	
	Highest	Lowest	Mean daily maximum	Mean daily minimum	Daily mean	Difference from average daily mean	Total	Percentage of average	No. of rain days	Daily mean (hours)	Percentage of average
	°C	°C	°C	°C	°C	°C	mm	%		hr.	%
OMAGH (Carrigans)											
January	12·8	–1·9	7·9	2·2	5·0	1·7	195·6	208	29	1·34	94
February	13·5	–4·0	7·9	1·7	4·8	1·2	229·9	319	27	1·85	87
March	15·2	–2·0	10·3	4·4	7·4	2·1	97·4	135	27	2·15	65
April	20·1	–4·2	11·9	2·9	7·4	–0·1	95·3	159	18	5·36	109
May	24·2	1·2	16·8	7·1	11·9	1·8	51·9	73	13	5·90	101
June	20·1	3·9	16·4	8·3	12·4	–0·5	125·0	169	23	4·83	91
July	25·8	4·0	19·5	10·9	15·2	1·1	87·5	112	16	5·68	136
August	25·4	3·8	18·6	11·6	15·1	1·2	107·5	118	28	2·75	63
September	19·4	0·6	14·9	6·9	10·9	–1·2	57·6	61	19	3·07	94
October	17·7	2·1	12·8	7·4	10·1	0·4	235·6	220	26	1·93	76
November	15·0	–5·8	8·6	2·6	5·6	–0·3	95·1	94	20	2·29	130
December	12·7	–5·6	6·7	0·7	3·7	–2·2	148·8	135	20	1·46	132
YEAR	25·8	–5·8	12·7	5·6	9·1	0·4	1527·2	150	266	3·22	98
ARMAGH											
January	12·9	–1·1	8·9	3·3	6·1	2·2	88·1	112	24	1·87	124
February	13·5	–3·3	8·7	2·6	5·6	1·5	153·7	261	23	2·18	94
March	16·3	–2·2	11·3	5·3	8·3	2·4	39·8	72	19	2·87	89
April	21·3	–2·6	12·2	3·5	7·9	–0·2	48·6	90	16	4·98	103
May	25·0	2·3	17·1	7·5	12·3	1·6	43·9	72	10	5·32	95
June	19·5	5·2	16·8	9·0	12·9	–0·6	69·5	110	17	4·52	84
July	26·0	5·5	20·2	11·4	15·8	0·9	31·8	48	11	6·93	169
August	27·7	6·2	19·4	12·6	16·0	1·3	90·6	115	19	3·36	79
September	21·7	3·0	16·1	8·0	12·0	–0·7	23·1	32	13	4·00	114
October	19·0	2·5	13·5	8·2	10·9	0·7	147·7	182	22	2·49	93
November	15·9	–4·2	9·5	3·2	6·3	0·0	51·0	66	15	2·43	128
December	12·1	–5·8	7·2	1·1	4·2	–2·1	97·3	114	18	1·49	125
YEAR	27·7	–5·8	13·4	6·3	9·9	0·6	885·1	106	207	3·54	108
CASTLE ARCHDALE FOREST											
January	13·0	–1·2	8·5	3·0	5·8	2·2	168·2	170	28	1·51	103
February	13·7	–4·1	8·4	2·3	5·3	1·4	221·4	291	27	1·95	84
March	14·8	–1·8	10·7	5·3	8·0	2·2	75·7	107	21	2·36	73
April	20·6	–1·9	11·8	3·6	7·7	0·0	82·0	119	18	5·43	114
May	24·0	0·4	16·5	6·6	11·5	1·2	43·9	56	13	5·63	105
June	19·1	2·4	15·8	8·5	12·2	–0·7	136·5	164	23	4·58	88
July	25·2	4·1	19·1	11·0	15·1	1·2	80·2	103	16	6·04	156
August	24·3	4·9	18·2	12·1	15·2	1·3	110·0	107	26	2·43	60
September	19·0	0·2	14·8	7·4	11·1	–1·2	54·9	51	16	3·98	118
October	17·5	3·3	13·3	8·0	10·7	0·8	200·2	194	23	1·91	76
November	15·7	–4·5	8·8	2·9	5·8	–0·3	81·4	70	18	2·18	126
December	12·0	–4·1	7·1	1·1	4·1	–2·0	131·1	107	20	1·49	138
YEAR	25·2	–4·5	12·7	6·0	9·4	0·5	1385·5	128	249	3·29	103
GENERAL VALUES FOR NORTHERN IRELAND AS A WHOLE											
January	15·6	–3·9	8·4	2·7	5·6	1·8	138·4	140	27	1·60	109
February	15·2	–7·5	8·3	2·4	5·4	1·5	190·1	267	25	2·04	88
March	17·3	–3·9	10·8	5·0	7·9	2·4	59·2	84	21	2·54	78
April	23·6	–6·8	11·6	3·3	7·4	0·0	76·6	120	18	5·16	103
May	26·0	–1·6	16·1	6·9	11·5	1·4	46·7	70	12	6·31	110
June	22·0	0·0	16·1	8·7	12·4	–0·4	126·6	168	21	4·63	83
July	27·1	0·0	19·1	11·0	15·1	1·0	65·2	81	15	6·76	160
August	28·4	2·1	18·6	12·1	15·4	1·4	96·2	103	24	3·18	72
September	23·4	–1·9	15·2	7·7	11·4	–0·9	49·7	49	16	3·59	103
October	20·0	0·3	13·1	7·9	10·5	0·6	205·1	206	24	2·11	83
November	18·0	–6·5	9·0	3·3	6·2	–0·1	84·8	84	18	2·24	126
December	15·0	–7·5	7·0	1·2	4·1	–2·1	117·5	110	19	1·51	120
YEAR	28·4	–7·5	12·8	6·0	9·4	0·5	1256·1	123	240	3·47	103

*Certain values shown in this report may differ slightly from those given in the quarterly reports. This is a result of our quality control procedure which occasionally necessitates changes to be made.

ABSTRACTS
1990

ABSTRACT 1. Northern Ireland: Ages of population according to the Census of 1981.

AGES		Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Down District	Dungannon District	Fermanagh District	Larne District	Limavady District	Lisburn District	Londonderry District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES
—1 yr.	M	13,834	461	484	475	465	236	283	2,542	214	389	359	319	693	509	445	451	195	272	766	982	338	121	845	591	543	497	359	M —1 yr.
	F	13,322	463	466	487	422	202	271	2,375	224	341	350	318	640	473	450	494	204	273	751	999	343	125	781	569	488	477	336	F
1—	M	14,104	456	523	484	475	204	237	2,599	233	376	399	321	676	524	468	498	201	305	761	1,013	309	129	853	631	565	475	389	M 1—
	F	13,333	461	490	437	436	186	271	2,377	222	343	363	315	664	474	438	451	213	291	656	987	354	119	822	572	558	505	328	F
2—	M	13,170	420	460	464	468	197	218	2,451	212	341	356	305	617	473	461	448	179	301	655	1,005	349	124	764	608	492	430	372	M 2—
	F	12,805	404	437	447	427	189	221	2,358	194	354	328	309	621	471	446	433	212	251	689	927	302	138	743	574	465	503	362	F
3—	M	12,890	427	460	431	407	179	252	2,276	211	349	343	305	601	503	400	442	184	253	674	934	353	110	794	586	483	466	367	M 3—
	F	12,258	371	459	405	370	171	220	2,265	215	342	314	284	591	420	424	403	186	256	649	916	291	114	740	576	472	437	367	F
4—	M	12,915	433	456	483	456	176	239	2,317	199	332	338	306	593	456	440	442	201	273	689	1,018	333	130	773	559	461	437	375	M 4—
	F	12,265	373	459	387	401	175	219	2,131	225	315	360	287	541	436	453	436	172	283	659	873	309	118	745	584	505	451	368	F
5—	M	12,817	422	503	435	416	188	241	2,171	211	363	351	309	634	477	432	445	209	302	702	912	288	124	753	608	517	427	377	M 5—
	F	12,261	453	433	431	403	195	205	2,163	218	342	348	265	586	426	409	443	206	300	653	884	325	123	687	544	470	428	321	F
6—	M	13,273	413	514	475	422	177	224	2,234	230	382	370	278	649	503	463	476	232	290	724	975	315	155	804	604	515	450	399	M 6—
	F	12,537	410	465	424	422	183	230	2,227	222	356	364	255	609	443	397	420	228	296	652	888	319	131	703	594	497	432	370	F
7—	M	13,937	444	525	468	541	221	241	2,407	256	426	420	314	659	486	445	486	265	296	754	958	362	142	820	617	511	481	392	M 7—
	F	13,125	437	450	436	475	164	245	2,257	237	378	395	269	636	504	451	460	228	307	720	929	309	133	762	589	508	470	376	F
8—	M	14,383	477	498	463	538	217	289	2,473	298	453	433	310	709	549	462	514	250	322	763	971	375	143	810	612	545	477	432	M 8—
	F	13,405	457	485	480	483	202	261	2,257	230	421	451	306	593	483	456	458	249	280	725	925	324	127	778	619	518	472	365	F
9—	M	14,819	468	533	489	504	251	259	2,599	265	493	445	325	713	518	460	529	276	280	833	1,029	360	156	887	640	556	502	449	M 9—
	F	13,729	436	443	468	496	204	264	2,496	271	426	418	300	708	468	425	487	253	293	751	929	349	130	768	612	479	482	373	F
10—	M	14,811	456	495	492	567	234	295	2,587	245	535	455	326	728	544	498	492	255	305	855	976	376	144	847	691	566	473	374	M 10—
	F	14,296	434	524	511	498	206	226	2,629	277	475	493	319	710	527	424	462	258	311	789	956	313	129	814	616	516	439	440	F
11—	M	15,064	490	478	525	542	228	286	2,762	297	551	435	312	753	554	451	472	283	317	817	1,039	387	170	817	659	542	491	406	M 11—
	F	14,190	478	476	457	518	227	262	2,614	253	532	453	280	687	498	400	482	264	254	736	945	360	127	877	604	566	435	405	F
12—	M	15,248	470	556	470	551	264	289	2,822	319	549	447	257	745	571	446	522	294	311	779	1,099	388	166	850	678	567	446	392	M 12—
	F	14,540	448	499	481	491	226	253	2,777	251	508	441	289	744	526	431	441	298	287	787	961	353	120	861	666	526	508	367	F
13—	M	15,650	458	525	475	544	250	286	3,077	302	554	480	323	763	566	471	481	307	306	867	1,040	337	152	906	680	581	453	466	M 13—
	F	14,731	440	485	449	530	234	262	2,883	260	554	498	313	725	521	420	456	273	284	777	997	343	137	829	665	529	476	391	F
14—	M	15,578	464	573	461	540	226	310	3,057	293	596	459	275	760	550	478	458	306	285	841	998	388	145	872	718	596	489	440	M 14—
	F	14,730	371	490	480	505	225	292	2,940	288	614	461	290	727	496	448	489	296	278	809	1,005	305	133	800	649	528	434	377	F
15—	M	15,231	460	499	473	506	240	283	2,950	295	563	530	258	791	538	430	511	290	303	808	1,016	345	143	840	750	549	451	409	M 15—
	F	14,137	421	442	439	478	217	278	2,784	292	567	440	282	715	522	406	503	291	293	722	945	305	154	704	589	528	431	389	F
16—	M	15,624	464	502	539	564	264	296	3,091	287	647	449	265	782	561	456	550	287	294	805	1,052	343	166	841	672	620	444	383	M 16—
	F	14,725	428	505	483	509	208	285	2,900	301	598	482	245	748	490	413	476	266	267	786	971	294	140	796	726	544	430	434	F
17—	M	15,040	426	435	485	551	238	294	3,012	290	614	473	267	760	555	460	498	279	272	763	991	337	144	855	689	532	428	392	M 17—
	F	14,245	395	474	470	459	205	279	2,950	254	564	446	282	698	482	430	515	290	237	732	918	327	141	754	643	514	448	338	F
18—	M	14,676	423	441	485	487	201	294	2,989	287	567	436	277	717	596	443	505	270	298	758	957	303	141	746	691	508	498	358	M 18—
	F	13,558	362	477	422	458	203	256	2,980	287	523	419	208	678	470	369	471	257	212	657	915	278	149	684	600	477	399	347	F
19—	M	13,818	433	415	433	427	221	271	2,878	273	522	407	233	714	541	420	454	281	286	736	933	249	110	664	571	534	389	373	M 19—
	F	13,397	404	440	418	468	193	241	3,058	248	598	396	251	666	436	327	412	259	239	666	853	285	126	685	614	460	337	317	F
20—	M	14,029	433	460	462	446	217	241	3,003	213	549	454	251	663	509	429	413	288	309	750	915	285	157	728	592	521	391	350	M 20—
	F	13,182	384	446	412	392	190	222	3,110	238	517	398	238	649	411	370	385	201	240	684	844	301	109	656	632	491	358	304	F
21—	M	13,087	449	416	428	421	187	272	2,827	237	482	404	227	657	472	352	449	251	283	757	850	280	114	610	501	486	374	301	M 21—
	F	12,486	360	397	406	421	184	233	2,948	256	467	390	231	651	416	352	393	211	216	636	726	242	108	646	549	446	327	274	F
22—	M	12,272	408	357	413	406	218	272	2,640	227	429	360	240	609	451	345	368	252	249	726	749	249	100	586	552	399	394	273	M 22—
	F	11,789	373	368	372	376	159	224	2,793	209	435	369	179	599	397	309	350	233	227	621	705	249	87	568	540	461	339	247	F
23—	M	11,890	382	385	391	369	174	231	2,623	210	410	339	217	594	421	322	409	235	229	686	712	254	89	569	572	441	367	254	M 23—
	F	11,508	412	407	354	394	161	215	2,579	188	402	334	195	578	415	314	355	228	203	627	650	244	100	571	544	452	328	258	F
24—	M	11,191	379	407	364	376	169	238	2,336	193	403	378	212	543	405	312	385	205	217	644	613	235	83	554	506	446	354	234	M 24—
	F	10,852	357	408	313	364	199	214	2,365	202	403	299	196	554	350	287	341	188	188	591	636	232	100	539	570	456	278	222	F

ABSTRACT 1. *(continued).* Northern Ireland: Ages of population according to the Census of 1981.

AGES		Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Down District	Dungannon District	Fermanagh District	Larne District	Limavady District	Lisburn District	Londonderry District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES	
0-4	M	66,813	2,197	2,383	2,337	2,271	992	1,229	12,185	1,069	1,787	1,795	1,556	3,180	2,465	2,214	2,281	960	1,404	3,545	4,952	1,682	614	4,029	2,975	2,544	2,305	1,862	M	0-4
	F	63,974	2,072	2,311	2,163	2,056	923	1,202	11,506	1,080	1,695	1,715	1,513	3,057	2,274	2,211	2,217	987	1,354	3,404	4,702	1,599	614	3,831	2,875	2,488	2,373	1,761	F	
5-9	M	69,229	2,224	2,573	2,330	2,421	1,054	1,254	11,884	1,260	2,117	2,019	1,536	3,364	2,533	2,262	2,450	1,232	1,490	3,776	4,845	1,700	720	4,074	3,081	2,644	2,337	2,049	M	5-9
	F	65,057	2,193	2,276	2,239	2,279	948	1,205	11,400	1,178	1,923	1,976	1,395	3,132	2,324	2,138	2,268	1,164	1,476	3,501	4,555	1,626	644	3,698	2,958	2,472	2,284	1,805	F	
10-14	M	76,351	2,338	2,627	2,423	2,744	1,202	1,466	14,305	1,456	2,785	2,276	1,493	3,749	2,785	2,344	2,425	1,445	1,524	4,159	5,152	1,876	777	4,292	3,426	2,852	2,352	2,078	M	10-14
	F	72,487	2,171	2,474	2,378	2,542	1,118	1,295	13,843	1,329	2,683	2,346	1,491	3,593	2,568	2,123	2,330	1,389	1,414	3,898	4,864	1,674	646	4,181	3,200	2,665	2,292	1,980	F	
15-19	M	74,389	2,206	2,292	2,415	2,535	1,164	1,438	14,920	1,432	2,913	2,295	1,300	3,764	2,791	2,209	2,518	1,407	1,453	3,870	4,949	1,627	704	3,946	3,373	2,743	2,210	1,915	M	15-19
	F	70,062	2,010	2,338	2,232	2,372	1,026	1,339	14,672	1,382	2,850	2,183	1,268	3,505	2,400	1,945	2,377	1,363	1,248	3,563	4,602	1,489	710	3,623	3,172	2,523	2,045	1,825	F	
20-24	M	62,469	2,051	2,025	2,058	2,018	965	1,254	13,429	1,080	2,273	1,935	1,147	3,066	2,258	1,760	2,024	1,231	1,287	3,563	3,839	1,308	543	3,047	2,723	2,293	1,880	1,412	M	20-24
	F	59,817	1,886	2,026	1,857	1,947	893	1,108	13,795	1,093	2,224	1,790	1,039	3,031	1,989	1,632	1,824	1,061	1,074	3,159	3,561	1,268	504	2,980	2,835	2,306	1,630	1,305	F	
25-29	M	51,046	1,799	2,007	1,564	1,915	756	1,028	9,733	922	1,904	1,532	890	2,534	1,795	1,436	1,820	901	1,058	3,063	2,914	1,044	474	2,464	2,615	2,189	1,525	1,164	M	24-29
	F	48,992	1,723	2,095	1,598	1,914	715	926	9,228	931	1,871	1,503	857	2,471	1,650	1,302	1,556	816	981	2,871	2,952	953	414	2,377	2,618	2,243	1,368	1,059	F	
30-34	M	49,648	1,800	2,348	1,655	1,854	727	973	8,181	950	1,813	1,563	880	2,510	1,783	1,291	1,730	940	965	3,246	2,876	987	492	2,380	2,647	2,496	1,415	1,146	M	30-34
	F	49,036	1,744	2,403	1,684	1,824	686	966	8,128	999	1,918	1,551	888	2,527	1,733	1,262	1,672	929	921	3,106	2,666	1,012	407	2,310	2,697	2,620	1,268	1,115	F	
35-39	M	46,091	1,566	2,223	1,513	1,720	727	954	7,752	971	1,908	1,500	828	2,325	1,657	1,215	1,485	905	814	3,045	2,450	907	397	2,061	2,440	2,522	1,200	1,006	M	35-39
	F	46,413	1,573	2,061	1,457	1,855	751	955	8,140	991	2,096	1,452	851	2,389	1,555	1,187	1,343	884	800	3,024	2,477	912	412	2,082	2,474	2,523	1,193	976	F	
40-44	M	40,010	1,228	1,530	1,302	1,564	621	832	7,407	830	1,741	1,297	738	2,003	1,384	1,118	1,270	805	706	2,413	2,215	785	371	1,908	2,107	1,799	1,106	930	M	40-44
	F	41,134	1,237	1,538	1,330	1,597	627	844	8,024	815	1,893	1,395	699	2,102	1,394	1,126	1,243	823	645	2,497	2,217	810	375	1,882	2,261	1,808	1,073	879	F	
45-49	M	37,136	1,054	1,349	1,236	1,400	580	751	7,615	755	1,754	1,163	612	1,808	1,164	1,071	1,207	801	518	2,125	1,941	756	331	1,762	1,975	1,608	977	823	M	45-49
	F	38,972	992	1,421	1,201	1,449	581	798	8,511	813	1,968	1,197	592	1,941	1,216	1,119	1,187	789	543	2,251	2,010	786	329	1,859	2,042	1,675	914	788	F	
50-54	M	36,290	975	1,310	1,111	1,347	553	740	7,983	739	1,888	1,070	648	1,697	1,190	1,014	1,239	734	515	1,953	1,808	721	310	1,597	1,963	1,495	920	770	M	50-54
	F	39,690	921	1,519	1,201	1,475	629	721	9,331	797	2,208	1,172	611	1,822	1,225	1,053	1,166	826	529	2,136	1,888	729	332	1,743	2,173	1,708	944	831	F	
55-59	M	35,534	837	1,373	1,167	1,286	545	719	8,302	666	1,935	1,052	580	1,533	1,197	983	1,227	771	501	1,771	1,525	694	332	1,568	1,769	1,555	903	743	M	55-59
	F	39,599	880	1,515	1,191	1,377	592	787	9,844	767	2,124	1,163	648	1,709	1,273	996	1,292	773	538	2,030	1,884	640	346	1,745	1,978	1,837	932	738	F	
60-64	M	31,392	702	1,273	950	1,092	505	674	7,230	583	1,562	876	554	1,256	1,062	903	1,287	651	456	1,551	1,406	671	342	1,447	1,387	1,360	914	698	M	60-64
	F	36,590	783	1,475	1,088	1,272	574	777	9,193	639	1,685	1,149	621	1,535	1,188	981	1,289	774	446	1,786	1,768	694	339	1,577	1,531	1,827	882	717	F	
65-69	M	28,137	588	1,122	845	1,015	445	635	6,592	416	1,197	851	533	1,211	924	819	1,271	561	390	1,357	1,212	602	324	1,326	1,088	1,286	897	630	M	65-69
	F	35,229	741	1,358	1,080	1,251	463	725	9,174	631	1,443	1,148	564	1,570	1,169	886	1,217	739	422	1,736	1,536	675	346	1,544	1,395	1,796	889	731	F	
70-74	M	21,853	465	849	714	763	306	501	5,236	340	773	656	375	877	757	700	918	423	317	1,015	989	502	249	1,048	774	1,023	719	554	M	70-74
	F	30,941	624	1,228	866	1,073	347	628	8,595	558	1,180	927	427	1,355	1,041	778	939	631	333	1,462	1,462	540	307	1,327	1,178	1,723	774	638	F	
75-79	M	12,801	282	529	417	539	193	292	2,999	202	475	422	228	511	441	373	555	257	178	569	512	258	144	600	469	666	386	313	M	75-79
	F	21,807	483	777	623	798	310	462	6,132	392	848	682	318	934	740	504	706	450	256	1,076	971	348	216	898	881	1,177	454	371	F	
80-84	M	6,709	150	228	226	299	92	139	1,501	107	253	231	118	236	247	211	355	121	108	324	262	142	72	298	227	361	229	172	M	80-84
	F	13,826	285	500	421	514	169	279	3,981	244	570	444	200	523	524	336	442	297	145	604	567	237	120	550	533	783	303	255	F	
85-89	M	2,641	39	92	82	83	38	67	631	34	101	88	71	84	86	100	144	47	40	101	128	72	35	125	64	116	105	68	M	85-89
	F	6,542	128	204	171	224	81	95	2,014	113	284	193	115	235	249	180	180	113	66	323	284	109	68	249	217	349	184	114	F	
90-94	M	705	15	34	22	34	10	11	129	8	18	26	20	26	27	32	49	12	15	28	20	22	11	35	27	25	37	12	M	90-94
	F	2,044	44	72	56	82	24	28	576	36	98	73	42	74	103	48	58	48	23	74	84	29	14	76	75	124	53	30	F	
95 & over	M	168	5	5	4	2	3	1	23	3	3	7	3	7	12	7	9	6	5	8	11	3	2	8	9	8	9	5	M	95 & over
	F	563	5	29	16	20	11	12	146	14	24	26	8	14	20	14	24	10	6	24	35	5	9	27	14	32	7	11		
ALL AGES	M	749,412	22,521	28,172	24,371	26,893	11,478	14,958	148,037	13,823	29,200	22,654	14,110	35,741	26,558	22,062	26,264	14,210	13,744	41,482	44,016	16,359	7,244	38,015	35,139	31,585	22,426	18,350	M	ALL
	F	782,774	22,495	29,620	24,852	27,921	11,468	15,152	166,233	14,802	31,585	24,085	14,147	37,519	26,635	21,821	25,330	14,866	13,220	42,525	45,085	16,135	7,152	38,559	37,107	34,679	21,862	17,929	F	AGES
TOTAL		1,532,196	45,016	57,792	49,223	54,814	22,946	30,110	314,270	28,625	60,785	46,739	28,257	73,260	53,193	43,883	51,594	29,076	26,964	84,007	89,101	32,494	14,396	76,574	72,246	66,264	44,288	36,279	TOTAL	

ABSTRACT 2. Northern Ireland: Marriages registered by District Council Area and month of registration, 1990.

AREA	Total	January	February	March	April	May	June	July	August	September	October	November	December
Ards	332	5	11	23	24	39	57	43	50	36	21	11	12
Belfast	1,941	85	74	105	159	147	268	227	262	288	180	73	73
Castlereagh	287	9	12	20	29	21	41	25	41	41	22	17	9
Down	337	12	10	16	36	22	36	55	41	30	53	15	11
Lisburn	484	13	18	32	51	51	59	55	69	56	37	17	26
North Down	404	11	16	24	39	30	58	46	52	63	32	21	12
Antrim	266	6	13	20	30	24	27	39	38	29	20	11	9
Ballymena	348	10	19	12	34	34	45	45	61	51	23	13	1
Ballymoney	148	4	7	4	12	23	16	22	16	22	6	12	4
Carrickfergus	183	4	9	5	18	21	29	19	24	29	13	6	6
Coleraine	355	12	13	16	34	17	44	49	56	63	26	16	9
Cookstown	191	10	6	6	23	11	22	30	28	27	20	5	3
Larne	299	13	9	14	25	26	35	31	42	40	38	16	10
Magherafelt	226	5	8	6	25	25	18	33	45	32	22	6	1
Moyle	87	4	2	3	11	5	11	8	11	23	7	.	2
Newtownabbey	431	8	18	39	43	32	63	32	75	58	28	16	19
Armagh	268	7	9	11	32	26	36	29	38	39	22	13	6
Banbridge	210	2	9	13	11	25	33	14	34	31	16	14	8
Craigavon	494	20	18	15	53	37	66	54	90	73	29	23	16
Dungannon	248	8	7	5	23	23	29	33	39	34	27	8	12
Newry and Mourne	534	16	10	21	22	15	104	21	34	154	94	12	31
Fermanagh	309	7	5	4	44	24	38	54	56	42	19	9	7
Limavady	166	2	6	11	9	10	16	23	47	22	8	4	8
Derry	562	18	20	34	26	70	81	76	73	80	42	33	9
Omagh	274	5	3	6	26	25	28	46	54	43	26	6	6
Strabane	204	7	10	10	18	15	22	33	38	19	21	8	3
NORTHERN IRELAND	9,588	303	342	475	857	798	1,282	1,142	1,414	1,425	852	385	313

ABSTRACT 3. Northern Ireland: Conjugal condition of persons contracting marriage by District Council Area, 1990.

Area	Rate per 1,000 population	Total	Marriages contracted between									Marriages of	
			Bachelors and			Widowers and			Divorced Men and				
			Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Divorced Men	Divorced Women
Ards	5·1	332	259	.	18	.	2	4	25	5	19	49	41
Belfast	6·6	1,941	1,642	10	82	14	16	7	101	11	58	170	147
Castlereagh	4·9	287	237	.	12	1	1	6	18	.	12	30	30
Down	5·8	337	298	2	11	1	2	1	14	1	7	22	19
Lisburn	4·9	484	404	3	25	4	10	1	17	5	15	37	41
North Down	5·6	404	278	1	36	4	7	4	39	.	35	74	75
Antrim	5·6	266	218	.	12	1	1	2	14	2	16	32	30
Ballymena	6·1	348	303	1	10	3	1	6	11	.	13	24	29
Ballymoney	6·1	148	136	.	2	2	2	1	4	.	1	5	4
Carrickfergus	5·9	183	132	1	19	1	3	.	17	.	10	27	29
Coleraine	7·3	355	298	2	16	1	6	.	17	2	13	32	29
Cookstown	6·9	191	177	1	3	.	1	1	7	1	.	8	4
Larne	10·3	299	165	1	38	1	2	4	62	4	22	88	64
Magherafelt	6·8	226	212	3	2	1	1	.	6	.	1	7	3
Moyle	5·8	87	80	.	3	.	.	1	3	.	.	3	4
Newtownabbey	5·9	431	350	3	17	1	3	3	27	3	24	54	44
Armagh	5·5	268	244	3	5	1	1	.	7	.	7	14	12
Banbridge	6·5	210	187	.	8	.	3	2	4	.	6	10	16
Craigavon	6·3	494	419	6	19	7	3	5	23	2	10	35	34
Dungannon	5·7	248	228	1	8	.	1	.	7	1	2	10	10
Newry and Mourne	6·0	534	491	5	10	2	1	2	15	1	7	23	19
Fermanagh	6·1	309	291	2	2	.	.	1	9	.	4	13	7
Limavady	5·6	166	151	.	3	.	.	2	6	1	3	10	8
Derry	5·6	562	506	5	21	3	1	1	12	3	10	25	32
Omagh	6·0	274	264	2	3	1	.	1	2	.	1	3	5
Strabane	5·7	204	187	2	6	2	2	1	2	.	2	4	9
NORTHERN IRELAND	6·0	9,588	8,157	54	391	51	70	56	469	42	298	809	745

ABSTRACT 4. Northern Ireland: Ages of men at marriage by District Council Area, 1990.

Area	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	28·65	332	.	.	.	3	6	13	99	108	48	23	10	8	3	6	1	2	1	1	.
Belfast	27·87	1,941	.	6	6	10	31	52	644	695	261	102	60	19	18	12	11	12	4	3	1
Castlereagh	27·64	287	.	.	.	1	6	11	79	121	40	12	5	4	3	3	.	1	1	.	.
Down	28·19	337	.	2	2	1	7	12	102	127	38	20	10	5	4	1	2	3	2	1	.
Lisburn	28·05	484	.	.	.	1	10	14	152	186	64	23	8	8	6	4	2	4	2	.	.
North Down	30·36	404	.	.	.	2	3	11	94	136	78	25	18	17	4	2	6	4	2	1	1
Antrim	27·90	266	.	.	.	2	6	8	87	91	32	19	9	5	5	.	.	2	.	.	.
Ballymena	27·09	348	.	.	.	5	8	11	117	130	43	16	7	2	4	2	1	.	2	.	.
Ballymoney	27·81	148	.	.	.	.	2	4	41	65	23	5	3	1	1	1	1	.	.	1	.
Carrickfergus	28·42	183	.	1	1	3	2	6	55	63	29	9	6	.	4	1	3	.	.	1	.
Coleraine	28·31	355	.	.	.	3	3	6	106	147	55	8	8	5	3	6	1	.	2	2	.
Cookstown	26·72	191	.	.	.	3	4	3	67	74	25	8	2	1	1	2	.	.	1	.	.
Larne	32·44	299	.	.	.	4	4	7	54	82	57	29	22	13	11	5	6	4	1	.	.
Magherafelt	26·75	226	.	.	.	2	2	7	77	88	40	2	3	2	2	.	.	.	1	.	.
Moyle	27·26	87	.	.	.	.	1	2	20	44	14	2	2	1	.	1	.	.	.	.	.
Newtownabbey	28·07	431	.	.	.	1	13	7	154	136	61	18	16	13	6	.	5	.	1	.	.
Armagh	26·92	268	.	.	.	2	7	2	93	103	39	9	5	3	2	2	.	1	.	.	.
Banbridge	27·63	210	.	.	.	1	2	9	53	99	29	6	2	2	2	3	1	.	1	.	.
Craigavon	27·53	494	.	1	1	7	13	13	163	192	50	16	12	11	6	4	1	3	2	.	.
Dungannon	27·60	248	.	1	1	4	5	4	76	95	31	18	5	3	3	1	2	.	.	.	.
Newry and Mourne	26·98	534	.	1	1	3	15	21	170	209	65	27	11	4	3	2	2	1	.	.	.
Fermanagh	27·68	309	.	.	.	3	2	8	78	130	48	32	3	1	3	.	.	1	.	.	.
Limavady	26·48	166	.	.	.	2	5	5	61	61	21	4	3	1	2	.	1	.	.	.	.
Derry	26·96	562	.	2	2	3	11	19	197	210	68	21	14	5	7	2	.	.	2	1	.
Omagh	27·11	274	.	.	.	3	1	9	84	120	29	16	5	2	2	2	1	.	.	.	.
Strabane	26·78	204	.	1	1	1	6	8	75	74	17	9	8	2	2	.	.	1	.	.	.
NORTHERN IRELAND	27·88	9,588	.	15	15	70	175	272	2,998	3,586	1,305	479	257	138	107	62	47	39	·25	11	2

ABSTRACT 5. Northern Ireland: Ages of women at marriage by District Council Area, 1990.

Area	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	26·13	332	.	5	5	6	27	25	117	85	34	8	9	6	3	4	2	1	.	.	.
Belfast	25·98	1,941	3	12	15	36	85	135	751	582	175	64	31	22	18	11	8	5	2	.	1
Castlereagh	25·86	287	.	2	2	4	6	22	114	94	24	8	5	2	3	1	1	.	.	1	.
Down	25·80	337	.	2	2	10	17	26	122	106	34	3	5	5	2	.	2	2	1	.	.
Lisburn	26·15	484	.	3	3	10	19	43	185	129	55	11	9	5	7	3	4	1	.	.	.
North Down	27·95	404	2	.	2	4	12	22	137	114	49	24	15	12	5	3	1	2	1	1	.
Antrim	25·75	266	2	3	5	7	11	20	103	67	31	11	3	5	1	.	2	.	.	.	.
Ballymena	24·97	348	1	2	3	12	14	23	163	85	24	10	7	2	2	1	1	1	.	.	.
Ballymoney	25·20	148	1	1	2	4	6	14	57	42	14	5	1	1	.	.	.	1	1	.	.
Carrickfergus	26·04	183	2	1	3	3	9	19	62	56	17	4	1	4	3	.	1	.	1	.	.
Coleraine	26·33	355	1	.	1	5	9	27	139	111	31	12	5	6	3	3	2	.	1	.	.
Cookstown	24·75	191	2	.	2	8	11	19	68	67	6	6	.	2	.	.	.	1	1	.	.
Larne	29·43	299	.	3	3	8	7	13	80	74	48	32	10	9	4	6	2	2	1	.	.
Magherafelt	24·84	226	.	3	3	5	9	16	90	80	15	5	2	.	.	.	1	.	.	.	.
Moyle	25·13	87	.	2	2	1	3	3	39	31	4	1	1	.	2	.	.	.	.	.	.
Newtownabbey	25·70	431	.	2	2	12	19	32	178	117	28	22	12	5	.	1	2	1	.	.	.
Armagh	24·79	268	.	2	2	13	13	16	119	75	16	2	7	2	2	1	.	.	.	.	.
Banbridge	25·54	210	.	4	4	3	11	6	91	66	15	5	1	5	1	.	2	.	.	.	.
Craigavon	25·31	494	.	7	7	22	24	38	188	151	27	9	14	5	1	1	3	4	.	.	.
Dungannon	25·28	248	.	3	3	7	10	14	102	72	22	9	6	3	.	.	.	.	.	.	.
Newry and Mourne	24·96	534	.	12	12	16	23	37	204	162	55	16	4	2	2	.	1	.	.	.	.
Fermanagh	25·22	309	.	4	4	11	16	10	110	110	35	9	2	2	.	.	.	.	.	.	.
Limavady	24·40	166	.	.	.	4	8	20	66	48	14	3	.	3	.	.	.	.	.	.	.
Derry	25·09	562	.	9	9	12	23	57	223	163	37	17	8	8	2	.	.	1	.	1	1
Omagh	25·00	274	1	4	5	5	13	14	116	88	16	7	4	5	1	.	.	.	.	.	.
Strabane	24·36	204	.	2	2	7	9	20	94	50	11	4	5	1	.	.	1	.	.	.	.
NORTHERN IRELAND	25·74	9,588	15	88	103	235	414	691	3,718	2,825	837	307	167	122	62	35	36	22	9	3	2

ABSTRACT 6: Northern Ireland: Age and conjugal condition of persons married in the year 1990: Men

Age last birthday	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
TOTAL	9,588	8,602	177	809	8,157	54	391	51	70	56	469	42	298
16	.	.	.	.	.	.	.	.	.	.	.	.	.
17	15	15	.	.	15	.	.	.	.	.	.	.	.
under 18	15	15	.	.	15	.	.	.	.	.	.	.	.
18	70	70	.	.	70	.	.	.	.	.	.	.	.
19	175	175	.	.	175	.	.	.	.	.	.	.	.
20	272	272	.	.	269	.	3	.	.	.	.	.	.
under 21	532	532	.	.	529	.	3	.	.	.	.	.	.
21	531	531	.	.	524	.	7	.	.	.	.	.	.
22	731	731	.	.	724	1	6	.	.	.	.	.	.
23	824	823	.	1	813	1	9	.	.	.	1	.	.
24	912	905	.	7	879	2	24	.	.	.	7	.	.
21–24	2,998	2,990	.	8	2,940	4	46	.	.	.	8	.	.
25	962	959	.	3	942	3	14	.	.	.	2	.	1
26	849	837	.	12	815	.	22	.	.	.	9	.	3
27	692	677	1	14	641	4	32	1	.	.	10	.	4
28	604	575	.	29	557	2	16	.	.	.	28	.	1
29	479	454	2	23	425	1	28	2	.	.	17	.	6
25–29	3,586	3,502	3	81	3,380	10	112	3	.	.	66	.	15
30	392	344	1	47	316	1	27	1	.	.	34	1	12
31	295	249	1	45	217	3	29	1	.	.	31	1	13
32	245	206	.	39	179	2	25	.	.	.	35	.	4
33	214	174	3	37	152	1	21	2	.	1	28	2	7
34	159	113	2	44	100	2	11	2	.	.	29	2	13
30–34	1,305	1,086	7	212	964	9	113	6	.	1	157	6	49
35	133	89	1	43	74	2	13	.	1	.	31	.	12
36	105	72	2	31	55	1	16	2	.	.	20	.	11
37	90	60	1	29	47	1	12	.	.	1	19	2	8
38	74	42	1	31	35	1	6	1	.	.	18	1	12
39	77	39	3	35	28	.	11	2	.	1	20	1	14
35–39	479	302	8	169	239	5	58	5	1	2	108	4	57
40	68	28	1	39	20	.	8	1	.	.	20	.	19
41	60	22	5	33	11	1	10	2	.	3	19	2	12
42	51	19	3	29	12	2	5	3	.	.	13	1	15
43	30	10	2	18	7	1	2	1	.	1	7	.	11
44	48	14	2	32	11	1	2	.	.	2	12	1	19
40–44	257	93	13	151	61	5	27	7	.	6	71	4	76
45	39	9	2	28	3	3	3	.	1	1	13	.	15
46	28	6	2	20	6	.	.	.	1	1	10	1	9
47	22	5	4	13	3	1	1	.	1	3	4	1	8
48	28	5	5	18	2	2	1	3	.	2	6	5	7
49	21	8	3	10	3	2	3	.	1	2	2	.	8
45–49	138	33	16	89	17	8	8	3	4	9	35	7	47
50	30	10	3	17	5	1	4	1	.	2	5	2	10
51	21	4	4	13	3	1	.	.	.	4	5	2	6
52	16	5	2	9	1	1	3	.	1	1	1	.	8
53	20	6	7	7	3	.	3	3	1	3	5	1	1
54	20	8	4	8	4	1	3	2	.	2	2	1	5
50–54	107	33	20	54	16	4	13	6	2	12	18	6	30
55	8	6	1	1	3	1	2	.	.	1	.	1	.
56	15	3	6	6	2	1	.	.	2	4	1	1	4
57	11	.	5	6	.	.	.	1	3	1	1	2	3
58	17	6	6	5	2	1	3	1	4	1	1	2	2
59	11	1	6	4	.	.	1	.	4	2	.	1	3
55–59	62	16	24	22	7	3	6	2	13	9	3	7	12
60	14	5	7	2	2	2	1	1	4	2	.	.	2
61	10	2	4	4	.	.	2	.	2	2	.	3	1
62	5	1	4	.	.	1	.	1	2	1	.	.	.
63	10	1	7	2	.	1	.	2	4	1	1	.	1
64	8	.	5	3	.	.	.	.	3	2	2	1	.
60–64	47	9	27	11	2	4	3	4	15	8	3	4	4
65	8	1	4	3	.	.	1	1	3	.	.	1	2
66	14	1	9	4	.	1	.	6	3	.	.	2	2
67	6	.	5	1	.	.	.	1	4	.	.	.	1
68	3	.	3	.	.	.	.	.	3	.	.	.	.
69	8	1	6	1	1	.	.	1	2	3	.	.	1
65–69	39	3	27	9	1	1	1	9	15	3	.	3	6
70	3	.	2	1	.	.	.	.	2	.	.	.	1
71	8	.	8	.	.	.	.	2	4	2	.	.	.
72	6	1	4	1	1	.	.	3	1	.	.	.	1
73	5	.	5	.	.	.	.	.	5	.	.	.	.
74	3	1	1	1	.	1	.	1	.	.	.	1	.
70–74	25	2	20	3	1	1	.	6	12	2	.	1	2
75	5	1	4	.	.	.	1	.	3	1	.	.	.
76	2	.	2	.	.	.	.	.	1	1	.	.	.
77	3	.	3	.	.	.	.	.	3	.	.	.	.
78	1	.	1	.	.	.	.	.	.	1	.	.	.
79	.	.	.	.	.	.	.	.	.	.	.	.	.
75–79	11	1	10	.	.	.	1	.	7	3	.	.	.
80 & over	2	.	2	.	.	.	.	.	1	1	.	.	.

ABSTRACT 6: Northern Ireland: Age and conjugal condition of persons married in the year 1990: Women

Age last birthday	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
TOTAL	9,588	8,677	166	745	8,157	51	469	54	70	42	391	56	298
16	15	15	.	.	15	.	.	.	.	.	.	.	.
17	88	88	.	.	88	.	.	.	.	.	.	.	.
under 18	103	103	.	.	103	.	.	.	.	.	.	.	.
18	235	235	.	.	233	.	2	.	.	.	.	.	.
19	414	414	.	.	408	.	6	.	.	.	.	.	.
20	691	690	.	1	681	.	9	.	.	.	.	.	1
under 21	1,443	1,442	.	1	1,425	.	17	.	.	.	.	.	1
21	836	832	.	4	812	.	20	.	.	.	4	.	.
22	987	984	.	3	957	1	26	.	.	.	3	.	.
23	962	958	.	4	931	.	27	.	.	.	1	.	3
24	933	915	2	16	890	.	25	2	.	.	14	.	2
21–24	3,718	3,689	2	27	3,590	1	98	2	.	.	22	.	5
25	839	821	3	15	784	.	37	3	.	.	11	.	4
26	710	681	2	27	636	5	40	2	.	.	24	.	3
27	534	503	1	30	472	3	28	1	.	.	26	.	4
28	406	377	2	27	333	4	40	1	.	1	19	.	8
29	336	293	1	42	265	2	26	1	.	.	27	.	15
25–29	2,825	2,675	9	141	2,490	14	171	8	.	1	107	.	34
30	244	208	1	35	176	4	28	.	.	1	26	.	9
31	180	133	2	45	97	2	34	2	.	.	36	.	9
32	170	120	4	46	89	4	27	2	.	2	27	1	18
33	139	102	6	31	87	1	14	4	1	1	21	.	10
34	104	62	2	40	45	1	16	1	.	1	16	.	24
30–34	837	625	15	197	494	12	119	9	1	5	126	1	70
35	84	49	4	31	40	.	9	2	.	2	18	1	12
36	70	39	5	26	30	1	8	4	.	1	15	1	10
37	61	26	2	33	16	2	8	1	1	.	16	2	15
38	48	19	3	26	13	1	5	1	.	2	17	2	7
39	44	19	1	24	12	1	6	.	.	1	6	1	17
35–39	307	152	15	140	111	5	36	8	1	6	72	7	61
40	28	7	2	19	3	1	3	.	.	2	5	3	11
41	36	13	3	20	10	1	2	2	1	.	6	.	14
42	34	12	1	21	8	.	4	1	.	.	10	2	9
43	30	8	4	18	5	2	1	.	2	2	6	3	9
44	39	8	4	27	5	.	3	2	.	2	9	3	15
40–44	167	48	14	105	31	4	13	5	3	6	36	11	58
45	23	4	5	14	3	.	1	2	1	2	2	1	11
46	19	3	3	13	3	.	.	2	.	1	2	1	10
47	27	6	3	18	1	.	5	.	1	2	5	5	8
48	30	7	11	12	2	.	5	5	3	3	3	6	3
49	23	6	7	10	2	1	3	4	1	2	1	1	8
45–49	122	26	29	67	11	1	14	13	6	10	13	14	40
50	11	2	3	6	1	1	.	.	3	.	.	3	3
51	13	.	2	11	.	.	.	.	1	1	4	3	4
52	11	1	5	5	.	1	.	2	1	2	.	2	3
53	15	4	2	9	1	3	.	.	2	.	4	2	3
54	12	1	2	9	.	1	.	1	1	.	1	3	5
50–54	62	8	14	40	2	6	.	3	8	3	9	13	18
55	9	.	3	6	.	.	.	1	1	1	1	.	5
56	4	.	1	3	.	.	.	.	.	1	1	1	1
57	6	.	5	1	.	.	.	1	4	.	.	1	.
58	5	1	2	2	.	.	1	.	2	.	1	1	.
59	11	1	6	4	.	1	.	.	4	2	.	2	2
55–59	35	2	17	16	.	1	1	2	11	4	3	5	8
60	8	1	5	2	.	1	.	.	4	1	1	1	.
61	5	1	3	1	.	1	.	.	3	.	1	.	.
62	9	1	7	1	.	1	.	2	3	2	.	.	1
63	7	.	6	1	.	.	.	.	6	.	.	.	1
64	7	1	5	1	1	.	.	.	4	1	.	1	.
60–64	36	4	26	6	1	3	.	2	20	4	2	2	2
65	7	2	3	2	.	2	.	1	2	.	.	2	.
66	2	.	2	.	.	.	.	.	2	.	.	.	.
67	4	.	4	.	.	.	.	.	3	1	.	.	.
68	5	2	3	.	1	1	.	.	3	.	.	.	.
69	4	1	3	.	1	.	.	1	1	1	.	.	.
65–69	22	5	15	2	2	3	.	2	11	2	.	2	.
70	1	.	1	.	.	.	.	.	1	.	.	.	.
71	3	.	1	2	.	.	.	.	1	.	1	.	1
72	1	.	1	.	.	.	.	.	1	.	.	.	.
73	2	.	2	.	.	.	.	.	2	.	.	.	.
74	2	.	2	.	.	.	.	.	2	.	.	.	.
70–74	9	.	7	2	.	.	.	.	7	.	1	.	1
75	.	.	.	.	.	.	.	.	.	.	.	.	.
76	1	.	1	.	.	.	.	.	1	.	.	.	.
77	1	.	.	1	.	.	.	.	.	.	.	1	.
78	1	.	1	.	.	.	.	.	1	.	.	.	.
79	.	.	.	.	.	.	.	.	.	.	.	.	.
75–79	3	.	2	1	.	.	.	.	2	.	.	1	.
80 & over	2	1	1	.	.	1	.	.	.	1	.	.	.

ABSTRACT 7. Northern Ireland: Ages in combination of men and women at marriage, 1990.

Age of Husband	AGE OF WIFE																				Total Husbands
	16	17	18	19	20	21	22	23	24	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 & over	
16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
17	1	7	4	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	15
18	4	16	19	14	7	3	2	2	1	2	.	.	.	.	.	.	.	.	.	.	.	70
19	3	17	44	36	38	15	9	8	3	2	.	.	.	.	.	.	.	.	.	.	.	175
20	1	13	28	61	71	46	19	13	7	11	2	.	.	.	.	.	.	.	.	.	.	272
21	3	14	50	80	95	112	79	38	20	35	3	2	.	.	.	.	.	.	.	.	.	531
22	1	10	32	67	116	152	144	94	48	63	2	.	1	1	.	.	.	.	.	.	.	731
23	1	3	17	31	106	129	161	153	103	111	5	3	1	.	.	.	.	.	.	.	.	824
24	.	1	16	30	81	110	150	148	162	191	19	3	1	.	.	.	.	.	.	.	.	912
25—	1	7	20	77	148	220	359	415	489	1,580	226	42	1	1	.	.	.	.	.	.	.	3,586
30—	.	.	4	13	18	43	52	78	81	610	307	77	15	6	1	.	.	.	.	.	.	1,305
35—	.	.	1	3	7	3	11	7	18	145	173	70	37	4	.	.	.	.	.	.	.	479
40—	.	.	.	1	1	1	.	5	1	56	58	66	40	22	5	1	.	.	.	.	.	257
45—	.	.	.	1	1	2	1	1	.	11	26	25	30	33	7	.	.	.	.	.	.	138
50—	.	.	.	.	.	.	.	.	.	5	11	13	22	27	18	7	3	1	.	.	.	107
55—	.	.	.	.	.	.	.	.	.	1	3	3	11	18	13	6	5	2	.	.	.	62
60—	.	.	.	.	.	.	.	.	.	.	.	3	5	6	10	8	10	4	.	.	1	47
65—	.	.	.	.	.	.	.	.	.	1	.	.	2	3	5	10	11	7	.	.	.	39
70—	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3	1	4	8	3	2	1	25
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	5	1	.	11
80& over	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2
Total Wives	15	88	235	414	691	836	987	962	933	2,825	837	307	167	122	62	35	36	22	9	3	2	9,958

ABSTRACT 8. Northern Ireland: Marriages by age of bachelors, by age of spinsters, 1990.

BACHELORS AND SPINSTERS

Age of Husband	AGE OF WIFE																							Total Husbands
	16	17	18	19	20	21	22	23	24	<21	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 & over	
16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
17	1	7	4	.	2	.	.	.	.	14	.	1	.	.	.	.	.	.	.	.	.	.	.	.	15
18	4	16	19	14	7	3	2	2	1	60	8	2	.	.	.	.	.	.	.	.	.	.	.	.	70
19	3	17	44	36	38	15	9	8	3	138	35	2	.	.	.	.	.	.	.	.	.	.	.	.	175
20	1	13	28	61	71	46	19	13	6	174	84	10	1	.	.	.	.	.	.	.	.	.	.	.	269
21	3	14	50	80	95	112	77	38	20	242	247	32	2	1	.	.	.	.	.	.	.	.	.	.	524
22	1	10	32	67	116	152	144	94	47	226	437	60	1	.	.	.	.	.	.	.	.	.	.	.	724
23	1	3	17	31	106	128	161	153	103	158	545	105	4	1	.	.	.	.	.	.	.	.	.	.	813
24	.	1	16	30	80	107	149	147	155	127	558	179	13	2	.	.	.	.	.	.	.	.	.	.	879
<21	9	53	95	111	118	64	30	23	10	386	127	15	1	.	.	.	.	.	.	.	.	.	.	.	529
21—	5	28	115	208	397	499	531	432	325	753	1,787	376	20	4	.	.	.	.	.	.	.	.	.	.	2,940
25—	1	7	18	77	146	215	350	402	471	249	1,438	1,502	172	19	.	.	.	.	.	.	.	.	.	.	3,380
30—	.	.	4	12	16	32	41	65	72	32	210	487	191	42	2	.	.	.	.	.	.	.	.	.	964
35—	.	.	1	.	4	2	4	6	11	5	23	83	91	24	11	2	.	.	.	.	.	.	.	.	239
40—	.	.	.	.	.	.	.	2	1	.	3	18	13	19	6	2	.	.	.	.	.	.	.	.	61
45—	.	.	.	.	.	.	1	1	.	.	2	4	4	1	4	2	.	.	.	.	.	.	.	.	17
50—	.	.	.	.	.	.	.	.	.	.	.	4	2	1	4	3	1	.	1	.	.	.	.	.	16
55—	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	.	.	.	.	.	.	7
60—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
70—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
85& over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total Wives	15	88	233	408	681	812	957	931	890	1,425	3,590	2,490	494	111	31	11	2	.	1	2	.	.	.	.	8,157

ABSTRACT 9. Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1990.

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept-ember	3rd Quarter	October	Nov-ember	Dec-ember	4th Quarter
Northern Ireland	Persons	26,499	2,610	1,965	2,243	6,818	2,172	2,384	2,237	6,793	2,338	2,192	2,087	6,617	2,442	2,147	1,682	6,271
	Males	13,557	1,306	997	1,147	3,450	1,104	1,245	1,146	3,495	1,203	1,136	1,083	3,422	1,237	1,084	869	3,190
	Females	12,942	1,304	968	1,096	3,368	1,068	1,139	1,091	3,298	1,135	1,056	1,004	3,195	1,205	1,063	813	3,081
Ards	Persons	924	99	52	83	234	74	78	103	255	84	94	67	245	76	64	50	190
	Males	471	47	28	46	121	40	45	54	139	42	46	36	124	41	23	23	87
	Females	453	52	24	37	113	34	33	49	116	42	48	31	121	35	41	27	103
Belfast	Persons	4,748	465	376	398	1,239	384	454	387	1,225	395	416	369	1,180	448	377	279	1,104
	Males	2,413	239	172	206	617	187	233	205	625	195	221	200	616	222	184	149	555
	Females	2,335	226	204	192	622	197	221	182	600	200	195	169	564	226	193	130	549
Castlereagh	Persons	817	74	71	79	224	78	68	66	212	83	58	64	205	71	62	43	176
	Males	415	41	35	44	120	36	33	36	105	34	29	36	99	33	33	25	91
	Females	402	33	36	35	104	42	35	30	107	49	29	28	106	38	29	18	85
Down	Persons	1,019	104	70	82	256	74	101	86	261	111	64	78	253	113	69	67	249
	Males	516	48	36	39	123	41	52	45	138	57	26	31	114	65	36	40	141
	Females	503	56	34	43	133	33	49	41	123	54	38	47	139	48	33	27	108
Lisburn	Persons	1,692	166	122	143	431	121	170	155	446	153	130	133	416	160	133	106	399
	Males	844	74	58	66	198	64	86	81	231	76	70	68	214	81	71	49	201
	Females	848	92	64	77	233	57	84	74	215	77	60	65	202	79	62	57	198
North Down	Persons	933	98	40	78	216	71	96	91	258	81	79	78	238	88	72	61	221
	Males	485	49	19	39	107	34	49	40	123	45	42	41	128	51	41	35	127
	Females	448	49	21	39	109	37	47	51	135	36	37	37	110	37	31	26	94
Antrim	Persons	720	70	52	67	189	58	66	55	179	68	47	54	169	70	61	52	183
	Males	376	36	32	35	103	35	34	25	94	39	26	26	91	34	27	27	88
	Females	344	34	20	32	86	23	32	30	85	29	21	28	78	36	34	25	95
Ballymena	Persons	836	77	71	55	203	74	83	76	233	65	77	63	205	62	71	62	195
	Males	415	36	34	26	96	39	33	42	114	35	43	28	106	30	37	32	99
	Females	421	41	37	29	107	35	50	34	119	30	34	35	99	32	34	30	96
Ballymoney	Persons	410	57	37	30	124	32	36	36	104	34	34	36	104	27	33	18	78
	Males	201	26	17	20	63	17	14	21	52	17	19	11	47	16	14	9	39
	Females	209	31	20	10	61	15	22	15	52	17	15	25	57	11	19	9	39
Carrickfergus	Persons	505	48	40	44	132	44	44	49	137	43	37	39	119	50	31	36	117
	Males	236	22	21	22	65	15	24	25	64	23	20	16	59	18	15	15	48
	Females	269	26	19	22	67	29	20	24	73	20	17	23	60	32	16	21	69
Coleraine	Persons	771	61	52	73	186	67	65	69	201	64	85	45	194	80	54	56	190
	Males	389	32	32	34	98	36	36	31	103	32	40	29	101	34	30	23	87
	Females	382	29	20	39	88	31	29	38	98	32	45	16	93	46	24	33	103
Cookstown	Persons	499	49	31	42	122	41	30	45	116	43	51	50	144	43	40	34	117
	Males	238	19	14	23	56	23	12	20	55	20	24	31	75	15	21	16	52
	Females	261	30	17	19	66	18	18	25	61	23	27	19	69	28	19	18	65

ABSTRACT 9. *(continued).* **Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1990.**

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept-ember	3rd Quarter	October	Nov-ember	Dec-ember	4th Quarter
Larne	Persons	387	33	27	34	94	26	35	30	91	39	41	33	113	27	40	22	89
	Males	211	19	11	18	48	19	24	16	59	25	16	12	53	15	23	13	51
	Females	176	14	16	16	46	7	11	14	32	14	25	21	60	12	17	9	38
Magherafelt	Persons	651	61	48	65	174	55	57	51	163	50	47	40	137	65	66	46	177
	Males	345	36	22	29	87	27	34	31	92	27	29	22	78	30	38	20	88
	Females	306	25	26	36	87	28	23	20	71	23	18	18	59	35	28	26	89
Moyle	Persons	219	22	18	17	57	28	11	16	55	34	14	19	67	10	17	13	40
	Males	127	17	15	9	41	14	5	7	26	23	7	8	38	7	10	5	22
	Females	92	5	3	8	16	14	6	9	29	11	7	11	29	3	7	8	18
Newtown-abbey	Persons	1,198	120	85	92	297	107	100	98	305	94	103	102	299	113	109	75	297
	Males	656	69	47	52	168	57	59	43	159	54	54	55	163	58	68	40	166
	Females	542	51	38	40	129	50	41	55	146	40	49	47	136	55	41	35	131
Armagh	Persons	878	95	51	68	214	82	73	79	234	72	72	72	216	77	83	54	214
	Males	434	49	27	39	115	38	38	41	117	39	39	36	114	31	32	25	88
	Females	444	46	24	29	99	44	35	38	117	33	33	36	102	46	51	29	126
Banbridge	Persons	478	57	38	41	136	34	35	43	112	53	39	36	128	35	34	33	102
	Males	275	33	22	21	76	16	24	24	64	30	23	26	79	21	17	18	56
	Females	203	24	16	20	60	18	11	19	48	23	16	10	49	14	17	15	46
Craigavon	Persons	1,412	115	119	133	367	111	117	104	332	100	122	132	354	127	141	91	359
	Males	729	56	65	59	180	54	65	57	176	52	61	66	179	69	68	57	194
	Females	683	59	54	74	187	57	52	47	156	48	61	66	175	58	73	34	165
Dungannon	Persons	840	75	71	66	212	66	81	82	229	78	62	68	208	85	57	49	191
	Males	419	30	40	28	98	35	51	41	127	37	29	32	98	43	29	24	96
	Females	421	45	31	38	114	31	30	41	102	41	33	36	110	42	28	25	95
Newry and Mourne	Persons	1,693	169	112	132	413	166	157	117	440	165	125	161	451	143	137	109	389
	Males	873	79	65	73	217	85	79	55	219	82	72	87	241	77	64	55	196
	Females	820	90	47	59	196	81	78	62	221	83	53	74	210	66	73	54	193
Fermanagh	Persons	912	88	67	95	250	67	81	71	219	81	72	61	214	92	67	70	229
	Males	446	45	34	53	132	25	33	35	93	37	32	30	99	46	34	42	122
	Females	466	43	33	42	118	42	48	36	126	44	40	31	115	46	33	28	107
Limavady	Persons	526	55	48	45	148	44	46	42	132	55	38	48	141	49	17	39	105
	Males	269	22	17	23	62	27	26	20	73	28	25	23	76	26	6	26	58
	Females	257	33	31	22	86	17	20	22	59	27	13	25	65	23	11	13	47
Derry	Persons	2,042	198	157	174	529	151	172	166	489	185	171	144	500	196	201	127	524
	Males	1,044	105	78	91	274	77	93	84	254	93	84	71	248	100	105	63	268
	Females	998	93	79	83	255	74	79	82	235	92	87	73	252	96	96	64	256
Omagh	Persons	796	84	55	59	198	62	94	66	222	64	58	53	175	73	76	52	201
	Males	420	48	28	30	106	28	48	34	110	37	32	34	103	40	42	19	101
	Females	376	36	27	29	92	34	46	32	112	27	26	19	72	33	34	33	100
Strabane	Persons	593	70	55	48	173	55	34	54	143	44	56	42	142	62	35	38	135
	Males	310	29	28	22	79	35	15	33	83	24	27	28	79	34	16	19	69
	Females	283	41	27	26	94	20	19	21	60	20	29	14	63	28	19	19	66

ASTRACT 10. Northern Ireland: Legitimate live births by sex and by ages of mother and father, 1990.

AGE OF MOTHER		ALL AGES	AGE OF FATHER																				
			16	17	18	19	20	21	22	23	24	25	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and over
16	M	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
17	M	27	.	.	1	9	3	2	6	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.
	F	19	.	.	3	2	2	3	.	2	1	4	.	1	.	.	1	.	.	.	.	.	.	.
18	M	55	.	1	4	6	6	11	10	6	2	4	2	.	.	2	1	.	.	.	.	.	.	.
	F	56	.	1	5	8	11	8	7	5	2	3	3	1	.	1	1	.	.	.	.	.	.	.
19	M	152	.	1	4	14	23	33	19	15	16	5	6	5	2	4	5	.	.	.	.	.	.	.
	F	131	.	.	5	21	16	24	25	11	7	7	7	2	3	.	3	.	.	.	.	.	.	.
20	M	209	.	.	.	8	24	23	43	25	25	19	15	12	6	4	5	.	.	.	.	.	.	.
	F	194	.	.	2	9	23	34	26	29	30	16	7	4	6	3	5	.	.	.	.	.	.	.
21	M	328	.	.	.	3	13	43	50	57	34	34	31	15	11	10	22	3	1	1	.	.	.	.
	F	316	.	.	2	4	18	32	49	63	37	35	25	21	10	4	14	1	1	.	.	.	.	.
22	M	417	.	.	.	1	7	23	35	72	52	57	59	30	27	19	30	5	.	.	.	.	.	.
	F	442	.	.	.	3	6	19	64	66	74	51	58	28	22	13	33	5	.	.	.	.	.	.
23	M	611	.	.	.	.	6	16	35	80	116	92	74	65	43	17	52	12	3	.	.	.	.	.
	F	600	.	.	.	1	6	11	37	66	98	88	93	67	48	22	51	6	5	1	.	.	.	.
24	M	728	.	.	.	.	1	4	23	41	125	126	111	86	58	35	105	10	3	.	.	.	.	.
	F	662	.	.	.	.	2	4	23	41	84	100	118	80	62	47	81	12	7	.	1	.	.	.
25	M	829	.	.	.	.	2	8	9	25	55	101	150	143	90	80	150	13	3	.	.	.	.	.
	F	754	.	.	.	1	2	.	14	19	59	116	118	107	86	76	135	15	4	2	.	.	.	.
26	M	805	.	.	.	.	2	1	10	13	36	50	105	137	114	113	187	27	7	2	1	.	.	.
	F	826	.	.	.	.	.	2	6	22	33	71	133	130	105	99	174	38	8	2	2	1	.	.
27	M	878	.	.	.	.	1	.	4	11	17	32	68	137	147	122	285	42	10	2	.	.	.	.
	F	841	.	.	.	.	2	.	3	7	18	27	65	127	149	137	267	30	6	3	.	.	.	.
28	M	888	.	.	.	.	.	2	1	4	5	20	40	76	135	146	374	68	10	4	2	1	.	.
	F	788	.	.	.	.	.	1	3	1	8	20	33	72	125	137	313	60	11	3	1	.	.	.
29	M	824	.	.	.	.	.	.	1	1	8	13	18	34	72	130	450	84	10	2	1	.	.	.
	F	803	.	.	.	.	.	.	2	1	9	10	14	39	65	115	447	77	19	3	.	.	.	2
30-34	M	2,887	.	.	.	.	.	2	1	6	16	11	36	53	88	131	1,568	808	136	23	4	3	1	.
	F	2,816	.	.	.	.	.	1	1	6	10	19	36	54	72	164	1,543	733	141	29	4	2	1	.
35-39	M	1,127	.	.	.	.	.	.	.	.	1	3	5	5	6	15	172	560	280	63	16	1	.	.
	F	1,048	.	.	.	.	.	.	.	.	1	.	2	10	7	7	165	495	282	51	21	6	.	1
40-44	M	228	.	.	.	.	.	.	.	.	.	.	.	.	.	.	14	42	104	58	7	2	.	1
	F	207	.	.	.	.	.	.	.	.	.	.	1	1	1	1	9	36	98	46	10	4	.	.
45-49	M	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	4	2	2	.	1
	F	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	6	1	1	.	.
50 and over	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	M	11,010	.	2	9	42	90	168	247	358	509	570	720	798	799	828	3,420	1,674	572	159	33	9	1	2
	F	10,517	.	2	17	49	88	139	260	339	472	567	713	744	761	826	3,243	1,508	585	146	40	14	1	3

ABSTRACT 11. Northern Ireland: Legitimate live births by sex, age of mother and parity* during year ended 31 December, 1990.

Age of Mother		Total	Number of previous children born (live and still)										
			0	1	2	3	4	5	6	7	8	9	10 and over
16	M	3	2	1	.	.	.	.	.	.	.	.	.
	F	2	2	.	.	.	.	.	.	.	.	.	.
17	M	27	23	4	.	.	.	.	.	.	.	.	.
	F	19	17	2	.	.	.	.	.	.	.	.	.
18	M	55	45	10	.	.	.	.	.	.	.	.	.
	F	56	47	7	2	.	.	.	.	.	.	.	.
19	M	152	90	57	5	.	.	.	.	.	.	.	.
	F	131	82	45	4	.	.	.	.	.	.	.	.
16-19	M	237	160	72	5	.	.	.	.	.	.	.	.
	F	208	148	54	6	.	.	.	.	.	.	.	.
20	M	209	116	87	6	.	.	.	.	.	.	.	.
	F	194	120	70	4	.	.	.	.	.	.	.	.
21	M	328	167	134	24	3	.	.	.	.	.	.	.
	F	316	165	124	24	3	.	.	.	.	.	.	.
22	M	417	216	139	52	10	.	.	.	.	.	.	.
	F	442	225	155	51	9	2	.	.	.	.	.	.
23	M	611	314	198	79	15	5	.	.	.	.	.	.
	F	600	283	217	81	17	2	.	.	.	.	.	.
24	M	728	330	249	102	40	7	.	.	.	.	.	.
	F	662	307	231	83	29	9	3	.	.	.	.	.
20-24	M	2,293	1,143	807	263	68	12	.	.	.	.	.	.
	F	2,214	1,100	797	243	58	13	3	.	.	.	.	.
25	M	829	377	273	122	44	11	2	.	.	.	.	.
	F	754	289	298	120	37	8	1	.	1	.	.	.
26	M	805	328	281	127	54	14	1	.	.	.	.	.
	F	826	314	288	150	57	11	3	2	1	.	.	.
27	M	878	297	325	178	55	17	3	2	1	.	.	.
	F	841	277	288	180	67	25	3	.	1	.	.	.
28	M	888	266	311	208	69	27	5	2	.	.	.	.
	F	788	237	287	157	63	29	9	4	2	.	.	.
29	M	824	221	282	198	80	31	9	3	.	.	.	.
	F	803	216	291	169	79	30	12	4	1	1	.	.
25-29	M	4,224	1,489	1,472	833	302	100	20	7	1	.	.	.
	F	4,012	1,333	1,452	776	303	103	28	10	6	1	.	.
30	M	767	188	253	172	96	38	14	4	1	1	.	.
	F	753	171	251	192	85	33	15	4	.	2	.	.
31	M	653	140	217	167	75	38	10	3	2	.	1	.
	F	657	137	214	162	82	43	10	4	3	1	.	1
32	M	571	85	168	162	91	45	14	3	2	1	.	.
	F	555	93	186	141	85	28	16	5	1	.	.	.
33	M	513	74	138	145	79	39	21	8	3	4	.	2
	F	474	64	144	131	69	38	20	4	1	2	.	1
34	M	383	57	104	111	55	30	12	9	3	1	1	.
	F	377	60	84	108	71	30	13	6	2	1	2	.
30-34	M	2,887	544	880	757	396	190	71	27	11	7	2	2
	F	2,816	525	879	734	392	172	74	23	7	6	2	2
35	M	349	51	81	82	64	36	17	9	3	2	2	2
	F	328	47	72	85	56	29	22	9	3	1	2	2
36	M	249	26	45	65	54	31	13	10	2	1	.	2
	F	268	31	60	75	44	27	17	8	5	.	.	1
37	M	221	21	44	58	37	31	14	4	4	4	.	4
	F	191	21	41	36	41	26	16	3	5	1	.	1
38	M	175	23	34	40	28	20	16	7	3	3	.	1
	F	144	18	19	41	21	27	4	7	2	4	.	1
39	M	133	12	21	32	29	14	2	9	5	7	.	2
	F	117	8	17	29	23	16	14	4	4	2	.	.
35-39	M	1,127	133	225	277	212	132	62	39	17	17	2	11
	F	1,048	125	209	266	185	125	73	31	19	8	2	5
40	M	90	7	10	13	15	14	12	4	5	3	3	4
	F	77	7	10	18	12	13	8	5	.	3	1	.
41	M	66	8	7	16	9	11	8	3	3	1	.	.
	F	55	3	9	10	10	8	4	5	.	1	3	2
42	M	39	1	2	5	9	10	5	2	2	.	.	3
	F	40	1	4	7	7	8	5	5	2	1	.	.
43	M	26	3	1	4	3	2	6	4	1	.	1	1
	F	27	2	2	5	4	4	4	.	1	2	2	1
44	M	7	.	2	.	1	1	2	1	.	.	.	.
	F	8	.	.	1	.	1	3	1	1	.	.	1
40-44	M	228	19	22	38	37	38	33	14	11	4	4	8
	F	207	13	25	41	33	34	24	16	4	7	6	4
45	M	9	.	2	1	2	2	.	.	.	2	.	.
	F	7	1	.	1	2	.	2	1	.	.	.	.
46	M	2	.	.	.	.	.	2	.	.	.	.	.
	F	3	.	.	.	1	.	.	.	.	.	1	1
47	M	1	1	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.	.
48	M	2	.	.	.	.	.	.	.	.	.	.	2
	F	1	.	.	.	.	.	.	1	.	.	.	.
49	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
45-49	M	14	1	2	1	2	2	2	.	.	2	.	2
	F	12	1	.	1	3	.	2	2	.	1	1	1
TOTAL	M	11,010	3,489	3,480	2,174	1,017	474	188	87	40	30	8	23
	F	10,517	3,245	3,416	2,067	974	447	204	82	36	23	11	12

*Parity has been taken to mean the number of children born (live and still) to the mother as a result of previous pregnancies.

ABSTRACT 11a. Northern Ireland: Legitimate live births by sex, age of mother and parity during year ended 31 December, 1990.

Age of Mother		Total	Number of previous children born (live only)										
			0	1	2	3	4	5	6	7	8	9	10 and over
16	M	3	2	1	.	.	.	.	.	.	.	.	.
	F	2	2	.	.	.	.	.	.	.	.	.	.
17	M	27	23	4	.	.	.	.	.	.	.	.	.
	F	19	17	2	.	.	.	.	.	.	.	.	.
18	M	55	45	10	.	.	.	.	.	.	.	.	.
	F	56	47	7	2	.	.	.	.	.	.	.	.
19	M	152	90	58	4	.	.	.	.	.	.	.	.
	F	131	82	45	4	.	.	.	.	.	.	.	.
16-19	M	237	160	73	4	.	.	.	.	.	.	.	.
	F	208	148	54	6	.	.	.	.	.	.	.	.
20	M	209	118	85	6	.	.	.	.	.	.	.	.
	F	194	121	69	4	.	.	.	.	.	.	.	.
21	M	328	168	134	24	2	.	.	.	.	.	.	.
	F	316	166	123	25	2	.	.	.	.	.	.	.
22	M	417	216	140	51	10	.	.	.	.	.	.	.
	F	442	226	156	49	9	2	.	.	.	.	.	.
23	M	611	315	198	78	16	4	.	.	.	.	.	.
	F	600	287	214	81	17	1	.	.	.	.	.	.
24	M	728	334	247	104	37	6	.	.	.	.	.	.
	F	662	310	230	83	27	11	1	.	.	.	.	.
20-24	M	2,293	1,151	804	263	65	10	.	.	.	.	.	.
	F	2,214	1,110	792	242	55	14	1	.	.	.	.	.
25	M	829	381	273	120	43	10	2	.	.	.	.	.
	F	754	289	301	120	36	6	1	.	1	.	.	.
26	M	805	331	280	128	51	14	1	.	.	.	.	.
	F	826	316	295	148	51	10	3	2	1	.	.	.
27	M	878	300	328	173	56	16	2	2	1	.	.	.
	F	841	277	295	174	69	23	2	1	.	.	.	.
28	M	888	270	313	204	69	25	5	2	.	.	.	.
	F	788	238	291	154	62	28	10	3	2	.	.	.
29	M	824	224	283	195	80	31	9	2	.	.	.	.
	F	803	219	294	172	73	29	10	4	1	1	.	.
25-29	M	4,224	1,506	1,477	820	299	96	19	6	1	.	.	.
	F	4,012	1,339	1,476	768	291	96	26	10	5	1	.	.
30	M	767	188	254	171	99	36	13	4	1	1	.	.
	F	753	172	253	192	86	32	12	4	.	2	.	.
31	M	653	142	219	166	74	37	9	3	2	.	1	.
	F	657	138	217	161	82	40	11	3	3	1	.	1
32	M	571	85	174	157	93	43	13	3	2	1	.	.
	F	555	95	185	140	88	27	15	4	1	.	.	.
33	M	513	75	140	146	78	39	20	6	3	4	.	2
	F	474	64	146	130	72	35	19	4	1	2	.	1
34	M	383	57	104	112	56	28	12	9	3	1	1	.
	F	377	61	87	105	70	31	13	5	2	1	2	.
30-34	M	2,887	547	891	752	400	183	67	25	11	7	2	2
	F	2,816	530	888	728	398	165	70	20	7	6	2	2
35	M	349	51	83	82	64	34	18	8	3	2	2	2
	F	328	47	73	86	57	27	21	9	4	1	1	2
36	M	249	26	46	67	52	30	13	10	3	1	.	1
	F	268	31	61	74	44	31	13	8	5	.	1	.
37	M	221	21	45	61	36	29	15	2	4	4	.	4
	F	191	23	40	37	40	26	15	4	4	1	.	1
38	M	175	23	35	42	26	20	16	6	3	3	1	.
	F	144	18	19	42	21	26	5	7	2	3	.	1
39	M	133	12	23	30	29	14	2	10	6	5	.	2
	F	117	8	17	29	24	17	13	4	3	2	.	.
35-39	M	1,127	133	232	282	207	127	64	36	19	15	3	9
	F	1,048	127	210	268	186	127	67	32	18	7	2	4
40	M	90	7	11	13	14	15	12	4	4	3	3	4
	F	77	7	11	17	13	13	7	5	.	3	1	.
41	M	66	8	7	16	9	12	8	3	3	.	.	.
	F	55	3	9	10	10	8	5	4	.	2	2	2
42	M	39	1	2	5	9	11	5	2	1	.	1	2
	F	40	1	4	7	7	8	6	4	2	1	.	.
43	M	26	3	1	4	3	3	5	5	.	1	1	.
	F	27	2	4	3	5	3	4	.	1	2	2	1
44	M	7	.	2	.	1	1	2	1	.	.	.	.
	F	8	.	.	1	.	1	3	1	1	.	.	1
40-44	M	228	19	23	38	36	42	32	15	8	4	5	6
	F	207	13	28	38	35	33	25	14	4	8	5	4
45	M	9	.	2	1	2	2	.	1	.	1	.	.
	F	7	1	.	1	2	.	2	1	.	.	.	.
46	M	2	.	.	.	.	.	2	.	.	.	.	.
	F	3	.	.	.	1	.	.	.	.	.	1	1
47	M	1	1	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.	.
48	M	2	.	.	.	.	.	.	.	.	.	.	2
	F	1	.	.	.	.	.	.	1	.	.	.	.
49	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
45-49	M	14	1	2	1	2	2	2	1	.	1	.	2
	F	12	1	.	1	3	.	2	2	.	1	1	1
TOTAL	M	11,010	3,517	3,502	2,160	1,009	460	184	83	39	27	10	19
	F	10,517	3,268	3,448	2,051	968	435	191	78	34	23	10	11

ABSTRACT 12. Northern Ireland: Live births by age of mother and live birth order*, 1990.

Live birth order	Age of mother									
	Total	Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50 and over
Total live births. .	26,499	7	1,851	6,384	9,210	6,169	2,373	477	28	.
First . . .	11,757	7	1,714	4,138	3,819	1,543	458	74	4	.
Second . . .	6,950	.	127	1,596	2,953	1,779	442	51	2	.
Third . . .	4,211	.	10	505	1,588	1,480	550	76	2	.
Fourth . . .	1,977	.	.	120	590	798	393	71	5	.
Fifth . . .	895	.	.	24	192	348	254	75	2	.
Sixth . . .	375	.	.	1	45	137	131	57	4	.
Seventh . . .	161	.	.	.	16	45	68	29	3	.
Eighth . . .	73	.	.	.	6	18	37	12	.	.
Ninth . . .	50	.	.	.	1	13	22	12	2	.
Tenth and over . .	50	.	.	.	.	8	18	20	4	.

*Live birth order is the numerical order of the child in relation to all previous live-born issue of the mother irrespective of whether the pregnancies were nuptial or extra-nuptial.

ABSTRACT 13. Northern Ireland: Legitimate live births by sex, age of mother and duration of marriage, 1990.

Duration of Marriage			All ages	AGE OF MOTHER													
				16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over
MONTHS	0	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	1–2	M	69	1	7	5	10	9	4	9	7	2	7	5	3	.	.	.
		F	68	.	3	5	9	6	10	8	8	2	8	5	4	.	.	.
	3–5	M	315	2	13	31	39	45	25	35	26	14	58	16	8	3	.	.
		F	313	2	11	18	38	43	39	36	38	15	41	25	7	.	.	.
	6–8	M	198	.	1	3	14	18	29	15	19	17	50	21	9	2	.	.
		F	210	.	2	17	16	21	14	20	22	20	41	26	10	.	1	.
	9–11	M	419	.	4	5	24	26	36	38	47	41	121	52	20	5	.	.
		F	363	.	2	8	22	23	36	38	31	41	111	39	9	3	.	.
YEARS	0	M	1,001	3	25	44	87	98	94	97	99	74	236	94	40	10	.	.
		F	954	2	18	48	85	93	99	102	99	78	201	95	30	3	1	.
	1	M	1,342	.	2	10	45	60	111	112	151	157	486	169	34	5	.	.
		F	1,275	.	1	5	31	59	105	119	149	148	454	160	41	3	.	.
	2	M	1306	.	.	1	17	34	76	102	146	142	559	180	44	4	1	.
		F	1,150	.	.	3	11	29	64	96	124	123	506	150	39	5	.	.
	3	M	1,177	.	.	.	3	15	34	63	103	126	577	191	60	5	.	.
		F	1,193	.	.	.	4	12	37	71	113	126	577	196	50	7	.	.
	4	M	1,124	.	.	.	.	2	11	30	60	111	604	252	48	6	.	.
		F	1,065	.	.	.	.	1	9	39	68	88	583	241	29	7	.	.
	5	M	931	.	.	.	.	.	2	11	38	73	515	245	43	3	1	.
		F	962	.	.	.	.	.	2	12	36	70	529	260	50	3	.	.
	6	M	798	.	.	.	.	.	.	1	10	35	431	249	65	7	.	.
		F	705	.	.	.	.	.	.	3	9	22	379	240	47	5	.	.
	7	M	622	.	.	.	.	.	.	1	3	8	318	240	42	10	.	.
		F	600	.	.	.	.	.	.	.	1	5	307	239	41	7	.	.
	8	M	579	.	.	.	.	.	.	.	1	2	258	254	58	6	.	.
		F	561	.	.	.	.	.	.	.	1	2	226	262	61	8	1	.
	9	M	405	.	.	.	.	.	.	.	.	.	130	214	58	3	.	.
		F	400	.	.	.	.	.	.	.	.	.	143	208	45	4	.	.
	10–14	M	1,261	.	.	.	.	.	.	.	.	.	110	728	382	38	3	.
		F	1,221	.	.	.	.	.	.	.	.	.	107	719	355	39	1	.
	15–19	M	407	.	.	.	.	.	.	.	.	.	.	71	238	96	2	.
		F	369	.	.	.	.	.	.	.	.	.	.	46	248	74	1	.
	20–24	M	55	.	.	.	.	.	.	.	.	.	.	.	15	35	5	.
		F	56	.	.	.	.	.	.	.	.	.	.	.	12	39	5	.
	25 and over	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.
	TOTAL	M	11,010	3	27	55	152	209	328	417	611	728	4,224	2,887	1,127	228	14	.
	TOTAL	F	10,517	2	19	56	131	194	316	442	600	662	4,012	2,816	1,048	207	12	.

ABSTRACT 14. Northern Ireland: Live births by age of mother, sex and legitimacy, 1990.

Age of Mother	LIVE BIRTHS								
	All live births			Legitimate			Illegitimate		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
13	2	2	.	.	.	.	2	2	.
14	5	3	2	.	.	.	5	3	2
up to 14	7	5	2	.	.	.	7	5	2
15	31	16	15	.	.	.	31	16	15
16	116	50	66	5	3	2	111	47	64
17	343	162	181	46	27	19	297	135	162
18	555	291	264	111	55	56	444	236	208
19	806	411	395	283	152	131	523	259	264
15–19	1,851	930	921	445	237	208	1,406	693	713
20	917	475	442	403	209	194	514	266	248
21	1,082	572	510	644	328	316	438	244	194
22	1,214	609	605	859	417	442	355	192	163
23	1,512	773	739	1,211	611	600	301	162	139
24	1,659	853	806	1,390	728	662	269	125	144
20–24	6,384	3,282	3,102	4,507	2,293	2,214	1,877	989	888
25	1,847	970	877	1,583	829	754	264	141	123
26	1,858	919	939	1,631	805	826	227	114	113
27	1,902	971	931	1,719	878	841	183	93	90
28	1,837	963	874	1,676	888	788	161	75	86
29	1,766	896	870	1,627	824	803	139	72	67
25–29	9,210	4,719	4,491	8,236	4,224	4,012	974	495	479
30	1,664	838	826	1,520	767	753	144	71	73
31	1,409	701	708	1,310	653	657	99	48	51
32	1,203	618	585	1,126	571	555	77	47	30
33	1,068	555	513	987	513	474	81	42	39
34	825	416	409	760	383	377	65	33	32
30–34	6,169	3,128	3,041	5,703	2,887	2,816	466	241	225
35	742	377	365	677	349	328	65	28	37
36	560	275	285	517	249	268	43	26	17
37	452	242	210	412	221	191	40	21	19
38	349	190	159	319	175	144	30	15	15
39	270	143	127	250	133	117	20	10	10
35–39	2,373	1,227	1,146	2,175	1,127	1,048	198	100	98
40	181	97	84	167	90	77	14	7	7
41	134	74	60	121	66	55	13	8	5
42	90	46	44	79	39	40	11	7	4
43	57	27	30	53	26	27	4	1	3
44	15	7	8	15	7	8	.	.	.
40–44	477	251	226	435	228	207	42	23	19
45	17	10	7	16	9	7	1	1	.
46	6	2	4	5	2	3	1	.	1
47	2	1	1	2	1	1	.	.	.
48	3	2	1	3	2	1	.	.	.
49	.	.	.	.	.	.	.	.	.
45–49	28	15	13	26	14	12	2	1	1
50 and over	.	.	.	.	.	.	.	.	.
ALL AGES	26,499	13,557	12,942	21,527	11,010	10,517	4,972	2,547	2,425

ABSTRACT 15. Northern Ireland: Still-births by age of mother, sex and legitimacy, 1990.

Age of Mother	STILL-BIRTHS								
	All still-births			Legitimate			Illegitimate		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
15	.	.	.	.	.	.	.	.	.
16	.	.	.	.	.	.	.	.	.
17	3	2	1	1	1	.	2	1	1
18	6	2	4	2	1	1	4	1	3
19	4	1	3	2	.	2	2	1	1
15–19	13	5	8	5	2	3	8	3	5
20	2	.	2	1	.	1	1	.	1
21	6	4	2	2	1	1	4	3	1
22	2	1	1	.	.	.	2	1	1
23	8	3	5	6	3	3	2	.	2
24	10	7	3	8	6	2	2	1	1
20–24	28	15	13	17	10	7	11	5	6
25	7	3	4	7	3	4	.	.	.
26	9	3	6	8	3	5	1	.	1
27	8	4	4	7	4	3	1	.	1
28	7	6	1	7	6	1	.	.	.
29	5	3	2	5	3	2	.	.	.
25–29	36	19	17	34	19	15	2	.	2
30	5	4	1	4	3	1	1	1	.
31	4	3	1	4	3	1	.	.	.
32	5	.	5	4	.	4	1	.	1
33	2	1	1	2	1	1	.	.	.
34	4	2	2	4	2	2	.	.	.
30–34	20	10	10	18	9	9	2	1	1
35	4	4	.	3	3	.	1	1	.
36	4	2	2	4	2	2	.	.	.
37	4	3	1	4	3	1	.	.	.
38	1	.	1	1	.	1	.	.	.
39	1	.	1	1	.	1	.	.	.
35–39	14	9	5	13	8	5	1	1	.
40	3	3	.	3	3	.	.	.	.
41	.	.	.	.	.	.	.	.	.
42	1	.	1	1	.	1	.	.	.
43	.	.	.	.	.	.	.	.	.
44	.	.	.	.	.	.	.	.	.
40–44	4	3	1	4	3	1	.	.	.
45	.	.	.	.	.	.	.	.	.
46	1	1	.	1	1	.	.	.	.
47	.	.	.	.	.	.	.	.	.
48	.	.	.	.	.	.	.	.	.
49	.	.	.	.	.	.	.	.	.
45–49	1	1	.	1	1	.	.	.	.
ALL AGES	116	62	54	92	52	40	24	10	14

ABSTRACT 16. Northern Ireland: Still-births by sex, cause and period of gestation, 1990.

Detailed List No.	Cause of Still-Birth		Period of Gestation (weeks)																	
			Total	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
740·0	Anencephalus	M	4	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741·0	Spina bifida with hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
742·3	Congenital hydrocephalus	M	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
742·5	Other specified anomalies of spinal cord.	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
746·9	Unspecified anomalies of heart	M	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
748·5	Agenesis, hypoplasia and dysplasia of lung	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760·0	Maternal hypertensive disorders	M	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
		F	4	.	.	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.
760·2	Maternal infections	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
761·1	Premature rupture of membranes	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
762·1	Other forms of placental separation and haemorrhage	M	5	.	.	.	1	1	.	2	.	.	1	.	.	.	.	.	.	.	.
		F	12	3	1	.	.	3	1	.	1	2	.	1	.	.	.	.	.	.	.
762·2	Other and unspecified morphological and functional abnormalities of placenta	M	3	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.
762·5	Other compression of umbilical cord	M	6	1	.	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.	.
		F	4	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.
764·9	Fetal growth retardation, unspecified	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.
768·0	Fetal death from asphysia or anoxia before onset of labour or at unspecified time.	M	3	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	6	.	1	.	.	1	1	.	.	1	1	.	1	.	.	.	.	.	.

ABSTRACT 16 *(continued).* **Northern Ireland: Still-births by sex, cause and period of gestation, 1990.**

Detailed List No.	Cause of Still-Birth		Period of Gestation (weeks)																		
			Total	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
771·8	Other infection specific to the perinatal period	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
773·1	Haemolytic disease due to ABO isoimmunization	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
773·3	Hydrops fetalis due to isoimmunization	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
775·0	Syndrome of "infant of a diabetic mother"	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
778·0	Hydrops fetalis not due to isoimmunization	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
779·9	Unspecified and ill-defined conditions originating in the perinatal period	M	28	4	3	3	1	2	1	.	1	2	.	4	4	.	3	.	.	.	.
		F	17	.	1	1	.	3	.	1	.	2	.	5	1	2	1	.	.	.	.
	All Causes	M	62	6	4	4	5	7	1	4	1	7	3	7	6	1	5	1	.	.	.
		F	54	3	3	2	2	9	3	2	2	6	3	10	5	3	1	.	.	.	.

ABSTRACT 17. Northern Ireland: Still-births by sex, cause and weight of fetus, 1990.

Detailed List No.	Cause of Still-Birth		Weight of Fetus (in grams)													
			Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	Not Stated
740·0	Anencephalus	M	4	.	1	2	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741·0	Spina bifida with hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
742·3	Congenital hydrocephalus	M	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
742·5	Other specified anomalies of spinal cord.	M	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
746·9	Unspecified anomalies of heart	M	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
748·5	Agenesis, hypoplasia and dysplasia of lung	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760·0	Maternal hypertensive disorders	M	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.
		F	4	.	.	.	4	.	.	.	.	.	.	.	.	.	.
760·2	*Maternal infections*	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
761·1	Premature rupture of membranes	M	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
762·1	Other forms of placental separation and haemorrhage	M	5	.	.	1	.	2	1	1	.	.	.	.	.	.	.
		F	12	.	2	4	2	1	.	1	2	.	.	.	.	.	.
762·2	Other and unspecified morphological and functional abnormalities of placenta	M	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	1	1	1	.	.	1	.	.	.	.	.
762·5	Other compression of umbilical cord	M	6	.	1	.	.	.	.	.	2	3	.	.	.	.	.
		F	4	.	.	.	2	.	.	.	1	1	.	.	.	.	.
764·9	Fetal growth retardation, unspecified	M	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.
768·0	Fetal death from asphysia or anoxia before onset of labour or at unspecified time.	M	3	.	1	.	1	.	.	.	1	.	.	.	.	.	.
		F	6	.	.	3	.	1	.	1	.	.	.	.	1	.	.

ABSTRACT 17 *(continued)*. **Northern Ireland: Still-births by sex, cause and weight of fetus, 1990.**

Detailed List No.	Cause of Still-Birth		Weight of Fetus (in grams)														
			Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	Not Stated
771·8	Other infection specific to the perinatal period	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
773·1	Haemolytic disease due to ABO isoimmunization	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
773·3	Hydrops fetalis due to isoimmunization	M	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
775·0	Syndrome of "infant of a diabetic mother"	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
778·0	Hydrops fetalis not due to isoimmunization	M	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
779·9	Unspecified and ill-defined conditions originating in the perinatal period	M	28	1	5	6	3	2	1	2	.	3	2	3	.	.	.
		F	17	1	1	2	4	1	.	2	2	2	1	1	.	.	.
	All Causes	M	62	1	8	13	8	5	3	5	4	8	4	3	.	.	.
		F	54	2	3	10	13	6	3	5	5	4	1	1	1	.	.

ABSTRACT 18. Northern Ireland: Still-births by sex, age of mother and parity*, 1990.

Age of Mother		Total still-births	PARITY OF MOTHER										
			0	1	2	3	4	5	6	7	8	9	10 and over
16	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
17	M	2	2	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
18	M	2	2	.	.	.	.	.	.	.	.	.	.
	F	4	4	.	.	.	.	.	.	.	.	.	.
19	M	1	1	.	.	.	.	.	.	.	.	.	.
	F	3	3	.	.	.	.	.	.	.	.	.	.
16-19	M	5	5	.	.	.	.	.	.	.	.	.	.
	F	8	8	.	.	.	.	.	.	.	.	.	.
20	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	2	1	1	.	.	.	.	.	.	.	.	.
21	M	4	3	.	1	.	.	.	.	.	.	.	.
	F	2	1	1	.	.	.	.	.	.	.	.	.
22	M	1	1	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
23	M	3	2	1	.	.	.	.	.	.	.	.	.
	F	5	3	1	1	.	.	.	.	.	.	.	.
24	M	7	5	2	.	.	.	.	.	.	.	.	.
	F	3	2	.	1	.	.	.	.	.	.	.	.
20-24	M	15	11	3	1	.	.	.	.	.	.	.	.
	F	13	8	3	2	.	.	.	.	.	.	.	.
25	M	3	1	1	.	1	.	.	.	.	.	.	.
	F	4	1	2	1	.	.	.	.	.	.	.	.
26	M	3	3	.	.	.	.	.	.	.	.	.	.
	F	6	4	2	.	.	.	.	.	.	.	.	.
27	M	4	3	.	.	.	1	.	.	.	.	.	.
	F	4	2	2	.	.	.	.	.	.	.	.	.
28	M	6	2	.	3	1	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
29	M	3	.	.	2	.	.	.	.	1	.	.	.
	F	2	.	1	.	1	.	.	.	.	.	.	.
25-29	M	19	9	1	5	2	1	.	.	1	.	.	.
	F	17	8	7	1	1	.	.	.	.	.	.	.
30	M	4	2	2	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.	.
31	M	3	2	1	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.	.
32	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	5	1	.	1	2	1	.	.	.	.	.	.
33	M	1	.	1	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.	.
34	M	2	.	.	2	.	.	.	.	.	.	.	.
	F	2	.	.	.	2	.	.	.	.	.	.	.
30-34	M	10	4	4	2	.	.	.	.	.	.	.	.
	F	10	1	2	1	4	2	.	.	.	.	.	.
35	M	4	2	.	.	1	.	.	.	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.	.
36	M	2	.	.	.	1	1	.	.	.	.	.	.
	F	2	.	.	1	.	1	.	.	.	.	.	.
37	M	3	.	.	1	.	.	1	1	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.	.
38	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
39	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.	.
35-39	M	9	2	.	1	2	1	1	1	.	.	.	1
	F	5	1	1	1	1	1	.	.	.	.	.	.
40	M	3	1	.	.	1	.	1	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
41	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
42	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
43	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
44	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
40-44	M	3	1	.	.	1	.	1	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.
45	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
46	M	1	.	.	.	.	1	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
47	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
48	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
49	M	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
45 and over	M	1	.	.	.	.	1	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.
ALL AGES	M	62	32	8	9	5	3	2	1	1	.	.	1
	F	54	27	13	5	6	3	.	.	.	.	.	.

*See definition at foot of Abstract 11.

ABSTRACT 19. Northern Ireland: Quarterly incidence of deaths, by District Council Area, month and sex with quarterly totals, 1990.

AREA		Total	January	February	March	1st quarter	April	May	June	2nd quarter	July	August	September	3rd quarter	October	November	December	4th quarter
Northern Ireland	M	7,648	899	698	581	2,178	612	693	573	1,878	588	583	553	1,724	596	601	671	1,868
	F	7,778	1,066	662	637	2,365	567	559	526	1,652	562	615	544	1,721	721	636	683	2,040
Ards	M	315	42	26	14	82	27	28	17	72	29	22	25	76	27	24	34	85
	F	299	39	31	19	89	27	15	21	63	20	21	28	69	30	22	26	78
Belfast	M	1,659	170	148	145	463	129	137	109	375	130	140	123	393	131	148	149	428
	F	1,897	232	154	161	547	142	138	128	408	151	156	144	451	178	150	163	491
Castlereagh	M	322	39	22	27	88	24	24	20	68	26	24	31	81	26	26	33	85
	F	335	49	25	32	106	25	24	26	75	19	21	20	60	27	34	33	94
Down	M	301	30	24	22	76	32	27	32	91	15	27	23	65	25	22	22	69
	F	353	58	31	17	106	20	27	30	77	24	28	31	83	29	28	30	87
Lisburn	M	379	40	46	31	117	32	30	33	95	30	29	28	87	23	28	29	80
	F	367	39	32	26	97	32	28	21	81	23	32	27	82	35	28	44	107
North Down	M	331	29	43	26	98	35	23	24	82	27	31	32	90	20	17	24	61
	F	383	64	43	25	132	24	27	26	77	24	24	28	76	33	34	31	98
Antrim	M	172	24	21	12	57	8	16	15	39	13	12	10	35	14	11	16	41
	F	190	33	21	8	62	13	14	15	42	17	10	14	41	14	17	14	45
Ballymena	M	267	26	24	22	72	19	24	24	67	29	22	20	71	22	14	21	57
	F	241	25	19	22	66	21	14	18	53	19	16	19	54	29	19	20	68
Ballymoney	M	90	11	10	6	27	7	5	8	20	2	7	8	17	8	6	12	26
	F	126	12	15	13	40	6	10	9	25	5	15	6	26	6	17	12	35
Carrickfergus	M	151	10	14	14	38	13	12	10	35	13	13	5	31	11	17	19	47
	F	181	25	20	17	62	21	11	5	37	9	17	7	33	20	10	19	49
Coleraine	M	244	34	17	18	69	20	21	16	57	18	16	22	56	18	25	19	62
	F	272	34	20	23	77	22	17	21	60	23	23	16	62	31	17	25	73
Cookstown	M	128	18	13	9	40	10	11	8	29	11	2	8	21	17	9	12	38
	F	106	13	10	8	31	6	6	8	20	7	7	8	22	18	6	9	33
Larne	M	152	14	16	15	45	12	18	7	37	9	9	14	32	9	13	16	38
	F	120	10	10	9	29	7	5	12	24	8	18	5	31	10	7	19	36
Magherafelt	M	148	14	16	4	34	15	20	6	41	8	9	13	30	14	9	20	43
	F	128	19	7	10	36	9	10	8	27	9	9	11	29	17	10	9	36
Moyle	M	87	14	7	3	24	4	14	2	20	3	6	9	18	10	10	5	25
	F	79	11	6	9	26	7	4	5	16	6	8	5	19	8	5	5	18
Newtownabbey	M	305	32	29	24	85	25	34	29	88	14	21	12	47	22	25	38	85
	F	289	34	21	16	71	17	18	24	59	18	24	22	64	26	31	38	95
Armagh	M	243	43	20	13	76	19	24	20	63	21	10	17	48	17	17	22	56
	F	272	49	21	24	94	21	17	16	54	21	25	18	64	26	13	21	60
Banbridge	M	177	18	13	13	44	14	15	16	45	9	17	10	36	17	19	16	52
	F	144	16	12	16	44	13	11	9	33	9	10	9	28	9	13	17	39
Craigavon	M	331	47	29	27	103	19	32	33	84	26	29	20	75	30	20	19	69
	F	305	40	22	29	91	19	24	20	63	25	25	17	67	36	23	25	84
Dungannon	M	241	32	20	16	68	22	19	19	60	21	20	15	56	18	11	28	57
	F	189	25	20	15	60	13	17	7	37	12	12	14	38	15	23	16	54
Newry and Mourne	M	379	54	34	38	126	31	40	31	102	22	27	22	71	21	35	24	80
	F	370	59	28	25	112	20	37	23	80	22	30	22	74	39	37	28	104
Fermanagh	M	334	50	33	17	100	30	36	22	88	28	20	19	67	28	26	25	79
	F	254	32	15	27	74	21	20	15	56	20	18	21	59	22	21	22	65
Limavady	M	109	17	13	8	38	2	12	9	23	12	6	7	25	7	12	4	23
	F	109	23	11	9	43	8	6	5	19	7	6	6	19	7	12	9	28
Derry	M	368	39	28	25	92	32	35	28	95	38	37	24	99	24	21	37	82
	F	412	74	41	44	159	30	34	32	96	26	33	29	88	22	23	24	69
Omagh	M	245	34	18	18	70	19	23	20	62	19	23	18	60	18	22	13	53
	F	191	29	14	15	58	13	12	12	37	28	12	11	51	15	21	9	45
Strabane	M	170	18	14	14	46	12	13	15	40	15	4	18	37	19	14	14	47
	F	166	22	13	18	53	10	13	10	33	10	15	6	31	19	15	15	49

ABSTRACT 20. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
	TOTAL DEATHS (All Causes)	M	7,648	65	110	4	7	3	5	12	18	54	68	64	74	79	107	172	259	401	665	1,042	1,177	1,329	1,084	614	238	62
		F	7,778	41	88	15	6	1	1	13	9	16	16	31	30	35	85	103	179	250	480	669	895	1,271	1,413	1,203	705	264
001-139	I Infectious and Parasitic Diseases	M	21	2	2	.	.	.	.	.	.	1	1	1	1	.	.	1	.	2	.	3	3	4	2	.	.	.
		F	25	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	1	.	1	2	3	7	5	.	2
140-208	II Neoplasms [a] Cancer*	M	1,765	.	.	.	3	1	.	3	3	5	5	6	7	10	20	49	78	132	192	324	302	314	198	90	18	5
		F	1,680	.	2	1	1	1	1	3	1	1	2	7	9	18	49	47	87	120	169	235	248	258	209	129	66	16
210-239	[b] Other Neoplasms	M	36	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	4	6	5	6	3	4	1	1	.
		F	44	.	.	.	.	.	.	.	.	.	.	3	1	.	3	2	2	2	2	5	7	8	4	5	.	.
240-279	III Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	M	39	1	2	.	.	.	.	.	.	1	1	1	.	1	.	4	2	2	6	5	4	4	5	1	.	.
		F	39	.	.	.	.	.	.	.	2	1	1	.	1	.	.	2	2	2	6	.	2	6	8	3	1	2
280-289	IV Diseases of Blood and Blood-Forming Organs	M	15	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	.	3	2	3	1	.	.
		F	20	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	1	2	5	1	4	3	.
290-319	V Mental Disorders	M	36	.	.	.	.	1	1	.	.	.	1	.	3	3	3	1	5	4	4	3	1	2	1	3	.	.
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	1	.	5	2	1	2	4	2
320-389	VI Diseases of the Nervous System and Sense Organs	M	79	.	2	.	.	.	.	1	.	3	2	.	4	3	5	3	2	4	5	13	10	10	4	7	1	.
		F	98	.	4	.	1	.	.	4	1	2	1	3	2	1	2	2	7	5	8	4	8	13	16	7	7	.
390-459	VII Diseases of the Circulatory System.	M	3,456	1	1	.	.	1	.	.	2	.	2	2	14	16	45	68	121	183	336	512	614	655	486	274	103	21
		F	3,654	.	.	.	.	.	.	.	.	1	1	2	5	5	13	23	55	74	183	308	452	663	772	648	344	105
460-519	VIII Diseases of the Respiratory System.	M	1,319	2	17	1	.	.	.	.	.	1	.	1	3	4	4	7	19	22	56	122	179	270	308	184	92	29
		F	1,462	1	26	6	1	.	.	.	.	.	.	2	3	5	2	5	8	20	64	61	123	206	296	297	222	115
520-579	IX Diseases of the Digestive System.	M	162	.	1	.	.	.	.	.	.	.	.	1	3	.	2	7	7	7	17	25	24	24	21	15	5	3
		F	230	.	.	.	.	.	.	.	.	.	2	1	1	.	2	6	5	9	25	25	19	40	35	36	14	10
580-629	X Diseases of the Genito-urinary System	M	110	1	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	2	6	6	8	17	34	18	12	3
		F	141	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	8	11	10	33	27	26	16	7
630-676	XI Complications of Pregnancy, Childbirth and the Puerperium	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680-709	XII Diseases of the Skin and Subcutaneous Tissue	M	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	1	.	.
		F	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	3	5	1	.
710-739	XIII Diseases of the Musculo-skeletal System and Connective Tissue.	M	17	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	3	1	3	4	1	.
		F	42	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	2	1	7	9	6	6	5	1
740-759	XIV Congenital Anomalies.	M	54	22	34	2	2	.	.	.	4	2	3	1	.	.	.	.	1	2	2	.	.	1	.	.	.	.
		F	31	12	20	3	2	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.	.
760-779	XV Certain Conditions originating in the Perinatal Period	M	40	36	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	28	26	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780-799	XVI Symptoms, Signs and Ill-defined Conditions	M	18	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	2	1	1	.	.
		F	23	1	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	3	4	4	1
800-999	XVII Injury and Poisoning	M	474	.	1	1	2	.	4	7	9	40	52	51	37	39	25	29	23	36	30	19	19	19	11	14	5	1
		F	225	1	1	4	1	.	.	4	5	9	9	10	7	4	12	12	12	9	10	15	10	20	24	26	18	3

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
	1. Infectious and Parasitic Diseases																										
001-009	*Intestinal Infectious Diseases.*	M	*2*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*
001	Cholera	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
002	Typhoid and Paratyphoid fevers	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
003	Other salmonella infections	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
004	Shigellosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
005	Other food poisoning (bacterial)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
006	Amoebiasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
007	Other protozoal intestinal diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
008	Intestinal infections due to other organisms	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
009	Ill-defined intestinal infection.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
010–018	*Tuberculosis*	M	*6*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*1*	*2*	*1*	.	.	.
		F	*6*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*2*	*2*	*2*	*1*	.	.
010	Primary tuberculous infection.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
011	Pulmonary tuberculosis	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.
012	Other respiratory tuberculosis.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
013	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
015	Tuberculosis of bones and joints	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
016	Tuberculosis of genitourinary system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
017	Tuberculosis of other organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
018	Miliary tuberculosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
020–027	*Zoonotic bacterial diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
020	Plague	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
021	Tularaemia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
022	Anthrax	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
023	Brucellosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
024	Glanders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
025	Melioidosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
026	Rat-bite-fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
027	Other zoonotic bacterial diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
030–041	*Other bacterial diseases*	M	*10*	*2*	*2*	.	.	.	.	.	.	*1*	*1*	.	.	.	.	.	.	.	.	*1*	*2*	*2*	*1*	.	.	.
		F	*10*	.	.	*1*	.	.	.	*1*	.	.	.	.	.	.	.	*1*	.	.	.	.	*1*	*1*	*3*	*2*	.	.
030	Leprosy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
031	Diseases due to other mycobacteria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
032	Diphtheria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
033	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
034	Streptococcal sore throat and scarlatina	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
035	Erysipelas	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
036	Meningococcal infection	M	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
037	Tetanus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
038	Septicaemia	M	8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
		F	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	3	2	.	.
039	Actinomycotic infections	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
040	Other bacteral diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
041	Bacterial infection in conditions classified elsewhere and of unspecified site	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
042–044	*Human Immunodeficiency Virus (HIV) infection*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
042	Human immunodeficiency virus infection with specified conditions	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
043	Human immunodeficiency virus infection causing other specified conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
044	Other human immunodeficiency virus infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
045–049	*Poliomyelitis and other non-arthropod-borne viral diseases of the central nervous system*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
045	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
046	Slow virus infection of central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
047	Meningitis due to enterovirus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
048	Other enterovirus diseases of central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
049	Other non-arthropod-borne viral diseases of the central nervous system	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
050–057	*Viral diseases accompanied by exanthem*	M	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*
		F	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
050	Smallpox	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
051	Cowpox and paravaccinia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
052	Chickenpox	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
053	Herpes zoster	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
054	Herpes simplex	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
055	Measles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
056	Rubella	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
057	Other virual exanthemata	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
060–066	*Arthropod-borne viral diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
060	Yellow fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
061	Dengue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
062	Mosquito-borne viral encephalitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
063	Tick-borne viral encephalitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
064	Viral encephalitis transmitted by other and unspecified arthropods	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
065	Arthropod-borne haemorrhagic fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
066	Other arthropod-borne viral diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
070-079	*Other diseases due to viruses and Chlamydiae.*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
070	Viral hepatitis.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
071	Rabies.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
072	Mumps	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
073	Ornithosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
074	Specific diseases due to Coxsackie virus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
075	Infectious mononucleosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
076	Trachoma	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
077	Other diseases of conjunctiva due to viruses and Chlamydiae	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
078	Other diseases due to viruses and Chlamydiae.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
079	Viral infection in conditions classified elsewhere and of unspecified site	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
080–088	*Rickettsioses and other arthropod-borne diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
080	Louse-borne (epidemic) typhus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
081	Other typhus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
082	Tick-borne rickettsioses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
083	Other rickettsioses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
084	Malaria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
085	Leishmaniasis.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
086	Trypanosomiasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
087	Relapsing Fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
088	Other arthropod-borne diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
090–099	*Syphilis and other venereal diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
090	Congenital syphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
091	Early syphilis, symptomatic	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
092	Early syphilis, latent	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
093	Cardiovascular syphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
094	Neurosyphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
095	Other forms of late syphilis, with symptoms	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
096	Late syphilis, latent	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
097	Other and unspecified syphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
098	Gonococcal infections	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
099	Other venereal diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
100–104	*Other spirochaetal diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
100	Leptospirosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
101	Vincent's angina	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
102	Yaws	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
103	Pinta	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
104	Other spirochaetal infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
110–118	*Mycoses*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.
110	Dermatophytosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
111	Dermatomycosis, other and unspecified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
112	Candidiasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
114	Coccidioidomycosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
115	Histoplasmosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
116	Blastomycotic infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
117	Other mycoses.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
118	Opportunistic mycoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
120–129	*Helminthiases.*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
120	Schistosomiasis (bilharziasis).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
121	Other trematode infections	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
122	Echinococcosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
123	Other cestode infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
124	Trichinosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
125	Filarial infection and dracontiasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
126	Ancylostomiasis and necatoriasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
127	Other intestinal helminthiases.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
128	Other and unspecified helminthiases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
129	Intestinal parasitism, unspecified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
130–136	*Other infectious and parasitic diseases*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.
130	Toxoplasmosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
131	Trichomoniasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
132	Pediculosis and phthirus infestation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
133	Acariasis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
134	Other infestation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
135	Sarcoidosis	M	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
136	Other and unspecified infectious and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
137–139	*Late effects of infectious and parasitic diseases*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
137	Late effects of tuberculosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
138	Late effects of acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
139	Late effects of other infectious and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	II Neoplasms																										
140–149	*Malignant neoplasm of lip, oral cavity and pharynx*	M	*30*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*2*	.	*3*	*7*	*3*	*3*	*7*	*1*	*2*	*1*	.
		F	*11*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*1*	*1*	*2*	.	*3*	*1*	.	.	*1*
140	Malignant neoplasm of lip	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
141	Malignant neoplasm of tongue	M	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	1	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
142	Malignant neoplasm of major salivary glands	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
143	Malignant neoplasm of gum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
144	Malignant neoplasm of floor of mouth	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
145	Malignant neoplasm of other and unspecified part of mouth	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
146	Malignant neoplasm of oropharynx	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
147	Malignant neoplasm of naso-pharynx	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
148	Malignant neoplasm of hypo-pharynx	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx.	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
150–159	*Malignant neoplasms of digestive organs and peritoneum*	M	*539*	.	.	.	.	.	.	.	.	*1*	.	*1*	*1*	*3*	*9*	*17*	*29*	*46*	*56*	*98*	*91*	*94*	*54*	*32*	*5*	*2*
		F	*543*	.	.	.	.	.	.	.	.	.	.	*2*	.	*4*	*7*	*7*	*24*	*37*	*29*	*73*	*85*	*82*	*98*	*62*	*30*	*3*
150	Malignant neoplasm of oesophagus	M	58	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	5	9	5	12	6	10	2	5	.	.
		F	46	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	9	5	7	12	9	1	.
151	Malignant neoplasm of stomach	M	125	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	5	4	20	22	20	30	13	4	2	.
		F	94	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	6	5	6	9	22	13	13	7	9	.
152	Malignant neoplasm of small intestine, including duodenum	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
153	Malignant neoplasm of colon.	M	139	.	.	.	.	.	.	.	.	.	.	1	.	1	3	8	11	11	11	23	26	19	15	7	2	1
		F	183	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	10	10	8	25	29	24	39	18	13	1
154	Malignant neoplasm of rectum, rectosigmoid junction and anus	M	80	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	6	4	15	19	15	8	7	1	.
		F	47	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	8	5	7	6	7	7	2	1	1
155	Malignant neoplasm of liver and intrahepatic bile ducts	M	19	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1	2	6	3	1	.	.
		F	24	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.	3	5	2	4	3	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
156	Malignant neoplasm of gallbladder and extrahepathic bile ducts	M	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	2	2	.	.
		F	17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4	3	1	3	3	1	.
157	Malignant neoplasm of pancreas	M	78	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	2	13	6	13	15	12	7	4	.	1
		F	89	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	8	8	12	12	18	10	12	3	1
158	Malignant neoplasm of retroperitoneum and peritoneum	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	M	26	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	4	10	1	1	4	2	.	.
		F	37	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	4	1	9	9	8	2	.
160–165	*Malignant neoplasm of respiratory and intrathoracic organs*	M	*576*	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*3*	*15*	*26*	*53*	*71*	*122*	*104*	*101*	*57*	*18*	*2*	*2*
		F	*250*	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*1*	*3*	*6*	*11*	*14*	*45*	*56*	*33*	*49*	*17*	*10*	*1*	*2*
160	Malignant neoplasm of nasal cavities, middle ear and accessory sinuses	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
161	Malignant neoplasm of larynx	M	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	2	5	1	2	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.
162·2	Malignant neoplasm of trachea	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
162·5	Malignant neoplasm of upper lobe, bronchus or lung	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
162·9	Malignant neoplasm of bronchus and lung, unspecified	M	526	.	.	.	.	.	.	.	.	.	.	.	.	2	3	10	23	49	61	112	94	97	53	18	2	2
		F	242	.	.	.	.	.	.	.	.	.	.	1	1	1	3	6	10	13	44	55	31	48	17	9	1	2
163	Malignant neoplasm of pleura	M	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	4	8	8	5	3	2	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
164	Malignant neoplasm of thymus, heart and mediastinum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
165	Malignant neoplasm of other and ill-defined sites within the respiratory system and intrathoracic organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
170–175	*Malignant neoplasm of bone, connective tissue, skin and breast*	M	*31*	.	.	.	.	.	.	*1*	.	*2*	*2*	.	*1*	.	.	*3*	*2*	.	*3*	*4*	*2*	*4*	*4*	*3*	.	.
		F	*331*	.	*1*	.	.	.	.	.	.	.	*1*	.	*6*	*7*	*20*	*19*	*25*	*34*	*44*	*27*	*40*	*42*	*23*	*22*	*16*	*4*
170	Malignant neoplasm of bone and articular cartilage	M	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
171	Malignant neoplasm of connective and other soft tissue	M	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	2	.	1	.	.	.	.
		F	7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1	.	1	.
172	Malignant melanoma of skin	M	17	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	2	.	2	2	2	2	.	3	.	.
		F	16	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	2	3	1	1	.	2	2	1	.
173	Other malignant neoplasm of skin	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
		F	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	3	2	1

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
174	Malignant neoplasm of female breast	F	295	.	.	.	.	.	.	.	.	.	.	.	5	7	19	18	23	32	41	25	36	39	18	17	12	3
175	Malignant neoplasm of male breast	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
179–189	*Malignant neoplasm of genito-urinary organs*	M	*323*	.	.	.	.	.	.	.	.	.	.	*2*	*3*	.	*1*	*1*	*7*	*11*	*25*	*49*	*63*	*78*	*56*	*20*	*6*	*1*
		F	*236*	.	.	*1*	.	.	.	.	.	.	*1*	*1*	*1*	*2*	*14*	*6*	*16*	*17*	*25*	*30*	*33*	*29*	*37*	*15*	*5*	*3*
179	Malignant neoplasm of uterus, part unspecified	F	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	2	3	4	4	2	.	.
180	Malignant neoplasm of cervix uteri	F	38	.	.	.	.	.	.	.	.	.	.	.	1	1	8	2	3	1	4	3	7	3	5	.	.	.
181	Malignant neoplasm of placenta	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
182	Malignant neoplasm of body of uterus	F	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2	2	2	1	.	.
183	Malignant neoplasm of ovary and other uterine adnexa	F	89	.	.	.	.	.	.	.	.	.	1	1	.	1	3	3	12	11	12	16	9	10	7	3	.	.
184	Malignant neoplasm of other and unspecified female genital organs	F	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	7	2	1	2
185	Malignant neoplasm of prostate	M	195	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	3	8	32	38	48	42	15	5	.
186	Malignant neoplasm of testis	M	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
187	Malignant neoplasm of penis and other male genital organs	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
188	Malignant neoplasm of bladder	M	75	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	3	8	7	14	22	11	4	1	1
		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	1	5	7	6	5	4	1
189	Malignant neoplasm of kidney and other unspecified urinary organs	M	49	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	5	8	10	11	8	3	1	.	.
		F	27	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3	6	4	2	6	2	.	.
190–199	*Malignant neoplasm of other and unspecified sites*	M	*140*	.	.	.	.	*1*	.	*1*	.	.	*1*	.	*1*	*1*	*5*	*7*	*8*	*8*	*19*	*28*	*21*	*12*	*15*	*11*	*1*	.
		F	*209*	.	*1*	.	*1*	*1*	*1*	*1*	.	.	.	*3*	.	*1*	*2*	*7*	*5*	*12*	*17*	*27*	*39*	*39*	*24*	*16*	*10*	*2*
190	Malignant neoplasm of eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
191	Malignant neoplasm of brain	M	32	.	.	.	.	.	.	1	.	.	1	.	.	.	4	4	6	1	5	5	2	3	.	.	.	.
		F	33	.	1	.	.	.	.	1	.	.	.	.	.	.	2	2	.	3	2	4	8	6	2	.	1	1
192	Malignant neoplasm of other and unspecified parts of nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
193	Malignant neoplasm of thyroid gland	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	.
194	Malignant neoplasm of other endocrine glands and related structures	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
195	Malignant neoplasm of other and ill-defined sites	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.
		F	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	5	5	4	1	.
196	Secondary and unspecified malignant neoplasm of lymph nodes	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
197	Secondary malignant neoplasm of respiratory and digestive systems.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
198	Secondary malignant neoplasm of other specified sites.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
199	Malignant neoplasm without specification of site.	M	98	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	2	7	13	19	18	8	15	10	1	.
		F	143	.	.	.	.	.	.	.	.	.	.	3	.	1	.	5	4	7	13	20	28	25	16	12	8	1
200-208	*Malignant neoplasm of lymphatic and haematopoietic tissue*	M	*126*	.	.	.	*3*	.	.	*1*	*3*	*2*	*2*	*3*	*1*	*3*	*2*	*4*	*6*	*11*	*11*	*20*	*18*	*18*	*11*	*4*	*3*	.
		F	*100*	.	.	.	.	.	.	*2*	*1*	*1*	.	.	*1*	*3*	*2*	*2*	*5*	*5*	*8*	*20*	*18*	*14*	*9*	*4*	*4*	*1*
200	Lymphosarcoma and reticulosarcoma	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
201	Hodgkin's disease	M	9	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	.	.	2	.	1	.	1	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.
202	Other malignant neoplasm of lymphoid and histiocytic tissue	M	49	.	.	.	1	.	.	.	1	.	.	1	.	1	2	3	1	3	4	11	12	5	4	.	.	.
		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	2	3	8	4	6	2	1	1	1
203	Multiple myeloma and immuno-proliferative neoplasms	M	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	6	3	3	7	4	1	1	.
		F	23	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	4	6	2	2	3	2	.
204	Lymphoid leukaemia	M	15	.	.	.	.	.	.	1	1	1	1	.	.	1	.	.	2	2	.	.	1	3	1	.	1	.
		F	13	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	3	3	2	1	.	.	.
205	Myeloid leukaemia	M	20	.	.	.	2	.	.	.	1	.	.	.	1	1	.	.	.	5	1	3	1	1	2	1	1	.
		F	22	.	.	.	.	.	.	1	1	1	.	.	1	1	1	.	1	2	1	3	4	2	3	.	.	.
206	Monocytic leukaemia.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
207	Other specified leukaemia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
208	Leukaemia of unspecified cell type	M	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.
210–229	*Benign neoplasms*	M	*4*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	*2*	.	.	.	.	.	.
		F	*9*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	*1*	.	*1*	*1*	*2*	*2*	.	.	.	.	.
210	Benign neoplasms of lip, oral cavity and pharynx.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
212	Benign neoplasm of respiratory and intrathoracic organs.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
213	Benign neoplasm of bone and articular cartilage	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
214	Lipoma	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
215	Other benign neoplasm of connective and other soft tissue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
216	Benign neoplasm of skin	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
217	Benign neoplasm of breast	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
218	Uterine leiomyoma . . .	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
219	Other benign neoplasm of uterus	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
220	Benign neoplasm of ovary . .	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
221	Benign neoplasm of other female genital organs . . .	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
222	Benign neoplasm of male genital organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
223	Benign neoplasm of kidney and other urinary organs . . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
224	Benign neoplasm of eye . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
225	Benign neoplasm of brain and other parts of nervous system . .	M F	1 5	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. 1	1 2	. 1	. .	. .	. .	. .	. .
226	Benign neoplasm of thyroid gland .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
227	Benign neoplasm of other endocrine glands and related structures .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
228	Haemangioma and lymphangioma, any site	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .
229	Benign neoplasm of other and unspecified sites . . .	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
230–234	*Carcinoma in situ* . . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
230	Carcinoma in situ of digestive organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
231	Carcinoma in situ of respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
232	Carcinoma in situ of skin . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
233	Carcinoma in situ of breast and genitourinary system . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
234	Carcinoma in situ of other and unspecified sites . . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
235–238	*Neoplasms of uncertain behaviour* .	M F	*14* *15*	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. *1*	. .	*1* .	. .	. .	. *1*	*3* *1*	*2* .	*1* *1*	. *3*	*2* *1*	*4* *4*	*1* *3*	. .	. .
235	Neoplasm of uncertain behaviour of digesive and respiratory systems .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
236	Neoplasm of uncertain behaviour of genitourinary organs . .	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
237	Neoplasm of uncertain behaviour of endocrine glands and nervous system	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .
238	Neoplasm of uncertain behaviour of other and unspecified sites and tissues	M F	13 13	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	3 1	1 .	1 1	. 3	2 1	4 4	1 3	. .	. .
239	*Neoplasms of unspecified nature* .	M F	*18* *20*	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. *1*	*2* *1*	*1* .	. *2*	*1* *1*	. *1*	*1* .	*3* *1*	*2* *2*	*6* *2*	*1* *7*	. .	. *2*	*1* .	. .

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
	III. Endocrine, nutritional and metabolic diseases and immunity disorders																										
240-246	*Disorders of thyroid gland*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	*1*	.	.	.
240	Simple and unspecified goitre	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
241	Nontoxic nodular goitre	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
242	Thyrotoxicosis with or without goitre	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
243	Congenital hypothyroidism	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
244	Acquired hypothyroidism	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
245	Thyroiditis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
246	Other disorders of thyroid	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250–259	*Diseases of other endocrine glands*	M	*27*	*1*	*1*	.	.	.	.	.	.	.	*1*	.	.	*1*	.	*3*	*2*	*1*	*2*	*5*	*3*	*4*	*3*	*1*	.	.
		F	*19*	.	.	.	.	.	.	.	*1*	*1*	.	.	*1*	.	.	*2*	*2*	.	*2*	.	.	*4*	*3*	*1*	*1*	*1*
250	Diabetes mellitus	M	22	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2	1	1	4	3	4	3	1	.	.
		F	19	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	2	.	2	.	.	4	3	1	1	1
251	Other disorders of pancreatic internal secretion	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
252	Disorders of parathyroid gland	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
253	Disorders of the pituitary gland and its hypothalmic control	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
254	Diseases of thymus gland	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
255	Disorders of adrenal glands	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
256	Ovarian dysfunction	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
257	Testicular dysfunction.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
258	Polyglandular dysfunction and related disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
259	Other endocrine disorders	M	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
260–269	*Nutritional deficiencies*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.
260	Kwashiorkor	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
261	Nutritional marasmus.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
262	Other severe protein-calorie malnutrition.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
263	Other and unspecified protein-calorie malnutrition.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
264	Vitamin A deficiency.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
265	Thiamine and niacin deficiency states	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
266	Deficiency of B-complex components	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
267	Ascorbic acid deficiency	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
268	Vitamin D deficiency.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
269	Other nutritional deficiencies.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
270–279	*Other metabolic disorders and immunity disorders.*	M	*11*	.	*1*	.	.	.	.	.	.	*1*	.	*1*	.	.	.	*1*	.	*1*	*4*	.	*1*	.	*1*	.	.	.
		F	*16*	.	.	.	.	.	.	.	*1*	.	*1*	.	.	.	.	.	.	*1*	*3*	.	*2*	*1*	*4*	*2*	.	*1*
270	Disorders of amino-acid transport and metabolism	M	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
271	Disorders of carbohydrate transport and metabolism	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
272	Disorders of lipod metabolism	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
273	Disorders of plasma protein metabolism.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.
274	Gout	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
275	Disorders of mineral metabolism	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
276	Disorders of fluid, electrolyte and acid-base balance	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	1
277	Other and unspecified disorders of metabolism.	M	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	2	.	.	.	1	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
278	Obesity and other hyperalimentation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
279	Disorders involving the immune mechanism.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	IV. Diseases of the Blood and Blood-Forming Organs																											
280–289	*Diseases of blood and blood-forming organs*	M	*15*	.	.	.	.	.	.	.	.	*1*	*1*	.	.	.	*1*	.	.	.	*3*	.	.	*2*	*3*	*1*	*3*	.
		F	*20*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*2*	*1*	*1*	*2*	*5*	*1*	*4*	.	.
280	Iron deficiency anaemias	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
281	Other deficiency anaemias	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
282	Hereditary haemolytic anaemias	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
283	Acquired haemolytic anaemias	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
284	Aplastic anaemia	M	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	1	1	.	.
285	Other and unspecified anaemias	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
286	Coagulation defects	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
287	Purpura and other haemorrhagic conditions	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
288	Diseases of white blood cells.	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
289	Other diseases of blood and blood-forming organs	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	V. Mental Disorders																										
290–294	*Organic psychotic conditions.*	M	*8*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	*2*	*1*	*3*	.	.
		F	*10*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*1*	*1*	*1*	*4*	*1*
290	Senile and presenile organic psychotic conditions	M	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	3	.	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4	1
291	Alcoholic psychoses	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
292	Drug psychoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
293	Transient organic psychotic conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
294	Other organic psychotic conditions (chronic)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
295–299	*Other psychoses*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.
295	Schizophrenic psychoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
296	Affective psychoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
297	Paranoid states	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
298	Other nonorganic psychoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
299	Psychoses with origin specific to childhood	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
300–316	*Neurotic disorders, personality disorders and other non-psychotic mental disorders*	M	*26*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*3*	*3*	*3*	*1*	*5*	*3*	*4*	*2*	*1*	.	.	.
		F	*11*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	*3*	*1*	.	*3*	*1*	.	.	*1*
300	Neurotic disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
301	Personality disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
302	Sexual deviation and disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
303	Alcohol dependence syndrome	M	18	.	.	.	.	.	.	.	.	.	1	.	2	2	1	1	3	3	2	2	1	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.
304	Drug dependence	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
305	Non-dependent abuse of drugs	M	8	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	.	.	.	.
306	Physiological malfunction arising from mental factors.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
307	Special symptoms or syndromes not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
308	Acute reaction to stress	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
309	Adjustment reaction	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
310	Specific nonpsychotic mental disorders following organic brain damage	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
311	Depressive disorder, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
312	Disturbance of conduct not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
313	Disturbance of emotions specific to childhood and adolescence.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
314	*Hyperkinetic syndrome of childhood*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
315	Specific delays in development	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
316	Psychic factors associated with diseases classified elsewhere	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
317–319	*Mental retardation*	M	*2*	.	.	.	.	*1*	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
317	Mild mental retardation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
318	Other specified mental retardation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
319	Unspecified mental retardation	M	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	VI. Diseases of the Nervous System and Sense Organs																										
320–326	*Inflammatory diseases of the central nervous system*	M	*4*	.	*1*	.	.	.	.	.	.	*1*	.	*1*	*1*	*1*	.	*2*	*1*	*1*	*1*	*1*	*1*	.	*1*	.	.	.
		F	*16*	.	*3*	.	.	.	.	*2*	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
320	Bacterial meningitis	M	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.
321	Meningitis due to other organisms	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
322	Meningitis of unspecified cause	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	8	.	3	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.
323	Encephalitis, myelitis, and encephalomyelitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
324	Intracranial and intraspinal abscess	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
325	Phlebitis and thrombophlebitis of intracranial venous sinuses.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
326	Late effects of intracranial abscess of pyogenic infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
330–337	*Hereditary and degenerative diseases of the central nervous system*	M	*34*	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*1*	.	.	.	*7*	*8*	*7*	*3*	*5*	*1*	.
		F	*44*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*3*	*4*	*1*	*3*	*11*	*10*	*5*	*6*	.
330	Cerebral degenerations usually manifest in childhood	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
331	Other cerebral degenerations	M	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	3	1	.
		F	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	2	4	.
332	Parkinson's disease	M	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	4	3	2	.	.
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	10	7	2	2	.
333	Other extrapyramidal disease and abnormal movement disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.
334	Spinocerebellar disease	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
335	Anterior horn cell disease	M	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	3	1	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1	.	.
336	Other diseases of spinal cord	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
337	Disorders of the autonomic nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340–349	*Other disorders of the central nervous system*	M	*31*	.	.	.	.	.	.	*1*	.	*2*	*2*	.	*4*	*3*	*3*	*2*	*1*	*1*	*4*	*2*	.	*3*	*1*	*2*	.	.
		F	*34*	.	.	.	*1*	.	.	*2*	*1*	*1*	*1*	*2*	.	.	*1*	.	*6*	.	*3*	*2*	*5*	*1*	*5*	*2*	*1*	.
340	Multiple sclerosis	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.	.	.	.
		F	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	3	1	4	1	1	.	.	.
341	Other demyelinating diseases of central nervous system	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
342	Hemiplegia	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	1	.
343	Infantile cerebral palsy	M	4	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
344	Other paralytic syndromes	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
345	Epilepsy	M	12	.	.	.	.	.	.	.	.	1	.	.	4	2	1	2	.	1	1	.	.	.	.	.	.	.
		F	7	.	.	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.
346	Migraine	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
347	Cataplexy and narcolepsy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
348	Other conditions of brain	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
349	Other and unspecified disorders of the nervous system.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
350–359	*Disorders of the peripheral nervous system*	M	*9*	.	*1*	.	.	.	.	.	.	*1*	.	.	.	.	.	.	*1*	*1*	*1*	*3*	*1*	.	.	.	.	.
		F	*4*	.	*1*	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	*1*	.	.	.	*1*	.	.	.	.
350	Trigeminal nerve disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
351	Facial nerve disorders.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
352	Disorders of other craniel nerves	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
353	Nerve root and plexis disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
354	Mononeuritis of upper limb and mononeuritis multiplex	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
355	Mononeuritis of lower limb	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
356	Hereditary and idiopathic peripheral neuropathy	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
357	Inflammatory and toxic neuropathy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
358	Myoneural disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
359	Muscular dystrophies and other myopathies.	M	4	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
		F	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
360–379	*Disorders of the eye and adnexa*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
360	Disorders of the globe.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
361	Retinal detachments and defects	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
362	Other retinal disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
363	Chorioretinal inflammations and scars and other disorders of choroid	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
364	Disorders of iris and ciliary body	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
365	Glaucoma	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
366	Cataract	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
367	Disorders of refraction and accommodation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
368	Visual disturbances	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
369	Blindness and low vision	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
370	Keratitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
371	Corneal opacity and other disorders of cornea	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
372	Disorders of conjunctiva	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
373	Inflammation of eyelids	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
374	Other disorders of eyelids	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
375	Disorders of lacrimal system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
376	Disorders of the orbit	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
377	Disorders of optic nerve and visual pathways	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
378	Strabismus and other disorders of binocular eye movements	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
379	Other disorders of eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
380–389	*Diseases of the ear and mastoid process*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
380	Disorders of external ear	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
381	Nonsuppurative otitis media and Eustachian tube disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
382	Suppurative and unspecified otitis media	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
383	Mastoiditis and related conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
384	Other disorders of tympanic membrane	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
385	Other disorders of middle ear and mastoid	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
386	Vertiginous syndromes and other disorders of vestibular system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
387	Otosclerosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
388	Other disorders of ear.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
389	Deafness	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	VII. Diseases of the Circulator System																											
390–392	*Acute rheumatic fever.*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.
390	Rheumatic fever without mention of heart involvement	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
391	Rheumatic fever with heart involvement	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
392	Rheumatic chorea	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	*Chronic rheumatic heart disease*	M	*14*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*2*	*2*	*6*	*2*	*1*	.	.
		F	*56*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*2*	*1*	*6*	*10*	*12*	*10*	*9*	*2*	*2*	.
393	Chronic rheumatic pericarditis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
394·0	Mitral stenosis.	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	2	.	1	.	1	.
394·1	Rheumatic mitral insufficiency	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
394·9	Diseases of mitral valve, other and unspecified.	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.
		F	17	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	3	5	2	1	1	.
395·9	Diseases of aortic valve, other and unspecified.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
396	Diseases of mitral and aortic valves.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
397	Diseases of other endocardial structures	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
398	Other rheumatic heart disease.	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.
		F	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	4	5	2	3	1	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
401–405	*Hypertensive disease*	M	*38*	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*3*	*4*	*2*	*5*	*4*	*4*	*9*	*2*	*2*	*1*	.
		F	*43*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*2*	*3*	*5*	*4*	*6*	*8*	*7*	*3*	*2*	*1*
401	Essential hypertension	M	22	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	3	1	3	2	2	3	2	.	1	.
		F	25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	4	3	1	5	3	2	.	.
402	Hypertensive heart disease	M	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	5	.	2	.	.
		F	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	3	1	1	1
403	Hypertensive renal disease	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	.
404	Hypertensive heart and renal disease	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
405	Secondary hypertension	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410–414	*Ischaemic heart disease*	M	*2,399*	*1*	*1*	.	.	.	.	.	.	.	.	*1*	*8*	*13*	*37*	*55*	*98*	*152*	*269*	*388*	*428*	*439*	*292*	*152*	*56*	*10*
		F	*1,928*	.	.	.	.	.	.	.	.	.	.	.	*2*	*1*	*3*	*10*	*29*	*47*	*110*	*196*	*272*	*379*	*383*	*304*	*150*	*42*
410–0	Acute myocardial infarction with hypertension	M	196	.	.	.	.	.	.	.	.	.	.	.	1	3	4	7	12	16	36	33	46	27	9	1	1	.
		F	156	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	8	21	28	28	30	18	12	4	2
410–9	Acute myocardial infarction without hypertension	M	1,705	1	1	.	.	.	.	.	.	.	.	.	4	6	20	39	58	109	187	256	314	316	235	114	39	7
		F	1,333	.	.	.	.	.	.	.	.	.	.	.	2	1	3	4	19	27	69	135	190	272	282	204	98	27
411–9	Other acute and subacute forms of heart disease without hypertension	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
412–9	Old myocardial infarction without hypertension	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
414·00	Coronary atherosclerosis without hypertension	M	90	.	.	.	.	.	.	.	.	.	.	.	1	2	1	4	8	5	13	25	12	15	3	.	1	.
		F	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	4	5	1	5	1	.	1
414·09	Coronary atherosclerosis without hypertension	M	138	.	.	.	.	.	.	.	.	.	.	1	2	2	12	3	15	17	18	24	15	14	7	6	2	.
		F	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	5	3	9	10	5	2	5	5	1
414·90	Unspecified forms of chronic ischaemic heart disease with hypertension	M	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	2	.	.
		F	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	1	1	2	1	.
414·99	Unspecified forms of chronic ischaemic heart disease without hypertension	M	261	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	5	14	47	40	66	38	29	13	3
		F	355	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	7	15	20	32	70	74	80	42	11

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
415–417	*Diseases of pulmonary circulation*	M	*43*	.	.	.	.	.	.	.	*1*	.	.	.	.	*1*	*2*	.	*1*	*1*	*5*	*5*	*7*	*2*	*10*	*7*	*1*	.
		F	*55*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*3*	*4*	*2*	*4*	*10*	*11*	*12*	*6*	*2*	.
415	Acute pulmonary heart disease	M	39	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	5	4	6	2	10	7	1	.
		F	51	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	4	1	4	8	10	12	6	2	.
416	Chronic pulmonary heart disease	M	4	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.
417	Other diseases of pulmonary circulation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
420–429	*Other forms of heart disease*	M	*216*	.	.	.	.	*1*	.	.	.	.	*1*	.	*2*	.	*3*	*2*	*5*	*5*	*8*	*22*	*45*	*40*	*39*	*31*	*8*	*4*
		F	*311*	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*3*	*5*	*3*	*8*	*14*	*27*	*42*	*70*	*65*	*49*	*23*
420	Acute pericarditis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
421	Acute and subacute endocarditis	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
422	Acute myocarditis	M	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
423	Other diseases of pericardium	M	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
424	Other diseases of endocardium	M	21	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	4	6	4	2	2	.	.
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	2	7	6	1	1	.
425	Cardiomyopathy	M	23	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	4	1	4	8	1	1	.	.	.
		F	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.	2	3	.	.
426	Conduction disorders	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
427·3	Atrial fibrillation and flutter	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	2	1
427·4	Ventricular fibrillation and flutter	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
427·5	Cardiac arrest	M	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	1	1	.	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	2	2	.	1
427·9	Unspecified cardiac dysrhythmias	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
428	Heart failure	M	120	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	5	8	21	26	26	20	6	3
		F	185	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	4	7	21	23	41	38	33	15
429	Ill-defined descriptions and complications of heart disease	M	29	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	3	4	7	6	2	1
		F	68	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3	10	14	19	13	6

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
430–438	*Cerebrovascular disease*	M	*571*	.	.	.	.	.	.	.	*1*	.	*1*	*1*	*4*	*2*	*1*	*5*	*9*	*17*	*31*	*64*	*99*	*127*	*116*	*58*	*30*	*5*
		F	*1,071*	.	.	.	.	.	.	.	.	*1*	*1*	*2*	*3*	*3*	*6*	*6*	*12*	*13*	*42*	*71*	*106*	*176*	*251*	*231*	*113*	*34*
430–0	Subarachnoid haemorrhage with hypertension	M	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
430–9	Subarachnoid haemorrhage without hypertension	M	10	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	1	.	.	1	1	.	1	.	.	.
		F	25	.	.	.	.	.	.	.	.	.	.	.	1	1	2	4	3	1	3	4	2	1	2	1	.	.
431–0	Intracerebral haemorrhage with hypertension	M	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	4	.	2	2	.	.	.
		F	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	2	2	2	.	.
431–9	Intracerebral haemorrhage without hypertension	M	34	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	2	2	5	4	3	5	6	1	1	1
		F	51	.	.	.	.	.	.	.	.	1	1	2	2	1	1	1	.	2	2	10	4	6	7	9	2	.
432·19	Subdural haemorrhage without hypertension	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
432·99	Unspecified intracranial haemorrhage without hypertension	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
434·00	Cerebral thrombosis with hypertension	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
434·09	Cerebral thrombosis without hypertension	M	44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	7	12	13	6	2	1
		F	92	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	8	15	19	24	15	6
434·19	Cerebral embolism without hypertension	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
434·90	Unspecified occlusion of cerebral arteries with hypertension	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.
434·99	Unspecified occlusion of cerebral arteries without hypertension	M	25	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	4	6	5	4	1	1	.
		F	42	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	4	5	7	7	10	2	2
435–9	Transient cerebral ischaemia without hypertension	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
436–0	Acute but ill-defined cerebrovascular disease with hypertension	M	29	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	6	6	7	2	6	.	.	.
		F	53	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	6	4	4	11	13	6	5	1
436–9	Acute but ill-defined cerebrovascular disease without hypertension	M	369	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	9	16	37	70	92	73	44	22	3
		F	739	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	5	25	43	79	125	188	166	80	22

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
437·09	Cerebral atherosclerosis without hypertension	M	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	2	2	.
		F	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	5	5	3	3
437·19	Other generalised ischaemic cerebro-vascular disease without hypertension	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
437·39	Cerebral aneurysm, non-ruptured without hypertension	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
437·90	Unspecified and ill-defined cerebro-vascular disease with hypertension	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
437·99	Unspecified and ill-defined cerebro-vascular disease without hypertension	M	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	3	6	4	2	.
		F	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	6	3	4	5	.
440–448	*Diseases of arteries, arterioles and capillaries*	M	*149*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*3*	*5*	*14*	*24*	*24*	*29*	*20*	*21*	*6*	*2*
		F	*141*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	*2*	*7*	*6*	*14*	*30*	*29*	*25*	*21*	*5*
440	Atherosclerosis	M	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	1	3	9	10	3	1
		F	55	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	7	12	11	15	4
441	Aortic aneurysm	M	85	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	4	7	13	17	22	10	7	1	.
		F	47	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	9	17	8	6	.	1
442	Other aneurysm	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.
443	Other peripheral vascular disease	M	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	1	1
		F	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6	4	5	3	.
444	Arterial embolism and thrombosis	M	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	.	.	1	1	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	2	2	.
446	Polyarteritis nodosa and allied conditions	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
447	Other disorders of arteries and arterioles	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
448	Diseases of capillaries.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
451–459	*Diseases of veins and lymphatics and other diseases of circulatory system*	M	*25*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*1*	*1*	*2*	*3*	*5*	*3*	*5*	*2*	*1*	.
		F	*48*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*1*	*3*	*3*	*4*	*7*	*11*	*12*	*5*	.
451	Phlebitis and thrombophlebitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
452	Portal vein thrombosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
453	Other venous embolism and thrombosis	M	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	.	.	1	.	.
		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	2	5	9	8	4	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
454	Varicose veins of lower extremities	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
455	Haemorrhoids.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
456	Varicose veins of other sites	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	2	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
457	Noninfective disorders of lymphatic channels	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
458	Hypotension	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
459	Other disorders of circulatory system	M	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	1	3	1	1	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	4	1	.
	VIII. Diseases of the Respiratory System																											
460-466	*Acute respiratory infections*	M	*2*	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.
		F	*5*	.	*1*	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	*1*
460	Acute nasopharyngitis (common cold)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
461	Acute sinusitis.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
462	Acute pharyngitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
463	Acute tonsilitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
464	Acute laryngitis and tracheitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
465	Acute upper respiratory infections of multiple or unspecified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
466	Acute bronchitis and bronchiolitis	M	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
470–478	*Other diseases of upper respiratory tract*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
470	Deflected nasal septum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
471	Nasal polyps	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
472	Chronic pharyngitis and naso-pharyngitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473	Chronic sinusitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
474	Chronic disease of tonsils and adenoids	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
475	Peritonsillar abscess	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
476	Chronic laryngitis and laryngotracheitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
477	Allergic rhinitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478	Other diseases of upper respiratory tract.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480–487	*Pneumonia and influenza*	M	*793*	.	*1*	.	.	.	.	.	.	*1*	.	*1*	*1*	*3*	*3*	*2*	*13*	*6*	*18*	*48*	*91*	*156*	*203*	*140*	*81*	*25*
		F	*1,110*	*1*	*3*	*2*	.	.	.	.	.	.	.	*2*	*1*	*1*	*1*	*2*	*2*	*4*	*24*	*21*	*74*	*141*	*248*	*269*	*211*	*104*
480	Viral pneumonia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
481	Pneumococcal pneumonia	M	29	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	1	2	1	9	7	3	1	.
		F	47	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	8	15	9	7	3
482	Other bacterial pneumonia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
483	Pneumonia due to other specified organism	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
484	Pneumonia in infectious diseases classified elsewhere	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
485	Bronchopneumonia, organism unspecified	M	709	.	1	.	.	.	.	.	.	1	.	1	.	2	2	2	9	3	15	38	82	138	183	132	76	24
		F	993	1	3	1	.	.	.	.	.	.	.	2	.	.	1	2	2	4	18	20	63	125	219	241	197	95
486	Pneumonia, organism unspecified	M	41	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	2	6	5	5	12	2	3	1
		F	34	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	6	3	8	10	2	2
487	Influenza	M	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	4	1	3	1	.
		F	35	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	2	4	6	9	5	4
490–496	*Chronic obstructive pulmonary disease and allied conditions*	M	*436*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*4*	*4*	*14*	*34*	*63*	*81*	*100*	*90*	*36*	*6*	*2*
		F	*246*	.	.	.	.	.	.	.	.	.	.	.	*2*	*2*	*1*	*3*	*4*	*14*	*34*	*37*	*40*	*52*	*32*	*16*	*5*	*4*
490	Bronchitis not specified as acute or chronic	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
491	Chronic bronchitis	M	67	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4	7	8	10	14	13	5	3	1
		F	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	5	7	4	4	3	4	1	.
492	Emphysema	M	35	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	5	7	10	3	4	1	1	.
		F	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	5	3	5	2	.	.	.
493	Asthma	M	21	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	2	4	4	3	2	2	.	.
		F	28	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	1	4	7	4	1	6	.	.	.	.
494	Bronchiectasis.	M	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	3	2	2	2	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	.	.	.
495	Extrinsic allergic alveolitis	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
496	Chronic airways obstruction, not elsewhere classified	M	293	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	6	17	41	52	78	68	25	2	1
		F	154	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	4	16	20	30	34	26	12	4	4
500–508	*Pneumoconioses and other lung diseases due to external agents*	M	*7*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	.	*1*	.	*1*	*2*	*1*	.	.
		F	*2*	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.
500	Coalworkers' pnenmoconiosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
501	Asbestosis	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
502	Pneumoconiosis due to other silica or silicates	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
503	Pneumoconiosis due to other inorganic dust	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
504	Pneumopathy due to inhalation of other dust	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
505	Pneumoconiosis, unspecified.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
506	Respiratory conditions due to chemical fumes and vapours	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
507	Pneumonitis due to solids and liquids	M	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.
		F	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
508	Repiratory conditions due to other and unspecified external agents	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
510–519	*Other diseases of respiratory system*	M	*81*	*2*	*16*	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	*2*	*1*	*4*	*10*	*7*	*13*	*13*	*7*	*4*	*2*
		F	*99*	.	*22*	*3*	.	.	.	.	.	.	.	.	.	*2*	.	.	*2*	*2*	*6*	*3*	*9*	*12*	*15*	*11*	*6*	*6*
510	Empyema	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
511	Pleurisy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.
512	Pneumothorax.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
513	Abscess of lung and mediastinum	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
514	Pulmonary congestion and hypostasis	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.
		F	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	2	2	1
515	Postinflammatory pulmonary fibrosis	M	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1	3	2	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2	.	1	1	.	.	.
516	Other alveolar and parietoalveolar pneumopathy	M	21	2	16	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.	.
		F	28	.	22	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
517	Lung involvement in conditions classified elsewhere	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
518	Other diseases of lung.	M	35	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	1	4	3	8	6	5	2	2
		F	41	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	5	8	9	7	3	4
519	Other diseases of respiratory system	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	2	.	1
	IX. Diseases of the Digestive System																										
520–529	*Diseases of oral cavity, salivary glands and jaws*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.	.
520	Disorders of tooth development and eruption	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
521	Diseases of hard tissues of teeth	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
522	Diseases of pulp and periapical tissues	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
523	Gingival and periodontal diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
524	Dentofacial anomalies, including malocclusion	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
525	Other diseases and conditions of the teeth and supporting structures	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
526	Diseases of the jaws	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
527	Diseases of the salivary glands	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
528	Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
529	Diseases and other conditions of the tongue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
530–537	*Diseases of oesophagus, stomach and duodenum*	M	*44*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*2*	*2*	*6*	*7*	*6*	*5*	*7*	*6*	*1*	*1*
		F	62	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*5*	*8*	*2*	*8*	*10*	*14*	*8*	*6*
530	Diseases of oesophagus	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.
531	*Gastric ulcer*	M	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1	1
		F	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1	3	6	1	.
532	Duodenal ulcer	M	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	4	3	3	2	3	3	.	.
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	1	5	3	2	1	4
533	Peptic ulcer, site unspecified	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.
		F	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	4	2	3	2
534	Gastrojejunal ulcer	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
535	Gastritis and duodenitis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.
536	Disorders of function of stomach	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
537	Other disorders of stomach and duodenum	M	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
540–543	*Appendicitis*	M	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.
540	Acute appendicitis	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
541	Appendicitis, unqualified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
542	Other appendicitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
543	Other diseases of appendix	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
550–553	*Hernia of abdominal cavity*	M	*9*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	.	*1*	*3*	.	*2*	.	*1*
		F	*10*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*2*	*3*	*1*	*2*	.	*1*
550	Inguinal hernia	M	*6*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	.	1	1	.	1	.	1
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
551	Other hernia of abdominal cavity, with gangrene	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
552	Other hernia of abdominal cavity with obstruction, without mention of gangrene	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	1
555–558	*Noninfective enteritis and colitis*	M	*15*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*3*	*7*	*1*	*1*	*1*	.
		F	*28*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*3*	*3*	*3*	*4*	*6*	*6*	*1*	*2*
555	Regional enteritis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
556	Idiopathic protocolitis.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
557	Vascular insufficiency of intestine	M	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	6	1	1	1	.
		F	26	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	3	4	5	6	1	1
558	Other noninfective gastroenteritis and colitis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
560–569	*Other diseases of intestines and peritoneum*	M	*24*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	*2*	*3*	*5*	*2*	*6*	*3*	*1*	.
		F	*51*	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	.	*7*	*5*	*4*	*12*	*8*	*8*	*4*	*1*
560	Intestinal obstruction without mention of hernia	M	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	2	1	.
		F	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	2	.	2	3	1	1
562	Diverticula of intestine	M	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	3	.	2	.	.	.
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	7	5	4	2	.
564	Functional digestive disorders, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
565	Anal fissure and fistula	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
566	Abscess of anal and rectal regions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
567	Peritonitis	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
568	Other disorders of peritoneum	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
569	Other disorders of intestine	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	.	.	.
		F	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.	1	2	1	.	1	.
570–579	*Other diseases of digestive system*	M	*68*	.	*1*	.	.	.	.	.	.	.	.	.	*2*	.	*2*	*7*	*5*	*3*	*7*	*14*	*8*	*7*	*7*	*2*	*2*	*1*
		F	*76*	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	*2*	*5*	*4*	*9*	*10*	*7*	*8*	*13*	*9*	*6*	*1*	.
570	Acute and subacute necrosis of liver	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571	Chronic liver disease and cirrhosis	M	32	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	4	3	5	6	3	1	4	.	.	.
		F	38	.	.	.	.	.	.	.	.	.	1	.	1	.	2	5	3	7	8	6	3	2	.	.	.	.
572	Liver abscess and sequelae of chronic liver disease.	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
573	Other disorders of liver	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
574	Cholelithiasis	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.
575	Other disorders of gallbladder	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.
576	Other disorders of biliary tract	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.
577	Diseases of pancreas	M	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	3	.	2	1	.	.	.
		F	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	3	2	3	.	.	.
578	Gastrointestinal haemorrhage	M	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	3	.	1	1	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	2	.	.
579	Intestinal malabsorption	M	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	X. Diseases of the Genitourinary System																											
580–589	*Nephritis, nephrotic syndrome and nephrosis*	M	*66*	*1*	*1*	.	.	.	.	*1*	.	.	.	.	.	.	*1*	*1*	.	*2*	*3*	*3*	*5*	*12*	*17*	*13*	*6*	*1*
		F	*93*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.	.	*5*	*10*	*6*	*25*	*20*	*16*	*3*	*6*
580	Acute glomerulonephritis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
581	Nephrotic syndrome	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
582	Chronic glomerulonephritis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.
583	Nephritis and nephropathy, not specified as acute or chronic	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
584	Acute renal failure	M	16	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	3	2	2	3	.
		F	16	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	3	3	5	.	1
585	Chronic renal failure	M	23	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	3	1	.	3	6	6	1	.
		F	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	2	10	8	5	.	2
586	Renal failure, unspecified	M	24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	6	7	5	2	1
		F	39	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	3	3	11	7	6	2	3
587	Renal sclerosis, unspecified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
588	Disorders resulting from impaired renal function	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
589	Small kidney of unknown cause	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
590–599	*Other diseases of urinary system*	M	*37*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*3*	*2*	*4*	*14*	*5*	*5*	*2*
		F	*48*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*3*	*1*	*4*	*8*	*7*	*10*	*13*	*1*
590	Infections of kidney	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	1	1	2	.
591	Hydronephrosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
592	Calculus of kidney and ureter	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
593	Other disorders of kidney and ureter	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
594	Calculus of lower urinary tract	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
595	Cystitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
596	Other disorders of bladder	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
597	Urethritis, not sexually transmitted, and urethral syndrome	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
598	Urethral stricture	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
599	Other disorders of urethra and urinary tract	M	32	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	4	13	4	3	2
		F	34	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	5	6	9	10	1
600–608	*Diseases of male genital organs*	M	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*1*	*3*	.	*1*	.
600	Hyperplasia of prostate	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.
601	Inflammatory diseases of prostate	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
602	Other disorders of prostate	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
603	Hydrocele	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
604	Orchitis and epididymitis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
605	Redundant prepuce and phimosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
606	Infertility, male	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
607	Disorders of penis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
608	Other disorders of male genital organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
610–611	*Disorders of breast*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
610	Benign mammary dysplasias	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
611	Other disorders of breast	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
614–616	*Inflammatory diseases of female pelvic organs*	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue and peritoneum	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
615	Inflammatory diseases of uterus except cervix	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
616	Inflammatory diseases of cervix, vagina and vulva	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
617–629	*Other disorders of female genital tract.*	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
617	Endometriosis.	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
618	Genital prolapse	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
619	Fistulae involving female genital tract . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
621	Disorders of uterus, not elsewhere classified . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
622	Noninflammatory disorders of cervix . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
623	Noninflammatory disorders of vagina . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
624	Noninflammatory disorders of vulva and perineum . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
625	Pain and other symptoms associated with female genital organs. . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
626	Disorders of menstruation and other abnormal bleeding from female genital tract. . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
627	Menopausal and postmenopausal disorders . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
628	Infertility, female . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
629	Other disorders of female genital organs . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	XI. Complications of Pregnancy, Childbirth and the Puerperium																										
630–639	*Pregnancy with abortive outcome* . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
630	Hydatidiform mole . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
631	Other abnormal product of conception F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
632	Missed abortion . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
633	Ectoptic pregnancy . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
634	Spontaneous abortion. . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
635	Legally induced abortion . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
636	Illegally induced abortion . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
637	Unspecified abortion . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
638	Failed attempted abortion . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
639	Complications following abortion and ectopic and molar pregnancies F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
640–648	*Complications mainly related to pregnancy* . . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
640	Haemorrhage in early pregnancy . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
641	Antepartum haemorrhage, abruptio placentae and placenta praevia . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
642	Hypertension complicating pregnancy, childbirth and the puerperium . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
643	Excessive vomiting in pregnancy . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
644	Early or threatened labour . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
645	Prolonged pregnancy . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
646	Other complications of pregnancy not elsewhere classified . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
650–659	*Normal delivery and other indications for care in pregnancy labour and delivery . . . . F*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
650	Delivery in a completely normal case F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
651	Multiple gestation . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
652	Malposition and malpresentation of fetus. . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
653	Disproportion. . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
654	Abnormality of organs and soft tissue of pelvis . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
655	Known or suspected fetal abnormality affecting management of mother . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
656	Other fetal and placental problems affecting management of mother . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
657	Polyhydramnios . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
658	Other problems associated with amniotic cavity and membranes . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
659	Other indications for care or intervention related to labour and delivery and not elsewhere classified . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
660–669	*Complications occurring mainly in the course of labour and delivery. F*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
660	Obstructed labour . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
661	Abnormality of forces of labour . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
662	Long labour . . . . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
663	Umbilical cord complications. . F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
664	Trauma to perineum and vulva during delivery	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
665	Other obstetrical trauma	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
666	Postpartum haemorrhage	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
667	Retained placenta or membranes, without haemorrhage	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
668	Complications of the administration of anaesthetic or other sedation in labour and delivery.	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
669	Other complications of labour and delivery, not elsewhere classified	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
670–676	*Complications of the puerperium*	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
670	Major puerperal infection	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
671	Venous complications in pregnancy and the puerperium.	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
672	Pyrexia of unknown origin during the puerperium	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
673	Obstetrical pulmonary embolism	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
674	Other and unspecified complications of the puerperium, not elsewhere classified	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
675	Infections of the breast and nipple associated with childbirth	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
676	Other disorders of the breast associated with childbirth, and disorders of lactation	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	XII. Diseases of the Skin and Subcutaneous Tissue																											
680–686	*Infections of skin and subcutaneous tissue*	M	*3*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*1*	*1*	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*2*	.	.	.	.	.
680	Carbuncle and furuncle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
681	Cellulitis and abscess of finger and toe	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
682	Other cellulitis and abscess	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
683	*Acute lymphadenitis*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
684	Impetigo	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
685	Pilonidal cyst	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
686	Other local infections of skin and subcutaneous tissue.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
690–698	*Other inflammatory conditions of skin and subcutaneous tissue*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
690	Erythematosquamous dermatosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
691	Atopic dermatitis and related conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
692	Contact dermatitis and other eczema	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
693	Dermatitis due to substances taken internally	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
694	Bullous dermatoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
695	Erythematous conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
696	Psoriasis and similar disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
697	Lichen.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
698	Pruritus and related conditions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
700–709	*Other diseases of skin and subcutaneous tissue.*	M	*4*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*2*	*1*	.	.
		F	*11*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	*3*	*5*	*1*	.
700	Corn and callosities	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
701	Other hypertrophic and atrophic conditions of skin	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
702	Other dermatoses	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
703	Diseases of nail	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
704	Diseases of hair and hair follicles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
705	Disorders of the sweat glands.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
706	Diseases of sebaceous glands.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
707	Chronic ulcer of skin.	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.
		F	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	5	1	.
708	Urticaria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
709	Other disorders of skin and subcutaneous tissue.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
	XIII. Diseases of the Musculo-skeletal System and Connective Tissue																										
710–719	*Arthropathies and related disorders.*	M	*10*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*1*	.	.	*1*	.	.	*2*	*1*	*1*	*5*	*7*	*3*	*4*	*3*	*5*	*1*	*3*	.	*1*
		F	*32*	.	.	.	.	.	.	.	.	.	.	.	.																				
710	Diffuse diseases of connective tissue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
711	Arthropathy associated with infections	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
712	Crystal arthropathies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
713	Arthropathy associated with other disorders classified elsewhere	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
714	Rheumatoid arthritis and other inflammatory polyarthropathies	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	3	1	2	1	1	.	.	.	.	.	.	.	.
715	Osteoarthrosis and allied disorders	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	3	2	.	.	.	.	.	.	.	.	.
716	Other and unspecified arthropathies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
717	Internal derangement of knee.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
718	Other derangement of joint	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
719	Other and unspecified disorder of joint.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
720–724	*Dorsopathies*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
720	Ankylosing spondylitis and other inflammatory spondylopathies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
721	Spondylosis and allied disorders	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
722	Intervertebral disc disorders	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
723	Other disorders of the cervical region	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
724	Other and unspecified disorders of back.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
725–729	*Rheumatism, excluding the back*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
725	Polymyalgia rheumatica	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
726	Peripherial enthesopathies and allied syndromes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
727	Other disorders of synovium, tendon and bursa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
728	Disorders of muscle, ligament and fascia	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
729	Other disorders of soft tissues	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
730–739	*Osteopathies, chondropathies and acquired musculoskeletal deformities*	M	*5*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	*2*	*1*	.	*1*	.	.
		F	*10*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*2*	*2*	*2*	*1*	*2*	.
730	Osteomyelitis, periostitis and other infections involving bone	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
732	Osteochondropathies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
733	Other disorders of bone and cartilage	M	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.
		F	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.
734	Flat foot	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
735	Acquired deformities of toe	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
736	Other acquired deformities of limbs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
737	Curvature of spine	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
738	Other acquired deformity	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
739	Nonallopathic lesions, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	XIV. Congenital Anomalies																											
740–759	*Congenital anomalies*	M	*54*	*22*	*34*	*2*	*2*	.	.	.	*4*	*2*	*3*	*1*	.	.	.	.	*1*	*2*	*2*	.	.	*1*	.	.	.	.
		F	*31*	*12*	*20*	*3*	*2*	.	.	.	.	*2*	.	*1*	.	.	.	.	.	.	*1*	.	.	*1*	*1*	.	.	.
740	Anencephalus and similar anomalies	M	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741	Spina bifida	M	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
742	Other congenital anomalies of nervous system	M	4	2	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
743	Congenital anomalies of eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
744	Congenital anomalies of ear, face and neck	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	M	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
746	Other congenital anomalies of heart	M	16	6	12	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
		F	9	5	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
747	Other congenital anomalies of circulatory system	M	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
748	Congenital anomalies of respiratory system	M	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
749	Cleft palate and cleft lip	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
750	Other congenital anomalies of upper alimentary tract	M	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
751	Other congenital anomalies of digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
752	Congenital anomalies of genital organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
753	Congenital anomalies of urinary system	M	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
754	Certain congenital musculoskeletal deformities	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
755	Other congenital anomalies of limbs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
756	Other congenital musculoskeletal anomalies	M	5	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
757	Congenital anomalies of the integument	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
758	Chromosomal anomalies	M	5	2	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	4	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
759	Other and unspecified congenital anomalies	M	9	3	3	.	1	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	**XV. Certain Conditions originating in the Perinatal Period***	M	*40*	*36*	*40*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*28*	*26*	*28*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	XIV. Symptoms, Signs and Ill-defined Conditions																											
780–789	*Symptoms*	M	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	.	.	.
		F	*5*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*2*	*1*	*1*	.
780	General symptoms	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
781	Symptoms involving nervous and musculoskeletal systems	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
782	Symptoms involving skin and other integumentary tissue	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
783	Symptoms concerning nutrition, metabolism and development	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
784	Symptoms involving head and neck	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
785	Symptoms involving cardiovascular system	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.
786	Symptoms involving respiratory system and other chest symptoms	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*See Abstract 33 for further details.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
787	Symptoms involving digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
788	Symptoms involving urinary system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
789	Other symptoms involving abdomen and pelvis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
790–796	*Nonspecific abnormal findings*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	*1*	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
790	Nonspecific findings on examination of blood	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
791	Nonspecific findings on examination of urine	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
792	Nonspecific abnormal findings in other body substances	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
793	Nonspecific abnormal findings on radiological and other examination of body structure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
794	Nonspecific abnormal results of function studies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
795	Nonspecific abnormal histological and immunological findings	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
796	Other nonspecific abnormal findings	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
797–799	*Ill-defined and unknown cases of morbidity and mortality*	M	*16*	.	*9*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*2*	*2*	.	*1*	.	*1*	.	.
		F	*17*	.	*6*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	*1*	.	.	*1*	*3*	*3*	*1*
797	Senility without mention of psychosis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1
*798	Sudden death, cause unknown	M	9	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
799	Other ill-defined and unknown causes of morbidity and mortality.	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	.
	XVII. Injury and Poisoning																											
800–804	*Fracture of skull*	M	*61*	.	.	.	.	.	*1*	*4*	*2*	*3*	*5*	*12*	*5*	*4*	*2*	*3*	*2*	*3*	*5*	*4*	*3*	.	.	*3*	.	.
		F	*11*	.	.	*1*	.	.	.	*2*	.	*1*	*1*	*2*	.	.	.	*1*	.	.	.	*1*	.	.	*2*	.	.	.
800	Fracture of vault of skull	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
801	Fracture of base of skull	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
802	Fracture of face bones.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
803	Other and unqualified skull fractures	M	61	.	.	.	.	.	1	4	2	3	5	12	5	4	2	3	2	3	5	4	3	.	.	3	.	.
		F	11	.	.	1	.	.	.	2	.	1	1	2	.	.	.	1	.	.	.	1	.	.	2	.	.	.
804	Multiple fractures involving skull or face with other bones	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*There were also 38 (16 Male, 22 Female) sudden deaths of children under a year where the cause of death was interstitial pneumonia/broncho-pneumonia (ICD 516).

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
805–809	*Fracture of spine and trunk*	M	*20*	.	.	.	.	.	.	.	.	*1*	.	.	*1*	*2*	*2*	*1*	*2*	.	*2*	*2*	*1*	*4*	.	*2*	.	.
		F	*8*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*2*	*1*	*1*	.	*2*	*1*	.
805	Fracture of vertebral column without mention of spinal cord lesion	M	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
806	Fracture of vertebral column with spinal cord lesion	M	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
807	Fracture of rib(s), sternum, larynx and trachea	M	12	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	1	.	4	.	2.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
808	Fracture of pelvis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
809	Ill-defined fractures of trunk	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
810–819	*Fracture of upper limb*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	*1*	.
810	Fracture of clavicle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
811	Fracture of scapula	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
812	Fracture of humerus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
813	Fracture of radius and ulna	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
814	Fracture of carpal bone(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
815	Fracture of metacarpal bone(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
816	Fracture of one or more phalanges of hand.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
817	Multiple fractures of hand bones	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
818	Ill-defined fractures of upper limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
820–829	*Fracture of lower limb*	M	*25*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*4*	*3*	*8*	*7*	*3*	.
		F	*65*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	.	*1*	*12*	*15*	*17*	*15*	*3*
820	Fracture of neck of femur	M	23	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	8	6	3	.
		F	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	10	14	17	15	3
821	Fracture of other and unspecified parts of femur	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
822	Fracture of patella	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
823	Fracture of tibia and fibula	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
824	Fracture of ankle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
825	Fracture of one or more tarsal and metatarsal bones	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
826	Fracture of one or more phalanges of foot	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
827	Other, multiple and ill-defined fractures of lower limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
829	Fracture of unspecified bones	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
830–839	*Dislocation*	M	*3*	.	.	.	.	.	.	.	.	.	.	*1*	*1*	.	.	*1*	.	.	.	.	.	.	.	.	.	.
		F	*4*	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.	.	.	.	*1*	.	.	.	.	*1*	.	.	.
830	Dislocation of jaw	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
831	Dislocation of shoulder	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
832	Dislocation of elbow	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
833	Dislocation of wrist	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
834	Dislocation of finger	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
835	Dislocation of hip	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
836	Dislocation of knee	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
837	Dislocation of ankle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
838	Dislocation of foot	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
839	Other, multiple and ill-defined dislocations	M	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.
840–848	*Sprains and strains of joints and adjacent muscles*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
840	Sprains and strains of shoulder and upper arm	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
841	Sprains and strains of elbow and forearm	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
842	Sprains and strains of wrist and hand	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
843	Sprains and strains of hip and thigh	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
844	Sprains and strains of knee and leg	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
845	Sprains and strains of ankle and foot	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
846	Sprains and strains of sacroiliac region	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
847	Sprains and strains of other and unspecified parts of back	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
848	Other and ill-defined sprains and strains	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
850–854	*Intracranial injury, excluding those with skull fracture*	M	*63*	.	.	.	.	.	.	.	*1*	*9*	*12*	*11*	*6*	*5*	*1*	*5*	*2*	*2*	*2*	*2*	*2*	*3*	.	.	.	.
		F	*16*	.	.	*1*	.	.	.	.	*2*	*5*	.	.	*1*	.	.	.	*2*	.	*1*	*1*	.	*2*	.	.	*1*	.
850	Concussion	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
851	Cerebral laceration and contusion	M	6	.	.	.	.	.	.	.	.	1	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.
852	Subarachnoid, subdural and extra-dural haemorrhage, following injury	M	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
853	Other and unspecified intracranial haemorrhage following injury	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
854	Intracranial injury of other and unspecified nature	M	55	.	.	.	.	.	.	.	1	7	10	10	5	5	1	4	2	2	2	1	2	3	.	.	.	.
		F	9	.	.	1	.	.	.	.	2	3	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
860–869	*Internal injury of chest, abdomen and pelvis*	M	*90*	.	.	.	*1*	.	*1*	*2*	*4*	*15*	*12*	*8*	*3*	*9*	*5*	*6*	*5*	*4*	*3*	*3*	*3*	*5*	*1*	.	.	.
		F	*30*	.	.	.	*1*	.	.	*2*	*2*	.	*2*	*3*	*3*	.	*2*	*1*	*1*	*1*	*2*	*2*	*3*	*1*	*2*	*2*	.	.
860	Traumatic pneumothorax and haemothorax	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
861	Injury to heart and lung	M	4	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
862	Injury to other or unspecified intrathoracic organs.	M	6	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.
		F	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
863	Injury to gastrointestinal tract.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
864	Injury to liver	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
865	Injury to spleen	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
866	Injury to kidney	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
867	Injury to pelvic organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
868	Injury to other intraabdominal organs	M	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
869	Internal injury to unspecified or ill-defined organs	M	77	.	.	.	.	.	1	1	4	11	12	7	3	7	4	6	4	3	3	3	3	4	1	.	.	.
		F	27	.	.	.	1	.	.	2	1	.	2	3	3	.	1	1	1	1	2	2	2	1	2	2	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
870–879	*Open wound of head, neck and trunk*	M	*38*	.	.	.	.	.	.	.	.	*2*	*10*	*4*	*3*	*3*	*2*	*3*	*2*	*6*	.	*3*	.	.	.	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	*1*	.	*1*	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.
870	Open wound of ocular adnexa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
871	Open wound of eyeball	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
872	Open wound of ear	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
873	Other open wound of head	M	18	.	.	.	.	.	.	.	.	1	5	1	2	2	1	2	2	.	.	2	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
874	Open wound of neck	M	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
875	Open wound of chest (wall)	M	6	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
876	Open wound of back	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
877	Open wound of buttock	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
878	Open wound of genital organs (external), including traumatic amputation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
879	Open wound of other and unspecified sites, except limbs	M	11	.	.	.	.	.	.	.	.	.	3	1	1	1	.	1	.	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
880–887	*Open wound of upper limb*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
880	Open wound of shoulder and upper arm	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
881	Open wound of elbow, forearm and wrist	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
882	Open wound of hand except finger(s) alone	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
883	Open wound of finger(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
884	Multiple and unspecified open wound of upper limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
885	Traumatic amputation of thumb (complete) (partial)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
886	Traumatic amputation of other finger(s) (complete) (partial)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
887	Traumatic amputation of arm and hand (complete) (partial)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
890–897	*Open wound of lower limb*	M	*1*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
890	Open wound of hip and thigh	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
891	Open wound of knee, leg (except thigh) and ankle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
892	Open wound of foot except toe(s) alone	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
893	Open wound of toe(s).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
894	Multiple and unspecified open wound of lower limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
895	Traumatic amputation of toe(s) (complete) (partial).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
896	Traumatic amputation of foot (complete) (partial).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
897	Traumatic amputation of leg(s) (complete) (partial).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
900–904	*Injury to blood vessels*	M	*3*	.	.	.	.	.	.	.	*1*	.	*1*	.	.	.	.	.	.	*1*	*1*	.	.	.	*1*	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.
900	Injury to blood vessels of head and neck.	M	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
901	Injury to blood vessels of thorax	M	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
902	Injury to blood vessels of abdomen and pelvis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
903	Injury to blood vessels of upper extremity	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
904	Injury to blood vessels of lower extremity and unspecified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
905–909	*Late effects of injuries, poisonings, toxic effects and other external causes*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
905	Late effects of musculoskeletal and connective tissue injuries	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
906	Late effects of injuries to skin and subcutaneous tissues	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
907	Late effects of injuries to the nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
908	Late effects of other and unspecified injuries	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
909	Late effects of other and unspecified external causes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
910–919	*Superficial injury*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
910	Superficial injury of face, neck and scalp except eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
911	Superficial injury of trunk	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
912	Superficial injury of shoulder and upper arm	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
913	Superficial injury of elbow, forearm and wrist	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
914	Superficial injury of hand(s) except finger(s) alone	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
915	Superficial injury of finger(s).	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
916	Superficial injury of hip, thigh, leg and ankle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
917	Superficial injury of foot and toe(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
918	Superficial injury of eye and adnexa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
919	Superficial injury of other multiple and unspecified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
920–924	*Contusion with intact skin surface*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
920	Contusion of face, scalp and neck except eye(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
921	Contusion of eye and adnexa.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
922	Contusion of trunk	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
923	Contusion of upper limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
924	Contusion of lower limb and of other and unspecified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
925–929	*Crushing injury*	M	*1*	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
925	Crushing injury of face, scalp and neck.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
926	Crushing injury of trunk	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
927	Crushing injury of upper limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
928	Crushing injury of lower limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
929	Crushing injury of multiple and unspecified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
930–939	*Effects of foreign body entering through orifice*	M	*9*	.	.	.	.	.	.	.	.	.	*1*	*2*	.	*1*	*1*	.	.	.	.	*2*	*1*	.	*1*	*1*	*1*	.
		F	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
930	Foreign body on external eye.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
931	Foreign body in ear	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
932	Foreign body in nose	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
933	Foreign body in pharynx and larynx	M	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	1	.	1	1	1	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
934	Foreign body in trachea, bronchus, and lung	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
935	Foreign body in mouth, oesophagus and stomach	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
936	Foreign body in intestine and colon	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
937	Foreign body in anus and rectum	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
938	Foreign body in digestive system, unspecified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
939	Foreign body in genitourinary tract	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
940–949	*Burns*	M	*4*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	.	.	*1*	.	*1*	.	.
		F	*5*	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	*2*	.	.	.
940	Burn confined to eye and adnexa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
941	Burn of face, head and neck	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
942	Burn of trunk	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
943	Burn of upper limb, except wrist and hand	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
944	Burn of wrist(s) and hand(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
945	Burn of lower limb(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
946	Burn of multiple specified sites	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
947	Burn of internal organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
948	Burns classified according to extent of body surface involved	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
949	Burn, unspecified	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.
		F	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
950–957	*Injury to nerves and spinal cord*	M	*4*	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	.	.	.	*1*	.	.	*1*	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.
950	Injury to optic nerve and pathways	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
951	Injury to other cranial nerve(s)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
952	Spinal cord lesion without evidence of spinal bone injury	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
953	Injury to nerve roots and spinal plexus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
954	Injury to other nerve(s) of trunk excluding shoulder and pelvic girdles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
955	Injury to peripheral nerve(s) of shoulder girdle and upper limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
956	Injury to peripheral nerve(s) of pelvic girdle and lower limb	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
957	Injury to other and unspecified nerves	M	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
958–959	*Certain traumatic complications and unspecified injuries.*	M	*8*	.	.	.	.	.	*1*	.	.	*1*	*1*	.	.	*1*	*3*	.	.	.	*1*	.	.	.	.	.	.	.
		F	*3*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.	.	*1*	.	.
958	Certain early complications of trauma	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
959	Injury, other and unspecified	M	7	.	.	.	.	.	1	.	.	1	1	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
960–979	*Poisoning by drugs, medicaments and biological substances*	M	*14*	.	.	.	.	.	.	.	.	.	.	*2*	*2*	*3*	.	*1*	*1*	*3*	*1*	.	.	*1*	.	.	.	.
		F	*26*	.	.	.	.	.	.	.	.	*1*	*1*	*2*	*2*	*3*	*2*	*3*	*4*	*1*	*1*	*3*	*2*	*1*	.	.	.	.
960	Poisoning by antibiotics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
961	Poisoning by other anti-infectives	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
962	Poisoning by hormones and synthetic substitutes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
963	Poisoning by primarily systemic agents	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
964	Poisoning by agents primarily affecting blood constituents	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
965	Poisoning by analgesics, antipyretics and antirheumatics	M	6	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	1	1	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.	1	.	2	.	1	2	2	.	1	.	.	2	.	.	.	.	.
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
967	Poisoning by sedatives and hypnotics	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
968	Poisoning by other central nervous system depressants.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
969	Poisoning by pyschotropic agents	M	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	3	.	.	.	.	.	.	.	.	.
970	Poisoning by central nervous system stimulants	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
971	Poisoning by drugs primarily affecting the autonomic nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
972	Poisoning by agents primarily affecting the cardiovascular system	M	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
973	Poisoning by agents primarily affecting the gastrointestinal system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
974	Poisoning by water, mineral and uric acid metabolism drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological otorhinolaryngological and dental drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
977	Poisoning by other and unspecified drugs and medicaments	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
978	Poisoning by bacterial vaccines	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
979	Poisoning by other vaccines and biological substances	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
980–989	*Toxic effects of substances chiefly nonmedicinal as to source*	M	*58*	.	.	.	*1*	.	.	*1*	*1*	*4*	*5*	*2*	*7*	*7*	*3*	*5*	*5*	*9*	*5*	*1*	*1*	.	.	.	.	*1*
		F	*21*	.	.	*1*	.	.	.	.	.	*1*	.	*1*	.	.	*2*	*3*	.	*6*	*2*	*1*	*2*	.	.	*2*	.	.
980	Toxic effect of alcohol	M	12	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	5	3	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	1	.	.	.	.	.
981	Toxic effect of petroleum product	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
982	Toxic effect of solvents other than petroleum-based	M	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
983	Toxic effect of corrosive aromatics, acids and caustic alkalis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
984	Toxic effects of lead and its compounds (including fumes)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
985	Toxic effect of other metals	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
986	Toxic effect of carbon monoxide	M	39	.	.	.	1	.	.	1	.	3	4	1	5	6	2	4	3	4	2	1	1	.	.	.	.	1
		F	7	.	.	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	.	.	1	.	.
987	Toxic effect of other gases, fumes or vapours	M	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
988	Toxic effects of noxious substances eaten as food	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
989	Toxic effect of other substances, chiefly nonmedicinal as to source	M	4	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
990–995	*Other and unspecified effects of external causes*	M	*71*	.	*1*	*1*	.	.	*1*	.	.	*4*	*4*	*8*	*9*	*4*	*4*	*4*	*4*	*7*	*9*	*4*	*4*	*1*	*1*	.	*1*	.
		F	*24*	*1*	*1*	.	.	.	.	.	.	.	*5*	.	.	*1*	*3*	*3*	*3*	.	*1*	*2*	*1*	*2*	*1*	*1*	.	.
990	Effects of radiation, unspecified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
991	Effects of reduced temperature	M	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
		F	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																										
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
992	Effects of heat and light	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
993	Effects of air pressure.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
994	Effects of other external causes	M	64	.	1	1	.	.	1	.	.	4	3	8	9	4	4	4	3	7	9	2	2	1	1	.	.	.
		F	21	.	.	.	.	.	.	.	.	.	4	.	.	1	3	3	3	.	1	2	1	1	1	1	.	.
995	Certain adverse effects not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
996–999	*Complications of surgical and medical care not elsewhere classified*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
996	Complications peculiar to certain specified procedures	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
997	Complications affecting specified body systems, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
998	Other complications of procedures, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
999	Complications of medical care, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	External Causes of Injury and Poisoning																												
E800–E807	*Railway accidents*	M	*1*	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E800	Railway accident involving collision with rolling stock	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E801	Railway accident involving collision with other object	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E802	Railway accident involving derailment without antecedent collision	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E803	Railway accident involving explosion, fire or burning	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E804	Fall in, on or from railway train	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E805	Hit by rolling stock	M	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E806	Other specified railway accident	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E807	Railway accident of unspecified nature	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E810–E819	*Motor vehicle traffic accidents*	M	*129*	.	.	.	*1*	.	*1*	*5*	*6*	*22*	*18*	*19*	*9*	*9*	*6*	*7*	*3*	*7*	*4*	*2*	*3*	*5*	*1*	*1*	.	.
		F	*53*	.	.	*1*	*1*	.	.	*4*	*3*	*4*	*3*	*5*	*5*	.	*2*	*2*	*2*	*2*	*4*	*4*	*2*	*4*	*4*	*1*	.	.
E810	Motor vehicle traffic accident involving collision with train	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E811	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E812	Other motor vehicle traffic accident involving collision with another motor vehicle	M	29	.	.	.	.	.	.	.	.	7	4	7	1	1	3	1	.	3	.	1	.	.	1	.	.	.
		F	15	.	.	1	.	.	.	.	.	1	1	2	2	.	1	.	2	1	1	2	.	1	.	.	.	.
E813	Motor vehicle traffic accident involving collision with other vehicle	M	9	.	.	.	.	.	.	.	1	1	2	1	.	1	.	.	.	1	1	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E814	Motor vehicle traffic accident involving collision with pedestrian	M	33	.	.	.	1	.	.	5	4	1	1	2	3	5	.	2	1	2	1	.	1	3	.	1	.	.
		F	18	.	.	.	1	.	.	4	2	2	.	1	1	.	.	1	.	.	1	.	1	.	3	1	.	.
E815	Other motor vehicle traffic accident involving collision on the highway	M	12	.	.	.	.	.	.	.	.	2	4	.	2	.	.	1	1	.	.	.	2	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway.	M	26	.	.	.	.	.	.	.	1	7	5	6	2	.	1	.	1	1	2	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
E817	Noncollision motor vehicle traffic accident while boarding or alighting	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E818	Other noncollision motor vehicle traffic accident	M	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E819	Motor vehicle traffic accident of unspecified nature	M	16	.	.	.	.	.	.	.	.	3	2	3	1	1	2	2	.	.	.	1	.	1	.	.	.	.
		F	15	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	1	2	2	1	3	1	.	.	.
E820–E825	*Motor vehicle nontraffic accident*	M	*4*	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	.	.	.	*1*	.	*1*	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E820	Nontraffic accident involving motor-driven snow vehicle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E821	Nontraffic accident involving other off-road motor vehicle	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E822	Other motor vehicle nontraffic accident involving collision with moving object	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E823	Other motor vehicle nontraffic accident involving collision with stationary object	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E824	Other motor vehicle nontraffic accident while boarding or alighting	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E825	Other motor vehicle nontraffic accident of other and unspecified nature	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E826–E829	*Other road vehicle accidents*	M	*4*	.	.	.	.	.	*1*	.	.	*1*	.	.	.	.	.	.	.	.	*2*	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E826	Pedal cycle accident	M	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E827	Animal-drawn vehicle accident	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E828	Accident involving animal being ridden	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E829	Other road vehicle accidents	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E830–E838	*Water transport accidents*	M	*2*											*1*					*1*								
		F	*1*															*1*									
E830	Accidents to watercraft causing submersion	M	1																1								
		F	1															1									
E831	Accident to watercraft causing other injury	M																									
		F																									
E832	Other accidential submersion or drowning in water transport accident	M	1											1													
		F																									
E833	Fall on stairs or ladders in water transport	M																									
		F																									
E834	Other fall from one level to another in water transport	M																									
		F																									
E835	Machinery accident in water transport	M																									
		F																									
E836	Explosion, fire or burning in watercraft	M																									
		F																									
E837	Other and unspecified water transport accident	M																									
		F																									
E840–E845	*Air and space transport accidents*	M	*2*								*1*						*1*										
		F																									
E840	Accident to powered aircraft at takeoff or landing	M																									
		F																									
E841	Accident to powered aircraft, other and unspecified	M	2								1						1										
		F																									
E842	Accident to unpowered aircraft	M																									
		F																									
E843	Fall in, on or from aircraft	M																									
		F																									
E844	Other specified air transport accidents	M																									
		F																									
E845	Accidents involving spacecraft	M																									
		F																									
E846–E848	*Vehicle accidents not elsewhere classifiable*	M	*1*													*1*											
		F																									
E846	Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment	M																									
		F																									
E847	Accidents involving cable cars not running on rails	M																									
		F																									
E848	Accidents involving other vehicles not elsewhere classifiable	M	1													1											
		F																									

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E850–E858	*Accidental poisoning by drugs, medicaments and biologicals*	M	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.
		F	*4*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	.	.	.	*1*	.	*1*	.	.	.	.
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
E851	Accidental poisoning by barbiturates	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E852	Accidental poisoning by other sedatives and hypnotics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E853	Accidental poisoning by tranquillizers	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E854	Accidental poisoning by other psychotropic agents.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E855	Accidental poisonings by other drugs acting on central and autonomic nervous systems	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E856	Accidental poisoning by antibiotics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E857	Accidental poisoning by anti-infectives	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E858	Accidental poisoning by other drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
E860–E869	*Accidental poisoning by other solid and liquid substances, gases and vapours*	M	*18*	.	.	.	.	.	.	.	*1*	*1*	*1*	.	*1*	.	*1*	*1*	*1*	*1*	*4*	.	.	.	.	.	.	*1*
		F	*8*	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	.	*3*	*1*	.	*1*	.	.	*1*	.	.
E860	Accidental poisoning by alcohol, not elsewhere classified	M	11	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	5	3	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	1	.	.	.	.	.
E861	Accidental poisoning by cleansing and polishing agents, disinfectants, paints and varnishes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E862	Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere classified	M	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E863	Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E864	Accidental poisoning by corrosives and caustics, not elsewhere classified	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E865	Accidental poisoning from foodstuffs and poisonous plants	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E866	Accidental poisoning by other and unspecified solid and liquid substances	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E867	Accidental poisoning by gas distributed by pipeline	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E868	Accidental poisoning by other utility gas and other carbon monoxide	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
E869	Accidental poisoning by other gases and vapours	M	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E870–E876	*Misadventures to patients during surgical and medical care*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.
E870	Accidental cut, puncture, perforation or haemorrhage during medical care	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
E871	Foreign object left in body during procedure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E872	Failure of sterile precautions during procedure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E873	Failure in dosage	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E874	Mechanical failure of instrument or apparatus during procedure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E875	Contaminated or infected blood, other fluid, drug or biological substance	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E876	Other and unspecified misadventures during medical care	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E878–E879	*Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E879	Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888	*Accidental falls*	M	*77*	.	.	.	.	.	.	.	*1*	.	*1*	*4*	.	*2*	*3*	*6*	*5*	*2*	*8*	*6*	*8*	*9*	*8*	*11*	*3*	.
		F	*81*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	*1*	*2*	.	*1*	*2*	*2*	*13*	*16*	*22*	*18*	*3*
E880	Fall on or from stairs or steps	M	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	4	5	3	2	.	3	.	.
		F	9	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	2	.	.	1	2	.	.
E881	Fall on or from ladders or scaffolding	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E882	Fall from or out of building or other structure	M	6	.	.	.	.	.	.	.	1	.	.	1	.	1	2	.	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E883	Fall into hole or other opening in surface	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																							
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E884	Other fall from one level to another	M	6	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	1	.	.	.	.	1	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.
E885	Fall on same level from slipping, tripping or stumbling	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
E886	Fall on same level from collision, pushing or shoving, by or with other person.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E887	Fracture, cause unspecified	M	14	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	2	5	4	.	.
		F	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	5	5	5	.
E888	Other and unspecified fall	M	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	4	3	3	3	3	.
		F	48	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	10	10	13	12	2
E890–E899	*Accidents caused by fire and flames*	M	*9*	.	.	.	*1*	.	.	.	.	.	.	*1*	.	.	.	*1*	*2*	.	*1*	.	*1*	*1*	.	*1*	.	.
		F	*11*	.	.	*2*	.	.	.	.	.	.	.	.	.	.	*1*	*1*	*1*	.	*1*	*1*	*1*	.	*2*	*1*	.	.
E890	Conflagration in private dwelling	M	6	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	.	.	.
		F	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	.	.
E891	Conflagration in other and unspecified building or structure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E892	Conflagration not in building or structure	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E893	Accident caused by ignition of clothing	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E894	Ignition of highly inflammable material	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
E895	Accident caused by controlled fire in private dwelling	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E896	Accident caused by controlled fire in other and unspecified building or structure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E897	Accident caused by controlled fire not in building or structure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E898	Accident caused by other specified fire and flames	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.
E899	Accident caused by unspecified fire	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
E900–E909	*Accidents due to natural and environmental factors*	M	*7*	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	.	.	*2*	*2*	.	.	.	*1*	.
		F	*4*	*1*	*1*	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	*1*	*1*	.	.	.
E900	Excessive heat.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E901	Excessive cold.	M	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
		F	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
E902	High and low air pressure and changes in air pressure	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E903	Travel and motion	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E904	Hunger, thirst, exposure, neglect	M	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E905	Venomous animals and plants as the cause of poisoning and toxic reactions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E906	Other injury caused by animals	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
E907	Lightning	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E908	Cataclysmic storms, and floods resulting from storms	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E909	Cataclysmic earth surface movements and eruptions	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E910–E915	*Accidents caused by submersion, suffocation and foreign bodies*	M	*19*	.	*1*	*1*	.	.	*1*	.	.	*1*	*2*	*3*	*1*	*2*	*2*	.	.	.	*1*	.	*1*	.	*1*	*1*	*1*	.
		F	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	.	.	.	.	.	.
E910	Accidental drowning and submersion	M	8	.	.	.	.	.	1	.	.	1	1	1	1	1	1	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation.	M	6	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	1	1	1	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	M	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E913	Accidental mechanical suffocation	M	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E914	Foreign body accidentally entering eye and adnexa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E915	Foreign body accidentally entering other orifice.	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E916–E928	*Other accidents*	M	*13*	.	.	.	.	.	*1*	.	.	*3*	*2*	*2*	*1*	.	*3*	*1*	.	.	.	.	.	.	.	.	.	.
		F	*2*	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.
E916	Struck accidentally by falling object	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E917	Striking against or struck accidentally by objects or persons	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E918	Caught accidentally in or between objects	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E919	Accidents caused by machinery	M	4	.	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E920	Accidents caused by cutting and piercing instruments or objects	M	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E921	Accident caused by explosion of pressure vessel	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E922	Accident caused by firearm missile	M	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E923	Accident caused by explosive material	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E924	Accident caused by hot substance or object, caustic or corrosive material and steam	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E925	Accident caused by electric current	M	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E926	Exposure to radiation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E927	Overexertion and strenuous movements	M	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E928	Other and unspecified environmental and accidental causes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
E929	*Late effects of accidental injury*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.
E930–E949	*Drugs, medicaments and biological substances causing adverse effects in therapeutic use*	M	*2*	.	.	.	.	.	.	.	.	.	.	*1*	.	.	.	.	.	*1*	.	.	.	.	.	.	.	.
		F	*2*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	*2*	.	.	.	.	.	.
E930	Antibiotics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E931	Other anti-infectives	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E932	Hormones and synthetic substitutes	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E933	Primarily systemic agents	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E934	Agents primarily affecting blood constituents	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E935	Analgesics, antipyretics and antirheumatics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E936	Anticonvulsants and anti-Parkinsonism drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E937	Sedatives and hypnotics	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E938	Other central nervous system depressants	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E939	Psychotropic agents	M	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E940	Central nervous system stimulants	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E941	Drugs primarily affecting the autonomic nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E942	Agents primarily affecting the cardiovascular system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E943	Agents primarily affecting the gastrointestinal system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E944	Water, mineral and uric acid metabolism drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E945	Agents primarily acting on the smooth and skeletal muscles and respiratory system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E946	Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E947	Other and unspecified drugs and medicaments	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E948	Bacterial vaccines	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E949	Other vaccines and biological substances	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	*Suicide and self-inflicted injury*	M	*115*	.	.	.	.	.	.	.	.	*7*	*11*	*12*	*18*	*13*	*7*	*8*	*5*	*12*	*9*	*6*	*4*	*2*	*1*	.	.	.
		F	*43*	.	.	.	.	.	.	.	.	*3*	*3*	*2*	*1*	*4*	*5*	*6*	*7*	*3*	*2*	*2*	*3*	*1*	*1*	.	.	.
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M	16	.	.	.	.	.	.	.	.	1	.	2	2	4	1	1	2	1	1	.	.	1	.	.	.	.
		F	22	.	.	.	.	.	.	.	.	1	1	1	1	3	2	3	4	3	1	.	2	.	.	.	.	.
E951	Suicide and self-inflicted poisoning by gases in domestic use	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E952	Suicide and self-inflicted poisoning by other gases and vapours.	M	26	.	.	.	.	.	.	.	.	2	4	.	5	5	1	3	1	3	1	1	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M	33	.	.	.	.	.	.	.	.	1	1	6	8	3	1	3	1	2	3	1	1	1	1	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	1	.	.	.	.	.	.	.
E954	Suicide and self-inflicted injury by submersion (drowning)	M	14	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	5	4	1	1	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	1	.	.	2	1	1	1	.	.	.
E955	Suicide and self-inflicted injury by firearms and explosives	M	21	.	.	.	.	.	.	.	.	2	5	4	3	1	2	.	1	.	.	2	1	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E957	Suicide and self-inflicted injuries by jumping from a high place.	M	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E958	Suicide and self-inflicted injury by other and unspecified means	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E959	Late effects of self-inflicted injury	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	*Homicide and injury purposely inflicted by other persons*	M	*62*	.	.	.	.	.	.	.	*1*	.	.	*3*	*16*	*8*	*5*	*11*	*2*	*4*	*4*	*6*	.	*2*	.	.	.	.	.
		F	*7*	.	.	.	.	.	.	.	.	*1*	*1*	*2*	*1*	.	.	.	*1*	.	.	.	.	*1*	.	.	.	.	.
E960	Fight, brawl, rape	M	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E961	Assault by corrosive or caustic substance, except poisoning	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E962	Assault by poisoning	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E963	Assault by hanging and strangulation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

ABSTRACT 20 *(continued)*. Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E964	Assault by submersion (drowning)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E965	Assault by firearms and explosives	M	53	.	.	.	.	.	.	.	.	2	14	8	4	9	1	4	3	6	.	2	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
E966	Assault by cutting and piercing instrument	M	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E967	Child battering and other maltreatment	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E968	Assault by other and unspecified means	M	3	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E969	Late effects of injury purposely inflicted by other person	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E978	*Legal intervention*	M	*2*	.	.	.	.	.	.	.	.	*1*	.	.	*1*	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970	Injury due to legal intervention by firearms	M	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E971	Injury due to legal intervention by explosives	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E972	Injury due to legal intervention by gas	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E973	Injury due to legal intervention by blunt instrument	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E974	Injury due to legal intervention by cutting and piercing instruments	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E975	Injury due to legal intervention by other specified means	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E976	Injury due to legal intervention by unspecified means	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E977	Late effects of injuries due to legal intervention	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E978	Legal execution	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E980–E989	*Injury undetermined whether accidentally or purposely inflicted*	M	*6*	.	.	.	.	.	.	.	.	.	.	.	*1*	*1*	.	.	*1*	*2*	.	.	.	*1*	.	.	.	.
		F	*4*	.	.	.	.	.	.	.	.	.	.	.	*1*	.	*1*	.	.	*1*	.	.	.	.	.	*1*	.	.
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	M	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E982	Poisoning by other gases, undetermined whether accidentally or purposely inflicted	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E983	Hanging, strangulation or suffocation, undetermined whether accidentally or purposely inflicted	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 20 *(continued).* Northern Ireland: Causes of death at different age-periods, 1990.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																								
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E986	Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E987	Falling from high place, undetermined whether accidentally or purposely inflicted	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E989	Late effects of injury, undetermined whether accidentally or purposely inflicted	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E990–E999	*Injury resulting from operations of war*	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E990	Injury due to war operations by fires and conflagrations	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E991	Injury due to war operations by bullets and fragments	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E992	Injury due to war operations by explosion of marine weapons	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E993	Injury due to war operations by other explosion	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E994	Injury due to war operations by destruction of aircraft	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E995	Injury due to war operations by other and unspecified forms of conventional warfare	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E996	Injury due to war operations by nuclear weapons	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E997	Injury due to war operations by other forms of unconventional warfare	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E998	Injury due to war operations but occurring after cessation of hostilities	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E999	Late effects of injury due to war operations	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E800–E999	TOTAL ALL EXTERNAL CAUSES	M	*474*	.	*1*	*1*	*2*	.	*4*	*7*	*9*	*40*	*52*	*51*	*37*	*39*	*25*	*29*	*23*	*36*	*30*	*19*	*19*	*19*	*11*	*14*	*5*	*1*
		F	*225*	*1*	*1*	*4*	*1*	.	.	*4*	*5*	*9*	*9*	*10*	*7*	*4*	*12*	*12*	*12*	*9*	*10*	*15*	*10*	*20*	*24*	*26*	*18*	*3*

ABSTRACT 21. Northern Ireland: Deaths by sex, cause and place of occurrence, 1990.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
01–56	All Causes	M	7,648	178	3,836	591	3,043
		F	7,778	189	4,098	1,019	2,472
01	Intestinal infectious diseases.	M	2	.	2	.	.
		F	1	.	1	.	.
020, 021	Respiratory tuberculosis	M	6	.	5	.	1
		F	5	.	5	.	.
Rem. 02	Other tuberculosis (excluding late effects)	M	.	.	.	.	.
		F	1	.	1	.	.
034	Whooping cough	M	.	.	.	.	.
		F	.	.	.	.	.
036	Meningococcal infection	M	2	.	2	.	.
		F	2	.	2	.	.
037	Tetanus	M	.	.	.	.	.
		F	.	.	.	.	.
038	Septicaemia	M	8	.	8	.	.
		F	8	.	8	.	.
041	Smallpox	M	.	.	.	.	.
		F	.	.	.	.	.
042	Measles	M	.	.	.	.	.
		F	1	.	.	.	1
052	Malaria	M	.	.	.	.	.
		F	.	.	.	.	.
06	Venereal diseases	M	.	.	.	.	.
		F	.	.	.	.	.
077	Late effects of tuberculosis	M	.	.	.	.	.
		F	.	.	.	.	.
Rem. 01–07	All other infective and parasitic diseases	M	3	.	.	1	2
		F	7	.	4	3	.
091	Malignant neoplasm of stomach	M	125	4	45	23	53
		F	94	1	37	16	40
093	Malignant neoplasm of colon	M	139	1	57	21	60
		F	183	2	65	39	77
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	M	80	1	32	17	30
		F	47	.	14	12	21
096	Malignant neoplasm of pancreas	M	78	.	30	13	35
		F	89	.	37	13	39
101	Malignant neoplasm of trachea, bronchus and lung.	M	527	4	237	85	201
		F	244	1	106	43	94
113	Malignant neoplasm of female breast	F	295	1	123	61	110
120	Malignant neoplasm of cervix uteri.	F	38	.	18	6	14
123	Malignmant neoplasm of ovary and other uterine adnexa	F	89	.	39	14	36
124	Malignant neoplasm of prostate	M	195	4	80	41	70
141	Leukaemia	M	40	.	30	.	10
		F	39	.	32	2	5
Rem. 08–14	All other malignant neoplasms	M	581	2	324	64	191
		F	562	3	294	94	171
15–17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms.	M	36	.	18	5	13
		F	44	.	23	5	16
181	Diabetes mellitus	M	22	2	15	.	5
		F	19	.	15	2	2
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	M	17	.	14	.	3
		F	19	.	16	.	3
191	Nutritional marasmus	M	.	.	.	.	.
		F	.	.	.	.	.
192	Other protein-calorie malnutrition	M	.	.	.	.	.
		F	.	.	.	.	.
Rem. 19	Other nutritional deficiencies	M	.	.	.	.	.
		F	1	.	1	.	.
200	Anaemias	M	8	.	6	.	2
		F	11	.	8	1	2
Rem. 20	Other diseases of the blood and blood-forming organs	M	7	.	6	1	.
		F	9	.	7	.	2
21	Mental disorders	M	36	4	11	1	20
		F	22	3	9	1	9
220	Meningitis	M	3	.	3	.	.
		F	12	.	10	1	1
223	Multiple sclerosis	M	4	.	2	1	1
		F	16	.	10	1	5
224	Infantile cerebral palsy and other paralytic syndromes	M	9	.	6	.	3
		F	5	1	4	.	.

ABSTRACT 21 *(continued)*. Northern Ireland: Deaths by sex, cause and place of occurrence, 1990.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
Rem. 22–24	Other diseases of the nervous system and sense organs	M	63	2	38	8	15
		F	65	3	32	15	15
250	Acute rheumatic fever	M	1	.	.	.	1
		F	1	.	1	.	.
251	Chronic rheumatic heart disease	M	14	.	11	.	3
		F	56	.	33	5	18
260	Hypertensive heart disease	M	12	.	7	.	5
		F	13	.	4	2	7
Rem. 26	Other hypertensive diseases.	M	26	.	7	1	18
		F	30	.	4	2	24
270A	Acute myocardial infarction with hypertension	M	196	1	24	1	170
		F	156	1	19	5	131
270B	Acute myocardial infarction without hypertension.	M	1,705	28	608	58	1,011
		F	1,333	10	538	130	655
Rem. 27A	Other ischaemic heart disease with hypertension	M	98	3	8	.	87
		F	33	.	4	5	24
Rem. 27B	Other ischaemic heart disease without hypertension	M	400	5	203	22	170
		F	406	5	237	41	123
289	Heart failure.	M	120	2	79	9	30
		F	185	1	95	37	52
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	M	139	3	97	6	33
		F	181	6	111	25	39
29A	Cerebrovascular disease with mention of hypertension	M	52	.	30	2	20
		F	74	.	36	7	31
29B	Cerebrovascular disease without mention of hypertension.	M	519	12	367	43	97
		F	997	28	625	161	183
300	Atherosclerosis	M	33	1	12	13	7
		F	55	2	14	18	21
Rem. 30	Other diseases of the circulatory system	M	141	1	104	4	32
		F	134	2	97	7	28
321	Pneumonia	M	780	73	499	84	124
		F	1,075	91	632	163	189
322	Influenza	M	13	1	6	3	3
		F	35	3	9	12	11
323	Bronchitis, emphysema and asthma.	M	124	1	57	11	55
		F	85	2	41	2	40
326	Pneumoconiosis and other lung diseases due to external agents	M	7	.	6	.	1
		F	2	.	1	.	1
31, Rem. 32	Other diseases of the respiratory system	M	395	11	257	28	99
		F	265	8	162	27	68
341	Ulcer of stomach and duodenum	M	38	1	26	1	10
		F	52	2	38	5	7
342	Appendicitis.	M	2	.	2	.	.
		F	1	.	1	.	.
347	Chronic liver disease and cirrhosis	M	32	.	28	3	1
		F	38	.	29	1	8
33, Rem. 34	Other diseases of the digestive system	M	90	2	78	2	8
		F	139	1	120	6	12
350	Nephritis, nephrotic syndrome and nephrosis	M	66	4	44	6	12
		F	93	1	68	9	15
360	Hyperplasia of prostate	M	4	.	3	1	.
37, Rem. 35–36	Other diseases of the genitourinary tract	M	40	3	28	8	1
		F	48	.	39	5	4
38	Abortion	F	.	.	.	.	.
39	Direct obstetric causes	F	.	.	.	.	.
Rem. 40–41	Other complications of pregnancy, childbirth and the puerperium.	F	.	.	.	.	.
42, 43	Diseases of the skin, subcutaneous tissue, musculoskeletal system and connective tissue	M	24	.	20	2	2
		F	56	3	40	4	9
440	Spina bifida and hydrocephalus	M	2	.	1	.	1
		F	2	.	2	.	.
442	Congenital anomalies of heart and circulatory system	M	20	.	16	.	4
		F	17	.	12	1	4
Rem. 44	Other congenital anomalies.	M	32	.	26	.	6
		F	12	.	11	.	1
453	Birth trauma.	M	2	.	1	.	1
		F	.	.	.	.	.
454	Hypoxia, birth asphyxia and other respiratory conditions	M	24	.	24	.	.
		F	11	.	10	.	1
Rem. 45	Other conditions originating in the perinatal period	M	14	.	14	.	.
		F	17	1	16	.	.

ABSTRACT 21 *(continued).* **Northern Ireland: Deaths by sex, cause and place of occurrence, 1990.**

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
46	Symptoms, signs and ill-defined conditions. . . .	M	18	.	5	1	12
		F	23	1	8	3	11
47	Fractures	M	106	.	68	1	37
		F	87	6	71	5	5
49	Intracranial and internal injuries, including nerves. . .	M	157	.	64	.	93
		F	47	.	26	1	20
52	Burns	M	4	.	.	.	4
		F	5	.	3	.	2
53	Poisoning and toxic effects	M	72	1	9	.	62
		F	47	.	13	1	33
Rem. 47–56	Other injuries and poisonings	M	135	1	26	.	108
		F	39	.	7	.	32
	EXTERNAL CAUSES						
E471	Motor vehicle traffic accident	M	129	.	61	.	68
		F	53	.	34	.	19
E50	Accidental falls	M	77	.	57	1	19
		F	81	6	64	6	5
Rem. E47–E53	Other accidents and adverse effects.	M	83	1	20	.	62
		F	37	.	13	1	23
E54	Suicide	M	115	1	10	.	104
		F	43	.	7	.	36
E55	Homicide	M	62	.	17	.	45
		F	7	.	1	.	6
E56	Other violence	M	8	.	2	.	6
		F	4	.	1	.	3

ABSTRACT 22. Northern Ireland: Deaths from the principal causes by month of registration, 1990.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
01	Intestinal infectious diseases	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.
020, 021	Respiratory tuberculosis.	.	1	.	.	1	.	.	2	2	.	2	.	1	.	.	1	.	1	.	.	.	.	.	.
Rem. 02	Other tuberculosis (excluding late effects)	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
034	Whooping cough.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
036	Meningococcal infection.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
037	Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
038	Septicaemia	2	2	1	1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	1	.	2	.	1
041	Smallpox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
042	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
052	Malaria	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
06	Venereal diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
077	Late effects of tuberculosis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 01–07	All other infective and parasitic diseases	.	3	.	.	.	1	.	.	.	.	.	.	2	1	1	.	.	.	.	1	.	.	.	1
091	Malignant neoplasm of stomach.	11	6	10	11	10	7	13	6	15	4	11	8	5	7	8	12	10	4	7	5	10	10	15	14
093	Malignant neoplasm of colon	15	20	10	9	11	10	8	14	11	13	13	14	14	17	11	22	6	17	15	16	11	16	14	15
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	9	5	6	3	9	3	6	4	9	5	7	2	7	6	4	4	8	1	6	3	6	5	3	6
096	Malignant neoplasm of pancreas	3	11	8	5	4	5	5	4	10	6	8	6	10	8	2	11	5	5	9	11	5	9	9	8
101	Malignant neoplasm of trachea, bronchus and lung	32	21	57	20	46	15	38	19	50	23	34	16	47	15	40	23	51	24	39	25	42	23	51	20
113	Malignant neoplasm of female breast	.	32	.	23	.	18	.	34	.	22	.	16	.	21	.	27	.	20	.	28	.	32	.	22
120	Malignant neoplasm of cervix uteri	.	5	.	2	.	4	.	1	.	2	.	3	.	3	.	2	.	1	.	4	.	5	.	6
123	Malignant neoplasm of ovary and other uterine adnexa	.	8	.	5	.	5	.	7	.	16	.	7	.	9	.	8	.	3	.	6	.	7	.	8
124	Malignant neoplasm of prostate.	20	.	18	.	19	.	10	.	11	.	16	.	15	.	22	.	16	.	14	.	19	.	15	.
141	Leukaemia	2	1	.	1	3	3	5	3	3	3	3	3	5	2	3	5	5	6	1	5	5	4	5	3
Rem. 08–14	All other malignant neoplasms	49	56	41	48	36	39	43	39	56	40	55	37	38	47	51	55	56	46	54	61	49	40	53	54
15–17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	1	4	1	1	1	2	2	3	5	1	4	5	3	3	5	6	4	3	8	7	1	8	1	1
181	Diabetes mellitus.	2	3	.	3	.	.	2	2	3	.	1	1	2	1	2	3	3	1	1	2	5	3	1	.
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	2	2	2	2	1	1	1	2	5	1	.	2	1	2	1	1	.	3	1	1	.	1	3	1
191	Nutritional marasmus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
192	Other protein-calorie malnutrition	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 19	Other nutritional deficiencies	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
200	Anaemias	.	3	1	1	1	.	2	.	.	.	.	.	2	3	.	1	1	1	1	1	.	1	.	.
Rem. 20	Other diseases of blood and blood-forming organs	.	2	.	.	.	2	.	.	.	1	1	.	1	1	1	2	.	1	1	.	1	.	2	.
21	Mental disorders.	2	2	4	3	2	2	3	.	2	1	2	1	1	2	2	1	4	2	5	3	6	3	3	2
220	Meningitis	1	.	.	2	.	.	.	.	1	2	.	3	.	.	.	.	.	1	.	.	.	2	1	2
223	Multiple sclerosis	1	.	.	2	.	1	.	2	.	.	.	.	1	1	.	2	2	3	.	2	.	.	.	3
224	Infantile cerebral palsy and other paralytic syndromes.	2	.	2	1	.	.	1	2	1	.	1	.	.	.	.	.	.	.	.	1	1	.	1	1
Rem. 22–24	Other diseases of the nervous system and sense organs	6	10	6	8	6	4	2	6	3	8	2	4	8	4	3	3	4	4	6	6	10	8	7	.
250	Acute rheumatic fever	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
251	Chronic rheumatic heart disease.	1	1	1	8	1	7	.	6	2	4	1	5	.	4	1	2	2	5	2	5	3	2	.	7
260	Hypertensive heart disease	1	.	3	.	1	1	1	2	1	.	1	1	2	.	.	3	1	2	.	.	.	3	1	1
Rem. 26	Other hypertensive diseases	4	6	3	4	3	1	2	1	2	5	1	1	4	1	3	2	.	1	3	2	1	3	.	3
270A	Acute myocardial infarction with hypertension.	22	20	22	12	18	19	17	10	18	15	7	9	11	13	16	16	9	14	21	5	19	10	16	13
270B	Acute myocardial infarction without hypertension	202	186	163	108	127	108	134	107	158	92	108	83	123	93	133	107	134	90	145	147	115	107	163	105
Rem. 27A	Other ischaemic heart disease with hypertension	12	2	16	4	9	6	10	2	5	3	7	1	5	2	9	1	9	3	4	3	6	2	6	4
Rem. 27B	Other ischaemic heart disease without hypertension	48	44	39	34	22	30	33	29	35	34	39	23	36	27	36	38	24	32	20	41	35	40	33	34
289	Heart failure	15	37	12	12	8	16	10	9	13	15	5	11	10	17	7	11	8	14	14	13	11	13	7	17
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	18	23	11	18	12	21	17	12	11	17	12	18	12	12	12	14	7	13	7	10	6	12	14	11
29A	Cerebrovascular disease with mention of hypertension.	11	7	7	6	4	6	6	9	5	7	6	7	3	5	2	8	3	2	1	4	2	8	2	5
29B	Cerebrovascular disease without mention of hypertension	68	124	39	91	37	97	44	80	47	65	41	77	46	72	40	77	33	60	33	92	48	68	43	94
300	Atherosclerosis	6	9	2	6	1	5	4	5	5	1	3	2	1	4	5	8	3	5	1	2	1	5	1	3
Rem. 30	Other diseases of the circulatory system	17	6	10	12	11	12	13	9	9	11	7	6	16	14	17	13	9	9	11	16	11	13	10	13
321	Pneumonia	147	218	79	90	58	88	56	65	73	67	48	74	55	75	46	53	34	70	53	94	52	78	79	103
322	Influenza	12	30	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2
323	Bronchitis, emphysema and asthma	20	15	13	11	7	8	12	3	10	8	9	6	13	8	14	6	8	3	6	3	2	6	10	8
326	Pneumoconiosis and other lung diseases due to external agents	.	.	.	.	1	1	.	.	.	.	2	.	3	.	.	.	.	.	1	.	.	1	.	.

ABSTRACT 22 *(continued)*. Northern Ireland: Deaths from the principal causes by month of registration, 1990.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
31, Rem. 32	Other diseases of the respiratory system	70	54	35	34	35	22	35	17	34	16	24	14	27	13	21	15	18	16	29	18	29	19	38	27
341	Ulcer of stomach and duodenum	6	5	2	5	3	4	3	6	2	3	3	3	3	2	4	1	3	3	2	5	4	9	3	6
342	Appendicitis	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
347	Chronic liver disease and cirrhosis	1	5	3	4	3	5	5	2	5	1	1	6	2	.	2	1	4	3	1	6	1	.	4	5
33, Rem. 34	Other diseases of the digestive system	11	23	8	11	9	9	2	6	9	8	9	15	7	9	7	13	7	13	9	14	5	8	7	10
350	Nephritis, nephrotic syndrome and nephosis	8	14	5	10	5	5	6	3	8	8	11	6	.	10	5	4	5	7	4	6	6	8	3	12
360	Hyperplasia of prostate	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2	.
37, Rem. 35,36	Other diseases of the genitourinary tract	2	4	4	1	5	5	4	4	4	3	2	3	3	4	1	4	4	5	1	7	9	6	1	2
38	Abortion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
39	Direct obstetric causes	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 39–41	Other complications of pregnancy, childbirth and the puerperium	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
42, 43	Disease of skin, subcutaneous tissue, musculoskeletal system and connective tissue	3	9	4	6	3	4	5	6	.	4	.	1	3	3	1	4	1	3	.	4	2	8	2	4
440	Spina bifida and hydrocephalus	.	1	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
442	Congenital anomalies of heart and circulatory system	.	.	1	2	.	.	.	.	2	.	2	1	1	4	2	1	3	3	1	2	2	2	6	2
Rem. 44	Other congenital anomalies	2	1	3	1	1	2	1	1	5	1	1	2	2	.	4	.	5	.	2	1	3	1	3	2
453	Birth trauma	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.
454	Hypoxia, birth asphyxia and other respiratory conditions	4	.	2	1	3	2	1	1	2	1	3	1	2	1	3	.	2	.	1	1	1	2	.	1
Rem. 45	Other conditions originating in the perinatal period	.	1	.	.	2	2	1	2	1	1	1	3	2	2	1	.	2	1	2	2	2	.	.	3
46	Symptoms, signs and ill-defined conditions	3	4	2	.	1	2	1	1	.	.	3	2	4	3	1	4	1	1	1	5	1	.	.	1
47	Fractures	5	10	13	10	5	10	15	6	10	7	10	6	4	5	9	7	5	6	14	6	7	7	9	7
49	Intracranial and internal injuries including nerves	10	3	11	6	13	3	10	3	16	4	15	2	12	3	9	3	14	5	12	5	23	6	12	4
52	Burns	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1	.	.	.
53	Poisoning and toxic effects	2	1	7	1	10	7	3	6	4	5	10	4	2	.	4	6	8	1	8	7	8	7	6	2
Rem. 47–56	Other injuries and poisonings	5	2	10	2	13	4	20	4	10	5	17	3	10	1	9	3	9	4	14	4	13	3	5	4
	TOTAL	899	1,066	698	662	581	637	612	567	693	559	573	526	588	562	583	615	553	544	596	721	601	636	671	683
	EXTERNAL CAUSES																								
E471	Motor vehicle traffic accidents	8	2	18	4	4	3	11	2	7	5	14	2	7	2	5	5	9	6	12	8	20	9	14	5
E50	Accidental falls	3	11	6	11	4	10	10	6	11	7	4	6	5	6	8	6	5	4	7	3	9	4	5	7
Rem. E47-E53	Other accidents and adverse effects	4	3	6	2	12	6	12	5	7	2	9	2	3	.	6	5	4	5	10	3	4	3	6	1
E54	Suicide	5	1	5	1	14	5	10	6	9	5	15	4	5	1	5	2	11	3	15	6	15	7	6	2
E55	Homicide	2	.	5	1	6	.	5	.	6	2	7	.	7	.	7	1	8	.	6	1	3	.	.	2
E56	Other violence	.	.	1	.	1	1	.	.	.	.	3	1	1	.	.	.	.	.	.	2	1	.	1	.

ABSTRACT 23. Northern Ireland: Deaths by sex at each year of age, by conjugal condition, 1990.

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
0	110	110	.	.	.	88	88	.	.	.
1	4	4	.	.	.	15	15	.	.	.
2	7	7	.	.	.	6	6	.	.	.
3	3	3	.	.	.	1	1	.	.	.
4	5	5	.	.	.	1	1	.	.	.
0–4	129	129	.	.	.	111	111	.	.	.
5	4	4	.	.	.	4	4	.	.	.
6	4	4	.	.	.	1	1	.	.	.
7	2	2	.	.	.	4	4	.	.	.
8	2	2	.	.	.	2	2	.	.	.
9	.	.	.	.	.	2	2	.	.	.
5–9	12	12	.	.	.	13	13	.	.	.
10	.	.	.	.	.	3	3	.	.	.
11	4	4	.	.	.	.	.	.	.	.
12	4	4	.	.	.	.	.	.	.	.
13	7	7	.	.	.	5	5	.	.	.
14	3	3	.	.	.	1	1	.	.	.
10–14	18	18	.	.	.	9	9	.	.	.
15	2	2	.	.	.	5	5	.	.	.
16	7	7	.	.	.	4	4	.	.	.
17	13	13	.	.	.	.	.	.	.	.
18	13	13	.	.	.	4	4	.	.	.
19	19	19	.	.	.	3	2	1	.	.
15–19	54	54	.	.	.	16	15	1	.	.
20	15	14	1	.	.	2	2	.	.	.
21	14	12	2	.	.	5	4	1	.	.
22	17	14	3	.	.	1	1	.	.	.
23	11	8	3	.	.	6	3	3	.	.
24	11	10	1	.	.	2	2	.	.	.
20–24	68	58	10	.	.	16	12	4	.	.
25	11	8	3	.	.	4	2	2	.	.
26	13	6	7	.	.	8	5	3	.	.
27	14	8	5	.	1	10	6	4	.	.
28	11	4	7	.	.	6	1	5	.	.
29	15	5	9	1	.	3	3	.	.	.
25–29	64	31	31	1	1	31	17	14	.	.
30	13	11	2	.	.	5	2	3	.	.
31	18	5	12	.	1	5	.	5	.	.
32	17	6	11	.	.	7	.	7	.	.
33	18	8	10	.	.	10	1	9	.	.
34	8	4	4	.	.	3	.	2	.	1
30–34	74	34	39	.	1	30	3	26	.	1
35	14	2	12	.	.	4	.	4	.	.
36	17	5	11	.	1	10	1	7	.	2
37	20	4	12	1	3	7	1	6	.	.
38	11	1	10	.	.	7	1	6	.	.
39	17	6	10	.	1	7	2	4	.	1
35–39	79	18	55	1	5	35	5	27	.	3
40	23	7	15	1	.	9	1	8	.	.
41	16	4	11	.	1	16	.	14	.	2
42	17	4	13	.	.	24	3	18	2	1
43	29	3	24	.	2	22	4	14	1	3
44	22	6	15	.	1	14	1	12	.	1
40–44	107	24	78	1	4	85	9	66	3	7
45	24	5	19	.	.	18	3	12	1	2
46	35	13	22	.	.	15	2	12	1	.
47	39	4	32	1	2	26	1	22	3	.
48	42	8	31	.	3	13	1	11	.	1
49	32	7	22	1	2	31	4	23	3	1
45–49	172	37	126	2	7	103	11	80	8	4

ABSTRACT 23 *(continued)*. **Northern Ireland: Deaths by sex at each year of age, by conjugal condition, 1990.**

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
50	44	7	34	.	3	22	2	17	2	1
51	51	7	42	.	2	32	6	19	3	4
52	42	8	26	5	3	47	8	34	3	2
53	57	14	37	4	2	38	.	30	4	4
54	65	11	51	1	2	40	8	28	3	1
50–54	259	47	190	10	12	179	24	128	15	12
55	65	12	45	4	4	36	4	30	2	.
56	75	19	48	3	5	40	7	26	7	.
57	81	21	56	4	.	51	4	35	9	3
58	95	15	72	6	2	55	7	36	12	.
59	85	12	66	5	2	68	9	43	11	5
55–59	401	79	287	22	13	250	31	170	41	8
60	101	20	72	4	5	86	18	48	19	1
61	135	25	96	7	7	86	14	46	22	4
62	134	30	87	15	2	88	20	41	25	2
63	140	35	86	13	6	116	23	61	29	3
64	155	27	109	13	6	104	16	60	25	3
60–64	665	137	450	52	26	480	91	256	120	13
65	167	36	106	22	3	101	18	53	27	3
66	208	40	145	18	5	123	19	65	37	2
67	213	42	141	26	4	145	28	58	54	5
68	215	47	142	22	4	141	16	59	65	1
69	239	42	161	34	2	159	27	63	64	5
65–69	1,042	207	695	122	18	669	108	298	247	16
70	231	46	142	40	3	173	35	61	75	2
71	234	55	141	36	2	162	32	58	67	5
72	211	44	130	36	1	163	29	56	76	2
73	237	40	158	39	.	188	39	61	86	2
74	264	45	168	50	1	209	36	56	113	4
70–74	1,177	230	739	201	7	895	171	292	417	15
75	273	50	151	69	3	216	46	53	116	1
76	260	38	154	66	2	246	45	66	133	2
77	267	42	152	70	3	266	62	50	150	4
78	265	40	146	78	1	282	59	68	154	1
79	264	48	148	67	1	261	60	53	144	4
75–79	1,329	218	751	350	10	1,271	272	290	697	12
80	256	44	131	81	.	292	57	40	194	1
81	240	44	124	72	.	257	55	46	155	1
82	216	36	92	88	.	283	59	28	195	1
83	193	26	86	80	1	318	76	43	196	3
84	179	25	78	75	1	263	58	21	183	1
80–84	1,084	175	511	396	2	1,413	305	178	923	7
85	178	33	67	78	.	285	69	19	196	1
86	134	22	49	63	.	278	64	23	191	.
87	111	25	38	47	1	227	46	10	169	2
88	98	21	25	52	.	219	51	7	161	.
89	93	17	24	52	.	194	51	7	135	1
85–89	614	118	203	292	1	1,203	281	66	852	4
90	71	10	24	37	.	211	57	7	146	1
91	55	8	10	37	.	171	40	3	128	.
92	48	6	13	29	.	116	29	2	84	1
93	42	5	10	27	.	125	33	1	91	.
94	22	2	5	15	.	82	18	.	64	.
90–94	238	31	62	145	.	705	177	13	513	2
95	25	4	6	15	.	87	19	1	67	.
96	8	1	2	5	.	46	8	1	36	1
97	6	.	4	2	.	48	8	.	40	.
98	11	2	2	7	.	33	6	.	27	.
99	4	1	.	3	.	19	5	1	13	.
95–99	54	8	14	32	.	233	46	3	183	1
100 & over	8	1	1	6	.	31	11	.	20	.
TOTALS	7,648	1,666	4,242	1,633	107	7,778	1,722	1,912	4,039	105

ABSTRACT 24. Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1990.

Detailed List No.	Abbreviated List No.	Causes of Death		AGES AT DEATH																								
				All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 & over
001–999	01–56	Total Deaths (All Causes)	M	7,648	65	110	4	7	3	5	12	18	54	68	64	74	79	107	172	259	401	665	1,042	1,177	1,329	1,084	614	238	62
			F	7,778	41	88	15	6	1	1	13	9	16	16	31	30	35	85	103	179	250	480	669	895	1,271	1,413	1,203	705	264
001–009	01	Intestinal infectious diseases	M	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
			F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
010–012	020–021	Respiratory tuberculosis	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
			F	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
013–018	Rem. 02	Other tuberculosis (excluding late effects)	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
033	034	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
036	036	Meningococcal infection	M	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
037	037	Tetanus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
038	038	Septicaemia	M	8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
			F	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	3	2	.	.
050	042	Smallpox	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
055	042	Measles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
084	052	Malaria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
090–099	06	Venereal diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
137	077	Late effects of tuberculosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 001–139	Rem. 01–07	All other infective and parasitic diseases	M	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.
			F	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	2	.	1
151	091	Malignant neoplasm of stomach	M	125	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	5	4	20	22	20	30	13	4	2	.
			F	94	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	6	5	6	9	22	13	13	7	9	.
153	093	Malignant neoplasm of colon	M	139	.	.	.	.	.	.	.	.	.	.	1	.	1	3	8	11	11	11	23	26	19	15	7	2	1
			F	183	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	10	10	8	25	29	24	39	18	13	1
154	094	Malignant neoplasm of rectum, recto-sigmoid junction and anus	M	80	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	6	4	15	19	15	8	7	1	.
			F	47	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	8	5	7	6	7	7	2	1	1
157	096	Malignant neoplasm of pancreas	M	78	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	2	13	6	13	15	12	7	4	.	1
			F	89	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	8	8	12	12	18	10	12	3	1
162	101	Malignant neoplasm of trachea, bronchus and lung	M	527	.	.	.	.	.	.	.	.	.	.	.	.	2	3	10	23	49	62	112	94	97	53	18	2	2
			F	244	.	.	.	.	.	.	.	.	.	.	1	1	1	3	6	10	13	45	55	32	48	17	9	1	2
174	113	Malignant neoplasm of female breast	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	295	.	.	.	.	.	.	.	.	.	.	.	5	7	19	18	23	32	41	25	36	39	18	17	12	3
180	120	Malignant neoplasm of cervix uteri	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	38	.	.	.	.	.	.	.	.	.	.	.	1	1	8	2	3	1	4	3	7	3	5	.	.	.
183	123	Malignant neoplasm of ovary and other uterine adnexa	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	89	.	.	.	.	.	.	.	.	.	1	1	.	1	3	3	12	11	12	16	9	10	7	3	.	.
185	124	Malignant neoplasm of prostate	M	195	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	3	8	32	38	48	42	15	5	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	141	Leukaemia	M	40	.	.	.	2	.	.	1	2	2	1	.	1	2	.	.	2	7	1	4	3	5	3	2	2	.
			F	39	.	.	.	.	.	.	2	1	1	.	.	1	2	1	.	2	2	2	7	7	5	5	.	1	.

ABSTRACT 24 *(continued).* Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1990.

Detailed List No.	Abbreviated List No.	Causes of Death		AGES AT DEATH																								
				All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 & over
Rem.	Rem.	All other malignant neoplasms	M	581	.	.	.	1	1	.	2	1	3	4	5	6	4	11	23	28	39	80	103	87	88	57	33	4	1
140–208	08–14		F	562	.	2	1	1	1	1	1	.	.	1	3	1	4	9	13	18	30	38	76	88	91	88	61	26	8
210–239	15–17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	M	36	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	4	6	5	6	3	4	1	1	.
			F	44	.	.	.	.	.	.	.	.	.	.	3	1	.	3	2	2	2	2	5	7	8	4	5	.	.
250	181	Diabetes mellitus	M	22	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2	1	1	4	3	4	3	1	.	.
			F	19	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	2	.	2	.	.	4	3	1	1	1
Rem.	Rem.	Other endocrine and metabolic diseases	M	17	1	2	.	.	.	.	.	.	1	.	1	.	1	.	2	.	1	5	1	1	.	2	.	.	.
240–259	18	and immunity disorders	F	19	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	3	.	2	2	5	2	.	1
270–279																													
261	191	Nutritional marasmus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
262,263	192	Other protein-calorie malnutrition	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.	Rem.	Other nutritional deficiencies	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
260–269	19		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
280–285	200	Anaemias	M	8	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	.	.	1	2	1	.	.
			F	11	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	2	1	3	2	.
Rem.	Rem.	Other diseases of the blood and blood-forming organs	M	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3	1	1	.	.	.
280–289	20		F	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	3	.	1	1	.
290–319	21	Mental disorders	M	36	.	.	.	1	1	.	.	.	.	1	.	3	3	3	1	5	4	4	3	1	2	1	3	.	.
			F	22	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	1	.	5	2	1	2	4	2
320–322	220	Meningitis	M	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
			F	12	.	3	.	.	.	.	2	.	.	.	1	1	.	.	1	1	1	1	.	.	.	1	.	.	.
340	223	Multiple sclerosis	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.	.	.	.
			F	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	3	1	4	1	1	.	.	.
343, 344	224	Infantile cerebral palsy and other paralytic syndromes	M	9	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	2	1	.	1	.	1	.	.
			F	5	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
Rem.	Rem.	Other diseases of the nervous system and sense organs	M	63	.	1	.	.	.	.	.	.	2	.	.	4	3	3	3	1	4	3	11	9	8	4	6	1	.
320–389	22–24		F	65	.	1	.	1	.	.	1	.	2	1	2	1	1	2	1	.	4	4	3	3	12	13	6	7	.
390–392	250	Acute rheumatic fever	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
			F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
393–398	251	Chronic rheumatic heart disease	M	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	6	2	1	.	.
			F	56	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	6	10	12	10	9	2	2	.
402, 404	260	Hypertensive heart disease	M	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	5	.	2	.	.
			F	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	3	3	1	1	1
401, 403	Rem.	Other hypertensive diseases	M	26	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	4	2	3	2	3	4	2	.	1	.
405	26		F	30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	4	4	3	5	4	2	1	.
410·0	270A	Acute myocardial infarction with hypertension	M	196	.	.	.	.	.	.	.	.	.	.	.	1	3	4	7	12	16	36	33	46	27	9	1	1	.
			F	156	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	8	21	28	28	30	18	12	4	2
410·9	270B	Acute myocardial infarction without hypertension	M	1,705	1	1	.	.	.	.	.	.	.	.	.	4	6	20	39	58	109	187	256	314	316	235	114	39	7
			F	1,333	.	.	.	.	.	.	.	.	.	.	.	2	1	3	4	19	27	69	135	190	272	282	204	98	27
411·0–414·0	Rem. 27A	Other ischaemic heart disease with hypertension	M	98	.	.	.	.	.	.	.	.	.	.	.	1	2	1	4	9	5	14	27	13	16	3	2	1	.
			F	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	4	12	2	6	3	1	1
411·9–414·9	Rem. 27B	Other ischaemic heart disease without hypertension	M	400	.	.	.	.	.	.	.	.	.	.	1	2	2	12	5	19	22	32	72	55	80	45	35	15	3
			F	406	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	5	12	18	29	42	75	77	85	47	12
428	289	Heart failure	M	120	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	5	8	21	26	26	20	6	3
			F	185	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	4	7	21	23	41	38	33	15

ABSTRACT 24 *(continued).* Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1990.

Detailed List No.	Abbreviated List No.	Causes of Death		AGES AT DEATH																							
				All Ages	Under 4 weeks	Under 1 year	1.	2	3	4	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 & over
Rem. 415–429	Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	M	139	.	.	.	.	1	.	.	1	.	1	.	1	1	5	2	3	5	8	19	31	16	23	18	3	1
			F	181	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	7	6	6	11	16	30	41	33	18	8
430·0–438·0	29A	Cerebrovascular disease with mention of hypertension (benign)	M	52	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3	4	8	11	7	8	8	.	.	.
			F	74	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	9	6	6	13	18	10	5	1
430·9–438·9	29B	Cerebrovascular disease without mention of hypertension.	M	519	.	.	.	.	.	.	.	1	.	1	1	3	2	1	3	6	13	23	53	92	119	108	58	30	5
			F	997	.	.	.	.	.	.	.	.	1	1	2	3	3	5	6	10	10	33	65	100	163	233	221	108	33
440	300	Atherosclerosis	M	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	1	3	9	10	3	1
			F	55	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	7	12	11	15	4
Rem. 440–459	Rem. 30	Other diseases of the circulatory system	M	141	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4	6	15	22	28	29	16	13	4	1
			F	134	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	3	8	8	15	30	28	26	11	1
480–486	321	Pneumonia	M	780	.	1	.	.	.	.	.	.	1	.	1	1	3	3	2	13	6	18	46	89	152	202	137	80	25
			F	1,075	1	3	2	.	.	.	.	.	.	.	2	1	.	1	2	2	4	20	21	72	137	242	260	206	100
487	322	Influenza	M	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	4	1	3	1	.
			F	35	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	2	4	6	9	5	4
490–493	323	Bronchitis, emphysema and asthma	M	124	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	3	7	14	19	24	20	19	9	4	1
			F	85	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	1	9	18	16	9	16	5	4	1	.
500–508	326	Pneumoconiosis and other lung diseases due to external agents	M	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	1	2	1	.	.
			F	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem. 460–519	31 Rem. 32	Other diseases of the respiratory system.	M	395	2	16	1	.	.	.	.	.	.	.	.	1	.	.	3	3	8	24	54	64	93	84	34	7	3
			F	265	.	23	4	.	.	.	.	.	.	.	.	.	2	.	2	5	7	22	24	40	49	42	24	10	11
531–533	341	Ulcer of stomach and duodenum.	M	38	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	5	7	6	5	6	4	1	1
			F	52	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	7	1	7	10	10	5	6
540–543	342	Appendicitis	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
			F	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571	347	Chronic liver disease and cirrhosis	M	32	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	4	3	5	6	3	1	4	.	.	.
			F	38	.	.	.	.	.	.	.	.	.	1	.	1	.	2	5	3	7	8	6	3	2	.	.	.	.
Rem. 520–579	33 Rem. 34	Other diseases of the digestive system	M	90	.	1	.	.	.	.	.	.	.	.	1	2	.	.	4	2	2	7	12	14	18	11	10	4	2
			F	139	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	2	12	12	15	31	25	26	9	4
580–589	350	Nephritis, nephrotic syndrome and nephrosis	M	66	1	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	2	3	3	5	12	17	13	6	1
			F	93	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5	10	6	25	20	16	3	6
600	360	Hyperplasia of prostate	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.
Rem. 580–629	Rem. 35, 36	Other diseases of the genito-urinary tract	M	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	3	4	15	5	5	2
			F	48	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	4	8	7	10	13	1
630–639	38	Abortion	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
640–646, 651–676	39	Direct obstetric causes	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 630–676	Rem. 39–41	Other complications of pregnancy, childbirth and the puerperium	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–709, 710–739	42–43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue	M	24	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	3	4	2	6	5	1	.
			F	56	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	2	2	7	13	9	11	6	1
741, 742·3	440	Spina bifida and hydrocephalus	M	2	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	442	Congenital anomalies of heart and circulatory system	M	20	8	16	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
			F	17	7	11	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.

ABSTRACT 24 *(continued).* Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1990.

Detailed List No.	Abbreviated List No.	Causes of Death		AGES AT DEATH																							
				All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 & over
Rem. 740–759	Rem. 44	Other congenital anomalies	M	32	13	17	2	2	.	.	.	2	2	2	1	.	.	.	.	1	1	1	.	.	1	.	.	.	.
			F	12	5	9	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
767	453	Birth trauma	M	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
768–770	454	Hypoxia, birth asphyxia and other respiratory conditions	M	24	21	24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	11	9	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. 760–779	Rem. 45	Other conditions originating in the perinatal period.	M	14	14	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			F	17	17	17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	46	Symptoms, signs and ill-defined conditions	M	18	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	2	1	1	.	.
			F	23	1	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	3	4	4	1
800–829	47	Fractures	M	106	.	.	.	.	.	1	4	2	4	5	12	6	6	4	4	4	3	7	6	8	7	8	12	3	.
			F	87	.	.	1	.	.	.	2	.	1	1	2	.	.	.	2	.	.	2	3	2	14	17	20	17	3
850–869, 950–957	49	Intracranial and internal injuries including nerves	M	157	.	.	.	1	.	1	2	5	24	25	19	9	14	7	11	7	6	6	5	5	9	1	.	.	.
			F	47	.	.	1	1	.	.	2	4	5	2	3	4	.	3	1	3	1	3	3	3	3	2	2	1	.
940–949	52	Burns	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.
			F	5	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.
960–989	53	Poisoning and toxic effects	M	72	.	.	.	1	.	.	1	1	4	5	4	9	10	3	6	6	12	6	1	1	1	.	.	.	1
			F	47	.	.	1	.	.	.	.	.	2	1	3	2	3	4	6	4	7	3	4	4	1	.	2	.	.
Rem. 800–999	Rem. 47–56	Other injuries and poisonings	M	135	.	1	1	.	.	2	.	1	8	17	16	13	9	11	8	6	14	10	7	5	1	2	1	2	.
			F	39	1	1	.	.	.	.	.	1	1	5	2	1	1	4	3	4	1	2	5	1	2	3	2	.	.
		EXTERNAL CAUSES																											
E800–E999	E47–E56	All external causes	M	474	.	1	1	2	.	4	7	9	40	52	51	37	39	25	29	23	36	30	19	19	19	11	14	5	1
			F	225	1	1	4	1	.	.	4	5	9	9	10	7	4	12	12	12	9	10	15	10	20	24	26	18	3
E810–E819	E471	Motor vehicle traffic accidents	M	129	.	.	.	1	.	1	5	6	22	18	19	9	9	6	7	3	7	4	2	3	5	1	1	.	.
			F	53	.	.	1	1	.	.	4	3	4	3	5	5	.	2	2	2	2	4	4	2	4	4	1	.	.
E880–E888	E50	Accidental falls	M	77	.	.	.	.	.	.	.	1	.	1	4	.	2	3	6	5	2	8	6	8	9	8	11	3	.
			F	81	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	2	2	13	16	22	18	3
Rem. E800–E949	Rem. E47–E53	Other accidents and adverse effects	M	83	.	1	1	1	.	3	1	2	7	6	8	3	3	7	4	5	7	9	3	4	2	1	2	2	1
			F	37	1	1	3	.	.	.	.	1	1	1	1	.	.	3	3	1	3	3	6	3	2	3	2	.	.
E950–E959	E54	Suicide	M	115	.	.	.	.	.	.	.	.	7	11	12	18	13	7	8	5	12	9	6	4	2	1	.	.	.
			F	43	.	.	.	.	.	.	.	.	3	3	2	1	4	5	6	7	3	2	2	3	1	1	.	.	.
E960–E969	E55	Homicide	M	62	.	.	.	.	.	.	1	.	3	16	8	5	11	2	4	4	6	.	2	.	.	.	.	.	.
			F	7	.	.	.	.	.	.	.	1	1	2	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.
E970–E999	E56	Other Violence	M	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	2	.	.	.	1	.	.	.	.
			F	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1	.	.

The Abbreviated List numbers have been taken from the Mortality List published in the "International Classification of Diseases, 1975 Revision", with certain additions from the Basic Tabulation List.

ABSTRACT 25. Northern Ireland: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	15,426	7,648	65	36	9	110	19	30	122	138	186	431	1,066	2,219	2,413	914	7,778	41	38	9	88	23	22	32	61	120	282	730	1,564	2,684	2,172
001–139	46	21	2	.	.	2	.	.	2	2	.	1	2	6	6	.	25	.	.	.	.	1	2	.	.	.	1	1	3	10	7
151	219	125	.	.	.	.	.	.	.	.	3	7	24	42	43	6	94	.	.	.	.	.	.	.	1	2	7	11	31	26	16
153	322	139	.	.	.	.	.	.	.	1	4	19	22	49	34	10	183	.	.	.	.	.	.	.	.	3	13	18	54	63	32
154	127	80	.	.	.	.	.	.	.	.	.	5	10	34	23	8	47	.	.	.	.	.	.	.	1	2	.	13	13	14	4
157	167	78	.	.	.	.	.	.	.	.	1	6	19	28	19	5	89	.	.	.	.	.	.	.	.	1	4	16	24	28	16
162	771	527	.	.	.	.	.	.	.	.	5	33	111	206	150	22	244	.	.	.	.	.	.	.	2	4	16	58	87	65	12
174	295	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	295	.	.	.	.	.	.	.	5	26	41	73	61	57	32
180	38	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	38	.	.	.	.	.	.	.	1	9	5	5	10	8	.
183	89	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	89	.	.	.	.	.	.	1	1	4	15	23	25	17	3
185	195	195	.	.	.	.	.	.	.	.	.	4	11	70	90	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	79	40	.	.	.	.	2	3	3	1	2	2	8	7	8	4	39	.	.	.	.	.	3	1	1	3	2	4	14	10	1
140–208	1,143	581	.	.	.	.	2	3	7	11	15	51	119	190	145	38	562	.	2	.	2	4	1	1	4	13	31	68	164	179	95
210–239	80	36	.	.	.	.	.	.	.	2	3	1	10	11	7	2	44	.	.	.	.	.	.	.	4	3	4	4	12	12	5
250 Rem.	41	22	.	.	.	.	.	.	1	.	.	4	2	7	7	1	19	.	.	.	.	.	1	1	1	.	4	2	.	7	3
240–279	37	17	1	1	.	2	.	.	1	1	1	2	6	2	2	.	20	.	.	.	.	.	1	1	.	.	.	6	2	7	3
280–289	35	15	.	.	.	.	.	.	2	.	1	.	3	3	5	1	20	.	.	.	.	.	.	.	1	.	.	3	3	6	7
290–319	58	36	.	.	.	.	2	.	1	3	6	6	8	4	3	3	22	.	.	.	.	.	.	.	.	1	1	4	5	3	8
340	20	4	.	.	.	.	.	.	.	.	2	1	.	.	1	.	16	.	.	.	.	.	.	.	.	.	6	3	5	2	.
Rem. 320–389	157	75	.	1	1	2	.	1	5	4	6	4	9	23	13	8	82	.	1	3	4	1	5	3	5	3	3	10	7	27	14
390–392	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
393–398	70	14	.	.	.	.	.	.	.	.	.	.	1	4	8	1	56	.	.	.	.	.	.	.	.	1	3	7	22	19	4
402, 404	25	12	.	.	.	.	.	.	.	.	.	.	2	3	5	2	13	.	.	.	.	.	.	.	.	.	.	1	3	6	3
401, 403, 405	56	26	.	.	.	.	.	.	.	.	2	7	5	5	6	1	30	.	.	.	.	.	.	.	.	.	4	7	7	9	3
410	3,390	1,901	1	.	.	1	.	.	.	5	33	116	348	649	587	162	1,489	.	.	.	.	.	.	.	2	4	28	125	381	602	347
411–414	937	498	.	.	.	.	.	.	.	4	17	37	73	167	144	56	439	.	.	.	.	.	.	.	.	.	11	32	87	160	149
428 Rem.	305	120	.	.	.	.	.	.	.	1	.	3	6	29	52	29	185	.	.	.	.	.	.	.	.	1	1	5	28	64	86
415–429	320	139	.	.	.	.	1	1	1	1	6	5	13	50	39	22	181	.	.	.	.	.	.	.	.	2	10	12	27	71	59
430–438	1,642	571	.	.	.	.	.	1	1	5	3	14	48	163	243	93	1,071	.	.	.	.	.	.	2	5	9	18	55	177	427	378
440 Rem.	88	33	.	.	.	.	.	.	.	.	.	.	1	6	12	14	55	.	.	.	.	.	.	.	.	.	.	2	4	19	30
440–459	275	141	.	.	.	.	.	.	.	.	.	7	21	50	45	18	134	.	.	.	.	.	.	.	.	1	3	11	23	58	38
480–486	1,855	780	.	1	.	1	.	.	1	2	6	15	24	135	354	242	1,075	1	1	1	3	2	.	.	3	1	4	24	93	379	566
487	48	13	.	.	.	.	.	.	.	.	.	.	.	4	5	4	35	.	.	.	.	.	.	.	.	1	.	4	2	10	18
490–493 Rem.	209	124	.	.	.	.	.	.	.	1	1	5	21	43	39	14	85	.	.	.	.	.	.	.	2	3	2	27	25	21	5
460–519	669	402	2	12	2	16	1	.	.	1	1	6	33	119	180	45	267	.	22	1	23	5	.	.	.	2	7	29	64	92	45
531–533	90	38	.	.	.	.	.	.	.	.	.	1	7	13	11	6	52	.	.	.	.	.	.	.	.	.	1	5	8	17	21
571 Rem.	70	32	.	.	.	.	.	.	.	1	2	7	8	9	5	.	38	.	.	.	.	.	.	1	1	2	8	15	9	2	.
520–579	232	92	.	.	1	1	.	.	.	3	.	6	9	27	29	17	140	.	.	.	.	.	.	1	1	.	2	14	27	56	39
580–629	251	110	1	.	.	1	.	1	.	.	1	1	8	14	51	33	141	.	.	.	.	.	.	.	1	1	.	9	21	60	49
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	80	24	.	.	.	.	.	.	.	.	1	1	1	7	8	6	56	.	.	.	.	.	.	.	1	2	1	3	9	22	18
741, 742·3	4	2	1	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.
745–747 Rem.	37	20	8	5	3	16	.	1	1	.	.	.	2	.	.	.	17	7	2	2	11	3	.	.	1	.	.	1	.	1	.
740–759	44	32	13	4	.	17	4	2	4	1	.	1	2	.	1	.	12	5	4	.	9	.	.	2	.	.	.	.	.	1	.
760–779	68	40	36	3	1	40	.	.	.	.	.	.	.	2	.	.	28	26	2	.	28	.	.	.	.	.	.	.	.	.	.
780–799	41	18	.	9	.	9	.	.	.	.	.	1	2	2	3	1	23	1	4	2	7	.	.	.	.	.	2	1	1	3	9
800–999	699	474	.	.	1	1	7	16	92	88	64	52	66	38	30	20	225	1	.	.	1	5	9	18	17	16	24	19	25	44	47
E810–E819	182	129	.	.	.	.	2	11	40	28	15	10	11	5	6	1	53	.	.	.	.	2	7	7	10	2	4	6	6	8	1
E880–E888 Rem.	158	77	.	.	.	.	.	1	1	4	5	11	10	14	17	14	81	.	.	.	.	.	.	.	1	.	3	1	4	29	43
E800–E949	120	83	.	1	1	5	3	13	11	10	9	16	7	3	5	37	1	.	.	.	1	3	1	2	1	3	4	6	9	5	2
E950–E959	158	115	.	.	.	.	.	.	18	30	20	13	21	10	3	.	43	.	.	.	.	.	.	6	3	9	13	5	5	2	.
E960–E969	69	62	.	.	.	.	.	1	19	13	13	8	6	2	.	.	7	.	.	.	.	.	1	3	1	1	.	.	1	.	.
E970–E999	12	8	.	.	.	.	.	.	1	2	1	1	2	.	1	.	4	.	.	.	.	.	.	.	1	1	.	1	.	.	1

ABSTRACT 25. Ards: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	614	315	1	2	.	3	.	2	3	5	1	22	41	93	104	41	299	.	2	.	2	1	1	.	3	7	10	29	50	114	82
001–139	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
151	8	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	4	.	.	.	.	.	.	.	.	1	.	1	1	1	.
153	15	7	.	.	.	.	.	.	.	.	.	2	1	2	2	.	8	.	.	.	.	.	.	.	.	.	.	1	3	3	1
154	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	6	5	.	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
162	22	12	.	.	.	.	.	.	.	.	.	1	1	6	4	.	10	.	.	.	.	.	.	.	.	.	1	2	1	4	2
174	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	.	.	.	.	.	.	.	.	.	1	4	3	2	1
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.
183	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	1	2	1	.	1	.
185	6	6	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Rem.																														
140–208	59	30	.	.	.	.	.	1	1	.	6	6	7	6	3	29	.	.	.	.	.	.	.	.	1	2	1	9	10	6
210–239	4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
250	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
240–279	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	
280–289	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	
290–319	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rem.																														
320–389	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	7	.	.	.	.	.	.	.	.	1	.	1	.	1	3	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
402, 404	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
401, 403, 405	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	
410	129	85	.	.	.	.	.	.	.	.	6	19	26	22	12	44	.	.	.	.	.	.	.	.	.	.	5	10	20	9	
411–414	36	19	.	.	.	.	.	.	.	.	1	4	6	5	3	17	.	.	.	.	.	.	.	.	.	.	1	.	6	10	
428	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	5	
Rem.																														
415–429	10	6	.	.	.	.	.	.	.	.	1	.	3	2	.	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	
430–438	77	24	.	.	.	.	.	.	.	.	.	2	8	13	1	53	.	.	.	.	.	.	.	.	1	1	.	3	5	22	21
440	5	3	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Rem.																														
440–459	11	6	.	.	.	.	.	.	.	.	1	.	2	3	.	5	.	.	.	.	.	.	.	.	.	.	.	4	1	.	
480–486	81	39	.	.	.	.	.	.	.	.	1	.	6	18	14	42	.	.	.	.	.	.	.	.	.	.	4	3	17	18	
487	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
490–493	11	7	.	.	.	.	.	.	1	.	.	.	3	3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	
Rem.																														
460–519	26	16	.	.	.	.	.	.	.	.	.	1	6	8	1	10	.	1	.	1	.	.	.	.	.	1	.	1	1	4	2
531–533	7	3	.	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
571	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem.																														
520–579	9	4	.	.	.	.	.	.	.	.	.	.	2	2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.
580–629	10	7	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	2	2	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
740–759	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
760–779	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	2	2	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	16	13	.	.	.	.	.	1	2	2	1	2	2	1	1	1	3	.	.	.	.	.	1	.	.	.	.	.	.	1	1
E810–E819	5	4	.	.	.	.	.	1	1	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
E880–E888	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Rem.																														
E800–E949	3	3	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	4	4	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Belfast: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	3,556	1,659	10	8	4	22	5	5	17	24	40	100	239	487	547	173	1,897	7	13	.	20	5	6	5	6	21	64	169	372	664	565
001–139	10	3	1	.	.	1	.	.	.	.	.	.	1	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	3	2	2
151	61	30	.	.	.	.	.	.	.	.	.	1	4	8	15	2	31	.	.	.	.	.	.	.	.	.	4	2	9	9	7
153	69	27	.	.	.	.	.	.	.	.	1	3	4	12	6	1	42	.	.	.	.	.	.	.	.	1	4	5	10	14	8
154	26	19	.	.	.	.	.	.	.	.	.	.	2	11	4	2	7	.	.	.	.	.	.	.	.	.	.	1	2	4	.
157	39	18	.	.	.	.	.	.	.	.	.	3	5	5	5	.	21	.	.	.	.	.	.	.	.	.	1	8	5	5	2
162	263	172	.	.	.	.	.	.	.	.	1	12	40	61	50	8	91	.	.	.	.	.	.	.	.	1	4	29	31	25	1
174	66	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	.	.	.	.	.	.	.	.	5	7	14	21	14	5
180	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	1	1	1	2	.	.
183	19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19	.	.	.	.	.	.	.	.	1	4	6	6	1	1
185	48	48	.	.	.	.	.	.	.	.	.	.	4	13	27	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	22	13	.	.	.	.	.	1	.	1	.	2	2	3	4	.	9	.	.	.	.	.	1	.	.	1	2	1	3	1	.
140–208	274	141	.	.	.	.	.	1	.	1	5	18	25	45	36	10	133	.	.	.	.	.	1	1	1	1	3	12	44	45	25
210–239	11	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	8	.	.	.	.	.	.	.	.	1	.	.	3	2	2
250 Rem.	11	5	.	.	.	.	.	.	.	.	.	2	.	1	2	.	6	.	.	.	.	.	1	.	1	.	.	2	.	2	.
240–279	10	4	1	.	.	1	.	.	.	.	.	.	1	1	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2
280–289	9	5	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
290–319	15	10	.	.	.	.	1	.	.	1	2	1	2	2	.	1	5	.	.	.	.	.	.	.	.	.	.	3	.	1	1
340 Rem.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.
320–389	34	13	.	.	.	.	.	.	1	.	1	.	3	4	2	2	21	.	.	.	.	.	3	.	.	1	.	4	1	6	6
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	28	8	.	.	.	.	.	.	.	.	.	.	.	2	6	.	20	.	.	.	.	.	.	.	.	.	1	3	6	9	1
402, 404	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	1	4	2
401, 403, 405	14	6	.	.	.	.	.	.	.	.	1	2	2	1	.	.	8	.	.	.	.	.	.	.	.	.	.	2	2	3	1
410	680	347	.	.	.	.	.	.	.	1	7	18	63	118	114	26	333	.	.	.	.	.	.	.	1	2	8	24	74	141	83
411–414	242	134	.	.	.	.	.	.	.	.	2	11	15	49	43	14	108	.	.	.	.	.	.	.	.	.	2	5	21	39	41
428 Rem.	76	26	.	.	.	.	.	.	.	.	.	1	1	7	10	7	50	.	.	.	.	.	.	.	.	.	.	1	9	17	23
415–429	67	25	.	.	.	.	.	.	1	1	1	1	3	9	7	2	42	.	.	.	.	.	.	.	.	1	2	3	6	19	11
430–438	371	122	.	.	.	.	.	.	.	1	.	3	10	33	58	17	249	.	.	.	.	.	.	.	2	1	5	9	40	104	88
440 Rem.	15	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	12	.	.	.	.	.	.	.	.	.	.	1	.	6	5
440–459	75	34	.	.	.	.	.	.	.	.	.	2	7	16	7	2	41	.	.	.	.	.	.	.	.	.	1	3	7	18	12
480–486	425	151	.	.	.	.	.	.	.	.	2	3	5	22	76	43	274	.	.	.	.	1	.	.	1	.	2	2	19	87	162
487	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7	.	.	.	.	.	.	.	.	.	.	1	2	.	4
490–493 Rem.	53	37	.	.	.	.	.	.	.	.	.	.	12	13	12	.	16	.	.	.	.	.	.	.	.	1	1	3	7	4	.
460–519	159	84	.	5	1	6	.	.	.	.	1	1	5	26	32	13	75	.	9	.	9	1	.	.	.	.	1	4	16	32	12
531–533	20	7	.	.	.	.	.	.	.	.	.	.	1	3	2	1	13	.	.	.	.	.	.	.	.	.	.	1	1	5	6
571 Rem.	15	8	.	.	.	.	.	.	.	.	1	2	2	2	1	.	7	.	.	.	.	.	.	.	.	.	2	4	1	.	.
520–579	49	13	.	.	1	1	.	.	.	.	.	1	2	4	4	1	36	.	.	.	.	.	.	.	.	.	.	5	7	11	13
580–629	46	19	.	.	.	.	.	.	.	.	.	.	.	1	10	8	27	.	.	.	.	.	.	.	.	.	.	1	7	12	7
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	17	5	.	.	.	.	.	.	.	.	1	.	.	.	2	2	12	.	.	.	.	.	.	.	.	1	.	1	.	5	5
741, 742·3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
745–747 Rem.	6	3	2	.	1	3	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	.	.	.	.	1	.	.	.
740–759	7	7	2	1	.	3	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	11	4	4	.	.	4	.	.	.	.	.	.	.	.	.	.	7	5	2	.	7	.	.	.	.	.	.	.	.	.	.
780–799	12	3	.	2	.	2	.	.	.	.	.	.	.	.	1	.	9	1	2	.	3	.	.	.	.	.	.	.	.	2	4
800–999	157	101	.	.	1	1	2	3	14	18	14	13	14	13	4	5	56	.	.	.	.	1	.	4	.	2	7	6	6	11	19
E810–E819	15	13	.	.	.	.	1	2	2	2	3	.	2	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.
E880–E888 Rem.	48	20	.	.	.	.	.	.	.	.	1	2	2	7	4	4	28	.	.	.	.	.	.	.	.	.	.	1	1	8	18
E800–E949	29	19	.	.	1	1	1	.	3	3	2	1	4	3	.	1	10	.	.	.	.	1	.	.	.	1	2	2	2	1	1
E950–E959	32	19	.	.	.	.	.	.	2	4	3	5	4	1	.	.	13	.	.	.	.	.	.	2	.	1	5	2	2	1	.
E960–E969	27	25	.	.	.	.	.	1	6	7	5	5	.	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.
E970–E999	6	5	.	.	.	.	.	.	1	2	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.

ABSTRACT 25. Castlereagh: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	657	322	2	2	1	5	1	2	1	2	4	17	52	112	94	32	335	.	.	.	.	2	.	.	1	7	14	26	71	118	96
001–139	4	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
151	11	9	.	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
153	13	9	.	.	.	.	.	.	.	.	.	1	1	3	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1
154	5	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
157	12	7	.	.	.	.	.	.	.	.	.	.	.	5	2	.	5	.	.	.	.	.	.	.	.	.	1	1	.	3	.
162	28	19	.	.	.	.	.	.	.	.	.	.	4	10	3	2	9	.	.	.	.	.	.	.	.	.	.	2	4	1	2
174	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	1	3	1	3	.	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
185	7	7	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	57	32	.	.	.	.	.	.	.	.	.	3	4	17	8	.	25	.	.	.	.	1	.	.	.	.	5	4	7	5	3
210–239	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
290–319	3	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	5	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
402, 404	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
401, 403, 405	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
410	152	89	.	.	.	.	.	.	.	.	.	8	20	35	21	5	63	.	.	.	.	.	.	.	.	.	.	5	19	24	15
411–414	36	16	.	.	.	.	.	.	.	.	.	2	2	5	6	1	20	.	.	.	.	.	.	.	.	.	.	2	6	9	3
428 Rem.	12	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	8	.	.	.	.	.	.	.	.	.	.	.	1	4	3
415–429	9	5	.	.	.	.	.	.	.	.	1	.	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1
430–438	58	19	.	.	.	.	.	.	.	.	.	.	2	5	10	2	39	.	.	.	.	.	.	.	.	2	1	.	8	12	16
440 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
440–459	9	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	7	.	.	.	.	.	.	.	.	.	.	.	2	3	2
480–486	100	37	.	.	.	.	.	.	.	.	.	.	1	7	18	11	63	.	.	.	.	.	.	.	.	.	1	1	4	26	31
487	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
490–493 Rem.	8	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.
460–519	27	14	.	1	1	2	.	.	.	.	.	.	3	3	5	1	13	.	.	.	.	1	.	.	.	.	.	3	2	3	4
531–533	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
571 Rem.	4	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
520–579	11	5	.	.	.	.	.	.	.	.	.	1	.	2	2	.	6	.	.	.	.	.	.	.	.	.	2	.	.	3	1
580–629	15	3	.	.	.	.	.	1	.	.	.	.	.	1	.	1	12	.	.	.	.	.	.	.	.	.	.	1	2	5	4
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	11	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	10	.	.	.	.	.	.	.	.	.	.	.	2	4	4
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	2	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	3	2	.	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
800–999	21	13	.	.	.	.	.	.	1	.	2	.	3	2	2	3	8	.	.	.	.	.	.	.	.	1	3	.	2	.	2
E810–E819	5	3	.	.	.	.	.	.	1	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
E880–E888 Rem.	7	4	.	.	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2
E800–E949	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	7	4	.	.	.	.	.	.	.	.	2	.	.	2	.	.	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Down: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	654	301	3	.	.	3	.	.	.	2	8	12	42	97	87	50	353	3	2	1	6	1	2	3	2	2	8	33	69	114	113
001–139	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	12	7	.	.	.	.	.	.	.	.	1	.	1	2	3	.	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1
153	16	6	.	.	.	.	.	.	.	.	.	.	2	1	2	1	10	.	.	.	.	.	.	.	.	.	.	.	2	5	3
154	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
157	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1
162	23	15	.	.	.	.	.	.	.	.	.	1	4	9	1	.	8	.	.	.	.	.	.	.	.	.	.	1	5	2	.
174	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	.	.	.	.	.	.	.	1	.	2	3	2	1	2
180	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.	.	.	1	.
183	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	2	1	1
185	9	9	.	.	.	.	.	.	.	.	.	.	.	3	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	6	.	.	.	.	.	1	.	.	.	.	1	2	1	1
140–208	39	23	.	.	.	.	.	.	.	.	1	.	4	11	6	1	16	.	.	.	.	.	.	.	.	.	.	1	6	7	2
210–239	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	1	.	.	1	1	.	1
250 Rem.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
340 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
320–389	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
402, 404	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
401, 403, 405	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
410	180	100	.	.	.	.	.	.	.	1	3	7	15	38	27	9	80	.	.	.	.	.	.	.	.	.	2	11	15	29	23
411–414	35	15	.	.	.	.	.	.	.	.	.	1	3	4	3	4	20	.	.	.	.	.	.	.	.	.	.	1	3	7	9
428 Rem.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2
415–429	12	5	.	.	.	.	.	.	.	.	.	.	1	3	1	.	7	.	.	.	.	.	.	.	.	.	.	1	.	2	4
430–438	55	14	.	.	.	.	.	.	.	.	.	1	.	4	8	1	41	.	.	.	.	.	.	.	.	.	1	2	10	17	11
440 Rem.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
440–459	9	6	.	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
480–486	99	37	.	.	.	.	.	.	.	.	.	1	.	10	11	15	62	.	.	.	.	.	.	.	.	.	.	2	5	22	33
487	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
490–493 Rem.	7	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.
460–519	24	15	.	.	.	.	.	.	.	.	.	.	4	4	5	2	9	.	1	.	1	.	.	.	.	.	1	1	2	1	3
531–533	5	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
571 Rem.	5	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.
520–579	12	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2	6	.	.	.	.	.	.	.	.	.	.	.	.	3	3
580–629	7	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
741, 742·3	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.
760–779	3	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	.	.	.	.	.	1	.
800–999	26	12	.	.	.	.	.	.	.	1	3	.	4	2	1	1	14	.	.	.	.	1	1	3	.	.	.	.	2	4	3
E810–E819	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	1	2	.	.	.	.	1	.	.
E880–E888 Rem.	9	3	.	.	.	.	.	.	.	.	1	.	.	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2
E800–E949	7	4	.	.	.	.	.	.	1	.	.	.	2	1	.	.	3	.	.	.	.	1	.	.	.	.	.	.	1	.	1
E950–E959	4	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E960–E969	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Lisburn: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	746	379	3	5	.	8	2	1	8	9	14	17	64	104	116	36	367	2	3	1	6	.	1	2	4	5	16	34	84	121	94
001–139	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	12	8	.	.	.	.	.	.	.	.	1	1	1	3	1	1	4	.	.	.	.	.	.	.	.	.	.	.	3	.	1
153	17	9	.	.	.	.	.	.	.	.	.	.	2	4	2	1	8	.	.	.	.	.	.	.	.	.	1	.	3	4	.
154	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
157	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1
162	39	27	.	.	.	.	.	.	.	.	1	1	8	6	10	1	12	.	.	.	.	.	.	.	.	.	1	3	7	1	.
174	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	.	.	.	.	.	.	.	.	.	2	2	4	2	1
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
183	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	1	1	2	1	.
185	8	8	.	.	.	.	.	.	.	.	.	.	1	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	1	.	.	.	1	.	2	.
Rem.																														
140–208	60	31	.	.	.	.	1	1	1	1	2	2	8	12	3	.	29	.	.	.	.	.	.	.	.	1	2	4	6	11	5
210–239	8	5	.	.	.	.	.	.	.	.	.	.	3	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
250	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Rem.																														
240–279	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
280–289	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
290–319	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
340	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
320–389	9	7	.	.	.	.	.	.	.	.	.	.	3	3	1	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
390–392	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
393–398	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
402, 404	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
410	172	101	.	.	.	.	.	.	.	.	2	4	24	30	33	8	71	.	.	.	.	.	.	.	.	.	3	2	19	27	20
411–414	46	28	.	.	.	.	.	.	.	2	2	1	4	5	10	4	18	.	.	.	.	.	.	.	.	.	.	3	1	9	5
428	10	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	6	.	.	.	.	.	.	.	.	.	.	.	2	3	1
Rem.																														
415–429	13	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	10	.	.	.	.	.	.	.	.	.	1	.	2	4	3
430–438	81	27	.	.	.	.	.	.	.	1	1	2	1	8	10	4	54	.	.	.	.	.	.	.	.	1	1	4	11	18	19
440	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem.																														
440–459	12	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.	8	.	.	.	.	.	.	.	.	.	.	1	1	2	4
480–486	77	28	.	.	.	.	.	.	.	1	.	.	1	8	11	7	49	.	.	.	.	.	.	.	.	.	.	3	3	19	24
487	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
490–493	14	6	.	.	.	.	.	.	.	.	.	.	1	3	2	.	8	.	.	.	.	.	.	.	.	.	.	3	3	2	.
Rem.																														
460–519	39	26	.	3	.	3	1	.	.	.	.	.	4	5	11	2	13	.	1	.	1	.	.	.	.	.	.	3	5	2	2
531–533	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1
571	6	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.	.	.	.	.	.	.	1	.	1	.	1	1	.
Rem.																														
520–579	13	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2	8	.	.	.	.	.	.	.	.	.	.	.	3	4	1
580–629	10	7	.	.	.	.	.	.	.	.	.	.	.	2	3	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	4	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.	.	.	.	.	.
Rem.																														
740–759	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
760–779	4	3	3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	1	.	.	.	.
800–999	33	23	.	.	.	.	.	.	7	3	4	3	2	2	2	.	10	.	.	.	.	.	.	.	1	3	1	.	.	1	4
E810–E819	4	3	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
E880–E888	8	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3
Rem.																														
E800–E949	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	12	8	.	.	.	.	.	.	2	2	2	1	1	.	.	.	4	.	.	.	.	.	.	.	.	3	1	.	.	.	.
E960–E969	8	7	.	.	.	.	.	.	4	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. North Down: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	714	331	1	1	1	3	.	2	2	6	10	18	39	91	111	49	383	3	1	1	5	2	.	.	3	4	11	25	74	150	109
001–139	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	9	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	5	.	.	.	.	.	.	.	.	.	2	1	.	2	.
153	15	8	.	.	.	.	.	.	.	.	1	.	1	4	2	.	7	.	.	.	.	.	.	.	.	.	.	1	2	3	1
154	6	4	.	.	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
157	5	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
162	36	24	.	.	.	.	.	.	.	.	1	.	7	5	8	3	12	.	.	.	.	.	.	.	.	.	.	2	5	5	.
174	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15	.	.	.	.	.	.	.	.	1	2	.	1	7	4
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
185	12	12	.	.	.	.	.	.	.	.	.	.	.	5	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	4	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
140–208	60	35	.	.	.	.	.	.	1	.	.	1	11	10	9	3	25	.	.	.	.	.	.	.	1	.	3	2	4	9	6
210–239	4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
250 Rem.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
340 Rem.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	1	.	.	.	.	.	.	1	1	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.
410	166	75	.	.	.	.	.	.	.	1	1	9	8	20	26	10	91	.	.	.	.	.	.	.	.	.	2	6	29	38	16
411–414	34	14	.	.	.	.	.	.	.	.	.	2	2	3	5	2	20	.	.	.	.	.	.	.	.	.	.	2	4	8	6
428 Rem.	11	7	.	.	.	.	.	.	.	1	.	.	.	4	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2
415–429	8	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2
430–438	98	27	.	.	.	.	.	.	.	.	.	1	.	7	14	5	71	.	.	.	.	.	.	.	.	.	.	2	7	31	31
440 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
440–459	12	6	.	.	.	.	.	.	.	.	.	.	.	3	3	.	6	.	.	.	.	.	.	.	.	.	.	1	1	4	.
480–486	97	46	.	.	.	.	.	.	.	.	.	.	.	11	20	15	51	.	.	.	.	.	.	.	.	.	.	.	10	14	27
487	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
490–493 Rem.	6	5	.	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
460–519	21	15	.	.	.	.	.	.	.	.	.	.	1	5	8	1	6	.	1	.	1	1	.	.	.	.	2	.	1	1	.
531–533	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
571 Rem.	4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
520–579	14	5	.	.	.	.	.	.	.	1	.	.	.	2	.	2	9	.	.	.	.	.	.	.	.	.	.	1	.	8	.
580–629	19	6	.	.	.	.	.	.	.	.	1	.	1	.	1	3	13	.	.	.	.	.	.	.	1	.	.	.	.	6	6
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	2	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
760–779	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	21	14	.	.	.	.	.	1	1	3	3	3	2	.	.	1	7	.	.	.	.	1	.	.	1	1	.	.	.	2	2
E810–E819	4	3	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
E880–E888 Rem.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2
E800–E949	7	7	.	.	.	.	.	1	.	1	1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	6	4	.	.	.	.	.	.	1	1	1	.	1	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Antrim: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	362	172	1	.	.	1	1	1	6	3	4	7	36	54	43	16	190	.	.	.	.	.	.	.	2	1	7	28	35	63	54
001–139	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1
153	10	6	.	.	.	.	.	.	.	.	.	.	2	4	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	2	1
154	3	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.
162	7	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.
174	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	1	.	.	2	2	3	1
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
183	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	4	.	.	.
185	3	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
140–208	29	15	.	.	.	.	.	1	.	1	1	4	7	1	.	14	.	.	.	.	.	.	.	.	.	.	3	4	6	1
210–239	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1
250 Rem.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1
290–319	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	5	3	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	3	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
410	93	52	.	.	.	.	.	.	.	.	1	4	11	18	15	3	41	.	.	.	.	.	.	.	.	.	.	8	11	14	8
411–414	15	7	.	.	.	.	.	.	.	.	.	1	2	2	2	.	8	.	.	.	.	.	.	.	.	.	.	.	5	2	1
428 Rem.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	4
415–429	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1
430–438	48	14	.	.	.	.	.	.	.	.	.	.	3	3	5	3	34	.	.	.	.	.	.	.	.	.	2	3	5	10	14
440 Rem.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
440–459	6	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
480–486	39	17	.	.	.	.	.	1	.	.	.	.	1	5	8	2	22	.	.	.	.	.	.	.	.	.	.	.	1	9	12
487	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
490–493 Rem.	6	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.
460–519	9	6	.	.	.	.	.	.	.	.	.	.	.	1	3	2	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.
531–533	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
571 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
520–579	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.
580–629	9	9	.	.	.	.	.	.	.	.	.	.	2	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	17	13	.	.	.	.	1	1	4	2	1	1	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	2
E810–E819	3	3	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888 Rem.	5	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
E800–E949	3	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
E950–E959	6	6	.	.	.	.	.	.	2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Ballymena: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	508	267	4	.	.	4	1	.	2	6	8	19	28	82	81	36	241	1	.	.	1	.	3	1	6	2	11	21	36	76	84
001–139	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
151	5	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
153	12	4	.	.	.	.	.	.	.	.	.	.	1	2	.	1	8	.	.	.	.	.	.	.	.	.	1	1	3	2	1
154	8	7	.	.	.	.	.	.	.	.	.	1	.	4	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
157	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.
162	14	12	.	.	.	.	.	.	.	.	.	1	2	4	4	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
174	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	.	.	3	2	3	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
185	9	9	.	.	.	.	.	.	.	.	.	.	1	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Rem.																														
140–208	33	16	.	.	.	.	.	.	.	.	.	1	5	7	2	1	17	.	.	.	.	.	.	.	.	.	1	3	4	2	7
210–239	4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
250	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Rem.																														
240–279	3	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
320–389	6	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	120	71	.	.	.	.	.	.	.	.	2	5	6	26	27	5	49	.	.	.	.	.	.	.	.	.	.	4	10	21	14
411–414	23	14	.	.	.	.	.	.	.	.	1	2	3	4	2	2	9	.	.	.	.	.	.	.	.	.	1	1	1	2	4
428	8	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Rem.																														
415–429	15	6	.	.	.	.	.	.	.	.	.	.	1	3	.	2	9	.	.	.	.	.	.	.	.	.	1	1	1	3	3
430–438	53	24	.	.	.	.	.	.	.	1	.	1	3	6	6	7	29	.	.	.	.	.	.	.	1	.	1	2	5	11	9
440	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Rem.																														
440–459	7	5	.	.	.	.	.	.	.	.	.	.	1	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
480–486	80	31	.	.	.	.	.	.	.	.	.	.	.	2	20	9	49	.	.	.	.	.	.	.	1	.	.	1	2	13	32
487	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
490–493	3	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
460–519	18	9	.	.	.	.	.	.	.	.	.	.	.	4	3	2	9	.	.	.	.	.	.	.	.	.	1	.	2	5	1
531–533	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
571	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Rem.																														
520–579	7	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	5	.	.	.	.	.	.	.	.	.	.	1	1	3	.
580–629	9	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	6	.	.	.	.	.	.	.	.	1	.	1	.	1	3
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	5	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
740–759	4	4	2	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	3	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	23	17	.	.	.	.	.	.	1	3	3	6	2	2	.	.	6	.	.	.	.	.	1	.	2	.	1	1	.	1	.
E810–E819	8	4	.	.	.	.	.	.	.	1	2	.	.	1	.	.	4	.	.	.	.	.	1	.	2	.	.	.	.	1	.
E880–E888	6	6	.	.	.	.	.	.	.	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
E800–E949	2	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	7	5	.	.	.	.	.	.	.	1	1	3	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Ballymoney: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	216	90	.	1	.	1	.	.	3	2	1	5	13	21	29	15	126	1	.	.	1	1	1	.	.	6	5	14	25	44	29
001–139	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
151	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
153	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.
154	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
162	13	9	.	.	.	.	.	.	.	.	.	.	2	4	2	1	4	.	.	.	.	.	.	.	.	.	.	.	4	.	.
174	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	1	1	2	3	.	.
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
183	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
185	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem.																															
140–208	14	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.	9	.	.	.	.	.	.	.	.	1	.	.	3	5	.
210–239	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
250	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
240–279	2	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
290–319	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
340	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Rem.																															
320–389	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402, 404	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	46	17	.	.	.	.	.	.	.	.	.	2	2	5	5	3	29	.	.	.	.	.	.	.	.	1	1	.	8	11	8
411–414	14	8	.	.	.	.	.	.	.	.	.	.	3	2	1	2	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2
428	8	4	.	.	.	.	.	.	.	.	.	1	.	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3
Rem.																															
415–429	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1
430–438	16	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	13	.	.	.	.	.	.	.	.	1	.	1	2	4	5
440	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rem.																															
440–459	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
480–486	28	13	.	.	.	.	.	.	.	.	.	.	.	2	5	6	15	.	.	.	.	.	.	.	.	.	.	2	2	5	6
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Rem.																															
460–519	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
531–533	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
571	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem.																															
520–579	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
580–629	6	5	.	.	.	.	.	.	.	.	.	1	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	8	6	.	.	.	.	.	.	2	2	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
E810–E819	5	5	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
E800–E949	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
E950–E959	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Carrickfergus: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	332	151	2	.	.	2	.	.	4	1	2	9	18	50	43	22	181	.	1	1	2	1	.	.	1	3	5	21	38	67	43
001–139	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
151	4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
153	5	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
154	4	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	1	.	1	2	
162	21	11	.	.	.	.	.	.	.	.	.	1	2	3	5	.	10	.	.	.	.	.	.	.	.	1	.	1	4	3	1
174	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13	.	.	.	.	.	.	.	.	1	2	2	2	6	.
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
183	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.
185	3	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
140–208	20	11	.	.	.	.	.	.	.	.	.	1	1	3	5	1	9	.	.	.	.	1	.	.	.	.	.	2	3	2	1
210–239	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
340 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
320–389	9	4	.	.	.	.	.	.	.	1	.	.	.	1	.	2	5	.	.	.	.	.	.	.	.	1	.	.	.	3	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
402, 404	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	79	42	.	.	.	.	.	.	.	.	1	3	6	13	13	6	37	.	.	.	.	.	.	.	.	.	.	3	8	17	9
411–414	16	8	.	.	.	.	.	.	.	.	.	2	.	3	2	1	8	.	.	.	.	.	.	.	.	.	.	1	3	3	1
428 Rem.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
415–429	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
430–438	38	10	.	.	.	.	.	.	.	.	.	.	1	6	1	2	28	.	.	.	.	.	.	.	.	.	.	3	5	10	10
440 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
440–459	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
480–486	41	19	.	.	.	.	.	.	.	.	.	.	1	6	6	6	22	.	.	.	.	.	.	.	.	.	.	.	2	10	10
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493 Rem.	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
460–519	15	9	1	.	.	1	.	.	.	.	.	.	.	5	3	.	6	.	.	1	1	.	.	.	.	.	1	.	3	1	.
531–533	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
571 Rem.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
520–579	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
580–629	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
741, 742-3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.
760–779	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
800–999	14	10	.	.	.	.	.	.	4	.	1	.	2	.	2	1	4	.	.	.	.	.	.	.	1	.	.	1	1	1	.
E810–E819	6	4	.	.	.	.	.	.	2	.	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
E880–E888 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E800–E949	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	5	4	.	.	.	.	.	.	2	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Coleraine: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		Aged															Aged												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	516	244	5	2	.	7	.	2	3	2	4	14	27	60	91	34	272	2	.	1	3	1	.	.	2	5	14	15	60	97	75
001–139	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
151	8	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5	.	.	.	.	.	.	.	.	.	.	1	3	1	.
153	13	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	10	.	.	.	.	.	.	.	.	1	.	.	2	5	2
154	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
157	7	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.
162	28	20	.	.	.	.	.	.	.	.	1	2	4	6	6	1	8	.	.	.	.	.	.	.	.	.	2	2	2	2	.
174	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	.	.	2	3	1	2	1
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
185	7	7	.	.	.	.	.	.	.	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
140–208	38	20	.	.	.	.	.	.	.	.	1	1	3	6	7	2	18	.	.	.	.	.	.	.	.	.	1	1	8	5	3
210–239	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
250	5	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.
240–279 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1
340	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.
320–389 Rem.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.	.	.	.	1	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
410	109	54	.	.	.	.	.	.	.	.	1	1	8	18	21	5	55	.	.	.	.	.	.	.	.	.	1	2	16	24	12
411–414	30	9	.	.	.	.	.	.	.	.	.	.	4	2	2	1	21	.	.	.	.	.	.	.	.	.	.	1	7	8	5
428	6	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
415–429 Rem.	14	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1	9	.	.	.	.	.	.	.	.	1	1	.	.	4	3
430–438	71	28	.	.	.	.	.	.	1	.	.	1	1	7	11	7	43	.	.	.	.	.	.	.	.	.	1	2	9	14	17
440 Rem.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
440–459	8	5	.	.	.	.	.	.	.	.	.	.	.	1	3	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
480–486	58	28	.	.	.	.	.	.	.	.	.	.	.	2	17	9	30	.	.	.	.	.	.	.	.	1	.	.	3	11	15
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
460–519	17	11	.	.	.	.	.	.	.	.	.	.	.	6	4	1	6	.	.	.	.	.	.	.	.	.	.	.	1	2	3
531–533	4	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
571 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
520–579	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
580–629	13	5	.	.	.	.	.	.	.	.	.	.	.	3	1	1	8	.	.	.	.	.	.	.	.	.	.	1	1	3	3
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
740–759	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	8	6	4	2	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.
780–799	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.
800–999	21	16	.	.	.	.	.	2	1	2	1	3	3	1	2	1	5	.	.	.	.	.	.	.	1	.	1	.	.	2	1
E810–E819	7	6	.	.	.	.	.	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E880–E888 Rem.	7	5	.	.	.	.	.	.	.	.	.	1	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
E800–E949	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
E950–E959	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
E960–E969	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Cookstown: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	234	128	1	.	.	1	.	.	1	4	4	11	16	32	44	15	106	1	1	.	2	.	1	.	1	4	2	7	24	35	30
001–139	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.
151	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	1
153	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.	.	.	.	.	1	.	3	.	1
154	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
157	5	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.
162	11	10	.	.	.	.	.	.	.	.	.	1	2	3	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
174	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	1
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
183	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
185	4	4	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
140–208	12	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	9	.	.	.	.	.	.	.	.	.	.	1	3	2	3
210–239	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
340	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Rem.																														
320–389	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
410	65	43	.	.	.	.	.	.	.	1	.	5	6	11	13	7	22	.	.	.	.	.	.	.	.	.	.	.	7	11	4
411–414	11	7	.	.	.	.	.	.	.	.	.	.	1	5	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
428	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
415–429	6	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
430–438	25	12	.	.	.	.	.	.	.	.	.	.	1	3	6	2	13	.	.	.	.	.	.	.	.	.	.	2	3	3	5
440	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Rem.																														
440–459	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	.	2	2
480–486	18	12	.	.	.	.	.	.	.	.	.	1	.	2	6	3	6	.	.	.	.	.	.	.	.	1	.	.	.	2	3
487	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
490–493	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Rem.																														
460–519	11	7	.	.	.	.	.	.	.	.	.	.	1	2	3	1	4	.	1	.	1	.	.	.	.	.	.	1	1	.	1
531–533	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
571	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
520–579	6	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
580–629	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Rem.																														
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	12	10	.	.	.	.	.	.	1	3	4	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
E810–E819	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
E880–E888	4	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Rem.																														
E800–E949	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	2	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	3	3	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Larne: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	272	152	1	.	.	1	1	.	.	4	1	6	21	44	50	24	120	1	.	1	2	.	.	1	1	2	3	11	24	43	33
001–139	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
153	6	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
154	6	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
157	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
162	16	12	.	.	.	.	.	.	.	.	.	1	3	5	1	2	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.
174	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	1	1	1	1	.	1
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
183	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
185	4	4	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Rem.																														
140–208	25	17	.	.	.	.	.	.	.	.	.	1	3	3	9	1	8	.	.	.	.	.	.	.	.	1	.	.	3	4	.
210–239	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
320–389	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	56	29	.	.	.	.	.	.	.	.	.	1	5	12	7	4	27	.	.	.	.	.	.	.	.	.	.	3	7	9	8
411–414	29	18	.	.	.	.	.	.	.	.	.	1	1	4	9	3	11	.	.	.	.	.	.	.	.	.	1	.	1	2	7
428	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Rem.																														
415–429	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
430–438	23	8	.	.	.	.	.	.	.	.	.	.	1	1	6	.	15	.	.	.	.	.	.	.	.	.	.	.	2	7	6
440	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Rem.																														
440–459	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480–486	31	20	.	.	.	.	.	.	.	.	.	.	3	2	9	6	11	.	.	.	.	.	.	.	.	.	.	.	1	7	3
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493	9	5	.	.	.	.	.	.	.	.	.	1	.	2	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.
Rem.																														
460–519	9	7	.	.	.	.	.	.	.	.	.	.	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
531–533	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
571	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
520–579	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	1	.	1	2
580–629	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Rem.																														
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	10	8	.	.	.	.	.	.	.	4	1	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
E810–E819	5	5	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Rem.																														
E800–E949	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Magherafelt: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	276	148	3	1	.	4	1	1	3	.	4	9	24	40	41	21	128	.	2	.	2	1	.	.	.	1	7	14	22	41	40
001–139	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	4	4	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
153	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
154	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
157	5	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
162	4	4	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
174	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.
185	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	19	10	.	.	.	.	.	.	.	.	.	.	4	2	3	1	9	.	.	.	.	.	.	.	.	.	1	2	1	1	3	1
210–239	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
290–319	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
340 Rem.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
320–389	4	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	72	48	.	.	.	.	.	.	.	.	.	3	8	17	17	3	24	.	.	.	.	.	.	.	.	.	.	.	.	6	11	7
411–414	8	5	.	.	.	.	.	.	.	.	.	.	1	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
428	6	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Rem.																															
415–429	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
430–438	42	16	.	.	.	.	.	1	.	.	.	.	2	6	5	2	26	.	.	.	.	.	.	.	.	.	.	1	3	3	8	11
440 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
440–459	5	4	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
480–486	38	20	.	.	.	.	.	.	.	.	2	2	.	3	6	7	18	.	.	.	.	1	.	.	.	.	.	1	1	1	7	7
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493 Rem.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
460–519	9	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	6	.	1	.	1	.	.	.	.	.	.	.	1	1	1	2
531–533	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
571 Rem.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
520–579	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
580–629	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	3	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
760–779	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
800–999	15	11	.	.	.	.	1	.	3	.	2	2	2	1	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
E810–E819	5	5	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888 Rem.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
E800–E949	5	3	.	.	.	.	1	.	.	.	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
E950–E959	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Moyle: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		Aged															Aged													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	166	87	.	.	.	.	.	.	3	1	2	4	14	25	25	13	79	.	2	.	2	.	.	1	1	.	5	6	10	38	16
001–139	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
153	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	2	.	2	2	1
154	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
162	7	5	.	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
174	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
185	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
140–208	10	7	.	.	.	.	.	.	.	.	.	.	2	3	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1
210–239	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	2	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402. 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401. 403. 405	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	32	19	.	.	.	.	.	.	.	.	.	.	6	4	7	2	13	.	.	.	.	.	.	.	.	.	1	2	1	8	1
411–414	13	6	.	.	.	.	.	.	.	.	.	1	.	2	1	2	7	.	.	.	.	.	.	.	.	.	.	.	.	6	1
428 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
415–429	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
430–438	26	13	.	.	.	.	.	.	.	.	.	.	1	4	4	4	13	.	.	.	.	.	.	.	.	.	.	1	1	6	5
440 Rem.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
440–459	5	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
480–486	14	5	.	.	.	.	.	.	.	.	.	2	.	.	1	2	9	.	.	.	.	.	.	.	.	.	.	.	2	4	3
487	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
490–493 Rem.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
460–519	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	2	.	2	.	.	.	.	.	.	.	.	2	.
531–533	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
571 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
520–579	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
580–629	4	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
741. 742-3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	7	6	.	.	.	.	.	.	1	1	1	1	1	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
E810–E819	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E880–E888 Rem.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E800–E949	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	2	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Newtownabbey: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		Aged															Aged													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	594	305	1	2	.	3	.	3	9	6	6	14	46	89	100	29	289	2	1	.	3	1	.	1	3	4	20	35	63	93	66
001–139	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	8	7	.	.	.	.	.	.	.	.	.	.	3	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
153	14	6	.	.	.	.	.	.	.	.	.	1	2	1	2	.	8	.	.	.	.	.	.	.	.	.	1	.	2	4	1
154	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
157	6	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
162	33	20	.	.	.	.	.	.	.	.	.	3	2	9	5	1	13	.	.	.	.	.	.	.	1	.	2	1	6	3	.
174	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15	.	.	.	.	.	.	.	.	1	3	6	.	1	4
180	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	1	1	.	1	1	.
183	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
185	12	12	.	.	.	.	.	.	.	.	.	.	.	3	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	49	19	.	.	.	.	.	.	2	.	.	2	1	9	3	2	30	.	.	.	.	.	.	.	.	1	1	8	8	9	3
210–239	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
240–279 Rem.	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	9	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	6	.	1	.	1	1	.	.	.	.	1	.	2	1	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
402, 404	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
401, 403, 405	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.
410	137	82	1	.	.	1	.	.	.	.	.	3	17	30	27	4	55	.	.	.	.	.	.	.	.	.	1	5	17	21	11
411–414	42	20	.	.	.	.	.	.	.	1	1	1	2	7	7	1	22	.	.	.	.	.	.	.	.	.	3	1	5	9	4
428 Rem.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7	.	.	.	.	.	.	.	.	.	.	.	1	4	2
415–429	11	6	.	.	.	.	.	1	.	.	1	1	.	2	1	.	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1
430–438	48	16	.	.	.	.	.	.	.	.	.	.	3	3	6	4	32	.	.	.	.	.	.	.	.	.	1	4	5	10	12
440 Rem.	6	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2
440–459	11	7	.	.	.	.	.	.	.	.	.	1	.	2	3	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2
480–486	71	32	.	.	.	.	.	.	.	1	.	1	3	4	15	8	39	.	.	.	.	.	.	.	.	.	.	2	4	14	19
487	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493 Rem.	14	9	.	.	.	.	.	.	.	.	.	.	2	4	2	1	5	.	.	.	.	.	.	.	1	.	.	2	.	2	.
460–519	22	16	.	.	.	.	.	.	.	.	.	.	.	6	9	1	6	.	.	.	.	.	.	.	.	.	.	1	1	3	1
531–533	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
571 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
520–579	6	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
580–629	5	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.
760–779	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	2	2	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	32	21	.	.	.	.	.	2	6	3	4	.	3	1	2	.	11	.	.	.	.	.	.	1	1	1	3	1	2	1	1
E810–E819	9	6	.	.	.	.	.	2	3	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.
E880–E888 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
E800–E949	8	4	.	.	.	.	.	.	2	1	1	.	.	.	.	.	4	.	.	.	.	.	.	.	1	.	1	.	1	1	.
E950–E959	13	10	.	.	.	.	.	.	1	1	3	.	3	1	1	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Armagh: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	515	243	.	.	.	.	.	1	7	3	7	9	44	64	77	31	272	3	2	1	6	1	.	1	5	2	4	30	43	96	84
001–139	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
151	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
153	9	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	7	.	.	.	.	.	.	.	.	.	.	1	2	2	2
154	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	3	.	1	.
157	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.
162	20	15	.	.	.	.	.	.	.	.	.	.	2	8	5	.	5	.	.	.	.	.	.	.	1	.	.	2	1	.	1
174	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	.	.	2	2	2	1	2
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
183	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	1	2	2	1	.
185	7	7	.	.	.	.	.	.	.	.	.	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	4	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	22	5	.	.	.	.	.	.	.	.	.	1	2	2	.	.	17	.	.	.	.	.	.	.	.	.	.	4	4	4	5
210–239	4	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
290–319	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
340 Rem.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	6	4	.	.	.	.	.	.	1	1	1	.	.	.	1	.	2	.	.	1	1	.	.	.	.	.	.	1	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	123	72	.	.	.	.	.	.	.	.	1	2	18	19	25	7	51	.	.	.	.	.	.	.	.	.	.	4	9	23	15
411–414	34	17	.	.	.	.	.	.	.	.	.	1	6	6	3	1	17	.	.	.	.	.	.	.	.	.	.	1	3	6	7
428 Rem.	14	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1	10	.	.	.	.	.	.	.	.	.	.	.	1	4	5
415–429	15	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	11	.	.	.	.	.	.	.	.	.	.	1	.	4	6
430–438	61	28	.	.	.	.	.	.	.	.	1	1	4	10	10	2	33	.	.	.	.	.	.	.	1	.	.	2	5	16	9
440 Rem.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
440–459	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
480–486	56	21	.	.	.	.	.	.	.	.	.	.	1	2	9	9	35	.	.	.	.	.	.	.	.	.	.	1	2	12	20
487	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
490–493 Rem.	8	5	.	.	.	.	.	.	.	.	.	.	1	1	1	2	3	.	.	.	.	.	.	.	1	.	.	1	.	1	.
460–519	29	14	.	.	.	.	.	.	.	.	.	.	1	5	6	2	15	.	.	.	.	1	.	.	.	1	.	.	5	6	2
531–533	3	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571 Rem.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
520–579	8	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	6	.	.	.	.	.	.	.	1	.	.	.	.	4	1
580–629	9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	7	.	.	.	.	.	.	.	.	.	.	1	1	4	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	1	.	3	.	.	.	.	.	.	.	.	.	.
740–759	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.
760–779	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	23	16	.	.	.	.	.	1	4	.	2	2	5	.	2	.	7	.	.	.	.	.	.	.	.	1	.	2	2	.	2
E810–E819	7	6	.	.	.	.	.	.	4	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
E880–E888 Rem.	5	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
E800–E949	5	3	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
E950–E959	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
E960–E969	4	4	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Banbridge: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	321	177	2	.	.	2	.	1	3	3	3	14	19	50	61	21	144	1	.	.	1	2	.	.	.	3	3	10	30	54	41
001–139	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	11	8	.	.	.	.	.	.	.	.	.	.	1	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
153	7	5	.	.	.	.	.	.	.	1	.	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
154	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
162	13	9	.	.	.	.	.	.	.	.	.	2	.	6	1	.	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.
174	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1
185	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	24	13	.	.	.	.	.	.	.	.	.	2	1	6	3	1	11	.	.	.	.	1	.	.	.	1	.	1	4	2	2
210–239	3	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	4	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
240–279	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
280–289	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
290–319	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
320–389	4	4	.	.	.	.	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
410	56	37	.	.	.	.	.	.	.	2	4	9	8	12	2	.	19	.	.	.	.	.	.	.	.	.	.	3	2	10	4
411–414	17	9	.	.	.	.	.	.	.	1	.	2	3	2	1	.	8	.	.	.	.	.	.	.	.	.	.	.	4	3	1
428	12	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	2	3	3
Rem.																															
415–429	6	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1
430–438	33	10	.	.	.	.	.	.	.	.	.	1	2	4	3	.	23	.	.	.	.	.	.	.	.	.	1	.	5	10	7
440	3	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
440–459	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
480–486	61	32	.	.	.	.	.	.	.	.	.	1	2	6	15	8	29	.	.	.	.	.	.	.	.	.	.	.	3	11	15
487	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
490–493	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rem.																															
460–519	11	9	.	.	.	.	.	.	.	.	.	1	.	1	6	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
531–533	5	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2
571	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
520–579	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
580–629	5	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
741, 742·3	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
745–747	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
740–759	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	13	7	.	.	.	.	.	.	1	2	.	1	.	1	2	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	2	2
E810–E819	5	3	.	.	.	.	.	.	1	1	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
E880–E888	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Rem.																															
E800–E949	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	4	3	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Craigavon: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	636	331	4	4	1	9	.	1	4	8	13	25	48	89	106	28	305	1	1	.	2	1	2	2	2	6	13	24	67	101	85
001–139	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
151	9	6	.	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1
153	14	6	.	.	.	.	.	.	.	.	.	1	.	4	1	.	8	.	.	.	.	.	.	.	.	.	.	.	3	3	2
154	5	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
157	11	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.	8	.	.	.	.	.	.	.	.	.	.	1	4	2	1
162	22	18	.	.	.	.	.	.	.	.	.	1	4	6	7	.	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.
174	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16	.	.	.	.	.	.	.	.	.	3	5	2	3	3
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.
183	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	1	.	1	1	.	1	.	.
185	8	8	.	.	.	.	.	.	.	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
140–208	52	26	.	.	.	.	.	.	.	1	1	3	9	6	5	1	26	.	1	.	1	.	.	.	.	1	5	.	6	10	3
210–239	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
250 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
402, 404	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
410	142	82	.	.	.	.	.	.	.	1	5	5	12	26	27	6	60	.	.	.	.	.	.	.	1	1	2	6	13	28	9
411–414	48	30	.	.	.	.	.	.	.	.	1	4	4	14	7	.	18	.	.	.	.	.	.	.	.	.	1	1	3	5	8
428 Rem.	14	6	.	.	.	.	.	.	.	.	.	.	1	1	3	1	8	.	.	.	.	.	.	.	.	.	.	.	1	3	4
415–429	8	6	.	.	.	.	.	.	.	.	.	.	2	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
430–438	64	19	.	.	.	.	.	.	.	1	.	1	1	4	9	3	45	.	.	.	.	.	.	.	.	.	.	3	13	16	13
440 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
440–459	12	8	.	.	.	.	.	.	.	.	.	.	1	3	2	2	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1
480–486	91	40	.	1	.	1	.	.	.	.	1	1	3	5	20	9	51	.	.	.	.	.	.	.	.	.	.	.	9	16	26
487	6	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
490–493 Rem.	7	4	.	.	.	.	.	.	.	.	1	1	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1
460–519	19	12	.	.	.	.	.	.	.	1	.	1	3	2	5	.	7	.	.	.	.	.	.	.	.	.	.	1	3	1	2
531–533	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
571 Rem.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
520–579	6	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
580–629	11	8	1	.	.	1	.	.	.	.	.	.	.	.	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	5	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	1
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	4	3	1	1	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
740–759	3	3	.	2	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	2	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	25	16	.	.	.	.	.	.	3	4	2	3	3	.	1	.	9	.	.	.	.	1	2	1	.	2	.	.	.	1	2
E810–E819	8	5	.	.	.	.	.	.	2	.	1	2	.	.	.	.	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.
E880–E888 Rem.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2
E800–E949	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	1	1	.	.	1	.	.	.	.	.
E950–E959	8	8	.	.	.	.	.	.	1	4	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Dungannon: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	430	241	2	1	1	4	.	.	4	6	1	19	29	66	78	34	189	1	.	.	1	1	1	.	1	4	5	18	45	62	51
001–139	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	9	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.	5	.	.	.	.	.	.	.	1	.	.	.	4	.	.
153	9	8	.	.	.	.	.	.	.	.	.	1	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
154	5	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
157	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
162	12	10	.	.	.	.	.	.	.	.	.	1	2	1	5	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
174	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	.	.	.	.	.	.	.	.	1	.	3	2	1	1
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
185	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	3	3	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	31	15	.	.	.	.	.	.	.	1	.	1	4	2	6	1	16	.	.	.	.	.	.	.	.	.	2	2	7	4	1
210–239	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
250 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
320–389	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
402, 404	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
410	90	57	.	.	.	.	.	.	.	.	.	6	7	24	14	6	33	.	.	.	.	.	.	.	.	.	.	4	7	17	5
411–414	29	14	.	.	.	.	.	.	.	.	.	1	3	4	3	3	15	.	.	.	.	.	.	.	.	.	.	2	2	5	6
428 Rem.	8	6	.	.	.	.	.	.	.	.	.	.	.	3	2	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1
415–429	17	6	.	.	.	.	.	.	.	.	.	.	.	1	1	4	11	.	.	.	.	.	.	.	.	.	.	.	2	4	5
430–438	49	25	.	.	.	.	.	.	.	.	.	2	2	6	12	3	24	.	.	.	.	.	.	.	.	.	.	1	5	10	8
440 Rem.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
440–459	9	4	.	.	.	.	.	.	.	.	.	.	2	1	1	.	5	.	.	.	.	.	.	.	.	.	.	.	2	1	2
480–486	35	15	.	.	.	.	.	.	.	.	.	.	.	3	8	4	20	.	.	.	.	.	.	.	.	.	.	.	1	10	9
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493 Rem.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
460–519	39	28	1	1	.	2	.	.	.	.	.	3	1	9	12	1	11	.	.	.	.	.	.	.	.	.	.	3	5	2	1
531–533	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
520–579	6	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2
580–629	10	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	3	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
740–759	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	24	18	.	.	.	.	.	.	2	5	1	1	3	2	1	3	6	.	.	.	.	.	1	.	.	.	3	.	.	1	1
E810–E819	9	5	.	.	.	.	.	.	1	1	1	1	1	.	.	.	4	.	.	.	.	.	.	.	.	.	3	.	.	1	.
E880–E888 Rem.	6	5	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
E800–E949	4	4	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	2	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
E970–E999	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Newry & Mourne: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	749	379	4	.	.	4	2	2	9	10	8	17	44	124	115	44	370	3	1	.	4	2	2	4	5	5	10	40	83	121	94
001–139	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
151	14	10	.	.	.	.	.	.	.	.	1	2	2	2	2	1	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.
153	12	5	.	.	.	.	.	.	.	.	1	.	.	1	2	1	7	.	.	.	.	.	.	.	.	.	.	2	2	1	2
154	11	6	.	.	.	.	.	.	.	.	.	.	2	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	3	.	2
157	7	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.
162	32	24	.	.	.	.	.	.	.	.	.	2	5	11	5	1	8	.	.	.	.	.	.	.	.	.	.	4	2	2	.
174	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18	.	.	.	.	.	.	.	1	1	1	6	3	4	2
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	1	2	.	2	1	.
185	6	6	.	.	.	.	.	.	.	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	56	29	.	.	.	.	1	.	.	2	1	3	4	6	10	2	27	.	1	.	1	1	.	.	1	1	.	5	7	4	7
210–239	9	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	5	.	.	.	.	.	.	.	.	.	1	.	1	3	.
250 Rem.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	.	.	1	.	.	1
280–289	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
290–319	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	10	6	.	.	.	.	.	.	.	.	.	1	.	4	.	1	4	.	.	.	.	.	.	1	.	.	.	1	.	2	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
402, 404	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
401, 403, 405	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
410	174	106	.	.	.	.	.	.	.	.	3	3	19	43	30	8	68	.	.	.	.	.	.	.	.	.	.	6	26	23	13
411–414	38	19	.	.	.	.	.	.	.	.	.	.	1	11	7	.	19	.	.	.	.	.	.	.	.	.	1	4	1	7	6
428 Rem.	15	6	.	.	.	.	.	.	.	.	.	.	.	3	1	2	9	.	.	.	.	.	.	.	.	.	1	.	1	3	4
415–429	21	11	.	.	.	.	.	.	.	.	.	.	.	4	6	1	10	.	.	.	.	.	.	.	.	.	.	.	3	4	3
430–438	80	26	.	.	.	.	.	.	.	.	.	.	1	8	9	8	54	.	.	.	.	.	.	1	.	1	1	2	9	26	14
440 Rem.	9	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4
440–459	12	6	.	.	.	.	.	.	.	.	.	1	.	.	2	3	6	.	.	.	.	.	.	.	.	.	.	.	.	5	1
480–486	63	29	.	.	.	.	.	.	.	.	1	.	2	4	11	11	34	.	.	.	.	.	.	.	.	.	.	3	2	13	16
487	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1
490–493 Rem.	11	8	.	.	.	.	.	.	.	.	.	.	1	1	6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
460–519	29	19	.	.	.	.	.	.	.	.	.	.	1	6	11	1	10	.	.	.	.	.	.	.	.	.	.	1	3	3	3
531–533	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
571 Rem.	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.
520–579	15	8	.	.	.	.	.	.	.	.	.	.	3	2	3	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	3
580–629	15	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	13	.	.	.	.	.	.	.	.	.	.	.	3	5	5
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
740–759	3	2	1	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
760–779	5	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	3	3	.	.	3	.	.	.	.	.	.	.	.	.	.
780–799	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
800–999	41	25	.	.	.	.	1	2	8	7	1	3	.	2	1	.	16	.	.	.	.	1	1	1	3	1	2	1	1	4	1
E810–E819	13	8	.	.	.	.	.	2	2	3	.	.	.	1	.	.	5	.	.	.	.	1	1	.	2	.	.	1	.	.	.
E880–E888 Rem.	6	3	.	.	.	.	.	.	.	1	.	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
E800–E949	8	5	.	.	.	.	1	.	1	1	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.
E950–E959	11	6	.	.	.	.	.	.	3	2	.	1	.	.	.	.	5	.	.	.	.	.	.	1	1	1	1	.	.	1	.
E960–E969	3	3	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Fermanagh: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	588	334	3	1	1	5	.	1	12	6	3	12	39	88	123	45	254	.	1	1	2	.	.	3	3	5	5	24	53	94	65
001–139	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
151	4	4	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
153	15	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.	10	.	.	.	.	.	.	.	.	.	.	1	3	4	2
154	9	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	5	.	.	.	.	.	.	.	.	.	.	1	3	1	.
157	6	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.
162	20	15	.	.	.	.	.	.	.	.	.	1	2	4	8	.	5	.	.	.	.	.	.	.	.	1	1	1	1	1	.
174	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	2	.	2	1	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
185	15	15	.	.	.	.	.	.	.	.	.	.	.	7	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
140–208	37	21	.	.	.	.	.	.	.	1	1	1	6	5	4	3	16	.	.	.	.	.	.	.	1	.	.	4	1	6	4
210–239	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
240–279	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
280–289	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
290–319	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
320–389	3	2	.	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.
402, 404	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
401, 403, 405	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
410	134	82	.	.	.	.	.	.	.	.	7	14	28	24	9	52	.	.	.	.	.	.	.	.	.	.	.	5	17	18	12
411–414	29	17	.	.	.	.	.	.	.	1	2	1	6	3	4	12	.	.	.	.	.	.	.	.	.	.	.	.	3	6	3
428	22	13	.	.	.	.	.	.	.	.	.	2	3	6	2	9	.	.	.	.	.	.	.	.	.	.	.	1	3	3	2
Rem.																															
415–429	17	8	.	.	.	.	.	.	.	.	.	.	3	4	1	9	.	.	.	.	.	.	.	.	.	.	.	1	1	2	5
430–438	53	23	.	.	.	.	.	.	1	.	.	2	7	11	2	30	.	.	.	.	.	.	.	.	.	.	.	3	6	13	8
440	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Rem.																															
440–459	13	7	.	.	.	.	.	.	.	.	.	.	3	4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3
480–486	72	37	.	.	.	.	.	.	.	.	.	.	7	19	11	35	.	.	.	.	.	.	.	.	.	.	.	.	4	15	16
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493	4	3	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rem.																															
460–519	45	29	.	1	.	1	.	.	.	.	.	.	2	8	16	2	16	.	1	.	1	.	.	.	.	.	.	2	4	6	3
531–533	4	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
520–579	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	1	.	3	1
580–629	12	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1	8	.	.	.	.	.	.	.	.	.	.	.	.	5	3
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
740–759	3	3	2	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
800–999	32	22	.	.	.	.	.	1	10	4	1	1	1	1	2	1	10	.	.	.	.	.	.	3	2	1	.	1	1	2	.
E810–E819	15	11	.	.	.	.	.	1	7	1	1	.	.	.	1	.	4	.	.	.	.	.	.	1	1	.	.	1	.	1	.
E880–E888	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Rem.																															
E800–E949	3	3	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	7	4	.	.	.	.	.	.	.	2	.	.	1	.	1	.	3	.	.	.	.	.	.	1	1	.	.	.	1	.	.
E960–E969	4	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Limavady: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		Aged															Aged													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	218	109	.	1	.	1	1	2	1	4	5	4	9	30	37	15	109	.	1	.	1	.	.	4	.	3	3	14	24	30	30
001–139	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
151	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
153	6	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.
154	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	5	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	2
162	7	5	.	.	.	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
174	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
180	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
183	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
185	3	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	21	10	.	.	.	.	.	.	.	.	.	1	.	4	3	2	11	.	.	.	.	.	.	.	.	.	.	1	5	3	2
210–239	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Rem.																														
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
290–319	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
320–389	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	36	20	.	.	.	.	.	.	.	.	1	.	3	7	8	1	16	.	.	.	.	.	.	.	.	.	.	3	7	4	2
411–414	20	11	.	.	.	.	.	.	.	.	2	.	2	1	5	1	9	.	.	.	.	.	.	.	.	.	.	1	2	3	3
428	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rem.																														
415–429	10	5	.	.	.	.	.	.	.	.	.	.	.	1	4	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	3
430–438	27	9	.	.	.	.	.	.	.	.	1	.	.	2	4	2	18	.	.	.	.	.	.	1	.	.	.	2	2	7	6
440	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rem.																														
440–459	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480–486	22	8	.	.	.	.	.	.	.	.	.	.	.	2	2	4	14	.	.	.	.	.	.	.	.	.	.	.	.	4	10
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Rem.																														
460–519	13	7	.	.	.	.	.	.	.	.	.	.	1	1	3	2	6	.	1	.	1	.	.	.	.	.	.	2	.	3	.
531–533	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Rem.																														
520–579	5	4	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
580–629	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																														
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
800–999	11	8	.	.	.	.	1	.	1	4	1	.	1	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.
E810–E819	6	3	.	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.
E880–E888 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E800–E949	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E950–E959	3	3	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Derry: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES												
		AGED															AGED												
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	780	368	8	4	.	12	3	3	10	12	23	27	50	117	84	27	412	6	4	1	11	.	2	1	4	12	21	50	81	130	100
001–139	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
151	5	4	.	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
153	9	5	.	.	.	.	.	.	.	.	.	2	.	1	2	.	4	.	.	.	.	.	.	.	.	.	.	1	2	1	.
154	6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	4	.	.	.	.	.	.	.	.	1	.	2	.	1	.
157	6	4	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
162	56	38	.	.	.	.	.	.	.	.	1	1	6	21	9	.	18	.	.	.	.	.	.	.	.	.	1	3	7	5	2
174	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	20	.	.	.	.	.	.	.	1	4	3	5	1	3	3
180	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	1	1	.	.	2	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
185	3	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	5	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Rem.																														
140–208	52	22	.	.	.	.	.	1	.	1	1	2	4	8	4	1	30	.	.	.	.	.	.	.	.	2	4	5	5	10	4
210–239	4	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Rem.																														
240–279	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	8	7	.	.	.	.	.	.	.	2	2	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
340	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Rem.																														
320–389	12	6	.	1	.	1	.	.	.	.	3	.	.	1	1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	4	1
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.
402, 404	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	..	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
401, 403, 405	5	4	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
410	158	78	.	.	.	.	.	.	.	.	2	4	15	37	17	3	80	.	.	.	.	.	.	.	.	.	4	9	23	25	19
411–414	51	28	.	.	.	.	.	.	.	.	4	1	4	10	7	2	23	.	.	.	.	.	.	.	.	.	1	2	5	7	8
428	21	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	18	.	.	.	.	.	.	.	.	.	.	.	1	4	13
Rem.																														
415–429	24	13	.	.	.	.	1	.	.	.	3	2	2	4	1	.	11	.	.	.	.	.	.	.	.	.	2	2	1	5	1
430–438	66	22	.	.	.	.	.	.	.	.	.	1	3	8	5	5	44	.	.	.	.	.	.	.	.	1	1	1	5	22	14
440	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Rem.																														
440–459	13	5	.	.	.	.	.	.	.	.	.	.	2	1	1	1	8	.	.	.	.	.	.	.	.	.	2	1	4	1	
480–486	75	28	.	.	.	.	.	.	.	.	.	1	.	7	14	6	47	1	1	1	3	.	.	.	.	.	1	7	14	22	
487	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	
490–493	14	5	.	.	.	.	.	.	.	.	.	2	1	1	1	.	9	.	.	.	.	.	.	.	.	.	5	4	.	.	
Rem.																														
460–519	38	18	.	.	.	.	.	.	.	.	.	.	1	6	7	4	20	.	3	.	3	.	.	.	.	.	3	5	6	3	
531–533	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	1	2	1	.	
571	5	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	2	.	1	.	
Rem.																														
520–579	15	8	.	.	.	.	.	.	.	.	.	.	.	3	1	4	7	.	.	.	.	.	.	.	.	.	.	2	2	3	
580–629	10	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7	.	.	.	.	.	.	.	.	.	1	.	5	1	
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
680–739	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
745–747	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rem.																														
740–759	3	3	.	1	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
760–779	11	7	7	.	.	7	.	.	.	.	.	.	.	.	.	.	4	4	.	.	4	.	.	.	.	.	.	.	.	.	
780–799	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
800–999	51	36	.	.	.	.	1	2	9	9	4	3	4	1	3	.	15	1	.	.	1	.	2	1	3	2	.	1	1	3	1
E810–E819	18	12	.	.	.	.	1	2	3	2	1	2	.	.	1	.	6	.	.	.	.	.	2	.	2	.	.	1	.	1	.
E880–E888	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1
Rem.																														
E800–E949	7	4	.	.	.	.	.	.	.	1	1	.	1	.	1	.	3	1	.	.	1	.	.	.	1	.	1	.	.	.	.
E950–E959	10	10	.	.	.	.	.	.	3	4	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	8	8	.	.	.	.	.	.	3	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.

ABSTRACT 25. Omagh: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES														
		Aged															Aged														
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	436	245	4	1	.	5	1	.	4	4	6	11	30	59	81	44	191	2	.	.	2	.	.	2	2	3	10	18	44	61	49
001–139	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
151	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
153	10	6	.	.	.	.	.	.	.	.	.	1	1	1	3	.	4	.	.	.	.	.	.	.	.	.	.	.	4	.	.
154	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
157	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
162	16	10	.	.	.	.	.	.	.	.	.	.	2	5	3	.	6	.	.	.	.	.	.	.	.	.	.	2	1	1	2
174	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	12	.	.	.	.	.	.	.	.	2	2	5	2	1	.
180	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
185	7	7	.	.	.	.	.	.	.	.	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Rem.																															
140–208	23	14	.	.	.	.	.	.	.	.	1	.	4	4	3	2	9	.	.	.	.	.	.	.	.	.	.	1	6	2	.
210–239	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
250	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
240–279	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
280–289	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
290–319	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem.																															
320–389	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
402, 404	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	94	59	.	.	.	.	.	.	.	.	.	3	13	18	20	5	35	.	.	.	.	.	.	.	.	.	2	2	12	10	9
411–414	21	13	.	.	.	.	.	.	.	1	2	1	.	2	5	2	8	.	.	.	.	.	.	.	.	.	.	2	3	2	1
428	11	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	7	.	.	.	.	.	.	.	.	.	.	1	.	4	2
Rem.																															
415–429	9	5	.	.	.	.	.	.	.	.	.	.	.	3	2	.	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.
430–438	48	24	.	.	.	.	.	.	.	.	.	.	2	9	10	3	24	.	.	.	.	.	.	.	.	1	1	.	3	10	9
440	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Rem.																															
440–459	11	7	.	.	.	.	.	.	.	.	.	.	.	3	3	1	4	.	.	.	.	.	.	.	.	.	1	.	.	3	.
480–486	63	28	.	.	.	.	.	.	.	.	.	.	1	6	8	13	35	.	.	.	.	.	.	.	.	.	.	1	2	14	18
487	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
490–493	6	5	.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Rem.																															
460–519	20	16	.	1	.	1	.	.	.	.	.	.	.	2	9	4	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.
531–533	4	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
571	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Rem.																															
520–579	7	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.	.	.	.	1	.	.	.	1	.	2
580–629	9	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	6	.	.	.	.	.	.	.	.	.	.	.	1	3	2
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Rem.																															
740–759	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
760–779	3	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	26	19	.	.	.	.	.	.	4	3	3	3	3	2	.	1	7	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1
E810–E819	7	6	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
E880–E888	8	5	.	.	.	.	.	.	.	1	1	1	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Rem.																															
E800–E949	7	5	.	.	.	.	.	.	2	.	2	1	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.
E950–E959	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
E960–E969	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 25. Strabane: Causes of death at different age-periods, by sex, 1990.

Detailed list number	Total M. and F.	MALES															FEMALES													
		AGED															AGED													
		All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	All ages	Under 4 wks.	1–5 mths.	6–11 mths.	Total under 1 yr.	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	336	170	.	.	.	.	.	.	3	5	4	9	34	51	45	19	166	1	.	.	1	.	.	1	3	3	6	14	37	57	44
001–139	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
151	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
153	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
154	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
157	6	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.
162	8	7	.	.	.	.	.	.	.	.	.	1	2	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
174	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.
180	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
183	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
185	5	5	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
204–208 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
140–208	27	11	.	.	.	.	.	.	1	2	.	.	2	3	3	.	16	.	.	.	.	.	.	.	.	1	.	2	6	7	.
210–239	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.
250 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
240–279	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
280–289	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
290–319	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
340 Rem.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–389	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	1	2	.	.	.	.	.	.
390–392	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
393–398	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
402, 404	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
401, 403, 405	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
410	95	54	.	.	.	.	.	.	.	1	3	14	18	15	3	.	41	.	.	.	.	.	.	.	.	.	1	3	8	18	11
411–414	20	12	.	.	.	.	.	.	.	.	1	3	5	2	1	.	8	.	.	.	.	.	.	.	.	.	1	1	4	1	1
428 Rem.	9	7	.	.	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
415–429	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
430–438	31	8	.	.	.	.	.	.	.	.	.	1	2	4	1	.	23	.	.	.	.	.	.	.	.	.	.	.	3	10	10
440 Rem.	8	5	.	.	.	.	.	.	.	.	.	.	.	3	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
440–459	13	8	.	.	.	.	.	.	.	.	.	.	2	4	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	2	3
480–486	20	7	.	.	.	.	.	.	.	.	.	1	.	1	1	4	13	.	.	.	.	.	.	.	.	.	.	.	1	3	9
487	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1
490–493 Rem.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1
460–519	10	8	.	.	.	.	.	.	.	.	.	.	4	2	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
531–533	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
571 Rem.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
520–579	12	5	.	.	.	.	.	.	.	.	.	1	.	2	2	.	7	.	.	.	.	.	.	.	.	.	.	.	2	3	2
580–629	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1
630–676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
680–739	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
741, 742·3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745–747 Rem.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.
740–759	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760–779	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
780–799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
800–999	20	13	.	.	.	.	.	.	2	3	3	.	3	.	2	.	7	.	.	.	.	.	.	.	1	.	2	1	1	1	1
E810–E819	4	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.
E880–E888 Rem.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
E800–E949	7	5	.	.	.	.	.	1	.	1	.	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
E950–E959	3	3	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E960–E969	3	3	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E970–E999	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1

ABSTRACT 26. Northern Ireland: Deaths at different age-periods, by District Council Area, 1990.

AREA		TOTAL DEATHS	AGES AT DEATH																							
			Under 1 year	1	2	3	4	Under 5 years	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 and over
Northern Ireland	Persons	15,426	198	19	13	4	6	240	25	27	70	84	95	104	114	192	275	438	651	1,145	1,711	2,072	2,600	2,497	1,817	943	326
	Males	7,648	110	4	7	3	5	129	12	18	54	68	64	74	79	107	172	259	401	665	1,042	1,177	1,329	1,084	614	238	62
	Females	7,778	88	15	6	1	1	111	13	9	16	16	31	30	35	85	103	179	250	480	669	895	1,271	1,413	1,203	705	264
Ards	Persons	614	5	1	.	.	.	6	.	3	1	2	4	4	2	6	12	20	25	45	62	81	124	94	78	35	10
	Males	315	3	.	.	.	.	3	.	2	1	2	3	2	1	.	8	14	15	26	44	49	62	42	31	8	2
	Females	299	2	1	.	.	.	3	.	1	.	.	1	2	1	6	4	6	10	19	18	32	62	52	47	27	8
Belfast	Persons	3,556	42	6	3	.	1	52	9	2	5	17	10	20	25	36	59	105	143	265	412	447	577	634	429	230	79
	Males	1,659	22	2	2	.	1	27	5	.	4	13	9	15	17	23	39	61	94	145	241	246	290	257	117	44	12
	Females	1,897	20	4	1	.	.	25	4	2	1	4	1	5	8	13	20	44	49	120	171	201	287	377	312	186	67
Castlereagh	Persons	657	5	2	.	1	.	8	1	1	.	1	1	2	2	9	9	22	29	49	101	82	109	103	67	42	19
	Males	322	5	.	.	1	.	6	1	1	.	1	1	1	1	3	7	10	23	29	61	51	53	41	18	12	2
	Females	335	.	2	.	.	.	2	.	.	.	.	.	1	1	6	2	12	6	20	40	31	56	62	49	30	17
Down	Persons	654	9	1	.	.	.	10	2	.	1	2	2	2	4	6	5	15	21	54	77	89	107	94	86	61	16
	Males	301	3	.	.	.	.	3	.	.	.	.	1	1	4	4	2	10	10	32	47	50	51	36	26	20	4
	Females	353	6	1	.	.	.	7	2	.	1	2	1	1	.	2	3	5	11	22	30	39	56	58	60	41	12
Lisburn	Persons	746	14	1	1	.	.	16	.	2	3	7	4	9	7	12	12	21	30	68	87	101	130	107	74	43	13
	Males	379	8	1	1	.	.	10	.	1	1	7	1	8	6	8	5	12	18	46	53	51	66	50	20	16	.
	Females	367	6	.	.	.	.	6	.	1	2	.	3	1	1	4	7	9	12	22	34	50	64	57	54	27	13
North Down	Persons	714	8	1	1	.	.	10	.	2	1	1	5	4	5	9	11	18	15	49	68	97	135	126	85	51	22
	Males	331	3	.	.	.	.	3	.	2	1	1	2	4	4	6	7	11	7	32	40	51	64	47	31	15	3
	Females	383	5	1	1	.	.	7	.	.	.	.	3	.	1	3	4	7	8	17	28	46	71	79	54	36	19
Antrim	Persons	362	1	.	.	.	1	2	.	1	4	2	3	2	.	5	8	6	31	33	37	52	56	50	44	22	4
	Males	172	1	.	.	.	1	2	.	1	4	2	2	1	.	4	5	2	18	18	21	33	26	17	14	1	1
	Females	190	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	4	13	15	16	19	30	33	30	21	3
Ballymena	Persons	508	5	.	1	.	.	6	3	.	1	2	7	5	6	4	17	13	19	30	52	66	68	89	74	39	7
	Males	267	4	.	1	.	.	5	.	.	1	1	3	3	5	3	11	8	13	15	39	43	36	45	25	11	.
	Females	241	1	.	.	.	.	1	3	.	.	1	4	2	1	1	6	5	6	15	13	23	32	44	49	28	7
Ballymoney	Persons	216	2	.	1	.	.	3	1	.	1	2	2	.	3	4	3	7	6	21	16	30	41	32	23	11	10
	Males	90	1	.	.	.	.	1	.	.	1	2	2	.	1	.	1	4	2	11	7	14	18	11	9	3	3
	Females	126	1	.	1	.	.	2	1	.	.	.	.	.	2	4	2	3	4	10	9	16	23	21	14	8	7
Carrickfergus	Persons	332	4	.	.	.	1	5	.	.	2	2	1	1	2	3	8	6	11	28	37	51	59	51	39	21	5
	Males	151	2	.	.	.	.	2	.	.	2	2	.	1	1	1	5	4	4	14	21	29	22	21	13	6	3
	Females	181	2	.	.	.	1	3	.	.	.	.	1	.	1	2	3	2	7	14	16	22	37	30	26	15	2
Coleraine	Persons	516	10	.	1	.	.	11	2	.	1	2	1	3	3	6	9	19	17	25	55	65	93	95	63	33	13
	Males	244	7	.	.	.	.	7	2	.	1	2	1	1	2	2	4	10	12	15	30	30	42	49	25	7	2
	Females	272	3	.	1	.	.	4	.	.	.	.	.	2	1	4	5	9	5	10	25	35	51	46	38	26	11
Cookstown	Persons	234	3	.	.	.	.	3	1	.	1	.	3	2	5	3	2	11	7	16	23	33	39	40	24	17	4
	Males	128	1	.	.	.	.	1	.	.	1	.	2	2	3	1	2	9	6	10	10	22	25	19	13	2	.
	Females	106	2	.	.	.	.	2	1	.	.	.	1	.	2	2	.	2	1	6	13	11	14	21	11	15	4

ABSTRACT 26 *(continued).* Northern Ireland: Deaths at different age-periods, by District Council Area, 1990.

AREA		TOTAL DEATHS	AGES AT DEATH																							
			Under 1 year	1	2	3	4	Under 5 years	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 and over
	Persons	272	3	.	1	.	.	4	.	.	.	1	2	3	2	1	2	7	11	21	35	33	52	41	36	17	4
Larne	Males	152	1	.	1	.	.	2	.	.	.	.	2	2	1	.	1	5	8	13	27	17	26	24	16	7	1
	Females	120	2	.	.	.	.	2	.	.	.	1	.	1	1	1	1	2	3	8	8	16	26	17	20	10	3
	Persons	276	6	1	.	.	1	8	.	1	1	2	.	.	1	4	8	8	18	20	25	37	46	36	36	17	8
Magherafelt	Males	148	4	.	.	.	1	5	.	1	1	2	.	.	.	4	5	4	10	14	19	21	23	18	16	3	2
	Females	128	2	1	.	.	.	3	.	.	.	.	.	.	1	.	3	4	8	6	6	16	23	18	20	14	6
	Persons	166	2	.	.	.	.	2	.	.	1	3	2	.	.	2	1	8	10	10	16	19	29	34	16	11	2
Moyle	Males	87	.	.	.	.	.	.	.	.	.	3	1	.	.	2	1	3	7	7	11	14	12	13	9	3	1
	Females	79	2	.	.	.	.	2	.	.	1	.	1	.	.	.	.	5	3	3	5	5	17	21	7	8	1
	Persons	594	6	.	1	.	.	7	.	3	5	5	6	3	6	4	13	21	29	52	76	76	103	90	51	32	12
Newtownabbey	Males	305	3	.	.	.	.	3	.	3	4	5	4	2	5	1	7	7	18	28	44	45	60	40	21	7	1
	Females	289	3	.	1	.	.	4	.	.	1	.	2	1	1	3	6	14	11	24	32	31	43	50	30	25	11
	Persons	515	6	1	.	.	.	7	.	1	4	4	2	6	6	3	4	9	34	40	55	52	88	85	69	35	11
Armagh	Males	243	.	.	.	.	.	.	.	1	4	3	1	2	5	2	3	6	17	27	35	29	36	41	18	10	3
	Females	272	6	1	.	.	.	7	.	.	.	1	1	4	1	1	1	3	17	13	20	23	52	44	51	25	8
	Persons	321	3	1	.	1	.	5	.	1	2	1	3	.	1	5	7	10	10	19	25	55	67	48	35	21	6
Banbridge	Males	177	2	.	.	.	.	2	.	1	2	1	3	.	.	3	5	9	7	12	17	33	44	17	14	5	2
	Females	144	1	1	.	1	.	3	.	.	.	.	.	.	1	2	2	1	3	7	8	22	23	31	21	16	4
	Persons	636	11	1	.	.	.	12	.	3	4	2	3	7	5	14	19	19	24	48	68	88	101	106	69	30	14
Craigavon	Males	331	9	.	.	.	.	9	.	1	3	1	2	6	3	10	12	13	15	33	42	47	58	48	18	8	2
	Females	305	2	1	.	.	.	3	.	2	1	1	1	1	2	4	7	6	9	15	26	41	43	58	51	22	12
	Persons	430	5	1	.	.	.	6	.	1	3	1	5	2	1	4	11	13	20	27	46	65	77	63	57	19	9
Dungannon	Males	241	4	.	.	.	.	4	.	.	3	1	4	2	1	.	7	12	11	18	30	36	47	31	25	6	3
	Females	189	1	1	.	.	.	2	.	1	.	.	1	.	.	4	4	1	9	9	16	29	30	32	32	13	6
	Persons	749	8	1	2	1	.	12	1	3	7	6	5	10	4	9	11	16	30	54	81	126	127	109	88	36	14
Newry & Mourne	Males	379	4	.	1	1	.	6	.	2	5	4	3	7	3	5	9	8	15	29	48	76	67	48	30	11	3
	Females	370	4	1	1	.	.	6	1	1	2	2	2	3	1	4	2	8	15	25	33	50	60	61	58	25	11
	Persons	588	7	.	.	.	.	7	1	.	7	8	6	3	2	6	5	12	22	41	58	83	115	102	59	37	14
Fermanagh	Males	334	5	.	.	.	.	5	1	.	5	7	4	2	1	2	3	9	17	22	41	47	70	53	28	15	2
	Females	254	2	.	.	.	.	2	.	.	2	1	2	1	1	4	2	3	5	19	17	36	45	49	31	22	12
	Persons	218	2	.	.	.	1	3	1	1	3	2	1	3	4	4	3	4	11	12	18	36	37	30	35	5	5
Limavady	Males	109	1	.	.	.	1	2	1	1	1	.	1	3	3	2	2	2	7	2	7	23	23	14	9	3	3
	Females	109	1	.	.	.	.	1	.	.	2	2	.	.	1	2	1	2	4	10	11	13	14	16	26	2	2
	Persons	780	23	1	.	1	1	26	3	2	6	5	6	10	10	25	19	29	37	63	93	105	98	116	80	38	9
Derry	Males	368	12	1	.	1	1	15	2	1	6	4	5	7	8	15	11	16	20	30	57	60	41	43	21	6	.
	Females	412	11	.	.	.	.	11	1	1	.	1	1	3	2	10	8	13	17	33	36	45	57	73	59	32	9
	Persons	436	7	.	1	.	.	8	.	.	4	2	5	1	5	4	10	11	17	31	48	55	68	74	51	30	12
Omagh	Males	245	5	.	1	.	.	6	.	.	2	2	3	1	2	4	5	6	10	20	25	34	43	38	31	8	5
	Females	191	2	.	.	.	.	2	.	.	2	.	2	.	3	.	5	5	7	11	23	21	25	36	20	22	7
	Persons	336	1	.	.	.	.	1	.	.	2	2	6	2	3	4	7	8	24	24	40	48	54	48	49	10	4
Strabane	Males	170	.	.	.	.	.	.	.	.	1	2	4	1	2	2	5	4	17	17	25	26	24	21	16	1	2
	Females	166	1	.	.	.	.	1	.	.	1	.	2	1	1	2	2	4	7	7	15	22	30	27	33	9	2

ABSTRACT 27. Northern Ireland: Deaths from violent causes, by nature of injury, external cause and sex, 1990.

Detailed List No.	NATURE OF INJURY		TOTAL	EXTERNAL CAUSE OF INJURY													
				E810–E825. Motor vehicle accidents	E800–E807, E826–E848. Other transport accidents	E850–E869. Accidental poisoning	E880–E888. Accidental falls	E890–E899. Accidents caused by fire and flames	E910. Accidental drowning and submersion	E922. Accidents caused by firearm missiles	E916–E921, E923–E928. Accidents, including those of industrial type	Rem. E870–E949. All other accidents	E950–E959. Suicide and self-inflicted injury	E960–E978. Homicide and Injury purposely inflicted by other persons; legal intervention	E980–E989. Injury undetermined whether accidentally or purposely inflicted	E990–E999. Injury resulting from operations of war
800–804	Fracture of skull	M	61	27	2	.	23	.	.	.	1	.	3	5	.	.
		F	11	7	.	.	4	.	.	.	.	.	.	.	.	.
805–809	Fracture of spine and trunk	M	20	8	.	.	10	.	.	.	1	.	.	1	.	.
		F	8	4	.	.	4	.	.	.	.	.	.	.	.	.
810–829	Fracture of limbs	M	25	1	.	.	24	.	.	.	.	.	.	.	.	.
		F	68	2	.	.	66	.	.	.	.	.	.	.	.	.
830–839	Dislocation without fracture	M	3	3	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	4	.	.	.	.	.	.	.	.	.	.	.	.
840–848	Sprains and strains of joints and adjacent muscles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
850–854	*Intracranial injury, excluding those with skull* fracture	M	63	15	.	.	15	.	.	2	1	.	11	17	2	.
		F	16	7	1	.	5	.	.	1	.	.	1	1	.	.
860–869	Internal injury of chest, abdomen and pelvis	M	90	69	3	.	4	.	.	.	3	.	.	10	1	.
		F	30	26	.	.	1	.	.	.	.	2	.	1	.	.
870–897	Open wounds	M	39	.	.	.	.	.	.	1	2	.	10	26	.	.
		F	3	.	.	.	.	.	.	.	.	.	1	2	.	.
910–929	Superficial injury, contusion with intact skin surface, crushing injury	M	1	.	1	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.
930–939	Effects of foreign body entering through orifice	M	9	.	.	.	.	.	.	.	.	9	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	2	.	.	.	.
940–949	Burns	M	4	.	.	.	.	3	.	.	.	.	1	.	.	.
		F	5	.	.	.	.	5	.	.	.	.	.	.	.	.
960–979	Poisoning by drugs, medicaments and biological substances	M	14	.	.	1	.	.	.	.	.	2	9	.	2	.
		F	26	.	.	4	.	.	.	.	.	2	18	.	2	.
900–909 950–959 980–999	All other and unspecified injury and effects of external cause	M	145	10	4	18	1	6	8	.	2	9	81	5	1	.
		F	52	3	1	8	1	6	.	.	1	4	23	3	2	.
	TOTAL	M	474	133	10	19	77	9	8	3	10	20	115	64	6	.
		F	225	53	2	12	81	11	.	1	1	10	43	7	4	.

ABSTRACT 28. Northern Ireland: Deaths from non-transport accidents (E850-E928) by age and sex, (a) by place of occurrence, (b) while working, 1990.

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E850–E866: Accidental poisoning by drugs, medicaments, biologicals and other solid and liquid substances														
All ages	13	11	5	9	.	.	.	.	4	2	4	.	.	.
0—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5—	1	.	.	.	.	.	.	.	1	.	.	.	.	.
15—	1	3	.	2	.	.	.	.	1	1	.	.	.	.
45—	11	5	5	5	.	.	.	.	2	.	4	.	.	.
65—	.	2	.	1	.	.	.	.	.	1	.	.	.	.
75 and over	.	1	.	1	.	.	.	.	.	.	.	.	.	.
E867–E869: Accidental poisoning by gases and vapours														
All ages	6	1	4	1	.	.	2	.	.	.	.	.	1	.
0—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	1	.	.	.	.	.
15—	3	.	1	.	.	.	2	.	.	.	.	.	1	.
45—	2	.	2	.	.	.	.	.	.	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	1	1	1	1	.	.	.	.	.	.	.	.	.	.
E880–E888: Accidental falls														
All ages	77	81	34	27	.	1	4	.	22	27	17	26	3	.
0—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5—	1	.	.	.	.	.	.	.	1	.	.	.	.	.
15—	10	1	2	1	.	.	1	.	5	.	2	.	1	.
45—	21	4	10	4	.	.	2	.	6	.	3	.	2	.
65—	14	4	9	2	.	.	1	.	2	1	2	1	.	.
75 and over	31	72	13	20	.	1	.	.	8	26	10	25	.	.
E890–E899: Accidents caused by fire and flames														
All ages	9	11	7	9	.	.	.	.	2	1	.	1	.	.
0—	1	2	1	1	.	.	.	.	.	1	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	1	1	1	1	.	.	.	.	.	.	.	.	.	.
45—	4	3	3	3	.	.	.	.	1	.	.	.	.	.
65—	1	2	1	2	.	.	.	.	.	.	.	.	.	.
75 and over	2	3	1	2	.	.	.	.	1	.	.	1	.	.
E910: Accidental drowning														
All ages	8	.	2	.	.	.	.	.	6	.	.	.	.	.
0—	1	.	.	.	.	.	.	.	1	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	6	.	2	.	.	.	.	.	4	.	.	.	.	.
45—	1	.	.	.	.	.	.	.	1	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E911–E912: Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation														
All ages	8	2	3	1	.	.	.	.	5	1	.	.	.	.
0—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	4	.	2	.	.	.	.	.	2	.	.	.	.	.
45—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65—	1	2	1	1	.	.	.	.	.	1	.	.	.	.
75 and over	3	.	.	.	.	.	.	.	3	.	.	.	.	.

ABSTRACT 28 *(continued).* **Northern Ireland: Deaths from non-transport accidents (E850-E928) by age and sex, (a) by place of occurrence, (b) while working, 1990.**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E913: Accidental mechanical suffocation														
All ages	2	.	2	.	.	.	.	.	.	.	.	.	.	.
0—	2	.	2	.	.	.	.	.	.	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E916: Struck accidentally by falling object														
All ages	1	.	.	.	.	.	1	.	.	.	.	.	1	.
0—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	1	.	.	.	.	.	1	.	.	.	.	.	1	.
45—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E922: Accidents caused by firearm missiles														
All ages	3	1	2	1	.	.	.	.	1	.	.	.	.	.
0—	.	1	.	1	.	.	.	.	.	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	3	.	2	.	.	.	.	.	1	.	.	.	.	.
45—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E919–E921, E923–E925: Accidents caused by machinery, cutting or piercing instruments or objects, explosion of pressure vessel, caustic or corrosive material and steam, or electric current														
All ages	7	.	.	.	1	.	3	.	2	.	1	.	1	.
0—	1	.	.	.	.	.	.	.	1	.	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	5	.	.	.	1	.	2	.	1	.	1	.	1	.
45—	1	.	.	.	.	.	1	.	.	.	.	.	.	.
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Remainder E850–E928: All other and unspecified accidents, excluding late effects. (E929)														
All ages	10	6	5	3	.	.	.	.	4	3	1	.	.	.
0—	.	1	.	.	.	.	.	.	.	1	.	.	.	.
5—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15—	4	1	1	1	.	.	.	.	3	.	.	.	.	.
45—	1	1	1	.	.	.	.	.	.	1	.	.	.	.
65—	4	1	2	.	.	.	.	.	1	1	1	.	.	.
75 and over	1	2	1	2	.	.	.	.	.	.	.	.	.	.
E850–E928: Total non-transport accidents														
All ages	144	113	64	51	1	1	10	.	46	34	23	27	6	.
0—	5	4	3	2	.	.	.	.	2	2	.	.	.	.
5—	2	.	.	.	.	.	.	.	2	.	.	.	.	.
15—	38	6	11	5	1	.	6	.	17	1	3	.	4	.
45—	41	13	21	12	.	.	3	.	10	1	7	.	2	.
65—	20	11	13	6	.	.	1	.	3	4	3	1	.	.
75 and over	38	79	16	26	.	1	.	.	12	26	10	26	.	.

ABSTRACT 29. Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1990.

Detailed List No.	Sites	Ards		Belfast		Castlereagh		Down		Lisburn		North Down		Antrim		Ballymena		Ballymoney		Carrick-fergus		Coleraine		Cookstown		Larne		Magherafelt	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Lip, oral cavity and pharynx																												
140	Lip	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
141	Tongue	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
142	Salivary glands	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
143	Gum	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
144	Floor of mouth	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
145	Other and unspecified parts of mouth	.	.	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
146	Oropharynx	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
147	Nasopharynx	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
148	Hypopharynx	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
149	Other and ill-defined sites within the lip, oral cavity and pharynx	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Digestive organs and peritoneum																												
150	Oesophagus	2	3	16	12	1	2	1	1	.	1	4	2	2	3	2	1	.	2	.	2	6	.	.	.	2	1	.	.
151	Stomach	4	4	30	31	9	2	7	5	8	4	4	5	.	3	3	2	1	2	2	2	3	5	1	3	1	1	4	.
152	Small intestine, including duodenum	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
153	Colon	7	8	27	42	9	4	6	10	9	8	8	7	6	4	4	8	1	4	2	3	3	10	1	5	3	3	2	3
154	Rectum, rectosigmoid junction and anus	3	.	19	7	4	1	1	1	1	3	4	2	3	.	7	1	2	.	4	.	2	2	1	1	3	3	.	1
155	Liver and intrahepatic bile ducts	1	.	7	8	.	1	.	.	1	1	.	2	.	1	1	2	.	.	.	1	.	2	.	.	.	.	.	1
156	Gallbladder and extrahepatic bile ducts	1	.	5	5	2	.	1	.	.	1	.	2	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.
157	Pancreas	5	1	18	21	7	5	2	3	1	3	3	2	1	3	1	3	1	1	2	4	2	5	2	3	1	3	1	4
158	Retroperitoneum and peritoneum	.	.	1	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
159	Other and ill-defined sites within the digestive organs and peritoneum	1	4	5	7	4	1	1	2	2	4	.	2	.	1	.	1	.	1	.	.	.	.	.	1	2	.	.	.
	Respiratory and intrathoracic organs																												
160	Nasal cavities, middle ear and accessory sinuses	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.
161	Larynx	.	.	3	1	1	.	1	.	2	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	.	1	1	.
162	Trachea, bronchus and lung	12	10	172	91	19	9	15	8	27	12	24	12	4	3	12	2	9	4	11	10	20	8	10	1	12	4	4	.
163	Pleura	2	.	15	1	3	.	1	.	1	.	6	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
164	Thymus, heart and mediastinum	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Bone, connective tissue, skin and breast																												
170	Bone and articular cartilage	.	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
171	Connective and other soft tissue	1	.	.	1	.	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
172	Melanoma of skin	2	.	4	4	1	.	1	.	.	1	.	2	.	.	1	1	.	.	1	.	.	.	1	.	.	.	.	.
173	Skin (other than melanoma)	.	1	.	2	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
174	Female breast	.	11	.	66	.	9	.	11	.	11	.	15	.	9	.	9	.	7	.	13	.	9	.	4	.	5	.	2
175	Male breast	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Genitrourinary organs																												
179	Uterus, part unspecified	.	1	.	4	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.
180	Cervix uteri	.	2	.	5	.	.	.	3	.	1	.	2	.	2	.	.	.	2	.	1	.	1	.	1	.	2	.	.
181	Placenta	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
182	Body of uterus	.	1	.	3	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
183	Ovary and other uterine adnexa	.	5	.	19	.	2	.	5	.	5	.	2	.	4	.	2	.	1	.	3	.	2	.	.	.	1	.	5
184	Other and unspecified female genital organs	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
185	Prostate	6	.	48	.	7	.	9	.	8	.	12	.	3	.	9	.	.	.	3	.	7	.	4	.	4	.	3	.
186	Testis	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
187	Penis and other male genital organs	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
188	Bladder	4	1	17	8	5	3	4	.	4	3	4	1	1	2	.	1	1	.	1	.	6	2	1	1	2	.	2	.
189	Kidney and other and unspecified urinary organs	1	5	9	6	1	1	1	.	3	3	4	1	1	.	4	.	.	.	2	.	1	1	.	.	.	.	2	.
	Other and unspecified sites																												
190	Eye	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
191	Brain	1	2	13	10	2	1	.	2	5	2	1	.	.	.	.	1	1	2	.	1	1	3	.	.	.	.	.	1
192	Other and unspecified parts of nervous system	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
193	Thyroid gland	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
194	Other endocrine glands and related structures	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
195	Other and ill-defined sites	.	1	1	5	1	2	.	.	.	2	1	1	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.
196	Lymph nodes (secondary and unspecified)	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
197	Respiratory and digestive systems (secondary)	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
198	Other specified sites (secondary)	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
199	Unspecified sites	4	3	15	32	4	7	4	4	4	8	9	3	3	5	3	7	1	.	2	1	3	5	.	3	5	.	4	5
	Lymphatic and haematopoietic tissue																												
200	Lymphosarcoma and reticulosarcoma	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
201	Hodgkins Disease	1	.	2	2	1	.	.	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
202	Lymphoid and histiocytic tissue	5	1	9	10	2	3	7	.	3	1	1	2	3	.	2	1	.	.	1	.	1	1	.	.	1	2	1	1
203	Multiple myeloma and immunoproliferative	1	2	8	4	1	.	.	1	2	.	2	.	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	1
204	Lymphoid leukaemia	1	.	4	2	.	.	.	2	.	3	1	.	.	1	1	2	.	.	.	1	.	.	.	.	.	.	.	.
205	Myloid leukaemia	.	1	6	6	2	.	1	3	1	1	1	2	.	1	1	.	.	1	.	1	1	.	1	.	1	1	.	.
206	Monocytic leukaemia	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
207	Other specified leukaemia	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
208	Leukaemia of unspecified cell type	.	.	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	TOTAL	68	71	468	424	89	57	65	68	86	80	92	74	32	44	54	46	19	31	35	47	58	61	23	27	42	31	24	24

*Including Hodgkins Disease and Leukaemia (201, 204–208).

ABSTRACT 29 *(continued)*. Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1990.

Detailed List No.	Sites	Moyle		Newtownabbey		Armagh		Banbridge		Craigavon		Dungannon		Newry and Mourne		Fermanagh		Limavady		Derry		Omagh		Strabane		Northern Ireland	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Lip, oral cavity and pharynx																										
140	Lip	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
141	Tongue	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	7	.
142	Salivary glands	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	2
143	Gum	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
144	Floor of mouth	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
145	Other and unspecified parts of mouth	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
146	Oropharynx	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
147	Nasopharynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
148	Hypopharynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
149	Other and ill-defined sites within the lip, oral cavity and pharynx	.	.	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	5	2
	Digestive organs and peritoneum																										
150	Oesophagus	1	1	1	.	1	3	3	1	2	1	5	1	4	1	2	3	.	.	2	3	1	.	.	2	58	46
151	Stomach	.	2	7	1	1	2	8	3	6	3	4	5	10	4	4	.	1	1	4	1	1	2	2	1	125	94
152	Small intestine, including duodenum	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	1	3
153	Colon	.	7	6	8	2	7	5	2	6	8	8	1	5	7	5	10	3	3	5	4	6	4	.	3	139	183
154	Rectum, rectosigmoid junction and anus	1	.	1	1	.	4	1	.	3	2	3	2	6	5	4	5	2	.	2	4	2	.	1	2	80	47
155	Liver and intrahepatic bile ducts	.	.	2	2	1	.	1	.	.	.	.	.	1	1	1	.	.	.	2	.	1	1	.	1	19	24
156	Gallbladder and extrahepatic bile ducts	.	.	.	1	.	.	.	1	.	1	.	1	.	2	1	.	.	.	.	.	.	.	.	.	10	17
157	Pancreas	.	1	5	1	1	3	2	.	3	8	2	1	4	3	3	3	2	3	4	2	2	.	3	3	78	89
158	Retroperitoneum and peritoneum	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	3
159	Other and ill-defined sites within the digestive organs and peritoneum	.	1	.	1	.	.	.	.	.	.	.	.	.	1	4	.	1	2	1	5	4	1	1	2	26	37
	Respiratory and intrathoracic organs																										
160	Nasal cavities, middle ear and accessory sinuses	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
161	Larynx	.	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.	.	15	4
162	Trachea, bronchus and lung	5	2	20	13	15	5	9	4	18	4	10	2	24	8	15	5	5	2	38	18	10	6	7	1	527	244
163	Pleura	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	33	2
164	Thymus, heart and mediastinum	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Bone, connective tissue, skin and breast																										
170	Bone and articular cartilage	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	3
171	Connective and other soft tissue	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	6	7
172	Melanoma of skin	.	.	.	.	1	.	.	1	.	2	.	.	.	2	.	1	.	1	2	2	.	.	1	1	17	16
173	Skin (other than melanoma)	1	.	.	1	.	1	1	1	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	4	10
174	Female breast	.	2	.	15	.	9	.	4	.	16	.	8	.	18	.	6	.	2	.	20	.	12	.	2	.	295
175	Male breast	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Genitourinary organs																										
179	Uterus, part unspecified	.	.	.	1	.	1	.	1	.	2	.	3	.	.	.	1	.	.	.	.	.	.	.	1	.	20
180	Cervix uteri	.	.	.	4	.	1	.	.	.	2	.	2	.	.	.	.	.	.	.	4	.	1	.	2	.	38
181	Placenta	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
182	Body of uterus	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	10
183	Ovary and other uterine adnexa	.	1	.	1	.	6	.	4	.	4	.	2	.	6	.	2	.	1	.	2	.	2	.	2	.	89
184	Other and unspecified female genital organs	.	.	.	2	.	.	.	1	.	.	.	.	.	2	.	1	.	2	.	1	.	.	.	2	.	18
185	Prostate	2	.	12	.	7	.	1	.	8	.	3	.	6	.	15	.	3	.	3	.	7	.	5	.	195	.
186	Testis	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	3	.
187	Penis and other male genital organs	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
188	Bladder	1	.	1	1	1	1	1	5	2	2	1	3	1	.	2	4	.	2	3	1	.	2	.	75	34
189	Kidney and other and unspecified urinary organs	.	.	4	1	.	1	2	.	4	4	.	2	3	.	1	1	2	.	3	.	1	.	.	1	49	27
	Other and unspecified sites																										
190	Eye	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
191	Brain	.	.	3	1	.	2	.	.	.	2	.	.	1	.	1	.	1	.	1	2	.	.	1	1	32	33
192	Other and unspecified parts of nervous system	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
193	Thyroid gland	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	6
194	Other endocrine glands and related structures	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	5
195	Other and ill-defined sites	.	.	.	.	.	1	.	.	.	2	.	.	1	2	.	1	.	.	.	.	.	.	.	.	5	19
196	Lymph nodes (secondary and unspecified)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
197	Respiratory and digestive systems (secondary)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
198	Other specified sites (secondary)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
199	Unspecified sites	.	.	4	13	1	4	3	.	9	10	2	5	7	3	2	5	.	2	5	12	4	2	.	4	98	143
	Lymphatic and haematopoietic tissue																										
200	Lymphosarcoma and reticulosarcoma	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
201	Hodgkins Disease	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	9	4
202	Lymphoid and histiocytic tissue	1	.	2	1	.	1	1	2	1	1	1	2	3	1	1	1	.	1	1	.	1	2	1	.	49	34
203	Multiple myeloma and immunoproliferative	2	1	1	1	.	.	.	1	2	1	1	.	1	4	.	.	1	2	.	.	1	.	1	.	28	23
204	Lymphoid leukaemia	1	.	.	.	2	.	.	.	1	.	2	.	1	.	.	.	.	.	1	1	.	1	.	.	15	13
205	Myloid leukaemia	.	1	.	.	2	.	.	.	.	1	.	.	.	.	.	.	1	.	1	2	1	1	.	.	20	22
206	Monocytic leukaemia	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
207	Other specified leukaemia	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
208	Leukaemia of unspecified cell type	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
	TOTAL	16	19	70	74	35	54	39	28	71	75	48	39	85	78	67	47	27	23	80	88	43	38	29	32	1,765	1,680

*See page 180.

ABSTRACT 30. Northern Ireland: Deaths of all children under one year in each District Council Area, 1990.

Area		Total	Under 1 day	1–6 days	1–3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland	M	110	30	27	8	14	11	6	4	1	3	2	2	.	2	.
	F	88	13	16	12	7	13	6	5	7	2	.	3	3	.	1
Ards	M	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.
	F	2	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Belfast	M	22	7	2	1	2	1	3	1	1	1	.	1	.	2	.
	F	20	5	1	1	2	5	1	2	3	.	.	.	.	.	.
Castlereagh	M	5	1	1	.	2	.	.	.	.	1	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Down	M	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.
	F	6	1	2	.	.	1	.	.	1	1	.	.	.	.	.
Lisburn	M	8	2	1	.	1	2	1	1	.	.	.	.	.	.	.
	F	6	.	2	.	.	1	1	1	.	.	.	1	.	.	.
North Down	M	3	1	.	.	.	1	.	.	.	.	1	.	.	.	.
	F	5	.	2	1	.	.	.	.	1	.	.	.	1	.	.
Antrim	M	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	M	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymoney	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	M	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Coleraine	M	7	2	2	1	1	.	1	.	.	.	.	.	.	.	.
	F	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.
Cookstown	M	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Larne	M	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Magherafelt	M	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Moyle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Newtownabbey	M	3	.	1	.	.	1	.	1	.	.	.	.	.	.	.
	F	3	.	2	.	.	.	1	.	.	.	.	.	.	.	.
Armagh	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	6	.	1	2	2	.	.	.	.	.	.	.	1	.	.
Banbridge	M	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Craigavon	M	9	1	3	.	3	1	.	.	.	.	.	1	.	.	.
	F	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.
Dungannon	M	4	.	1	1	1	.	.	.	.	1	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry and Mourne	M	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.
	F	4	.	2	1	.	1	.	.	.	.	.	.	.	.	.
Fermanagh	M	5	2	.	1	1	.	.	.	.	.	1	.	.	.	.
	F	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Limavady	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Derry	M	12	1	6	1	3	1	.	.	.	.	.	.	.	.	.
	F	11	1	2	3	.	1	2	1	.	.	.	1	.	.	.
Omagh	M	5	1	3	.	.	.	.	1	.	.	.	.	.	.	.
	F	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Strabane	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 31. Northern Ireland: Deaths of illegitimate children under one year in each District Council Area, 1990.

Area		Total	Under 1 day	1–6 days	1–3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland	M	15	3	1	1	3	2	2	2	1	.	.	.	.	.	.
	F	12	1	2	2	.	2	1	1	2	.	.	.	1	.	.
Ards	M	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast	M	5	.	.	.	2	.	1	1	1	.	.	.	.	.	.
	F	5	1	.	1	.	1	.	.	2	.	.	.	.	.	.
Castlereagh	M	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Down	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
North Down	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Antrim	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	M	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymoney	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coleraine	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Cookstown	M	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Larne	M	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Magherafelt	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Moyle	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownabbey	M	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Banbridge	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Craigavon	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Dungannon	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry and Mourne	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Fermanagh	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limavady	M	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Derry	M	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.
	F	4	.	1	.	.	1	1	1	.	.	.	.	.	.	.
Omagh	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Strabane	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 32. Northern Ireland: Infant mortality by cause, age and sex, 1990.

Detailed List No.	CAUSES OF DEATH		Total deaths	Days							Total under 1 week	Weeks			Total under 4 weeks	Months											Mortality rate per 10,000 live births	Deaths of illegitimate infants	
				Under 1 day	1	2	3	4	5	6		1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 illegitimate live births
	ALL CAUSES	M	110	30	11	11	1	1	.	3	57	2	5	1	65	14	11	6	4	1	3	2	2	.	2	.	81	15	59
		F	88	13	8	1	3	2	1	1	29	6	3	3	41	7	13	6	5	7	2	.	3	3	.	1	68	12	49
009	Ill-defined intestinal infections	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
013	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
010–012, 015–018	Other tuberculosis diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
032	Diptheria	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
033	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
034·1	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
036	Meningococcal infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
045	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
055	Measles	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
090–097	Syphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
317–319	Mental retardation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
320–322	Meningitis	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	2	.	.
466·0 and 490–491	Bronchitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480–486	Pneumonia	M	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	1	.	.	.	2	.	.
487	Influenza	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
516·8	Other alveolar and parietoalveolar pneumopathy	M	16	.	.	.	.	.	.	.	.	.	1	1	2	5	1	2	3	1	2	.	.	.	.	.	12	3	12
		F	22	.	.	.	.	.	.	.	.	.	.	.	.	2	8	3	3	5	.	.	1	.	.	.	17	6	25
740	Anencephalus and similar anomalies	M	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741·0	Spina bifida with hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
741·9	Spina bifida without mention of hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
742·3	Congenital hydrocephalus	M	2	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	4
		F	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rem. of 742	Other congenital anomalies of nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 32 *(continued).* Northern Ireland: Infant mortality by cause, age and sex, 1990.

Detailed List No.	CAUSES OF DEATH		Total deaths	Days							Total under 1 week	Weeks			Total under 4 weeks	Months											Mortality rate per 10,000 live births	Deaths of illegitimate infants	
				Under 1 day	1	2	3	4	5	6		1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 illegitimate live births
743	Congenital anomalies of eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
744	Congenital anomalies of ear, face and neck	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	M	2	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	2	.	.	.	1	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.
746	Other congenital anomalies of heart	M	12	1	.	1	.	1	.	.	3	1	2	.	6	.	2	1	.	.	.	1	1	.	1	.	9	2	8
		F	7	.	.	.	.	.	1	.	1	1	1	2	5	.	.	.	.	.	.	.	1	.	.	1	5	1	4
747	Other congenital anomalies of circulatory system	M	2	.	.	.	1	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.
		F	2	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.
748	Congenital anomalies of respiratory system	M	2	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
749	Cleft palate and cleft lip	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
750	Other congenital anomalies of upper alimentary tract	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
751	Other congenital anomalies of digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
752	Congenital anomalies of genital organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
753	Congenital anomalies of urinary system	M	2	2	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
754	Certain congenital musculoskeletal deformities	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
755	Other congenital anomalies of limbs	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
756	Other congenital musculoskeletal anomalies.	M	4	2	1	.	.	.	.	.	3	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	3	.	.
		F	2	.	1	.	1	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
757	Congenital anomalies of the integument	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
758	Chromosomal anomalies	M	3	1	.	.	.	.	.	1	2	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	2	1	4
		F	4	.	.	.	.	1	.	.	1	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	3	.	.
759	Other and unspecified congenital anomalies.	M	3	3	.	.	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
761	Fetus or newborn affected by maternal complications of pregnancy	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
762	Fetus or newborn affected by complications of placenta, cord and membranes	M	3	1	1	1	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.
		F	2	2	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.
763	Fetus or newborn affected by other complications of labour and delivery	M	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
764	Slow fetal growth and fetal malnutrition	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
765	Disorders relating to short gestation and unspecified low birthweight	M	9	5	2	1	.	.	.	.	8	.	1	.	9	.	.	.	.	.	.	.	.	.	.	.	7	1	4
		F	7	4	1	1	.	.	.	.	6	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	5	2	8
766	Disorders relating to long gestation and high birthweight.	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 32 *(continued).* Northern Ireland: Infant mortality by cause, age and sex, 1990.

Detailed List No.	CAUSES OF DEATH		Total deaths	Days							Total under 1 week	Weeks			Total under 4 weeks	Months											Mortality rate per 10,000 live births	Deaths of illegitimate infants	
				Under 1 day	1	2	3	4	5	6		1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 illegitimate live births
767	Birth trauma	M	2	.	.	1	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
768	Intrauterine hypoxia and birth asphyxia	M	2	2	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	4
		F	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
769	Respiratory distress syndrome	M	13	3	3	5	.	.	.	1	12	.	.	.	12	1	.	.	.	.	.	.	.	.	.	.	10	1	.
		F	5	3	.	.	.	1	.	.	4	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	4	.	.
770	Other respiratory conditions of fetus and newborn	M	9	3	2	1	.	.	.	.	6	1	.	.	7	.	.	1	.	.	1	.	.	.	.	.	7	.	.
		F	5	1	2	.	.	.	.	.	3	.	.	.	3	.	1	.	1	.	.	.	.	.	.	.	4	1	4
771	Infections specific to the perinatal period	M	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
		F	4	.	1	.	.	.	.	.	1	2	1	.	4	.	.	.	.	.	.	.	.	.	.	.	3	1	4
772	Fetal and neonatal haemorrhage	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
773	Haemolytic disease of fetus or newborn, due to isoimmunization	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
774	Other perinatal jaundice	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
775	Endocrine and metabolic disturbances specific to the fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
776	Haematological disorders of fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
777	Perinatal disorders of digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
778	Conditions involving the integument and temperature regulation of fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
779	Other and ill-defined conditions originating in the perinatal period	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
798·0	Sudden infant death syndrome	M	8	.	.	.	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	.	.	.	.	.	6	3	12
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.	.	1	.	.	5	1	4
Rem. of 001–999	All other causes	M	10	3	1	.	.	.	.	1	5	.	.	.	5	1	1	.	.	.	.	1	1	.	1	.	7	2	8
		F	6	1	.	.	.	.	.	.	1	.	.	1	2	.	1	.	1	1	.	.	.	1	.	.	5	.	.
	EXTERNAL CAUSES																												
E904	Hunger, thirst, exposure, neglect	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
E911–E912	Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E913	Accidental mechanical suffocation	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E967	Child battering and other maltreatment	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. of E800–E999	Other violent deaths	M	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 33. Northern Ireland: Infant mortality by cause, sex and month of registration, 1990.

Detailed List No.	CAUSES OF DEATH		Total	January	February	March	April	May	June	July	August	September	October	November	December
	ALL CAUSES	M	110	10	8	11	4	10	11	12	11	9	11	8	5
		F	88	7	8	12	6	9	9	6	8	6	5	4	8
009	Ill-defined intestinal diseases	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
013	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
010–012 015–018	Other tuberculosis	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
032	Diptheria	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
033	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
034·1	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
036	Meningococcal infection	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
045	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
055	Measles	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
090–097	Syphilis	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
317–319	Mental retardation	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
320–322	Meningitis	M	1	.	.	.	.	1	.	.	.	.	.	.	.
		F	3	.	1	.	.	1	.	.	.	.	.	1	.
466·0 & 490–491	Bronchitis	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
480–486	Pneumonia	M	1	.	.	.	1	.	.	.	.	.	.	.	.
		F	3	.	1	.	.	.	.	.	1	.	1	.	.
487	Influenza	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
516·8	Other post-inflammatory pulmonary fibrosis	M	16	2	2	4	1	1	2	2	.	.	2	.	.
		F	22	3	3	5	1	4	1	.	3	1	.	1	.
740	Anencephalus and similar anomalies	M	1	.	.	.	.	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
741·0	Spina bifida with hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
741·9	Spina bifida without mention of hydrocephalus	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
742·3	Congenital hydrocephalus	M	2	.	.	.	.	.	1	.	.	.	.	1	.
		F	1	.	.	.	1	.	.	.	.	.	.	.	.
Rem. of 742	Other congenital anomalies of nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
743	Congenital anaomalies of eye	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
744	Congenital anomalies of ear, face and neck	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	M	2	.	.	.	.	.	.	.	.	.	.	1	1
		F	2	.	1	.	.	.	.	1	.	.	.	.	.
746	Other congenital anomalies of heart	M	12	.	.	.	.	1	2	1	2	2	1	1	2
		F	7	.	.	.	.	.	1	2	1	2	.	.	1
747	Other congenital anomalies of circulatory system	M	2	.	1	.	.	1	.	.	.	.	.	.	.
		F	2	.	1	.	.	.	.	.	.	1	.	.	.
748	Congenital anomalies of respiratory system	M	2	.	.	.	.	1	.	.	.	.	1	.	.
		F	1	.	.	.	.	.	1	.	.	.	.	.	.
749	Cleft palate and cleft lip	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
750	Other congenital anomalies of upper alimentary tract	M	1	.	1	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.	.	.	.
751	Other congenital anomalies of digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
752	Congenital anomalies of genital organs	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
753	Congenital anomalies of urinary system	M	2	.	.	.	.	.	.	.	1	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
754	Certain congenital musculoskeletal deformities	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
755	Other congenital anomalies of limbs	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
756	Other congenital musculoskeletal anomalies	M	4	.	.	1	.	.	.	1	.	1	1	.	.
		F	2	.	.	.	.	.	.	.	.	.	.	.	2
757	Congenital anomalies of the integument	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 33 *(continued).* Northern Ireland: Infant mortality by cause, sex and month of registration, 1990.

Detailed List No.	CAUSES OF DEATH		Total	January	February	March	April	May	June	July	August	September	October	November	December
758	Chromosomal anomalies	M	3	.	.	.	.	1	.	.	2	.	.	.	.
		F	4	.	.	2	.	1	.	.	.	.	1	.	.
759	Other and unspecified congenital anomalies	M	3	1	.	.	.	.	.	1	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
760	Fetus or newborn affected by maternal complications which may be unrelated to present pregnancy	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
761	Fetus or newborn affected by maternal complications of pregnancy	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.	.	.	.
762	Fetus or newborn affected by complications of placenta, cord and membranes	M	3	.	.	.	1	.	.	.	1	.	.	1	.
		F	2	.	.	.	1	.	.	.	.	1	.	.	.
763	Fetus or newborn affected by other complications of labour and delivery	M	1	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
764	Slow fetal growth and fetal malformation	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
765	Disorders relating to short gestation and unspecified low birth-weight	M	9	.	.	1	.	1	1	2	.	2	1	1	.
		F	7	.	.	.	1	1	1	1	.	.	1	.	2
766	Disorders relating to long gestation and high birth weight	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
767	Birth trauma	M	2	.	.	.	.	.	1	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
768	Intrauterine hypoxia and birth asphyxia	M	2	1	1	.	.	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	.	.	.	.	.
769	Respiratory distress syndrome	M	13	2	1	2	1	1	1	1	2	1	1	.	.
		F	5	.	.	.	1	1	1	1	.	.	.	1	.
770	Other respiratory conditions of fetus and newborn	M	9	1	.	1	.	1	2	1	1	1	.	1	.
		F	5	.	.	2	.	.	.	.	.	.	1	1	1
771	Infections specific to the perinatal period	M	1	.	.	1	.	.	.	.	.	.	.	.	.
		F	4	.	.	1	.	.	1	.	.	.	1	.	1
772	Fetal and neonatal haemorrhage	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.	.	.
773	Haemolytic disease of fetus or newborn, due to isoimmunization	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
774	Other perinatal jaundice	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
775	Endocrine and metabolic disturbances specific to the fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
776	Haematological disorders of fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
777	Perinatal disorders of digestive system	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
778	Conditions involving the integument and temperature regulation of fetus and newborn	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	.	.	.	.	.	.	.
779	Other and ill-defined conditions originating in the perinatal period	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.	.	.	.	.
798·0	Sudden infant death syndrome	M	8	1	1	.	.	.	1	3	1	.	1	.	.
		F	6	2	.	1	.	.	.	.	1	1	.	.	1
Rem. of 001-999	Other natural causes of death	M	10	2	1	1	.	1	.	.	.	1	2	1	1
		F	6	1	.	.	1	1	1	.	2	.	.	.	.
	EXTERNAL CAUSES														
E904	Hunger, thirst, exposure, neglect	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	1	.	.	.	.
E911-E912	Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
E913	Accidental mechanical suffocation	M	1	.	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
E967	Child battering and other maltreatment	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.
Rem. E800–E999	Other violent deaths	M	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT 34. Northern Ireland: Marriages, births, still-births and deaths, by age, sex and cause, in each District Council Area 1990, together with the census population 1981.

POPULATION, MARRIAGES, BIRTHS, STILL-BIRTHS AND DEATHS		Northern Ireland	Ards	Belfast	Castlereagh	Down	Lisburn	North Down	Antrim	Ballymena	Ballymoney	Carrickfergus	Coleraine	Cookstown
Population, Census 1981	M	749,412	28,172	148,037	29,200	26,558	41,482	31,585	22,521	26,893	11,478	13,823	22,654	14,110
	F	782,784	29,620	166,233	31,585	26,635	42,525	34,679	22,495	27,921	11,468	14,802	24,085	14,147
Marriages		9,588	332	1,941	287	337	484	404	266	348	148	183	355	191
Live births, total	M	13,557	471	2,413	415	516	844	485	376	415	201	236	389	238
	F	12,942	453	2,335	402	503	848	448	344	421	209	269	382	261
Illegitimate live births.	M	2,547	69	741	67	88	164	56	73	72	39	57	92	35
	F	2,425	74	727	35	88	168	60	67	65	29	51	91	37
Still-births, total	M	62	2	9	3	1	2	2	3	1	.	2	2	.
	F	54	2	10	2	1	7	1	.	2	.	.	2	.
Illegitimate still-births.	M	10	.	3	1	.	1	.	.	.	.	.	.	.
	F	14	1	1	1	.	3	1	.	.	.	.	.	.
Deaths, total	M	7,648	315	1,659	322	301	379	331	172	267	90	151	244	128
	F	7,778	299	1,897	335	353	367	383	190	241	126	181	272	106
Ages at death— under 1 week.	M	57	1	9	2	3	3	1	1	3	.	1	4	1
	F	29	.	6	.	3	2	2	.	1	1	.	2	.
under 4 weeks	M	65	1	10	2	3	3	1	1	4	.	2	5	1
	F	41	.	7	.	3	2	3	.	1	1	.	2	1
4 weeks—11 months	M	45	2	12	3	.	5	2	.	.	1	.	2	.
	F	47	2	13	.	3	4	2	.	.	.	2	1	1
1 year—14 years	M	49	2	10	3	.	3	2	2	1	.	.	2	.
	F	45	2	11	2	3	1	2	.	3	2	1	1	1
15 years—44 years.	M	446	9	81	7	10	31	18	13	16	6	7	9	9
	F	213	10	32	8	7	11	7	3	9	6	4	7	5
45 years—64 years.	M	1,497	63	339	69	54	81	57	43	47	18	27	41	27
	F	1,012	39	233	40	41	50	36	35	32	19	26	29	9
65 years and over	M	5,546	238	1,207	238	234	256	251	113	199	65	115	185	91
	F	6,420	246	1,601	285	296	299	333	152	196	98	148	232	89
Deaths from— Infective and parasitic diseases		46	2	10	4	1	1	1	1	2	1	1	3	2
Neoplasms *(a)* Cancers*		3,445	139	892	146	133	166	166	76	100	50	82	119	50
(b) Other neoplasms		80	4	11	4	4	8	4	4	4	2	3	1	1
Endocrine, nutritional, metabolic diseases and immunity disorders.		78	4	21	1	3	4	3	1	5	2	1	7	.
Diseases of blood and blood-forming organs.		35	2	9	2	.	1	1	3	.	1	.	.	.
Mental disorders		58	1	15	3	2	2	2	1	1	2	2	4	1
Diseases of the nervous system and sense organs		177	8	37	5	7	10	5	5	6	4	10	5	2
Diseases of the circulatory system		7,110	283	1,575	283	305	344	336	181	232	95	145	244	119
Diseases of the respiratory system		2,781	119	645	137	132	132	126	55	103	36	59	77	33
Diseases of the digestive system		392	18	84	18	22	23	21	5	11	5	5	8	8
Diseases of the genitourinary system		251	10	46	15	7	10	19	9	9	6	4	13	3
Complications of pregnancy, childbirth and the puerperium		.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the skin and subcutaneous tissue		21	1	5	3	1	.	.	2	1	.	2	.	.
Diseases of the musculoskeletal system and connective tissue		59	.	12	8	1	.	2	1	4	2	1	2	1
Congenital anomalies		85	4	14	2	3	5	4	.	4	.	1	2	1
Certain conditions originating in the perinatal period.		68	1	11	2	3	4	3	1	3	2	1	8	1
Symptoms, signs and ill-defined conditions		41	2	12	3	4	3	.	.	.	.	1	2	.
Injury and poisoning		699	16	157	21	26	33	21	17	23	8	14	21	12

*See definition on page 1.

ABSTRACT 34 *(continued).* **Northern Ireland: Marriages, births, still-births and deaths, by age, sex and cause, in each District Council Area 1990, together with the census population 1981.**

Population, Marriages, Births, Still-Births and Deaths		Larne	Magherafelt	Moyle	Newtownabbey	Armagh	Banbridge	Craigavon	Dungannon	Newry & Mourne	Fermanagh	Limavady	Derry	Omagh	Strabane
Population, Census 1981	M	14,210	16,359	7,244	35,139	24,371	14,958	35,741	22,062	38,015	26,264	13,744	44,016	22,426	18,350
	F	14,866	16,135	7,152	37,107	24,852	15,152	37,519	21,821	38,559	25,330	13,220	45,085	21,862	17,929
Marriages		299	226	87	431	268	210	494	248	534	309	166	562	274	204
Live births, total	M	211	345	127	656	434	275	729	419	873	446	269	1,044	420	310
	F	176	306	92	542	444	203	683	421	820	466	257	998	376	283
Illegitimate live births.	M	53	29	21	126	47	31	120	34	94	46	48	233	47	65
	F	40	30	14	90	41	30	119	48	93	60	51	215	44	58
Still-births, total	M	2	2	1	.	2	1	1	4	1	2	3	10	5	1
	F	1	2	.	3	4	1	1	2	2	1	1	7	1	1
Illegitimate still-births.	M	.	.	.	.	1	1	.	1	.	.	.	2	.	.
	F	1	.	.	.	1	.	.	.	.	1	1	3	.	.
Deaths, total	M	152	148	87	305	243	177	331	241	379	334	109	368	245	170
	F	120	128	79	289	272	144	305	189	370	254	109	412	191	166
Ages at death— under 1 week.	M	1	3	.	1	.	1	4	1	4	2	.	7	4	.
	F	.	.	.	2	1	1	.	1	2	.	.	3	2	.
under 4 weeks	M	1	3	.	1	.	2	4	2	4	3	.	8	4	.
	F	1	.	.	2	3	1	1	1	3	.	.	6	2	1
4 weeks—11 months	M	.	1	.	2	.	.	5	2	.	2	1	4	1	.
	F	1	2	2	1	3	.	1	.	1	2	1	5	.	.
1 year—14 years	M	1	2	.	3	1	1	1	.	4	1	3	6	1	.
	F	.	1	.	1	1	2	3	2	4	.	.	2	.	.
15 years—44 years.	M	5	7	6	21	17	9	25	11	27	21	10	45	14	12
	F	4	1	2	8	8	3	10	5	14	11	7	17	7	7
45 years—64 years.	M	27	33	18	60	53	33	73	48	61	51	13	77	41	43
	F	14	21	11	55	34	13	37	23	50	29	17	71	28	20
65 years and over	M	118	102	63	218	172	132	223	178	283	256	82	228	184	115
	F	100	103	64	222	223	125	253	158	298	212	84	311	154	138
Deaths from— Infective and parasitic diseases		1	.	.	.	1	.	3	.	2	2	1	3	2	2
Neoplasms *(a)* Cancers*		73	48	35	144	89	67	146	87	163	114	50	168	81	61
(b) Other neoplasms		1	.	1	1	4	3	2	1	9	.	.	4	.	4
Endocrine, nutritional, metabolic diseases and immunity disorders.		1	.	.	5	1	5	2	2	4	2	1	2	1	.
Diseases of blood and blood-forming organs.		.	2	.	.	2	1	1	.	1	3	2	2	.	2
Mental disorders		2	1	2	4	1	.	1	.	1	1	.	8	1	.
Diseases of the nervous system and sense organs		2	6	3	9	7	4	2	3	10	3	2	14	4	4
Diseases of the circulatory system		120	140	83	270	257	131	295	211	355	280	100	346	199	181
Diseases of the respiratory system		49	50	23	109	99	78	123	75	108	121	37	128	89	38
Diseases of the digestive system		7	5	5	9	14	7	10	9	23	11	7	25	15	17
Diseases of the genitourinary system		2	1	4	5	9	5	11	10	15	12	3	10	9	4
Complications of pregnancy, childbirth and the puerperium		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the skin and subcutaneous tissue		.	.	.	.	.	.	.	.	1	2	.	1	2	.
Diseases of the musculo-skeletal system and connective tissue		2	2	1	.	2	2	5	4	4	.	1	1	.	1
Congenital anomalies		1	4	1	3	5	3	7	2	4	4	1	4	4	2
Certain conditions originating in the perinatal period.		1	.	.	1	1	2	2	2	5	.	.	11	3	.
Symptoms, signs and ill-defined conditions		.	2	1	2	.	.	1	.	3	1	2	2	.	.
Injury and poisoning		10	15	7	32	23	13	25	24	41	32	11	51	26	20

*See definition on page 1.

ABSTRACT 35. Northern Ireland: Divorces*, by ground and class of decree, 1990.

CLASS OF DECREE	GROUNDS FOR DIVORCE							Nullity of marriage	Dissolution of marriage	All Decrees
	Adultery	Behaviour	Desertion	Non-cohabitation		Combination of grounds	All grounds of divorce			
				2 years and consent	5 years					
Husband	61	15	4	329	197	5	611	.	.	611
Wife	126	238	13	616	277	12	1,282	4	.	1,286
Both	.	.	.	.	.	.	.	.	.	.
TOTAL	187	253	17	945	474	17	1,893	4	.	1,897

*Includes nullities and dissolutions of marriage.

ABSTRACT 36. Northern Ireland: Divorces*, by method of celebration and duration of marriage, 1990.

DURATION OF MARRIAGE (Years)	All divorces	METHOD OF CELEBRATION OF MARRIAGE							
		Roman Catholic	Presbyterian	Church of Ireland	Methodist	Free Presbyterian	Church of England	Other denominations	Register Office
0	.	.	.	.	.	.	.	.	.
1	2	1	1	.	.	.	.	.	.
2	7	3	2	1	.	.	.	.	1
3	33	5	6	10	3	.	1	2	6
4	75	18	15	16	6	.	.	5	15
0– 4	117	27	24	27	9	.	1	7	22
5– 9	562	98	134	113	35	4	5	30	143
10–14	382	119	85	72	18	4	8	11	65
15–19	325	105	72	70	12	6	5	11	44
20–24	239	71	63	57	13	1	1	6	27
25–29	151	42	51	29	9	.	2	8	10
30 and over	121	19	32	40	5	1	3	7	14
TOTAL	1,897	481	461	408	101	16	25	80	325

*Includes nullities and dissolutions of marriage.

ABSTRACT 37. Northern Ireland: Divorces*, by age of husband and wife at marriage, 1990.

AGE OF WIFE AT MARRIAGE	All Ages	AGE OF HUSBAND AT MARRIAGE														
		Under 17	17	18	19	20	Under 21	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
Under 17	59	4	9	11	8	8	40	12	5	2	.	.	.	.	.	.
17	125	2	9	26	23	19	79	39	5	2	.	.	.	.	.	.
18	286	3	3	30	44	54	134	127	23	2	.	.	.	.	.	.
19	279	1	4	22	41	42	110	125	37	3	4	.	.	.	.	.
20	236	.	1	13	21	34	69	132	28	3	2	2	.	.	.	.
Under 21	985	10	26	102	137	157	432	435	98	12	6	2	.	.	.	.
21-24	640	1	1	9	30	47	88	344	175	23	8	1	.	1	.	.
25-29	182	.	.	1	4	5	10	48	72	35	13	3	1	.	.	.
30-34	51	.	.	.	.	3	3	5	15	16	4	7	.	.	1	.
35-39	16	.	.	.	.	.	.	.	3	7	2	3	.	1	.	.
40-44	12	.	.	.	.	.	.	.	.	2	2	4	1	1	2	.
45-49	9	.	.	.	.	.	.	.	.	.	1	1	4	.	2	1
50-54	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
55-59	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
60 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	1,897	11	27	112	171	212	533	832	363	95	36	21	7	3	5	2

*Includes nullities and dissolutions of marriage.

ABSTRACT 38. Northern Ireland: Divorces*, by age of wife at marriage and duration of marriage, 1990.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT MARRIAGE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0	.	.	.	.	.	.	.	.	.	.	.	.
1	2	.	1	.	1	.	.	.	.	.	.	.
2	7	.	1	4	.	2	.	.	.	.	.	.
3	33	1	11	12	7	1	.	1	.	.	.	.
4	75	7	28	32	4	1	.	1	2	.	.	.
0– 4	117	8	41	48	12	4	.	2	2	.	.	.
5– 9	562	44	237	179	66	17	9	6	4	.	.	.
10–14	382	47	180	104	30	13	5	.	2	1	.	.
15–19	325	41	146	96	29	7	1	3	1	1	.	.
20–24	239	19	95	103	17	4	.	1	.	.	.	.
25–29	151	13	59	62	14	2	1	.	.	.	.	.
30 and over	121	12	43	48	14	4	.	.	.	.	.	.
TOTAL	1,897	184	801	640	182	51	16	12	9	2	.	.

*Includes nullities and dissolution of marriage.

ABSTRACT 39. Northern Ireland: Divorces*, by age of wife at divorce and duration of marriage, 1990.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT MARRIAGE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0	.	.	.	.	.	.	.	.	.	.	.	.
1	2	.	1	.	1	.	.	.	.	.	.	.
2	7	.	.	3	2	2	.	.	.	.	.	.
3	33	.	1	15	14	2	.	1	.	.	.	.
4	75	.	1	34	35	1	1	.	1	2	.	.
0– 4	117	.	3	52	52	5	1	1	1	2	.	.
5– 9	562	.	.	70	317	123	24	12	10	4	2	.
10–14	382	.	.	.	76	215	63	18	6	1	2	1
15–19	325	.	.	.	.	77	162	69	7	4	3	3
20–24	239	.	.	.	.	.	34	155	42	6	1	1
25–29	151	.	.	.	.	.	.	24	89	34	3	1
30 and over	121	.	.	.	.	.	.	.	13	43	29	36
TOTAL	1,897	.	3	122	445	420	284	279	168	94	40	42

*Includes nullities and dissolution of marriage.

ABSTRACT 40. Northern Ireland: Divorces*, by age of wife at marriage and number of children, 1990.

AGE OF WIFE AT MARRIAGE	Size of family	NUMBER OF CHILDREN BY AGE						Total number of children (All ages)	Number of divorces
		Children under 16 years				16-17 years	18 years and over		
		0–4	5–9	10–15	Under 16				
Under 21	0	.	.	.	.	.	.	.	174
	1	48	115	49	212	12	23	247	247
	2	50	224	204	478	38	94	610	305
	3	24	102	130	256	44	117	417	139
	4	11	54	72	137	29	134	300	75
	5+	5	27	59	91	25	144	260	45
	All sizes	138	522	514	1,174	148	512	1,834	985
21–24	0	.	.	.	.	.	.	.	179
	1	24	58	26	108	9	21	138	138
	2	24	81	100	205	29	106	340	170
	3	11	35	78	124	28	139	291	97
	4	4	21	22	47	14	63	124	31
	5+	2	11	21	34	3	104	141	25
	All sizes	65	206	247	518	83	433	1,034	640
25–29	0	.	.	.	.	.	.	.	64
	1	9	10	9	28	2	7	37	37
	2	4	22	21	47	2	17	66	33
	3	3	16	31	50	8	29	87	29
	4	3	9	9	21	3	24	48	12
	5+	.	2	6	8	2	29	39	7
	All sizes	19	59	76	154	17	106	277	182
30–34	0	.	.	.	.	.	.	.	27
	1	.	1	5	6	1	1	8	8
	2	.	3	5	8	1	5	14	7
	3	.	4	4	8	3	10	21	7
	4	1	4	.	5	1	2	8	2
	5+	.	.	.	.	.	.	.	.
	All sizes	1	12	14	27	6	18	51	51
35–39	0	.	.	.	.	.	.	.	10
	1	.	1	2	3	.	.	3	3
	2	.	.	.	.	.	2	2	1
	3	.	.	.	.	.	3	3	1
	4	.	.	1	1	.	3	4	1
	5+	.	.	.	.	.	.	.	.
	All sizes	.	1	3	4	.	8	12	16
40–44	0	.	.	.	.	.	.	.	6
	1	.	.	.	.	1	.	1	1
	2	.	.	2	2	2	.	4	2
	3	.	.	1	1	1	4	6	2
	4	.	.	.	.	.	.	.	.
	5+	.	.	1	1	.	4	5	1
	All sizes	.	.	4	4	4	8	16	12
45 and over	0	.	.	.	.	.	.	.	9
	1	.	.	.	.	.	.	.	.
	2	.	.	2	2	.	.	2	1
	3	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.
	5+	.	.	.	.	.	5	5	1
	All sizes	.	.	2	2	.	5	7	11
All ages	**0**	.	.	.	.	.	.	.	**469**
	1	**81**	**185**	**91**	**357**	**25**	**52**	**434**	**434**
	2	**78**	**330**	**334**	**742**	**72**	**224**	**1,038**	**519**
	3	**38**	**157**	**244**	**439**	**84**	**302**	**825**	**275**
	4	**19**	**88**	**104**	**211**	**47**	**226**	**484**	**121**
	5+	**7**	**40**	**87**	**134**	**30**	**286**	**450**	**79**
	All sizes	**223**	**800**	**860**	**1,883**	**258**	**1,090**	**3,231**	**1,897**

*Includes nullities and dissolution of marriage.

Printed in the United Kingdom for HMSO
Dd 0303201. C4. 3/92. Gp 14672.