

Seventy-Third Annual Report of the Registrar General 1994

Presented pursuant to:

Section 56 of the Marriages (Ireland) Act, 1844

Section 16 of the Registration of Marriages (Ireland) Act, 1863

Article 3(3) of the Births and Deaths Registration (Northern Ireland) Order 1976

BELFAST: HMSO

© Crown copyright 1995
First published 1995

TABLE OF CONTENTS

TEXT	Page
GENERAL NOTES.	1
SUMMARY	3
SERIAL STATISTICS FOR NORTHERN IRELAND.	4
COMPARATIVE STATISTICS, NORTHERN IRELAND, ENGLAND AND WALES, SCOTLAND AND THE IRISH REPUBLIC	5
POPULATION	6
MARRIAGES	
Number and rate	8
Ages at marriage	8
Method of celebration	8
DIVORCES	
Number, rate and type of decree	11
Duration of marriage	11
Marital status at marriage	11
Age at marriage	12
Children affected by divorce	12
Size of family	12
LIVE BIRTHS-FERTILITY	
Number and rate of live births.	13
Proportion of males to females	13
Age of parents	13
Place of occurrence	13
Multiple births	13
Illegitimate births.	16
LIVE BIRTHS BY SOCIAL CLASS	17
STILL-BIRTHS ¹	
Number and rate	19
DEATHS	
Number and rate	21
Area mortality comparisons	21
Deaths in hospitals	23
Cause of death	23
Proportion of deaths from the principal causes	23
Deaths from the principal epidemic diseases	23
Influenza	23
Tuberculosis.	27
Cancer	27
Cerebral haemorrhage etc.	29
Heart disease	29
Bronchitis	30
Pneumonia	30
Pregnancy and childbirth	30
Infant mortality	32
Neonatal mortality.	32
Perinatal deaths	32
Infant mortality by social class	35
Mortality among illegitimate children	35
Violent deaths	39
CERTIFICATION OF DEATHS	42
LIFE TABLE	42
MIGRATION	44

¹ See page 1 for details.

TABLE OF CONTENTS *(Continued)*

	<i>Page</i>
ADMINISTRATION	
Introductory.	45
Buildings licensed or registered for marriages	45
Legitimacy Acts (N.I.) 1928 to 1961.	45
Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969	45
Searches and certificates.	45
Verifications	45

ABSTRACTS

Abbreviations:—N.I. = Northern Ireland

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
	POPULATION		
1	Ages of the population according to the 1991 Census	District Council Areas	48
	MARRIAGES		
2	Marriages by area and month of registration, 1994	District Council Areas	50
3	Conjugal condition of persons contracting marriage, 1994	District Council Areas	51
4	Ages of men at marriage, 1994	District Council Areas	52
5	Ages of women at marriage, 1994	District Council Areas	53
6	Age and conjugal condition of persons married in the year, 1994	N.I.	54
7	Ages in combination of men and women at marriage, 1994	N.I.	56
8	Marriages by age of bachelors, by age of spinsters, 1994	N.I.	57
	LIVE BIRTHS		
9	Live births by District Council Area, by month and sex, with quarterly totals, 1994	District Council Areas	58
10	Legitimate live births by sex and by age of mother and father, 1994	N.I.	60
11	Legitimate live births by sex, age of mother and parity, 1994	N.I.	61
12	Live births by age of mother and live birth order, 1994	N.I.	63
13	Legitimate live births by sex, age of mother, and duration of marriage, 1994	N.I.	64
14	Live births by sex, legitimacy and age of mother, 1994	N.I.	65
	STILL-BIRTHS¹		
15	Still-births ¹ by sex, legitimacy and age of mother, 1994	N.I.	66
16	Still-births ¹ by sex, cause and period of gestation, 1994	N.I.	67
17	Still-births ¹ by sex, cause and weight of fetus, 1994	N.I.	69
18	Still-births ¹ by sex, age of mother and parity, 1994	N.I.	71
	DEATHS		
19	Deaths by District Council Area, month and sex, with quarterly totals, 1994	District Council Areas	72
20	Causes of death at different age-periods, by I.C.D. detailed list, 1994	N.I.	73
21	Deaths by sex, cause and place of occurrence by I.C.D. abbreviated list, 1994	N.I.	132
22	Deaths by month of registration, by I.C.D. abbreviated list, 1994	N.I.	135
23	Deaths by sex at each year of age, by conjugal condition, 1994	N.I.	137
24	Deaths by sex and age-periods, by I.C.D. abbreviated list, 1994	N.I.	139
25	Causes of death by sex and age-periods, by I.C.D. detailed list, 1994	District Council Areas	143
26	Deaths at different age-periods, by District Council Area, 1994	District Council Areas	170
27	Deaths from violent causes, by nature of injury, external cause and sex, 1994	N.I.	172
28	Deaths from non-transport accidents—by age and sex, (a) by place of occurrence, (b) while working, 1994	N.I.	173
29	Deaths from cancer in each of the District Council Areas by sex and site, 1994	District Council Areas	175
	INFANT MORTALITY		
30	Deaths of all children under one year in each District Council Area, 1994	District Council Areas	177
31	Deaths of illegitimate children under one year in each District Council Area, 1994	District Council Areas	178
32	Infant mortality, by cause, age and sex, also illegitimate infant mortality, by cause, 1994	N.I.	179
33	Infant mortality, by cause, sex and month of registration, 1994	N.I.	182
	SUMMARY		
34	Marriages, births, still-births and deaths by age, sex and cause, in each District Council Area, 1994, together with the Census population 1991	District Council Areas	184
	DIVORCES		
35	Divorces by ground and class of decree, 1994	N.I.	186
36	Divorces by method of celebration and duration of marriage, 1994	N.I.	186
37	Divorces by ages of husband and wife at marriage, 1994	N.I.	186
38	Divorces by age of wife at marriage and duration of marriage, 1994	N.I.	187
39	Divorces by age of wife at divorce and duration of marriage, 1994	N.I.	187
40	Divorces by age of wife at marriage and number of children, 1994	N.I.	188

CHARTS

(Rates shown for Northern Ireland, England and Wales, Scotland and the Irish Republic)

	<i>Page</i>
Figure 1 Marriage rates per 1,000 population	9
Figure 2 Live birth rates per 1,000 population	15
Figure 3 Death rates per 1,000 population	26
Figure 4 Death rates from cancer per 100,000 population	28
Figure 5 Maternal mortality rates per 1,000 total births	31
Figure 6 Infant mortality rates per 1,000 live births	34

¹ See page 1 for details.

GENERAL NOTES

The figures contained in this Report may be regarded as superseding the provisional figures already published for the year 1994 in the Registrar General's quarterly returns.

Throughout the Report births and deaths have been recorded according to date of registration and not to date of occurrence. They have also been allocated to the district of normal residence, if in Northern Ireland; births have been assigned to the districts containing the normal residence of parents and deaths to the districts containing the normal residence of the deceased persons. Events occurring in Northern Ireland relating to persons whose normal residence is outside Northern Ireland have been assigned to the district of occurrence.

Rates, unless otherwise stated, are assessed per 1,000 of the estimated home population as at 30 June 1994. The home population is a count of the usually resident population, and includes Her Majesty's Forces. This figure is based on the 1991 Census count of persons usually resident in Northern Ireland.

Marriage rates relate to the number of marriages solemnised and not to the number of persons married.

Divorce statistics have been compiled from returns of "Decrees made Absolute" supplied by the Northern Ireland Court Service.

Comparisons with rates (births, deaths etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but it should be remembered that (with the exception of Diagram 3) they are crude rates only and take no account of changes in, or differences between, the age and sex structure of the populations.

Generally speaking, the classifications adopted for the purposes of this Report are the Detailed and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1975."

§ The term cancer, where used, refers to all malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues, including Hodgkin's disease, leukaemia and aleukaemia (I.C.D. Nos. 201, 204-208) which prior to 1988 were not included in this heading. Therefore rates will no longer be comparable.

Where more than one cause of death is reported, the death is classified according to the underlying cause, i.e. the disease or injury which initiated the train of morbid events leading directly to death. This method of classification is followed even if the deceased may have recovered from the underlying cause long before the date of death.

¹ The Still-Births (Definition) Act 1992 re-defined stillbirths, from 1 October 1992, to include losses between 24 and 27 weeks gestation. In the text and tables the terms "still-birth" refers to a child born after the 24th week of pregnancy and which did not breathe or show any other sign of life. Perinatal deaths are deaths of infants under one week and also includes still-births; "neonatal mortality" relates to deaths of children under 4 weeks of age and "infant mortality" to deaths of all children (including neonatal) under 1 year of age.

Generally in the tables and abstracts, dots (.) are used to indicate "none" and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

REPORT 1994

SUMMARY

In 1994 there were decreases in the birth, marriage, death, infant and neonatal mortality rates compared with 1993. The stillbirth and perinatal mortality rates increased.

The following figures indicate the general trend of marriages, births and deaths over the past 30 years. More detailed comparisons will be found in Tables A and A1.

Table B shows comparative statistics for Northern Ireland, England and Wales, Scotland and the Republic of Ireland.

The marriage rate for Northern Ireland was lower than in Scotland but higher than in the Irish Republic. The figures for England and Wales were not available at time of publication. The live birth rate was highest in Northern Ireland and the death rate was lowest in the Irish Republic.

		1964	1984	1992	1993	1994
Estimated population		1,458,000	1,550,500	1,618,400	1,631,800	1,641,700
Marriages	Number	10,614	10,361	9,392	9,045	8,683
	Rate	7.3	6.7	5.8	5.5	5.3
Live Births	Number	34,345	27,693	25,572	24,909	24,289
	Rate	23.6	17.9	15.8	15.3	14.8
Illegitimate live births	Number	1,015	2,802	5,603	5,459	5,353
	Rate*	3.0	10.1	21.9	21.9	22.0
Still-births ¹	Number	680	164	127	130	154
	Rate†††	19.4	5.9	4.9	5.2	6.3
Deaths	Number	15,354	15,692	14,988	15,633	15,114
	Rate	10.5	10.1	9.3	9.6	9.2
Perinatal	Number	1,230	301	212	220	236
	Rate†††	35.1	10.8	8.2	8.8	9.7
Neonatal	Number	629	186	104	123	101
	Rate††	18.0	6.7	4.1	4.9	4.2
Infant	Number	904	291	153	176	147
	Rate††	25.8	10.5	6.0	7.1	6.1
Maternal	Number	6	3	.	.	.
	Rate	0.2	0.11	.	.	.
Divorces	Number	**	1,552	2,280	2,213	2,303
	Rate†	**	**	3.3	3.1	3.3
Deaths from:						
Heart diseases (all forms)		5,560	5,776	5,039	4,997	4,853
Cerebral haemorrhage etc.		2,212	1,990	1,691	1,722	1,738
Cancer (all sites)§		2,292	3,154	3,554	3,624	3,595
Lung cancer		396	788	771	812	768
Road vehicle accidents (E810-E829)		232	181	167	153	175
Accidents in the home		157	193	98	99	111
Other violent causes		212	365	316	387	402
Inquests held		545	576	496	502	588

* Rate shown as % of live births.

† Rate per 1,000 married population.

†† Rate per 1,000 births.

††† Rate per 1,000 births (live and still).

** Not available.

¹ See page 1 for details.

TABLE A. *Northern Ireland: Population, marriages, live births and deaths, 1981-1994, with quinquennial averages from 1911.*

YEAR	Estimated mid-year population	Marriages	Live births (total)	Illegitimate live births	Deaths	Deaths of infants under 1 year of age	Still-births ¹
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030	—
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620	—
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392	—
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083	—
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966	—
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970	—
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169	—
1946-50	1,350,000*	9,396	29,764	1,124	16,039*	1,423	—
1951-55	1,383,000	9,359	28,798	838	15,557	1,054	—
1956-60	1,405,000	9,500	30,539	758	15,175	863	—
1961-65	1,447,000	10,185	33,226	890	15,628	879	695
1966-70	1,501,500	11,357	32,866	1,180	15,987	791	530
1971-75	1,532,000	11,383	28,849	1,260	16,948	610	406
1976-80	1,526,200	10,010	26,959	1,531	16,750	427	269
1981	1,537,700	9,636	27,302	1,902	16,256	360	241
1982	1,538,000	9,913	27,028	2,112	15,918	369	187
1983	1,543,200	9,990	27,255	2,383	16,039	329	204
1984	1,550,500	10,361	27,693	2,802	15,692	291	164
1985	1,557,900	10,343	27,635	3,195	15,955	265	178
1981-85	1,545,500	10,049	27,383	2,479	15,972	323	195
1986	1,566,800	10,225	28,152	3,580	16,065	286	125
1987	1,575,100	10,363	27,865	3,976	15,334	242	171
1988	1,578,000	9,961	27,767	4,464	15,813	248	139
1989	1,583,000	10,019	26,080	4,412	15,844	180	133
1990	1,589,400	9,588	26,499	4,972	15,426	198	116
1986-90	1,578,500	10,031	27,273	4,281	15,696	231	137
1991	1,601,400	9,221	26,265	5,306	15,096	194	124
1992	1,618,400	9,392	25,572	5,603	14,988	153	127
1993	1,631,800	9,045	24,909	5,459	15,633	176	130
1994	1,641,700	8,683	24,289	5,353	15,114	147	154

TABLE A1. *Northern Ireland: Annual marriage, birth and death rates and death rates of infants under 1 year per 1,000 live births, 1981-1994, with quinquennial averages from 1911.*

YEAR	Rates per 1,000 of estimated population			Illegitimate live births per cent. of total live births	Death rates of infants under 1 year of age per 1,000 live births	Still-birth ¹ rates per 1,000 births (live and still)
	Marriages	Live births	Deaths			
1911-15	6.1	24.0	17.7	4.37	102	—
1916-20	6.7	22.5	18.0	4.56	95	—
1921-25	6.3	23.1	15.6	4.29	82	—
1926-30	5.9	21.2	14.8	4.73	79	—
1931-35	6.2	20.0	14.3	5.02	78	—
1936-40	7.1	19.8	14.3	4.61	77	—
1941-45	8.2	22.7	13.4*	5.27	73	—
1946-50	7.0	22.0	11.9*	3.78	48	—
1951-55	6.8	20.8	11.3	2.91	37	—
1956-60	6.8	21.7	10.8	2.48	28	—
1961-65	7.0	23.0	10.8	2.67	26	20
1966-70	7.6	21.0	10.6	3.59	24	16
1971-75	7.4	18.8	11.1	4.35	21	14
1976-80	6.6	17.7	11.0	5.67	16	10
1981	6.3	17.8	10.6	6.96	13	9
1982	6.4	17.6	10.4	7.81	14	7
1983	6.5	17.7	10.4	8.74	12	7
1984	6.7	17.9	10.1	10.12	11	6
1985	6.6	17.7	10.2	11.56	10	6
1981-85	6.5	17.7	10.3	9.04	12	7
1986	6.5	18.0	10.3	12.72	10	4
1987	6.6	17.7	9.7	14.27	9	6
1988	6.3	17.6	10.0	16.08	9	5
1989	6.3	16.5	10.0	16.92	7	5
1990	6.0	16.7	9.7	18.76	7	4
1986-90	6.4	17.3	9.9	15.75	8	5
1991	5.8	16.4	9.4	20.20	7	5
1992	5.8	15.8	9.3	21.91	6	5
1993	5.5	15.3	9.6	21.91	7	5
1994	5.3	14.8	9.2	22.04	6	6

*Statistics of population and deaths for the years 1941-1949 relate to civilians only.

¹See page 1 for details.

TABLE B. *Comparative statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1961, 1966, 1971, 1981, 1988-1994.*

MARRIAGE RATES PER 1,000 OF POPULATION				
Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5.8	7.2	6.4	4.6
1937	6.7	8.8	7.7	5.0
1951	6.9	8.2	8.1	5.4
1961	6.9	7.5	7.8	5.4
1966	7.3	8.0	8.1	5.8
1971	7.9	8.3	8.1	7.4
1981	6.3	7.1	7.0	6.0
1988	6.3	6.9	7.0	5.2
1989	6.3	6.9	6.9	5.2
1990	6.0	6.5	6.8	5.1
1991	5.8	6.0	6.6	4.8
1992	5.8	6.1	6.9	4.6
1993	5.5	5.8	6.5	4.4
1994	5.3	N/A	6.1	4.6

LIVE BIRTH RATES PER 1,000 OF POPULATION				
Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22.5	17.8	21.1	20.6
1937	19.8	14.9	17.6	19.2
1951	20.7	15.4	17.7	21.2
1961	22.4	17.6	19.5	21.2
1966	22.5	17.7	18.6	21.6
1971	20.6	16.0	16.6	22.8
1981	17.8	12.8	13.4	21.0
1988	17.6	13.8	13.0	15.4
1989	16.5	13.6	12.5	14.7
1990	16.7	13.6	12.9	15.1
1991	16.4	13.7	13.1	15.0
1992	15.8	13.4	12.9	14.5
1993	15.3	13.1	12.4	13.9
1994	14.8	12.9	12.0	13.4

DEATH RATES PER 1,000 OF POPULATION				
Year	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15.0	11.6	13.1	14.1
1937	15.1	12.4	13.9	15.3
1951	12.8	12.5	12.9	14.3
1961	11.3	12.0	12.3	12.3
1966	11.1	11.7	12.3	12.1
1971	10.5	11.6	11.8	10.6
1981	10.6	11.6	12.4	9.4
1988	10.0	11.3	12.2	8.9
1989	10.0	11.4	12.8	8.9
1990	9.7	11.1	12.1	9.1
1991	9.4	11.2	12.0	8.9
1992	9.3	10.9	11.9	8.7
1993	9.6	11.3	12.5	8.9
1994	9.2	10.7	11.6	8.6

PERINATAL, NEONATAL, AND INFANT MORTALITY RATES												
Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant
1926	—	34	85	—	32	70	—	36	83	—	27	74
1937	—	36	77	60	30	58	—	38	80	—	30	73
1951	—	25	41	38	19	30	44	22	37	—	25	46
1961	38	19	27	32	15	21	36	18	26	36	21	31
1966	31	17	26	26	13	19	29	15	23	29	16	25
1971	27	16	23	22	12	18	25	14	20	23	12	18
1981	15	8	13	12	7	11	12	7	11	13	7	11
1988	9	5	9	9	5	9	9	5	8	11	5	9
1989	8	4	7	8	5	8	9	5	9	10	5	8
1990	8	4	7	8	5	8	9	4	8	10	5	8
1991	8	5	7	8	4	7	9	4	7	10	5	8
1992	8	4	6	8	4	7	9	5	7	9	4	7
1993	9	5	7	9	4	6	10	4	7	9	4	6
1994	10	4	6	9	4	6	9	4	6	N/A	4	6

†††Per 1,000 births (live and still). ††Per 1,000 live births.

POPULATION

The home population of Northern Ireland estimated at 30 June 1994 was 1,641,700 persons. This estimate, comprising civilians and members of H.M. forces stationed in Northern Ireland, is based on the Census taken on 21 April 1991 (1,577,836 persons) and takes account of natural increase and net migration. During the year ended 30 June 1994, the natural increase of 9,014 was supplemented by net migration of +1,100. Further details regarding migration are shown on page 44.

The total population is further analysed by sex and age in Table C1.

Table C shows the population of the 26 District Council Areas.

TABLE C. *Population of 26 District Council Areas as recorded at the Census of 1991 and as estimated at mid-year 1994.*

AREA	Census 1991	Mid-Year Estimate 1994
Northern Ireland	1,577,836	1,641,700
Ards	64,764	66,500
Belfast	279,237	297,100
Castlereagh	60,799	63,200
Down	58,008	60,400
Lisburn	99,458	105,100
North Down	71,832	73,700
Antrim	44,516	47,900
Ballymena.	56,641	57,300
Ballymoney	24,198	24,500
Carrickfergus	32,750	34,700
Coleraine	50,438	53,900
Cookstown	31,082	31,000
Larne	29,419	29,900
Magherafelt	36,293	36,600
Moyle	14,789	14,700
Newtownabbey	74,035	78,100
Armagh	51,817	52,700
Banbridge.	33,482	37,100
Craigavon.	74,986	77,500
Dungannon	45,428	46,600
Newry and Mourne	82,943	83,400
Fermanagh	54,033	55,100
Limavady	29,567	30,600
Derry	95,371	101,600
Omagh	45,809	46,600
Strabane	36,141	35,900

TABLE C1. *Northern Ireland: Sex and age distribution of home population as estimated at 30 June 1994 and percentage of total population in each age-group.*

(To nearest 100)

Age Groups	Persons	% Age	Males	% Age	Females	% Age
Years						
0-14	393,145	24.0	201,307	25.1	191,838	22.8
15-64	1,039,484	63.3	517,261	64.5	522,223	62.2
65+	209,082	12.7	83,194	10.4	125,888	15.0
0-	24,540	1.5	12,422	1.5	12,118	1.4
1-	25,004	1.5	12,745	1.6	12,259	1.5
2-	26,286	1.6	13,489	1.7	12,797	1.5
3-	26,510	1.6	13,574	1.7	12,936	1.5
4-	25,870	1.6	13,306	1.7	12,564	1.5
0- 4	128,210	7.8	65,536	8.2	62,674	7.5
5- 9	132,778	8.1	68,193	8.5	64,585	7.7
10-14	132,157	8.1	67,578	8.4	64,579	7.7
15-19	122,014	7.4	62,861	7.8	59,153	7.0
20-24	129,412	7.9	67,201	8.4	62,211	7.4
25-29	128,921	7.9	64,256	8.0	64,665	7.7
30-34	123,580	7.5	60,403	7.5	63,177	7.5
35-39	110,363	6.7	54,613	6.8	55,750	6.6
40-44	98,798	6.0	49,378	6.2	49,420	5.9
45-49	96,829	5.9	47,789	6.0	49,040	5.8
50-54	84,997	5.2	41,837	5.2	43,160	5.1
55-59	74,993	4.6	36,397	4.5	38,596	4.6
60-64	69,577	4.2	32,526	4.1	37,051	4.4
65-69	65,024	4.0	29,326	3.7	35,698	4.3
70-74	58,099	3.5	24,711	3.1	33,388	4.0
75-79	39,776	2.4	15,379	1.9	24,397	2.9
80-84	27,837	1.7	9,288	1.2	18,549	2.2
85+	18,346	1.1	4,490	0.6	13,856	1.7
TOTALS	1,641,711	100	801,762	100	839,949	100

The 1991 Census population by age and sex for Northern Ireland and for District Council Areas is given in Abstract 1.

MARRIAGES

Number and rate. Marriages registered during the year numbered 8,683 giving a rate of 5.3 per 1,000 population. The corresponding number and rate for 1993 was 9,045 and 5.5 respectively. In 7,066 (81.4 per cent.) of the total marriages both contracting parties were single; in 253 (2.9 per cent.) one or both were widowed and in 1,407 (16.2 per cent.) one or both were divorced. Further details are given in Abstracts 3 and 6.

The number of marriages celebrated in each month in 1994 was as follows:

January	223	April	755	July	1,152	October	661
February	295	May	716	August	1,326	November	383
March	394	June	1,040	September	1,453	December	285
Qtrs.: 1st	912	2nd	2,511	3rd	3,931	4th	1,329

This shows that the period July to September was the most popular quarter for weddings, September headed the monthly totals with 1,453. January was the least popular month with 223.

Ages at marriage. Although the most popular age for marriage was 26 years for men and 23 for women, the mean age of men marrying in 1994 was 29.3 and of women 27.2. During 1993 this age was 28.9 for men and 26.8 for women. In 1984 the mean age was 26.6 for men and 24.4 for women. The mean age at marriage of persons marrying for the first time in 1994 was 27.3 years for men and 25.6 for women. Of the contracting parties 0.04 per cent. of the husbands and 0.37 per cent. of the wives were minors (the age of majority was lowered from 21 to 18 from 1 January 1970), the relative figures for 1984 being 0.6 per cent. and 2.6 per cent. Further statistics can be found in Table D and Abstracts 4, 5, 6, 7 and 8.

Method of celebration. Table D1 shows the marriages registered during the years 1927, 1937, 1951, 1961, 1966, 1971, 1981 and 1990 to 1994 according to the form of celebration and Table D2 gives further details of marriages in 1994.

Marriages taking place in registrars' offices in the year under review represented 20.2 per cent. of the total marriages which is 2.4 above that for the previous year.

TABLE D. Marriages, mean ages at marriage; men and women by previous marital status, 1990-1994.

YEAR	Males—mean age at marriage												
	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
1990	27.9	26.2	57.5	38.8	25.8	40.3	32.5	51.2	64.1	54.9	35.9	49.3	41.9
1991	28.1	26.4	55.7	38.9	26.0	41.0	31.8	48.7	63.0	53.3	36.0	50.6	42.2
1992	28.5	26.7	57.1	38.8	26.4	41.4	32.1	51.7	65.3	54.2	35.8	49.3	41.5
1993	28.9	27.0	57.3	39.2	26.6	42.3	31.8	51.8	63.4	54.3	36.3	51.4	41.8
1994	29.3	27.3	56.9	39.8	26.8	42.1	33.4	52.0	64.7	52.6	36.8	50.7	42.8

YEAR	Females—mean age at marriage												
	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
1990	25.7	24.3	50.3	36.5	23.9	39.5	28.7	40.7	59.5	47.2	33.3	48.4	38.6
1991	26.0	24.6	50.4	36.4	24.2	38.4	29.2	41.3	57.8	47.1	33.2	46.5	38.4
1992	26.5	25.0	51.1	36.5	24.6	43.0	29.1	43.0	60.6	47.0	33.4	46.1	38.7
1993	26.8	25.2	50.8	36.4	24.8	44.4	29.3	42.8	58.2	49.8	33.5	45.7	38.4
1994	27.2	25.6	52.3	37.4	25.1	42.2	30.3	43.6	58.8	50.6	34.9	45.6	39.0

Marriage Rates




Figure 1

TABLE D1. *Northern Ireland: Marriages registered according to forms of celebration, 1927, 1937, 1951, 1961, 1966, 1971, 1981, 1988-1994.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	Other denominations	In Registrars' Offices	Total marriages registered	Total marriage rate per 1,000 of estimated population
1927	2,091	2,074	2,150	235	237	388	7,175	5.74
1937	2,396	2,473	2,426	426	255	647	8,623	6.73
1951	2,723	2,975	2,270	446	306	694	9,414	6.86
1961	3,285	2,942	2,258	517	339	520	9,861	6.91
1966	3,707	3,207	2,338	582	356	545	10,735	7.26
1971	4,672	3,138	2,446	563	472	861	12,152	7.92
1981	3,726	2,258	1,570	443	485	1,154	9,636	6.16
1988	3,960	2,083	1,552	436	581	1,349	9,961	6.31
1989	3,894	2,206	1,576	417	628	1,298	10,019	6.33
1990	3,759	2,048	1,459	380	641	1,301	9,588	6.03
1991	3,590	1,880	1,358	413	560	1,420	9,221	5.76
1992	3,545	1,920	1,388	398	558	1,583	9,392	5.80
1993	3,582	1,713	1,252	349	540	1,609	9,045	5.54
1994	3,312	1,594	1,196	313	518	1,750	8,683	5.29

TABLE D2. *Northern Ireland: Marriages registered by District Council Area and method of celebration, 1994.*

AREA	Total Marriages	Roman Catholic	Presbyterian		Church of Ireland			Methodist		In Registrars' Offices	Other denominations	
			By Licence	By Special Licence	After Banns	By Licence	By Special Licence	By Licence or Certificate	By Special Licence		By Licence or Certificate	By Special Licence
Northern Ireland	8,683	3,312	1,523	71	40	1,047	109	223	90	1,750	479	39
Ards	275	34	86	5	4	40	4	3	2	77	18	2
Belfast	1,580	568	208	17	5	145	22	50	44	375	127	19
Castlereagh	227	27	43	2	4	50	5	19	3	59	13	2
Down	301	174	30	1	.	29	2	.	1	49	14	1
Lisburn	458	110	103	5	2	78	28	15	3	77	35	2
North Down	439	24	88	4	3	45	10	19	10	222	14	.
Antrim	267	78	60	7	1	27	1	.	1	81	10	1
Ballymena	324	67	123	5	.	24	2	2	1	61	38	1
Ballymoney	135	41	53	3	.	10	.	.	.	17	10	1
Carrickfergus	174	3	45	.	.	22	8	16	2	63	14	1
Coleraine	334	76	74	3	2	55	8	4	1	92	18	1
Cookstown	160	78	30	1	1	28	.	2	2	8	10	.
Larne	254	126	67	2	.	17	.	4	1	32	5	.
Magherafelt	227	140	24	.	.	30	.	.	.	14	17	2
Moyle	88	50	19	1	.	11	1	.	.	4	2	.
Newtownabbey	353	27	105	2	6	52	4	32	7	93	23	2
Armagh	300	136	41	.	2	50	.	5	2	44	20	.
Banbridge	222	49	70	2	1	38	4	2	.	36	20	.
Craigavon	394	135	38	2	6	60	3	16	6	98	28	2
Dungannon	242	138	25	.	.	43	2	5	1	18	10	.
Newry and Mourne	474	356	41	1	.	15	.	2	1	52	5	1
Fermanagh	300	139	7	.	3	79	.	17	2	46	7	.
Limavady	155	87	28	.	.	20	3	.	.	12	4	1
Derry	532	360	44	3	.	32	.	4	.	85	4	.
Omagh	241	146	35	2	.	28	2	2	.	20	6	.
Strabane	227	143	36	3	.	19	.	4	.	15	7	.

DIVORCES

Number, rate and type of decree. The number of divorce decrees in 1994 numbered 2,303 as compared with 2,213 for 1993, an increase of 90. The rates per 1,000 of the married population were 3.3 for 1994 and 3.1 for 1993. Nullities and dissolutions of marriage contribute little to these totals which are made up mostly of decrees absolute. Table Z shows statistics covering 1985–1994.

TABLE Z. *Divorces* by type of decree, 1985-1994.*

Year	All Grounds of Divorce	Nullity of Marriage	Dissolution of Marriage	All Decrees	Rate per 1,000 of Married Population
1985	1,659	8	2	1,669	2.5
1986	1,535	4	.	1,539	2.3
1987	1,507	7	.	1,514	2.3
1988	1,546	4	.	1,550	2.3
1989	1,812	5	1	1,818	2.7
1990	1,893	4	.	1,897	2.8
1991	2,301	9	.	2,310	3.4
1992	2,274	5	1	2,280	3.3
1993	2,206	7	.	2,213	3.1
1994	2,303	6	1	2,310	3.3

Duration of marriage. During the years of 1994 and 1993 the highest proportion of divorces, (30%), took place between 5 and 9 years after marriage. In 1993 divorces in the first 5 years of marriage were less frequent, but over 14% of divorces took place between couples who had been married for over 25 years.

TABLE Z1. *Divorces* by duration of marriage, 1988–1994.*

Duration of Marriage (Years)	All Decrees						
	1988	1989	1990	1991	1992	1993	1994
0	1	.	.
1	2	2	2	1	.	1	2
2	.	2	7	18	19	21	12
3	22	35	33	75	65	69	72
4	59	73	75	108	123	95	102
0-4	83	112	117	202	208	186	188
5-9	480	539	562	641	635	625	656
10-14	345	407	382	498	522	526	512
15-19	251	296	325	388	344	346	350
20-24	203	224	239	261	280	259	280
25-29	99	131	151	183	168	144	155
30+	89	109	121	137	123	127	162
TOTAL	1,550	1,818	1,897	2,310	2,280	2,213	2,303

Marital status at marriage. In 1994 6.0% of husbands and 5.6% of wives securing a divorce were already of divorced status when entering the marriage. The equivalent figures for 1993 were 5.4% for both husbands and wives.

TABLE Z.2. *Divorces* by marital status at time of marriage, 1985–1994.*

Year	Husbands			All Decrees	Wives			All Decrees
	Marital Status at Time of Marriage				Marital Status at Time of Marriage			
	Bachelors	Widowers	Divorced Men		Spinsters	Widows	Divorced Women	
1985	1,601	14	54	1,669	1,609	21	39	1,669
1986	1,476	12	51	1,539	1,467	17	55	1,539
1987	1,459	11	44	1,514	1,467	6	41	1,514
1988	1,494	7	49	1,550	1,488	7	55	1,550
1989	1,716	15	87	1,818	1,729	14	75	1,818
1990	1,815	14	68	1,897	1,817	11	69	1,897
1991	2,194	17	99	2,310	2,183	20	107	2,310
1992	2,155	13	112	2,280	2,158	20	102	2,280
1993	2,085	17	111	2,213	2,063	22	128	2,213
1994	2,152	12	139	2,303	2,154	19	130	2,303

*Includes nullities and dissolutions of marriage.

Age at marriage. The percentages of the total divorces where one or both of the parties were under 21 years of age at the time of marriage for the years 1994 and 1993 were 46% and 48% respectively. Further details are given in Abstract 37.

Children affected by divorce. A total of 3,684 children were affected by divorce in 1994; the majority of these children (2,144) were between 5 and 15 years old. The 1993 figures were 3,687 and 2,127 respectively.

TABLE Z.3. *Divorces* by ages of children, 1988–1994.*

Ages of Children	1988	1989	1990	1991	1992	1993	1994
0–4	180	232	223	301	295	283	276
5–9	715	767	800	988	1,050	1,015	1,023
10–15	662	791	860	1,013	998	1,112	1,121
16–17	216	231	258	271	257	237	262
18+	704	993	1,090	1,222	1,054	1,040	1,002
All Ages	2,477	3,014	3,231	3,795	3,654	3,687	3,684
No. of Divorces	1,550	1,818	1,897	2,310	2,280	2,213	2,303

Size of family. 642 of the couples granted divorces in 1994 were childless. This represents 28% of all the divorces compared with 539 or 24% in 1993. Childless couples formed the largest proportion of those involved in divorce in 1994 whereas in 1993 the largest proportion of those involved in divorce were from families with 2 children.

TABLE Z.4. *Divorces* by size of family, 1985–1994.*

Year	All Sizes	Size of Family					
		0	1	2	3	4	5+
1985	1,669	447	420	439	219	90	54
1986	1,539	354	374	444	201	95	71
1987	1,514	383	395	425	172	83	56
1988	1,550	382	398	457	191	67	55
1989	1,818	473	417	493	254	110	71
1990	1,897	469	434	519	275	121	79
1991	2,310	597	523	646	343	121	80
1992	2,280	592	520	665	320	117	66
1993	2,213	539	499	669	297	139	70
1994	2,303	642	492	634	334	137	64

Further details of divorces are given in Abstracts 35 to 40. All information relates to divorces granted under The Matrimonial Causes (Northern Ireland) Order 1978 and The Matrimonial Causes Rules (Northern Ireland) 1981.

*Includes nullities and dissolutions of marriage.

FERTILITY

LIVE BIRTHS

Number and rate. Live births registered during 1994 numbered 24,289, a decrease of 620 compared with the previous year. The birth rate was 14.8 per 1,000 of the estimated population, 0.5 below the rate for 1993.

The monthly incidence of births was as follows:

January . . .	2,317	April . . .	2,090	July . . .	1,954	October . . .	2,000
February . . .	1,722	May . . .	1,999	August . . .	2,113	November . . .	1,981
March . . .	2,047	June . . .	2,224	September . . .	2,152	December . . .	1,690
Qtrs.: 1st . . .	6,086	2nd . . .	6,313	3rd . . .	6,219	4th . . .	5,671

Compared with 1993 the quarters showed decreases of 160, 63, 142 and 255 live births respectively.

Births registered during 1994 where the normal residence of the parents was outside Northern Ireland, numbered 191 compared with 187 in 1993. In 163 cases an address in the Irish Republic was given, the same number as in 1993. Twenty children were born to mothers normally resident in England and Wales and 4 to mothers from Scotland. There were 4 children born to parents from a foreign country outside the British Commonwealth.

Proportion of males to females. Births of males in Northern Ireland in 1994 numbered 12,465 and those of females 11,824, the proportion of male to female births being 1,054 to 1,000. The corresponding proportion for each of the five years 1989–1993 were 1,061, 1,048, 1,065, 1,039 and 1,027 respectively.

Age of parents. Table E2 classifies legitimate live births according to the age of the mother. The maternal age-group which contributed the greatest number of live births was the group aged 25–29.

Place of Occurrence. 99.9 per cent of all live births occurred in hospitals.

Multiple births. Up to and including 1960, the birth of one live and one still-born infant was regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth. Since 1961 still-births have been registered and these are now being taken into account to obtain accurate figures for single and multiple births. Of the 24,289 live births, 23,711 were the product of single, 560 of twin and 18 of triple pregnancies. Table E gives the multiplicity of all births.

TABLE E. *Multiple births (live and still), by age of mother, sex and type, 1994.*

Type	Live births		Still-births	Total	Legitimate	Illegitimate	Age of mother							
	Male	Female					<20	20–24	25–29	30–34	35–39	40–44	45–49	50+
Twin Births	2	.	.	92	76	16	5	9	31	29	15	3	.	.
	1	1	.	105	94	11	3	12	29	42	15	3	1	.
	.	2	.	83	70	13	2	15	26	25	14	1	.	.
	1	.	1	5	3	2	1	1	2	1
Triplet Births	.	1	1	4	3	1	.	1	2	1
	2	1	.	2	2	2
	1	2	.	4	4	.	.	.	2	2

Single confinements	23,847	18,542	5,305	1,535	4,560	8,336	6,513	2,426	457	20	.
Twin confinements	289	246	43	11	38	90	98	44	7	1	.
Triple confinements	6	6	.	.	.	2	4
All confinements	24,142	18,794	5,348	1,546	4,598	8,428	6,615	2,470	464	21	.
All multiple confinements	295	252	43	11	38	92	102	44	7	1	.
Percentage of mothers who had multiple births.	1.22	1.34	0.80	0.71	0.83	1.09	1.54	1.78	1.51	4.76	.

TABLE E1. *Northern Ireland: Live births, numbers and rates by District Council Area, 1991–1994.*

AREA	Number				Rate per 1,000 of the population			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	26,265	25,572	24,909	24,289	16.4	15.8	15.3	14.8
Ards	942	879	888	835	14.5	13.4	13.4	12.6
Belfast.	4,786	4,558	4,390	4,046	16.3	15.4	14.8	13.6
Castlereagh	888	843	839	877	14.4	13.5	13.3	13.9
Down	983	970	942	922	16.8	16.3	15.6	15.3
Lisburn	1,683	1,727	1,589	1,645	16.7	16.7	15.3	15.7
North Down.	991	911	863	854	13.7	12.5	11.7	11.6
Antrim.	731	715	749	763	16.0	15.3	15.8	15.9
Ballymena	785	830	865	806	14.0	14.7	15.2	14.1
Ballymoney.	350	367	335	350	14.6	15.3	13.7	14.3
Carrickfergus	516	540	532	525	15.5	15.9	15.4	15.1
Coleraine	714	746	700	728	13.5	14.0	13.1	13.5
Cookstown	491	480	463	416	15.9	15.6	15.0	13.4
Larne	431	399	411	363	14.7	13.5	13.8	12.1
Magherafelt.	622	647	598	677	17.3	17.9	16.5	18.5
Moyle	228	180	180	180	15.6	12.2	12.2	12.2
Newtownabbey	1,170	1,148	1,085	1,073	15.4	14.9	14.0	13.7
Armagh	899	849	790	813	17.4	16.3	15.1	15.4
Banbridge	508	486	481	486	15.2	14.4	13.1	13.1
Craigavon	1,319	1,289	1,276	1,260	17.6	16.9	16.6	16.3
Dungannon	828	809	750	790	18.4	17.9	16.2	17.0
Newry and Mourne . .	1,694	1,574	1,547	1,519	20.5	18.8	18.9	18.2
Fermanagh	851	792	881	834	15.7	14.4	16.1	15.1
Limavady	546	518	512	537	18.4	17.3	16.9	17.5
Derry	1,927	1,983	1,882	1,765	19.8	20.0	18.7	17.4
Omagh.	776	749	770	704	17.0	16.3	16.6	15.1
Strabane	606	583	591	521	17.1	16.4	16.6	14.5

TABLE E2. *Northern Ireland: Legitimate live births by age of mother, 1990–1994.*

Year	All Ages	Legitimate live births by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1990	21,527	445	4,507	8,236	5,703	2,175	435	26
1991	20,959	325	4,083	8,216	5,745	2,139	423	28
1992	19,969	329	3,587	7,858	5,745	2,031	392	27
1993	19,450	187	3,169	7,589	5,903	2,185	400	17
1994	18,936	171	2,738	7,307	6,044	2,257	400	19
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1990	100	2.1	20.9	38.3	26.5	10.1	2.0	0.1
1991	100	1.6	19.5	39.2	27.4	10.2	2.0	0.1
1992	100	1.6	18.0	39.3	28.8	10.2	2.0	0.1
1993	100	1.0	16.3	39.0	30.3	11.2	2.1	0.1
1994	100	0.9	14.5	38.6	31.9	11.9	2.1	0.1

Live Birth Rates




Figure 2

Illegitimate births. The number of illegitimate births in 1994 was 5,353. This was 106 less than in 1993. Illegitimate live births represented 22.0 per cent of all live births, 0.1 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total live births in the year 1994 were 32.0, 31.2 and 19.7 respectively. Table F1 shows illegitimate live births by age of mother and reveals that illegitimacy is highest among women in the 20–24 age group.

TABLE F. *Northern Ireland: Illegitimate live births by District Council Area, 1991–1994.*

AREA	Number				Illegitimate births as percentage of total live births			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	5,306	5,603	5,459	5,353	20.2	21.9	21.9	22.0
Ards	141	157	173	164	15.0	17.9	19.5	19.6
Belfast.	1,596	1,582	1,578	1,456	33.3	34.7	35.9	36.0
Castlereagh	128	126	111	130	14.4	14.9	13.2	14.8
Down	171	183	178	169	17.4	18.9	18.9	18.3
Lisburn	365	385	362	347	21.7	22.3	22.8	21.1
North Down.	154	164	150	113	15.5	18.0	17.4	13.2
Antrim.	136	154	168	186	18.6	21.5	22.4	24.4
Ballymena	152	184	162	153	19.4	22.2	18.7	19.0
Ballymoney.	48	72	54	61	13.7	19.6	16.1	17.4
Carrickfergus	96	100	105	121	18.6	18.5	19.7	23.0
Coleraine	175	191	202	189	24.5	25.6	28.9	26.0
Cookstown	63	83	76	64	12.8	17.3	16.4	15.4
Larne	109	92	97	85	25.3	23.1	23.6	23.4
Magherafelt.	66	84	82	91	10.6	13.0	13.7	13.4
Moyle.	52	50	36	46	22.8	27.8	20.0	25.6
Newtownabbey	243	244	226	220	20.8	21.3	20.8	20.5
Armagh	99	99	90	106	11.0	11.7	11.4	13.0
Banbridge	58	70	66	72	11.4	14.4	13.7	14.8
Craigavon	222	284	266	281	16.8	22.0	20.8	22.3
Dungannon	99	94	103	115	12.0	11.6	13.7	14.6
Newry and Mourne . .	209	206	221	225	12.3	13.1	14.3	14.8
Fermanagh	108	102	128	115	12.7	12.9	14.5	13.8
Limavady	118	121	103	125	21.6	23.4	20.1	23.3
Derry	470	524	473	496	24.4	26.4	25.1	28.1
Omagh.	117	116	113	93	15.1	15.5	14.7	13.2
Strabane	111	136	136	130	18.3	23.3	23.0	25.0

TABLE F1. *Northern Ireland: Illegitimate live births by age of mother, 1990–1994.*

Year	All Ages	Illegitimate live births by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1990	4,972	1,413	1,877	974	466	198	42	2
1991	5,306	1,464	2,051	1,047	510	205	28	1
1992	5,603	1,531	2,077	1,150	549	247	47	2
1993	5,459	1,409	2,042	1,154	591	215	45	3
1994	5,353	1,378	1,868	1,162	637	241	64	3
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1990	100	28.4	37.7	19.6	9.4	4.0	0.8	0.1
1991	100	27.6	38.6	19.7	9.6	3.8	0.5	0.2
1992	100	27.3	37.1	20.5	9.8	4.4	0.8	0.1
1993	100	25.8	37.4	21.2	10.8	3.9	0.8	0.1
1994	100	25.7	34.9	21.7	11.9	4.5	1.2	0.1

LIVE BIRTHS BY SOCIAL CLASS

Social class is based on the occupation of the father of the child except where the child is illegitimate and the father's name and occupation is not stated. In these cases the social class is determined from the mother's occupation. Occupations are grouped into the following categories:—professional, managerial and technical, skilled non-manual, skilled manual, partly skilled and unskilled. In addition there are two further groups, namely members of the Armed Forces and those whose occupations are inadequately described. This last group includes students, children under 16, housewives, persons with independent means, the permanently sick and those with no stated occupation.

In 1994 the largest percentage of all live births, 33.3% (8,078) were those of the skilled manual group and the smallest, 5.2% or 1,267 (excluding those born to the Armed Forces and to those with no occupation) were from the professional group. Further details will be found in Table G.

Of the 5,353 illegitimate live births, 44.0% were born to parents' whose occupations could not be adequately described, 11.4% and 25.0% were born to the partly skilled and skilled manual groups respectively. The lowest percentages of illegitimate births were born to professional parents and members of the Armed Forces. Table G1 gives more detailed information. Tables G2 and G3 show details of live births by sex, age of mother, number of previous children born and social class.

TABLE G. *Northern Ireland: Live Births by social class, 1994.*

Social Class	Number	Percentage
Professional	1,267	5.2
Managerial and Technical	4,797	19.7
Skilled non-manual	2,683	11.0
Skilled manual	8,078	33.3
Partly skilled	2,927	12.1
Unskilled	1,690	7.0
Armed Forces	294	1.2
Inadequately described occupations	2,553	10.5
TOTAL	24,289	100.0

TABLE G1. *Northern Ireland: Illegitimate live births by social class, 1994.*

Social Class	Number	Percentage
Professional	43	0.8
Managerial and Technical	277	5.2
Skilled non-manual	321	6.0
Skilled manual	1,335	25.0
Partly skilled	612	11.4
Unskilled	408	7.6
Armed Forces
Inadequately described occupations	2,357	44.0
TOTAL	5,353	100.0

TABLE G2. *Northern Ireland: Legitimate live births by sex, age of mother and social class, 1994.*

Age of mother at birth of child		Professional	Managerial and Technical	Skilled (non-manual)	Skilled (manual)	Partly Skilled	Unskilled	Armed Forces and Inadequately Described Occupations
<20	M	.	5	10	31	20	11	12
	F	.	5	8	26	15	12	16
20-24	M	18	163	148	618	236	130	87
	F	22	161	130	572	238	142	73
25-29	M	203	771	517	1,400	475	254	96
	F	199	770	474	1,349	473	241	85
30-34	M	285	907	427	1,016	300	166	50
	F	231	835	385	924	316	162	40
35-39	M	128	365	112	360	115	76	17
	F	107	372	117	323	95	59	11
40-44	M	13	72	14	66	17	16	1
	F	16	85	18	55	14	11	2
45+	M	.	6	1	2	1	1	.
	F	2	3	1	1	0	1	.
Total legitimate births	M	647	2,289	1,229	3,493	1,164	654	263
	F	577	2,231	1,133	3,250	1,151	628	227

TABLE G3. *Northern Ireland: Legitimate live births by sex, number of previous children (live and still) and social class, 1994.*

Social Class		All legiti- mate births	Legitimate births classified according to number of previous children born (live and still)											All illegiti- mate births
			0	1	2	3	4	5	6	7	8	9	10+	
Professional	M	647	209	228	127	60	13	5	4	.	1	.	.	22
	F	577	222	184	116	45	5	3	2	21
Managerial and Technical	M	2,289	750	777	439	204	76	27	8	3	2	2	1	148
	F	2,231	780	737	420	198	60	20	10	3	2	.	1	129
Skilled (non- manual)	M	1,229	458	473	210	60	11	9	4	3	1	.	.	161
	F	1,133	395	430	203	69	25	5	3	3	.	.	.	160
Skilled (manual)	M	3,493	1,040	1,148	699	342	145	66	28	16	4	3	2	676
	F	3,250	914	1,120	658	349	115	59	19	7	7	1	1	659
Partly Skilled	M	1,164	366	399	239	94	39	20	1	5	1	.	.	298
	F	1,151	379	384	225	103	41	11	4	2	1	.	1	314
Unskilled	M	654	137	191	149	88	44	25	11	2	4	1	2	230
	F	628	143	183	149	82	40	19	3	3	2	.	4	178
Armed Forces and Inadequately Described Occupations	M	263	89	90	42	23	8	6	2	.	2	.	1	1,191
	F	227	75	82	37	19	8	5	1	1,166
TOTAL	M	9,739	3,049	3,306	1,905	871	336	158	58	29	15	6	6	2,726
	F	9,197	2,908	3,120	1,808	865	294	122	41	18	12	1	8	2,627
	T	18,936	5,957	6,426	3,713	1,736	630	280	99	47	27	7	14	5,353

STILL-BIRTHS¹

'The Still-Birth (Definition) Act 1992 redefined still-births, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Number and rate. The number of still-births registered in 1994 was 154 giving a rate of 6.3 per 1,000 births (live and still). Comparative 1994 figures for England and Wales, and Scotland were 3,813; 5.7; and 381; 6.1 respectively. Figures for the Irish Republic were not available at time of publication.

Abstract 34 shows the number of still-births in administrative areas by sex. The number of still-born children who would have been illegitimate had they been born alive was 38 representing 24.7 per cent. of all still-births. Nine of the still-births were the product of multiple confinements, further particulars of which will be found in Table E. In 115 cases the births occurred between 24 and 37 weeks gestation or when the weight of the fetus was not more than 2,500 grammes. Of the 154 still-births, 150 were certified by doctors, 3 by Coroner's Certificate without inquest and 1 by informant's declaration. Post-mortem examinations were held in 18 cases. Abstract 16 shows still-births by cause, sex and period of gestation. The percentage of still-births which occurred in hospitals in 1994 was 98.1 per cent. compared to 97.7 per cent. in 1993. Congenital malformations (ICD 740-759) caused 12 still-births (i.e. 7.8 per cent. of the total). This group was also a major cause in 1993 when the corresponding figures were 15 and 11.5 per cent. respectively.

TABLE H. *Northern Ireland: Still-births¹ and rates per 1,000 births (live and still) by District Council Area, 1991-1994.*

AREA	Number of still-births ¹				Rate per 1,000 live and still-births ¹			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland	124	127	130	154	4.7	4.9	5.2	6.3
Ards	4	4	2	9	4.2	4.5	2.2	10.7
Belfast.	26	23	20	28	5.4	5.0	4.5	6.9
Castlereagh	5	5	3	5	5.6	5.9	3.6	5.7
Down	2	9	9	7	2.0	9.2	9.5	7.5
Lisburn	5	10	6	10	3.0	5.8	3.8	6.0
North Down.	3	4	4	5	3.0	4.4	4.6	5.8
Antrim.	4	1	4	4	5.4	1.4	5.3	5.2
Ballymena	7	3	7	3	8.8	3.6	8.0	3.7
Ballymoney.	6	4	.	2	16.9	10.8	.	5.7
Carrickfergus	2	4	3	4	3.9	7.4	5.6	7.6
Coleraine	4	2	8	7	5.6	2.7	11.3	9.5
Cookstown	1	4	2	2	2.0	8.3	4.3	4.8
Larne	4	2	6	2	9.2	5.0	14.4	5.5
Magherafelt.	4	3	3	5	6.4	4.6	5.0	7.3
Moyle.	1	1	1	.	5.5	5.5	5.5
Newtownabbey	4	5	8	4	3.4	4.3	7.3	3.7
Armagh	6	2	4	2	6.6	2.4	5.0	2.5
Banbridge	1	3	2	2	2.0	6.1	4.1	4.1
Craigavon	4	7	7	4	3.0	5.4	5.5	3.2
Dungannon	4	3	.	5	4.8	3.7	.	6.3
Newry and Mourne . .	8	13	4	19	4.7	8.2	2.6	12.4
Fermanagh	4	2	3	3	4.7	2.5	3.4	3.6
Limavady	2	2	6	3	3.6	3.8	11.6	5.6
Derry	6	5	12	12	3.1	2.5	6.3	6.8
Omagh.	7	.	5	3	8.9	.	6.5	4.2
Strabane	1	6	1	3	1.6	10.2	1.7	5.7

¹See page 1 for details.

TABLE H1. *Northern Ireland: Births (live and still¹) by place of occurrence and by District Council Area, 1994.*

AREA	All Births (Live and Still ¹)	Place of occurrence		
		At Home	NHS Hospital	Non NHS Hospital
Northern Ireland	24,443	38	24,404	1
Ards	844	2	842	.
Belfast	4,074	3	4,071	.
Castlereagh	882	3	879	.
Down	929	1	928	.
Lisburn	1,655	2	1,653	.
North Down	859	4	855	.
Antrim	767	2	765	.
Ballymena	809	1	808	.
Ballymoney	352	.	352	.
Carrickfergus	529	2	527	.
Coleraine	735	1	734	.
Cookstown	418	1	417	.
Larne	365	2	363	.
Magherafelt	682	.	682	.
Moyle	181	.	181	.
Newtownabbey	1,077	3	1,074	.
Armagh	815	.	815	.
Banbridge	488	2	486	.
Craigavon	1,264	2	1,262	.
Dungannon	795	.	795	.
Newry and Mourne	1,538	.	1,538	.
Fermanagh	837	2	835	.
Limavady	540	.	540	.
Derry	1,777	1	1,775	1
Omagh	707	2	705	.
Strabane	524	2	522	.

TABLE H2. *Northern Ireland: Still-births¹ which occurred between 24 and 37 weeks or when the weight of the fetus was 2,500 grams or under; 1990-1994.*

Year	Period of Gestation (Weeks)																						Total	
	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and Over		Not Stated
1990	—	—	—	—	9	7	6	7	16	4	6	3	13	5	6	2	.	1	85
1991	—	—	—	—	10	7	10	5	9	9	8	9	10	4	2	2	85
1992	1	2	2	2	7	6	12	7	10	5	10	5	14	6	3	2	94
1993	4	6	7	10	10	5	4	5	8	6	5	3	8	6	.	3	1	91
1994	2	11	11	3	9	6	7	5	11	10	8	8	10	5	5	1	2	1	115

Note: (—) dashes are not applicable.

¹See page 1 for details.

DEATHS

Number and rate. The number of deaths recorded during the year 1994 and the death rate per 1,000 of the population were 15,114 and 9.2 respectively. The comparable figures for 1993 were 15,633 and 9.6.

The monthly incidence of deaths was as follows:

January . . . 1,544	April . . . 1,186	July . . . 1,105	October . . . 1,262
February . . . 1,287	May . . . 1,239	August . . . 1,199	November . . . 1,236
March . . . 1,344	June . . . 1,285	September . . . 1,207	December . . . 1,220
Qtrs.: 1st . . . 4,175	2nd . . . 3,710	3rd . . . 3,511	4th . . . 3,718

Of the total deaths 7,362 were of males and 7,752 were of females, the equivalent annual death rate being 9.2 per 1,000 of both the male and female estimated populations, respectively. The corresponding rates for 1993 were 9.7 and 9.5.

According to the ages stated to registrars, 147 (1.0 per cent.) of the total deaths were of children under 5 years of age and 11,881 (78.6 per cent.) were of persons aged 65 and upwards. There were 355 deaths of persons (78 males and 277 females) aged 95 and upwards and this number included 4 males and 20 females aged 100, 1 male and 7 females aged 101, 3 males and 4 females aged 102, 1 male and 3 females aged 103, 1 female aged 104 and 1 male aged 105.

Table J gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

TABLE I. *Northern Ireland: Deaths and death rates by District Council Area, 1991-1994.*

AREA	Number				Rate per 1,000 of the population			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	15,096	14,988	15,633	15,114	9.4	9.3	9.6	9.2
Ards	601	673	654	593	9.3	10.3	9.9	8.9
Belfast	3,472	3,370	3,539	3,354	11.8	11.4	11.9	11.3
Castlereagh	645	620	665	641	10.5	10.0	10.6	10.1
Down	552	585	534	601	9.4	9.8	8.8	9.9
Lisburn	737	770	789	797	7.3	7.4	7.6	7.6
North Down	733	681	766	734	10.1	9.3	10.4	10.0
Antrim	347	376	331	356	7.6	8.1	7.0	7.4
Ballymena	559	537	568	553	9.9	9.5	10.0	9.7
Ballymoney	197	199	231	245	8.2	8.2	9.5	10.0
Carrickfergus	272	298	292	307	8.2	8.8	8.5	8.8
Coleraine	490	493	515	500	9.3	9.2	9.6	9.3
Cookstown	232	234	223	278	7.5	7.6	7.2	9.0
Larne	296	281	337	279	10.1	9.5	11.3	9.3
Magherafelt	263	274	299	270	7.3	7.6	8.2	7.4
Moyle	181	145	170	162	12.4	9.9	11.6	11.0
Newtownabbey	645	612	663	660	8.5	8.0	8.5	8.5
Armagh	516	463	522	474	10.0	8.9	10.0	9.0
Banbridge	300	292	307	300	9.0	8.7	8.4	8.1
Craigavon	657	694	708	625	8.7	9.1	9.2	8.1
Dungannon	434	414	400	469	9.6	9.2	8.7	10.1
Newry and Mourne	677	684	749	727	8.2	8.2	9.2	8.7
Fermanagh	538	560	634	551	9.9	10.2	11.6	10.0
Limavady	274	234	206	213	9.3	7.8	6.8	7.0
Derry	738	745	760	723	7.6	7.5	7.6	7.1
Omagh	409	423	416	396	9.0	9.2	9.0	8.5
Strabane	331	331	355	306	9.4	9.3	9.9	8.5

TABLE J. *Northern Ireland: Deaths by sex and age-group and as a percentage of total deaths, 1994.*

		Total	Under 1 year	1-14 years	15-44 years	45-64 years	65 years and over
Number of deaths . . .	Persons	15,114	147	91	654	2,341	11,881
	Males	7,362	81	58	447	1,411	5,365
	Females	7,752	66	33	207	930	6,516
Percentage of total deaths . . .	Persons	100	1.0	0.6	4.3	15.5	78.6
	Males	100	1.1	0.8	6.1	19.1	72.9
	Females	100	0.9	0.4	2.7	12.0	84.0

TABLE K. Northern Ireland: Death rate per 1,000 population within sex and age-groups, 1926, 1937, 1961, 1971, 1981, 1991-1994.

YEAR		All ages	AGES AT DEATH																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over
1926	Persons	15.0	28.0	2.7	2.1	3.2	4.4	4.8	6.1	5.9	8.5	10.9	16.0	21.0	31.1	39.3	70.2	92.1	132.4	208.4
	Males	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8
	Females	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1
1937	Persons	15.0	23.0	1.8	1.5	2.5	3.5	3.6	4.6	5.0	7.5	10.2	14.4	19.4	28.8	46.0	76.4	115.0	153.2	250.9
	Males	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2
	Females	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6
1961	Persons	11.3	6.7	0.4	0.4	0.6	0.8	1.0	1.2	1.8	2.8	4.3	8.1	12.9	22.0	35.1	56.9	92.7	142.8	245.2
	Males	12.1	8.0	0.5	0.5	0.8	1.2	1.4	1.5	2.1	3.5	5.0	10.4	17.6	28.7	43.5	65.6	107.0	145.7	259.4
	Females	10.5	5.5	0.3	0.3	0.4	0.5	0.7	1.0	1.5	2.2	3.7	5.9	8.2	15.4	26.8	48.3	78.5	140.0	231.1
1971	Persons	10.5	5.2	0.4	0.3	0.7	0.8	0.7	1.0	1.6	2.9	4.6	7.2	12.5	19.1	32.0	50.6	72.6	119.4	263.0
	Males	11.4	5.7	0.5	0.4	1.0	1.3	1.0	1.3	2.1	3.3	5.8	9.6	16.2	26.3	44.7	63.7	93.9	143.8	328.2
	Females	9.7	4.7	0.2	0.2	0.4	0.3	0.5	0.6	1.2	2.4	3.5	5.1	9.2	12.4	22.2	41.3	59.4	105.1	233.5
1981	Persons	10.6	3.3	0.3	0.3	0.6	1.0	0.8	1.1	1.3	2.3	3.9	7.5	13.0	18.9	30.1	46.4	77.2	116.3	192.8
	Males	11.2	3.8	0.3	0.4	0.9	1.4	1.2	1.6	1.6	3.0	4.7	9.6	17.2	25.4	42.0	63.7	103.4	147.0	226.4
	Females	10.0	2.8	0.2	0.2	0.3	0.4	0.4	0.6	1.1	1.6	3.2	5.6	9.3	13.4	20.6	34.2	61.9	101.4	179.8
1991	Persons	9.5	1.8	0.2	0.2	0.6	0.8	0.8	0.8	1.2	2.0	3.2	5.3	8.5	15.6	24.5	38.3	62.4	95.3	181.1
	Males	9.7	2.0	0.2	0.2	0.9	1.2	1.3	1.1	1.3	2.4	4.2	6.6	10.7	20.3	33.0	51.3	83.6	128.0	220.7
	Females	9.3	1.6	0.2	0.2	0.3	0.3	0.3	0.5	1.0	1.6	2.3	4.0	6.4	11.6	17.6	28.6	49.3	79.1	168.3
1992	Persons	9.3	1.5	0.2	0.2	0.5	0.7	0.6	0.7	1.1	1.5	3.1	4.7	8.2	15.4	24.6	38.7	61.2	95.7	176.8
	Males	9.5	1.6	0.2	0.3	0.8	1.1	0.9	1.1	1.4	1.9	3.8	6.0	11.0	20.7	32.7	52.1	80.4	128.2	215.3
	Females	9.1	1.4	0.2	0.1	0.2	0.2	0.4	0.4	0.9	1.2	2.5	3.6	5.6	10.8	18.0	28.8	49.2	79.5	164.3
1993	Persons	9.6	1.7	0.2	0.3	0.6	0.8	0.8	0.8	1.0	1.7	2.8	4.9	8.9	14.8	24.0	40.0	61.5	96.2	187.4
	Males	9.7	1.8	0.1	0.4	0.8	1.3	1.2	1.0	1.2	2.0	3.3	5.9	10.8	19.1	32.5	53.0	83.5	129.2	228.1
	Females	9.5	1.5	0.2	0.2	0.3	0.4	0.4	0.5	0.9	1.4	2.2	3.8	7.1	11.0	16.9	30.3	47.8	79.6	174.3
1994	Persons	9.2	1.5	0.2	0.2	0.7	0.6	0.7	0.8	1.1	1.8	2.9	4.6	8.4	15.0	22.8	36.1	57.8	94.0	184.3
	Males	9.2	1.6	0.2	0.3	1.0	1.0	1.0	1.2	1.4	2.0	3.3	5.2	11.2	19.3	30.3	47.0	76.7	121.2	224.5
	Females	9.2	1.3	0.1	0.1	0.3	0.3	0.3	0.5	0.9	1.5	2.4	4.0	5.8	11.2	16.7	28.0	45.9	80.4	171.3

Deaths in hospitals. The number of deaths occurring in hospitals in 1994 is shown in Table L. Of the deaths registered, 49.4 per cent. took place in N.H.S. hospitals (0.9 per cent. in mental hospitals).

TABLE L. *Northern Ireland: Deaths in hospitals, 1991–1994.*

Place	1991	1992	1993	1994
Number of deaths in:				
N.H.S. Psychiatric Hospitals	304	304	235	139
N.H.S. other Hospitals	7,629	7,498	7,721	7,321
Non-N.H.S. hospitals and institutions for old and disabled	1,872	2,300	2,722	2,777
Elsewhere	5,291	4,886	4,955	4,877
Total deaths.	15,096	14,988	15,633	15,114
Percentage of deaths in N.H.S. hospitals.	52.6	52.1	50.9	49.4

Cause of death. Where more than one cause of death is reported, the death is classified to the underlying cause, i.e. the starting point in the sequence of events leading to death. See General Notes on page 1.

Proportion of deaths from principal causes. Heart disease (4,853) continued to be the most frequent cause of death; other diseases having a high proportion were cancer (3,595), respiratory disease (2,398) and cerebrovascular disease (1,738) (mainly cerebral thrombosis and cerebral haemorrhage).

At ages under one year premature birth (69), congenital malformations (54) and respiratory disease (6) were the principal causes of death.

Between the ages of one and nine the most frequent causes of death were from accidents (22), respiratory diseases (10), congenital malformations (9) and cancer (9).

Between the ages of ten and twenty-four, the largest proportion of deaths were from accidents (73) with suicides (31) coming next.

Between the ages of twenty-five and forty-four the principal causes were cancer (120), accidents (84), suicides (62) and heart disease (42).

From age forty-five the pattern was heart disease (4,808) followed by cancer (3,448), respiratory disease (2,353) and cerebrovascular diseases (1,717).

Table M shows, for each of the principal causes, the number of deaths and the death rates for 1993 and 1994.

Deaths from the principal epidemic diseases. A total of 4 deaths (0.002 per 1,000 population) fell within this group, 3 were caused by influenza, and one by measles. There were no deaths from the remaining diseases in this group, namely diarrhoeal diseases of children under 2 years of age, whooping cough, scarlet fever, acute poliomyelitis, typhoid and paratyphoid fevers, typhus, diphtheria and smallpox.

The number of deaths from the principal epidemic diseases in 1993 was 17 and the relative rate was 0.010.

Influenza. There were 3 deaths from influenza in 1994 as against a total of 17 in 1993. The rate per 1,000 of the population was 0.002 in 1994 (0.010 in 1993).

TABLE M. *Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1993 and 1994.*

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1993	1994	1993	1994
01-56	ALL CAUSES	15,633	15,114	958.0	920.6
01	Intestinal infectious diseases	2	.	0.1
020-021	Respiratory tuberculosis	9	6	0.6	0.4
Rem. 02	Other tuberculosis (excluding late effects).	4	2	0.2	0.1
034	Whooping cough
036	Meningococcal infection	4	4	0.2	0.2
037	Tetanus	1	.	0.1	.
038	Septicaemia	23	15	1.4	0.9
041	Smallpox
042	Measles	1	.	0.1
052	Malaria	1	.	0.1	.
06	Venereal diseases	1	.	0.1	.
077	Late effects of tuberculosis	2	1	0.1	0.1
Rem. 01-07	All other infective and parasitic diseases	10	8	0.6	0.5
091	Malignant neoplasm of stomach	194	201	11.9	12.2
093	Malignant neoplasm of colon	350	324	21.4	19.7
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	125	114	7.7	6.9
096	Malignant neoplasm of pancreas	154	149	9.4	9.1
101	Malignant neoplasm of trachea, bronchus and lung	812	768	49.8	46.8
113	Malignant neoplasm of female breast	331	338	20.3	20.6
120	Malignant neoplasm of cervix uteri	33	38	2.0	2.3
123	Malignant neoplasm of ovary and other uterine adnexa	91	90	5.6	5.5
124	Malignant neoplasm of prostate	182	209	11.2	12.7
141	Leukaemia	84	94	5.1	5.7
Rem. 08-14	All other malignant neoplasms.	1,268	1,270	77.7	77.4
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	81	70	5.0	4.3
181	Diabetes mellitus	44	45	2.7	2.7
Rem. 18	Other endocrine and metabolic diseases and immunity disorders.	31	28	1.9	1.7
191	Nutritional marasmus
192	Other protein-calorie malnutrition	1	.	0.1
Rem. 19	Other nutritional deficiencies
200	Anaemias	8	15	0.5	0.9
Rem. 20	Other diseases of blood and blood-forming organs	21	14	1.3	0.9
21	Mental disorders	56	91	3.4	5.5
220	Meningitis	6	4	0.4	0.2
223	Multiple sclerosis	13	21	0.8	1.3
224	Infantile cerebral palsy and other paralytic syndromes	6	6	0.4	0.4
Rem. 22-24	Other diseases of the nervous system and sense organs	164	156	10.1	9.5
250	Acute rheumatic fever	1	3	0.1	0.2
251	Chronic rheumatic heart disease	47	30	2.9	1.8
260	Hypertensive heart disease	27	22	1.7	1.3
Rem. 26	Other hypertensive diseases	40	57	2.5	3.5
270A	Acute myocardial infarction with hypertension	298	315	18.3	19.2
270B	Acute myocardial infarction without hypertension	2,838	2,799	173.9	170.5
Rem. 27A	Other ischaemic heart disease with hypertension	139	154	8.5	9.4
Rem. 27B	Other ischaemic heart disease without hypertension	970	900	59.4	54.8
289	Heart failure	406	398	24.9	24.2
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	272	235	16.7	14.3
29A	Cerebrovascular disease with mention of hypertension	173	148	10.6	9.0
29B	Cerebrovascular disease without mention of hypertension	1,549	1,590	94.9	96.8
300	Atherosclerosis	61	49	3.7	3.0

TABLE M (continued). Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1993 and 1994.

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1993	1994	1993	1994
Rem. 30	Other diseases of the circulatory system	316	311	19.4	18.9
321	Pneumonia	1,814	1,595	111.2	97.2
322	Influenza	17	3	1.0	0.2
323	Bronchitis, emphysema and asthma	209	146	12.8	8.9
326	Pneumoconiosis and other lung diseases due to external agents	12	14	0.7	0.9
31 Rem. 32	Other diseases of the respiratory system	704	640	43.1	39.0
341	Ulcer of stomach and duodenum	97	100	5.9	6.1
342	Appendicitis	1	3	0.1	0.2
347	Chronic liver disease and cirrhosis	66	66	4.0	4.0
33 Rem. 34	Other diseases of the digestive system	281	255	17.2	15.5
350	Nephritis, nephrotic syndrome and nephrosis	171	165	10.5	10.0
360	Hyperplasia of prostate	5	3	0.3	0.2
37, Rem. 35,36	Other diseases of the genitourinary tract	85	82	5.2	5.0
38	Abortion
39	Direct obstetric causes
Rem. 40, 41	Other complications of pregnancy, childbirth and the puerperium
42, 43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue	68	58	4.2	3.5
440	Spina bifida and hydrocephalus	6	6	0.4	0.4
442	Congenital anomalies of heart and circulatory system	52	37	3.2	2.3
Rem. 44	Other congenital anomalies	58	44	3.6	2.7
453	Birth trauma	2	6	0.1	0.4
454	Hypoxia, birth asphyxia and other respiratory conditions	20	23	1.2	1.4
Rem. 45	Other conditions originating in the perinatal period	40	40	2.5	2.4
46	Symptoms, signs and ill-defined conditions	40	44	2.5	2.7
47	Fractures.	156	169	9.6	10.3
49	Intracranial and internal injuries including nerves	148	188	9.1	11.5
52	Burns	16	7	0.1	0.4
53	Poisoning and toxic effects	102	99	6.3	6.0
Rem. 48-56	Other injuries and poisonings	217	225	13.3	13.7
E471	Motor vehicle traffic accidents.	147	158	9.0	9.6
E50	Accidental falls	110	131	6.7	8.0
Rem. E47-E53	Other accidents and adverse effects	136	144	8.3	8.8
E54	Suicide	129	138	7.9	8.4
E55	Homicide	90	100	5.5	6.1
E56	Other violence.	27	17	1.7	1.0

Death Rates




Figure 3

Tuberculosis. Deaths from this cause numbered 8 in 1994, compared with 13 in 1993. The rate of 0.01 per 1,000 population is the same as that for 1993. Further details of comparable figures over the past years may be seen in Table N

There was 1 death from the late effects of tuberculosis in 1994. Although not related to the condition taken to have initiated the sequence of events leading to death, tuberculosis was also an important contributory factor in a further 15 deaths.

The tuberculosis death rates for England and Wales, Scotland and the Irish Republic in 1994 were N/A, 0.01 and 0.01 respectively. More detailed information about deaths from tuberculosis is given in Abstracts 20 and 25.

TABLE N. *Northern Ireland: Deaths and death rates from tuberculosis (all forms), (I.C.D. 010-018, 137), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1988-1994.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1961	75	0.11	30	0.04	105	0.07
1966	39	0.05	18	0.02	57	0.04
1971	30	0.04	13	0.02	43	0.03
1981	7	0.01	13	0.02	20	0.01
1988	7	0.01	2	0.01	9	0.01
1989	8	0.01	5	0.01	13	0.01
1990	6	0.01	6	0.01	12	0.01
1991	4	0.01	4	0.01	8	0.01
1992	6	0.01	5	0.01	11	0.01
1993	6	0.01	7	0.01	13	0.01
1994	5	0.01	3	0.01	8	0.01

Cancer. The number of deaths from cancer in Northern Ireland during 1994 was 3,595 giving a death rate of 2.19 per 1,000 of the population which is 0.03 below the rate for 1993.

TABLE O. *Northern Ireland: Deaths and death rates from cancer, (I.C.D. 140-208), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1988-1994.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	619	1.02	791	1.22	1,410	1.12
1937	777	1.25	891	1.36	1,668	1.30
1951	1,041	1.56	993	1.41	2,034	1.48
1961	1,138	1.64	1,048	1.43	2,186	1.53
1966	1,284	1.78	1,138	1.50	2,422	1.64
1971	1,463	1.94	1,295	1.65	2,758	1.81
1981	1,465	1.94	1,442	1.84	2,907	1.89
1988	1,714	2.21	1,635	2.03	3,349	2.12
1989	1,839	2.37	1,661	2.06	3,500	2.21
1990	1,765	2.26	1,680	2.08	3,445	2.17
1991	1,792	2.29	1,694	2.06	3,486	2.18
1992	1,835	2.32	1,719	2.08	3,554	2.20
1993	1,875	2.35	1,749	2.09	3,624	2.22
1994	1,854	2.31	1,741	2.07	3,595	2.19

Cancer Death Rates




Figure 4

The most frequent sites of fatal cancer during the year among males were bronchus and lungs 511, prostate 209, colon 156, stomach 130, oesophagus 87, pancreas 70, rectum 60, leukaemia 56 and bladder 51, among females the most frequent sites were breast 338, bronchus and lungs 257, colon 168, cervix uteri, ovary and other uterine adnexa 128, pancreas 79, stomach 71, oesophagus 56, rectum 54, leukaemia 38 and bladder 32.

For many years cancer of the stomach proved to be the most frequent site for fatal cancer in both sexes and it remained so among females up to 1961 when it took second place to cancer of the breast. Since 1954, however, cancer of the lung has been more prevalent among males and this cause is now the 2nd most frequent site in females.

Table O1 shows the numbers and rates of lung cancer deaths by sex for the past seven years. Abstract 20 gives particulars regarding the cancer sites by sex and age-groups and Abstracts 25, 29 and 34 give details of cancer incidence in administrative areas.

TABLE O1. *Northern Ireland: Deaths and death rates from lung cancer, 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1988–1994.*

YEAR	Number			Rate per 100,000 population		
	Males	Females	Persons	Males	Females	Persons
1926	15	16	31	2	2	2
1937	51	31	82	8	5	6
1951	154	31	185	23	4	13
1961	317	48	365	46	7	26
1966	374	73	447	52	10	30
1971	479	101	580	63	13	38
1981	511	178	689	68	23	45
1988	525	252	777	68	31	49
1989	610	221	831	78	27	52
1990	527	244	771	68	30	49
1991	566	222	788	72	27	49
1992	512	259	771	65	31	48
1993	543	269	812	68	32	50
1994	511	257	768	64	31	47

Cerebral haemorrhage, apoplexy, etc. The deaths assigned to this group (described as “cerebrovascular disease”) numbered 1,738 giving a rate of 1.06 per 1,000 of the population. This rate is 0.01 above the rate for 1993 and is 0.02 below the average rate for the period 1989–1993. The rate per 1,000 of the population was 0.78 for males whilst the female rate was 1.34. Details of deaths in this group by ages are shown in Abstract 20.

Heart disease. The deaths from the various forms of heart disease during the year numbered 4,853, the rate per 1,000 of the population being 2.96 which is 0.10 below that for the previous year and is 0.19 below the average for the five years 1989–1993.

TABLE O2. *Northern Ireland: Deaths and death rates from heart disease (all forms), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1988–1994.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1961	3,199	4.60	2,708	3.70	5,907	4.14
1966	3,178	4.41	2,611	3.45	5,789	3.92
1971	3,232	4.28	2,551	3.25	5,783	3.75
1981	3,431	4.55	2,681	3.42	6,112	3.97
1988	3,017	3.90	2,626	3.27	5,643	3.58
1989	2,796	3.60	2,455	3.05	5,251	3.32
1990	2,684	3.44	2,363	2.92	5,047	3.18
1991	2,612	3.34	2,312	2.82	4,924	3.07
1992	2,639	3.34	2,400	2.90	5,039	3.11
1993	2,619	3.29	2,378	2.85	4,997	3.06
1994	2,470	3.08	2,383	2.84	4,853	2.96

Of the total number of deaths from heart disease 4,168 (85.9 per cent.) were in the group known as ischaemic heart disease which includes coronary disease. Chronic rheumatic heart disease accounted for 30 (0.6 per cent.), hypertensive heart disease for 22 (0.5 per cent.) and other forms of heart disease for 633 (13.0 per cent.) of all deaths from heart disease.

I.C.D. numbers 393–398, 402, 404, 410–416, 420–429 as shown in Abstract 20, give the age and sex breakdown of all deaths from heart disease.

Bronchitis (I.C.D. numbers 466, 490–491). The deaths from bronchitis during the year numbered 75, giving a rate of 0.05 per 1,000 of the population, which is the same as the rate for 1993. Bronchitis was also an important contributory factor in 84 deaths though not related to the condition taken to have initiated the sequence of events leading to death.

Pneumonia (I.C.D. numbers 480–486). Deaths from pneumonia numbered 1,595 during the year 1994, a rate of 1.0 per 1,000 of the population, 0.11 below the rate for 1993 and 0.10 below the average rate for the five years 1989–1993.

Pregnancy and childbirth. The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) deliveries and complications of pregnancy, childbirth and the puerperium and (2) deaths with mention of pregnancy, childbirth and the puerperium but not classified as maternal. The causes of death shown in detailed list numbers 630–676 of Abstract 20 are those to which the former group are assigned. In 1994 there were no deaths from diseases of pregnancy, childbirth, and the puerperal state. There were no such deaths in 1993 either.

TABLE P. *Northern Ireland: Deaths of women in pregnancy, childbirth and the puerperium 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1988–1994.*

Year	Maternal deaths		Not classed as maternal	
	No.	Rate‡ per 1,000 births ¹	No.	Rate‡ per 1,000 births ¹
1926	158	5.61	17	0.60
1937	127	5.00	37	1.46
1951	31	1.09	8	0.28
1961	17	0.53	3	0.09
1966	6	0.18	8	0.24
1971	6	0.19	6	0.19
1981	1	0.04	.	.
1988	2	0.07	1	0.04
1989
1990	.	.	3	0.11
1991	1	0.04	.	.
1992	.	.	1	0.04
1993	.	.	3	0.12
1994	.	.	1	0.04

‡ Rate per 1,000 live births for years 1926–60. The rates from 1961 are per 1,000 total births (live and still).

Maternal Mortality Rates




Figure 5

Infant mortality. Deaths of infants under 1 year of age numbered 147 or 6.1 per 1,000 live births registered. This rate is 1.0 below that for the previous year. Of these deaths, 81 were of males and 66 of females, the former number being equivalent to 6.5 per 1,000 live births of males and the latter 5.6 per 1,000 live births of females. The corresponding rates for 1993 were 176 and 7.1 respectively. The 1994 rates for England and Wales, Scotland and the Irish Republic were 6.2, 6.2 and 5.9. Comparative figures for previous years are shown in Table B on page 5.

Neonatal mortality. Deaths of infants aged under four weeks numbered 101 representing a rate of 4.2 per 1,000 live births. This is equivalent to 68.7 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1993 were, 123, 4.9, and 69.9 per cent. respectively. The 1994 rates for England and Wales, Scotland and the Irish Republic were 4.1, 4.0 and 4.0 respectively.

Perinatal Deaths (i.e. deaths of children within the first week of life together with all still-births) numbered 236, giving a rate of 9.7 per 1,000 live and still-births. Comparative rates in England and Wales and Scotland for 1994 were 8.9 and 9.0 respectively. The figures for the Irish Republic were not available at the time of publication.

Abstract 34 gives the number of infant deaths, together with the number of births for each of the 26 District Council Areas in Northern Ireland. Abstract 30 gives the number of deaths of children under 1 year of age for Northern Ireland by District Council Areas for the year 1994, the numbers are given by sex and age groups.

The number of infant deaths for 1994 by age and cause of death are given in Abstract 32, together with the infant mortality rates by cause.

TABLE Q. *Northern Ireland: Infant mortality by District Council Area, 1991-1994.*

AREA	Number				Infant mortality rate per 1,000 live births			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland	194	153	176	147	7.4	6.0	7.1	6.1
Ards	3	3	4	9	3.2	3.4	4.5	10.8
Belfast.	34	31	22	22	7.1	6.8	5.0	5.4
Castlereagh	6	2	5	4	6.8	2.4	6.0	4.6
Down	9	6	11	4	9.2	6.2	11.7	4.3
Lisburn	9	13	8	12	5.3	7.5	5.0	7.3
North Down.	8	6	6	9	8.1	6.6	7.0	10.5
Antrim.	4	6	2	7	5.5	8.4	2.7	9.2
Ballymena	7	2	4	3	8.9	2.4	4.6	3.7
Ballymoney.	1	4	2	2	2.9	10.9	6.0	5.7
Carrickfergus	9	3	5	3	17.4	5.6	9.4	5.7
Coleraine	6	2	6	6	8.4	2.7	8.6	8.2
Cookstown	4	2	4	2	8.1	4.2	8.6	4.8
Larne	2	.	2	1	4.6	.	4.9	2.8
Magherafelt.	3	5	3	8	4.8	7.7	5.0	11.8
Moyle.	2	.	1	.	11.1	.	5.6
Newtownabbey	10	4	7	6	8.5	3.4	6.5	5.6
Armagh	7	2	7	3	7.8	2.4	8.9	3.7
Banbridge	2	1	1	3	3.9	2.1	2.1	6.2
Craigavon	12	8	8	6	9.1	6.2	6.3	4.8
Dungannon	7	5	3	9	8.5	6.2	4.0	11.4
Newry and Mourne	10	10	18	8	5.9	6.4	11.6	5.3
Fermanagh	3	10	14	3	3.5	12.6	15.9	3.6
Limavady	5	6	2	4	9.2	11.6	3.9	7.4
Derry	18	12	19	5	9.3	6.1	10.1	2.8
Omagh.	6	6	8	3	7.7	8.0	10.4	4.3
Strabane	9	2	5	4	14.9	3.4	8.5	7.7

TABLE Q1. *Northern Ireland: Neonatal mortality by District Council Area, 1991–1994.*

AREA	Number of neonatal deaths				Neonatal mortality rate per 1,000 live births			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	121	104	123	101	4.6	4.1	4.9	4.2
Ards	1	1	4	7	1.1	1.1	4.5	8.4
Belfast.	22	20	13	18	4.6	4.4	3.0	4.4
Castlereagh	6	2	3	2	6.8	2.4	3.6	2.3
Down	7	4	6	2	7.1	4.1	6.4	2.2
Lisburn	5	8	7	10	3.0	4.6	4.4	6.1
North Down.	3	3	4	8	3.0	3.3	4.6	9.4
Antrim.	3	4	2	7	4.1	5.6	2.7	9.2
Ballymena	2	1	3	2	2.5	1.2	3.5	2.5
Ballymoney.	4	2	1	.	10.9	6.0	2.9
Carrickfergus	7	3	5	2	13.6	5.6	9.4	3.8
Coleraine	6	1	3	2	8.4	1.3	4.3	2.7
Cookstown	3	2	1	2	6.1	4.2	2.2	4.8
Larne	1	.	.	1	2.3	.	.	2.8
Magherafelt.	2	3	2	5	3.2	4.6	3.3	7.4
Moyle.	1	.	1	.	5.6	.	5.6
Newtownabbey	6	2	3	4	5.1	1.7	2.8	3.7
Armagh	5	1	6	1	5.6	1.2	7.6	1.2
Banbridge	1	1	1	1	2.0	2.1	2.1	2.1
Craigavon	8	6	7	4	6.1	4.7	5.5	3.2
Dungannon	2	3	3	8	2.4	3.7	4.0	10.1
Newry and Mourne	8	8	13	4	4.7	5.1	8.4	2.6
Fermanagh	3	6	13	1	3.5	7.6	14.8	1.2
Limavady	1	5	2	2	1.8	9.7	3.9	3.7
Derry	9	10	12	4	4.7	5.0	6.4	2.3
Omagh.	5	3	6	1	6.4	4.0	7.8	1.4
Strabane	5	2	2	1	8.3	3.4	3.4	1.9

TABLE Q2. *Perinatal deaths and rates per 1,000 births (live and still) by District Council Area, 1991–1994.*

AREA	Number of perinatal deaths				Perinatal death rate per 1,000 births (live and still)			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	222	212	220	236	8.4	8.2	8.8	9.7
Ards	5	5	6	15	5.3	5.7	6.7	17.8
Belfast.	42	40	29	40	8.7	8.7	6.6	9.8
Castlereagh	10	7	5	7	11.2	8.3	5.9	7.9
Down	8	12	14	9	8.1	12.3	14.7	9.7
Lisburn	8	16	10	18	4.7	9.2	6.3	10.9
North Down.	5	7	6	10	5.0	7.7	6.9	11.6
Antrim.	6	5	4	10	8.2	7.0	5.3	13.0
Ballymena	9	3	10	4	11.4	3.6	11.5	4.9
Ballymoney.	6	8	1	3	16.9	21.6	3.0	8.5
Carrickfergus	8	7	6	6	15.4	12.9	11.2	11.3
Coleraine	8	3	10	9	11.1	4.0	14.1	12.2
Cookstown	4	6	2	3	8.1	12.4	4.3	7.2
Larne	5	2	6	3	11.5	5.0	14.4	8.2
Magherafelt.	6	4	5	9	9.6	6.2	8.3	13.2
Moyle.	2	1	2	.	11.0	5.5	11.1
Newtownabbey	10	6	11	8	8.5	5.2	10.1	7.4
Armagh	9	2	9	2	9.9	2.4	11.3	2.5
Banbridge	2	3	3	3	3.9	6.0	6.2	6.1
Craigavon	12	12	14	8	9.1	9.3	10.9	6.3
Dungannon	6	5	2	13	7.2	6.2	2.7	16.4
Newry and Mourne	15	21	15	23	8.8	13.2	9.7	15.0
Fermanagh	7	6	13	4	8.2	7.6	14.7	4.8
Limavady	2	7	6	4	3.6	13.5	11.6	7.4
Derry	13	13	22	15	6.7	6.5	11.6	8.4
Omagh.	11	3	8	4	14.0	4.0	10.3	5.7
Strabane	5	7	2	4	8.2	11.9	3.4	7.6

Infant Mortality Rates




Figure 6

Infant mortality by social class. Of the 147 infant deaths in Northern Ireland in 1994, 6 deaths occurred to children of professional parents, 31 to parents with managerial and technical occupations, 15 to skilled non-manual workers, 48 to skilled manual, 19 to partly-skilled, 13 to unskilled and 15 to those parents whose occupations are inadequately described and to members of the Armed Forces serving in Northern Ireland. The lowest rate of infant deaths per 1,000 live births was 4.7 (professional occupations) and the highest rate was 7.7 (unskilled). A summary of perinatal, neonatal and infant mortality by social class is given below.

Tables R1 and R2 show live births, neonatal, infant and perinatal mortality by District Council Areas and social class in Northern Ireland.

TABLE R. *Northern Ireland: Infant, neonatal, and perinatal numbers and rates by social class, 1993 and 1994.*

Social Class	NUMBERS						RATES					
	Perinatal Mortality		Neonatal Mortality		Infant Mortality		Perinatal Mortality†		Neonatal Mortality‡		Infant Mortality‡	
	1993	1994	1993	1994	1993	1994	1993	1994	1993	1994	1993	1994
Professional	12	5	8	5	9	6	8.7	3.9	5.8	3.9	6.5	4.7
Managerial and Technical	33	40	26	18	33	31	6.8	8.3	5.4	3.8	6.8	6.5
Skilled non-manual	21	24	16	11	23	15	7.4	8.9	5.7	4.1	8.2	5.6
Skilled manual	74	77	42	29	60	48	9.0	9.5	5.2	3.6	7.4	5.9
Partly skilled	30	41	11	16	18	19	9.4	13.9	3.5	5.5	5.7	6.5
Unskilled	16	22	6	11	15	13	8.3	12.9	3.1	6.5	7.9	7.7
Inadequately described and Armed Forces	34	27	14	11	18	15	12.6	9.4	5.3	3.9	6.8	5.3
TOTAL	220	236	123	101	176	147	8.8	9.7	4.9	4.2	7.1	6.1

† Per 1,000 births (live and still).

‡ Per 1,000 live births.

Mortality among illegitimate children. Deaths of illegitimate children under 1 year of age numbered 17 in 1994, which is equivalent to a rate of 3.2 per 1,000 of the illegitimate live births registered and is 0.3 below the rate for the previous year. The corresponding rates for legitimate children in 1993 and 1994 were 8.1 and 6.9 per 1,000 legitimate live births.

Deaths of illegitimate infants aged under four weeks (illegitimate neonatal mortality) numbered 11, representing 64.7 per cent of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1993 were 13 and 68.4 per cent. respectively.

Tables S and S1 show illegitimate infant and neonatal mortality by District Council Areas.

Abstract 31 shows the number of deaths of illegitimate children under 1 year of age for Northern Ireland by District Council Areas; the sex and age distribution is also shown.

Abstract 32 gives the number of deaths and mortality rates of illegitimate children under 1 year of age by cause.

TABLE R1. Northern Ireland: Live births, neonatal and infant mortality by District Council Area and social class, 1994.

AREA	TOTAL			PROFESSIONAL			MANAGERIAL AND TECHNICAL			SKILLED NON-MANUAL			SKILLED MANUAL			PARTLY SKILLED			UNSKILLED			INADEQUATELY DESCRIBED AND ARMED FORCES		
	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant	Live Births	Neo-natal	Infant
Ards	835	7	9	53	1	1	171	1	1	145	1	1	263	3	5	97	.	.	58	1	1	48	.	.
Belfast	4,046	18	22	262	1	1	593	5	6	342	2	2	1,222	2	3	526	6	7	320	1	2	781	1	1
Castlereagh.	877	2	4	111	.	.	236	.	1	139	.	.	245	1	2	75	.	.	42	.	.	29	1	1
Down	922	2	4	41	.	.	207	.	1	93	.	.	343	.	1	95	.	.	60	2	2	83	.	.
Lisburn	1,645	10	12	114	.	.	338	1	1	214	1	1	467	1	2	193	3	3	85	1	1	234	3	4
North Down	854	8	9	69	.	.	191	3	4	204	1	1	231	4	4	79	.	.	34	.	.	46	.	.
Antrim	763	7	7	34	.	.	155	1	1	75	1	1	237	2	2	99	1	1	45	1	1	118	1	1
Ballymena	806	2	3	41	.	.	159	.	.	92	.	1	269	.	.	114	2	2	49	.	.	82	.	.
Ballymoney.	350	1	2	6	.	.	76	.	.	26	.	.	147	1	2	48	.	.	29	.	.	18	.	.
Carrickfergus	525	2	3	27	.	.	104	.	1	96	.	.	166	2	2	69	.	.	25	.	.	38	.	.
Coleraine	728	2	6	38	.	.	122	.	.	128	.	.	225	1	3	91	.	1	48	1	1	76	.	1
Cookstown	416	2	2	9	1	1	85	1	1	37	.	.	178	.	.	40	.	.	33	.	.	34	.	.
Larne	363	1	1	12	.	.	62	.	.	45	.	.	127	1	1	57	.	.	29	.	.	31	.	.
Magherafelt.	677	5	8	24	.	.	127	1	1	42	.	.	303	2	4	58	.	.	74	2	3	49	.	.
Moyle	180	1	1	5	.	.	36	.	.	8	.	.	73	.	.	18	.	.	18	.	.	22	1	1
Newtownabbey	1,073	4	6	63	.	.	219	1	1	179	1	1	340	2	3	138	.	.	50	.	.	84	.	1
Armagh	813	1	3	27	.	.	231	.	2	74	.	.	286	1	1	81	.	.	62	.	.	52	.	.
Banbridge	486	1	3	35	.	.	105	1	1	75	.	.	164	.	2	53	.	.	34	.	.	20	.	.
Craigavon	1,260	4	6	54	.	1	229	.	.	133	.	.	419	1	2	218	2	2	97	.	.	110	1	1
Dungannon.	790	8	9	42	.	.	144	1	2	52	2	2	321	1	1	92	1	1	40	2	2	99	1	1
Newry and Mourne.	1,519	4	8	42	1	1	332	1	3	99	.	.	676	1	2	176	1	1	96	.	.	98	.	1
Fermanagh	834	1	3	30	.	.	219	.	2	99	.	.	263	.	.	93	.	.	66	.	.	64	1	1
Limavady	537	2	4	12	1	1	73	.	.	68	1	2	166	.	1	51	.	.	43	.	.	124	.	.
Derry	1,765	4	5	70	.	.	323	.	.	117	1	1	534	2	2	217	.	1	139	.	.	365	1	1
Omagh	704	1	3	35	.	.	167	.	1	64	.	1	232	1	1	80	.	.	64	.	.	62	.	.
Strabane	521	1	4	11	.	.	93	1	1	37	.	1	181	.	2	69	.	.	50	.	.	80	.	.
NORTHERN IRELAND	24,289	101	147	1,267	5	6	4,797	18	31	2,683	11	15	8,078	29	48	2,927	16	19	1,690	11	13	2,847	11	15

TABLE R2. Northern Ireland: Perinatal¹ mortality by District Council Area and social class, 1994.

AREA	TOTAL		PROFESSIONAL		MANAGERIAL AND TECHNICAL		SKILLED NON-MANUAL		SKILLED MANUAL		PARTLY SKILLED		UNSKILLED		INADEQUATELY DESCRIBED AND ARMED FORCES	
	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality	Live and still-births ¹	Perinatal ¹ Mortality
Ards	844	15	53	1	173	3	146	2	268	7	98	1	58	1	48	.
Belfast	4,074	40	264	2	598	8	342	1	1,231	11	530	9	321	1	788	8
Castlereagh	882	7	111	.	237	1	141	2	247	3	75	.	42	.	29	1
Down	929	9	41	.	210	3	93	.	346	3	95	.	60	2	84	1
Lisburn	1,655	18	114	.	340	3	216	3	471	5	195	4	85	1	234	2
North Down	859	10	69	.	192	3	206	2	232	4	79	.	34	.	47	1
Antrim	767	10	34	.	155	1	79	5	237	2	99	1	45	1	118	.
Ballymena	809	4	41	.	159	.	92	.	269	.	114	1	50	1	84	2
Ballymoney	352	3	6	.	76	.	26	.	147	1	49	1	30	1	18	.
Carrickfergus	529	6	27	.	104	.	96	.	166	2	72	3	26	1	38	.
Coleraine	735	9	38	.	124	2	129	1	229	5	91	.	48	1	76	.
Cookstown	418	3	9	.	85	1	37	.	180	2	40	.	33	.	34	.
Larne	365	3	12	.	62	.	45	.	129	3	57	.	29	.	31	.
Magherafelt	682	9	24	.	128	1	42	.	305	4	59	1	75	3	49	.
Moyle	181	2	5	.	36	.	8	.	73	.	19	1	18	.	22	1
Newtownabbey	1,077	8	63	.	219	1	180	2	341	3	138	.	50	.	86	2
Armagh	815	2	27	.	231	.	74	.	286	.	83	2	62	.	52	.
Banbridge	488	3	35	.	105	1	75	.	165	1	54	1	34	.	20	.
Craigavon	1,264	8	54	.	230	1	133	.	419	1	218	2	98	1	112	3
Dungannon	795	13	42	.	145	2	52	2	323	3	93	2	40	2	100	2
Newry and Mourne	1,538	23	42	1	336	5	100	1	684	9	181	6	97	1	98	.
Fermanagh	837	4	30	.	220	1	100	1	263	.	94	1	66	.	64	1
Limavady	540	4	12	.	73	.	68	1	167	1	51	.	44	1	125	1
Derry	1,777	15	71	1	323	.	117	1	537	4	221	4	142	3	366	2
Omagh	707	4	35	.	167	.	64	.	234	3	80	.	65	1	62	.
Strabane	524	4	11	.	95	3	37	.	181	.	70	1	50	.	80	.
NORTHERN IRELAND	24,443	236	1,270	5	4,823	40	2,698	24	8,130	77	2,955	41	1,702	22	2,865	27

¹ See page 1 for details.

TABLE S. *Northern Ireland: Illegitimate infant mortality by District Council Area, 1991–1994.*

AREA	Illegitimate infant mortality				Illegitimate infant mortality rate per 1,000 illegitimate live births			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	29	33	19	17	5.5	5.9	3.5	3.2
Ards	1	.	.	.	6.1
Belfast.	8	11	5	3	5.0	7.0	3.2	2.1
Castlereagh	1	.	.	.	7.7
Down	2	.	.	.	10.9	.	.
Lisburn	3	3	1	3	8.2	7.8	2.8	8.6
North Down.	1	1	.	.	6.5	6.1	.	.
Antrim.	1	.	.	.	5.4
Ballymena	1	.	.	.	6.6	.	.	.
Ballymoney.	2	.	.	.	27.8	.	.
Carrickfergus
Coleraine	3	1	.	.	17.1	5.2	.	.
Cookstown
Larne	1	.	.	.	9.2	.	.	.
Magherafelt.	1	.	1	.	11.9	.	11.0
Moyle.
Newtownabbey	1	.	.	1	4.1	.	.	4.5
Armagh	1	.	.	.	10.1	.	.
Banbridge
Craigavon	2	3	1	1	9.0	10.6	3.8	3.6
Dungannon	2	.	.	.	20.2	.	.	.
Newry and Mourne . .	1	.	.	4	4.8	.	.	17.8
Fermanagh	1	.	.	.	8.7
Limavady	2	.	.	.	16.5	.	.
Derry	5	4	6	.	10.6	7.6	12.7	.
Omagh.	2	3	.	.	8.6	26.5	.
Strabane	1	.	3	.	9.0	.	22.1	.

TABLE S1. *Northern Ireland: Illegitimate neonatal mortality by District Council Area, 1991–1994.*

AREA	Number of illegitimate neonatal deaths				Illegitimate neonatal mortality rate per 1,000 illegitimate live births			
	1991	1992	1993	1994	1991	1992	1993	1994
Northern Ireland . . .	19	20	13	11	3.6	3.6	2.4	2.1
Ards	1	.	.	.	6.1
Belfast.	5	5	4	2	3.1	3.2	2.5	1.4
Castlereagh	1	.	.	.	7.7
Down	1	.	.	.	5.5	.	.
Lisburn	2	3	1	2	5.5	7.8	2.8	5.8
North Down.	1	.	.	.	6.1	.	.
Antrim.	1	.	.	.	5.4
Ballymena
Ballymoney.	2	.	.	.	27.8	.	.
Carrickfergus
Coleraine	3	.	.	.	17.1	.	.	.
Cookstown
Larne	1	.	.	.	9.2	.	.	.
Magherafelt.	1	.	.	.	11.0
Moyle.
Newtownabbey	1	.	.	.	4.1	.	.	.
Armagh	1	.	.	.	10.1	.	.
Banbridge
Craigavon	2	1	1	1	9.0	3.5	3.8	3.6
Dungannon
Newry and Mourne . .	1	.	.	1	4.8	.	.	4.4
Fermanagh	1	.	.	.	17.8
Limavady	1	.	.	.	8.3	.	.
Derry	4	4	3	.	8.5	7.6	6.3	.
Omagh.	1	3	.	.	8.6	26.5	.
Strabane	1	.	.	.	7.4	.

TABLE T2. *Deaths from transport accidents, by sex and age, 1994.*

I.C.D. Numbers	Cause of death	All ages	Under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E810-E825 E929-0	Motor vehicle accident causing death to:—													
	(a) pedestrian M	32	.	2	3	2	4	3	3	3	4	5	3	.
 F	19	.	1	.	4	2	.	.	.	2	6	4	.
	(b) pedal cyclist M	4	.	1	1	1	1	.
 F
	(c) motor cyclist M	14	9	3	1	.	.	.	1	.
 F
	(d) driver of motor vehicle other than motor cycle M	46	11	6	8	6	3	3	9	.
 F	11	2	4	4	.	.	.	1	.
	(e) passenger in motor vehicle M	13	.	3	.	1	7	1	.	.	1	.	.	.
 F	22	.	1	.	1	2	2	2	.	2	6	5	1
	(f) other persons M	8	.	.	4	.	2	.	1	1
 F	3	.	1	1	1	.	.
	Other road vehicle accidents M	2	.	.	.	1	.	1
E826-E829 E929-1 F	1	1
	Total road vehicle accidents M	119	.	6	8	5	33	14	13	9	8	8	14	1
 F	56	.	3	.	5	6	6	6	1	5	13	10	1
E800-E807 E830-E838 E840-E845	Rail, air and water (incl. drowning), transport accidents M	10	2	4	4
 F	1	1
	Total transport accidents M	129	.	6	8	5	35	18	17	9	8	8	14	1
E800-E845 E929-0, E929-1 F	57	.	3	.	5	6	6	7	1	5	13	10	1

Other accidents accounted for 244 deaths and of these deaths 131 were ascribed to falls; 21 to drownings; 29 to poisons or poisonous gases; 15 to fire and heat and 48 to other accidental causes. A detailed break-down showing non-transport accidents by sex and age-groups is given in Abstract 28.

Deaths from accidents recorded as occurring in the home numbered 111 compared with 99 in 1993 and 98 in 1992. Most accidents in the home are occasioned by falls. Fuller details of these and other accidents (apart from transport accidents) are given below and in Abstract 28.

TABLE T2a. *Deaths from accidents at home, by sex, age and cause, 1994.*

I.C.D. Numbers	Cause of death	All ages	Under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E850-E859	Poisoning by Drugs, Medicaments and Biologicals M	4	1	1	1	1
 F	3	1	1	1	1	.	.	.
E860-E866	Poisoning by Other Solid and Liquid substances M	2	1	1
 F	2	1	1	.	.	1	.	.
E867-E869	Poisoning by Gases and Vapours M	8	3	.	.	.	2	2	1	.
 F	4	1	.	1	2
E880-E888	Accidental Falls M	30	5	5	6	8	5	1
 F	23	1	.	5	5	5	5	2
E890-E899	Accidents caused by Fire and Flames M	9	2	1	.	1	2	.	3
 F	5	1	1	1	1	1
E911-E913	Choking and Suffocation M	6	.	.	.	1	.	1	1	.	1	2	.	.
 F	2	.	1	1
E900-E910 E914-E928 E929-2-E929-9	Other Accidents M	8	.	1	2	1	2	.	1	1
 F	5	1	1	1	1	1	.
	Total Accidents at Home M	67	1	1	.	1	3	5	11	7	12	14	7	5
 F	44	1	1	.	.	.	2	1	9	9	8	8	5

During the year there were 54 deaths resulting from falls in respect of which it has not been possible to ascertain whether the falls occurred at home or elsewhere.

During the year there were 138 cases of suicide (107 males and 31 females) compared with 129 during 1993 (103 males and 26 females). There were 100 deaths from homicide. In addition there were 13 deaths in which it was not possible to determine whether the injuries were accidentally or purposely inflicted.

Deaths in which violence was stated to be the sequel to some other cause are correlated in Table T3. Alcohol intoxication was the greatest single factor in this group causing the deaths of 87 people.

TABLE T3. *Northern Ireland: Deaths due to injury and poisoning in which there were contributing associated causes of death, 1994.*

Detailed List No.	Associated cause of death	EXTERNAL CAUSE OF INJURY															
		TOTAL	E810-E825. Motor vehicle accidents	E830-E837, E826-E848. Other transport accidents	E850-E869. Accidental poisoning	E880-E888. Accidental falls	E890-E899. Accidents caused by fire or flames	E910. Accidental drowning and submersion	E922. Accident caused by firearm missile	E916-E921, E923-E928. Accidents, including those of industrial type	Rem. E870-E949. All other accidents	E950-E952. Suicide and self-inflicted poisoning	E953-E959. Other suicide and self-inflicted injury	E960-E978. Homicide and injury purposely inflicted by other persons; legal intervention	E980-E982. Poisoning undetermined whether accidentally or purposely inflicted.	E983-E989. Other injury undetermined whether accidentally or purposely inflicted	E990-E999. Injury resulting from operations of war.
303	Alcohol dependence syndrome . { M F	1 1	1 .	. 1
305	Nondependent abuse of drugs (alcohol intoxication) . { M F	69 18	16 1	1 .	2 3	17 5	5 1	4 1	. .	1 .	8 1	3 2	11 4	1
340	Multiple sclerosis . . { M F
345	Epilepsy . . . { M F
TOTAL . . . { M F		70 19	16 1	1 .	2 3	17 5	5 1	4 1	. .	1 .	9 1	3 3	11 4	1

CERTIFICATION OF DEATHS

All deaths must be certified by either a medical practitioner or a coroner and Table U shows the type of certification during the year. The circumstances of 2,710 deaths (17.9 per cent. of all deaths) were considered by the coroners and in 588 of these cases inquests were held. In 1,073 cases the deaths were certified by coroners after post-mortem examinations had proved inquests to be unnecessary.

Of the 12,404 deaths certified by medical practitioners, the deceased persons were not seen after death by the practitioners in 279 cases.

TABLE U. *Northern Ireland: Deaths by certification, 1994.*

AREA	Total deaths	Certified by medical practitioners	Certified by coroners		
			Without inquest		After inquest
			Without post-mortem	After post-mortem	
Northern Ireland	15,114	12,404	1,049	1,073	588
Ards	593	486	33	50	24
Belfast	3,354	2,616	241	371	126
Castlereagh	641	515	52	64	10
Down	601	513	28	36	24
Lisburn	797	677	43	44	33
North Down	734	628	48	39	19
Antrim	356	290	23	21	22
Ballymena	553	462	41	25	25
Ballymoney	245	207	14	11	13
Carrickfergus	307	246	33	23	5
Coleraine	500	405	45	21	29
Cookstown	278	232	14	14	18
Larne	279	222	22	31	4
Magherafelt	270	222	21	8	19
Moyle	162	136	11	6	9
Newtownabbey	660	558	36	47	19
Armagh	474	402	40	14	18
Banbridge	300	261	20	11	8
Craigavon	625	509	61	36	19
Dungannon	469	363	40	30	36
Newry and Mourne	727	612	44	50	21
Fermanagh	551	449	41	29	32
Limavady	213	189	10	7	7
Derry	723	603	41	51	28
Omagh	396	333	40	16	7
Strabane	306	268	7	18	13

LIFE TABLE

The expectation of life is the average number of years which would be lived by a group of people of given age who are continuously subject to given mortality rates, usually those of a selected year or years.

The abridged life table shown as Table V is based on the mortality rates for 1992-1994 and shows the expectation of life at various age-points together with the number of persons who would survive to given age *x* out of 10,000 born, if subjected throughout their lives to this mortality experience.

Thus 99 per cent. of males and females would survive the first year of life; 98 per cent. of males and 99 per cent. of females would reach the age of 20; 86 per cent. of males and 91 per cent. of females would reach the age of 60 and the men could then expect an average future lifetime of 17 years compared with 22 years for women.

Based on the mortality experience of 1992-1994 the expectation of life at birth was 72.64 years for males and 78.34 years for females; at age one year the expectations were 72.17 years for males and 77.83 years for females. Table VI affords comparison of these figures with those for certain preceding years.

TABLE V. *Northern Ireland: Abridged Life Table 1992–1994.*

Age x	Males		Females	
	lx	e^ox	lx	e^ox
0	10,000	72.64	10,000	78.34
1	9,927	72.17	9,937	77.83
2	9,921	71.21	9,933	76.87
3	9,914	70.26	9,930	75.89
4	9,912	69.27	9,926	74.92
5	9,910	68.29	9,925	73.93
10	9,900	63.35	9,916	68.99
15	9,883	58.46	9,908	64.05
20	9,841	53.70	9,896	59.12
25	9,784	49.00	9,880	54.21
30	9,733	44.24	9,861	49.32
35	9,682	39.46	9,835	44.44
40	9,622	34.69	9,793	39.62
45	9,527	30.01	9,729	34.86
50	9,363	25.49	9,616	30.24
55	9,098	21.17	9,439	25.76
60	8,620	17.20	9,144	21.51
65	7,807	13.73	8,650	17.60
70	6,644	10.70	7,939	13.95
75	5,110	8.16	6,853	10.76
80	3,375	6.06	5,376	8.03
85	1,745	4.40	3,587	5.80

This abridged life table is constructed from the estimated population and the total deaths registered during the years 1992–1994.

The column headed lx shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1992–1994.

Column e^ox gives the “expectation of life”—that is the average future lifetime which would be lived by a person aged exactly x if subject to those death probabilities.

TABLE V1. *Northern Ireland: Expectation of life at birth, at one year of age and at 65 years of age for certain periods between 1890 and 1994.*

Period	Expectation of life					
	At birth		At age one year		At age 65 years	
	Male	Female	Male	Female	Male	Female
1890–92	46.3	45.7	—	—	10.6	10.6
1900–02	47.1	46.7	—	—	10.5	10.4
1910–12	50.7	51.0	—	—	12.1	12.8
1925–27	55.4	56.1	59.9	59.5	11.9	12.7
1936–38	57.8	59.2	—	—	11.6	12.4
1950–52	65.5	68.8	67.5	70.3	12.1	13.5
1960–62	67.6	72.4	68.7	73.2	12.2	14.4
1965–67	68.1	73.3	68.9	74.1	12.3	15.0
1970–72	67.6	73.7	68.3	74.1	12.0	15.2
1975–77	67.5	73.8	67.9	74.1	11.8	15.3
1980–82	69.3	75.7	69.3	75.4	12.4	16.1
1982–84	69.9	76.1	69.9	75.9	12.7	16.4
1983–85	70.1	76.4	69.9	76.1	12.6	16.4
1984–86	70.3	76.5	70.0	76.2	12.7	16.5
1985–87	70.6	76.7	70.3	76.4	12.8	16.6
1986–88	70.8	76.8	70.5	76.5	12.9	16.7
1987–89	71.1	77.1	70.7	76.6	13.0	16.8
1988–90	71.3	77.2	70.9	76.7	13.0	16.9
1989–91	71.8	77.6	71.3	77.1	13.3	17.1
1990–92	72.2	78.1	71.8	77.5	13.6	17.4
1991–93	72.5	78.4	72.1	77.8	13.7	17.6
1992–94	72.6	78.3	72.2	77.8	13.7	17.6

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. Table W shows that during the period between the Censuses taken on the 5 April 1981 and the 21 April 1991 there was a net outward movement of 69,420 persons to all countries including other parts of the British Isles.

TABLE W. *Northern Ireland: Net migration during inter-censal period, 1981-1991.*

	Males	Females	Total
Population Census of 1981 (TE)	749,480	782,716	1,532,196
Births, 1981-1991.	140,463	132,764	273,227
Deaths, 1981-1991	79,935	78,232	158,167
Natural increase*	60,528	54,532	115,060
Population 1981 plus natural increase	810,008	837,248	1,647,256
Population Census of 1991	769,071	808,765	1,577,836
Net movement outwards	40,937	28,483	69,420

*The excess of births over deaths.

(TE) Total estimated population as revised 1986.

Table W1 shows the natural increase in the population for each inter-censal period since birth and death registration commenced in 1864, together with the net movement outwards and the percentage of the increase lost by migration.

TABLE W1. *Northern Ireland: Inter-censal variations in population, 1871-1991.*

Inter-censal period	Population at beginning of period	Natural increase*	Net movement outwards	Percentage of increase lost by migration
1871-1881	1,359,190	104,350	158,724	152
1881-1891	1,304,816	71,910	140,670	196
1891-1901	1,236,056	68,634	67,738	99
1901-1911	1,236,952	78,996	65,417	83
1911-1926	1,250,531	113,603	107,573†	95
1926-1937	1,256,561	80,835	57,651	71
1937-1951	1,279,745	158,443	67,267†	42
1951-1961	1,370,921	146,349	92,228	63
1961-1966	1,425,042	97,434	37,701	39
1966-1971	1,484,775	76,128	31,521	41
1971-1981	1,536,065	107,554	111,423	104
1981-1991	1,532,196 (TE)	115,060	69,420	60

*Excess of births over deaths.

†Including deaths in H.M. Forces and Mercantile Marine which occurred outside Northern Ireland.

(TE) Total estimated population as revised in 1986.

It is estimated that during the year ended 30 June 1994, 15,400 persons immigrated and 14,300 persons emigrated. The net inward migration amounted to 1,100.

ADMINISTRATION

Introductory: The administrative functions of the Registrar General comprise the registration of births (live and still), deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for marriages: The number of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31 December in each of the years 1990–1994 are as follows:—

<i>Denomination</i>	1990	1991	1992	1993	1994
Church of Ireland	434	434	434	434	434
Presbyterian	534	534	535	535	537
Methodist	167	167	167	168	168
Others	578	589	599	605	622
TOTAL	1,713	1,724	1,735	1,742	1,761

Legitimacy Acts (N.I.), 1928 to 1961: Under these Acts an illegitimate child whose parents have married is subject to certain conditions, legitimated, and the Registrar General is empowered to authorise the registration or re-registration of the birth. During 1994 the registration or re-registration of the births of 557 children was authorised, the comparative figures for 1993 and 1992 being 544 and 534 respectively.

The Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969: Registers of children adopted under the provisions of the above Acts and of the previous Adoption Acts of 1929, 1950 and 1967 are kept in the General Register Office, to which the adoption orders made by the Courts are transmitted. A certified copy of an entry in the Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Register during 1994 numbered 192 whilst the figures for 1993 and 1992 were 192 and 236 respectively.

Searches and certificates: The original records of live births, deaths and marriages registered in Northern Ireland were in the custody of local registration officers until 1 October 1973*, since which date the original records of births and deaths have been centralised in the General Register Office at Oxford House, 49/55 Chichester Street, Belfast; marriage original records are held by the local Registrars. The following statement shows the activity during 1994 by way of searches and issue of certificates from the General Register Office:—

*The date of introduction of a new system of registration in Northern Ireland: See The Births, Deaths and Marriages Registration (N.I.) Order 1973.

TABLE X

YEAR	Official Certificates	PAID		Searches
		Certificates		
		Full	Short	
1927	29	112	—	—
1937	88	290	—	—
1951	220	1,609	1,270	—
1971	286	4,306	3,455	—
1985	1,014	23,863	20,171	44,774
1986	1,029	26,296	21,485	48,607
1987	1,034	28,360	24,417	54,402
1988	831	28,496	23,839	54,205
1989	439	28,164	24,496	58,914
1990	34	29,454	21,214	54,068
1991	19	31,511	20,298	55,597
1992	8	35,127	20,669	58,824
1993	0	36,897	20,199	59,917
1994	3	37,362	22,196	63,061

Verifications. Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for pensions, etc. During the year the number of cases dealt with was 2,298.

ABSTRACTS
1994

ABSTRACT 1. Northern Ireland: Ages of population according to the Census of 1991.

AGES	Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Derry District	Down District	Dungannon District	Fermanagh District	Larne District	Lisavady District	Lisburn District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES
—1 yr. M F	12,736 12,011	364 362	447 436	420 418	382 361	176 191	279 213	2,161 2,046	243 255	401 454	392 376	278 268	661 595	905 894	512 468	389 384	397 398	226 199	279 239	838 805	328 273	115 112	758 665	587 538	503 428	394 351	301 282	M —1 yr. F
1— M F	12,990 12,249	338 338	491 411	481 423	407 412	219 180	268 243	2,125 2,095	285 268	434 436	355 383	313 278	650 606	915 872	518 483	426 378	441 421	212 186	299 256	854 833	328 341	126 108	768 704	561 474	429 427	416 377	331 316	M 1— F
2— M F	13,064 12,401	368 317	478 457	442 418	430 402	189 171	287 264	2,233 2,193	249 270	399 395	411 352	288 279	669 610	929 906	483 432	410 376	451 460	241 208	273 278	898 813	354 298	113 120	784 699	508 542	444 472	430 379	303 290	M 2— F
3— M F	13,394 12,688	404 357	516 452	460 430	470 439	191 186	256 273	2,225 2,144	277 253	393 407	372 372	283 292	657 637	1,021 952	528 500	370 385	491 387	221 211	265 254	882 842	359 317	129 104	804 770	597 558	477 445	418 404	328 317	M 3— F
4— M F	13,737 12,983	361 346	485 465	461 453	452 428	223 196	287 253	2,349 2,188	288 251	394 403	463 386	317 283	683 632	992 954	506 523	460 406	507 485	210 218	293 285	869 832	356 347	142 125	792 748	555 507	504 489	427 432	361 348	M 4— F
5— M F	13,462 12,816	363 344	463 459	454 441	451 385	221 170	252 275	2,272 2,176	278 271	421 358	435 371	315 267	659 598	1,017 927	539 476	431 396	487 485	197 221	286 255	888 889	335 341	112 125	742 772	528 557	514 502	447 421	355 334	M 5— F
6— M F	13,396 12,460	326 339	482 461	485 455	453 408	218 195	288 265	2,207 2,053	250 231	370 382	410 357	316 288	616 649	1,024 901	520 498	429 367	461 461	204 200	264 242	916 822	353 321	150 112	776 743	548 553	498 473	463 397	369 287	M 6— F
7— M F	13,346 12,727	356 328	505 448	468 457	424 441	190 208	278 241	2,100 2,065	250 249	329 352	382 357	280 314	645 619	1,049 952	537 468	439 429	533 487	224 203	293 264	863 813	333 334	123 125	841 769	521 538	559 508	470 450	354 308	M 7— F
8— M F	13,056 12,439	377 348	485 462	457 426	466 440	198 214	262 259	2,059 1,956	246 237	371 326	362 325	291 269	604 577	954 945	520 513	405 434	476 497	201 208	297 279	864 791	351 315	129 111	827 770	567 473	514 462	440 351	333 351	M 8— F
9— M F	12,956 12,495	375 374	478 446	443 456	422 387	211 194	303 297	1,978 1,944	225 228	401 329	396 340	293 294	587 578	948 908	504 490	424 415	493 453	222 209	288 285	851 779	340 317	126 119	763 800	557 547	535 520	452 447	341 339	M 9— F
10— M F	13,611 13,088	383 375	507 505	487 508	471 436	245 199	332 284	2,100 1,917	255 255	408 357	365 383	324 309	667 584	984 984	589 508	427 432	498 499	221 214	278 267	850 910	352 370	133 134	798 818	576 536	583 507	449 472	329 325	M 10— F
11— M F	13,743 13,029	381 417	525 500	495 439	451 434	206 193	275 311	2,129 1,929	257 239	398 371	433 397	304 317	650 625	1,005 953	553 499	454 411	536 490	201 227	297 287	880 775	308 362	141 128	827 818	585 553	618 578	464 456	370 320	M 11— F
12— M F	12,774 12,556	397 350	477 465	486 445	481 446	190 202	253 248	1,896 1,915	240 229	348 369	388 342	286 260	615 636	949 891	474 512	446 434	477 482	219 235	255 235	754 786	357 349	139 152	775 756	601 521	539 528	419 463	345 321	M 12— F
13— M F	12,531 12,180	388 322	495 500	455 430	404 391	206 180	293 246	1,879 1,867	224 229	364 335	373 343	284 300	568 568	926 861	525 460	404 413	468 461	191 203	279 272	722 742	340 301	113 119	795 760	574 578	498 534	433 414	330 351	M 13— F
14— M F	12,470 11,887	363 326	483 479	479 377	457 396	187 181	259 261	1,921 1,779	220 227	343 317	379 395	286 245	580 511	933 857	475 448	398 441	463 469	210 186	260 266	776 774	316 330	117 116	772 707	540 544	518 518	383 400	352 337	M 14— F
15— M F	12,634 11,989	381 393	540 502	462 445	417 404	192 215	269 216	1,823 1,791	211 207	380 376	368 382	298 277	582 565	917 849	509 424	430 412	476 477	215 213	308 274	752 713	310 323	135 132	743 665	591 533	547 497	404 400	374 304	M 15— F
16— M F	12,849 12,226	379 367	535 473	472 452	425 444	183 184	261 248	1,869 1,887	251 209	391 348	390 401	291 264	642 569	903 865	493 474	454 409	483 410	227 245	271 288	748 722	337 321	162 118	783 687	576 587	542 518	419 384	362 352	M 16— F
17— M F	13,220 12,422	387 373	564 456	486 435	529 450	215 168	275 247	1,939 1,879	257 224	407 369	439 413	314 274	607 602	878 873	479 489	416 423	506 470	251 216	287 291	760 689	373 309	129 134	766 741	603 566	547 550	437 424	369 357	M 17— F
18— M F	13,576 12,697	404 405	495 530	461 465	527 466	216 180	284 283	2,038 1,912	285 248	429 408	440 454	305 286	664 569	908 854	564 474	459 416	503 446	322 236	322 259	773 767	335 325	155 132	787 738	575 562	546 527	449 429	399 326	M 18— F
19— M F	13,488 12,480	387 373	511 457	477 446	475 472	213 189	279 267	2,027 2,018	222 268	465 418	416 429	292 246	652 644	916 801	550 418	422 391	476 467	230 235	309 273	837 727	370 329	135 124	847 670	606 595	540 496	460 401	374 326	M 19— F
20— M F	13,515 12,869	405 380	453 489	453 460	559 439	213 177	270 247	2,151 2,273	228 264	510 431	420 457	271 282	654 637	872 848	549 470	425 373	447 413	255 241	348 283	835 806	365 310	119 114	846 697	585 586	526 498	433 354	323 340	M 20— F
21— M F	12,851 12,389	426 389	439 453	467 391	471 463	198 212	267 243	2,147 2,191	264 233	429 466	392 438	265 250	647 594	863 777	485 427	359 321	388 425	232 236	294 243	823 752	356 336	127 104	716 714	559 564	502 529	429 341	306 297	M 21— F
22— M F	12,906 12,556	405 370	504 478	429 393	470 428	207 198	268 263	2,222 2,447	276 249	454 430	382 434	239 250	636 651	914 795	530 448	318 350	386 334	238 252	300 270	805 763	335 285	128 80	745 662	558 561	486 485	363 402	308 278	M 22— F

ABSTRACT 1. (continued). Northern Ireland: Ages of population according to the Census of 1991.

AGES		Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Derry District	Down District	Dungannon District	Fermanagh District	Larne District	Limavady District	Lisburn District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES	
0-4	M F	65,921 62,332	1,835 1,720	2,417 2,221	2,264 2,142	2,141 2,042	998 924	1,377 1,246	11,093 10,666	1,342 1,297	2,021 2,095	1,993 1,869	1,479 1,400	3,320 3,080	4,762 4,578	2,547 2,406	2,055 1,929	2,287 2,151	1,110 1,022	1,409 1,312	4,341 4,125	1,725 1,576	625 569	3,906 3,586	2,808 2,619	2,357 2,261	2,085 1,943	1,624 1,553	M F	0-4
5-9	M F	66,216 62,937	1,797 1,733	2,413 2,276	2,307 2,235	2,216 2,061	1,038 981	1,383 1,337	10,616 10,194	1,249 1,216	1,892 1,747	1,985 1,750	1,495 1,432	3,111 3,021	4,992 4,633	2,620 2,445	2,128 2,041	2,450 2,383	1,048 1,041	1,428 1,325	4,382 4,094	1,712 1,628	640 592	3,949 3,854	2,721 2,668	2,620 2,465	2,272 2,166	1,752 1,619	M F	5-9
10-14	M F	65,129 62,740	1,912 1,790	2,487 2,449	2,402 2,199	2,264 2,103	1,034 955	1,412 1,450	9,925 9,407	1,196 1,179	1,861 1,749	1,938 1,860	1,484 1,431	3,080 2,924	4,797 4,546	2,616 2,427	2,129 2,131	2,442 2,401	1,010 1,049	1,369 1,327	3,982 3,987	1,673 1,712	643 649	3,967 3,859	2,876 2,732	2,756 2,665	2,148 2,205	1,726 1,654	M F	10-14
15-19	M F	65,767 61,814	1,938 1,911	2,645 2,418	2,358 2,243	2,373 2,236	1,019 936	1,368 1,261	9,696 9,487	1,226 1,156	2,072 1,919	2,053 2,079	1,500 1,347	3,147 2,949	4,522 4,242	2,595 2,279	2,181 2,051	2,444 2,270	1,176 1,145	1,497 1,385	3,870 3,618	1,725 1,607	716 640	3,926 3,501	2,951 2,843	2,722 2,588	2,169 2,038	1,878 1,665	M F	15-19
20-24	M F	63,896 62,224	2,077 1,867	2,336 2,336	2,117 1,996	2,421 2,245	994 946	1,322 1,239	11,093 11,834	1,296 1,274	2,271 2,275	1,916 2,133	1,253 1,231	3,141 3,165	4,191 4,010	2,472 2,131	1,765 1,637	1,919 1,863	1,178 1,164	1,506 1,253	4,150 3,917	1,653 1,446	556 505	3,617 3,303	2,739 2,838	2,464 2,431	1,911 1,722	1,538 1,463	M F	20-24
25-29	M F	60,474 61,765	1,871 1,746	2,273 2,363	2,011 1,872	2,058 2,056	911 819	1,287 1,280	10,873 12,391	1,414 1,506	2,432 2,567	1,860 1,904	1,155 1,113	3,093 3,077	3,611 3,935	2,171 2,101	1,644 1,599	1,910 1,767	1,068 1,124	1,278 1,170	4,168 4,167	1,363 1,317	499 484	3,183 2,991	2,923 2,938	2,345 2,450	1,696 1,621	1,377 1,307	M F	25-29
30-34	M F	55,772 57,689	1,647 1,643	2,366 2,404	1,856 1,723	1,862 1,885	865 839	1,296 1,280	9,491 10,575	1,290 1,316	2,382 2,442	1,800 1,821	1,076 1,078	2,651 2,729	3,256 3,568	1,971 2,022	1,562 1,513	1,787 1,810	1,112 1,040	1,075 1,028	3,862 3,978	1,254 1,283	474 476	2,879 2,890	2,697 2,919	2,455 2,623	1,656 1,645	1,150 1,159	M F	30-34
35-39	M F	49,778 49,533	1,488 1,507	2,170 2,248	1,558 1,557	1,893 1,905	771 742	1,147 1,036	7,841 8,070	1,076 1,091	1,890 1,931	1,629 1,615	931 944	2,268 2,340	2,863 3,056	1,863 1,827	1,402 1,338	1,818 1,653	942 873	994 935	3,452 3,369	1,155 1,061	464 443	2,643 2,554	2,465 2,503	2,420 2,450	1,569 1,453	1,066 1,032	M F	35-39
40-44	M F	48,608 49,302	1,537 1,565	2,432 2,484	1,633 1,644	1,885 1,869	755 690	1,059 1,092	7,289 7,712	1,022 1,060	1,715 1,879	1,587 1,639	946 942	2,304 2,396	2,791 2,728	1,885 1,803	1,362 1,359	1,736 1,701	951 981	923 871	3,249 3,288	1,077 1,084	479 406	2,466 2,414	2,410 2,529	2,644 2,783	1,375 1,269	1,096 1,114	M F	40-44
45-49	M F	44,512 45,408	1,400 1,428	2,259 2,159	1,460 1,396	1,717 1,810	717 765	1,016 998	7,069 7,547	1,007 1,016	1,805 1,989	1,489 1,469	849 842	2,134 2,256	2,329 2,434	1,637 1,581	1,209 1,168	1,483 1,393	953 882	767 797	2,937 2,982	919 952	388 419	2,057 2,116	2,290 2,366	2,507 2,558	1,166 1,150	948 935	M F	45-49
50-54	M F	37,534 39,037	1,078 1,112	1,634 1,600	1,189 1,236	1,505 1,542	611 607	794 862	6,501 7,155	827 827	1,605 1,801	1,303 1,451	699 684	1,854 1,915	2,041 2,064	1,354 1,395	1,042 1,080	1,232 1,182	780 786	655 604	2,323 2,499	765 800	361 361	1,818 1,786	1,946 2,074	1,801 1,817	972 978	844 819	M F	50-54
55-59	M F	34,198 36,871	930 933	1,382 1,538	1,085 1,105	1,317 1,397	530 556	699 785	6,445 7,446	751 814	1,564 1,812	1,140 1,198	574 575	1,642 1,789	1,763 1,876	1,154 1,232	977 1,023	1,162 1,159	749 776	479 517	2,078 2,238	719 740	321 321	1,682 1,773	1,828 1,946	1,611 1,739	884 841	732 742	M F	55-59
60-64	M F	31,978 37,349	831 840	1,276 1,575	988 1,155	1,184 1,393	505 596	686 709	6,513 8,018	682 787	1,647 2,001	1,002 1,180	589 587	1,458 1,673	1,568 1,780	1,072 1,242	899 1,013	1,126 1,175	651 778	482 518	1,775 2,132	667 723	290 347	1,446 1,688	1,708 1,993	1,433 1,792	814 892	686 762	M F	60-64
65-69	M F	29,233 35,722	679 766	1,251 1,529	952 1,092	1,060 1,237	494 548	630 736	6,062 7,982	573 711	1,525 1,830	970 1,159	521 592	1,238 1,559	1,204 1,667	1,026 1,221	789 918	1,072 1,246	619 702	429 490	1,560 1,941	621 626	307 355	1,405 1,610	1,417 1,764	1,445 1,940	774 840	610 661	M F	65-69
70-74	M F	22,242 29,881	505 648	1,005 1,324	685 898	812 1,028	356 489	480 656	4,479 6,736	443 595	1,073 1,419	752 1,026	417 537	907 1,266	945 1,336	811 1,023	630 812	961 1,011	457 636	334 372	1,154 1,602	517 591	258 286	1,051 1,364	952 1,260	1,161 1,683	627 730	470 553	M F	70-74
75-79	M F	15,419 24,867	331 545	647 1,044	473 731	604 914	237 306	346 502	3,253 5,867	254 470	692 1,087	530 899	293 420	679 1,123	597 1,031	543 872	420 609	700 844	292 501	216 298	745 1,296	350 486	191 268	746 1,139	615 1,036	843 1,463	496 635	326 481	M F	75-79
80-84	M F	8,299 16,763	182 342	371 759	262 475	325 633	128 206	178 337	1,734 4,192	150 324	326 722	281 565	152 223	334 717	325 681	345 613	239 397	384 540	160 369	134 184	425 899	180 270	98 180	381 674	276 685	456 1,086	273 370	200 320	M F	80-84
85-89	M F	3,122 8,866	72 209	129 348	109 266	150 322	49 139	74 152	649 2,192	54 174	135 405	109 141	62 141	113 354	114 373	111 387	92 179	135 293	52 154	47 94	150 497	78 155	38 90	135 372	108 393	193 528	97 214	67 128	M F	85-89
90-94	M F	803 2,934	21 67	28 132	30 88	39 105	9 26	10 50	169 744	16 53	33 147	26 120	24 49	30 106	29 96	35 133	23 65	35 77	6 61	17 31	43 140	21 53	5 29	37 121	24 139	41 190	30 63	22 49	M F	90-94
95 & over	M F	170 731	4 9	6 30	2 23	4 28	1 6	4 6	29 202	3 13	5 36	6 25	4 11	7 36	8 29	7 33	8 10	12 19	4 17	3 14	7 36	3 6	2 14	13 41	6 30	10 36	8 12	4 9	M F	95 & over
ALL AGES	M F	769,071 808,765	22,135 22,381	31,527 33,237	25,741 26,076	27,830 28,811	12,022 12,176	16,568 16,914	130,820 148,417	15,871 16,879	28,946 31,853	24,369 26,069	15,503 15,579	36,511 38,475	46,708 48,663	28,835 29,173	22,556 22,872	27,095 26,938	14,318 15,101	15,042 14,525	48,653 50,805	18,177 18,116	7,355 7,434	41,307 41,636	35,760 38,275	34,284 37,548	23,022 22,787	18,116 18,025	M F	ALL AGES
TOTAL		1,577,836	44,516	64,764	51,817	56,641	24,198	33,482	279,237	32,750	60,799	50,438	31,082	74,986	95,371	58,008	45,428	54,033	29,419	29,567	99,458	36,293	14,789	82,943	74,035	71,832	45,809	36,141	TOTAL	

ABSTRACT 2. Northern Ireland: Marriages registered by District Council Area and month of registration, 1994.

AREA	Total	January	February	March	April	May	June	July	August	September	October	November	December
Ards	275	7	15	10	17	21	26	42	49	46	16	14	12
Belfast	1,580	35	55	84	138	123	193	214	236	266	120	68	48
Castlereagh	227	5	9	9	25	14	29	33	31	33	16	14	9
Down	301	6	7	14	39	13	37	45	50	47	31	8	4
Lisburn	458	14	10	34	40	42	53	62	67	59	36	18	23
North Down.	439	6	23	24	49	36	55	53	61	54	32	23	23
Antrim	267	5	5	6	19	28	42	33	38	34	29	18	10
Ballymena	324	12	5	16	28	23	41	55	38	57	26	11	12
Ballymoney.	135	2	4	5	14	13	19	22	25	17	6	4	4
Carrickfergus	174	8	13	8	15	17	15	23	15	28	15	11	6
Coleraine	334	11	14	16	34	28	41	29	56	55	23	13	14
Cookstown	160	7	2	9	9	11	24	27	20	29	14	7	1
Larne	254	8	13	14	18	18	20	31	49	42	15	13	13
Magherafelt.	227	7	6	9	17	13	22	46	21	50	19	12	5
Moyle	88	3	5	2	6	3	7	12	8	25	5	7	5
Newtownabbey	353	11	13	15	32	41	43	37	60	56	21	12	12
Armagh	300	4	7	15	26	30	35	48	44	48	25	11	7
Banbridge	222	6	10	18	12	17	36	23	33	36	14	10	7
Craigavon	394	5	14	19	23	41	49	46	58	73	31	17	18
Dungannon	242	14	8	9	32	15	29	30	38	34	12	14	7
Newry and Mourne	474	14	8	19	44	46	34	52	72	119	38	19	9
Fermanagh	300	4	5	5	23	26	38	33	68	54	33	7	4
Limavady	155	2	6	5	12	8	27	25	27	27	9	2	5
Derry	532	14	20	18	39	54	71	56	84	77	46	35	18
Omagh	241	9	7	6	25	17	30	40	39	42	16	6	4
Strabane	227	4	11	5	19	18	24	35	39	45	13	9	5
NORTHERN IRELAND . . .	8,683	223	295	394	755	716	1,040	1,152	1,326	1,453	661	383	285

ABSTRACT 3. Northern Ireland: Conjugal condition of persons contracting marriage by District Council Area, 1994.

AREA	Rate per 1,000 population†	Total	Marriages contracted between									Marriages of	
			Bachelors and			Widowers and			Divorced Men and			Divorced Men	Divorced Women
			Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women		
Ards	4.1	275	212	1	19	2	2	3	17	.	19	36	41
Belfast	5.3	1,580	1,280	7	79	12	11	10	106	8	67	181	156
Castlereagh	3.6	227	170	2	17	1	4	1	19	.	13	32	31
Down	5.0	301	259	1	11	1	3	2	15	1	8	24	21
Lisburn	4.4	458	387	1	18	5	3	.	25	2	17	44	35
North Down.	6.0	439	309	2	27	4	4	6	34	3	50	87	83
Antrim	5.6	267	203	.	14	1	2	3	21	5	18	44	35
Ballymena	5.7	324	265	3	14	3	5	.	18	.	16	34	30
Ballymoney.	5.5	135	114	3	4	1	1	.	5	.	7	12	11
Carrickfergus	5.0	174	117	.	22	1	2	1	15	1	15	31	38
Coleraine	6.2	334	253	4	20	4	.	2	29	2	20	51	42
Cookstown	5.2	160	149	.	2	1	.	1	5	.	2	7	5
Larne	8.5	254	143	2	27	.	7	3	42	4	26	72	56
Magherafelt.	6.2	227	214	.	6	.	1	.	5	.	1	6	7
Moyle	6.0	88	77	1	5	.	.	.	3	.	2	5	7
Newtownabbey	4.5	353	258	2	22	1	7	6	35	1	21	57	49
Armagh	5.7	300	257	.	12	2	3	2	13	3	8	24	22
Banbridge	6.0	222	174	2	12	1	1	2	15	2	13	30	27
Craigavon	5.1	394	303	5	29	2	2	6	25	4	18	47	53
Dungannon	5.2	242	220	1	8	1	1	.	7	1	3	11	11
Newry and Mourne	5.7	474	413	.	20	5	1	1	21	.	13	34	34
Fermanagh	5.4	300	266	.	4	1	2	2	18	.	7	25	13
Limavady	5.1	155	143	1	2	.	.	.	7	2	.	9	2
Derry	5.2	532	454	1	31	2	1	2	26	2	13	41	46
Omagh	5.2	241	217	.	3	.	1	2	11	1	6	18	11
Strabane	6.3	227	209	.	5	.	.	1	7	1	4	12	10
NORTHERN IRELAND	5.3	8,683	7,066	39	433	51	64	56	544	43	387	974	876

1994 population estimate used—see page 1 for further details.

ABSTRACT 4. Northern Ireland: Ages of men at marriage by District Council Area, 1994.

AREA	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	29.21	275	.	.	.	1	1	5	71	113	39	16	11	4	7	4	1	1	.	1	.
Belfast	29.40	1,580	.	3	3	2	20	27	362	629	279	106	64	32	13	17	10	9	4	2	1
Castlereagh	30.73	227	2	3	39	98	38	21	6	7	5	1	1	3	2	.	1
Down	29.12	301	.	.	.	1	1	6	76	122	52	17	6	8	5	2	2	1	1	.	1
Lisburn	28.83	458	.	.	.	1	1	4	135	175	77	35	6	9	5	2	2	2	3	1	.
North Down.	31.53	439	.	.	.	3	3	7	73	148	85	59	23	11	8	4	5	5	4	1	.
Antrim	30.38	267	2	5	55	105	46	23	10	5	4	5	3	3	.	1	.
Ballymena	28.86	324	.	.	.	1	2	5	96	130	42	21	7	9	3	1	1	1	5	.	.
Ballymoney.	28.94	135	3	3	34	49	28	7	5	2	1	1	2
Carrickfergus	30.91	174	2	42	56	35	13	8	5	5	2	3	2	1	.	.
Coleraine	29.37	334	12	81	132	44	29	12	12	6	2	2	2	.	.	.
Cookstown	26.94	160	.	.	.	3	2	2	64	47	26	7	6	3
Larne	34.05	254	8	42	71	35	33	21	16	10	3	6	6	2	.	1
Magherafelt.	27.30	227	3	6	64	100	35	12	2	3	1	.	.	1	.	.	.
Moyle	29.68	88	1	24	29	18	11	.	1	2	1	1
Newtownabbey	30.32	353	.	.	.	1	2	.	100	125	54	30	10	10	4	7	3	2	5	.	.
Armagh	29.03	300	1	3	72	128	49	20	12	9	2	2	1	1	.	.	.
Banbridge	30.03	222	1	3	44	94	36	18	11	4	8	1	1	.	.	1	.
Craigavon	29.52	394	.	.	.	1	3	5	90	163	61	29	16	12	5	4	1	4	.	.	.
Dungannon	28.12	242	.	1	1	1	3	2	74	89	45	12	10	1	.	1	1	1	.	1	.
Newry and Mourne	28.62	474	2	6	102	218	90	25	16	6	2	4	2	1	.	.	.
Fermanagh	28.90	300	7	5	57	124	67	23	7	4	1	3	.	.	2	.	.
Limavady	26.76	155	3	3	51	64	24	6	3	1	.	.	.
Derry	28.21	532	.	.	.	1	5	12	136	230	79	32	21	7	4	3	1	.	1	.	.
Omagh	28.51	241	1	2	63	100	46	11	9	4	1	3	1
Strabane	27.52	227	3	8	64	95	36	11	3	3	3	.	.	1	.	.	.
NORTHERN IRELAND . . .	29.32	8,683	.	4	4	16	71	145	2,111	3,434	1,466	627	305	187	105	73	50	47	30	8	4

ABSTRACT 5. Northern Ireland: Ages of women at marriage by District Council Area, 1994.

AREA	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	26.97	275	.	1	1	2	9	15	106	84	23	10	11	8	2	3	.	1	.	.	.
Belfast	27.41	1,580	1	4	5	16	40	58	490	587	212	72	38	25	19	8	3	2	4	1	.
Castlereagh	28.37	227	.	1	1	3	1	8	69	79	34	12	9	3	2	2	3	.	1	.	.
Down	27.17	301	.	2	2	3	9	7	99	110	40	16	6	4	2	2	1
Lisburn	26.84	458	.	1	1	5	8	17	174	162	49	16	11	5	3	1	1	2	2	1	.
North Down.	28.97	439	.	.	.	5	11	11	120	145	73	25	19	16	5	3	2	2	2	.	.
Antrim	27.80	267	.	1	1	7	9	13	81	87	33	11	8	6	5	2	1	1	1	1	.
Ballymena	26.67	324	1	3	4	2	12	12	118	109	41	8	7	3	2	1	.	4	1	.	.
Ballymoney.	26.67	135	.	1	1	1	6	3	50	48	15	3	3	2	1	2
Carrickfergus	28.68	174	.	.	.	2	8	4	51	52	28	8	10	3	5	1	1	1	.	.	.
Coleraine	27.58	334	.	1	1	1	9	16	109	111	39	25	10	6	2	2	2	1	.	.	.
Cookstown	25.43	160	.	.	.	4	6	3	80	40	17	5	4	1
Larne	31.31	254	.	1	1	3	5	10	60	63	37	29	20	6	7	4	5	4	.	.	.
Magherafelt.	25.65	227	.	1	1	6	5	6	90	81	26	9	.	1	1	1
Moyle	27.44	88	.	.	.	1	1	4	29	31	11	3	4	3	1
Newtownabbey	28.30	353	.	3	3	1	5	8	137	98	55	12	8	6	7	6	3	3	1	.	.
Armagh	27.02	300	.	.	.	8	5	9	110	100	36	16	3	6	4	2	1
Banbridge	27.46	222	.	.	.	2	3	10	82	72	25	10	8	3	4	2	.	1	.	.	.
Craigavon	27.52	394	.	1	1	7	10	17	122	138	46	20	14	8	6	3	2
Dungannon	25.81	242	.	2	2	5	12	8	99	73	23	13	1	3	.	.	2	1	.	.	.
Newry and Mourne	26.62	474	.	1	1	5	7	16	159	192	56	23	6	6	2	1
Fermanagh	26.66	300	.	1	1	5	5	16	102	101	47	11	5	3	3	.	.	.	1	.	.
Limavady	25.22	155	.	1	1	1	9	7	67	52	7	6	4	.	.	1
Derry	26.57	532	.	1	1	8	11	26	184	183	70	30	10	6	1	1	.	1	.	.	.
Omagh	26.63	241	.	2	2	2	10	13	66	93	32	14	4	4	.	1
Strabane	25.66	227	.	1	1	4	7	13	89	76	20	10	5	2
NORTHERN IRELAND	27.26	8,683	2	30	32	109	223	330	2,943	2,967	1,095	417	228	139	84	49	26	24	13	3	1

ABSTRACT 6: Northern Ireland: Age and conjugal condition of persons married in the year 1994:
Men

Age last birthday	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
TOTAL	8,683	7,538	171	974	7,066	39	433	51	64	56	544	43	387
16	4	4	.	.	4
17
under 18	4	4	.	.	4
18	16	16	.	.	16
19	71	71	.	.	70	.	1
20	145	145	.	.	143	.	2
under 21	236	236	.	.	233	.	3
21	283	281	.	2	281	.	7	.	.	.	2	.	.
22	438	437	.	1	429	1	1	.	.
23	640	637	.	3	621	1	15	.	.	.	2	1	.
24	750	748	.	2	731	1	16	.	.	.	2	.	.
21-24	2,111	2,103	.	8	2,062	3	38	.	.	.	7	1	.
25	766	756	1	9	744	.	12	1	.	.	9	.	.
26	793	780	2	11	754	1	25	2	.	.	9	.	2
27	716	695	.	21	675	1	19	.	.	.	14	.	7
28	607	572	1	34	547	1	24	1	.	.	28	.	6
29	552	519	1	32	500	.	19	.	.	1	26	1	5
25-29	3,434	3,322	5	107	3,220	3	99	4	.	1	86	1	20
30	430	399	.	31	361	2	36	.	.	.	21	1	9
31	354	308	1	45	286	2	20	1	.	.	33	.	12
32	284	251	2	31	225	3	23	2	.	.	26	.	5
33	206	175	1	30	142	3	30	1	.	.	22	1	7
34	192	132	1	59	113	1	18	1	.	.	41	.	18
30-34	1,466	1,265	5	196	1,127	11	127	5	.	.	143	2	51
35	180	124	2	54	99	.	25	1	.	1	36	1	17
36	142	93	2	47	71	2	20	1	.	1	29	1	17
37	110	62	1	47	46	1	15	1	.	.	30	.	17
38	110	61	.	49	44	1	16	.	.	1	29	1	19
39	85	46	1	38	38	.	8	.	.	1	20	1	17
35-39	627	386	6	235	298	4	84	3	.	3	144	4	87
40	77	32	1	44	21	.	11	.	.	1	20	1	23
41	84	34	4	46	25	1	8	2	.	2	27	2	17
42	54	26	5	23	13	1	12	2	.	3	9	1	13
43	47	17	2	28	9	.	8	1	.	1	13	2	13
44	43	17	1	25	11	.	6	.	.	1	13	1	11
40-44	305	126	13	166	79	2	45	5	.	8	82	7	77
45	44	13	5	26	4	1	8	1	.	4	12	1	13
46	33	9	4	20	7	1	2	3	.	1	10	1	9
47	40	12	3	25	7	1	4	1	2	2	10	1	14
48	29	10	2	17	5	.	5	.	2	2	5	2	10
49	41	12	8	21	5	3	4	2	3	3	5	2	14
45-49	187	56	22	109	28	5	23	7	5	10	42	7	60
50	30	9	7	14	4	1	4	1	1	5	4	.	10
51	16	1	2	13	.	.	1	.	.	2	4	.	9
52	28	2	3	23	2	.	2	.	1	2	6	3	14
53	14	3	3	8	2	1	.	.	2	1	4	.	4
54	17	.	3	14	2	1	2	1	11
50-54	105	15	18	72	6	2	7	1	6	11	20	4	48
55	21	2	4	15	1	1	.	1	2	1	4	1	10
56	12	3	2	7	2	1	.	1	1	1	2	1	4
57	16	3	3	5	2	1	.	3	1	2	1	3	5
58	8	.	3	5	.	.	.	1	.	2	.	.	4
59	16	3	8	5	1	2	.	4	2	2	.	1	.
55-59	73	11	23	39	6	5	.	9	6	8	7	6	26
60	8	1	4	3	1	.	.	.	1	3	2	.	1
61	14	4	4	6	1	.	3	.	3	1	3	1	2
62	13	3	5	5	1	.	2	.	3	2	1	1	3
63	6	2	1	3	1	1	.	.	1	.	.	2	1
64	9	1	7	1	.	1	.	2	4	1	.	.	1
60-64	50	11	21	18	4	2	5	2	12	7	6	4	8
65	10	1	2	7	.	.	1	1	.	1	4	.	3
66	9	1	4	4	1	.	.	1	2	1	.	.	4
67	11	1	7	3	1	.	1	.	5	2	.	2	1
68	14	1	11	2	.	.	1	6	3	2	.	2	1
69	3	.	1	2	1	.	.	1	.
65-69	47	4	25	18	2	.	2	8	11	6	4	5	9
70	10	.	8	2	.	.	.	2	6	.	2	.	.
71	6	.	6	1	4	1	.	.	.
72	4	.	3	1	.	.	.	1	2	.	1	.	.
73	4	.	3	1	.	.	.	2	1	.	.	.	1
74	6	1	4	1	.	1	.	.	4	.	.	1	.
70-74	30	1	24	5	.	1	.	6	17	1	3	1	1
75	2	.	2	.	1	.	.	.	2
76	5	1	4	.	1	.	.	1	3
77
78
79	1	.	.	1	1	.
75-79	8	1	6	1	1	.	.	1	5	.	.	1	.
80 & over	4	1	3	.	.	1	.	.	2	1	.	.	.

**ABSTRACT 6: (continued). Northern Ireland: Age and conjugal condition of persons married in the year 1994:
Women**

Age last birthday	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
TOTAL	8,683	7,661	146	876	7,066	51	544	39	64	43	433	56	387
16	2	2	.	.	1	.	1
17	30	30	.	.	30
under 18	32	32	.	.	31	.	1
18	109	109	.	.	109
19	223	223	.	.	222	.	1
20	330	330	.	.	323	.	7
under 21	694	694	.	.	685	.	9
21	549	549	.	.	534	.	15
22	743	740	.	3	715	.	25	.	.	.	3	.	.
23	832	825	.	7	798	2	25	.	.	.	6	.	1
24	819	810	.	9	772	1	37	.	.	.	5	.	4
21-24	2,943	2,924	.	19	2,819	3	102	.	.	.	14	.	5
25	759	747	1	11	706	4	37	1	.	.	10	.	1
26	708	689	.	19	659	2	28	.	.	.	16	.	3
27	597	566	2	29	530	1	35	2	.	.	16	.	13
28	502	462	2	38	419	1	42	2	.	.	28	.	10
29	401	356	1	44	323	.	33	1	.	.	26	1	17
25-29	2,967	2,820	6	141	2,637	8	175	6	.	.	96	1	44
30	317	285	.	32	250	.	35	.	.	.	26	.	6
31	277	225	2	50	183	.	42	1	.	1	29	.	21
32	203	166	3	34	141	3	22	3	.	.	17	2	15
33	152	107	1	44	87	1	19	1	.	.	21	4	19
34	146	91	2	53	68	1	22	.	.	2	29	1	23
30-34	1,095	874	8	213	729	5	140	5	.	3	122	7	84
35	102	60	1	41	39	1	20	.	.	1	21	1	19
36	96	64	2	30	47	3	14	1	1	.	19	.	11
37	86	38	5	43	23	2	13	1	1	3	29	.	14
38	73	35	3	35	26	.	9	3	.	.	14	3	18
39	60	23	2	35	14	1	8	1	.	1	16	1	18
35-39	417	220	13	184	149	7	64	6	2	5	99	5	80
40	60	27	2	31	13	2	12	1	1	.	12	3	16
41	44	9	2	33	4	3	2	1	.	1	14	3	16
42	45	16	1	28	10	1	5	1	.	.	10	4	14
43	42	7	3	32	1	1	5	.	2	1	11	1	20
44	37	8	3	26	3	1	4	.	2	1	12	.	14
40-44	228	67	11	150	31	8	28	3	5	3	59	11	80
45	33	5	4	24	1	1	3	2	1	1	10	1	13
46	24	5	5	14	2	1	2	2	.	3	4	1	9
47	31	8	3	20	2	3	3	1	1	1	6	4	10
48	29	4	5	20	1	2	1	1	2	2	4	6	10
49	22	5	5	12	3	.	2	.	1	4	.	2	10
45-49	139	27	22	90	9	7	11	6	5	11	24	14	52
50	23	5	5	13	.	1	4	1	1	3	3	1	9
51	16	1	4	11	1	.	.	1	2	1	5	2	4
52	18	3	2	13	1	1	1	.	1	1	2	5	6
53	15	2	4	9	1	1	1	3	1	.	2	1	6
54	12	4	4	4	1	.	3	1	1	2	.	1	3
50-54	84	15	19	50	3	3	9	6	6	7	12	10	28
55	12	3	3	6	1	1	1	1	1	1	1	2	3
56	9	.	3	6	.	.	.	2	1	1	2	1	3
57	10	3	2	5	1	1	1	1	1	.	.	1	4
58	13	1	8	4	.	1	1	2	4	2	1	2	1
59	5	.	5	5
55-59	49	7	21	21	2	2	3	4	13	4	4	6	11
60	9	1	6	2	.	.	1	.	3	3	1	1	.
61	3	.	1	2	1	.	1	.	1
62	7	1	6	.	.	1	.	.	5	1	.	.	.
63	4	1	3	.	.	1	.	.	2	1	.	.	.
64	3	.	3	3
60-64	26	3	19	4	.	2	1	.	14	5	2	1	1
65	11	3	7	1	.	2	1	1	5	1	1	.	.
66	2	.	2	1	1	.	.	.
67	4	3	1	.	.	3	.	.	1
68	4	1	2	1	1	.	.	1	1	.	.	.	1
69	3	.	3	3
65-69	24	7	15	2	1	5	1	2	11	2	1	.	1
70	4	.	3	1	3	.	.	.	1
71	1	.	1	1	.	.	.
72	3	.	3	2	1	.	.	.
73	2	.	2	2
74	3	2	.	1	.	1	1	1	.
70-74	13	2	9	2	.	1	1	.	7	2	.	1	1
75
76
77	2	1	1	.	1	.	.	1
78
79	1	.	1	1	.	.	.
75-79	3	1	2	.	1	.	.	1	.	1	.	.	.
80 & over	1	.	1	1

ABSTRACT 7. Northern Ireland: Ages in combination of men and women at marriage, 1994.

Age of Husband	AGE OF WIFE																					Total Husbands
	16	17	18	19	20	21	22	23	24	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 & over	
16
17	1	2	1	4
18	.	5	1	4	3	1	1	.	1	16
19	.	6	16	16	7	9	5	5	.	7	71
20	.	3	18	32	31	22	14	8	9	6	2	145
21	.	4	20	33	49	52	50	20	19	34	2	283
22	.	5	15	37	52	102	89	55	33	40	9	1	438
23	.	.	16	41	45	88	120	129	78	109	13	.	1	640
24	.	1	8	22	47	67	129	160	117	171	24	4	750
25—	1	3	11	32	82	185	278	387	444	1,679	287	37	5	1	1	1	3,434
30—	.	1	2	6	9	17	46	53	96	695	417	94	24	4	1	.	1	1,466
35—	.	.	1	.	4	5	9	12	16	164	223	136	43	11	2	1	627
40—	1	.	.	1	4	51	74	84	57	28	4	1	305
45—	1	2	2	1	8	31	33	49	37	17	4	2	187
50—	1	.	7	18	32	22	13	10	2	105
55—	2	4	8	8	19	21	6	2	2	1	.	.	73
60—	1	1	.	5	9	15	11	5	3	.	.	.	50
65—	1	2	3	6	6	12	9	6	2	.	.	47
70—	1	1	4	2	3	11	7	1	.	30
75—	1	.	1	2	1	1	2	.	8
80 & over	1	2	.	1	4
Total Wives	2	30	109	223	330	549	743	832	819	2,967	1,095	417	228	139	84	49	26	24	13	3	1	8,683

ABSTRACT 8. Northern Ireland: Marriages by age of bachelors, by age of spinsters, 1994.

BACHELORS AND SPINSTERS

Age of Husband	AGE OF WIFE																							Total Husbands	
	16	17	18	19	20	21	22	23	24	<21	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—		85 & over
16
17	1	2	1	4	4
18	.	5	1	4	3	1	1	.	1	13	3	16
19	.	6	16	16	7	9	5	5	.	45	19	6	70
20	.	3	18	32	31	22	14	8	9	84	53	4	2	143
21	.	4	20	33	49	51	50	20	18	106	139	34	2	281
22	.	5	15	37	52	101	89	55	32	109	277	36	7	429
23	.	.	16	41	45	87	118	127	77	102	409	100	10	621
24	.	1	8	22	46	67	128	160	117	77	472	163	17	2	731
<21	1	16	36	52	41	32	20	13	10	146	75	10	2	233
21—	.	10	59	133	192	306	385	362	244	394	1,297	333	36	2	2,062
25—	.	3	11	32	77	181	268	368	430	123	1,247	1,600	227	21	2	3,220
30—	.	1	2	5	9	12	36	46	77	17	171	586	312	40	1	1,127
35—	.	.	1	.	3	3	6	8	10	4	27	87	118	52	9	1	298
40—	1	.	.	.	1	1	1	20	25	21	10	1	79
45—	1	.	.	1	1	9	10	3	4	28
50—	2	3	1	6
55—	1	1	1	2	1	6
60—	2	.	1	1	4
65—	1	.	.	.	1	2
70—
75—	1	.	.	1
80—
85& over
Total Wives	1	30	109	222	323	534	715	798	772	685	2,819	2,637	729	149	31	9	3	2	.	1	.	1	.	.	7,066

ABSTRACT 9. Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1994.

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept- ember	3rd Quarter	October	Nov- ember	Dec- ember	4th Quarter
Northern Ireland	{ Persons	24,289	2,317	1,722	2,047	6,086	2,090	1,999	2,224	6,313	1,954	2,113	2,152	6,219	2,000	1,981	1,690	5,671
	{ Males	12,465	1,196	882	1,042	3,120	1,076	1,000	1,122	3,198	969	1,088	1,135	3,192	1,043	1,038	874	2,955
	{ Females	11,824	1,121	840	1,005	2,966	1,014	999	1,102	3,115	985	1,025	1,017	3,027	957	943	816	2,716
Ards	{ Persons	835	95	47	71	213	80	66	87	233	71	73	71	215	60	60	54	174
	{ Males	428	41	26	41	108	44	34	42	120	38	40	33	111	27	31	31	89
	{ Females	407	54	21	30	105	36	32	45	113	33	33	38	104	33	29	23	85
Belfast	{ Persons	4,046	380	293	346	1,019	384	314	355	1,053	347	308	394	1,049	335	346	244	925
	{ Males	2,049	178	144	186	508	202	153	188	543	156	158	210	524	170	178	126	474
	{ Females	1,997	202	149	160	511	182	161	167	510	191	150	184	525	165	168	118	451
Castlereagh	{ Persons	877	88	59	67	214	82	69	89	240	64	70	66	200	70	82	71	223
	{ Males	465	46	30	32	108	44	30	51	125	37	34	34	105	39	51	37	127
	{ Females	412	42	29	35	106	38	39	38	115	27	36	32	95	31	31	34	96
Down	{ Persons	922	104	55	80	239	87	78	74	239	75	89	70	234	88	65	57	210
	{ Males	454	50	23	35	108	49	39	31	119	32	44	40	116	46	34	31	111
	{ Females	468	54	32	45	131	38	39	43	120	43	45	30	118	42	31	26	99
Lisburn	{ Persons	1,645	173	127	123	423	133	125	158	416	137	153	130	420	136	119	131	386
	{ Males	867	85	69	67	221	76	68	79	223	70	83	77	230	69	55	69	193
	{ Females	778	88	58	56	202	57	57	79	193	67	70	53	190	67	64	62	193
North Down	{ Persons	854	75	60	68	203	78	59	87	224	70	77	77	224	69	63	71	203
	{ Males	432	36	36	26	98	44	30	49	123	32	39	38	109	37	28	37	102
	{ Females	422	39	24	42	105	34	29	38	101	38	38	39	115	32	35	34	101
Antrim	{ Persons	763	75	57	61	193	51	68	72	191	60	56	81	197	61	76	45	182
	{ Males	391	38	36	28	102	35	28	37	100	29	31	44	104	29	36	20	85
	{ Females	372	37	21	33	91	16	40	35	91	31	25	37	93	32	40	25	97
Ballymena	{ Persons	806	72	58	81	211	70	71	88	229	46	66	62	174	66	66	60	192
	{ Males	413	42	33	44	119	29	39	39	107	26	32	29	87	32	33	35	100
	{ Females	393	30	25	37	92	41	32	49	122	20	34	33	87	34	33	25	92
Ballymoney	{ Persons	350	31	20	34	85	19	31	38	88	29	34	32	95	26	26	30	82
	{ Males	180	24	8	11	43	11	17	18	46	12	21	16	49	20	12	10	42
	{ Females	170	7	12	23	42	8	14	20	42	17	13	16	46	6	14	20	40
Carrickfergus	{ Persons	525	51	48	42	141	31	41	45	117	46	53	53	152	45	33	37	115
	{ Males	284	24	20	24	68	13	23	26	62	28	28	27	83	27	24	20	71
	{ Females	241	27	28	18	73	18	18	19	55	18	25	26	69	18	9	17	44
Coleraine	{ Persons	728	67	62	66	195	64	58	54	176	60	66	59	185	64	46	62	172
	{ Males	369	37	38	35	110	36	30	23	89	25	32	33	90	32	19	29	80
	{ Females	359	30	24	31	85	28	28	31	87	35	34	26	95	32	27	33	92
Cookstown	{ Persons	416	33	29	28	90	31	37	33	101	42	42	41	125	32	32	36	100
	{ Males	210	21	13	17	51	15	17	20	52	20	25	17	62	13	15	17	45
	{ Females	206	12	16	11	39	16	20	13	49	22	17	24	63	19	17	19	55

ABSTRACT 9. (continued). Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1994.

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept- ember	3rd Quarter	October	Nov- ember	Dec- ember	4th Quarter	
59	Larne	{ Persons Males Females	363 198 165	39 22 17	32 20 12	28 17 11	99 59 40	24 12 12	23 13 10	30 18 12	77 43 34	45 25 20	31 18 16	37 21 16	113 64 49	29 11 18	18 5 13	27 16 11	74 32 42
	Magherafelt	{ Persons Males Females	677 332 345	84 37 47	42 18 24	61 33 28	187 88 99	53 26 27	50 24 26	54 24 30	157 74 83	48 23 25	53 22 31	71 38 33	172 83 89	59 31 28	56 37 19	46 19 27	161 87 74
	Moyle	{ Persons Males Females	180 87 93	19 7 12	10 6 4	18 10 8	47 23 24	8 0 8	11 3 8	11 7 4	30 10 20	18 8 10	17 10 7	21 15 6	56 33 23	15 8 7	12 3 9	20 10 10	47 21 26
	Newtown- abbey	{ Persons Males Females	1,073 545 528	92 42 50	61 33 28	100 47 53	253 122 131	112 59 53	93 45 48	82 34 48	287 138 149	89 50 39	86 38 48	110 68 42	285 156 129	83 41 42	93 48 45	72 40 32	248 129 119
	Armagh	{ Persons Males Females	813 431 382	79 51 28	63 27 36	63 32 31	205 110 95	63 31 32	72 43 29	80 41 39	215 115 100	76 42 34	60 33 27	64 34 30	200 109 91	71 33 38	65 38 27	57 26 31	193 97 96
	Banbridge	{ Persons Males Females	486 265 221	41 21 20	43 23 20	33 12 21	117 56 61	36 19 17	41 26 15	51 30 21	128 75 53	30 15 15	56 31 25	45 25 20	131 71 60	40 25 15	44 22 22	26 16 10	110 63 47
	Craigavon	{ Persons Males Females	1,260 653 607	106 56 50	100 50 50	115 59 56	321 165 156	114 47 67	105 53 52	118 67 51	337 167 170	81 39 42	96 49 47	115 56 59	292 144 148	94 62 32	118 69 49	98 46 52	310 177 133
	Dungannon	{ Persons Males Females	790 411 379	60 29 31	58 30 28	72 32 40	190 91 99	82 41 41	84 41 43	69 30 39	235 112 123	55 30 25	66 39 27	61 41 20	182 110 72	54 32 22	66 33 33	63 33 30	183 98 85
	Newry and Mourne	{ Persons Males Females	1,519 780 739	141 79 62	94 44 50	131 64 67	366 187 179	129 70 59	143 69 74	143 65 78	415 204 211	121 58 63	139 79 60	118 56 62	378 193 185	128 71 57	131 73 58	101 52 49	360 196 164
	Fermanagh	{ Persons Males Females	834 446 388	85 43 42	54 33 21	76 41 35	215 117 98	76 37 39	84 38 46	64 35 29	224 110 114	67 38 29	63 32 31	63 27 36	193 97 96	65 37 28	77 49 28	60 36 24	202 122 80
	Limavady	{ Persons Males Females	537 273 264	37 21 16	52 28 24	51 30 21	140 79 61	39 15 24	42 22 20	71 35 36	152 72 80	42 24 18	47 22 25	44 25 19	133 71 62	37 16 21	44 21 23	31 14 17	112 51 61
	Derry	{ Persons Males Females	1,765 891 874	170 95 75	120 55 65	129 66 63	419 216 203	143 71 72	129 65 64	143 62 81	415 198 217	145 73 72	178 81 97	158 81 77	481 235 246	169 92 77	155 80 75	126 70 56	450 242 208
	Omagh	{ Persons Males Females	704 355 349	70 39 31	49 24 25	60 33 27	179 96 83	55 30 25	60 26 34	70 45 25	185 101 84	54 22 32	82 42 40	61 28 33	197 92 105	64 22 42	43 25 18	36 19 17	143 66 77
	Strabane	{ Persons Males Females	521 256 265	50 32 18	29 15 14	43 20 23	122 67 55	46 20 26	45 24 21	58 26 32	149 70 79	36 17 19	52 25 27	48 22 26	136 64 72	40 21 19	45 19 26	29 15 14	114 55 59

ABSTRACT 10. Northern Ireland: Legitimate live births by sex and by ages of mother and father, 1994.

AGE OF MOTHER	ALL AGES	AGE OF FATHER																					
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and over
16 M
F
17 M	6	.	.	1	1	3	.	.	1	1
F	6	3	.	1	.	.	1
18 M	20	.	.	1	2	1	6	3	3	.	2	.	1	.	1
F	19	.	.	1	3	3	3	1	2	2	2	.	1	1
19 M	63	.	.	1	4	13	13	8	9	6	3	1	2	.	1	2
F	57	.	.	3	2	11	14	8	6	3	1	5	1	1	0	1	1
20 M	118	.	.	1	5	7	19	18	21	10	12	9	5	2	1	6	0	1	1
F	95	.	.	.	3	11	10	14	14	7	9	9	5	1	5	5	1	1
21 M	185	.	.	.	3	8	23	24	35	13	21	15	7	10	6	17	2	1
F	155	.	.	.	3	13	17	25	22	23	19	11	4	6	3	8	1
22 M	245	.	.	.	1	5	10	22	21	43	35	22	25	16	8	28	6	3
F	233	4	12	28	49	30	32	20	11	16	9	18	3	1
23 M	375	.	1	.	.	4	7	21	42	56	54	53	43	26	19	40	5	3	1
F	371	1	7	20	39	52	53	44	43	35	24	39	13	1
24 M	477	3	13	25	65	77	86	58	44	31	59	13	3
F	484	2	4	10	26	58	82	64	61	58	43	59	15	2
25 M	589	1	.	5	22	37	92	102	98	63	52	98	14	5
F	602	.	.	1	.	3	2	6	16	47	77	96	82	73	52	132	12	2	1
26 M	701	.	.	1	1	1	2	3	8	18	47	97	112	102	92	179	29	4	4	1	.	.	.
F	692	.	.	1	.	1	1	3	11	23	57	91	87	117	82	189	25	4
27 M	730	.	.	.	1	.	.	1	5	14	17	63	121	106	111	248	35	8
F	739	1	.	5	8	30	67	119	107	103	247	45	6	1
28 M	858	2	2	6	2	15	42	57	146	157	362	58	9
F	763	1	3	3	3	7	13	32	63	119	106	339	60	11	2	.	1	.	.
29 M	838	1	4	6	8	24	32	74	112	477	84	12	4
F	795	1	3	5	7	13	33	35	70	101	439	76	8	3	.	.	1	.
30-34 M	3,151	1	.	5	4	6	9	37	39	88	170	1,748	842	160	35	3	3	1	.
F	2,893	4	9	14	26	41	80	147	1,642	765	121	29	11	4	.	.
35-39 M	1,173	1	2	8	6	10	223	596	242	62	18	5	.	.
F	1,084	2	7	9	10	216	531	244	49	12	2	2	.
40-44 M	199	11	41	102	34	6	3	2	.
F	201	1	.	.	.	1	7	33	99	42	13	4	1	.
45-49 M	11	1	2	4	2	1	1	.	.
F	8	1	.	4	3	.	.	.
50 and over M
F
TOTAL M	9,739	.	1	5	18	44	85	126	206	276	393	553	608	683	771	3,499	1,727	557	143	29	12	3	.
F	9,197	.	.	6	11	53	76	122	202	276	404	500	560	693	685	3,341	1,583	500	131	39	11	4	.

**ABSTRACT 11. Northern Ireland: Legitimate live births by sex, age of mother and parity*
during year ended 31 December, 1994.**

Age of Mother	Total	Number of previous children born (live and still)										
		0	1	2	3	4	5	6	7	8	9	10 and over
16 M
16 F
17 M	6	6
17 F	6	5	1
18 M	20	16	3	1
18 F	19	15	4
19 M	63	41	18	4
19 F	57	36	18	3
16-19 M	89	63	21	5
16-19 F	82	56	23	3
20 M	118	60	52	5	1
20 F	95	55	33	6	1
21 M	185	95	67	20	2	1
21 F	155	79	58	18
22 M	245	131	81	29	3	.	.	1
22 F	233	105	94	25	8	1
23 M	375	161	141	54	16	2	1
23 F	371	186	130	45	9	.	1
24 M	477	224	162	68	21	2
24 F	484	233	175	65	10	1
20-24 M	1,400	671	503	176	43	5	1	1
20-24 F	1,338	658	490	159	28	2	1
25 M	589	284	209	70	22	4
25 F	602	292	198	75	31	5	1
26 M	701	289	233	125	34	15	5
26 F	692	301	250	99	33	8	1
27 M	730	283	268	124	40	8	7
27 F	739	275	283	122	41	15	2	.	1	.	.	.
28 M	858	292	340	147	54	15	10
28 F	763	244	308	147	49	13	1	.	1	.	.	.
29 M	838	256	326	176	57	14	7	2
29 F	795	263	302	148	58	18	3	3
25-29 M	3,716	1,404	1,376	642	207	56	29	2
25-29 F	3,591	1,375	1,341	591	212	59	8	3	2	.	.	.
30 M	803	242	287	162	74	26	7	3	1	1	.	.
30 F	760	200	287	176	64	22	9	1	1	.	.	.
31 M	711	174	257	165	72	25	10	3	4	1	.	.
31 F	646	153	227	155	74	24	7	3	2	1	.	.
32 M	622	127	229	140	83	27	13	2	1	.	.	.
32 F	597	124	214	131	91	12	19	4	.	2	.	.
33 M	552	104	184	151	70	27	6	7	2	1	.	.
33 F	460	78	151	126	66	27	7	3	.	2	.	.
34 M	463	83	129	120	77	36	11	3	3	1	.	.
34 F	430	73	115	114	78	29	15	4	1	1	.	.
30-34 M	3,151	730	1,086	738	376	141	47	18	11	4	.	.
30-34 F	2,893	628	994	702	373	114	57	15	4	6	.	.
35 M	389	51	115	109	57	39	12	4	1	1	.	.
35 F	347	61	71	108	70	22	9	4	.	1	.	1
36 M	287	39	68	85	54	18	16	4	1	2	.	.
36 F	281	41	66	81	51	22	15	4	.	1	.	.
37 M	192	32	41	42	33	19	14	5	3	3	.	.
37 F	209	26	46	60	43	20	8	3	2	1	.	.
38 M	184	19	38	41	38	22	12	5	4	.	3	2
38 F	151	26	34	31	32	19	5	1	2	1	.	.
39 M	121	13	21	25	26	15	9	8	1	2	1	.
39 F	96	15	19	21	16	14	4	3	4	.	.	.
35-39 M	1,173	154	283	302	208	113	63	26	10	8	4	2
35-39 F	1,084	169	236	301	212	97	41	15	8	4	.	1
40 M	63	10	5	18	12	2	6	4	4	.	.	2
40 F	76	8	10	24	18	8	4	2	.	1	.	1
41 M	63	9	12	12	14	6	3	3	2	1	1	.
41 F	58	5	15	11	8	6	6	4	2	.	.	1
42 M	40	4	13	8	5	7	2	1
42 F	38	3	6	12	4	4	3	.	2	.	1	3
43 M	23	2	.	2	4	5	5	3	1	.	1	.
43 F	21	2	2	4	8	1	2	1	.	1	.	.
44 M	10	1	3	1	.	1	1	1	.	1	.	1
44 F	8	1	2	1	2	1	.	1
40-44 M	199	26	33	41	35	21	17	11	7	2	2	4
40-44 F	201	19	35	52	40	20	15	8	4	2	1	5
45 M	6	.	3	1	1	.	.	.	1	.	.	.
45 F	4	1	1	.	.	1	1
46 M	4	1	.	.	1	.	1	.	.	1	.	1
46 F	3	2
47 M
47 F	1	1
48 M	1	.	1
48 F
49 M
49 F
45-49 M	11	1	4	1	2	.	1	.	1	1	.	2
45-49 F	8	3	1	.	.	2	2
TOTAL M	9,739	3,049	3,306	1,905	871	336	158	58	29	15	6	6
TOTAL F	9,197	2,908	3,120	1,808	865	294	122	41	18	12	1	8

*Parity has been taken to mean the number of children born (live and still) to the mother as a result of previous pregnancies.

ABSTRACT 11a. Northern Ireland: Legitimate live births by sex, age of mother and parity during year ended 31 December, 1994.

Age of Mother	Total	Number of previous children born (live only)										
		0	1	2	3	4	5	6	7	8	9	10 and over
16 M
16 F
17 M	6	6
17 F	6	5	1
18 M	20	16	4
18 F	19	15	4
19 M	63	41	19	3
19 F	57	36	18	3
16-19 M	89	63	23	3
16-19 F	82	56	23	3
20 M	118	60	52	5	1
20 F	95	55	34	6
21 M	185	95	67	21	2
21 F	155	79	58	18
22 M	245	131	82	28	3	.	.	1
22 F	233	105	94	25	8	1
23 M	375	163	141	52	16	2	1
23 F	371	187	130	46	7	.	1
24 M	477	227	163	64	21	2
24 F	484	234	178	61	10	1
20-24 M	1,400	676	505	170	43	4	1	1
20-24 F	1,338	660	494	156	25	2	1
25 M	589	285	211	68	21	4
25 F	602	293	199	75	29	5	1
26 M	701	290	234	125	33	14	5
26 F	692	301	251	98	33	8	1
27 M	730	284	268	124	39	8	7
27 F	739	275	288	120	38	15	2	.	1	.	.	.
28 M	858	294	343	145	52	16	8
28 F	763	246	313	140	50	12	1	.	1	.	.	.
29 M	838	256	328	177	57	11	7	2
29 F	795	264	306	146	56	18	4	1
25-29 M	3,716	1,409	1,384	639	202	53	27	2
25-29 F	3,591	1,379	1,357	579	206	58	9	1	2	.	.	.
30 M	803	242	288	161	76	26	8	2
30 F	760	201	288	178	64	20	7	1	1	.	.	.
31 M	711	175	258	169	70	22	9	3	4	1	.	.
31 F	646	153	232	152	72	26	6	2	2	1	.	.
32 M	622	129	227	141	84	27	11	2	1	.	.	.
32 F	597	124	219	134	86	12	17	3	.	2	.	.
33 M	552	106	185	149	72	25	5	8	1	1	.	.
33 F	460	78	153	125	68	25	7	2	.	2	.	.
34 M	463	84	129	121	80	36	6	3	3	1	.	.
34 F	430	73	118	113	81	27	12	4	1	1	.	.
30-34 M	3,151	736	1,087	741	382	136	39	18	9	3	.	.
30-34 F	2,893	629	1,010	702	371	110	49	12	4	6	.	.
35 M	389	52	116	109	57	37	12	4	1	1	.	.
35 F	347	61	72	109	70	23	6	4	4	1	.	1
36 M	287	39	70	86	53	18	14	4	1	2	.	.
36 F	281	42	66	80	52	23	13	4	.	1	.	.
37 M	192	32	42	43	34	17	13	5	3	3	.	.
37 F	209	26	47	60	43	22	5	4	1	1	.	.
38 M	184	20	38	41	38	21	12	5	4	.	3	2
38 F	151	26	35	33	31	18	4	1	2	1	.	.
39 M	121	13	21	25	26	16	10	6	1	2	1	.
39 F	96	17	18	20	17	13	4	3	4	.	.	.
35-39 M	1,173	156	287	304	208	109	61	24	10	8	4	2
35-39 F	1,084	172	238	302	213	99	32	16	7	4	.	1
40 M	63	11	4	19	11	3	5	6	2	.	.	2
40 F	76	8	12	22	18	8	4	2	.	1	.	1
41 M	63	9	13	11	14	6	3	4	2	.	1	.
41 F	58	6	14	11	9	6	5	4	2	.	.	1
42 M	40	4	13	9	4	7	2	1
42 F	38	4	5	13	3	4	3	1	1	.	1	3
43 M	23	2	1	1	4	5	5	3	1	.	1	.
43 F	21	2	2	4	8	1	2	1	.	1	.	.
44 M	10	1	3	1	.	1	1	1	.	1	.	1
44 F	8	1	2	1	2	1	.	1
40-44 M	199	27	34	41	33	22	16	14	5	1	2	4
40-44 F	201	21	35	51	40	20	14	9	3	2	1	5
45 M	6	.	3	1	1
45 F	4	1	1	.	.	1	1
46 M	4	1	.	.	1	.	1	.	.	1	.	.
46 F	3	2	1
47 M
47 F	1	1
48 M	1	.	1
48 F
49 M
49 F
45-49 M	11	1	4	1	2	.	1	.	1	1	.	.
45-49 F	8	3	1	.	.	2	2
TOTAL M	9,739	3,068	3,324	1,899	870	324	145	59	25	13	6	6
TOTAL F	9,197	2,920	3,158	1,793	855	291	105	38	16	12	1	8

ABSTRACT 12. Northern Ireland: Live births by age of mother and live birth order*, 1994.

Live birth order	Age of mother									
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 and over
Total live births.	24,289	11	1,538	4,606	8,469	6,681	2,498	464	22	.
First	11,341	11	1,486	3,204	3,950	2,002	569	112	7	.
Second	6,482	.	46	999	2,741	2,097	525	69	5	.
Third	3,692	.	6	326	1,218	1,443	606	92	1	.
Fourth	1,725	.	.	68	408	753	421	73	2	.
Fifth	615	.	.	6	111	246	208	42	2	.
Sixth	250	.	.	2	36	88	93	30	1	.
Seventh	97	.	.	1	3	30	40	23	.	.
Eighth	41	.	.	.	2	13	17	8	1	.
Ninth	25	9	12	3	1	.
Tenth and over	21	7	12	2	.

*Live birth order is the numerical order of the child in relation to all previous live-born issue of the mother irrespective of whether the pregnancies were nuptial or extra-nuptial.

ABSTRACT 13. Northern Ireland: Legitimate live births by sex, age of mother and duration of marriage, 1994.

Duration of Marriage			All ages	AGE OF MOTHER														
				16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over
MONTHS	0	M	
		F	
	1-2	M	38	.	.	2	2	3	4	4	.	12	6	1	.	.	.	
		F	35	.	.	1	3	2	2	3	4	5	9	4	1	1	.	.
	3-5	M	198	.	3	9	17	20	21	14	16	17	49	19	11	2	.	.
		F	178	.	3	7	12	17	18	14	22	13	50	13	9	.	.	.
	6-8	M	158	.	2	2	8	14	20	11	13	15	39	19	13	2	.	.
		F	171	.	.	5	11	12	8	13	13	15	54	28	10	2	.	.
9-11	M	285	.	1	2	6	14	17	22	28	28	103	43	16	5	.	.	
	F	312	.	1	.	7	12	22	24	35	24	109	52	22	4	.	.	
YEARS	0	M	679	.	6	15	33	51	62	51	61	60	203	87	41	9	.	.
		F	696	.	4	13	33	43	50	54	74	57	222	97	42	7	.	.
	1	M	1,163	.	.	3	20	41	61	88	93	108	489	196	54	10	.	.
		F	1,143	.	2	5	16	30	60	88	99	111	493	181	51	7	.	.
	2	M	1,093	.	.	2	10	20	37	45	81	106	516	228	40	8	.	.
		F	1,005	.	.	1	6	16	29	39	65	98	513	180	49	9	.	.
	3	M	1,072	6	16	33	68	81	540	256	63	9	.	.
		F	1,032	.	.	.	2	5	15	30	67	87	549	228	47	2	.	.
	4	M	1,018	8	23	42	69	520	286	61	8	1	.
		F	955	1	1	13	40	69	511	263	51	6	.	.
	5	M	900	1	4	18	34	460	301	77	5	.	.
		F	868	6	23	41	445	288	58	7	.	.
	6	M	822	1	10	15	375	333	81	7	.	.
		F	759	3	2	17	355	300	72	10	.	.
	7	M	671	2	4	258	325	76	5	1	.
		F	577	1	4	232	283	51	5	1	.
	8	M	523	187	263	65	8	.	.
		F	480	139	259	75	7	.	.
	9	M	429	97	264	63	3	2	.
		F	348	80	203	58	7	.	.
	10-14	M	1,025	71	571	350	32	1	.
		F	1,008	52	570	344	41	1	.
	15-19	M	291	41	193	57	.	.
		F	271	41	174	55	1	.
	20-24	M	47	9	34	4	.
		F	53	12	37	4	.
	25 and over	M	6	4	2	.
		F	2	1	1	.
TOTAL M			9,739	.	6	20	63	118	185	245	375	477	3,716	3,151	1,173	199	11	.
TOTAL F			9,197	.	6	19	57	95	155	233	371	484	3,591	2,893	1,084	201	8	.

ABSTRACT 14. Northern Ireland: Live births by age of mother, sex and legitimacy, 1994.

Age of Mother	LIVE BIRTHS								
	All live births			Legitimate			Illegitimate		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
11
12
13	1	1	1	1	.
14	10	8	2	.	.	.	10	8	2
up to 14	11	9	2	.	.	.	11	9	2
15	39	24	15	.	.	.	39	24	15
16	120	65	55	.	.	.	120	65	55
17	270	134	136	12	6	6	258	128	130
18	479	248	231	39	20	19	440	228	212
19	630	316	314	120	63	57	510	253	257
15-19	1,538	787	751	171	89	82	1,367	698	669
20	642	319	323	213	118	95	429	201	228
21	762	393	369	340	185	155	422	208	214
22	840	431	409	478	245	233	362	186	176
23	1,104	571	533	746	375	371	358	196	162
24	1,258	620	638	961	477	484	297	143	154
20-24	4,606	2,334	2,272	2,738	1,400	1,338	1,868	934	934
25	1,490	742	748	1,191	589	602	299	153	146
26	1,646	823	823	1,393	701	692	253	122	131
27	1,674	837	837	1,469	730	739	205	107	98
28	1,838	970	868	1,621	858	763	217	112	105
29	1,821	931	890	1,633	838	795	188	93	95
25-29	8,469	4,303	4,166	7,307	3,716	3,591	1,162	587	575
30	1,742	897	845	1,563	803	760	179	94	85
31	1,487	783	704	1,357	711	646	130	72	58
32	1,348	688	660	1,219	622	597	129	66	63
33	1,112	600	512	1,012	552	460	100	48	52
34	992	519	473	893	463	430	99	56	43
30-34	6,681	3,487	3,194	6,044	3,151	2,893	637	336	301
35	807	430	377	736	389	347	71	41	30
36	619	313	306	568	287	281	51	26	25
37	450	215	235	401	192	209	49	23	26
38	374	205	169	335	184	151	39	21	18
39	248	137	111	217	121	96	31	16	15
35-39	2,498	1,300	1,198	2,257	1,173	1,084	241	127	114
40	164	77	87	139	63	76	25	14	11
41	139	74	65	121	63	58	18	11	7
42	89	42	47	78	40	38	11	2	9
43	52	29	23	44	23	21	8	6	2
44	20	11	9	18	10	8	2	1	1
40-44	464	233	231	400	199	201	64	34	30
45	11	6	5	10	6	4	1	.	1
46	8	4	4	7	4	3	1	.	1
47	2	1	1	1	.	1	1	1	.
48	1	1	.	1	1
49
45-49	22	12	10	19	11	8	3	1	2
50 and over
ALL AGES	24,289	12,465	11,824	18,936	9,739	9,197	5,353	2,726	2,627

ABSTRACT 15. Northern Ireland: Still-births¹ by age of mother, sex and legitimacy, 1994.

Age of Mother	STILL-BIRTHS ¹								
	All still-births ¹			Legitimate			Illegitimate		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
17	1	1	1	1	.
18	1	.	1	.	.	.	1	.	1
19	6	6	6	6	.
15-19	8	7	1	.	.	.	8	7	1
20	6	4	2	3	1	2	3	3	.
21	4	1	3	2	.	2	2	1	1
22	6	4	2	2	1	1	4	3	1
23	7	5	2	4	3	1	3	2	1
24	7	5	2	7	5	2	.	.	.
20-24	30	19	11	18	10	8	12	9	3
25	12	8	4	9	6	3	3	2	1
26	10	6	4	9	5	4	1	1	.
27	8	4	4	7	3	4	1	1	.
28	10	6	4	9	5	4	1	1	.
29	13	10	3	13	10	3	.	.	.
25-29	53	34	19	47	29	18	6	5	1
30	9	3	6	8	3	5	1	.	1
31	12	6	6	8	5	3	4	1	3
32	8	4	4	8	4	4	.	.	.
33	7	2	5	5	2	3	2	.	2
34	4	1	3	3	.	3	1	1	.
30-34	40	16	24	32	14	18	8	2	6
35	3	2	1	3	2	1	.	.	.
36	2	1	1	2	1	1	.	.	.
37	3	3	.	3	3
38	7	2	5	7	2	5	.	.	.
39	1	.	1	.	.	.	1	.	1
35-39	16	8	8	15	8	7	1	.	1
40	3	1	2	1	.	1	2	1	1
41
42	1	1	1	1	.
43	2	2	.	2	2
44	1	.	1	1	.	1	.	.	.
40-44	7	4	3	4	2	2	3	2	1
ALL AGES	154	88	66	116	63	53	38	25	13

ABSTRACT 16. Northern Ireland: Still-births by sex, cause and period of gestation, 1994.

Detailed List No.	CAUSE OF STILL-BIRTH	PERIOD OF GESTATION (WEEKS)																							
		Total	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over	
228.1	Lymphangioma any site . M F	1	.	.	1	
740.0	Anencephalus. . . M F	1	1	
742.3	Congenital hydrocephalus . M F	2	.	.	1	1	
746.8	Other specified anomalies of M heart F	1	1	
746.9	Unspecified anomalies of heart M F	2 1	1	1	
753.0	Renal agenesis and dysgenesis M F	1	1	
758.6	Gonodal dysgenesis . . . M F	1.	.	.	1	
759.7	Multiple congenital anomaly . M F	1	.	.	1	
759.8	Other specified anomalies . M F	1	1	
759.9	Congenital anomaly, M unspecified F	1	
760.0	Maternal hypertensive M disorders F	6 3	1	.	1	.	1 1	1	.	.	.	1	.	.	1	.	1	
760.1	Maternal renal and urinary tract M diseases F	1	1	
761.1	Premature rupture of M membranes. F	1	
761.3	Polyhydramnios M F	1	.	1	
761.5	Multiple pregnancy. . . . M F	
761.6	Maternal deaths M F	3	2	.	1	
762.1	Other forms of placental M separation and haemorrhage . F	10 7	.	1	1	.	2 1	.	.	1	1	.	.	1	1	.	2 1	.	1 1	

ABSTRACT 16 (continued). Northern Ireland: Still-births by sex, cause and period of gestation, 1994.

Detailed List No.	CAUSE OF STILL-BIRTH	PERIOD OF GESTATION (WEEKS)																								
		Total	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over		
762.2	Other and unspecified morpho-logical and functional abnormalities of placenta M	7	1	.	1	2	.	1	.	2		
 F	6	.	1	1	.	.	1	.	.	1	1		
762.5	Other compression of umbilical cord M	6	1	.	.	1	.	.	.	1	3	1		
 F	5	1	.	.	.	1	1	1	1		
762.6	Other and unspecified conditions of umbilical cord M	1	1		
 F		
762.7	Chorioamnionitis M	2	.	.	1	1		
 F		
763.8	Other complications of labour and delivery M		
 F	1	1		
764.9	Fetal growth retardation, unspecified. M	1	1		
 F	2	1	.	.	.	1		
768.0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time M	3	1	1	1		
 F	2	1	.	.	1		
772.2	Subarachnoid haemorrhage M		
 F	1	1		
775.0	Syndrome of "infant of a diabetic mother". M		
 F	1	1		
778.0	Hydrops fetalis not due to isoimmunization. M	1	.	1		
 F		
778.5	Other and unspecified oedema of newborn M		
 F	1	1		
779.9	Unspecified M	38	1	3	3	1	.	2	3	1	4	2	1	2	3	1	3	1	4	2	1	.	.	.		
 F	29	.	3	.	1	1	1	2	1	1	1	2	2	4	1	2	4	1	2		
ALL CAUSES		88	2	6	7	1	4	3	4	4	8	5	4	4	5	4	10	7	7	2	1	.	.	.		
		66	.	5	4	2	5	3	3	1	3	5	4	4	5	2	6	7	3	4		

ABSTRACT 17. Northern Ireland: Still-births by sex, cause and weight of fetus, 1994.

Detailed List No.	CAUSE OF STILL-BIRTH	WEIGHT OF FETUS (in grams)														
		Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	Not Stated
228-1	Lymphangioma any site M
	F	1	.	1
740-0	Anencephalus M	1	1
	F
742-3	Congenital hydrocephalus M	2	.	.	1	1
	F
746.8	Other specified anomalies of the heart M
	F	1	.	.	.	1
746.9	Unspecified anomalies of the heart M	2	.	1	1
	F	1	1
753-0	Renal agenesis and dysgenesis M	1	.	.	1
	F
758-6	Gonadal dysgenesis M	1	.	1
	F	1	.	1
759-7	Multiple congenital anomalies M	1	.	.	1
	F
759.8	Other specified anomalies M	1	.	1
	F
759-9	Congenital anomaly, unspecified M
	F	1	1
760-0	Maternal hypertensive disorders M	6	1	2	.	1	.	.	1	.	1
	F	3	1	2
760-1	Maternal renal and urinary tract diseases. . . M	1	1
	F
761-1	Premature rupture of membranes M
	F	1	.	.	1
761.3	Polyhydramnios M	1	1
	F
761.5	Multiple pregnancy M
	F	2	.	.	1	1
761.6	Maternal deaths M	3	.	.	.	2	1
	F

ABSTRACT 17 (continued). Northern Ireland: Still-births by sex, cause and weight of fetus, 1994.

Detailed List No.	CAUSE OF STILL-BIRTH	WEIGHT OF FETUS (in grams)														
		Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	Not Stated
762-1	Other forms of placental separation and haemorrhage M F	10 7	. .	2 1	1 1	4 .	. 1	. 1	. 1	1 1	2 .	. 1
762-2	Other and unspecified morphological and functional abnormalities of the placenta M F	7 6	. 1	. 1	1 3	3 .	1	1 1	1
762.5	Other compression of umbilical cord M F	6 5	1 .	1 1	2 2	. 1	2 .	. 1
762-6	Other and unspecified conditions of umbilical cord M F	1	1
762.7	Chorioamnionitis M F	2	1	1
763.8	Other complications of labour and delivery M F	. 1 1
764-9	Fetal growth retardation, unspecified M F	1 2	. .	1 .	. 1	. .	. 1
768-0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time M F	3 2	1 1	. .	1 1	1
772.2	Subarachnoid haemorrhage M F	. 1	1
775-0	Syndrome of "infant of a diabetic mother" M F	. 1	1
778-0	Hydrops fetalis not due to isoimmunization M F	1 .	. .	1
778.5	Other and unspecified oedema of newborn M F	. 1	1
779-9	Unspecified M F	38 29	4 .	8 6	5 2	5 5	2 .	2 6	1 2	3 3	5 3	2 1	. 1	. .	1 .	. .
	ALL CAUSES. M F	88 66	6 3	16 12	12 9	17 8	4 3	3 9	4 6	6 6	14 4	5 5	. 1	. .	1 .	. .

ABSTRACT 18. Northern Ireland: Still-births by sex, age of mother and parity*, 1994.

Age of Mother	Total still-births	PARITY OF MOTHER										
		0	1	2	3	4	5	6	7	8	9	10 and over
17 M	1	1
17 F
18 M
18 F	1	1
19 M	6	6
19 F
Under 20 M	7	7
Under 20 F	1	1
20 M	4	4
20 F	2	0	1	1
21 M	1	1
21 F	3	3
22 M	4	4
22 F	2	2
23 M	5	4	1
23 F	2	1	1
24 M	5	1	2	1	1
24 F	2	1	1
20-24 M	19	14	3	1	1
20-24 F	11	7	3	1
25 M	8	7	1
25 F	4	3	1
26 M	6	3	1	1	1
26 F	4	3	1
27 M	4	4
27 F	4	3	1
28 M	6	3	1	1	1
28 F	4	3	.	.	1
29 M	10	3	1	2	2	1	1
29 F	3	3
25-29 M	34	20	4	4	4	1	1
25-29 F	19	15	2	.	1	.	1
30 M	3	.	1	.	1	1
30 F	6	2	1	2	1
31 M	6	3	.	3
31 F	6	4	1	1
32 M	4	.	2	1	1	.
32 F	4	1	.	1	2
33 M	2	1	.	1
33 F	5	3	.	1	.	1
34 M	1	1
34 F	3	1	1	.	1
30-34 M	16	5	3	5	1	1	1	.
30-34 F	24	11	3	5	4	1
35 M	2	.	.	1	1
35 F	1	1
36 M	1	1
36 F	1	.	.	.	1
37 M	3	.	2	.	1
37 F
38 M	2	.	1	1
38 F	5	3	1	.	1
39 M
39 F	1	1
35-39 M	8	1	3	2	2
35-39 F	8	4	1	.	2	1
40 M	1	1
40 F	2	1	.	1
41 M
41 F
42 M	1	1
42 F
43 M	2	.	.	.	1	1
43 F
44 M
44 F	1	1
40-44 M	4	2	.	.	1	1
40-44 F	3	1	.	1	.	1
ALL M	88	49	13	12	9	3	1	.	.	.	1	.
ALL F	66	39	9	7	7	3	1

*See definition at foot of Abstract 11.

ABSTRACT 19. Northern Ireland: Quarterly incidence of deaths, by District Council Area, month and sex with quarterly totals, 1994.

AREA		Total	January	February	March	1st quarter	April	May	June	2nd quarter	July	August	September	3rd quarter	October	November	December	4th quarter
Northern Ireland	M	7,362	722	630	677	2,029	573	595	646	1,814	587	573	563	1,723	615	576	605	1,796
	F	7,752	822	657	667	2,146	613	644	639	1,896	518	626	644	1,788	647	660	615	1,922
Ards	M	259	15	25	24	64	23	19	25	67	22	14	26	62	18	19	29	66
	F	334	32	27	24	83	28	26	20	74	17	35	32	84	31	28	34	93
Belfast	M	1,550	139	152	131	422	118	129	121	368	129	128	119	376	126	135	123	384
	F	1,804	168	152	150	470	144	180	127	451	118	139	155	412	160	156	155	471
Castlereagh	M	303	30	31	29	90	22	19	29	70	19	27	23	69	25	23	26	74
	F	338	42	25	32	99	25	27	28	80	26	25	31	82	19	27	31	77
Down	M	287	39	11	29	79	19	24	30	73	16	24	19	59	30	22	24	76
	F	314	41	27	22	90	20	16	33	69	17	32	34	83	21	21	30	72
Lisburn	M	363	35	31	29	95	30	30	35	95	23	27	23	73	39	29	32	100
	F	434	49	46	38	133	35	28	37	100	37	38	29	104	31	35	31	97
North Down	M	315	35	26	31	92	28	20	28	76	23	19	20	62	27	30	28	85
	F	419	36	35	33	104	44	31	42	117	33	28	32	93	34	34	37	105
Antrim	M	182	16	12	17	45	7	16	21	44	21	7	15	43	20	11	19	50
	F	174	21	11	22	54	12	11	13	36	16	7	20	43	9	14	18	41
Ballymena	M	266	19	32	24	75	27	20	24	71	16	30	15	61	20	18	21	59
	F	287	30	28	20	78	19	27	23	69	19	25	24	68	27	26	19	72
Ballymoney	M	130	9	13	13	35	6	12	8	26	14	10	15	39	14	5	11	30
	F	115	12	7	8	27	11	10	9	30	8	9	11	28	9	9	12	30
Carrickfergus	M	157	13	15	16	44	8	18	14	40	10	10	15	35	15	6	17	38
	F	150	21	9	15	45	10	14	14	38	5	8	9	22	13	16	16	45
Coleraine	M	246	35	17	12	64	16	29	22	67	21	17	18	56	24	16	19	59
	F	254	19	17	20	56	17	22	22	61	12	30	19	61	26	27	23	76
Cookstown	M	138	7	8	14	29	9	10	18	37	18	13	5	36	14	7	15	36
	F	140	14	14	8	36	12	14	13	39	3	15	12	30	16	14	5	35
Larne	M	157	13	17	14	44	11	10	15	36	9	13	9	31	19	20	7	46
	F	122	4	19	9	32	11	12	9	32	14	6	5	25	12	10	11	33
Magherafelt	M	168	20	13	15	48	18	6	15	39	16	14	15	45	9	16	11	36
	F	102	16	11	11	38	8	7	10	25	4	6	5	15	10	9	5	24
Moyle	M	95	13	8	9	30	6	8	9	23	12	9	10	31	4	2	5	11
	F	67	5	4	9	18	2	3	8	13	5	6	4	15	6	7	8	21
Newtownabbey	M	306	23	32	22	77	24	29	23	76	27	23	32	82	22	25	24	71
	F	354	34	26	30	90	30	33	40	103	24	23	24	71	35	33	22	90
Armagh	M	221	25	19	14	58	23	24	15	62	21	19	10	50	18	13	20	51
	F	253	23	23	29	75	21	35	16	72	15	16	21	52	17	22	15	54
Banbridge	M	148	18	14	13	45	14	7	15	36	11	13	12	36	9	12	10	31
	F	152	14	10	12	36	15	9	12	36	20	12	18	50	11	12	7	30
Craigavon	M	290	30	25	25	80	25	15	27	67	20	26	27	73	24	23	23	70
	F	335	30	38	32	100	30	19	25	74	24	28	36	88	31	24	18	73
Dungannon	M	262	25	16	27	68	15	29	21	65	13	17	21	51	27	27	24	78
	F	207	29	22	8	59	15	20	11	46	15	18	17	50	17	15	20	52
Newry and Mourne	M	382	43	24	38	105	35	37	25	97	26	38	25	89	30	34	27	91
	F	345	42	32	37	111	28	14	26	68	21	37	21	79	24	36	27	87
Fermanagh	M	302	25	28	28	81	25	26	31	82	32	16	26	74	24	21	20	65
	F	249	36	26	22	84	21	20	23	64	10	16	17	43	19	24	15	58
Limavady	M	116	13	11	15	39	11	11	11	33	10	7	6	23	7	8	6	21
	F	97	14	5	8	27	6	10	12	28	5	11	8	24	5	7	6	18
Derry	M	333	32	24	37	93	26	26	31	83	24	26	28	78	23	21	35	79
	F	390	51	18	37	106	34	37	38	109	24	31	32	87	37	24	27	88
Omagh	M	228	39	16	27	82	16	13	16	45	22	18	15	55	13	25	8	46
	F	168	22	13	12	47	9	13	14	36	13	13	11	37	18	17	13	48
Strabane	M	158	11	10	24	45	11	8	17	36	12	8	14	34	14	8	21	43
	F	148	17	12	19	48	6	6	14	26	13	12	17	42	9	13	10	32

73

*See definition on page 1.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
I. Infectious and Parasitic Diseases																												
001-009	Intestinal Infectious Diseases. . M F	1 1	1	.	1	.	.
001	Cholera M F
002	Typhoid and Paratyphoid fevers . M F
003	Other salmonella infections . . M F
004	Shigellosis M F	1	1
005	Other food poisoning (bacterial) . M F	1	1	.	.	.
006	Amoebiasis M F
007	Other protozoal intestinal diseases . M F
008	Intestinal infections due to other M organisms F
009	Ill-defined intestinal infection. . M F
010-018	Tuberculosis M F	5 3	1	.	3	.	.	.	3	1
010	Primary tuberculous infection. . M F
011	Pulmonary tuberculosis . . . M F	5 1	1	.	3	.	.	.	1	1
012	Other respiratory tuberculosis. . M F
013	Tuberculosis of meninges and central M nervous system . . F	1	1
014	Tuberculosis of intestines, peri- M toneum and mesenteric glands . F
015	Tuberculosis of bones and joints . M F	1	1
016	Tuberculosis of genitourinary M system F
017	Tuberculosis of other organs . . M F
018	Miliary tuberculosis M F
020-027	Zoonotic bacterial diseases . . M F	1	1

[illegible]

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
045-049	Poliomyelitis and other non-arthropod-borne viral diseases of the central nervous system	M F	1	1	.	.
045	Acute poliomyelitis	M F
046	Slow virus infection of central nervous system	M F
047	Meningitis due to enterovirus.	M F
048	Other enterovirus diseases of central nervous system	M F
049	Other non-arthropod-borne viral diseases of the central nervous system	M F	1	1	.	.
050-057	Viral diseases accompanied by exanthem	M F	1	1
050	Smallpox	M F
051	Cowpox and paravaccinia	M F
052	Chickenpox	M F
053	Herpes zoster	M F
054	Herpes simplex	M F
055	Measles	M F	1	1
056	Rubella	M F
057	Other viral exanthemata	M F
060-066	Arthropod-borne viral diseases	M F
060	Yellow fever	M F
061	Dengue	M F
062	Mosquito-borne viral encephalitis	M F
063	Tick-borne viral encephalitis	M F
064	Viral encephalitis transmitted by other and unspecified arthropods	M F
065	Arthropod-borne haemorrhagic fever	M F
066	Other arthropod-borne viral diseases	M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
070-079	Other diseases due to viruses and Chlamydiae. M F	1	1
070	Viral hepatitis. M F	1	1
071	Rabies. M F
072	Mumps M F
073	Ornithosis M F
074	Specific diseases due to Coxsackie virus M F
075	Infectious mononucleosis M F
076	Trachoma M F
077	Other diseases of conjunctiva due to viruses and Chlamydiae M F
078	Other diseases due to viruses and Chlamydiae. M F
079	Viral infection in conditions classified elsewhere and of unspecified site. M F
080-088	Rickettsioses and other arthropod-borne diseases M F
080	Louse-borne (epidemic) typhus M F
081	Other typhus M F
082	Tick-borne rickettsioses M F
083	Other rickettsioses M F
084	Malaria M F
085	Leishmaniasis. M F
086	Trypanosomiasis M F
087	Relapsing Fever M F
088	Other arthropod-borne diseases M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
090-099	<i>Syphilis and other venereal diseases</i> M F	
090	Congenital syphilis . . . M F	
091	Early syphilis, symptomatic . . M F	
092	Early syphilis, latent . . . M F	
093	Cardiovascular syphilis . . . M F	
094	Neurosyphilis . . . M F	
095	Other forms of late syphilis, with M symptoms . . . F	
096	Late syphilis, latent . . . M F	
097	Other and unspecified syphilis . M F	
098	Gonococcal infections. . . M F	
099	Other venereal diseases . . . M F	
100-104	<i>Other spirochaetal diseases</i> . M F	
100	Leptospirosis . . . M F	
101	Vincent's angina . . . M F	
102	Yaws . . . M F	
103	Pinta . . . M F	
104	Other spirochaetal infection . . M F	
110-118	<i>Mycoses</i> . . . M F	
110	Dermatophytosis . . . M F	
111	Dermatomycosis, other and M unspecified . . . F	
112	Candidiasis . . . M F	
114	Coccidioidomycosis . . . M F	
115	Histoplasmosis . . . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
116	Blastomycotic infection . . . M F		
117	Other mycoses. M F		
118	Opportunistic mycoses . . . M F		
120-129	Helminthiases. M F		
120	Schistosomiasis (bilharziasis). . M F		
121	Other trematode infections . . . M F		
122	Echinococcosis M F		
123	Other cestode infection M F		
124	Trichinosis M F		
125	Filarial infection and dracontiasis . M F		
126	Ancylostomiasis and necatoriasis . M F		
127	Other intestinal helminthiases. . M F		
128	Other and unspecified helminthiases M F		
129	Intestinal parasitism, unspecified . M F		
130-136	Other infectious and parasitic M diseases F	1	1		
130	Toxoplasmosis M F		
131	Trichomoniasis M F		
132	Pediculosis and phthirus infestation M F		
133	Acariasis M F		
134	Other infestation M F		
135	Sarcoidosis M F	1	1		
136	Other and unspecified infectious M and parasitic diseases F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
137-139	Late effects of infectious and parasitic diseases M F	1	1	
137	Late effects of tuberculosis M F	1	1	
138	Late effects of acute poliomyelitis M F	
139	Late effects of other infectious and parasitic diseases M F	
II Neoplasms																												
140-149	Malignant neoplasm of lip, oral cavity and pharynx M F	32 19	1 .	. .	1 .	. .	2 1	4 .	4 1	3 1	6 2	7 3	. .	2 6	1 2	1 1	1 1	
140	Malignant neoplasm of lip M F	. 1	1	
141	Malignant neoplasm of tongue M F	11 7	1	1 .	1 .	3 1	. 1	2 .	3 2	. .	1 .	. 1	. .	1 .	
142	Malignant neoplasm of major salivary glands M F	2 2	1	1 1	. .	1 .	. .	
143	Malignant neoplasm of gum M F	
144	Malignant neoplasm of floor of mouth M F	3	1 .	1	1	
145	Malignant neoplasm of other and unspecified part of mouth M F	3 3	1	1	2 .	1	
146	Malignant neoplasm of oropharynx M F	3 1	1	2	1	
147	Malignant neoplasm of naso-pharynx M F	1 1	1	1	
148	Malignant neoplasm of hypo-pharynx M F	1 1	1 .	. .	1 .	. .	
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx. M F	8 3	1	4 2	2 1	1 .	
150-159	Malignant neoplasms of digestive organs and peritoneum M F	591 534	2 2	1 2	12 5	22 7	27 18	47 31	68 49	109 55	94 86	90 79	76 91	34 75	9 27	. 7	
150	Malignant neoplasm of oesophagus M F	87 56	2 .	. .	1 1	2 .	6 2	8 2	12 8	15 7	16 6	13 7	9 13	2 8	1 1	. 1	
151	Malignant neoplasm of stomach M F	130 71	3 2	4 1	7 .	13 2	10 7	22 4	25 9	19 12	14 15	11 10	2 2	. 3		
152	Malignant neoplasm of small intestine, including duodenum M F	5 3	2 .	. .	2 1	. .	1 2	
153	Malignant neoplasm of colon. M F	156 168	4 1	7 2	8 .	9 8	19 14	30 29	20 27	23 24	24 22	9 10	3 2	. 2	
154	Malignant neoplasm of rectum, rectosigmoid junction and anus M F	60 54	3 1	2 1	2 .	5 2	8 3	12 5	6 6	10 9	7 9	3 13	2 2	. .	
155	Malignant neoplasm of liver and intrahepatic bile ducts M F	38 41	2 2	2 .	5 1	6 4	5 8	6 5	4 7	4 7	3 4	1 2	. 1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
156	Malignant neoplasm of gallbladder and extrahepatic bile ducts. M F	4 19 1	. 2	. 2	1 4	3 2	. 4	. 3	. 1	. .
157	Malignant neoplasm of pancreas. M F	70 79	1 .	. .	3 2	2 4	2 4	12 6	14 10	14 23	9 11	12 9	1 6	4 .	. .	
158	Malignant neoplasm of retro-peritoneum and peritoneum. M F	6 2	2 1	3 .	1 .	. 1	
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum. M F	35 41	1 .	2 1	. 1	3 6	1 1	9 4	3 4	6 3	6 9	4 7	5 .	. .	
160-165	Malignant neoplasm of respiratory and intrathoracic organs. M F	556 268	1 .	2 1	5 1	13 8	28 15	42 13	69 29	119 39	112 60	73 39	59 43	30 12	4 5	2 .
160	Malignant neoplasm of nasal cavities, middle ear and accessory sinuses. M F	2 2	1 .	. .	1 1	1	
161	Malignant neoplasm of larynx. M F	18 8	2 1	1 .	1 .	4 1	3 1	3 2	3 2	1 .	. .	1 .	. .	
162-0	Malignant neoplasm of trachea. M F	1 1	1	
162-2	Malignant neoplasm of main bronchus. M F	1	1	
162-3	Malignant neoplasm of upper lobe, bronchus or lung. M F	1	1	
162-9	Malignant neoplasm of bronchus or lung, unspecified. M F	508 256	1 .	2 .	5 1	10 7	27 15	36 13	62 28	108 36	103 58	68 37	56 42	27 12	4 4	2 .
163	Malignant neoplasm of pleura. M F	24	3 .	3 .	6 .	5 .	2 .	2 .	3 .	. .	
164	Malignant neoplasm of thymus, heart and mediastinum. M F	1 1	1	1	
165	Malignant neoplasm of other and ill-defined sites within the respiratory system and intrathoracic organs. M F	
170-175	Malignant neoplasm of bone, connective tissue, skin and breast. M F	33 378	1 .	1 1	2 1	2 .	1 .	4 .	1 12	1 14	1 23	1 31	3 38	3 51	4 33	5 37	5 46	2 38	3 32	10 .	5 .
170	Malignant neoplasm of bone and articular cartilage. M F	4 4	1	1 .	. .	1	1 .	1 2
171	Malignant neoplasm of connective and other soft tissue. M F	6 12	1 .	. .	1 .	2	1 .	. .	1 1	1 1	. .	1 2	1 2	1 2	2 .	. .	
172	Malignant melanoma of skin. M F	14 22	1	1 .	1 1	1 1	1 2	2 2	1 3	1 3	1 1	3 3	1 2	2 .	2 .	. .	
173	Other malignant neoplasm of skin. M F	9 2	1 .	. .	1 .	2 .	3 .	1 .	. .	1 .	1 .	. .	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
174	Malignant neoplasm of female breast F	338	1	3	11	13	20	29	35	47	30	33	41	34	28	9	4
175	Malignant neoplasm of male breast M
179-189	Malignant neoplasm of genito-urinary organs M F	306 229	1	.	1	1	4	2	1	5 16	8 16	31 21	31 27	47 39	66 34	72 34	33 17	8 3	.
179	Malignant neoplasm of uterus, part unspecified F	20	1	.	1	2	4	4	5	2	1	.
180	Malignant neoplasm of cervix uteri F	38	1	2	3	3	7	6	.	3	1	8	4	.	.	.
181	Malignant neoplasm of placenta F
182	Malignant neoplasm of body of uterus F	17	1	1	1	2	.	7	3	1	.	1	.
183	Malignant neoplasm of ovary and other uterine adnexa F	90	2	1	4	5	7	11	17	16	11	9	6	.	1	
184	Malignant neoplasm of other and unspecified female genital organs F	11	2	2	2	4	.	1	.	
185	Malignant neoplasm of prostate M	209	3	4	15	21	31	48	54	28	5	.
186	Malignant neoplasm of testis M	5	1	.	1	1	.	1	.	.	.	1
187	Malignant neoplasm of penis and other male genital organs M	5	1	.	.	2	2	.	.	.
188	Malignant neoplasm of bladder M	51	1	4	4	4	9	10	14	3	2	.
	F	32	3	1	6	4	8	8	.	2
189	Malignant neoplasm of kidney and other unspecified urinary organs M	36	1	1	.	.	11	6	7	5	2	2	1	.
	F	21	1	1	2	2	4	2	3	2	3	1	.	.
190-199	Malignant neoplasm of other and unspecified sites M F	173 192	.	.	2	1	.	.	1	.	3	.	1	1	1	4	8	4	11	30	21	24	31	11	14	5	.
			2	.	.	1	2	2	2	8	6	7	7	17	26	33	22	25	19	12	1
190	Malignant neoplasm of eye M
	F
191	Malignant neoplasm of brain M	41	.	.	1	1	.	.	.	3	.	1	1	.	3	4	4	3	6	5	5	2	2
	F	33	1	.	.	.	1	1	1	5	4	4	4	3	6	1	1	1
192	Malignant neoplasm of other and unspecified parts of nervous system M
	F	2	1	1	.
193	Malignant neoplasm of thyroid gland M	6	1	.	.	1	1	1	1	.	1	.	.	.
	F	7	2	2	1	2
194	Malignant neoplasm of other endocrine glands and related structures M	3	.	.	1	.	.	.	1	1
	F	3	1	1	.	.	.	1
195	Malignant neoplasm of other and ill-defined sites M	9	2	.	2	3	1	1	.
	F	18	2	3	4	5	2	1	1
196	Secondary and unspecified malignant neoplasm of lymph nodes M
	F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
197	Secondary malignant neoplasm of respiratory and digestive systems . F	4	1	1	1	.	.	.	1	.	.
198	Secondary malignant neoplasm of other specified sites. . F	1	1
199	Malignant neoplasm without specification of site. . F	113 125	1	1	1	1	3	2	1	3	5	18	16	18	28	9	12	4	.	
200-208	Malignant neoplasm of lymphatic and haematopoietic tissue . F	163 121	1	.	1	1	3	4	1	2	6	6	8	8	16	22	32	28	17	7	1	1	.	
200	Lymphosarcoma and reticulosarcoma . F	6 3	2	.	.	1	1	2	
201	Hodgkin's disease . . . M F	7 5	1	.	2	1	.	.	1	1	2	1	1	
202	Other malignant neoplasm of lymphoid and histiocytic tissue . F	63 41	2	.	1	3	3	4	4	5	10	12	10	8	1	.	.		
203	Multiple myeloma and immunoproliferative neoplasms . . F	31 34	1	.	1	2	.	6	1	9	5	4	.	1	1		
204	Lymphoid leukaemia . . . M F	20 15	2	.	1	.	.	2	.	1	.	4	4	4	2	3	1	.	.		
205	Myeloid leukaemia . . . M F	30 21	1	.	1	.	1	.	1	.	1	3	2	2	3	4	5	8	2	4	.	.		
206	Monocytic leukaemia. . . M F	1	.	.	.		
207	Other specified leukaemia . . M F		
208	Leukaemia of unspecified cell type . M F	6 1	1	1	.	.	1	.	2	.	1	.	.		
210-229	Benign neoplasms . . . M F	2 9	1	1	1	1	2	2	.	.	1	.	2	.	.	
210	Benign neoplasms of lip, oral cavity and pharynx. . . . M F	
211	Benign neoplasm of other parts of digestive system . . . F	
212	Benign neoplasm of respiratory and intrathoracic organs. . . F	1	1	
213	Benign neoplasm of bone and articular cartilage . . . M F	
214	Lipoma M F	
215	Other benign neoplasm of connective and other soft tissue . . M F	1	1	
216	Benign neoplasm of skin . . . M F	
217	Benign neoplasm of breast . . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
218	Uterine leiomyoma . . . F
219	Other benign neoplasm of uterus . F
220	Benign neoplasm of ovary . . . F
221	Benign neoplasm of other female genital organs . . . F
222	Benign neoplasm of male genital organs . . . M
223	Benign neoplasm of kidney and other urinary organs . . . M
224	Benign neoplasm of eye . . . M
225	Benign neoplasm of brain and other parts of nervous system . . F	1 7	1 2	2	2	2	.	.
226	Benign neoplasm of thyroid gland . M
227	Benign neoplasm of other endocrine glands and related structures . F	1	1
228	Haemangioma and lymphangioma, any site . . . M
229	Benign neoplasm of other and unspecified sites . . . M
230-234	Carcinoma in situ . . . M
230	Carcinoma in situ of digestive organs . F
231	Carcinoma in situ of respiratory system . . . M
232	Carcinoma in situ of skin . . . M
233	Carcinoma in situ of breast and genitourinary system . . F
234	Carcinoma in situ of other and unspecified sites . . . M
235-238	Neoplasms of uncertain behaviour . M	11	1	.	.	.	1	.	1	.	.	.	1	1	1	1	3	3	5	1	.
235	Neoplasm of uncertain behaviour of digesive and respiratory systems . F	1	1
236	Neoplasm of uncertain behaviour of genitourinary organs . . . M
237	Neoplasm of uncertain behaviour of endocrine glands and nervous system . . . M	1 1	1	1
238	Neoplasm of uncertain behaviour of other and unspecified sites and tissues . . F	9 11	1	1	1	1	1	3 1	2 1	2 5	1	.
239	Neoplasms of unspecified nature . M	16	.	1	1	.	1	1	.	.	2	2	3	5	2	2	2	.	.
		20	3	1	3	6	2	.	2	2	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
III. Endocrine, nutritional and metabolic diseases and immunity disorders																												
240-246	Disorders of thyroid gland . M F	1	1	
240	Simple and unspecified goitre . M F	
241	Nontoxic nodular goitre . M F	
242	Thyrotoxicosis with or without goitre M F	
243	Congenital hypothyroidism . M F	
244	Acquired hypothyroidism . M F	1	
245	Thyroiditis . M F	
246	Other disorders of thyroid . M F	
250-259	Diseases of other endocrine glands . M F	21 31	1	1	.	.	.	1	.	.	1	1	1	.	.	2	1	2	3 3	1 2	3 5	2 3	7	4 3	1 2	1 2	.	
250	Diabetes mellitus . M F	16 29	1	.	.	1	1	1	.	.	2	1	2	2 3	1 2	3 4	2	7	3 3	1 2	1 2	.	
251	Other disorders of pancreatic internal M secretion . F	2	2	
252	Disorders of parathyroid gland . M F	1	1	
253	Disorders of the pituitary gland and M its hypothalamic control . F	
254	Diseases of thymus gland . M F	
255	Disorders of adrenal glands . M F	1 2	1	.	1	1	
256	Ovarian dysfunction . F	
257	Testicular dysfunction. . M	
258	Polyglandular dysfunction and M related disorders . F	
259	Other endocrine disorders . M F	1	1	1	
260-269	Nutritional deficiencies . M F	1	1	.	.	
260	Kwashiorkor . M F	
261	Nutritional marasmus. . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
262	Other severe protein-calorie malnutrition. M F	
263	Other and unspecified protein-calorie malnutrition. M F	1	1	.	.	
264	Vitamin A deficiency. M F	
265	Thiamine and niacin deficiency states. M F	
266	Deficiency of B-complex components. M F	
267	Ascorbic acid deficiency. M F	
268	Vitamin D deficiency. M F	
269	Other nutritional deficiencies. M F	
270-279	Other metabolic disorders and immunity disorders. M F	9 11	1	1	1	1	1	1	1	5	.	1	1	2	1	.	.	
270	Disorders of amino-acid transport and metabolism. M F	2 1	1	1	1 1	
271	Disorders of carbohydrate transport and metabolism. M F	
272	Disorders of lipod metabolism. M F	1	
273	Disorders of plasma protein metabolism. M F	3 1	1	.	.	1	1	1	.	.	
274	Gout. M F	
275	Disorders of mineral metabolism. M F	1	
276	Disorders of fluid, electrolyte and acid-base balance. M F	1	.	.	1	
277	Other and unspecified disorders of metabolism. M F	4 5	1	1	.	1	2	.	1	2	1	.	.	.	
278	Obesity and other hyperalimentation. M F	
279	Disorders involving the immune mechanism. M F	
IV. Diseases of the Blood and Blood-Forming Organs																												
280-289	Diseases of blood and blood-forming organs. M F	12 17	.	1	1	.	.	.	1	1	1	1	.	.	1	1	2	2	1	2	3	4	2	1
280	Iron deficiency anaemias. M F	1
281	Other deficiency anaemias. M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
282	Hereditary haemolytic anaemias . M F
283	Acquired haemolytic anaemias . M F	3	1 .	1 .	. .	1
284	Aplastic anaemia . . . M F	3 5	. .	1	1	1	1 .	1 .	1 .	2
285	Other and unspecified anaemias . M F	. 3	1	1 .	. .	1
286	Coagulation defects . . . M F	3 3	1 .	. .	1	1 .	1	2
287	Purpura and other haemorrhagic conditions . . . M F	1 4	1	1	1 .	1 .	. .	1
288	Diseases of white blood cells. . M F
289	Other diseases of blood and blood-forming organs . . M F	2 1	1	1	1 .
V. Mental Disorders																											
290-294	Organic psychotic conditions. . M F	5 30	1 4	4 .	3 6	4 .	1 10	2 .
290	Senile and presenile organic psychotic conditions . . M F	5 29	1 4	4 .	3 5	4 .	1 10	2 .	
291	Alcoholic psychoses . . . M F
292	Drug psychoses . . . M F
293	Transient organic psychotic conditions . . . M F
294	Other organic psychotic conditions (chronic) . . . M F	. 1	1
295-299	Other psychoses . . . M F	2 8	1 .	. .	1 1	1 1	2 .	2 .	. .	1 .	. .
295	Schizophrenic psychoses . . . M F	. 1	1
296	Affective psychoses . . . M F
297	Paranoid states . . . M F
298	Other nonorganic psychoses . . M F	2 7	1 .	. .	1 1	1 1	1 .	2 .	. .	1 .	. .
299	Psychoses with origin specific to childhood . . . M F
300-316	Neurotic disorders, personality disorders and other non-psychotic mental disorders . . M F	30 16	1 .	3 1	1 2	2 .	7 2	4 2	2 3	4 1	1 1	3 1	2 1	. .	2
300	Neurotic disorders . . . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
301	Personality disorders . . . M F
302	Sexual deviation and disorders . M F
303	Alcohol dependence syndrome . M F	22 11	3 1	1 2	1	6 1	3 1	1 3	3	1 1	1	2 1	.	1	.	.
304	Drug dependence . . . M F
305	Non-dependent abuse of drugs . M F	8 3	1	.	.	1	1 1	1 1	1	1	.	2 1
306	Physiological malfunction arising M from mental factors. . . F
307	Special symptoms or syndromes not M elsewhere classified . . . F	2	1	1	.	.
308	Acute reaction to stress . . . M F
309	Adjustment reaction . . . M F
310	Specific nonpsychotic mental M disorders following organic brain damage . . . F
311	Depressive disorder, not elsewhere M classified F
312	Disturbance of conduct not elsewhere M classified F
313	Disturbance of emotions specific to M childhood and adolescence. . F
314	Hyperkinetic syndrome of childhood M F
315	Specific delays in development . M F
316	Psychic factors associated with M diseases classified elsewhere . F
317-319	Mental retardation . . . M F
317	Mild mental retardation . . . M F
318	Other specified mental retardation . M F
319	Unspecified mental retardation M F
VI. Diseases of the Nervous System and Sense Organs																											
320-326	Inflammatory diseases of the central M nervous system F	2 3	1	.	1	.	1	.	.	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
320	Bacterial meningitis . . . M	2	1	.	1	
	F	2	1	1	
321	Meningitis due to other organisms . M	
	F	
322	Meningitis of unspecified cause . M	
	F	
323	Encephalitis, myelitis, and M	
	F	1	1	
324	Intracranial and intraspinal abscess . M	
	F	
325	Phlebitis and thrombophlebitis of M	
	F	
326	Late effects of intracranial abscess of M	
	F	
330-337	Hereditary and degenerative diseases of the central nervous system . M	53	.	.	.	1	1	1	
	F	65	1	1	.	.	.	3	3	6	5	10	6	14	4	2	1	
330	Cerebral degenerations usually manifest in childhood . M	1	
	F	2	
331	Other cerebral degenerations . M	15	1	
	F	32	1	2	5	1	5	10	1	.	
332	Parkinson's disease . . . M	19	1	.	2	3	8	3	1	1	
	F	17	2	2	3	4	6	.	.	
333	Other extrapyramidal disease and abnormal movement disorders . M	
	F	2	1	.	.	.	1	
334	Spinocerebellar disease . . . M	
	F	
335	Anterior horn cell disease . . . M	19	.	.	.	1	3	5	3	3	2	1	.	1	.	
	F	11	2	.	3	2	3	.	1	.	.		
336	Other diseases of spinal cord . . M	
	F	1	1	.	.	
337	Disorders of the autonomic nervous system . . . M	
	F	
340-349	Other disorders of the central nervous system . M	18	1	.	2	1	1	.	.	3	3	2	1	2	2	.	.	.	
	F	36	1	.	.	.	3	1	2	3	2	2	2	3	3	6	3	2	1	.	3	.	
340	Multiple sclerosis . . . M	4	1	1	1	2	2	2	1	.	1	
	F	17	
341	Other demyelinating diseases of central nervous system . M	
	F	
342	Hemiplegia M	1	1	.	.	.	
	F	2	2	.	
343	Infantile cerebral palsy . . . M	
	F	3	1	.	.	.	1	.	.	.	1	
344	Other paralytic syndromes . . . M	3	1	.	1	1	
	F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
345	Epilepsy M F	10 12	1 1	. 1	2 2	1 2	1 .	. 1	. .	2 .	1 1	. 2	. 1	1 .	1	1 .
346	Migraine M F
347	Cataplexy and narcolepsy . . M F
348	Other conditions of brain . . M F	. 2	1	1
349	Other and unspecified disorders of the nervous system. . . M F
350-359	Disorders of the peripheral nervous system . . . M F	9 1	1 .	1 .	1 .	. .	1	2 .	1 .	1 1	1
350	Trigeminal nerve disorders . . M F
351	Facial nerve disorders. M F
352	Disorders of other cranial nerves . M F
353	Nerve root and plexis disorders . M F
354	Mononeuritis of upper limb and mononeuritis multiplex . . M F
355	Mononeuritis of lower limb . . . M F
356	Hereditary and idiopathic peripheral neuropathy M F
357	Inflammatory and toxic neuropathy . M F	2	1	1
358	Myoneural disorders M F	1 1	1 1
359	Muscular dystrophies and other myopathies M F	6	1 .	1 .	1 .	. .	1	1 .	1
360-379	Disorders of the eye and adnexa . M F
360	Disorders of the globe. M F
361	Retinal detachments and defects . M F
362	Other retinal disorders M F
363	Chorioretinal inflammations and scars and other disorders of choroid . M F
364	Disorders of iris and ciliary body . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
365	Glaucoma M F	
366	Cataract M F	
367	Disorders of refraction and accommodation M F	
368	Visual disturbances M F	
369	Blindness and low vision M F	
370	Keratitis M F	
371	Corneal opacity and other disorders of cornea M F	
372	Disorders of conjunctiva M F	
373	Inflammation of eyelids M F	
374	Other disorders of eyelids M F	
375	Disorders of lacrimal system M F	
376	Disorders of the orbit. M F	
377	Disorders of optic nerve and visual pathways M F	
378	Strabismus and other disorders of binocular eye movements M F	
379	Other disorders of eye. M F	
380-389	Diseases of the ear and mastoid process M F	
380	Disorders of external ear M F	
381	Nonsuppurative otitis media and Eustachian tube disorders M F	
382	Suppurative and unspecified otitis media M F	
383	Mastoiditis and related conditions M F	
384	Other disorders of tympanic membrane M F	
385	Other disorders of middle ear and mastoid M F	
386	Vertiginous syndromes and other disorders of vestibular system M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
387	Otosclerosis M F	
388	Other disorders of ear. . . . M F	
389	Deafness M F	
VII. Diseases of the Circulatory System																												
390-392	Acute rheumatic fever. . . . M F	1 2	1	.	1	1	.	.
390	Rheumatic fever without mention of heart involvement M F	1	1	
391	Rheumatic fever with heart involvement M F	2	1	1	.	.	
392	Rheumatic chorea M F	
393-398	Chronic rheumatic heart disease . M F	7 23	2	1 1	1 3	1 1	2 4	1 5	1 4	2 .	1 .	.	
393	Chronic rheumatic pericarditis . M F	
394-0	Mitral stenosis. M F	1 3	1	.	.	1	.	1	.	1	.	
394-1	Rheumatic mitral insufficiency . M F	
394-9	Diseases of mitral valve, other and unspecified. M F	2 7	1	.	1	.	1	1	1	2	.	.	
395-0	Rheumatic aortic stenosis . . . M F	
395-9	Other and unspecified diseases of the aortic valve M F	
396	Diseases of mitral and aortic valves . M F	1 3	1	.	1	.	2	
397	Diseases of other endocardial structures M F	1 1	1	.	.	1	.	.	.	
398	Other rheumatic heart disease. . M F	2 9	1	.	2	.	2	1 2	2	.	.	.	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
401-405	Hypertensive disease . . . M F	37 42 1	. .	1 2	1 .	1 .	3 2	6 2	4 2	9 4	3 6	5 12	2 8	1 3	1 .
401	Essential hypertension . . . M F	26 20	1 2	1 .	1 .	3 2	5 1	3 1	7 4	1 2	1 5	1 1	1 2	1 .
402	Hypertensive heart disease . . . M F	6 15	1	1 .	1 .	. .	2 2	2 5	1 6	
403	Hypertensive renal disease . . . M F	5 6	1 .	1 .	2 .	2 1	1 .	1 .	. .	
404	Hypertensive heart and renal disease M F	. 1	1	
405	Secondary hypertension . . . M F	
410-414	Ischaemic heart disease . . . M F	2,205 1,963	1 .	. .	2 1	3 2	5 1	16 5	42 13	71 17	152 42	235 104	314 166	401 268	395 347	330 447	156 324	62 172	20 54
410-0	Acute myocardial infarction with M hypertension . . . F	170 145	2 .	. .	1 1	1 3	12 2	16 8	25 10	31 15	36 21	27 28	15 31	6 21	. 3	. .
410-9	Acute myocardial infarction without M hypertension . . . F	1,491 1,308	1 .	. .	2 1	2	9 2	28 9	40 14	92 28	148 65	232 115	265 196	275 225	246 306	98 206	41 105	12 36
411-9	Other acute and subacute forms of M heart disease without hypertension F	. 4	1 .	1 .	1 .	. .	1
412-0	Old myocardial infarction with M hypertension . . . F
412-9	Old myocardial infarction without M hypertension . . . F	1 1	1 .	. .	1
413-0	Angina pectoris with hypertension . M F
413-9	Angina pectoris without hypertension M F
414-00	Coronary atherosclerosis with M hypertension . . . F	96 40	1 .	3 .	3 .	4 .	14 .	18 6	15 8	19 6	10 12	7 4	1 4	1 .	. .
414-09	Coronary atherosclerosis without M hypertension . . . F	129 71	1 .	4 1	3 1	9 1	11 .	17 4	22 8	10 6	19 8	16 13	7 11	5 7	5 9	2 .
414-10	Aneurysm of heart with hypertension M F	1	1
414-89	Other forms of chronic ischaemic M heart disease without hypertension F
414-90	Unspecified forms of chronic M ischaemic heart disease with F hypertension . . .	8 9	1 1	1 .	2 2	1 2	1 4	1 .	1 .	. .
414-99	Unspecified forms of chronic M ischaemic heart disease without F hypertension . . .	309 385	1 .	4 1	12 2	21 14	25 21	60 34	65 66	54 90	45 85	14 55	8 10	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
415-417	Diseases of pulmonary circulation . M F	34 42	1	.	.	.	1	1	4	5	5	7	9	4	3	.	1
415	Acute pulmonary heart disease . M F	32 36	1	3	4	5	6	9	4	3	.	1	
416	Chronic pulmonary heart disease . M F	2 6	1	1	.	1	2	1	
417	Other diseases of pulmonary circulation . M F	
420-429	Other forms of heart disease . M F	218 339	.	1	1	.	.	.	2	1	1	1	6	12	11	17	35	41	37	32	18	5	
420	Acute pericarditis . M F	1	1	
421	Acute and subacute endocarditis . M F	4 2	1	1	.	.	1	.	1	
422	Acute myocarditis . M F	1	1	
423	Other diseases of pericardium . M F	
424	Other diseases of endocardium . M F	18 30	1	4	1	2	2	2	4	4	2	3	.	
425	Cardiomyopathy . M F	14 11	.	1	1	1	1	1	4	3	1	1	2	1	1	.	.		
426	Conduction disorders . M F	2	1	1	
427-2	Other cardiac dysrhythmias . M F	
427-3	Atrial fibrillation and flutter . M F	4 11	2	2	1	5	1	.	
427-4	Ventricular fibrillation and flutter . M F	2	1	1	
427-5	Cardiac arrest . M F	6 12	1	2	1	1	3	1	2	.	.	
427-9	Unspecified cardiac dysrhythmias . M F	
428	Heart failure . M F	154 244	1	.	1	.	2	8	12	28	33	27	27	27	13	3	
429	Ill-defined descriptions and complications of heart disease . M F	15 26	1	1	.	.	1	1	1	4	1	4	2	5	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
430-438	Cerebrovascular disease . . M F	627 1,111	1 1	.	.	4 3	6 5	5 6	9 15	20 15	36 25	62 64	112 108	122 184	117 260	92 254	31 125	9 46			
430-0	Subarachnoid haemorrhage with M hypertension F	2 8	1 2	.	1 2	.	2 2		
430-9	Subarachnoid haemorrhage without M hypertension F	21 31	1 1	.	.	3 2	1 3	2 2	4 4	4 2	1 4	6 6	1 3	1 4	.	1 1	.	.	.		
431-0	Intracerebral haemorrhage with M hypertension F	10 22	1 2	1 2	3 1	.	4 4	2 1	2 8	2 3	2 2	.	.	.		
431-9	Intracerebral haemorrhage without M hypertension F	42 54	1 1	.	3 1	3 1	3 3	3 3	5 7	4 2	7 11	4 7	5 7	5 5	2 2	1 1	.	.		
432-19	Subdural haemorrhage without M hypertension F	4	1 .	.	.	1	1 .	.	.	1		
432-90	Unspecified intracranial haemor- M rhage with hypertension . . F		
432-99	Unspecified intracranial haemor- M rhage without hypertension . F	1	1		
433-09	Occlusion and stenosis of basilar M artery without hypertension . F	1	1		
433-19	Occlusion and stenosis of carotid M artery without hypertension . F	3	1	1 .	1		
433-20	Occlusion and stenosis of vertebral M artery with hypertension . . F		
433-89	Other occlusion and stenosis of M precerebral arteries without F hypertension	1	1		
434-00	Cerebral thrombosis with hyper- M tension F	4 6	1 3	1 3	1 3	1 3	1 3	2 3	.	.		
434-09	Cerebral thrombosis without M hypertension F	27 65	3 2	2 2	2 2	3 9	8 15	6 18	1 13	2 6			
434-19	Cerebral embolism without hyper- M tension F	2 1	1 .	.	1		
434-90	Unspecified occlusion of cerebral M arteries with hypertension . . F	3 10	1 2	2 2	3 2	2 2	2 2	.	1 1	.	.		
434-99	Unspecified occlusion of cerebral M arteries without hypertension . F	31 43	2 .	.	1 2	2 .	5 1	5 4	8 10	3 3	5 10	.	12 12	1 1	.		
435-0	Transient cerebral ischaemia with M hypertension F	1	1		
435-9	Transient cerebral ischaemia without M hypertension F	1 4	1 .	.	.	1 1	.	.	.	2 .		
436-0	Acute but ill-defined cerebrovascular M disease with hypertension . . F	22 57	1 .	1 .	2 3	6 4	6 6	3 14	4 15	.	12 12	1 1	1 .		
436-9	Acute but ill-defined cerebrovascular M disease without hypertension . F	403 739	1 .	.	2 4	1 4	8 6	14 9	34 36	67 68	96 125	83 182	70 179	22 96	6 33		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
437-00	Cerebral atherosclerosis with hypertension . . . M F	1	1	
437-09	Cerebral atherosclerosis without hypertension . . . M F	10 25	1 2	1 7	1 7	4 12	3 4	. .	
437-10	Other generalised ischaemic cerebrovascular disease with hypertension . . . M F	
437-19	Other generalised ischaemic cerebrovascular disease without hypertension . . . M F	6 9	1 .	. .	2 1	1 1	1 4	1 1	1 1	. 1	
437-39	Cerebral aneurysm nonruptured without hypertension . . . M F	1	1	
437-89	Other cerebrovascular disease without hypertension . . . M F	2	1 .	. .	1 .	. .	
437-90	Unspecified and ill-defined cerebrovascular disease with hypertension . . . M F	2	1 .	1	
437-99	Unspecified and ill-defined cerebrovascular disease without hypertension . . . M F	29 34	1 .	1 .	1 1	8 1	6 6	6 10	4 10	1 4	1 2	
440-448	Diseases of arteries, arterioles and capillaries . . . M F	145 138	2 .	2 .	. 1	2 .	2 .	7 1	7 3	17 9	30 10	25 20	29 30	13 26	9 31	. 7	
440	Atherosclerosis . . . M F	17 32	1 .	. .	1	2 .	2 .	1 .	4 2	2 5	11 .	4 10	. 4	
441	Aortic aneurysm . . . M F	84 66	1 .	1 .	. 1	1 .	2 .	5 .	2 3	12 7	20 8	13 12	17 18	8 8	2 9	. .	
442	Other aneurysm . . . M F	2 4	2 1	1 .	2	
443	Other peripheral vascular disease . . . M F	30 29	1 .	1 .	. .	5 1	7 3	8 6	5 5	3 11	. 3	
444	Arterial embolism and thrombosis . . . M F	3 3	1	2 .	. .	1 .	. .	
446	Polyarteritis nodosa and allied conditions . . . M F	4	1	1 .	. .	1 .	1	
447	Other disorders of arteries and arterioles . . . M F	5 3	1 .	. .	3 .	1	
448	Diseases of capillaries. . . M F	. 1	1	
451-459	Diseases of veins and lymphatics and other diseases of circulatory system . . . M F	38 39	1 .	1 3	2 1	2 .	5 .	2 3	1 6	4 8	8 4	5 6	3 4	3 3	1 .	
451	Phlebitis and thrombophlebitis . . . M F	. 1	1	
453	Other venous embolism and thrombosis . . . M F	19 29	1 .	1 3	2 1	. .	3 .	1 3	. .	3 5	4 7	4 2	2 2	1 1	. .	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
454	Varicose veins of lower extremities M F	1	1
455	Haemorrhoids. M F
456	Varicose veins of other sites. M F	6 2	2 .	1 .	. .	1 .	1 .	1 .	1 .	1
457	Noninfective disorders of lymphatic channels M F
458	Hypotension. M F	. 1	1
459	Other disorders of circulatory system M F	12 6	1 .	. .	1 .	3 .	3 2	1 2	2 2	1 .
VIII. Diseases of the Respiratory System																											
460-466	Acute respiratory infections. M F	2 2	1	1	1 .	. .	1 .	. .
460	Acute nasopharyngitis (common cold) M F
461	Acute sinusitis. M F
462	Acute pharyngitis. M F
463	Acute tonsillitis. M F	1	1
464	Acute laryngitis and tracheitis. M F	1	1
465	Acute upper respiratory infections of multiple or unspecified sites. M F
466	Acute bronchitis and bronchiolitis. M F	. 2	1 .	. .	1
470-478	Other diseases of upper respiratory tract. M F	1	1
470	Deflected nasal septum. M F
471	Nasal polyps. M F
472	Chronic pharyngitis and nasopharyngitis. M F
473	Chronic sinusitis. M F
474	Chronic disease of tonsils and adenoids. M F
475	Peritonsillar abscess. M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
476	Chronic laryngitis and laryngotracheitis M F	
477	Allergic rhinitis M F	
478	Other diseases of upper respiratory tract. M F	1	1	
480-487	Pneumonia and influenza M F	625 973	. .	2 1	2 .	. .	1 1	. .	1 2	1 1	1 .	2 1	1 .	2 3	1 1	2 3	8 2	1 7	11 2	15 6	26 21	65 58	92 97	157 203	131 244	74 214	30 105	
480	Viral pneumonia M F	1 .	. .	1	
481	Pneumococcal pneumonia M F	36 41	1	1 .	1 1	1 1	4 .	. 1	1 2	3 .	2 .	4 3	3 9	8 9	5 4	2 9	1 2		
482	Other bacterial pneumonia M F	
483	Pneumonia due to other specified organism M F	1	1	
484	Pneumonia in infectious diseases classified elsewhere M F	
485	Bronchopneumonia, organism unspecified. M F	543 890	. .	1 1	2 .	. .	1 1	. .	1 2	1 1	. 1	. .	1 3	. .	1 1	3 1	. 6	9 .	10 2	22 19	56 51	85 84	136 188	120 233	66 197	27 99		
486	Pneumonia, organism unspecified M F	43 40	1 .	. .	1 1	. .	1 .	1 1	1 .	1 3	2 .	2 2	5 4	4 3	12 6	6 7	6 8	2 4			
487	Influenza M F	1 2	1	1	
490-496	Chronic obstructive pulmonary disease and allied conditions M F	372 262	. .	1 1	1 .	. .	1 1	. .	1 .	. .	2 .	4 3	5 6	10 14	23 16	46 34	64 57	68 46	89 48	37 22	19 11	1 3		
490	Bronchitis not specified as acute or chronic M F	1 3	. .	1 1	1 .	1	
491	Chronic bronchitis M F	39 30	1 .	. .	1 .	5 .	6 5	7 5	4 9	12 5	4 2	1 1	1 .		
492	Emphysema M F	32 11	1 .	2 .	4 1	3 2	7 2	3 3	7 1	1 1	3 .	1 1	. .		
493	Asthma M F	16 14	1 .	. .	1 .	. .	1 .	. .	1 .	1 1	1 1	1 .	. .	2 2	2 4	2 2	4 2	
494	Bronchiectasis. M F	6 14	1	1 .	2 .	1 .	1 1	2 1	. 2	2 1	1 2	1 1	1 1	. .		
495	Extrinsic allergic alveolitis M F	1 2	1	1	
496	Chronic airways obstruction, not elsewhere classified M F	277 188	2 .	1 .	2 4	5 10	15 13	29 24	52 42	53 29	71 37	29 19	18 8	. 2	
500-508	Pneumoconioses and other lung diseases due to external agents M F	10 4	. .	1	1 .	. .	2 .	2 1	1 1	. .	3 2	
500	Coalworkers' pnenmoconiosis M F	
501	Asbestosis M F	4	1 .	2 .	1	

[illegible]

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
523	Gingival and periodontal diseases . M F
524	Dentofacial anomalies, including M malocclusion . F
525	Other diseases and conditions of the M teeth and supporting structures . F
526	Diseases of the jaws . M F
527	Diseases of the salivary glands . M F
528	Diseases of the oral soft tissues, M excluding lesions specific for F gingiva and tongue.
529	Diseases and other conditions of the M tongue . F
530-537	Diseases of oesophagus, stomach and M duodenum . F	54 58	1	.	.	1	1 2	2 1	4 2	5 3	14 6	14 7	6 12	4 14	2 10	1
530	Diseases of oesophagus . M F	6 3	1	1	1	.	2	1	3	.	.	.
531	Gastric ulcer . M F	10 11	1	4 1	1 2	3	4	1 2	.	.	.
532	Duodenal ulcer . M F	31 31	1 2	1	2 1	9 2	7 4	6 3	3 9	2 5	.	.
533	Peptic ulcer, site unspecified . M F	7 10	1	1	1	2	3 1	2	3	2	1
534	Gastrojejunal ulcer . M F
535	Gastritis and duodenitis . M F	2	1	1	.
536	Disorders of function of stomach . M F	1	1
537	Other disorders of stomach and M duodenum . F
540-543	Appendicitis . M F	3	1	1	.	.	.	1	.	.	.
540	Acute appendicitis . M F	3	1	1	.	.	.	1	.	.	.
541	Appendicitis, unqualified . M F
542	Other appendicitis . M F
543	Other diseases of appendix . M F
550-553	Hernia of abdominal cavity . M F	2 7	1	.	1	1	1	.	2	2	1
550	Inguinal hernia . M F	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
551	Other hernia of abdominal cavity, M with gangrene F
552	Other hernia of abdominal cavity M with obstruction, without F mention of gangrene	5	1	.	1	1	.	.	1	1	.
553	Other hernia of abdominal cavity M without mention of obstruction or F gangrene	1 2	1	1	.
555-558	Noninfective enteritis and colitis . M F	20 42	1	.	.	.	1	.	1	1	1	3 2	5 3	1 2	2 10	3 6	2 10	1 7	.
555	Regional enteritis M F	1 3	1	1	.	1	1	.	.	.
556	Idiopathic proctocolitis M F	1	.	.	2	.	.	1	.
557	Vascular insufficiency of intestine . M F	18 29	1	.	1	.	1	3 1	5 2	1 2	1 6	3 5	2 7	1 4	.
558	Other noninfective gastroenteritis M and colitis F	1 6	1 1	.	3	2	.
560-569	Other diseases of intestines and peritoneum . M F	39 53	1	2	.	3	1 3	4 3	6 4	6 9	10 14	7 11	1 5	.
560	Intestinal obstruction without M mention of hernia F	17 24	1	.	2	2	1	3 2	4 1	4 8	2 6	3	.
562	Diverticula of intestine M F	8 17	3	.	2 6	2 4	.	1 1	.
564	Functional digestive disorders, not M elsewhere classified F	1	.	.	.
565	Anal fissure and fistula M F
566	Abscess of anal and rectal regions . M F
567	Peritonitis M F	2 3	2	.	.	1	1	.	.
568	Other disorders of peritoneum . . . M F	4	1	.	.	3	.	.
569	Other disorders of intestine M F	8 8	1	1	.	1	1	.	2 1	.	3 1	1 1	1	.
570-579	Other diseases of digestive system . M F	68 78	1	.	.	4 3	3 1	4 2	4 5	5 3	12 5	13 13	9 9	5 9	6 11	2 9	.	2
570	Acute and subacute necrosis of liver M F
571	Chronic liver disease and cirrhosis . M F	33 33	1	2 2	3 1	2 2	3 4	3 2	6 4	7 9	3 5	3 1	1	2	.	.
572	Liver abscess and sequelae of chronic M liver disease. F	9 6	1	1	3	2 1	1 2	.	1	1	.	.
573	Other disorders of liver M F	3	2	.	.	1	.	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
574	Cholelithiasis M F	3 3	1	1 1	1	2
575	Other disorders of gallbladder . . M F	. 5	1 .	2 .	1 .	. .	1 .
576	Other disorders of biliary tract . . M F	2 4	1 1	. .	1 1	2
577	Diseases of pancreas M F	13 10	1	2 .	. .	1	3 .	. .	2 1	1 3	4 2	1 .
578	Gastrointestinal haemorrhage. . . M F	5 16	1	1 .	1 1	. .	3 .	4 .	2 3	5 .	. .
579	Intestinal malabsorption M F	. 1	1
X. Diseases of the Genitourinary System																											
580-589	Nephritis, nephrotic syndrome and M nephrosis F	60 105	1 .	1 .	1 .	1 2	4 9	7 8	14 11	18 21	10 35	5 14	. 3
580	Acute glomerulonephritis M F
581	Nephrotic syndrome M F	1 1	1	1 .	. .
582	Chronic glomerulonephritis M F	. 1	1
583	Nephritis and nephropathy, not M specified as acute or chronic . . . F	1 2	1 .	. .	1 .	. .	1
584	Acute renal failure M F	4 19	1 .	. .	1 .	3 .	4 .	3 .	6 .	1 .
585	Chronic renal failure M F	33 33	1 .	. .	1 .	. .	3 4	4 4	7 4	9 3	6 .	3 2	1 .
586	Renal failure, unspecified M F	20 49	1 .	1 .	1 4	1 3	7 4	5 12	4 17	1 6	1 .
587	Renal sclerosis, unspecified M F
588	Disorders resulting from impaired M renal function F
589	Small kidney of unknown cause . . M F	1	1
590-599	Other diseases of urinary system . . M F	38 42	1	1	1 .	1 .	2 .	1 .	1 .	4 3	9 6	9 3	5 11	5 9	2 5	. .
590	Infections of kidney M F	10 5	1	1 .	1 .	1 .	. .	3 1	. .	1 .	2 1	. .	1
591	Hydronephrosis M F
592	Calculus of kidney and ureter. . . M F	. 2

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
593	Other disorders of kidney and ureter M F	1	1		
594	Calculus of lower urinary tract M F		
595	Cystitis M F		
596	Other disorders of bladder M F		
597	Urethritis, not sexually transmitted, M and urethral syndrome F		
598	Urethral stricture M F		
599	Other disorders of urethra and M urinary tract F	27 35 1	1 1	1 1	1 1	1 2	8 5	8 3	3 9	5 7	1 5	. .		
600-608	Diseases of male genital organs M	5	1	.	.	.	2	1	.	1		
600	Hyperplasia of prostate M	3	1	1	.	1			
601	Inflammatory diseases of prostate M			
602	Other disorders of prostate M	2	1	.	.	1	.	.	.			
603	Hydrocele M			
604	Orchitis and epididymitis M			
605	Redundant prepuce and phimosis M			
606	Infertility, male M			
607	Disorders of penis M			
608	Other disorders of male genital organs M			
610-611	Disorders of breast M F		
610	Benign mammary dysplasias M F		
611	Other disorders of breast M F		
614-616	Inflammatory diseases of female pelvic organs F		
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue and peritoneum F		
615	Inflammatory diseases of uterus except cervix F		
616	Inflammatory diseases of cervix, vagina and vulva F		
617-629	Other disorders of female genital tract. F		
617	Endometriosis. F		
618	Genital prolapse F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
619	Fistulae involving female genital tract F
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament F
621	Disorders of uterus, not elsewhere classified F
622	Noninflammatory disorders of cervix F
623	Noninflammatory disorders of vagina F
624	Noninflammatory disorders of vulva and perineum F
625	Pain and other symptoms associated with female genital organs. F
626	Disorders of menstruation and other abnormal bleeding from female genital tract. F
627	Menopausal and postmenopausal disorders F
628	Infertility, female F
629	Other disorders of female genital organs F

XI. Complications of Pregnancy, Childbirth and the Puerperium

630-639	Pregnancy with abortive outcome F
630	Hydatidiform mole F
631	Other abnormal product of conception F
632	Missed abortion F
633	Ectopic pregnancy F
634	Spontaneous abortion. F
635	Legally induced abortion F
636	Illegally induced abortion F
637	Unspecified abortion F
638	Failed attempted abortion F
639	Complications following abortion and ectopic and molar pregnancies F
640-648	Complications mainly related to pregnancy F
640	Haemorrhage in early pregnancy F
641	Antepartum haemorrhage, abruptio placentae and placenta praevia F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
642	Hypertension complicating pregnancy, childbirth and the puerperium F
643	Excessive vomiting in pregnancy F
644	Early or threatened labour F
645	Prolonged pregnancy F
646	Other complications of pregnancy not elsewhere classified F
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium F
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium F
650-659	Normal delivery and other indications for care in pregnancy labour and delivery F
650	Delivery in a completely normal case F
651	Multiple gestation F
652	Malposition and malpresentation of fetus. F
653	Disproportion F
654	Abnormality of organs and soft tissue of pelvis F
655	Known or suspected fetal abnormality affecting management of mother F
656	Other fetal and placental problems affecting management of mother F
657	Polyhydramnios F
658	Other problems associated with amniotic cavity and membranes F
659	Other indications for care or intervention related to labour and delivery and not elsewhere classified F
660-669	Complications occurring mainly in the course of labour and delivery. . . . F
660	Obstructed labour F
661	Abnormality of forces of labour F
662	Long labour F
663	Umbilical cord complications. F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
664	Trauma to perineum and vulva during delivery . . . F
665	Other obstetrical trauma . . . F
666	Postpartum haemorrhage . . . F
667	Retained placenta or membranes, without haemorrhage . . . F
668	Complications of the administration of anaesthetic or other sedation in labour and delivery. . . F
669	Other complications of labour and delivery, not elsewhere classified. F
670-676	Complications of the puerperium . F
670	Major puerperal infection . . . F
671	Venous complications in pregnancy and the puerperium. . . . F
672	Pyrexia of unknown origin during the puerperium F
673	Obstetrical pulmonary embolism . . . F
674	Other and unspecified complications of the puerperium, not elsewhere classified F
675	Infections of the breast and nipple associated with childbirth . . . F
676	Other disorders of the breast associated with childbirth, and disorders of lactation F

XIII. Diseases of the Skin and Subcutaneous Tissue

680-686	Infections of skin and subcutaneous tissue . . . M	2	1	.	.	1	.	.	3	.	1	.	.
 F	4
680	Carbuncle and furuncle . . . M
 F
681	Cellulitis and abscess of finger and toe M
 F
682	Other cellulitis and abscess . . . M	1	1	3	.	1	.	.	.
 F	4
683	Acute lymphadenitis M
 F
684	Impetigo M
 F
685	Pilonidal cyst M
 F
686	Other local infections of skin and subcutaneous tissue. . . M	1	1
 F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
690-698	Other inflammatory conditions of skin and subcutaneous tissue . M F	1	1
690	Erythematous dermatosis . M F
691	Atopic dermatitis and related conditions . M F
692	Contact dermatitis and other eczema . M F
693	Dermatitis due to substances taken internally . M F
694	Bullous dermatoses . M F
695	Erythematous conditions . M F
696	Psoriasis and similar disorders . M F	1	1
697	Lichen. . M F
698	Pruritus and related conditions . M F
700-709	Other diseases of skin and subcutaneous tissue. . M F	6 14	1 1	1 1	1 .	1 6	3 3	2 2	1 1
700	Corn and callosities . M F
701	Other hypertrophic and atrophic conditions of skin . M F	. 1	1
702	Other dermatoses . M F
703	Diseases of nail . M F
704	Diseases of hair and hair follicles . M F
705	Disorders of the sweat glands. . M F
706	Diseases of sebaceous glands. . M F
707	Chronic ulcer of skin . M F	6 13	1 1	1 .	1 .	1 6	3 3	2 2	1 1
708	Urticaria . M F
709	Other disorders of skin and subcutaneous tissue. . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
XIII. Diseases of the Musculo-skeletal System and Connective Tissue																													
710-719	Arthropathies and related disorders. M F	3 16	1	2	.	1	.	1	2	2	2	2	1	3	2	.
710	Diffuse diseases of connective tissue M F	1 3	1	1	.	1	.	1
711	Arthropathy associated with M infections F	1 2	1	.	.	1	1	.	.	.
712	Crystal arthropathies. M F
713	Arthropathy associated with other M disorders classified elsewhere F
714	Rheumatoid arthritis and other M inflammatory polyarthropathies F	8	1	2	2	1	1	1	.	.	.	
715	Osteoarthritis and allied disorders. M F	1 2	1	1	1	.	.	
716	Other and unspecified arthropathies. M F
717	Internal derangement of knee. M F
718	Other derangement of joint. M F	1	1
719	Other and unspecified disorder of M joint. F
720-724	Dorsopathies. M F	2	1	.	.	1
720	Ankylosing spondylitis and other M inflammatory spondylopathies F	2	1	.	.	1
721	Spondylosis and allied disorders. M F
722	Intervertebral disc disorders. M F
723	Other disorders of the cervical region M F
724	Other and unspecified disorders of M back. F
725-729	Rheumatism, excluding the back. M F	1	1	.	.	.
725	Polymyalgia rheumatica. M F	1	1	.	.	.
726	Peripheral enthesopathies and allied M syndromes F
727	Other disorders of synovium, tendon M and bursa F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
728	Disorders of muscle, ligament and fascia M	
 F	
729	Other disorders of soft tissues M	
 F	
730-739	Osteopathies, chondropathies and acquired musculoskeletal deformities M	3	1	1	1	1	.	
 F	6	3	2	1	.	
730	Osteomyelitis, periostitis and other infections involving bone M	1	1	1	.	.	
 F	1	
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere. M	1	1	.	.	
 F	
732	Osteochondropathies M	
 F	
733	Other disorders of bone and cartilage M	
 F	4	2	1	1	.	
734	Flat foot M	
 F	
735	Acquired deformities of toe M	
 F	
736	Other acquired deformities of limbs M	
 F	
737	Curvature of spine M	1	1	
 F	1	1	.	.	.	
738	Other acquired deformity M	
 F	
739	Nonallopathic lesions, not elsewhere classified M	
 F	
XIV. Congenital Anomalies																												
740-759	Congenital anomalies. M	52	20	31	2	1	.	.	1	3	2	1	2	1	.	1	1	3	2	.	2	.	.	
 F	35	17	23	.	1	1	2	1	1	2	.	1	.	.	1	1	1	
740	Anencephalus and similar anomalies M	1	1	1	
 F	1	1	1	
741	Spina bifida M	4	.	2	1	.	1	
 F	1	1	
742	Other congenital anomalies of nervous system M	2	1	1	
 F	6	2	2	.	.	1	2	.	1	
743	Congenital anomalies of eye M	
 F	
744	Congenital anomalies of ear, face and neck. M	
 F	
745	Bulbus cordis anomalies and anomalies of cardiac septal closure M	2	1	1	
 F	2	.	1	1	
746	Other congenital anomalies of heart M	18	6	11	1	2	.	1	1	1	.	.	.	1	
 F	10	4	8	1	1	
747	Other congenital anomalies of circulatory system M	3	.	1	1	1	
 F	2	2	2	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
748	Congenital anomalies of respiratory system M	6	5	5	.	1		
 F	3	2	2	.	1		
749	Cleft palate and cleft lip M		
 F		
750	Other congenital anomalies of upper alimentary tract M	1	1	1		
 F		
751	Other congenital anomalies of digestive system M	1	.	.	1		
 F	1	1		
752	Congenital anomalies of genital organs M		
 F		
753	Congenital anomalies of urinary system M	7	3	3	1	1	.	2	.	.		
 F	3	2	2	1		
754	Certain congenital musculoskeletal deformities M		
 F		
755	Other congenital anomalies of limbs M		
 F		
756	Other congenital musculoskeletal anomalies M	2	1	2		
 F	2	2	2		
757	Congenital anomalies of the integument M		
 F		
758	Chromosomal anomalies M	1	1	1		
 F	3	1	2	1		
759	Other and unspecified congenital anomalies M	4	2	4		
 F	1	1	1		
760-779	XV. Certain Conditions originating in the Perinatal Period* M	36	31	36		
 F	33	28	33		
XVI. Symptoms, Signs and Ill-defined Conditions																													
780-789	Symptoms M	4	.	1	1	1	1		
 F	7	1	1	.	1	1	1	2		
780	General symptoms M		
 F		
781	Symptoms involving nervous and musculoskeletal systems M		
 F		
782	Symptoms involving skin and other integumentary tissue M		
 F	1	1		
783	Symptoms concerning nutrition, metabolism and development M		
 F		
784	Symptoms involving head and neck M		
 F		
785	Symptoms involving cardiovascular system M	3	1	1	1	.	1	2			
 F	5		
786	Symptoms involving respiratory system and other chest symptoms M	1	.	1		
 F	1	1		

*See Abstract 33 for further details.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
787	Symptoms involving digestive system M
 F
788	Symptoms involving urinary system M
 F
789	Other symptoms involving abdomen and pelvis M
 F
790-796	Nonspecific abnormal findings M	1	1
 F
790	Nonspecific findings on examination of blood M	1	1
 F
791	Nonspecific findings on examination of urine M
 F
792	Nonspecific abnormal findings in other body substances M
 F
793	Nonspecific abnormal findings on radiological and other examination of body structure M
 F
794	Nonspecific abnormal results of function studies M
 F
795	Nonspecific abnormal histological and immunological findings M
 F
796	Other nonspecific abnormal findings M
 F
797-799	Ill-defined and unknown cases of morbidity and mortality M	17	.	5	1	1	1	.	.	1	1	1	.	1	.	1	2	3	.	.	1
 F	15	.	2	1	1	.	.	1	1	.	1	1	3	3	1	1
797	Senility without mention of psychosis M	1	1
 F	4	1	2	1	.
*798	Sudden death, cause unknown M	9	.	5	1	1	.	.	1	1	.	1
 F	4	.	2	1	1
799	Other ill-defined and unknown causes of morbidity and mortality M	7	.	.	1	1	2	3	.	.	1
 F	7	1	.	1	1	2	1	.	1

XVII. Injury and Poisoning

800-804	Fracture of skull M F	69 14	.	.	.	1	1	.	3	3	4 2	7 1	8	3 1	6 1	5 2	4	3	5	2 1	2 1	3 1	4 2	3	1	1	1	.
800	Fracture of vault of skull M F
801	Fracture of base of skull M F	6 1	1	1	2	.	.	.	1	.	1	1	.
802	Fracture of face bones. M F
803	Other and unqualified skull fractures M F	63 13	.	.	.	1	1	.	3	3	4 1	6 1	6	3 1	6 1	5 2	3	3	4	2 1	2 1	3 1	4 2	3	1	1	.	.
804	Multiple fractures involving skull or face with other bones M F

*There were also 18 (9 Male, 9 Female) sudden deaths of children under a year where the cause of death was interstitial pneumonia/broncho-pneumonia (ICD 516/485).

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
805-809	Fracture of spine and trunk . . . M F	15 14	1	.	1	1	.	.	1	.	1	.	1	3	1	1	2	1	2	.	.
805	Fracture of vertebral column without mention of spinal cord lesion . . . M F	4 6	1	1	1	.	1	.	1	1	.	1	2	.	.
806	Fracture of vertebral column with spinal cord lesion . . . M F	5 1	1	.	1	1	1	1	.	.	.	1	.	.	
807	Fracture of rib(s), sternum, larynx and trachea . . . M F	6 3	1	2	1	.	2	.	1	1	.	
808	Fracture of pelvis . . . M F	1	.	1	.	.	2	.	
809	Ill-defined fractures of trunk . . . M F	
810-819	Fracture of upper limb . . . M F	
810	Fracture of clavicle . . . M F	
811	Fracture of scapula . . . M F	
812	Fracture of humerus . . . M F	
813	Fracture of radius and ulna . . . M F	
814	Fracture of carpal bone(s) . . . M F	
815	Fracture of metacarpal bone(s) . . . M F	
816	Fracture of one or more phalanges of hand. . . M F	
817	Multiple fractures of hand bones . . . M F	
818	Ill-defined fractures of upper limb . . . M F	
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum . . . M F	
820-829	Fracture of lower limb . . . M F	16 41	2 3	2	4	3 4	1 6	6 12	4 9	1
820	Fracture of neck of femur . . . M F	14 32	2	3	3 3	1 5	6 12	4 6	1
821	Fracture of other and unspecified parts of femur . . . M F	7	2	.	1	1	1	.	2	.
822	Fracture of patella . . . M F	
823	Fracture of tibia and fibula . . . M F	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
824	Fracture of ankle M F	1 1	1 1
825	Fracture of one or more tarsal and metatarsal bones M F
826	Fracture of one or more phalanges of foot M F
827	Other, multiple and ill-defined fractures of lower limb M F	1 1	1	.
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum M F
829	Fracture of unspecified bones. . . . M F
830-839	Dislocation M F	1 1	1	1
830	Dislocation of jaw M F
831	Dislocation of shoulder M F
832	Dislocation of elbow M F
833	Dislocation of wrist M F
834	Dislocation of finger M F
835	Dislocation of hip M F
836	Dislocation of knee M F
837	Dislocation of ankle M F
838	Dislocation of foot M F
839	Other, multiple and ill-defined dislocations. M F	1 1	1	1
840-848	Sprains and strains of joints and adjacent muscles M F
840	Sprains and strains of shoulder and upper arm M F
841	Sprains and strains of elbow and forearm M F
842	Sprains and strains of wrist and hand M F
843	Sprains and strains of hip and thigh M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
844	Sprains and strains of knee and leg . M F
845	Sprains and strains of ankle and foot . M F
846	Sprains and strains of sacroiliac region . M F
847	Sprains and strains of other and unspecified parts of back . M F
848	Other and ill-defined sprains and strains . M F
850-854	Intracranial injury, excluding those with skull fracture . M F	42 23	2 .	2 .	3 2	7 3	1 1	2 1	1 .	5 .	4 .	2 3	5 1	1 1	2 1	1 2	1 2	1 4	2 2	1
850	Concussion . M F
851	Cerebral laceration and contusion . M F	6 8	1 .	1 .	1 .	1 .	. .	1 .	1 .	1 2	1	1 .	1 .	1 .	1
852	Subarachnoid, subdural and extradural haemorrhage, following injury . M F	3 5	1	1 .	3 .	1	1 .	1
853	Other and unspecified intracranial haemorrhage following injury . M F	1	1
854	Intracranial injury of other and unspecified nature . M F	32 10	2 .	2 .	3 1	6 2	. .	1 1	1 .	4 .	3 .	1 .	2 .	. .	2 1	1 1	1 .	1 2	2 1	1
860-869	Internal injury of chest, abdomen and pelvis . M F	90 30	1 1	1 .	1 .	7 1	13 1	12 1	7 2	11 5	8 .	5 1	5 .	5 1	2 1	1 3	4 4	8 3	3 .	2
860	Traumatic pneumothorax and haemothorax . M F
861	Injury to heart and lung . M F	7 1	2 .	. .	1 .	2 1	1 .	. .	1
862	Injury to other or unspecified intrathoracic organs. . M F	9 3	1 .	1 .	2 .	2	2 .	. .	1	1 2
863	Injury to gastrointestinal tract. . M F	1	1
864	Injury to liver. . M F	. 1	1
865	Injury to spleen . M F
866	Injury to kidney . M F
867	Injury to pelvic organs . M F
868	Injury to other intraabdominal organs . M F	1	1
869	Internal injury to unspecified or ill-defined organs . M F	72 25	1 1	1 .	1 .	6 1	10 1	9 1	4 2	9 4	8 .	3 .	5 .	4 1	2 1	2 .	4 2	6 3	3 .	2

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
870-879	Open wound of head, neck and trunk M F	70 8	1 1	10 3	10 1	9 1	8 1	7 1	8 1	5 1	4 1	3 1	2 1	1 1	1 1	.	.	1 1	.	.		
870	Open wound of ocular adnexa M F		
871	Open wound of eyeball M F		
872	Open wound of ear M F		
873	Other open wound of head M F	36 5	1 1	4 1	5 1	5 1	4 1	3 1	4 1	3 1	3 1	1 1	2 1	1 1	.	.		
874	Open wound of neck M F	5 1	1 1	.	.	1 1	1 1	1 1	.	1 1	1 1		
875	Open wound of chest (wall) M F	12 1	2 1	1 1	1 1	3 1	1 1	2 1	1 1	.	1 1	.	1 1		
876	Open wound of back M F		
877	Open wound of buttock M F		
878	Open wound of genital organs (external), including traumatic amputation M F	1 1	1 1		
879	Open wound of other and unspecified sites, except limbs M F	16 2	2 2	4 1	3 1	1 1	2 1	1 1	1 1	.	.	.	1 1	1 1		
880-887	Open wound of upper limb M F	1 1	1 1		
880	Open wound of shoulder and upper arm M F		
881	Open wound of elbow, forearm and wrist M F		
882	Open wound of hand except finger(s) alone M F		
883	Open wound of finger(s) M F		
884	Multiple and unspecified open wound of upper limb M F	1 1	1 1		
885	Traumatic amputation of thumb (complete) (partial) M F		
886	Traumatic amputation of other finger(s) (complete) (partial) M F		
887	Traumatic amputation of arm and hand (complete) (partial) M F		
890-897	Open wound of lower limb M F	2 1	1 1	1 1		
890	Open wound of hip and thigh. M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
891	Open wound of knee, leg (except thigh) and ankle M	2	1	1
 F
892	Open wound of foot except toe(s) alone M
 F
893	Open wound of toe(s). M
 F
894	Multiple and unspecified open wound of lower limb M
 F
895	Traumatic amputation of toe(s) (complete) (partial). M
 F
896	Traumatic amputation of foot (complete) (partial). M
 F
897	Traumatic amputation of leg(s) (complete) (partial). M
 F
900-904	Injury to blood vessels M	8	2	.	2	1	1	.	.	1	.	1	.	.	1	1	.	.	.
 F	4	1	.	1	.	.	1	1	.	.	.
900	Injury to blood vessels of head and neck. M
 F
901	Injury to blood vessels of thorax M	7	2	.	2	.	1	.	.	1	.	.	1	.	.	1
 F	2	1
902	Injury to blood vessels of abdomen and pelvis M
 F
903	Injury to blood vessels of upper extremity M
 F
904	Injury to blood vessels of lower extremity and unspecified sites M	1	1	.	.	.	1	1	.	.	.
 F	2	1
905-909	Late effects of injuries, poisonings, toxic effects and other external causes M
 F
905	Late effects of musculoskeletal and connective tissue injuries M
 F
906	Late effects of injuries to skin and subcutaneous tissues M
 F
907	Late effects of injuries to the nervous system M
 F
908	Late effects of other and unspecified injuries M
 F
909	Late effects of other and unspecified external causes M
 F
910-919	Superficial injury M
 F
910	Superficial injury of face, neck and scalp except eye M
 F
911	Superficial injury of trunk M
 F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
912	Superficial injury of shoulder and upper arm M F
913	Superficial injury of elbow, forearm and wrist M F
914	Superficial injury of hand(s) except finger(s) alone M F
915	Superficial injury of finger(s). M F
916	Superficial injury of hip, thigh, leg and ankle M F
917	Superficial injury of foot and toe(s) M F
918	Superficial injury of eye and adnexa M F
919	Superficial injury of other multiple and unspecified sites M F
920-924	Contusion with intact skin surface M F	1	1	.
920	Contusion of face, scalp and neck except eye(s) M F	1	1	.
921	Contusion of eye and adnexa. M F
922	Contusion of trunk M F
923	Contusion of upper limb M F
924	Contusion of lower limb and of other and unspecified sites M F
925-929	Crushing injury M F	1	.	.	.	1
925	Crushing injury of face, scalp and neck. M F
926	Crushing injury of trunk M F	1	.	.	.	1
927	Crushing injury of upper limb M F
928	Crushing injury of lower limb M F
929	Crushing injury of multiple and unspecified sites M F
930-939	Effects of foreign body entering through orifice M F	10 5	.	1	1	.	.	1	.	1	.	1	1	1	1	1	1	3	2	1	1	1	1
930	Foreign body on external eye. M F
931	Foreign body in ear M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
932	Foreign body in nose . . . M F
933	Foreign body in pharynx and larynx M F	8 4	.	1	1	.	.	1	1	.	3	.	2	1	1	1	.	.	.
934	Foreign body in trachea, bronchus, M and lung . . . F	2 1	1	.	1	.	1
935	Foreign body in mouth, oesophagus M and stomach . . . F
936	Foreign body in intestine and colon M F
937	Foreign body in anus and rectum . M F
938	Foreign body in digestive system, M unspecified . . . F
939	Foreign body in genitourinary tract . M F
940-949	Burns . . . M F	4 3	1	1	.	2	1	1	.	1	.	.
940	Burn confined to eye and adnexa . M F
941	Burn of face, head and neck . . M F
942	Burn of trunk . . . M F
943	Burn of upper limb, except wrist and M hand. F
944	Burn of wrist(s) and hand(s) . . M F
945	Burn of lower limb(s). . . . M F
946	Burn of multiple specified sites . M F
947	Burn of internal organs . . . M F
948	Burns classified according to extent of M body surface involved . . . F	1	1
949	Burn, unspecified . . . M F	3 3	1	1	.	2	1	.	1	.	1	.
950-957	Injury to nerves and spinal cord . M F	2 1	1	1	.	.	.	1	.	.
950	Injury to optic nerve and pathways . M F
951	Injury to other cranial nerve(s) . M F
952	Spinal cord lesion without evidence M of spinal bone injury . . . F	2 1	1	1	.	.	.	1	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
953	Injury to nerve roots and spinal plexus M F
954	Injury to other nerve(s) of trunk excluding shoulder and pelvic girdles M F
955	Injury to peripheral nerve(s) of shoulder girdle and upper limb M F
956	Injury to peripheral nerve(s) of pelvic girdle and lower limb M F
957	Injury to other and unspecified nerves M F
958-959	Certain traumatic complications and unspecified injuries. M F	3 2 1	. .	1 .	. .	1 .	. .	1	1 .	. .	1
958	Certain early complications of trauma M F	. 1	1
959	Injury, other and unspecified. M F	3 1 1	. .	1 .	. .	1 .	. 1	1
960-979	Poisoning by drugs, medicaments and biological substances M F	19 16	. .	1 1	. .	3 1	2 1	5 .	1 1	1 1	2 1	1 6	1 .	1 1	3 .	1 2	. .	1
960	Poisoning by antibiotics M F
961	Poisoning by other anti-infectives M F	. 1	1
962	Poisoning by hormones and synthetic substitutes M F	. 1	1
963	Poisoning by primarily systemic agents M F
964	Poisoning by agents primarily affecting blood constituents M F
965	Poisoning by analgesics, anti-pyretics and antirheumatics M F	8 5	. .	1 1	. .	1 1	1 1	2 .	1 1	1 .	1 1
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs M F
967	Poisoning by sedatives and hypnotics M F	3 2 2	1 .	. 1	. 1
968	Poisoning by other central nervous system depressants. M F	. 1 1
969	Poisoning by psychotropic agents M F	5 6	2 .	. .	1 .	. .	1 .	. .	5 .	. .	1 .	1
970	Poisoning by central nervous system stimulants M F
971	Poisoning by drugs primarily affecting the autonomic nervous system M F
972	Poisoning by agents primarily affecting the cardiovascular system M F	2	2

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
973	Poisoning by agents primarily affecting the gastrointestinal system . M F
974	Poisoning by water, mineral and uric acid metabolism drugs . M F	1	1
975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system . M F
976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological otorhinolaryngological and dental drugs. . M F
977	Poisoning by other and unspecified drugs and medicaments . M F
978	Poisoning by bacterial vaccines . M F
979	Poisoning by other vaccines and biological substances . M F
980-989	Toxic effects of substances chiefly nonmedicinal as to source. . M F	46 18	3	7 1	5 2	8 1	2 1	4 1	1 1	2 2	3 2	2 1	3 1	1 1	.	2 3	3 2	.	.
980	Toxic effect of alcohol . M F	7 6	1	2	1	1 1	2	.	1	1	.	1 1	.	.	1	.	.	.
981	Toxic effect of petroleum product . M F
982	Toxic effect of solvents other than petroleum-based . M F	1	1
983	Toxic effect of corrosive aromatics, acids and caustic alkalis . M F
984	Toxic effects of lead and its compounds (including fumes) . M F
985	Toxic effect of other metals . M F
986	Toxic effect of carbon monoxide . M F	22 9	3	2 1	6	1	2 1	1	1 1	3 1	1 1	2	.	.	2	2	.	.
987	Toxic effect of other gases, fumes or vapours . M F	13 1	1	4	1 1	1	.	.	.	1	.	2	3	.	.
988	Toxic effects of noxious substances eaten as food . M F
989	Toxic effect of other substances, chiefly nonmedicinal as to source. . M F	3 2	1	.	.	1	.	.	1	.	.	1	.	.	1
990-995	Other and unspecified effects of external causes . M F	88 17	1	1	.	.	.	1	.	2	11	11	14 4	10 2	8	4 2	4 1	2 1	6	3 3	1	5 2	3	2 1	1	.	.
990	Effects of radiation, unspecified . M F
991	Effects of reduced temperature . M F	7 3	1	1	.	.	1 1	.	2 1	1	1	1	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
992	Effects of heat and light . . . M F
993	Effects of air pressure. . . M F
994	Effects of other external causes . . M F	80 12	1	.	2	11	11	14 4	10 1	8	3 2	3 1	2 1	6	2 2	1	2 1	2	2	.	.	.
995	Certain adverse effects not elsewhere classified . . . M F	1 2	1	1	1	1
996-999	Complications of surgical and medical care not elsewhere classified . . . M F	1 2	1	1	1
996	Complications peculiar to certain specified procedures . . . M F
997	Complications affecting specified body systems, not elsewhere classified . . . M F	1	1
998	Other complications of procedures, not elsewhere classified . . . M F	1 1	1	.	1
999	Complications of medical care, not elsewhere classified . . . M F
External Causes of Injury and Poisoning																											
E800- E807	Railway accidents . . . M F	2 1	1	1	1
E800	Railway accident involving collision with rolling stock . . . M F
E801	Railway accident involving collision with other object . . . M F
E802	Railway accident involving derail- ment without antecedent collision . . M F
E803	Railway accident involving explosion, fire or burning . . . M F
E804	Fall in, on or from railway train . . M F
E805	Hit by rolling stock . . . M F	2	1	.	1
E806	Other specified railway accident . . M F
E807	Railway accident of unspecified nature . . . M F	1
E810- E819	Motor vehicle traffic accidents . . M F	104 54	.	.	.	1	2	.	7	3 5	19 4	12 1	7 4	5 2	4 5	8 1	3	5	4 2	2 3	2 5	6 8	12 7	1 3	.	1	.
E810	Motor vehicle traffic accident involving collision with train . . . M F
E811	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle . . . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E812	Other motor vehicle traffic accident involving collision with another motor vehicle	M 32 F 16	1	4 1	3 .	1 2	3 .	2 3	4 .	1 .	2 .	2 1	. 1	. 1	3 1	6 3	1 1	. 1	
E813	Motor vehicle traffic accident involving collision with other vehicle	M 8 F 1	2 .	2 .	1 1	1	2	
E814	Motor vehicle traffic accident involving collision with pedestrian	M 30 F 19	1 1	3 .	2 4	3 2	2 .	2 .	. .	1 .	2 .	2 .	1 .	1 1	2 1	2 2	3 4	3 3	. 1	
E815	Other motor vehicle traffic accident involving collision on the highway	M 7 F 2	3 1	1 .	1 .	. .	1	1 .	1	
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway.	M 19 F 12	6 .	3 1	1 1	1 2	2 .	1 .	. .	2 .	1 .	. .	1 1	2 .	1 .	1	
E817	Noncollision motor vehicle traffic accident while boarding or alighting	M . F	
E818	Other noncollision motor vehicle traffic accident	M 2 F 1	1 .	1	1	
E819	Motor vehicle traffic accident of unspecified nature	M 6 F 3 1	2 .	. .	2	1	1 1	1 1	1 .	. .	
E820–E825	Motor vehicle nontraffic accidents	M 13 F 1	1 .	. .	2 .	1 .	1 .	1 1	1 .	1 .	. .	1 .	. .	1 .	. .	1 .	1	1	
E820	Nontraffic accident involving motor-driven snow vehicle	M . F	
E821	Nontraffic accident involving other off-road motor vehicle	M 3 F	1 .	. .	1	1	
E822	Other motor vehicle nontraffic accident involving collision with moving object	M 2 F	1	1	
E823	Other motor vehicle nontraffic accident involving collision with stationary object	M 1 F 1	1	1	
E824	Other motor vehicle nontraffic accident while boarding or alighting	M 1 F	1	
E825	Other motor vehicle nontraffic accident of other and unspecified nature	M 6 F	1 .	. .	2	1	1 .	. .	1	
E826–E829	Other road vehicle accidents	M 2 F 1	1	1	1	
E826	Pedal cycle accident	M 1 F 1	1	1	
E827	Animal-drawn vehicle accident	M . F	
E828	Accident involving animal being ridden	M . F	
E829	Other road vehicle accidents	M 1 F	1	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
E830— E838	Water transport accidents . . M F	3	2	.	1	
E830	Accidents to watercraft causing submersion . . M F		
E831	Accident to watercraft causing other injury . . M F		
E832	Other accidental submersion or drowning in water transport accident . . M F	2	1	.	1		
E833	Fall on stairs or ladders in water transport . . M F		
E834	Other fall from one level to another in water transport . . M F		
E835	Machinery accident in water transport . . M F		
E836	Explosion, fire or burning in watercraft . . M F		
E837	Other and unspecified water transport accident . . M F	1	1		
E840— E845	Air and space transport accidents . . M F	5	1	1	3		
E840	Accident to powered aircraft at takeoff or landing . . M F		
E841	Accident to powered aircraft, other and unspecified . . M F	5	1	1	3		
E842	Accident to unpowered aircraft . . M F		
E843	Fall in, on or from aircraft . . M F		
E844	Other specified air transport accidents . . M F		
E845	Accidents involving spacecraft . . M F		
E846— E848	Vehicle accidents not elsewhere classifiable . . M F		
E846	Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment . . M F		
E847	Accidents involving cable cars not running on rails . . M F		
E848	Accidents involving other vehicles not elsewhere classifiable . . M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E850— E858	Accidental poisoning by drugs, medicaments and biologicals . M F	4 3	.	1	1	1	1	.	1	.	1
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics . M F	3 1	.	1	1	1	1
E851	Accidental poisoning by barbiturates . M F	1
E852	Accidental poisoning by other sedatives and hypnotics . M F	1	1
E853	Accidental poisoning by tranquilizers . M F
E854	Accidental poisoning by other psychotropic agents . M F	1
E855	Accidental poisonings by other drugs acting on central and autonomic nervous systems . M F
E856	Accidental poisoning by antibiotics . M F
E857	Accidental poisoning by anti-infectives . M F
E858	Accidental poisoning by other drugs . M F
E860— E869	Accidental poisoning by other solid and liquid substances, gases and vapours . M F	15 7	3	4	1	1	1	1	.	.	1	1	2	.	.	1	2	.	.
E860	Accidental poisoning by alcohol, not elsewhere classified . M F	4 3	1	1	1	1	1	1
E861	Accidental poisoning by cleansing and polishing agents, disinfectants, paints and varnishes . M F
E862	Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere classified . M F	1	1
E863	Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers . M F	1	1
E864	Accidental poisoning by corrosives and caustics, not elsewhere classified . M F
E865	Accidental poisoning from food-stuffs and poisonous plants . M F
E866	Accidental poisoning by other and unspecified solid and liquid substances . M F
E867	Accidental poisoning by gas distributed by pipeline . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E868	Accidental poisoning by other utility gas and other carbon monoxide . . . M F	8 4	1	2	1	1 1	2	.	.	.	1	2	.	.
E869	Accidental poisoning by other gases and vapours. M F	1	1	
E870—E876	Misadventures to patients during surgical and medical care . . . M F	1 3	1	2	1	
E870	Accidental cut, puncture, perforation or haemorrhage during medical care. M F	1	1	
E871	Foreign object left in body during procedure M F	
E872	Failure of sterile precautions during procedure M F	
E873	Failure in dosage M F	
E874	Mechanical failure of instrument or apparatus during procedure. . . M F	
E875	Contaminated or infected blood, other fluid, drug or biological substance . . M F	
E876	Other and unspecified misadventures during medical care. M F	1 1	1	1	
E878—E879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure . . . M F	
E878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation . . . M F	
E879	Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication M F	
E880—E888	Accidental falls M F	59 72	1	1	1	.	1	4	3	1	7	4	7	3	5	5	4	9	4	.	
E880	Fall on or from stairs or steps. M F	19 14	1	2	1	2	1	3	1	3	1	2	2	.	.	
E881	Fall on or from ladders or scaffolding M F	8	1	.	.	1	1	2	1	1	.	1	.	.	.	
E882	Fall from or out of building or other structure M F	1 1	1	1	.	
E883	Fall into hole or other opening in surface M F	1	1	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E884	Other fall from one level to another M F	2 7	1	.	.	1	.	.	2	.	1	.	1	2	1	.
E885	Fall on same level from slipping, tripping or stumbling M F	3 3	1	1	1	2	1	
E886	Fall on same level from collision, pushing or shoving, by or with other person. M F	1	1	.	.	
E887	Fracture, cause unspecified M F	13 31	2	1	4	2 3	1 5	6 9	4 6	1	
E888	Other and unspecified fall M F	12 15	1	.	.	.	1	1	1	2	3	2	1	1	1	2	1	4	3	2	
E890— E899	Accidents caused by fire and flames M F	10 5	2	.	.	1	.	1	1	1	1	2	1	.	1	3	1	.	
E890	Conflagration in private dwelling M F	7 4	2	.	.	1	.	1	1	.	.	1	.	1	.	2	1	.	
E891	Conflagration in other and unspecified building or structure M F	
E892	Conflagration not in building or structure M F	
E893	Accident caused by ignition of clothing M F	3 1	1	.	1	1	.	.	1	.	.	
E894	Ignition of highly inflammable material M F	
E895	Accident caused by controlled fire in private dwelling M F	
E896	Accident caused by controlled fire in other and unspecified building or structure M F	
E897	Accident caused by controlled fire not in building or structure M F	
E898	Accident caused by other specified fire and flames M F	
E899	Accident caused by unspecified fire. M F	
E900— E909	Accidents due to natural and environmental factors M F	10 4	.	1	1	1	1	1	.	2	1	.	3	1	.	1	.	1	
E900	Excessive heat. M F	
E901	Excessive cold. M F	7 3	1	1	.	.	1	1	2	1	1	.	1	.	.	
E902	High and low air pressure and changes in air pressure M F	
E903	Travel and motion M F	
E904	Hunger, thirst, exposure, neglect M F	1	1	1	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
E905	Venomous animals and plants as the cause of poisoning and toxic reactions M F		
E906	Other injury caused by animals M F	2	1 .	. .	1		
E907	Lightning M F		
E908	Cataclysmic storms, and floods resulting from storms M F		
E909	Cataclysmic earth surface movements and eruptions M F	1	1		
E910–E915	Accidents caused by submersion, suffocation and foreign bodies M F	33 5	. .	1 .	1	1 1	. .	2 .	4 .	1 .	5 .	4 .	2 .	1 .	1 1	1 1	5 .	2 .	2 .	1 .	1 .	1		
E910	Accidental drowning and submersion M F	20 1	1	4 .	1 .	5 .	3 .	1 .	. .	1 .	1 .	2 .	2		
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation M F	7 3	. .	1 .	1	1	1 .	3 .	. .	1 .	. .	1 .	1		
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation M F	2 1	1	1 .	1		
E913	Accidental mechanical suffocation M F	4	2	1 .	. .	1		
E914	Foreign body accidentally entering eye and adnexa M F		
E915	Foreign body accidentally entering other orifice. M F		
E916–E928	Other accidents M F	12 1	1 .	. .	1 .	. .	1 .	1 1	1 .	1 .	1 .	3 .	. .	1 .	1		
E916	Struck accidentally by falling object M F	2	1	1		
E917	Striking against or struck accidentally by objects or persons M F	3	1	2		
E918	Caught accidentally in or between objects M F	1	1		
E919	Accidents caused by machinery M F	2	1	1		
E920	Accidents caused by cutting and piercing instruments or objects M F		
E921	Accident caused by explosion of pressure vessel M F		
E922	Accident caused by firearm missile M F	2	1 .	. .	1		
E923	Accident caused by explosive material M F	2	1 .	. .	1		
E924	Accident caused by hot substance or object, caustic or corrosive material and steam M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
E925	Accident caused by electric current M F		
E926	Exposure to radiation. M F		
E927	Overexertion and strenuous movements M F		
E928	Other and unspecified environmental and accidental causes M F	1		
E929	Late effects of accidental injury M F		
E930–E949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use M F	1 2	1	1	1		
E930	Antibiotics M F		
E931	Other anti-infectives M F		
E932	Hormones and synthetic substitutes M F		
E933	Primarily systemic agents M F		
E934	Agents primarily affecting blood constituents. M F		
E935	Analgesics, antipyretics and antirheumatics M F		
E936	Anticonvulsants and anti-Parkinsonism drugs. M F		
E937	Sedatives and hypnotics M F		
E938	Other central nervous system depressants. M F	1 1	1	1		
E939	Psychotropic agents M F	1	1		
E940	Central nervous system stimulants M F		
E941	Drugs primarily affecting the autonomic nervous system. M F		
E942	Agents primarily affecting the cardiovascular system M F		
E943	Agents primarily affecting the gastrointestinal system M F		
E944	Water, mineral and uric acid metabolism drugs M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E945	Agents primarily acting on the smooth and skeletal muscles and respiratory system	M F
E946	Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs	M F
E947	Other and unspecified drugs and medicaments	M F
E948	Bacterial vaccines	M F
E949	Other vaccines and biological substances	M F
E950–E959	Suicide and self-inflicted injury	M F	107 31	1 1	11 .	17 1	16 7	19 .	9 1	6 4	6 6	4 2	6 2	3 2	1 2	2 1	2 1	3 1	1
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M F	14 14	2 1	1 .	4 .	1 1	1 1	1 5	2 .	1 1	3 2	1 .	. .	1
E951	Suicide and self-inflicted poisoning by gases in domestic use	M F	1	1
E952	Suicide and self-inflicted poisoning by other gases and vapours.	M F	16 4	3 .	1 2	6 .	1 .	1 1	1 .	1 .	1 1	1
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M F	40 6	5 .	8 .	7 3	3 .	3 .	2 1	2 1	2 .	3 .	. 1	. .	2 .	2 .	1
E954	Suicide and self-inflicted injury by submersion (drowning)	M F	11 4	2 .	. .	1 1	2 .	4 .	. 1	1 .	. 1	. .	. 1	1
E955	Suicide and self-inflicted injury by firearms and explosives	M F	20 2	1 1	4 .	3 .	5 1	4 .	. .	1 .	1	1
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M F
E957	Suicide and self-inflicted injuries by jumping from a high place.	M F	3 1	1	2	1
E958	Suicide and self-inflicted injury by other and unspecified means	M F	2	1	1
E959	Late effects of self-inflicted injury	M F
E960–E969	Homicide and injury purposely inflicted by other persons	M F	93 7	8 3	14 .	10 .	14 1	15 1	8 .	7 1	7 1	3 .	3 .	3 .	1
E960	Fight, brawl, rape	M F	1	1
E961	Assault by corrosive or caustic substance, except poisoning	M F
E962	Assault by poisoning	M F
E963	Assault by hanging and strangulation	M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E964	Assault by submersion (drowning) . M F	1 1	1 .	. 1	
E965	Assault by firearms and explosives . M F	80 6	7 3	12	8	11	12 1	8	6 1	7 1	3	3	2	1	
E966	Assault by cutting and piercing M instrument . F	4	1 .	2	. .	1	
E967	Child battering and other mal- M treatment . F	
E968	Assault by other and unspecified M means . F	7	1 .	1	1	2	1	1	
E969	Late effects of injury purposely M inflicted by other person . F	
E970— E978	Legal intervention . M F	4	1 .	2	1	
E970	Injury due to legal intervention by M firearms . F	4	1 .	2	1	
E971	Injury due to legal intervention by M explosives . F	
E972	Injury due to legal intervention by M gas . F	
E973	Injury due to legal intervention by M blunt instrument . F	
E974	Injury due to legal intervention by M cutting and piercing instruments . F	
E975	Injury due to legal intervention by M other specified means . F	
E976	Injury due to legal intervention by M unspecified means . F	
E977	Late effects of injuries due to legal M intervention . F	
E978	Legal execution . M F	
E980— E989	Injury undetermined whether acci- M dentally or purposely inflicted . F	10 3	1 .	1	1	2	1	2	1	1 .	2	1	
E980	Poisoning by solid or liquid sub- M stances, undetermined whether F accidentally or purposely inflicted	7 3	1 .	. .	1 .	2	1	. .	1 .	1	1 .	1	1	
E981	Poisoning by gases in domestic use, M undetermined whether accidentally F or purposely inflicted	
E982	Poisoning by other gases, undeter- M mined whether accidentally or F purposely inflicted	
E983	Hanging, strangulation or M suffocation, undetermined whether F accidentally or purposely inflicted	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1994.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted M F	1	1	
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted M F	2	1	1	
E986	Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted M F	
E987	Falling from high place, undetermined whether accidentally or purposely inflicted M F	
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted M F	
E989	Late effects of injury, undetermined whether accidentally or purposely inflicted M F	
E990— E999	Injury resulting from operations of war M F	
E990	Injury due to war operations by fires and conflagrations M F	
E991	Injury due to war operations by bullets and fragments M F	
E992	Injury due to war operations by explosion of marine weapons M F	
E993	Injury due to war operations by other explosion M F	
E994	Injury due to war operations by destruction of aircraft M F	
E995	Injury due to war operations by other and unspecified forms of conventional warfare M F	
E996	Injury due to war operations by nuclear weapons M F	
E997	Injury due to war operations by other forms of unconventional warfare M F	
E998	Injury due to war operations but occurring after cessation of hostilities M F	
E999	Late effects of injury due to war operations M F	
E900— E999	TOTAL ALL EXTERNAL CAUSES M F	488 200	. 1	2 1	1 1	3 2	. .	6 1	8 .	10 7	49 8	55 4	49 12	49 5	42 9	34 5	22 16	25 8	25 9	22 12	16 14	21 19	21 15	9 20	14 21	5 10	. 1	

ABSTRACT 21. Northern Ireland: Deaths by sex, cause and place of occurrence, 1994.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
01-56	All Causes	M F	7,362 7,752	56 83	3,583 3,738	962 1,815	2,761 2,116
01	Intestinal infectious diseases.	M F	1 1	. .	1 1
020, 021	Respiratory tuberculosis	M F	5 1	. .	4 .	. .	1 1
Rem. 02	Other tuberculosis (excluding late effects)	M F	. 2	. .	. 2
034	Whooping cough	M F
036	Meningococcal infection	M F	1 3	. .	1 3
037	Tetanus	M F
038	Septicaemia	M F	8 7	. .	7 5	1 1	. 1
041	Smallpox	M F
042	Measles	M F	1 .	. .	1
052	Malaria	M F
06	Venereal diseases	M F
077	Late effects of tuberculosis	M F	1 .	. .	1
Rem. 01-07	All other infective and parasitic diseases	M F	4 4	. .	3 3	. .	1 1
091	Malignant neoplasm of stomach	M F	130 71	1 1	40 23	26 10	63 37
093	Malignant neoplasm of colon	M F	156 168	. .	48 58	31 39	77 71
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	M F	60 54	. .	21 18	14 22	25 14
096	Malignant neoplasm of pancreas	M F	70 79	. .	24 21	10 23	36 35
101	Malignant neoplasm of trachea, bronchus and lung.	M F	511 257	2 1	199 101	105 60	205 95
113	Malignant neoplasm of female breast	F	338	1	118	96	123
120	Malignant neoplasm of cervix uteri.	F	38	. .	12 .	15 .	11 .
123	Malignant neoplasm of ovary and other uterine adnexa	F	90	. .	47 .	17 .	26 .
124	Malignant neoplasm of prostate	M	209	4	85	62	58
141	Leukaemia	M F	56 38	. .	37 26	5 4	14 8
Rem. 08-14	All other malignant neoplasms	M F	662 608	4 3	313 268	140 146	205 191
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms.	M F	29 41	. .	17 20	3 7	9 14
181	Diabetes mellitus	M F	16 29	. .	12 19	. 6	4 4
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	M F	14 14	. .	10 9	1 3	3 2
191	Nutritional marasmus	M F
192	Other protein-calorie malnutrition	M F	. 1	. .	. 1
Rem. 19	Other nutritional deficiencies	M F
200	Anaemias	M F	6 9	. .	4 6	2 2	. 1
Rem. 20	Other diseases of the blood and blood-forming organs	M F	6 8	. .	6 6	1 .	. 1
21	Mental disorders	M F	37 54	. 2	18 13	2 28	17 11
220	Meningitis	M F	2 2	. .	2 2
223	Multiple sclerosis	M F	4 17	. .	2 11	. 4	2 2
224	Infantile cerebral palsy and other paralytic syndromes	M F	3 3	. 1	3 1	. .	. 1

ABSTRACT 21 (continued). Northern Ireland: Deaths by sex, cause and place of occurrence, 1994.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
Rem. 22-24	Other diseases of the nervous system and sense organs	M	73	1	31	22	19
		F	83	4	29	24	26
250	Acute rheumatic fever	M	1	.	1	.	.
		F	2	.	2	.	.
251	Chronic rheumatic heart disease	M	7	.	4	.	3
		F	23	.	14	2	7
260	Hypertensive heart disease	M	6	.	4	.	2
		F	16	.	9	2	5
Rem. 26	Other hypertensive diseases.	M	31	.	10	2	19
		F	26	.	9	4	13
270A	Acute myocardial infarction with hypertension	M	170	1	23	7	139
		F	145	2	24	12	107
270B	Acute myocardial infarction without hypertension	M	1,491	6	543	101	841
		F	1,308	7	544	204	553
Rem. 27A	Other ischaemic heart disease with hypertension	M	105	.	19	3	83
		F	49	.	9	2	38
Rem. 27B	Other ischaemic heart disease without hypertension	M	439	2	236	29	172
		F	461	1	252	105	103
289	Heart failure	M	154	3	107	18	26
		F	244	3	143	53	45
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	M	98	1	66	7	24
		F	137	.	83	20	34
29A	Cerebrovascular disease with mention of hypertension	M	44	.	25	8	11
		F	104	1	56	16	31
29B	Cerebrovascular disease without mention of hypertension.	M	583	2	401	89	91
		F	1,007	7	577	300	123
300	Atherosclerosis	M	17	.	9	3	5
		F	32	.	4	20	8
Rem. 30	Other diseases of the circulatory system	M	166	1	125	7	33
		F	145	.	97	20	28
321	Pneumonia	M	624	22	352	173	77
		F	971	42	399	395	135
322	Influenza	M	1	.	.	.	1
		F	2	.	.	.	2
323	Bronchitis, emphysema and asthma.	M	88	1	41	7	39
		F	58	2	26	9	21
326	Pneumoconiosis and other lung diseases due to external agents	M	10	.	8	1	1
		F	4	.	4	.	.
31, Rem. 32	Other diseases of the respiratory system	M	361	4	233	54	70
		F	279	3	181	55	40
341	Ulcer of stomach and duodenum	M	48	.	39	1	8
		F	52	1	40	6	5
342	Appendicitis.	M
		F	3	.	1	2	.
347	Chronic liver disease and cirrhosis	M	33	.	25	3	5
		F	33	.	26	2	5
33, Rem. 34	Other diseases of the digestive system	M	102	.	89	3	10
		F	153	.	129	14	10
350	Nephritis, nephrotic syndrome and nephrosis	M	60	.	46	6	8
		F	105	.	63	28	14
360	Hyperplasia of prostate	M	3	.	1	.	2
Rem. 35-37	Other diseases of the genitourinary tract	M	40	.	34	6	.
		F	42	.	30	9	3
38	Abortion	F
39	Direct obstetric causes	F
Rem. 38-41	Other complications of pregnancy, childbirth and the puerperium.	F
42, 43	Diseases of the skin, subcutaneous tissue, musculoskeletal system and connective tissue	M	17	.	13	2	2
		F	41	.	23	9	9
440	Spina bifida and hydrocephalus	M	4	.	3	.	1
		F	2	.	1	.	1
442	Congenital anomalies of heart and circulatory system	M	23	.	18	1	4
		F	14	.	11	.	3
Rem. 44	Other congenital anomalies	M	25	.	19	.	6
		F	19	.	14	1	4
453	Birth trauma.	M	2	.	2	.	.
		F	4	.	4	.	.
454	Hypoxia, birth asphyxia and other respiratory conditions	M	14	.	14	.	.
		F	9	.	9	.	.
Rem. 45	Other conditions originating in the perinatal period	M	20	.	19	.	1
		F	20	.	20	.	.

ABSTRACT 21 (continued). Northern Ireland: Deaths by sex, cause and place of occurrence, 1994.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
46	Symptoms, signs and ill-defined conditions.	M	22	.	10	3	9
		F	22	.	11	7	4
47	Fractures	M	100	.	54	.	46
		F	69	.	47	9	13
49	Intracranial and internal injuries, including nerves.	M	134	.	49	.	85
		F	54	.	28	.	26
52	Burns	M	4	.	2	.	2
		F	3	.	1	.	2
53	Poisoning and toxic effects	M	65	.	9	.	56
		F	34	.	8	.	26
Rem. 47-56	Other injuries and poisonings	M	185	1	40	4	140
		F	40	1	16	1	22
EXTERNAL CAUSES							
E471	Motor vehicle traffic accident	M	104	.	49	.	55
		F	54	.	27	.	27
E50	Accidental falls	M	59	.	36	.	23
		F	72	.	50	9	13
Rem. E47-E53	Other accidents and adverse effects.	M	111	.	25	1	85
		F	33	1	13	1	18
E54	Suicide	M	107	1	9	2	95
		F	31	.	6	.	25
E55	Homicide	M	93	.	32	1	60
		F	7	.	3	.	4
E56	Other violence	M	14	.	3	.	11
		F	3	.	1	.	2

ABSTRACT 22. Northern Ireland: Deaths from the principal causes by month of registration, 1994.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
01	Intestinal infectious diseases	1	.	.	.	1
020, 021	Respiratory tuberculosis	1	1	2	1	1	.	.
Rem. 02	Other tuberculosis (excluding late effects)	1	.	1	
034	Whooping cough	
036	Meningococcal infection	1	1	.	1	1	.	.	.	
037	Tetanus	
038	Septicaemia	1	.	.	.	1	1	1	1	1	.	1	.	.	.	2	2	1	1	1	.	1	.	1	
041	Smallpox	
042	Measles	1	
052	Malaria	
06	Veneral diseases	
077	Late effects of tuberculosis	1	
Rem. 01-07	All other infective and parasitic diseases	2	2	.	1	.	.	.	1	.	1	1	.	.	.	
091	Malignant neoplasm of stomach	12	7	5	5	13	6	9	4	19	4	15	5	12	3	9	8	14	11	7	7	9	6	6	
093	Malignant neoplasm of colon	12	16	11	11	12	10	12	8	17	18	14	19	19	14	11	14	11	16	13	15	12	13	12	
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	2	4	5	2	7	3	3	3	2	6	5	5	4	3	7	8	10	8	4	1	4	4	7	
096	Malignant neoplasm of pancreas	8	8	9	7	9	5	8	9	7	5	5	7	5	9	4	3	1	7	4	7	7	4	3	
101	Malignant neoplasm of trachea, bronchus and lung	37	25	43	18	43	22	35	11	42	23	35	22	35	15	52	23	51	21	52	17	38	33	48	
113	Malignant neoplasm of female breast	.	23	.	18	.	34	.	24	.	41	.	33	.	18	.	20	.	33	.	34	.	35	.	
120	Malignant neoplasm of cervix uteri	.	2	.	7	.	2	.	2	.	5	.	5	.	3	.	3	.	5	.	3	.	1	.	
123	Malignant neoplasm of ovary and other uterine adnexa	.	5	.	6	.	7	.	9	.	5	.	5	.	10	.	12	.	5	.	9	.	10	.	
124	Malignant neoplasm of prostate	18	.	13	.	13	.	12	.	13	.	23	.	19	.	27	.	15	.	19	.	17	.	20	.
141	Leukaemia	7	6	1	2	11	2	3	2	2	3	4	10	4	3	4	5	4	4	.	6	3	2	4	
Rem. 08-14	All other malignant neoplasms	57	53	51	46	64	38	55	49	40	59	58	44	52	49	50	54	55	53	60	50	58	64	62	
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	1	4	3	3	3	3	1	3	2	3	3	3	2	5	3	3	4	1	1	1	1	8	5	
181	Diabetes mellitus	2	6	2	2	2	1	.	2	.	.	1	1	3	3	1	6	1	1	1	4	1	.	2	
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	3	1	.	3	1	2	1	1	2	.	.	1	.	1	.	2	2	1	3	.	1	1	1	
191	Nutritional marasmus	
192	Other protein-calorie malnutrition	.	.	.	1	
Rem. 19	Other nutritional deficiencies	
200	Anaemias	.	1	2	2	2	1	1	1	2	.	1	1	1	.	.	
Rem. 20	Other diseases of blood and blood-forming organs	1	.	.	1	.	.	3	.	.	.	1	.	3	.	1	1	.	.	1	.	1	.	1	
21	Mental disorders	4	4	3	7	4	3	4	4	3	1	3	2	5	5	4	3	3	4	.	2	3	11	1	
220	Meningitis	.	.	1	.	.	1	1	1	
223	Multiple sclerosis	1	2	1	2	.	2	.	3	.	.	1	2	.	1	.	2	1	.	2	.	1	.	1	
224	Infantile cerebral palsy and other paralytic syndromes	1	.	1	1	1	1	1	
Rem. 22-24	Other diseases of the nervous system and sense organs	6	10	6	8	4	10	6	8	3	6	8	7	8	10	8	3	9	3	7	8	2	5	6	
250	Acute rheumatic fever	1	1	1	
251	Chronic rheumatic heart disease	.	1	.	2	.	3	.	1	.	3	1	1	.	1	1	1	3	3	.	2	.	2		
260	Hypertensive heart disease	.	1	.	.	1	4	2	.	1	3	.	1	.	2	.	.	1	2	.	2	1	1	.	
Rem. 26	Other hypertensive diseases	3	2	5	3	2	.	4	4	2	2	3	3	3	3	2	1	2	4	2	.	1	1	2	
270A	Acute myocardial infarction with hypertension	19	23	18	13	11	11	14	9	11	6	18	16	19	11	12	14	15	14	13	5	9	11	11	
270B	Acute myocardial infarction without hypertension	152	144	128	108	150	134	116	105	132	120	139	99	111	68	117	103	111	123	111	109	111	98	113	
Rem. 27A	Other ischaemic heart disease with hypertension	8	3	15	8	10	3	4	3	4	1	9	3	8	4	7	11	8	4	12	3	14	5	6	
Rem. 27B	Other ischaemic heart disease without hypertension	48	40	35	56	34	30	29	53	42	35	37	34	35	33	36	42	34	41	40	28	32	30	37	
289	Heart failure	14	34	14	21	11	13	15	21	13	20	13	25	12	20	10	19	17	9	8	21	15	22	12	
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	12	15	15	8	8	12	10	18	7	14	6	10	2	5	8	20	7	9	10	11	5	3	8	
29A	Cerebrovascular disease with mention of hypertension	5	10	2	9	4	8	3	4	2	10	7	9	3	8	5	10	3	8	2	13	4	7	4	
29B	Cerebrovascular disease without mention of hypertension	69	101	50	90	54	94	49	78	42	85	59	80	39	77	36	71	38	84	48	81	52	82	47	
300	Atherosclerosis	1	1	1	4	.	5	4	2	.	1	.	5	3	.	1	1	1	1	1	2	3	8	2	
Rem. 30	Other diseases of the circulatory system	11	20	12	14	17	11	16	12	26	14	9	5	8	9	7	7	16	9	17	14	13	13	17	
321	Pneumonia	76	128	58	84	59	101	52	64	52	59	53	88	44	52	52	74	42	75	42	102	44	87	50	
322	Influenza	1	1	1	.	.	
323	Bronchitis, emphysema and asthma	8	10	13	2	12	7	8	6	6	1	2	4	5	1	12	3	4	9	7	4	6	10	5	
326	Pneumoconiosis and other lung diseases due to external agents	.	1	.	2	1	.	2	.	2	1	1	.	1	.	.	.	1	.	1	.	.	.	1	

ABSTRACT 22 (continued). Northern Ireland: Deaths from the principal causes by month of registration, 1994.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
31, Rem. 32	Other diseases of the respiratory system *	51	40	48	23	42	25	32	23	25	28	19	19	20	10	26	27	20	18	34	24	18	23	26	19
341	Ulcer of stomach and duodenum	8	8	.	2	7	3	5	8	1	6	4	6	4	2	4	5	4	4	3	6	7	1	1	1
342	Appendicitis	.	1	.	.	.	1	1
347	Chronic liver disease and cirrhosis	2	2	1	2	2	1	4	2	3	.	2	4	1	3	7	.	5	3	1	5	2	7	3	4
33, Rem. 34	Other diseases of the digestive system	10	18	6	9	9	12	8	8	7	23	11	11	6	12	11	7	4	11	9	15	9	12	12	15
350	Nephritis, nephrotic syndrome and nephrosis	2	15	6	9	1	9	6	3	6	4	5	7	6	4	6	12	2	10	5	10	8	7	7	15
360	Hyperplasia of prostate	1	.	1	1	.
Rem. 35-37	Other diseases of the genitourinary tract	6	2	1	5	2	6	3	4	6	6	4	4	4	2	3	1	1	2	2	2	7	2	1	6
38	Abortion
39	Direct obstetric causes
Rem. 38-41	Other complications of pregnancy, childbirth and the puerperium
42, 43	Disease of skin, subcutaneous tissue, musculoskeletal system and connective tissue	.	5	2	1	4	.	1	3	.	4	3	6	1	6	1	3	.	4	1	3	2	3	2	3
440	Spina bifida and hydrocephalus	1	2	2	.	.	.	1
442	Congenital anomalies of heart and circulatory system	2	3	4	1	1	1	3	1	2	.	1	2	2	.	2	2	.	3	1	2	2	1	1	1
Rem. 44	Other congenital anomalies	3	2	5	2	1	.	3	.	1	1	3	1	1	2	1	1	3	4	2	3	1	1	1	3
453	Birth trauma	1	1	.	2	.	1	.	1	.	1
454	Hypoxia, birth asphyxia and other respiratory conditions	4	1	2	.	1	.	2	.	.	1	1	.	.	2	3	.	1	1	.	2	1	1	.	.
Rem. 45	Other conditions originating in the perinatal period	4	2	1	5	3	3	1	1	.	1	.	1	2	1	2	1	2	1	1	.	.	4	4	4
46	Symptoms, signs and ill-defined conditions	3	2	2	1	1	1	3	4	.	2	1	1	.	2	4	1	4	2	.	1	1	2	4	4
47	Fractures	7	6	8	8	7	4	8	7	8	6	16	7	14	9	2	4	2	5	7	7	11	5	10	1
49	Intracranial and internal injuries including nerves	3	2	8	5	10	3	8	8	10	6	13	7	24	7	6	2	11	2	15	2	12	5	14	5
52	Burns	1	2	2	.	1	.	.	1
53	Poisoning and toxic effects	4	.	6	3	6	1	2	6	14	2	5	2	8	4	.	2	1	2	7	4	6	4	6	4
Rem. 47-56	Other injuries and poisonings	10	2	7	5	17	3	8	5	14	1	26	4	17	5	8	3	17	1	27	4	13	3	21	4
	TOTAL	722	822	630	657	677	667	573	613	595	644	646	639	587	518	573	626	563	644	615	647	576	660	605	615
EXTERNAL CAUSES																									
E471	Motor vehicle traffic accidents	3	3	4	3	8	2	9	6	8	7	8	6	19	8	4	3	5	2	15	4	10	6	11	4
E50	Accidental falls	6	6	7	11	8	4	2	10	5	5	7	7	7	6	2	5	1	4	2	7	6	4	6	3
Rem. E47-E53	Other accidents and adverse effects	5	.	2	4	7	3	6	5	18	1	17	3	10	5	5	1	7	.	15	3	11	4	8	4
E54	Suicide	6	1	10	3	11	2	4	4	8	2	10	3	12	6	5	1	4	3	12	2	5	1	20	3
E55	Homicide	4	.	6	.	4	.	5	.	7	.	17	1	14	2	2	1	14	1	6	1	9	1	5	.
E56	Other violence	2	.	.	1	1	.	1	.	1	.	.	.	1	.	6	1	1	1	1	.

**ABSTRACT 23. Northern Ireland: Deaths by sex at each year of age,
by conjugal condition, 1994.**

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
0	81	81	.	.	.	66	66	.	.	.
1	10	10	.	.	.	2	2	.	.	.
2	6	6	.	.	.	5	5	.	.	.
3	1	1	.	.	.	4	4	.	.	.
4	6	6	.	.	.	6	6	.	.	.
0-4	104	104	.	.	.	83	83	.	.	.
5	4	4	.	.	.	2	2	.	.	.
6	2	2	.	.	.	1	1	.	.	.
7	4	4	.	.	.	2	2	.	.	.
8	2	2	.	.	.	2	2	.	.	.
9	2	2
5-9	14	14	.	.	.	7	7	.	.	.
10	1	1	.	.	.	2	2	.	.	.
11	6	6
12	4	4	.	.	.	2	2	.	.	.
13	6	6
14	4	4	.	.	.	5	5	.	.	.
10-14	21	21	.	.	.	9	9	.	.	.
15	5	5	.	.	.	4	4	.	.	.
16	14	14	.	.	.	4	4	.	.	.
17	13	13	.	.	.	2	2	.	.	.
18	16	16	.	.	.	1	1	.	.	.
19	17	17	.	.	.	5	5	.	.	.
15-19	65	65	.	.	.	16	16	.	.	.
20	13	13	.	.	.	2	2	.	.	.
21	17	17	.	.	.	3	3	.	.	.
22	13	11	2	.	.	5	4	1	.	.
23	11	10	1	.	.	4	4	.	.	.
24	13	9	4	.	.	3	3	.	.	.
20-24	67	60	7	.	.	17	16	1	.	.
25	18	14	3	.	1	5	1	4	.	.
26	12	10	1	.	1	7	2	5	.	.
27	10	7	3	.	.	3	3	.	.	.
28	11	5	6	.	.	3	3	.	.	.
29	14	9	5	.	.	4	3	1	.	.
25-29	65	45	18	.	2	22	12	10	.	.
30	13	4	9	.	.	3	3	.	.	.
31	11	6	4	.	1	8	3	4	1	.
32	17	7	10	.	.	5	2	3	.	.
33	22	7	15	.	.	7	2	3	.	2
34	10	5	4	.	1	8	2	6	.	.
30-34	73	29	42	.	2	31	12	16	1	2
35	12	2	10	.	.	7	.	7	.	.
36	11	6	5	.	.	10	1	9	.	.
37	17	4	10	.	3	10	2	8	.	.
38	12	4	8	.	.	13	3	8	.	2
39	24	5	15	.	4	9	1	6	.	2
35-39	76	21	48	.	7	49	7	38	.	4
40	18	4	11	.	3	15	2	10	2	1
41	18	5	11	.	2	17	3	13	.	1
42	16	6	9	.	1	12	1	10	.	1
43	24	3	16	1	4	8	1	7	.	.
44	25	5	17	.	3	20	.	19	.	1
40-44	101	23	64	1	13	72	7	59	2	4
45	23	7	14	.	2	16	1	13	.	2
46	39	11	25	.	3	18	3	13	.	2
47	31	4	24	2	1	28	5	18	1	4
48	28	7	19	.	2	21	3	13	3	2
49	38	11	25	.	2	34	4	26	2	2
45-49	159	40	107	2	10	117	16	83	6	12

**ABSTRACT 23 (continued). Northern Ireland: Deaths by sex at each year of age,
by conjugal condition, 1994.**

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
50	41	7	28	1	5	28	2	22	1	3
51	31	7	20	.	4	45	7	36	2	.
52	56	16	35	1	4	37	3	23	7	4
53	41	6	31	1	3	32	.	28	2	2
54	48	11	31	1	5	32	.	27	3	2
50-54	217	47	145	4	21	174	12	136	15	11
55	61	16	36	5	4	45	5	31	5	4
56	72	19	45	5	3	34	.	31	2	1
57	86	20	58	2	6	54	4	42	4	4
58	96	13	68	11	4	41	2	29	8	2
59	91	19	62	8	2	50	7	28	10	5
55-59	406	87	269	31	19	224	18	161	29	16
60	122	24	84	7	7	68	10	41	14	3
61	109	21	77	9	2	63	12	37	13	1
62	119	29	83	4	3	85	10	54	18	3
63	123	24	80	8	11	106	9	64	29	4
64	156	26	115	13	2	93	13	58	21	1
60-64	629	124	439	41	25	415	54	254	95	12
65	175	25	129	18	3	101	12	58	29	2
66	174	31	114	25	4	104	13	52	39	.
67	162	34	100	23	5	105	14	58	31	2
68	186	36	121	25	4	139	27	66	45	1
69	192	36	118	33	5	147	24	61	61	1
65-69	889	162	582	124	21	596	90	295	205	6
70	190	30	134	26	.	169	21	79	67	2
71	225	38	140	43	4	164	30	64	69	1
72	230	39	145	44	2	189	34	69	80	6
73	230	37	137	53	3	204	33	76	93	2
74	287	40	177	65	5	209	33	63	110	3
70-74	1,162	184	733	231	14	935	151	351	419	14
75	265	40	164	60	1	196	34	55	103	4
76	209	45	116	46	2	199	31	52	113	3
77	232	41	128	61	2	215	35	44	134	2
78	241	44	139	57	1	247	39	53	152	3
79	233	45	124	62	2	262	48	43	169	2
75-79	1,180	215	671	286	8	1,119	187	247	671	14
80	230	43	110	73	4	253	46	50	157	.
81	255	38	130	85	2	317	47	51	219	.
82	239	36	108	92	3	284	61	48	175	.
83	210	28	106	76	.	329	56	37	236	.
84	192	22	89	81	.	309	73	28	207	1
80-84	1,126	167	543	407	9	1,492	283	214	994	1
85	175	34	69	72	.	278	59	20	199	.
86	150	25	61	62	2	285	64	17	201	3
87	125	20	48	57	.	273	55	10	207	1
88	116	17	46	53	.	237	45	17	174	1
89	91	15	28	48	.	247	50	6	190	1
85-89	657	111	252	292	2	1,320	273	70	971	6
90	93	19	18	55	1	185	37	6	142	.
91	67	8	16	43	.	179	45	.	134	.
92	42	7	10	25	.	174	47	2	124	1
93	40	8	9	23	.	119	29	3	87	.
94	31	2	10	19	.	120	25	2	92	1
90-94	273	44	63	165	1	777	183	13	579	2
95	21	3	3	15	.	89	17	1	71	.
96	24	6	3	15	.	56	12	1	43	.
97	7	.	3	4	.	45	12	.	33	.
98	13	3	1	9	.	23	7	.	16	.
99	3	.	.	3	.	29	9	.	20	.
95-99	68	12	10	46	.	242	57	2	183	.
100 & over	10	2	2	6	.	35	9	.	26	.
TOTALS	7,362	1,577	3,995	1,636	154	7,752	1,502	1,950	4,196	104

ABSTRACT 24. Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1994.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																										
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	
001-999	01-56	TOTAL DEATHS (All Causes)	M F	7,362 7,752	53 48	81 66	10 2	6 5	1 4	6 6	14 7	21 9	65 16	67 17	65 22	73 31	76 49	101 72	159 117	217 174	406 224	629 415	889 596	1,162 935	1,180 1,119	1,126 1,492	657 1,320	273 777	78 277
001-009	01	Intestinal infectious diseases	M F	1 1	1	.	1	.
010-012	020-021	Respiratory tuberculosis	M F	5 1	1	.	3	.	.	.	1	1
013-018	Rem. 02	Other tuberculosis (excluding late effects)	M F	2	2
033	034	Whooping cough	M F
036	036	Meningococcal infection	M F	1 3	.	.	.	1	1	.	1	1
037	037	Tetanus	M F
038	038	Septicaemia	M F	8 7	2	2	1	1	2	2	2	1	2	1	.	.
050	041	Smallpox	M F
055	042	Measles	M F	1	1
084	052	Malaria	M F
090-099	06	Venereal diseases	M F
137	077	Late effects of tuberculosis	M F	1	1
Rem. 001-139	Rem. 01-07	All other infective and parasitic diseases	M F	4 4	2	1	.	.	.	2	.	1	1	.	1	.	.	.
151	091	Malignant neoplasm of stomach	M F	130 71	2	3	4	7	13	10	22	25	19	14	11	2	3
153	093	Malignant neoplasm of colon	M F	156 168	1	.	4	7	8	9	19	30	20	23	24	9	3	2	
154	094	Malignant neoplasm of rectum, recto-sigmoid junction and anus	M F	60 54	1	3	2	2	5	8	12	6	10	7	3	2	.	.	
157	096	Malignant neoplasm of pancreas	M F	70 79	1	3	2	2	2	12	14	14	9	12	1	6	.	
162	101	Malignant neoplasm of trachea, bronchus and lung	M F	511 257	1	2	5	10	27	36	62	110	104	68	56	27	4	2	
174	113	Malignant neoplasm of female breast	M F	338	1	3	11	13	20	29	35	47	30	33	41	34	28	9	4
180	120	Malignant neoplasm of cervix uteri	M F	38	1	2	3	3	7	6	.	3	1	8	4	.	.	.	
183	123	Malignant neoplasm of ovary and other uterine adnexa	M F	90	2	1	4	5	7	11	17	16	11	9	6	.	1	
185	124	Malignant neoplasm of prostate	M F	209	3	4	15	21	31	48	54	28	5	.	
204-208	141	Leukaemia	M F	56 38	1	.	1	1	3 2	1	1	.	2	1	3	2	2	3	9	9	12	5	6	2	

ABSTRACT 24 (continued). Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1994.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																										
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	
Rem. 140-208	Rem. 08-14	All other malignant neoplasms . . . M F	662 608	.	.	2	1	.	.	2	1	5	2	3	5	3	6	13	27	26	52	91	94	112	104	67	37	12	2
210-239	15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms . . . M F	29 41	1	1	.	1	1	2	1	2	2	2	4	9	5	9	1	.
250	181	Diabetes mellitus M F	16 29	1	1	1	1	.	.	2	1	2	2	1	3	4	3	3	1	1	.
Rem. 240-259 270-279 261	Rem. 18	Other endocrine and metabolic diseases and immunity disorders . . . M F	14 14	2	2	1	.	1	1	1	1	.	5	1	3	1	3	1	.
	191	Nutritional marasmus M F
262,263	192	Other protein-calorie malnutrition . . . M F	1	.	.
Rem. 260-269	Rem. 19	Other nutritional deficiencies M F
280-285	200	Anaemias M F	6 9	.	.	1	1	1	.	.	.	1	.	1	2	1	1	2	1	.
Rem. 280-289	Rem. 20	Other diseases of the blood and blood-forming organs M F	6 8	1	1	.	1	1	1	.	1	1	2	1	1
290-319	21	Mental disorders M F	37 54	1	3	1	2	2	7	4	2	2	4	1	5	3	3	1	3
320-322	220	Meningitis M F	2 2	1	.	1	1	1
340	223	Multiple sclerosis M F	4 17	1	1	1	2	2	2	1	.	1
343, 344	224	Infantile cerebral palsy and other paralytic syndromes M F	3 3	1	.	.	.	1	.	.	.	1	.	1	1
Rem. 320-389	Rem. 22-24	Other diseases of the nervous system and sense organs M F	73 83	.	.	.	1	.	.	.	1	1	3	2	1	3	4	1	1	.	5	7	7	11	8	17	4	2	1
390-392	250	Acute rheumatic fever M F	1 2	1	.	1	.	.	.	1	.	.
393-398	251	Chronic rheumatic heart disease . . . M F	7 23	1	1	1	2	1	1	4	2	1	.
402, 404	260	Hypertensive heart disease M F	6 16	1	.	1	.	2	2	1	.	.
401, 403 405	Rem. 26	Other hypertensive diseases M F	31 26	1	1	1	3	5	4	1	9	1	3	1	1	1
410-0	270A	Acute myocardial infarction with hypertension M F	170 145	1	1	12	16	25	31	36	27	15	6	.	.	
410-9	270B	Acute myocardial infarction without hypertension M F	1,491 1,308	1	.	2	2	.	.	9	28	40	92	148	232	265	275	246	98	41	12	
411-0-414-0	Rem. 27A	Other ischaemic heart disease with hypertension M F	105 49	1	3	3	4	15	19	16	21	11	8	2	2	.	
411-9-414-9	Rem. 27B	Other ischaemic heart disease without hypertension M F	439 461	1	4	3	10	15	29	43	35	79	82	61	50	19	8
428	289	Heart failure M F	154 244	1	.	.	2	8	12	28	33	27	27	13	3

ABSTRACT 24 (continued). Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1994.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																									
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over
Rem. 415-429	Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	M 98 F 137	1	.	.	1	.	1	6	11	7	10	14	17	14	8	5	3	
4300-438-0	29A	Cerebrovascular disease with mention of hypertension (benign)	M 44 F 104	2	1	6	9	12	7	7	.	.	1	
430-9-438-9	29B	Cerebrovascular disease without mention of hypertension.	M 583 F 1,007	1	1	.	.	4	6	5	7	19	30	53	100	115	110	92	31	9
440	300	Atherosclerosis	M 17 F 32	1	.	1	.	.	2	2	1	4	2	.	4	.
Rem. 440-459	Rem. 30	Other diseases of the circulatory system	M 166 F 145	2	2	1	3	4	12	7	16	33	29	32	16	8	1
480-486	321	Pneumonia	M 624 F 971	.	2	2	.	1	.	1	1	.	2	1	2	1	2	8	1	11	15	26	65	92	156	131	74	30
487	322	Influenza	M 1 F 2	1	.	.	1
490-493	323	Bronchitis, emphysema and asthma	M 88 F 58	.	1	1	.	1	.	1	.	2	3	5	8	15	12	13	17	7	1	1	
500-508	326	Pneumoconiosis and other lung diseases due to external agents	M 10 F 4	.	1	1	.	2	2	1	3	.	3	.	.
Rem. 460-519	31 Rem. 32	Other diseases of the respiratory system	M 361 F 279	.	.	2	1	.	1	2	3	5	8	18	41	62	72	84	37	23	2	
531-533	341	Ulcer of stomach and duodenum	M 48 F 52	.	.	1	1	.	.	1	1	3	10	11	17	31	48	45	49	34	22	5
540-543	342	Appendicitis	M 3 F 3	1	1
571	347	Chronic liver disease and cirrhosis	M 33 F 33	1	2	3	2	3	3	6	7	3	3
Rem. 520-579	33 Rem. 34	Other diseases of the digestive system	M 102 F 153	1	.	.	1	3	1	3	1	6	11	15	15	12	19	11	2	2
580-589	350	Nephritis, nephrotic syndrome and nephrosis	M 60 F 105	1	1	1	2	4	7	14	18	10	5	.
600	360	Hyperplasia of prostate	M 3	1	1	.	1	.
Rem. 580-629	37, Rem. 35, 36	Other diseases of the genito-urinary tract	M 40 F 42	.	.	.	1	1	.	.	.	1	1	2	1	4	9	6	5	2	.	.
630-639	38	Abortion	F
640-646, 651-676	39	Direct obstetric causes	F
Rem. 630-676	Rem. 40-41	Other complications of pregnancy, childbirth and the puerperium	M . F
680-709, 710-739	42-43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue	M 17 F 41	1	.	1	.	1	1	2	2	2	4	1	2	.	1
741, 742-3	440	Spina bifida and hydrocephalus	M 4 F 2	.	2	1	1	.	1
745-747	442	Congenital anomalies of heart and circulatory system	M 23 F 14	6	12	1	.	.	.	1	2	1	1	1	1	.	.	3

ABSTRACT 24 (continued). Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1994.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																											
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over		
Rem. 740-759	Rem. 44	Other congenital anomalies . . . M F	25 19	14 10	17 11	1 1	1 1	. 1	. 2	. .	1 1	. 1	1 1	. 1	1 1	2 .	. .	2		
767	453	Birth trauma M F	2 4	2 4	2 4			
768-770	454	Hypoxia, birth asphyxia and other respiratory conditions . . . M F	14 9	12 9	14 9			
Rem. 760-779	Rem. 45	Other conditions originating in the perinatal period. M F	20 20	17 15	20 20			
780-799	46	Symptoms, signs and ill-defined conditions M F	22 22	. .	6 2	1	1 .	1 1	2 .	. .	1 1	. 1	1 1	2 2	3 1	3 4	. 4	. 4	1 3			
800-829	47	Fractures M F	100 69 1	1 1	. .	3 .	4 .	4 2	8 1	9 3	3 1	6 1	6 2	4 .	3 1	5 3	3 5	7 4	4 5	8 8	3 9	9 14	5 9	1 1			
850-869, 950-957	49	Intracranial and internal injuries including nerves M F	134 54 1	2 .	3 .	3 3	14 4	14 1	14 2	9 2	16 5	12 .	7 4	10 1	6 2	4 2	2 5	6 6	9 7	2 5	. 4	. .			
940-949	52	Burns M F	4 3	1 1	. .	. 2	1 1	1			
960-989	53	Poisoning and toxic effects . . . M F	65 34	. .	1 1	3 .	10 2	7 3	13 .	3 2	4 2	3 7	2 3	4 3	5 1	4 3	1 .	. 2	2 3	3 2	. .			
Rem. 800-999	Rem. 47-56	Other injuries and poisonings . . . M F	185 40	. 1	1 1	1 .	1 .	. 1	1 .	1 .	3 1	24 3	22 .	25 6	20 2	17 .	14 3	9 4	8 4	12 .	6 4	4 1	8 4	4 2	2 3	2 .	. 1			
EXTERNAL CAUSES																														
E800-E999	E47-E56	All external causes M F	488 200	. 1	2 1	1 1	3 2	. .	6 .	8 .	10 7	49 8	55 4	49 12	49 5	42 9	34 5	22 16	25 8	25 9	22 12	16 14	21 19	21 15	9 20	14 21	5 10			
E810-E819	E471	Motor vehicle traffic accidents . . . M F	104 54 1	1 2	7 .	3 5	19 4	12 1	7 4	5 2	4 5	8 1	3 .	5 .	4 2	2 3	2 5	6 8	12 7	1 3	. 1	. .			
E880-E888	E50	Accidental falls M F	59 72	1 .	1 .	1 .	. .	1 .	4 .	3 .	1 3	7 2	4 5	7 6	3 5	5 8	5 11	4 17	10 10	1 .			
Rem. E800-E949	Rem. E47-E53	Other accidents and adverse effects . . M F	111 33	. 1	2 1	1 .	2 .	. 1	4 .	1 .	5 1	9 1	9 2	12 1	10 1	10 2	6 .	5 5	2 3	8 2	6 2	5 1	7 2	2 4	1 3	4 3	. .			
E950-E959	E54	Suicide M F	107 31	1 1	11 .	17 6	16 7	19 .	9 1	6 4	6 1	4 1	6 .	3 .	2 .	1 .	2 1	2 1	3 .	. .			
E960-E969	E55	Homicide M F	93 7	8 3	14 .	10 .	14 1	15 1	8 .	7 1	7 1	3 .	3 .	3 .	1			
E970-E999	E56	Other Violence M F	14 3 1	1 .	2 .	4 .	1 .	. .	3 .	. 1	1 .	2	1			

The Abbreviated List numbers have been taken from the Mortality List published in the "International Classification of Diseases, 1975 Revision", with certain additions from the Basic Tabulation List.

ABSTRACT 25. Northern Ireland: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		15,114	7,362	53	23	5	81	23	35	132	138	177	376	1,035	2,051	2,306	1,008	7,752	48	14	4	66	17	16	33	53	121	291	639	1,531	2,611	2,374
001-139	39	21	1	.	.	2	1	7	3	5	2	18	2	.	.	2	1	.	.	.	1	1	1	5	4	3	
151	201	130	3	11	23	47	33	13	71	3	2	11	13	27	15	
153	324	156	4	15	28	50	47	12	168	1	2	8	29	43	51	34	
154	114	60	3	4	13	18	17	5	54	1	1	3	5	11	18	15	
157	149	70	1	5	14	28	21	1	79	6	10	33	20	10	
162	768	511	7	37	98	214	124	31	257	1	1	22	41	95	79	18	
174	338	338	4	24	49	82	63	75	41	
180	38	38	1	5	10	6	4	12	7	
183	90	90	3	9	18	33	20	.	
185	209	209	19	52	102	33	
204-208	94	56	2	3	1	2	2	5	18	17	6	38	1	.	3	1	1	5	9	4	9	5	
Rem.			
140-208	1,270	662	3	3	5	8	19	53	143	206	171	51	608	2	5	6	17	34	85	171	186	102	11	
210-239	70	29	1	1	2	1	2	.	4	6	14	1	41	1	.	1	3	3	5	12	4	4	.	
250	45	16	2	.	.	.	3	3	3	2	29	1	.	1	2	2	5	6	10	.	.	
Rem.			
240-279	29	14	2	.	.	2	.	1	1	1	.	.	1	3	4	1	15	2	1	.	.	5	3	3	1	.	
280-289	29	12	2	1	.	2	4	3	.	17	.	1	.	.	1	.	1	.	1	1	1	5	7	.	
290-319	91	37	4	3	11	6	6	1	54	1	2	4	5	7	14	21	
340	21	4	2	1	1	.	17	2	3	4	6	2	.	
Rem.			
320-389	166	78	1	2	5	3	2	.	13	20	25	7	88	2	1	3	5	3	5	5	19	25	20	
390-392	3	1	1	.	.	2	1	.	.	1	
393-398	30	7	2	3	2	23	2	4	5	9	3
402, 404	22	6	1	4	1	16	1	8	6	.
401, 403, 405	57	31	1	2	8	13	4	3	26	2	.	4	5	10	5	.
410	3,114	1,661	1	4	10	81	281	564	563	157	1,453	3	3	28	111	347	590	371	
411-414	1,054	544	1	11	32	106	151	162	81	510	3	2	35	87	204	179	
428	398	154	1	.	.	.	10	40	60	43	244	1	10	31	77	125	.	
Rem.			
415-429	235	98	1	1	.	7	18	24	31	16	137	.	.	1	1	.	.	.	2	1	5	12	27	47	42	
430-438	1,738	627	2	.	10	14	56	174	239	132	1,111	1	.	8	21	40	172	444	425	
440	49	17	1	1	2	3	6	4	32	7	25	
Rem.			
440-459	311	166	2	3	7	19	49	61	25	145	1	4	1	7	33	53	46	.
480-486	1,595	624	.	1	1	2	3	2	2	3	3	9	26	91	248	235	971	.	.	1	1	1	3	2	3	4	9	7	79	299	563	
487	3	1	1	.	.	2	1	.	1	.	
490-493	146	88	.	1	.	1	.	1	1	1	.	5	13	27	30	9	58	.	1	.	1	2	5	22	23	5	
Rem.			
460-519	654	371	.	1	.	1	2	.	.	1	3	8	27	107	157	65	283	1	.	1	.	2	13	28	80	95	63	
531-533	100	48	1	4	17	19	7	52	2	3	9	15	23	
571	66	33	1	5	5	9	10	3	33	3	6	6	14	2	2	
Rem.			
520-579	258	102	1	1	3	4	17	30	31	15	156	1	.	2	5	11	22	62	53	.
580-629	250	103	2	5	24	48	24	147	1	.	.	1	.	3	4	26	46	66	
630-676	
680-739	58	17	1	1	2	4	6	3	41	1	16	
741, 742-3	6	4	.	2	.	2	.	.	1	1	2	1	.	.	1	.	.	.	1	
745-747	37	23	6	5	1	12	1	3	2	2	.	3	14	6	4	1	11	.	1	1	1	1	
Rem.			
740-759	44	25	14	2	1	17	2	1	.	.	1	.	.	.	2	2	19	10	1	.	11	4	1	1	.	.	2	
760-779	69	36	31	4	1	36	33	28	5	.	33	
780-799	44	22	.	5	1	6	1	1	1	1	.	2	1	3	6	1	22	.	2	.	2	1	3	5	9	
800-999	688	488	.	2	2	2	10	18	104	98	76	47	47	37	30	19	200	1	.	.	1	4	7	12	17	14	24	21	33	35	32	.
E810-E819	158	104	3	10	31	12	12	8	6	8	13	1	54	3	5	5	6	6	.	5	13	10	1	.
E880-E888	131	59	1	2	.	7	8	11	8	9	13	72	1	1	5	8	14	16	28	.	
Rem.			
E800-E949	144	111	.	2	.	2	7	6	18	22	16	7	14	12	3	4	33	1	.	.	1	1	.	3	2	2	8	4	3	6	3	
E950-E959	138	107	1	28	35	15	10	9	3	5	1	31	1	1	7	5	8	4	3	2	.	.	
E960-E969	100	93																									

ABSTRACT 25. Ards: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
593	259	4	2	.	6	.	.	5	6	5	22	43	68	72	32	334	3	.	.	3	.	.	.	3	4	15	25	60	111	113		
001-139	2	2	2	
151	7	6	2	3	1	.	1	1	.	
153	10	2	1	1	.	8	2	4	
154	5	2	3	1	2	
157	8	5	3	1	1	
162	24	13	3	1	1	
174	19	11	4	3	
180	3	19	9	3	
183	4	3	2	.	
185	4	4	2	4	
204-208	1	1	
Rem.																																
140-208	44	23	21	1	.	2	4	8	4	2	.
210-239			1	1	.	.
250	3	2	1	
Rem.																																
240-279	2	1	1	1
280-289	1	1
290-319	3	2	1
340	1	1
Rem.																																
320-389	4	4
390-392		
393-398	1	1
402, 404		
401, 403, 405	4	3	1
410	117	57	1	.	1	4	11	21	18	1	60	14	23	17
411-414	55	22	33	3	9	19
428	15	3	12	2	6	4
Rem.																																
415-429	6	1	1	.	.	.	5	1	1	.
430-438	71	18	2	7	6	2	53	1	18	.	
440	1	1
Rem.																																
440-459	15	9	2	5	1	6	1	5	.
480-486	72	27	2	8	15	45	4	12	29	.
487		
490-493	10	7	1	2	4	3
Rem.																																
460-519	19	12	2	6	2	7	2	4	.
531-533	6	4	3	1	2
571	2	2
Rem.																																
520-579	9	3	1	2	.	6	2	4	.
580-629	8	1	1	.	7	3	2	2
630-676		
680-739	1	1
741, 742, 3		
745-747	3	2	.	1	1	1	1
Rem.																																
740-759	2	1	1	1	1
760-779	4	4	3	1	1	1
780-799	1	1
800-999	26	18	3	4	3	2	3	1	1	1	8	1	1	1	2	.	1	2	.	.
E810-E819	4	2	1	.	1	2	1	.
E880-E888	3	2	1	1	.	.	1	1	.	.
Rem.																																
E800-E949	9	6	1	1	1	1	.	.	1	.	3	1	1	.	.	.
E950-E959	9	7	2	2	1	1	2
E960-E969		
E970-E999	1	1	1

ABSTRACT 25. Belfast: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																		
		AGED														AGED																		
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over			
		3,354	1,550	11	3	14	4	6	22	26	35	82	243	455	450	213	1,804	7	1	1	8	3	2	4	5	24	69	137	384	619	549			
001-139	11	7	1	.	3	.	2	1	4	1	.	.	1	1	1	1	1			
151	48	28	3	3	10	10	2	20	1	1	3	2	10	3		
153	60	29	1	2	6	6	10	4	31	1	1	9	11	10	10		
154	25	14	5	5	11	1	2	5	3			
157	36	14	2	5	4	3	22	1	4	11	4	2	2		
162	225	137	2	13	26	61	27	8	88	1	10	12	33	27	5		
174	64	64	4	6	14	15	10	15			
180	8	8	4	1	2	1	.	.		
183	20	20	4	9	4	2	.	.	
185	40	40	40		
204-208	15	8	1	4	6	23	7	1	2	1	2	1	.	
Rem.	15	8	3	2	2	7		
140-208	274	144	2	.	3	7	33	40	44	15	130	1	2	.	3	5	15	30	54	20	20		
210-239	10	2	1	1	8	1	2	.	.	.	4	.	.	
250	9	3	1	.	.	1	6	1	2	.	1	2	2	.	.	
Rem.	9	3	
240-279	3	3	1	.	.	1	.	.	.	1	.	.	1	
280-289	7	3	.	.	.	1	2	.	.	4	1	1	1	1	.	.	
290-319	27	9	1	1	1	1	3	2	.	18	1	1	1	1	1	2	2	10	.	.	
340	3	1	1	.	.	.	2	1	1	
Rem.	3	1	
320-389	33	17	1	.	.	2	2	.	4	3	4	1	16	1	1	1	5	3	5	1	.	
390-392	1	1	
393-398	16	4	1	2	1	12	1	7	2	.	
402, 404	8	3	1	1	1	1	5	2	.	.	3	2	.	.	
401, 403, 405	13	10	1	6	1	2	3	2	2	.	.	
410	642	318	1	15	62	103	101	36	324	8	24	78	140	74	.	.	.	
411-414	271	142	2	12	34	45	35	14	129	1	1	14	21	53	39	.	.	
428	76	26	2	6	6	8	10	50	3	6	16	25	25	.	.	
Rem.	76	26	
415-429	37	15	2	6	2	1	4	22	2	1	7	7	5	.	.	
430-438	377	122	1	3	14	40	38	26	255	5	9	46	97	98	.	.	
440	8	3	1	1	1	5	
Rem.	8	3	
440-459	72	33	3	1	3	10	9	7	39	
480-486	383	137	.	1	.	1	.	.	.	2	1	3	4	28	51	47	246	.	.	1	1	.	.	1	.	2	4	1	22	73	142	.	.	
487	
490-493	36	23	1	.	.	.	2	4	9	5	13	8	4	1	.	.	
Rem.	36	23	
460-519	157	77	1	1	3	25	36	11	80	1	.	1	.	.	3	11	26	26	12	.	.	
531-533	25	12	1	2	3	5	1	13	2	1	4	6	.	.	
571	25	16	1	3	2	6	3	1	.	9	1	3	1	4	.	.	.		
Rem.	25	16	
520-579	50	21	1	.	4	8	5	3	29	1	.	4	14	10	.	.
580-629	49	22	1	.	8	10	3	27	7	5	15	.	.	
630-676	
680-739	13	1	1	.	12	2	4	6	.	.	
741, 742-3	3	1	1	2	.	1	.	1	.	.	.	1	
745-747	7	4	2	1	.	3	.	.	1	3	2	.	.	2	1	
Rem.	7	4	2	1	.	3	.	.	1	2	.	.	2	1	
740-759	5	3	2	.	.	2	1	.	2	1	.	.	1	1	
760-779	8	6	6	.	.	6	2	2	.	.	2	
780-799	8	2	1	.	1	6	.	.	.	2	1	.	.	.	3	2	.	.	
800-999	146	90	.	1	.	1	2	5	16	17	12	10	6	13	6	2	56	1	.	.	3	3	6	7	13	14	9	.	.	
E810-E819	24	12	4	4	.	.	.	1	2	1	.	12	1	.	.	1	1	.	.	3	5	1	.	.	
E880-E888	39	14	2	1	2	5	3	1	25	1	4	6	6	7	.	.
Rem.	39	14
E800-E949	29	19	.	1	.	1	2	1	1	5	2	1	2	4	.	.	10	1	1	2	3	1	2	1	.	.
E950-E959	24	16	3	7	1	1	1	.	2	1	8	1	.	1	2	.	3	1	.	.	
E960-E969	28	27	8	4	7	7	.	1	.	.	1
E970-E999	2	2	1	.	.	.	1

ABSTRACT 25. Castlereagh: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		641	303	1	1	2	.	2	2	5	9	12	45	102	83	41	338	1	1	.	2	.	.	1	1	4	17	31	66	105	111
001-139	1	1
151	11	8	2	6	.	.	3
153	16	10	1	5	3	.	6
154	5	1	4
157	7	5	2	1	2	.	2
162	45	26	8	14	3	1	19
174	17	17
180	2	12
183	10	10
185	10	10
204-208	1	1	1	1
Rem.
140-208	43	22	1	.	1	.	1	4	4	5	6	21	1	.	7	3	5	1	4	.
210-239	2	1	1
250	1	1
Rem.
240-279	1	1	1
280-289
290-319	5	2	1	.	.	3
340	2	2
Rem.
320-389	10	7	1	3	2	1	3	1
390-392
393-398	3	3
402, 404
401, 403, 405	5	2	1	1	.	.	3
410	119	61	1	2	5	13	16	17	7	58
411-414	54	33	8	13	2	21
428	13	6	5	6	.	.	7
Rem.
415-429	6	2	1	.	1	.	.	4
430-438	70	21	2	11	6	2	49
440	1	1
Rem.
440-459	11	5	1	3	1	6
480-486	93	41	1	1	1	12	13	13	52
487	1	1
490-493	3	1	2
Rem.
460-519	21	9	1	2	3	3	12
531-533	2	1	1	.	.	1
571	4	2	1	1	.	2
Rem.
520-579	14	5	3	1	1	.	9
580-629	7	3	1	1	1	4
630-676
680-739	3	3
741, 742-3
745-747	2	2	1	.	.	.	1
Rem.
740-759	1	1	1	.	.	1
760-779	2	2	1	1	.	2
780-799	2	1	.	1	.	1	1
800-999	15	11	1	2	.	1	2	2	1	2	4
E810-E819	2	2	1
E880-E888	6	4	1	.	.	1	2	2
Rem.
E800-E949	3	3	1	.	.	1	1
E950-E959	2	2	1	.	.	.	1
E960-E969	2	2	1	.	.	.	1
E970-E999

ABSTRACT 25. Down: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		601	287	.	.	.	2	2	4	7	9	11	44	69	90	49	314	2	1	1	4	.	1	1	2	4	4	17	63	119	99
001-139	1	1
151	6	4	1	1	2	1	.	.	1
153	8	6	3	2	2	1	1	.	1
154	2	1	1
157	4	4
162	38	25	1	2	4	10	8	13	1	1	4	3	1
174	15	15	1	2	1	3	4	2	2	
180	1	1
183	4	4
185	9	9	1	1	5	2
204-208	1	1
Rem.
140-208	43	20	1	.	.	2	2	1	3	4	7	23	1	1	8	9	4
210-239	3	2	2	.	1
250	1	1
Rem.
240-279
280-289
290-319	4	2	2	.	.	2	1
340	2	2	1
Rem.
320-389	7	4	1	1	2	3	1	2	.
390-392
393-398	1	1	1
402, 404
401, 403, 405	3	2	2	.	1
410	125	67	1	3	16	22	16	9	58	3	10	27	17	
411-414	40	19	1	6	3	6	3	21	1	.	.	3	13	4	
428	17	6	1	2	3	.	11	5	6	.	
Rem.
415-429	14	6	1	.	1	3	1	8	1	4	3	
430-438	71	26	1	2	.	6	11	6	45	8	19	18	
440
Rem.
440-459	11	7	1	2	2	2	4	1	2	1
480-486	83	31	1	3	13	14	52	5	15	32
487
490-493	3	1	1	2
Rem.
460-519	30	19	1	3	4	6	5	11	3	7	1
531-533	2	2
571	2	1	1	.	.	1
Rem.
520-579	7	2	1	.	1	.	5	1	2	2
580-629	11	5	5	.	6	2
630-676
680-739	2	1	1	.	.	1
741, 742-3
745-747
Rem.
740-759	2	1	1	1	1	1	.	1
760-779	2	2	1	1	.	2
780-799	2	1	1	.	.	1	1
800-999	24	18	2	3	5	4	.	1	1	.	2	6	1	1	.	.	.	1	1	.	2
E810-E819	6	4	1	1	1	1	2	1	1	.	.	.
E880-E888	5	2	1	1	3	2
Rem.
E800-E949	4	3	1	1	1	1
E950-E959	7	7	1	3	1	.	1	1
E960-E969	1	1
E970-E999	1	1	1

ABSTRACT 25. Lisburn: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES																
		AGED															AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
		797	363	3	1	1	5	2	3	6	10	5	22	47	107	103	53	434	7	.	.	7	.	2	3	1	9	19	37	81	145	130	
001-139	2	1	1	.	.	1	
151	6	2	1	1	.	4	
153	18	8	1	1	2	10	4	
154	3	1	1	.	2	
157	12	6	4	2	.	6	
162	36	23	1	1	6	9	5	1	13	1	4	7	1	.	
174	23	23	2	7	6	5	2	1	
180	3	3	1	1	
183	8	8	1	3	.	2	.	.	
185	8	8	1	1	2	1	3	
204-208	4	2	2	.	2	1	.	1	.	.	
Rem.	
140-208	68	41	1	9	15	13	3	27	1	.	2	2	6	4	12	.	.	
210-239	2	1	1	.	1	
250	1	1	1	
Rem.	
240-279	
280-289	1	1	
290-319	7	1	1	6	1	3	2	.	
340	
Rem.	
320-389	9	2	1	1	7	1	1	2	3	.	
390-392	1	1	
393-398	
402, 404	
401, 403, 405	2	1	1	
410	178	88	7	13	33	28	7	90	2	4	24	29	31	.	
411-414	42	18	1	1	7	4	3	2	24	2	3	10	9	.	
428	16	7	3	2	2	9	2	3	4	.	
Rem.	
415-429	11	3	1	1	1	.	8	1	1	2	4	.	
430-438	94	30	1	4	5	15	5	64	1	2	8	26	27	.	
440	
Rem.	
440-459	11	7	1	3	2	1	4	1	2	1	.	
480-486	101	45	.	.	1	1	.	1	9	17	17	56	2	.	1	.	.	.	5	20	28	.	
487	
490-493	5	3	1	.	1	1	.	2	1	.	.	.	
Rem.	
460-519	30	14	1	.	6	5	2	16	2	6	4	4	.	
531-533	6	2	2	.	.	4	1	1	.	2	.
571	1	1	1	.	.	.	
Rem.	
520-579	15	3	1	.	1	1	12	2	2	6	2	.	
580-629	18	8	1	.	2	1	4	10	2	4	4	.	
630-676	
680-739	
741, 742, 3	
745-747	3	3	.	1	.	1	1	1	
Rem.	
740-759	2	1	1	.	.	1	1	1	.	.	1	
760-779	8	2	2	.	.	2	6	6	.	.	6	
780-799	4	2	2	.	2	1	1	.	
800-999	38	29	1	1	6	10	3	2	2	2	1	1	9	2	.	.	.	2	2	1	1	1	
E810-E819	6	4	1	.	1	.	.	1	.	1	.	.	2	1	1	.	.	1	
E880-E888	5	3	1	1	.	.	1	2	1	
Rem.	
E800-E949	7	5	1	.	2	1	.	.	1	.	.	2	1	1	.	.	.	
E950-E959	9	8	3	4	1	.	1	
E960-E969	8	6	1	3	1	.	1	.	.	.	2	2	
E970-E999	3	3	1	1	1	

ABSTRACT 25. North Down: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		734	315	4	.	4	.	1	1	2	2	14	36	82	115	58	419	4	1	.	5	3	.	1	2	2	10	33	78	141	144	
001-139	2	1	1	4	.	1	1	
151	9	4	2	3	1	5	1	
153	26	9	1	2	1	17	3	
154	8	4	1	.	1	4	1	
157	4	2	1	.	1	2	1	
162	37	22	2	4	10	5	1	15	7	6	1	
174	18	18	5	5	1	.	
180	2	2	1	.	.	.	
183	5	5	3	2	.	.	
185	10	10	1	4	4	1	
204-208	3	2	2	.	1	1	
Rem.	
140-208	64	27	1	8	10	6	2	37	2	2	8	15	
210-239	6	2	1	.	1	.	4	1	.	2	1	
250	
Rem.	
240-279	2	1	1	.	1	1	.	2	
280-289	3	3	.	1	.	1	
290-319	4	2	1	.	.	1	.	2	2	.	.	.	
340	
Rem.	
320-389	10	3	1	1	1	.	7	1	.	.	.	1	.	2	3	.	
390-392	
393-398	1	1	1	.	.	
402, 404	1	1	1	
401, 403, 405	3	2	1	1	.	.	1	1	.	.	
410	142	73	3	6	20	33	11	69	3	20	21	25	
411-414	42	21	3	8	6	4	21	1	4	6	10	
428	13	5	2	3	8	1	2	5	
Rem.	
415-429	7	2	1	1	.	5	1	2	2	2	
430-438	99	34	1	.	2	8	15	8	65	2	7	26	30	
440	1	1	1	
Rem.	
440-459	18	8	1	.	1	.	2	3	1	10	6	4	.	
480-486	84	30	2	2	10	16	54	1	.	.	.	1	1	2	19	30	.	
487	
490-493	11	6	1	.	.	1	1	1	2	5	2	3	.	
Rem.	
460-519	27	18	1	6	8	3	9	2	5	2	.	
531-533	3	2	1	1	1	1	
571	6	3	1	.	1	1	3	1	1	.	.	.	
Rem.	
520-579	8	2	1	.	1	.	6	3	2	1	.	
580-629	16	6	4	2	10	2	1	5	2	
630-676	
680-739	7	1	1	.	6	3	3	.	
741, 742-3	
745-747	5	3	2	.	.	2	.	1	2	2	.	.	2	
Rem.	
740-759	2	2	.	.	.	2	
760-779	4	2	2	.	.	2	2	2	.	.	2	
780-799	
800-999	21	7	1	.	1	2	1	.	2	.	14	2	.	4	1	2	2	3	.
E810-E819	3	2	1	.	.	.	1	.	1	1	.	.	
E880-E888	9	2	1	.	1	.	7	1	.	2	1	3	
Rem.	
E800-E949	5	2	1	1	.	.	.	3	1	.	2	
E950-E959	4	1	1	.	.	.	3	1	.	1	
E960-E969	
E970-E999	

ABSTRACT 25. Antrim: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																	
		AGED														AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
356	182	5	.	.	5	2	1	6	2	12	11	26	54	44	19	174	2	.	.	.	2	2	.	1	3	7	9	16	33	47	54		
001-139	
151	5	3	1	.	.	2	.	2	2	.	.		
153	7	4	3	.	1	.	3	1	2	.		
154	3	1	1	2	1	1		
157	5	2	1	.	1	.	3	3		
162	17	13	2	4	5	2	4	7	1	2	1	3	1	.	1		
174	7	7		
180		
183	2	2	1	1	.	.		
185	5	5	2	3		
204-208	3	2	2	.	1	1		
Rem.		
140-208	36	19	1	.	5	4	4	4	1	17	2	4	3	5	3		
210-239	1	1		
250		
Rem.		
240-279	1	1		
280-289	1	1	1		
290-319	4	2	1	.	.	.	1	.	2	1	1	.		
340		
Rem.		
320-389	4	4	1	.	.	1	.	.	.	1	.	1		
390-392		
393-398		
402, 404		
401, 403, 405	1	1	1		
410	77	43	7	24	9	3	34	1	2	3	7	12	9
411-414	14	6	1	3	2	.	8	3	2	3		
428	8	4	4	.	4	1	1	.	2		
Rem.		
415-429	5	2	1	1	3	3	2	.	1		
430-438	43	15	1	1	7	3	28	1	1	2	4	15	5		
440	1	1		
Rem.		
440-459	5	4	2	.	2	.	1		
480-486	26	9	1	.	.	.	1	.	1	1	2	3	17	2	.	.	1	3	11		
487		
490-493	3	2	1	.	.	1	.	1		
Rem.		
460-519	21	12	1	.	3	3	5	9	2	.	7		
531-533	2	2	2	.	2		
571	2	2		
Rem.		
520-579	9	4	2	.	1	.	1	.	5	4		
580-629	6	1	1	.	5	3	2		
630-676		
680-739		
741, 742-3		
745-747		
Rem.		
740-759	3	3	2	.	.	2	1	2		
760-779	5	3	3	.	.	3	2	2	.	.	2		
780-799		
800-999	24	20	1	5	1	7	1	.	3	1	1	4	1	.	1	.	1	.	1	.	.	.		
E810-E819	8	6	1	2	.	1	.	.	1	1	.	2	1	.	1		
E880-E888	7	6	1	.	1	1	.	2	.	1	1	1	.	.	.		
Rem.		
E800-E949	3	3	1	2		
E950-E959	5	4	2	.	2	1	1		
E960-E969	1	1	1		
E970-E999		

ABSTRACT 25. Ballymena: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
	553	266	1	1	.	2	.	.	4	4	12	15	33	66	94	36	287	1	.	.	1	.	.	1	4	5	7	25	53	98	93
001-139	4	2	1	1	2	1	1	.
151	6	5	2	2	.	.	1	1	1	1	.
153	16	7	1	.	.	3	3	.	9	1	.	2	2	3	1	.
154	4	1	1	3	1	.	.	1	1	.
157	2	1	1	1	1	.
162	22	17	2	6	8	1	5	1	.	1	1	2	1	2	.
174	13	13	2	1	4	2	2	2	.
180	1	1	1
183	3	3	2	1	.	.
185	10	10	1	1	7	1
204-208	2	1	1	.	.	.	1	1
Rem.	54	30	1	1	9	8	8	3	24	1	.	.	4	6	6	7	.
140-208	3	1	1	.	2	1	.	1	.
210-239
250
Rem.
240-279
280-289	1	1	1
290-319	5	1	1	4	1	3
340	1	1	1
Rem.
320-389	11	5	2	1	2	6	1	.	1	.	2	1	1	.
390-392
393-398
402, 404
401, 403, 405	3	2	1	1	.	1
410	121	60	2	10	25	21	2	61	7	14	28	12	.
411-414	31	19	2	2	1	3	9	9	2	12	5	5	2	.
428	14	5	1	1	3	3	1	9	2	3	4	.
Rem.
415-429	16	6	3	2	1	10	1	.	3	4	2	.
430-438	59	15	1	1	.	4	5	4	44	3	2	19	20	.
440	6	6	5
Rem.
440-459	8	4	1	2	1	4	1	.	.	2	1	.
480-486	59	24	1	.	.	2	1	2	9	9	35	1	.	10	24	.
487
490-493	2	2	2
Rem.
460-519	27	17	1	.	2	4	8	2	10	1	1	2	4	2
531-533	5	2	1	1	.	3	1	1	1	1
571	1	1	1
Rem.
520-579	3	2	2	.	1	1	.
580-629	9	6	1	1	4	3	1	2
630-676
680-739	3	1	1	2	1
741, 742-3
745-747	1	1	.	1	.	1
Rem.
740-759	2	1	1	.	.	1	1	1	.	.	1
760-779
780-799
800-999	25	16	3	3	4	3	3	.	.	.	9	1	.	1	4	1	2
E810-E819	9	5	1	1	1	1	1	.	.	.	4	3	.	.	.
E880-E888	4	1	3	1	.	2
Rem.
E800-E949	3	3	1	.	1	.	1
E950-E959	6	4	1	1	2	2	1	.	1	.
E960-E969	3	3	1	1	.	.	1
E970-E999

ABSTRACT 25. Ballymoney: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		245	130	1	1	2	.	.	2	2	3	4	21	31	42	23	115	1	1	1	1	5	11	30	30
001-139
151	3	3	1	2
153	10	4	2	2	.	6	1	1	1	1	2
154	1	1	1	1
157	2	2	1	1	1
162	7	5	3	1	.	2	1	.	1	.	.
174	6	6	1	.	.	3	1	1	.	.
180	1	1
183	1	1
185	1	1	1	1	.	.	.
204-208	2	2	1
Rem.
140-208	18	11	1	.	.	.	3	4	.	7	1	1	3	2
210-239
250	4	2	1	.	2	1	1	.	.
Rem.
240-279
280-289
290-319
340
Rem.
320-389	2	2	1	1	.
390-392
393-398
402, 404	1	1
401, 403, 405
410	61	31	1	6	10	8	6	30	1	.	3	8	9	9
411-414	17	12	3	1	5	3	5	2	1	2	.
428	9	4	3	1	5	2	1	2	.
Rem.
415-429	5	3	2	.	2	1	1	5
430-438	34	18	5	7	4	16	1	.	4	6	5
440
Rem.
440-459	10	2	1	1	8	5	1	2	5
480-486	10	5	4	1	5	5
487
490-493	2	1	1	.	1
Rem.
460-519	12	8	2	2	4	2	.	1
531-533	2	2
571	1	1
Rem.
520-579	1	1	1	.	.
580-629	5	4	1	1	1	1
630-676
680-739	1	1
741, 742-3
745-747
Rem.
740-759	1	1	.	1	.	1
760-779	1	1	1	.	.	1
780-799	1
800-999	13	9	2	1	3	2	1	.	.	4	1	1	.	.	1	.	1	.	.
E810-E819	4	2	1	.	1	2	1	1	.	.
E880-E888
Rem.
E800-E949	3	3	1	1	1	1
E950-E959	6	4	1	.	1	1	1	.	.	2	1
E960-E969
E970-E999

ABSTRACT 25. Carrickfergus: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		307	157	.	.	1	1	.	.	4	1	6	23	58	46	18	150	2	.	.	2	.	.	.	3	2	6	10	23	59	45
001-139	1	1	1	.	.	.
151	5	4	2	.	2	.	1	1
153	9	6	1	3	2	.	3	1	.	1	.	1	.	
154	2	2	2	
157	6	4	1	2	1	.	2	1	.	.	1	
162	16	14	1	1	6	5	1	2	1	1	.	1	
174	6	6	1	.	3	1	1	.	
180	
183	3	3	1	1	
185	7	7	1	
204-208	3	1	1	1	1	4	1	2	1	.	.	1	.	
Rem.	
140-208	34	18	3	10	4	1	16	1	1	1	1	2	8	2	
210-239	4	3	1	1	
250	1	1	1	
Rem.	
240-279	2	2	2	.	
280-289	
290-319	
340	
Rem.	
320-389	5	2	2	.	.	3	1	2	.	
390-392	
393-398	
402, 404	
401, 403, 405	1	1	
410	67	39	1	1	7	17	7	6	28	2	6	15	5	
411-414	18	9	1	3	2	2	9	3	4	2	
428	8	2	6	5	
Rem.	
415-429	2	2	1	.	7	
430-438	30	10	4	5	1	20	1	.	.	3	9	.	
440	
Rem.	
440-459	7	6	1	.	.	.	3	1	1	1	1	.	.	13	
480-486	32	10	2	5	3	22	2	7	.	
487	
490-493	4	4	1	2	.	1	
Rem.	
460-519	7	3	1	1	1	.	4	3	1	.	
531-533	1	1	
571	1	1	
Rem.	
520-579	7	3	2	1	.	4	1	.	3	
580-629	6	2	1	.	1	.	4	2	2	.	
630-676	
680-739	2	1	1	1	1	
741, 742-3	
745-747	
Rem.	
740-759	1	1	1	.	.	1	
760-779	1	1	1	
780-799	2	2	.	.	.	1	1	1	
800-999	7	4	3	1	3	1	.	.	.	1	
E810-E819	1	1	1	
E880-E888	2	1	1	1	
Rem.	
E800-E949	
E950-E959	3	1	1	2	1	.	1	.	.	.	
E960-E969	1	1	1	
E970-E999	

ABSTRACT 25. Coleraine: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																	
		AGED														AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
		500	246	.	3	.	3	.	3	5	7	10	7	27	70	79	35	254	2	1	.	3	2	.	4	2	5	10	18	47	87	76	
001-139	1	1	1	
151	5	2	2	.	.	3	2	
153	10	4	3	1	.	6	
154	2	1	1	.	.	1	
157	11	7	4	3	.	4	
162	24	15	1	1	2	6	3	2	9	2	2	3	2	.	.	
174	10	10	1	4	3	2	.	.	
180	2	2	1	.	1	1	.	.	
183	7	7	2	1	1	3	.	.	
185	8	8	1	.	2	4	1	
204-208	5	3	1	.	.	.	2	.	2	1	.	.	.	1	
Rem.																																	
140-208	38	20	1	2	5	6	6	.	18	3	1	1	7	4	2	.	
210-239	4	1	1	.	.	3	2	4	.	1	
250	8	2	1	1	.	.	6	1	1	
Rem.																																	
240-279	3	1	1	.	2	1	.	.	.	1
280-289	1	1
290-319	2	2	1	.	1	.	1
340	2	1	1	.	.	1
Rem.																																	
320-389	5	2	1	1	3	3	.	.
390-392	1	1	1
393-398	1	1
402, 404
401, 403, 405	3	1	1	.	2	2	
410	92	49	1	1	6	19	18	4	43	4	12	17	10	10	7	
411-414	37	20	1	.	5	3	8	3	17	7	
428	10	4	1	3	6	5	
Rem.																																	
415-429	11	4	1	2	1	.	7	1	2	4	4	
430-438	57	25	1	1	1	8	10	4	32	1	.	.	.	1	5	16	9	9	
440	2	1	1	.	.	.	1	1	
Rem.																																	
440-459	8	5	4	1	3
480-486	36	14	2	6	6	22	2	7	.	13	
487
490-493	2	1	.	1	.	1	1	.	1	.	1	
Rem.																																	
460-519	15	7	2	1	4	8	1	.	3	1	3	3	
531-533	1	1	1
571	2	1	1	.	.	1	1	
Rem.																																	
520-579	16	6	1	.	1	2	1	1	10	1	2	3	4	4	
580-629	14	8	3	3	2	6	1	1	4	.	
630-676
680-739	1	1	1	.
741, 742-3
745-747
Rem.																																	
740-759	1	1	1	2	2	.	.	2
760-779	3	1	.	1	.	1
780-799	4	3	.	1	.	1	1	1	.	1	1	.
800-999	35	23	2	4	5	6	.	1	.	3	2	12	2	.	1	1	.	1	2	3	2	2	2
E810-E819	14	9	1	3	1	1	.	.	.	3	.	5	1	2	.	.	
E880-E888	9	4	1	1	.	.	2	5	1	2	1	1	1	1	.
Rem.																																	
E800-E949	8	6	1	3	2	2	1	1	.
E950-E959	2	2	1
E960-E969	2	2	2
E970-E999

ABSTRACT 25. Cookstown: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
278	138	1	.	.	1	.	1	7	8	4	9	12	32	43	21	140	1	.	.	.	1	.	.	.	1	4	1	11	24	50	48
001-139
151	6	2	1	1	.	4	1	.	.	.	2
153	3	2	1	1	.	1	1	1	.
154	4	3	1	1	1	.	1	1	1	.	.
157	4	1	1	1	.	3	1	1	1	.
162	12	10	1	6	2	1	2	2	1	1	1	.	.
174	6	6	1	1	2	1	2	.	.
180
183	2	2	1	1	.
185	5	5	1	2	2
204-208
Rem.
140-208	14	8	1	.	2	5	.	6	2	.	1	.	3	.
210-239
250
Rem.
240-279	1	1	1	.	.	.
280-289
290-319	2	1	1	1	1	.
340	1	1	1
Rem.
320-389	5	1	1	.	.	.	4	1	.	.	.	2	1	.
390-392
393-398	1	1
402, 404
401, 403, 405	1	1	1
410	62	30	1	.	.	4	2	11	9	3	32	2	13	10	7	.
411-414	20	7	3	2	2	13	5	3	.
428	8	1	1	7	3	3	.
Rem.
415-429	9	5	1	.	.	.	1	2	1	4	4	1	.	1	2	.
430-438	36	17	1	1	9	6	19	3	8	8	.
440	3	3
Rem.
440-459	4	2	1	.	1	.	2	1	1	.
480-486	26	9	1	1	4	3	17	1	5	11
487
490-493	1	1	1
Rem.
460-519	4	2	1	.	1	2	1	.	1
531-533	3	3	1	2	.
571
Rem.
520-579	7	4	1	1	1	1	3	1	.	1	1
580-629	3	1	1	.	.	.	2	1	1	.
630-676
680-739
741, 742-3
745-747
Rem.
740-759
760-779	2	1	1	.	.	1	1	1	.	.	1
780-799	1	1
800-999	22	22	1	5	8	3	3	2
E810-E819	1	1	1
E880-E888	1	1	1
Rem.
E800-E949	5	5	2	1	1	1
E950-E959	2	2	1	.	.	1
E960-E969	12	12	2	6	2	1	1
E970-E999	1	1	1

ABSTRACT 25. Larne: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
279	157	1	.	.	1	1	2	.	3	2	8	20	44	49	27	122	1	2	1	1	.	16	23	36	42	
001-139	1	1	1
151	3	3	1	1	1	.	.	3	
153	3	2	1	.	.	
154	
157	
162	12	9	3	2	3	1	.	3	1	1	.	.	
174	3	3	1	.	.	2	.	.	.	
180	
183	4	4	1	1	
185	5	5	1	1	1	1	1	2	.	1	.	
204-208	2	1	1	1	
Rem.	
140-208	27	15	1	.	1	.	.	6	5	1	1	12	1	1	.	.	4	3	2	1	
210-239	3	1	2	1	.	1	
250	1	1	1	.	
Rem.	
240-279	
280-289	
290-319	3	3	1	.	2	
340	
Rem.	
320-389	5	4	1	3	.	1	1	
390-392	
393-398	
402, 404	
401, 403, 405	
410	63	44	2	1	2	4	10	19	6	19	1	.	12	6	
411-414	28	16	8	3	2	12	1	4	5	
428	7	2	1	1	.	5	2	2	.	1	
Rem.	
415-429	4	1	1	.	3	2	1	.	
430-438	30	14	1	.	5	4	4	16	1	4	5	6	
440	
Rem.	
440-459	8	4	2	.	2	.	4	2	1	1	
480-486	37	18	1	.	1	7	9	19	1	2	16	
487	
490-493	4	2	1	1	.	2	2	.	.	
Rem.	
460-519	10	7	5	2	.	3	1	1	.	1	
531-533	
571	
Rem.	
520-579	4	1	1	.	3	1	2	.	
580-629	3	1	1	2	1	1	
630-676	
680-739	2	2	2	
741, 742-3	
745-747	
Rem.	
740-759	
760-779	1	1	1	.	.	1	
780-799	
800-999	6	5	1	.	.	.	1	.	2	.	.	1	1	1	.	
E810-E819	1	1	1	
E880-E888	1	1	1	
Rem.	
E800-E949	2	2	1	1	
E950-E959	
E960-E969	1	1	1	
E970-E999	1	1	1	.	

ABSTRACT 25. Magherafelt: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
270	168	4	1	.	5	3	3	5	2	7	5	18	40	59	21	102	1	1	1	3	.	.	2	2	3	2	10	20	30	30	
001-139
151	2	2	2
153	6	2	1	1	.	4	1	1	2	.
154	4	2	2	.	.	.	2	2	.
157
162	14	10	3	3	2	2	4	2	2	.	.	.
174	2	2	1	1	.	.	.
180
183
185	4	4	2	1
204-208	5	2	1	.	1	1	.	3	1	.	1	.	1	.
Rem.
140-208	22	18	1	1	2	6	6	2	4	1	.	1	1	1	.
210-239	1	1	1
250	1	1	1
Rem.
240-279	1	1	1	.	.
280-289
290-319
340
Rem.
320-389	4	2	1	1	.	.	2	1	1	.	.
390-392
393-398
402, 404	1	1	1
401, 403, 405
410	68	47	1	3	7	13	18	5	21	3	3	7	8	.
411-414	12	8	1	2	2	3	4	2	2	.	.
428	2	2	1	1
Rem.
415-429	7	2	1	1	.	5	.	.	1	1	.	.	.	1	.	.	7	3	7	.
430-438	35	15	1	.	2	1	9	2	20	1	1	1	7	4	.
440	2	1	1	1
Rem.
440-459	5	3	2	1	.	2	1	2	1	.
480-486	25	12	2	1	5	4	13	1	1	.	2	9	.
487
490-493	1	1	1	.	.	.
Rem.
460-519	9	7	3	4	.	2	1	1	.
531-533	1	1
571	1	1	1
Rem.
520-579	4	2	1	1	.	2	1	1	.
580-629	2	2	2
630-676
680-739	2
741, 742-3	1	1	.	1	.	1	2	1	1	.	.
745-747	1	1	1	.	.	1
Rem.
740-759	3	3	2	.	.	2	1
760-779	3	1	1	.	.	1	2	1	1	.	2
780-799
800-999	19	15	1	2	5	2	4	.	.	.	1	.	4	2	1	.	.	.	1	.	.
E810-E819	7	6	1	3	.	1	.	.	.	1	.	1	1
E880-E888
Rem.
E800-E949	6	4	1	1	1	.	1	2	1	1	.	.
E950-E959	1	1	1
E960-E969	5	5	1	2	2
E970-E999

ABSTRACT 25. Moyle: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		162	95	.	.	.	2	.	2	3	1	3	12	28	39	5	67	1	.	.	1	3	1	3	11	27	21
001-139	1	1	1
151	4	3	1	1	.	.	1	.	1	1	.
153	1	1	1
154
157	1	1	1
162	5	5	2	3	.	2	1	.	1
174	2
180
183	2	2	2	.	.
185	6	6
204-208	1	2	4	.	1	1
Rem.
140-208	15	6	1	3	2	.	9	1	.	.	.	3	3	2
210-239
250	1	1	1
Rem.
240-279
280-289
290-319
340	1	1
Rem.
320-389
390-392
393-398
402, 404
401, 403, 405
410	34	27	1	4	9	12	1	7	1	4	2
411-414	12	5	2	3	.	7	4	3	
428	1	1	1
Rem.
415-429	1	1	1	.
430-438	26	9	2	6	1	17	1	1	.	.	10	5	1
440	2	1	1	.	.	1
Rem.
440-459	2	1	1	.	.	.	1	1
480-486	17	10	1	1	1	.	4	3	7	2	2	3	.
487
490-493	1	1
Rem.
460-519	3	1	2	2
531-533	2	1	1	.	1	1	.	.
571
Rem.
520-579	3	2	1	1	.	1	1	.
580-629	6	2	2	.	4	1	3
630-676
680-739
741, 742-3
745-747	1	1	1
Rem.
740-759	1	1	1	.	.	1
760-779
780-799
800-999	10	9	2	.	2	1	.	.	1	2	1	.	1	1	.	.
E810-E819	4	4	1	1	.	.	.	1
E880-E888	1	1	1	.	.
Rem.
E800-E949	4	4	2	.	1	1
E950-E959	1	1	1
E960-E969
E970-E999

ABSTRACT 25. Newtownabbey: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES																FEMALES													
		AGED																AGED													
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		660	306	1	1	2	1	1	4	5	7	9	41	106	92	38	354	3	1	1	4	1	1	2	3	8	17	30	63	116	110
001-139
151	8	8	2	.	.	4	.	2
153	13	7	2	4	.	1	6	2	.	.
154	6	4	2	1	1	.	2	1
157	8	4	1	.	.	3	.	.	4
162	38	26	2	4	8	10	2	12	1	5	3	4	3	2
174	18	18
180
183	1	1
185	9	9	2	5	2
204-208	7	4	1	1	1	1	3	1	1
Rem.
140-208	60	24	1	.	.	1	.	.	7	11	4	.	36	1	1	2	3	2	15	7	5	.
210-239	2	1	1	1
250
Rem.
240-279	2	1	1	.	.	1	1	1
280-289	1	1	1	1
290-319	5	2	1	.	1	.	3	1	1	.	1	.	.
340	2	2	1	.	1	.	.
Rem.
320-389	6	4	2	.	.	.	1	.	1	.	2	1	1	.
390-392
393-398	3	1	2
402, 404	1	1	1
401, 403, 405
410	130	69	1	10	28	24	6	61	1	7	11	25	17
411-414	43	20	2	7	6	5	.	23	2	3	10	8	.
428	17	7	2	3	.	10	2	.	4	4	.
Rem.
415-429	13	6	3	1	2	7	2	2	3	.
430-438	76	23	1	8	9	5	53	3	3	12	21	14
440	4	2	1	1	2	2	.
Rem.
440-459	15	6	2	.	1	3	.	9	1	1	5	2
480-486	82	32	1	1	7	16	7	50	4	18	28
487
490-493	6	4	3	1	.	2	1	1	.
Rem.
460-519	23	15	1	.	5	6	3	8	1	.	1	.	1	5
531-533	3	2	1	1	1	1	.
571	3	3	1	2	.	.	.
Rem.
520-579	14	4	3	1	10	1	4	5	.
580-629	9	2	1	1	7	1	1	1	4
630-676
680-739	4	2	1	.	1	2	1	1	.
741, 742, 3
745-747	1	1	1
Rem.
740-759	1	1	1	.	.	1
760-779	2	2	2	.	.	2
780-799	6	1	.	1	.	1	5	.	1	.	1	1	3
800-999	18	14	2	3	3	1	2	1	1	1	4	2	.	.	2	.	.
E810-E819	2	2	1	.	.	1
E880-E888	2	2	1	.	.	1
Rem.
E800-E949	4	1	1	.	.	.	3	1	.	.	.	2	.
E950-E959	7	6	2	2	2	1
E960-E969	3	3	1	1	.	.	1
E970-E999

ABSTRACT 25. Armagh: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																	
		AGED														AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
		474	221	1	.	1	1	.	6	5	2	6	30	65	76	29	253	.	2	.	2	.	2	.	.	2	3	5	11	19	50	86	75
001-139	2	2	
151	7	5	1	1	2	1	2	1	1	1	.	
153	8	3	3	.	5	1	.	.	.	3	.	.	.	
154	4	1	3	
157	4	1	3	
162	11	7	2	3	2	4	1	2	1	.	.	
174	13	13	2	3	3	2	.	.	
180	1	1	1	
183	1	1	
185	8	8	
204-208	3	1	1	.	.	2	5	2	
Rem.	
140-208	48	22	1	.	.	.	6	11	3	1	26	1	1	6	5	7	6	.	
210-239	6	2	1	1	.	4	2	2	.	.	.	
250	1	1	
Rem.	
240-279	1	1	1	
280-289	1	1	1	
290-319	1	1	1	
340	
Rem.	
320-389	6	3	1	.	2	.	3	1	2	.	
390-392	
393-398	
402, 404	1	1	1	.	1	
401, 403, 405	2	1	1	1	.	.	.	1	1	1	23	13	.	
410	98	45	1	6	20	14	4	53	1	2	3	11	23	6	.	
411-414	24	8	4	2	2	2	16	1	3	6	6	.	
428	18	11	1	2	6	2	7	2	2	2	3	.	
Rem.	
415-429	7	3	1	2	.	.	4	1	2	1	.	
430-438	57	21	1	.	.	.	3	5	9	3	36	1	.	6	15	14	.	
440	4	2	2	.	2	2	.	
Rem.	
440-459	13	7	1	1	4	1	6	1	.	.	.	4	1	.	
480-486	47	21	3	6	12	26	1	.	.	1	4	8	12	.	
487	
490-493	5	3	1	.	1	1	2	1	.	1	.	.	
Rem.	
460-519	24	15	1	7	7	.	9	2	.	5	2	.	
531-533	3	3	1	1	2	.
571	1	1	1	
Rem.	
520-579	6	5	1	.	.	3	1	1	1	3	1	.
580-629	9	2	1	.	1	.	7	1	.	2	.	.	.	
630-676	
680-739	3	3	1	2	.	.
741, 742-3	
745-747	
Rem.	
740-759	1	1	.	1	.	1	
760-779	2	1	1	.	.	1	1	.	1	.	1	
780-799	
800-999	23	18	1	.	4	4	2	1	3	1	2	.	5	1	1	1	.	1	.	.	1	.
E810-E819	12	10	1	.	3	2	.	.	1	1	2	.	2	
E880-E888	4	2	2	.	.	.	2	1	.	.	1	.
Rem.	
E800-E949
E950-E959	2	2	1	.	1
E960-E969	5	4	1	1	2	1	1
E970-E999

ABSTRACT 25. Banbridge: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		300	148	2	2	2	1	2	1	2	7	21	43	54	15	152	1	1	1	1	1	1	1	1	3	2	4	11	35	50	46
001-139	3	2	1	.	.	1	.	1	1	.	.
151	3	2	1	1	1	.	.	
153	9	5	1	.	.	2	2	4	2	1	.	.	
154	4	1	1	.	3	2	1	
157	1	1	1	.	.	
162	10	8	1	3	3	1	2	1	.	.	.	
174	7	7	1	2	1	.	
180	1	1	1	.	.	
183	
185	3	3	1	
204-208	
Rem.	
140-208	34	20	1	.	.	2	2	3	7	5	.	14	1	1	4	5	3	
210-239	1	1	1	.	.	.	
250	1	1	1	.	.	
Rem.	
240-279	1	1	1	
280-289	
290-319	
340	
Rem.	
320-389	1	1	1	
390-392	
393-398	
402, 404	
401, 403, 405	
410	65	41	7	12	19	3	24	8	11	5	
411-414	27	15	1	4	5	4	1	12	1	6	3	2	
428	11	5	3	1	1	6	1	.	4	
Rem.	
415-429	5	2	1	.	1	.	3	3	
430-438	37	14	1	1	3	7	2	23	2	4	8	9	
440	1	1	
Rem.	
440-459	3	3	2	
480-486	30	8	1	5	2	22	1	10	11	
487	
490-493	1	1	1	
Rem.	
460-519	15	8	.	1	.	1	3	2	7	4	1	2	
531-533	2	2	
571	1	1	1	
Rem.	
520-579	6	4	1	1	.	1	1	2	1	1	
580-629	4	1	3	1	2	
630-676	
680-739	1	1	
741, 742-3	
745-747	
Rem.	
740-759	
760-779	2	1	.	1	.	1	1	1	.	.	.	1	
780-799	
800-999	10	4	1	1	.	.	.	1	1	.	6	2	1	.	1	1	1	.	
E810-E819	3	2	1	1	1	1	
E880-E888	3	1	1	.	2	1	1	.	
Rem.	
E800-E949	
E950-E959	4	1	1	.	.	3	2	.	.	1	.	.	.	
E960-E969	
E970-E999	

ABSTRACT 25. Craigavon: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		625	290	3	.	3	1	1	4	6	5	18	39	75	106	32	335	1	2	.	3	.	2	2	1	4	16	25	70	104	108
001-139	1	1	1
151	7	4	1	3	.	.	3	1	1	.	
153	15	6	1	3	2	.	9	2	1	2	3	1	
154	4	3	2	1	.	1	
157	4	1	1	1	.	3	
162	21	14	2	.	6	6	.	7	2	1	1	2	1	
174	13	13	1	2	5	1	4	
180	3	3	1	1	1	.	.	
183	3	3	1	1	1	.	.	
185	4	4	1	1	1	1	3	
204-208	3	2	1	.	.	1	1	
Rem.	50	26	3	3	4	5	8	3	24	1	1	4	4	9	5	
140-208	6	2	1	.	1	.	4	2	1	1	
210-239	1	1	
250	1	
Rem.	1	
240-279	1	1	
280-289	4	2	1	.	1	.	2	1	1	
290-319	1	1	1	
340	
Rem.	7	4	1	3	.	3	1	1	.	
320-389	
390-392	
393-398	
402, 404	3	1	2	
401, 403, 405	5	2	1	1	.	.	3	1	1	
410	131	68	3	15	25	21	4	63	3	4	21	19	
411-414	54	28	1	.	3	4	9	7	4	26	2	7	8	9	
428	23	9	2	4	3	14	1	2	6	5	
Rem.	10	3	1	.	2	.	7	1	3	3	
415-429	71	27	5	7	8	7	44	1	1	1	4	18	19	
430-438	3	3	3	
440	
Rem.	11	7	1	1	1	3	1	4	2	2	
440-459	72	24	1	.	16	7	48	1	4	12	
480-486	
487	
490-493	3	1	2	1	1	
Rem.	26	18	1	.	.	.	6	11	.	8	1	2	.	3	2	
460-519	5	3	1	2	.	2	1	1	
531-533	2	
571	
Rem.	10	5	1	1	1	2	.	5	5	.	
520-579	12	3	2	1	9	1	.	.	1	3	4	
580-629	
630-676	3	1	2	1	
680-739	
741, 742-3	
745-747	2	2	.	2	.	2	
Rem.	3	2	1	.	.	1	1	1	.	1	1	
740-759	3	2	2	.	.	2	1	.	1	
760-779	3	2	
780-799	2	1	
800-999	23	13	4	3	2	4	.	.	.	10	1	1	2	1	3	.
E810-E819	7	2	2	5	1	2	.	2	.
E880-E888	3	3	1	.	
Rem.	2	
E800-E949	2	2	1	.
E950-E959	5	5	2	1	.	2
E960-E969	5	5	2	2	1
E970-E999	1	1

ABSTRACT 25. Dungannon: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES																FEMALES													
		AGED																AGED													
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		469	262	4	1	5	2	2	15	6	8	14	32	73	77	28	207	4	.	.	4	1	1	2	1	2	13	16	39	79	49
001-139	1	1	1	1	.	2	1	1	.
151	8	6	1	2	1	1	.	2	1	1	.	.
153	18	9	1	2	1	2	2	1	9	1	1	3	3	1	.
154
157	3	1	1	.	2	1	.	1	.	.	.
162	22	19	2	2	8	6	1	3	2	1	.	.
174	10	10	1	3	.	2	2	2	.
180	2	2	1
183	1	1	1	.	1	.	.	.
185	5	5	1	1	3	.	1
204-208	1	1	1	.	.	.
Rem.
140-208	28	15	2	1	2	5	5	.	13	1	7	3	2	.
210-239	2	1	1	.	.	.	1	1	1	.	.
250	3	1	1	2	1	1	.	.	.
Rem.
240-279	1	1	1
280-289	1	1	1
290-319	1	1	1
340	1
Rem.
320-389	2	1	1	.	.	1	1
390-392
393-398
402, 404	2	2	1	.	.
401, 403, 405
410	95	58	10	27	18	3	37	1	.	3	8	5	13	7	.
411-414	31	20	2	1	4	10	3	11	1	1	5	5	.
428	21	4	1	.	2	1	17	1	5	11	.
Rem.
415-429	12	5	2	1	1	1	7	2	3	2	.
430-438	47	17	2	7	7	3	30	4	20	6	.
440	1	1
Rem.
440-459	6	6	3	2	1
480-486	35	15	3	7	5	20	3	11	6	.
487
490-493	4	2	2	.	2	1	.	1	.	.
Rem.
460-519	18	11	4	4	3	7	3	3	1	.
531-533	2	2	2
571	3	2	1	1	1	1
Rem.
520-579	8	4	3	1	.	4	3	1	.
580-629	6	2	1	.	1	.	4	1	3	.
630-676
680-739	1	1	1	.	.
741, 742.3	1	1	1	2	1	.	.	1	.	1
745-747	2
Rem.
740-759	3	1	1	.	.	1	2	1	.	.	1
760-779	5	3	3	.	.	3	2	2	.	.	2
780-799	2	2	.	1	.	1	1
800-999	55	46	2	2	14	6	4	4	5	2	5	2	9	1	1	.	.	2	2	2	1	.
E810-E819	18	14	1	.	5	1	2	.	1	1	2	1	4	2	1	1	.	.
E880-E888	3	2	1	.	.	1	1
Rem.
E800-E949	12	11	1	2	2	2	.	.	1	1	2	.	1	1
E950-E959	7	6	3	2	1	.	1	1
E960-E969	14	12	4	.	2	4	2	.	.	.	2	1
E970-E999	1	1	1

ABSTRACT 25. Newry & Mourne: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		727	382	4	2	1	7	1	1	5	4	8	24	58	89	122	63	345	.	1	.	1	1	2	2	4	9	11	31	65	122	97
001-139
151	16	5	2	1	1	1	11	3	2	5	1	
153	15	11	1	3	2	4	1	4	2	2	.	
154	7	3	1	1	.	1	4	2	.	.	
157	9	6	1	3	2	3	2	1	
162	25	17	2	2	9	3	1	8	2	4	2	1	
174	11	11	1	3	2	
180	2	2	1	1	.	
183	3	3	1	.	
185	12	12	1	1	9	1	1	1	1	.	
204-208	10	7	1	1	4	1	3	2	.	1	.	
Rem.																																
140-208	67	36	1	.	.	.	1	5	3	13	10	3	31	1	.	.	.	1	4	14	7	4	1	
210-239	5	3	2	1	.	
250	
Rem.																																
240-279	2	1	1	.	1	1	
280-289	2	1	1	.	.	.	1	
290-319	6	2	4	
340	3	1	1	.	.	.	2	
Rem.																																
320-389	7	4	1	2	1	.	.	3	1	.	.	.	1	.	.	.	1	.	
390-392	
393-398	
402, 404	1	1	
401, 403, 405	3	1	1	.	.	.	2	2	
410	140	78	10	14	16	31	7	62	1	5	11	33	12	.	
411-414	58	33	1	6	5	9	12	25	3	3	8	11	.	
428	34	17	3	6	5	3	17	1	.	1	6	8	8	.	
Rem.																																
415-429	13	9	1	1	4	3	4	2	.	1	1	
430-438	78	35	1	.	5	7	13	9	43	2	1	12	15	13	1	
440	1	1	
Rem.																																
440-459	13	7	1	4	1	1	6	1	1	.	2	2	2	
480-486	61	26	2	2	8	14	35	1	.	2	12	20	.	
487	
490-493	7	6	3	2	1	1	1	.	
Rem.																																
460-519	40	17	4	6	6	1	23	1	2	5	8	7	
531-533	6	3	3	1	2	.	
571	1	1	
Rem.																																
520-579	9	3	1	1	1	.	.	6	3	3	
580-629	9	4	2	.	2	5	1	2	2	
630-676	
680-739	1	1	1	
741, 742-3	
745-747	6	4	1	1	1	3	1	2	.	1	.	1	.	1	
Rem.																																
740-759	3	3	1	.	.	1	1	.	.	.	1
760-779	2	2	2	.	.	2	2	
780-799	5	3	2	.	.	.	1	.	2	1	.	1	
800-999	34	22	.	1	.	1	.	.	4	4	5	.	3	3	1	1	12	1	3	3	1	.	1	1	3	3
E810-E819	4	1	1	.	.	3	1	2	
E880-E888	7	3	1	.	.	.	1	1	4	1	.	
Rem.																																
E800-E949	13	11	.	1	.	1	.	.	2	3	2	.	1	2	.	.	2	1	1	
E950-E959	5	4	1	.	2	.	1	.	.	.	1	1	
E960-E969	3	2	1	1	1	1	
E970-E999	2	1	1	.	.	.	1	

ABSTRACT 25. Fermanagh: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages.	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4.	5-14.	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
551	302	.	1	.	1	.	1	8	7	7	16	34	69	106	53	249	1	.	1	2	.	2	.	1	2	9	21	45	84	83		
001-139	1	1	1
151	7	6	1	1	2	2	.	1	1	1	
153	4	2	1	1	.	2	1	1	
154	2	1	1	.	.	.	1	1	
157	5	1	1	.	.	.	4	1	.	1	2	.	
162	22	16	1	1	.	4	7	3	6	3	2	2	1	.	
174	15	15	1	.	.	3	2	5	2	.	
180	2	2	2	.	.	
183	
185	7	7	3	3	1	
204-208	6	4	2	1	1	.	2	1	
Rem.	
140-208	44	24	1	2	7	4	7	3	20	1	4	5	3	7	
210-239	3	2	1	1	.	1	1	.	
250	1	1	
Rem.	
240-279	1	1	1	
280-289	
290-319	6	3	2	.	.	.	1	3	2	1	
340	
Rem.	
320-389	6	3	1	1	1	3	1	1	.	.	1	
390-392	
393-398	2	1	1	.	.	1	1	.	.	
402, 404	
401, 403, 405	
410	118	63	4	13	21	22	3	55	4	14	21	16	
411-414	30	18	1	.	3	7	3	5	12	1	3	4	4	
428	15	7	1	3	3	8	2	3	3	
Rem.	
415-429	9	3	1	.	2	.	6	1	4	1	
430-438	55	28	2	1	1	8	9	7	27	3	.	9	15	
440	1	1	
Rem.	
440-459	13	9	1	.	2	4	2	4	1	3	.	
480-486	56	29	2	3	16	8	27	2	10	15	
487	
490-493	5	2	2	.	3	1	.	2	
Rem.	
460-519	43	29	2	2	3	13	9	14	2	3	7	2
531-533	4	1	1	.	3	1	1	1
571	
Rem.	
520-579	16	7	3	.	4	9	1	.	4	2	2
580-629	14	7	2	4	1	7	1	5	
630-676	
680-739	2	1	1	.	1	1	.	
741, 742, 3	
745-747	1	1	.	.	1	1	
Rem.	
740-759	1	1	.	1	.	1
760-779	1	1	1	.	.	1	
780-799	1	1	1	
800-999	31	24	6	6	2	2	2	2	2	2	7	2	.	.	.	1	2	.	1	1	
E810-E819	7	5	2	1	1	.	.	1	.	.	2	1	1	.	.	.	
E880-E888	6	3	1	.	2	.	3	1	.	.	1	1	
Rem.	
E800-E949	7	7	1	1	.	1	1	1	.	2	
E950-E959	9	8	3	4	1	1	1	.	.	
E960-E969	1	1	1	
E970-E999	1	1	1	

ABSTRACT 25. Limavady: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		213	116	1	1	1	3	.	1	3	.	2	6	12	29	41	19	97	1	.	.	1	.	.	1	2	1	5	10	21	28
001-139	.	2
151	2	2	1	1
153	9	4	1	1	1	1	.	5	1	1	2	1	.
154	2	1	1	.	1
157	1	1
162	8	6	1	1	4	.	2	1
174	6	6
180	1	1	1	1	2	1	.	.
183
185	4	4	1
204-208	2	2
Rem.	2
140-208	23	12	1	.	.	3	2	2	3	1	11	1	1	4	3	3
210-239	1	1
250
Rem.
240-279	1	1	1
280-289	1	1
290-319
340
Rem.
320-389	2	1	1	.	.	1
390-392
393-398	1	1
402, 404
401, 403, 405
410	38	26	1	1	11	11	2	12	1	.	.	2	2	4	3
411-414	14	6	2	1	2	1	8	1	2	2	2	3
428	7	5	1	2	2	2	2
Rem.
415-429	1	1	1
430-438	22	11	2	2	4	3	11	1	3	3	4
440	3	1	1	2	1
Rem.
440-459	5	2	3	2
480-486	21	9	1	3	2	3	12	1	2	5	4
487
490-493	3	2	1	1	1	1
Rem.
460-519	12	8	1	1	4	2	4	1	2	1	.	.
531-533
571
Rem.
520-579	8	4	1	1	2	4	1	.	1	.	.	2
580-629	1	1
630-676
680-739	1	1	1
741, 742-3
745-747
Rem.
740-759	2	1	.	.	1	1	1	1	.	.	1
760-779	2	2	1	1	.	2
780-799
800-999	9	6	2	.	2	1	.	1	.	.	3	1	.	.	1	.	.	1
E810-E819	2	1	1	1	1
E880-E888	3	2	1	.	.	1	1	1
Rem.
E800-E949	1	1
E950-E959	2	2	1	.	1
E960-E969
E970-E999	1	1	1

ABSTRACT 25. Derry: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		723	333	1	1	2	.	1	6	9	13	24	57	85	97	39	390	3	.	.	3	2	1	1	4	5	13	46	90	125	100
001-139	2	2	1	.	.	1	1
151	6	5	2	1	2	.	1	.	.	.	1	1	.	.	.
153	12	6	1	2	2	.	1	6	3	2	.	.	1
154	7	6	1	.	1	1	3	.	1	1	.	.	1
157	8	2	1	1	.	.	6	1	3	2	.	.
162	39	28	1	10	12	4	1	11	3	1	2	4	2	2
174	26	26	2	5	3	10	3
180	2	2
183	3	3	1	2	.	.
185	14	14	1	5	5	3
204-208	6	3	1	.	1	1	.	.	3	1	1	1	.	.
Rem.	64	35	2	6	7	14	3	3	29	2	6	14	3	4	.
140-208	4	1	3	1	.	.	1	.	.	2	1	.	.
210-239	4	1	3
250	4	1	1	3	2	1	.	.
Rem.	3	1	1	.	.	2	1	1	.	.	.
240-279	1	1
280-289	2	1	1	1	1	.	1	.	.
290-319	2	1	1
340	1	1	1
Rem.	6	4	2	.	2	.	2	2	.	.	.
320-389
390-392
393-398	2	2
402, 404	2	2
401, 403, 405	4	1	1	.	3	12	19	12	3	1	1	1	.	.
410	155	78	1	.	12	19	31	12	77	2	9	22	31	13	.
411-414	43	15	1	.	4	2	6	2	28	2	4	16	6	.
428	14	2	1	1	.	12	2	2	2	8	.
Rem.	15	9	1	.	2	1	2	2	1	6	2	3	1	.	.
415-429	89	29	1	2	7	11	8	60	2	9	19	30	.
430-438	2	2	1	.	.	1
440	19	9	1	1	4	3	.	10	1	.	.	1	2	3	3	.
440-459	49	17	1	3	.	7	6	32	1	.	4	8	19	.
480-486	1	1
487	13	4	1	.	3	.	.	9	1	3	5	.	.
490-493	26	12	1	.	2	7	2	14	1	2	3	7	1
Rem.	7	4	3	1	.	3	3	.
460-519	6	2	1	.	1	.	.	.	4	2	2	.	.	.
531-533	15	5	1	.	.	.	1	1	2	.	10	1	3	2	4
571	12	7	1	1	5	.	5	1	.	2	2	.
Rem.	2	2	1	.	1
520-579	1	1
580-629	3	1	1	.	.	1	2	2
630-676	1	1
680-739	1	1	.	1	.	1
741, 742-3
745-747	1
Rem.	1	1	1
740-759	3	1	1	.	.	1	2	2
760-779	1	1	1
780-799	33	26	1	4	8	4	4	3	1	1	.	7	1	1	2	.	3	.	.
800-999	4	3	1	.	1	1	1	1	1
E810-E819	6	2	1	1	4	2	.	.	2	.
E880-E888	9	8	2	1	1	2	2	.	.	.	1	1	.
Rem.	11	10	2	5	1	.	1	.	1	.	1	1
E800-E949	2	2
E950-E959	2	2
E960-E969	1	1
E970-E999	1	1

ABSTRACT 25. Omagh: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES																	
		AGED														AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
		396	228	1	.	.	1	1	1	2	2	3	11	36	70	76	25	168	.	2	.	2	.	2	1	3	7	14	34
001-139	2	2	1	1	
151	8	6	4	1	1	2	1	1		
153	11	8	1	5	2	3	3	2	1	.	.		
154	6	5	2	2	1	1	1	.	.		
157	2	2	1	1		
162	18	10	1	.	1	5	3	.	8	2	2	3	1		
174	6	6	2	1	2	.	1		
180		
183		
185	10	10	3	6	1		
204-208	7	5	1	.	.	2	2	.	2	1	1		
Rem.		
140-208	30	17	1	.	.	1	5	5	3	2	13	1	1	6	4	1	
210-239	1	1		
250	2	2	1	.	.	.	1		
Rem.		
240-279		
280-289	3	2	1	1	1	1		
290-319		
340		
Rem.		
320-389	8	5	1	1	3	.	3	1	2	.	.	
390-392		
393-398		
402, 404		
401, 403, 405	2	2	1		
410	101	57	4	11	20	20	2	44	1	2	14	18	9		
411-414	14	8	1	1	2	3	1	6	1	4	1	.		
428	15	7	3	2	2	8	2	2	6		
Rem.		
415-429	4	3	1	2	.	1	1	.		
430-438	47	22	5	3	8	6	25	2	2	8	13		
440	1	1	1		
Rem.		
440-459	9	8	2	3	2	1	1	1	.		
480-486	35	16	2	2	6	6	19	2	9	8		
487		
490-493	5	3	2	1	.	2	1	1	.		
Rem.		
460-519	18	14	1	1	2	3	6	1	4	1	.	3	.		
531-533	6	5	2	3	.	1	1		
571	1	1	1		
Rem.		
520-579	3	3	1	.	1	1		
580-629	7	2	1	.	1	5	1	1	3		
630-676		
680-739	3	2	1	.	1	.	1	1	.		
741, 742-3		
745-747	1	1	.	1	.	1		
Rem.		
740-759	1	1		
760-779	2	1	1	.	.	1	1	.	1	.	1	1	.	.	.		
780-799		
800-999	7	7	1	1	1	.	2	2		
E810-E819	2	2	1	.	.	1	
E880-E888	
Rem.	
E800-E949	1	1	1	
E950-E959	3	3	1	.	.	.	1	1	
E960-E969	1	1	1	
E970-E999	

ABSTRACT 25. Strabane: Causes of death at different age-periods, by sex, 1994.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		306	158	1	1	1	3	1	6	2	3	10	25	41	51	16	148	1	1	1	1	1	1	1	2	10	16	23	55	39	
001-139
151	3	2	1	1	.	.	1	1	1	1	.
153	7	1	1	.	.	6	2	1	1	1	.
154	4	1	3	2	1	.
157	2	2	1	1
162	20	16	1	4	4	5	2	4	1	.	1	1	.
174	2	2	2
180	1	1	1
183	3	3	2	1	.
185	1	1	1
204-208	1	1	1
Rem.
140-208	28	9	1	.	1	2	4	1	.	19	7	4	5	3	.
210-239	1	1	1
250
Rem.
240-279
280-289
290-319	4	3	1	.	.	1	1	.	.	1	1
340	1	1	1
Rem.
320-389	1	1	1
390-392
393-398
402, 404	1	1
401, 403, 405	1	1	1
410	75	44	2	8	12	18	4	31	1	.	7	14	9
411-414	23	16	1	6	5	4	7	2	3	2
428	6	2	1	1	.	.	4	1	1	3
Rem.
415-429	5	3	1	.	.	1	1	2	1	.	1	.
430-438	27	11	1	1	.	3	5	1	16	2	1	1	8	4	.
440	1	1	1	.	.
Rem.
440-459	9	5	2	3	.	4	1	1	1	1
480-486	23	5	2	1	2	18	1	1	1	8	7	.
487	1	1
490-493	6	5	2	1	2	.	1	1	1	.	.
Rem.
460-519	17	11	1	.	2	.	6	2	6	1	1	2	2
531-533	2	2	1	.	1	.	.
571
Rem.
520-579	6	1	1	.	5	1	.	3	1	.
580-629	4	1	1	.	3	2	1	.
630-676
680-739
741, 742-3
745-747	1	1	1
Rem.
740-759	2	1	1	.	.	1	1	1
760-779	1	1	.	.	1	1
780-799	2	1	.	1	.	1	1	.	1
800-999	14	12	6	.	1	2	2	1	.	.	2	1	1	.	.	.
E810-E819	3	3	2	.	.	.	1
E880-E888	2	1	1	1	1
Rem.
E800-E949	4	4	1	.	1	.	1	1
E950-E959	2	1	1	1	1
E960-E969	2	2	1	.	.	1
E970-E999	1	1	1

ABSTRACT 26. Northern Ireland: Deaths at different age-periods, by District Council Area, 1994.

AREA		TOTAL DEATHS	AGES AT DEATH																								
			Under 1 year	1	2	3	4	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over
Northern Ireland . .	Persons	15,114	147	12	11	5	12	187	21	30	81	84	87	104	125	173	276	391	630	1,044	1,485	2,097	2,299	2,618	1,977	1,050	355
	Males	7,362	81	10	6	1	6	104	14	21	65	67	65	73	76	101	159	217	406	629	889	1,162	1,180	1,126	657	273	78
	Females	7,752	66	2	5	4	6	83	7	9	16	17	22	31	49	72	117	174	224	415	596	935	1,119	1,492	1,320	777	277
Ards	Persons	593	9	9	.	.	3	2	5	4	3	6	12	25	18	50	48	80	82	101	90	34	21
	Males	259	6	6	.	.	3	2	4	2	2	3	7	15	11	32	24	44	32	40	23	7	2
	Females	334	3	3	1	2	1	3	5	10	7	18	24	36	50	61	67	27	19
Belfast	Persons	3,354	22	3	2	.	2	29	6	2	12	14	13	18	27	32	64	87	141	239	350	489	492	577	442	238	82
	Males	1,550	14	2	1	.	1	18	4	2	11	11	10	16	19	16	35	47	95	148	196	259	235	215	137	59	17
	Females	1,804	8	1	1	.	1	11	2	.	1	3	3	2	8	16	29	40	46	91	154	230	257	362	305	179	65
Castlereagh. . . .	Persons	641	4	4	1	1	2	1	4	2	2	11	9	20	29	47	70	98	97	91	82	47	23
	Males	303	2	2	1	1	1	1	3	2	1	8	3	9	11	34	45	57	48	35	22	15	4
	Females	338	2	2	.	.	1	.	1	.	1	3	6	11	18	13	25	41	49	56	60	32	19
Down	Persons	601	4	2	.	.	.	6	1	2	2	3	8	1	4	9	7	8	26	35	58	74	92	117	91	48	9
	Males	287	.	2	.	.	.	2	1	1	1	3	6	1	2	7	5	6	22	31	38	43	47	38	10	1	1
	Females	314	4	4	.	1	1	.	2	.	2	2	2	2	4	13	27	36	49	70	53	38	8
Lisburn	Persons	797	12	1	.	.	1	14	2	3	5	4	2	9	6	8	19	22	31	53	74	114	106	142	107	59	17
	Males	363	5	1	.	.	1	7	1	2	3	3	2	8	2	3	7	15	16	31	47	60	53	50	28	22	3
	Females	434	7	7	1	1	2	1	.	1	4	5	12	7	15	22	27	54	53	92	79	37	14
North Down	Persons	734	9	.	.	2	1	12	.	1	.	2	2	2	.	4	10	14	19	50	58	102	114	142	108	65	29
	Males	315	4	4	.	1	.	1	.	2	.	2	4	10	9	27	30	52	52	63	38	15	5
	Females	419	5	.	.	2	1	8	.	.	.	1	2	.	.	2	6	4	10	23	28	50	62	79	70	50	24
Antrim	Persons	356	7	2	.	1	1	11	1	.	5	2	1	4	11	8	14	6	19	23	35	52	46	45	42	26	5
	Males	182	5	1	.	1	.	7	1	.	4	2	1	1	8	4	8	3	11	15	23	31	23	21	12	5	2
	Females	174	2	1	.	.	1	4	.	.	1	.	.	3	3	4	6	3	8	8	12	21	23	24	30	21	3
Ballymena	Persons	553	3	3	.	.	2	3	1	7	7	10	8	14	25	33	46	73	89	103	73	37	19
	Males	266	2	2	.	.	2	2	1	3	6	6	7	8	15	18	24	42	48	46	24	8	4
	Females	287	1	1	.	.	.	1	.	4	1	4	1	6	10	15	22	31	41	57	49	29	15
Ballymoney	Persons	245	2	2	.	1	1	2	2	1	1	3	4	5	11	21	32	29	35	37	37	16	5
	Males	130	2	2	.	.	1	1	2	.	1	2	3	1	10	11	15	16	20	22	16	7	.
	Females	115	1	.	1	.	1	.	1	1	4	1	10	17	13	15	15	21	9	5
Carrickfergus . . .	Persons	307	3	3	4	3	1	2	3	9	10	23	42	39	51	54	35	24	4
	Males	157	1	1	2	2	.	1	1	5	6	17	30	28	27	19	12	5	1
	Females	150	2	2	2	1	1	1	2	4	4	6	12	11	24	35	23	19	3
Coleraine	Persons	500	6	.	1	.	1	8	1	2	3	6	6	3	7	8	4	13	17	28	61	56	83	83	62	32	17
	Males	246	3	3	1	2	2	3	4	3	4	6	2	5	12	15	39	31	39	40	23	7	5
	Females	254	3	.	1	.	1	5	.	.	1	3	2	.	3	2	2	8	5	13	22	25	44	43	39	25	12
Cookstown	Persons	278	2	2	.	1	5	2	5	4	3	5	4	6	12	11	17	39	42	51	39	27	3
	Males	138	1	1	.	1	5	2	4	4	2	2	4	5	7	5	9	23	22	21	12	8	1
	Females	140	1	1	1	.	1	3	.	1	5	6	8	16	20	30	27	19	2

ABSTRACT 26 (continued). Northern Ireland: Deaths at different age-periods, by District Council Area, 1994.

AREA		TOTAL DEATHS	AGES AT DEATH																								
			Under 1 year	1	2	3	4	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over
Larne	Persons	279	1	.	.	.	1	2	2	1	2	.	.	4	1	2	2	6	9	27	28	39	42	43	39	26	4
	Males	157	1	.	.	.	1	2	1	1	.	.	.	3	1	1	2	6	7	13	21	23	25	24	19	8	.
	Females	122	1	.	2	.	.	1	.	1	.	.	2	14	7	16	17	19	20	18	4
Magherafelt	Persons	270	8	2	1	.	.	11	.	3	2	5	3	1	2	8	2	5	8	20	21	39	43	46	25	19	7
	Males	168	5	2	1	.	.	8	.	3	1	4	2	.	1	6	2	3	5	13	16	24	38	21	13	7	1
	Females	102	3	3	.	.	1	1	1	1	1	2	.	2	3	7	5	15	5	25	12	12	6
Moyle	Persons	162	1	.	.	.	2	3	.	.	1	1	2	1	1	3	3	1	9	6	16	23	29	37	14	12	.
	Males	95	2	2	.	.	1	1	2	1	.	1	3	.	8	4	10	18	16	23	3	2	.
	Females	67	1	1	1	2	.	1	1	2	6	5	13	14	11	10	.
Newtownabbey	Persons	660	6	1	.	1	.	8	.	1	1	5	1	7	10	5	9	17	27	44	81	88	96	112	91	42	15
	Males	306	2	1	.	.	.	3	.	1	1	3	1	4	4	3	3	6	18	23	51	55	46	46	27	10	1
	Females	354	4	.	.	1	.	5	.	.	.	2	.	3	6	2	6	11	9	21	30	33	50	66	64	32	14
Armagh	Persons	474	3	.	1	.	.	4	.	.	5	3	1	7	3	4	4	13	25	24	49	66	69	93	63	28	13
	Males	221	1	.	1	.	.	2	.	.	3	3	1	4	1	1	1	5	15	15	33	32	36	40	20	7	2
	Females	253	2	2	.	.	2	.	.	3	2	3	3	8	10	9	16	34	33	53	43	21	11
Banbridge	Persons	300	3	3	.	1	1	1	3	1	2	2	7	4	12	20	26	52	53	51	39	18	4
	Males	148	2	2	.	1	1	1	1	.	.	2	4	3	8	13	16	27	31	23	11	3	1
	Females	152	1	1	2	1	2	.	3	1	4	7	10	25	22	28	28	15	3
Craigavon	Persons	625	6	.	1	.	.	7	.	3	2	4	6	1	3	6	15	19	24	40	53	92	101	109	85	42	13
	Males	290	3	.	1	.	.	4	.	1	1	3	5	1	2	3	10	8	17	22	31	44	58	48	25	6	1
	Females	335	3	3	.	2	1	1	1	.	1	3	5	11	7	18	22	48	43	61	60	36	12
Dungannon	Persons	469	9	.	2	.	1	12	1	2	8	9	3	4	5	5	11	16	19	29	48	64	77	79	40	28	9
	Males	262	5	.	1	.	1	7	1	1	6	9	3	3	3	5	6	8	15	17	35	38	35	42	15	9	4
	Females	207	4	.	1	.	.	5	.	1	2	.	.	1	2	.	5	8	4	12	13	26	42	37	25	19	5
Newry & Mourne	Persons	727	8	.	1	1	.	10	3	.	2	5	4	4	8	9	18	17	34	55	53	101	115	129	93	47	20
	Males	382	7	.	1	.	.	8	1	.	2	3	3	1	6	2	13	11	23	35	32	57	68	54	39	15	9
	Females	345	1	.	.	1	.	2	2	.	.	2	1	3	2	7	5	6	11	20	21	44	47	75	54	32	11
Fermanagh	Persons	551	3	3	1	2	4	4	5	3	2	7	11	14	20	35	49	65	92	98	87	38	11
	Males	302	1	1	1	.	4	4	5	2	1	6	8	8	12	22	31	38	54	52	34	16	3
	Females	249	2	2	.	2	.	.	.	1	1	1	3	6	8	13	18	27	38	46	53	22	8
Limavady	Persons	213	4	4	.	1	2	2	1	1	1	2	7	4	10	12	20	30	19	50	27	15	5
	Males	116	3	3	.	1	2	1	.	.	1	1	3	3	5	7	12	17	11	30	9	5	5
	Females	97	1	1	.	.	.	1	1	1	.	1	4	1	5	5	8	13	8	20	18	10	.
Derry	Persons	723	5	.	1	.	1	7	.	2	7	.	4	9	10	8	15	22	42	61	88	87	117	105	90	41	8
	Males	333	2	2	.	1	6	.	2	7	7	6	10	14	24	33	45	40	52	45	28	8	3
	Females	390	3	.	1	.	1	5	.	1	1	.	2	2	3	2	5	8	18	28	43	47	65	60	62	33	5
Omagh	Persons	396	3	1	1	.	.	5	.	1	2	.	.	2	2	4	9	9	21	29	38	66	64	70	46	23	5
	Males	228	1	1	.	.	.	2	.	1	2	.	.	2	1	2	5	6	18	18	29	41	35	41	19	5	1
	Females	168	2	.	1	.	.	3	1	2	4	3	3	11	9	25	29	29	27	18	4
Strabane	Persons	306	4	.	.	.	1	5	2	.	2	4	1	1	3	2	5	15	12	29	24	40	53	53	30	18	7
	Males	158	3	3	1	.	2	4	1	1	1	2	3	7	6	19	14	27	33	18	10	4	2
	Females	148	1	.	.	.	1	2	1	2	.	2	8	6	10	10	13	20	35	20	14	5

ABSTRACT 27. Northern Ireland: Deaths from violent causes, by nature of injury, external cause and sex, 1994.

Detailed List No.	NATURE OF INJURY	TOTAL	EXTERNAL CAUSE OF INJURY												
			E810-E825, Motor vehicle accidents	E800-E807, E826-E848, Other transport accidents	E850-E869, Accidental poisoning	E880-E888, Accidental falls	E890-E899, Accidents caused by fire and flames	E910, Accidental drowning and submersion	E922, Accidents caused by firearm missiles	E916-E921, E923-E928, Accidents, including those of industrial type	Rem. E870-E949, All other accidents	E950-E959, Suicide and self-inflicted injury	E960-E978, Homicide and Injury purposely inflicted by other persons; legal intervention	E980-E989, Injury undetermined whether accidentally or purposely inflicted	E990-E999, Injury resulting from operations of war
800-804	Fracture of skull. M	69	30	2	.	18	.	.	.	4	.	5	10	.	.
	F	14	10	.	.	3	1	.	.
805-809	Fracture of spine and trunk M	15	5	.	.	8	.	.	.	1	1
	F	14	6	.	.	8
810-829	Fracture of limbs M	16	.	.	.	16
	F	41	1	.	.	40
830-839	Dislocation without fracture M	1	1
	F	1	1
840-848	Sprains and strains of joints and adjacent muscles . M
	F
850-854	Intracranial injury, excluding those with skull fracture M	42	14	1	.	15	.	.	1	3	.	2	6	.	.
	F	23	9	1	.	12	.	.	.	1
860-869	Internal injury of chest, abdomen and pelvis . . . M	90	59	6	.	1	.	.	1	1	1	5	16	.	.
	F	30	23	1	.	4	1	1	.	.	.
870-897	Open wounds M	73	1	1	11	58	2	.
	F	8	1	2	5	.	.
910-929	Superficial injury, contusion with intact skin surface, crushing injury M	1	1
	F	1	.	.	.	1
930-939	Effects of foreign body entering through orifice . . M	10	1	9
	F	5	1	4
940-949	Burns M	4	.	1	.	.	2	1	.	.
	F	3	3
960-979	Poisoning by drugs, medicaments and biological substances M	19	.	.	4	11	.	4	.
	F	16	.	.	3	1	10	.	2	.
900-909	All other and unspecified injury and effects of external cause. M	148	5	2	15	1	8	20	.	1	13	73	6	4	.
950-959	F	44	3	.	7	4	2	1	.	.	7	18	1	1	.
980-999															
TOTAL M		488	117	12	19	59	10	20	2	10	25	107	97	10	.
F		200	55	2	10	72	5	1	.	1	13	31	7	3	.

**ABSTRACT 28. Northern Ireland: Deaths from non-transport accidents (E850-E928)
by age and sex, (a) by place of occurrence, (b) while working, 1994.**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E850-E866: Accidental poisoning by drugs, medicaments, biologicals and other solid and liquid substances														
All ages	10	6	6	5	2	1	2	.	.	.
0—	1	.	1
5—
15—	8	3	4	2	2	1	2	.	.	.
45—	1	2	1	2
65—	1	.	1
75 and over
E867-E869: Accidental poisoning by gases and vapours														
All ages	9	4	8	4	.	.	1	1	.
0—
5—
15—	4	.	3	.	.	.	1	1	.
45—	2	1	2	1
65—	2	.	2
75 and over . .	1	3	1	3
E880-E888: Accidental falls														
All ages	59	72	30	23	1	.	4	.	8	11	16	38	3	.
0—
5—	1	1
15—	9	1	5	1	.	.	2	.	1	.	1	.	2	.
45—	19	13	11	10	1	.	1	.	4	1	2	2	1	.
65—	8	14	8	5	3	.	6	.	.
75 and over . .	22	44	6	7	3	7	13	30	.	.
E890-E899: Accidents caused by fire and flames														
All ages	10	5	9	5	1
0—
5—
15—	3	.	3
45—	1	2	1	2
65—	3	1	2	1	1
75 and over . .	3	2	3	2
E910: Accidental drowning														
All ages	20	1	1	1	.	.	1	.	18
0—	1	1
5—
15—	14	1	.	13
45—	5	1	1	1	4
65—
75 and over
E911-E912: Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation														
All ages	9	4	4	2	4	1	1	1	.	.
0—	2	1	.	1	1	.	1	.	.	.
5—
15—	1	.	1
45—	3	1	1	1	2
65—	3	.	2	1
75 and over . .	.	2	1	.	1	.	.

**ABSTRACT 28 (continued). Northern Ireland: Deaths from non-transport accidents (E850-E928)
by age and sex, (a) by place of occurrence, (b) while working, 1994.**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E913: Accidental mechanical suffocation														
All ages	4	.	2	.	1	.	.	.	1
0—
5—	2	.	1	1
15—	2	.	1	.	1
45—
65—
75 and over
E916: Struck accidentally by falling object														
All ages	2	.	2
0—	1	.	1
5—
15—
45—	1	.	1
65—
75 and over
E922: Accidents caused by firearm missiles														
All ages	2	2
0—
5—
15—	2	2
45—
65—
75 and over
E919–E921, E923–E925: Accidents caused by machinery, cutting or piercing instruments or objects, explosion of pressure vessel, caustic or corrosive material and steam, or electric current														
All ages	4	2	.	2	.	.	.	1	.
0—
5—	1	1
15—	2	1	.	1	.	.	.	1	.
45—	1	1
65—
75 and over
Remainder E850–E928: All other and unspecified accidents, excluding late effects. (E929)														
All ages	15	8	5	4	1	.	1	.	5	4	3	.	2	.
0—	1	1	.	1	1
5—
15—	5	1	2	.	.	.	1	.	2	1	.	.	2	.
45—	4	4	1	1	1	.	.	.	1	3	1	.	.	.
65—	3	1	.	1	1	.	2	.	.	.
75 and over	2	1	2	1
E850–E928: Total non-transport accidents														
All ages	144	100	67	44	3	.	9	.	43	17	22	39	7	.
0—	6	2	2	2	3	.	1	.	.	.
5—	4	.	1	.	.	.	1	.	2
15—	50	5	19	3	1	.	6	.	21	2	3	.	6	.
45—	37	24	19	18	2	.	2	.	11	4	3	2	1	.
65—	19	17	14	8	3	3	2	6	.	.
75 and over	28	52	12	13	3	8	13	31	.	.

ABSTRACT 29. Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1994.

Detailed List No.	SITES	Ards		Belfast		Castlereagh		Down		Lisburn		North Down		Antrim		Ballymena		Ballymoney		Carrick-fergus		Coleraine		Cookstown		Larne		Magherafelt	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
140	Lip, oral cavity and pharynx																												
141	Lip	2			2				1					1			1		1		1								
142	Tongue			1	1																								
143	Salivary glands																												
144	Gum																												
145	Floor of mouth			1												1													
146	Other and unspecified parts of mouth			1	1	1							1							1									
147	Oropharynx	1						1																					
148	Nasopharynx				1																								
149	Hypopharynx					1																							
	Other and ill-defined sites within the lip, oral cavity and pharynx			1	1	1															1					1	1		
150	Digestive organs and peritoneum																												
151	Oesophagus	1	1	19	15	3	4	1	2	9		3	5	4	2	3	2	3		2	1	3			3		3		
152	Stomach	6	1	28	20	8	3	4	2	2	4	4	5	3	2	5	1	3		4	1	2	3	2	4	3		2	
153	Small intestine, including duodenum	1														1	1												
154	Colon	2	8	29	31	10	6	6	2	8	10	9	17	4	3	7	9	4	6	6	3	4	6	2	1	3	2	4	
155	Rectum, rectosigmoid junction and anus	2	3	14	11	1	4	1	1	1	2	4	4	1	2	1	3	1		2		1	1	3	1			2	2
156	Liver and intrahepatic bile ducts	1	2	15	7		2		4	1	2	3	2		1		2		3		2				1			1	
157	Gallbladder and extrahepatic bile ducts		1	2	4					1										1	1	1	1						1
158	Pancreas	5	3	14	22	5	2		4	6	6	2	2	2	3	1	1	2		4	2	7	4	1	3				
159	Retroperitoneum and peritoneum			1												1			1			1			1				
	Other and ill-defined sites within the digestive organs and peritoneum			5	6			2	1		1	3	2	3	2	2	2		3	1	3	1	1	1		1	1		
160	Respiratory and intrathoracic organs																												
161	Nasal cavities, middle ear and accessory sinuses			1	1																								
162	Larynx	1		1	2	1		1		1	1				1	1	1			1								1	
163	Trachea, bronchus and lung	13	11	137	88	26	19	25	13	23	13	22	15	13	4	17	5	5	2	14	2	15	9	10	2	9	3	10	4
164	Pleura	1		8		3				3		2		1								1	1						
165	Thymus, heart and mediastinum																												
	Other and ill-defined sites within the respiratory system and intrathoracic organs																												
170	Bone, connective tissue, skin and breast																												
171	Bone and articular cartilage			2																						1			
172	Connective and other soft tissue			1	2		1				1	2			1		1							1	1				
173	Melanoma of skin	1		1	1		2		4	2	1	1	1	1	1	1								1		2			
174	Skin (other than melanoma)									1		1										1							
175	Female breast		19		64		17		15		23		18		7		13		6		6		10		6		3		2
	Male breast																												
179	Genitourinary organs																												
180	Uterus, part unspecified		1		7			2		1		1		1				1											
181	Cervix uteri		3		8		2		1		3		2				1		1				2						
182	Placenta																												
183	Body of uterus				4		2		1		2		1																
184	Ovary and other uterine adnexa		4		20		10		4		8		5		2		3		1		3		7		2		4		
185	Other and unspecified female genital organs				3				1								10												
186	Prostate	4		40		10		9		8		10		5		10		1		7		8		5		5		4	
187	Testis			2											1														
188	Penis and other male genital organs			3																									
189	Bladder	4		5	7	2	1	2		4	2	3	3	2	1	2	1		2	1	2		1		1		2		
	Kidney and other and unspecified urinary organs		3	7	5		1			3	2	1	2	1		3										1		1	
190	Other and unspecified sites																												
191	Eye																												
192	Brain	2	2	11	8	2	2	2	1	2	1	2	1	1	1	3		2		1	1	3	2		1	1			1
193	Other and unspecified parts of nervous system																												
194	Thyroid gland			3	1				1						1	1	1		1				1						
195	Other endocrine glands and related structures				1		1													1									
196	Other and ill-defined sites		1	6	7						1	2	1		1						1		1						
197	Lymph nodes (secondary and unspecified)																												
198	Respiratory and digestive systems (secondary)				1																								
199	Other specified sites (secondary)																												
	Unspecified sites	3	4	27	28	4	4	4	4	6	4	3	12	1	4	6	7	1	1	3	2	1	6	4	1	2	4	7	1
200	Lymphatic and haematopoietic tissue																												
201	Lymphosarcoma and reticulosarcoma							1							2		1												
202	Hodgkins Disease										2						1												
203	Lymphoid and histiocytic tissue	2	3	13	7	1	2	6		4	3	1	1				3	2		2	3	3	1			1	1		
204	Multiple myeloma and immunoproliferative	3	3	5	7	2		1		3	3	1	2	1		2	1						1	1		4	2		
205	Lymphoid leukaemia			1	3	1				1	2	1		1	1								2				1	1	2
206	Myeloid leukaemia	1		6	4			1		1		1	1			1	1	1			1	1	2						1
207	Monocytic leukaemia																												
208	Other specified leukaemia																												
	Leukaemia of unspecified cell type			1																1									
	TOTAL	56	73	414	401	83	84	66	65	91	98	80	106	49	41	72	61	29	23	56	35	60	62	31	25	33	26	40	19

*Including Hodgkins Disease and Leukaemia (201, 204-208).

ABSTRACT 29 (continued). Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1994.

Detailed List No.	SITES	Moyle		Newtown-abbey		Armagh		Banbridge		Craigavon		Dungannon		Newry and Mourne		Fermanagh		Limavady		Derry		Omagh		Strabane		Northern Ireland	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
140	<i>Lip, oral cavity and pharynx</i>																										
141	Lip																1										1
142	Tongue				1	2		1										1		3		1				11	7
143	Salivary glands				1														1							2	2
144	Gum																										
145	Floor of mouth																	1								3	
146	Other and unspecified parts of mouth																	1								3	3
147	Oropharynx								1					1												3	1
148	Nasopharynx					1																				1	1
149	Hypopharynx		1																							1	1
149	Other and ill-defined sites within the lip, oral cavity and pharynx				1	1								2						1						8	3
150	<i>Digestive organs and peritoneum</i>																										
151	Oesophagus			2	2	3	3	3	1	2	4	2	1	4	4	4	1	3	2	5	1		3	2	2	87	56
152	Stomach	3	1	8		5	2	2	1	4	3	6	2	5	11	6	1	2		5	1	6	2	2	1	130	71
153	Small intestine, including duodenum													1												5	3
154	Colon	1		7	6	3	5	5	4	6	9	9	9	11	4	2	2	4	5	6	6	8	3	1	6	156	168
155	Rectum, rectosigmoid junction and anus			4	2	1	3	1	3	3	1			3	4	1	1	1	1	6	1	5	1	1	3	60	54
156	Liver and intrahepatic bile ducts				1	1	1				2	2		2	1	2	3	2	1		2	4	1	2		3	38
157	Gallbladder and extrahepatic bile ducts				1		2		1		1				2			2							2	4	19
158	Pancreas	1		4	4	1	3		1	1	3	1	2	6	3	1	4		1	2	6	2		2		70	79
159	Retroperitoneum and peritoneum						1	1									1									6	2
159	Other and ill-defined sites within the digestive organs and peritoneum	1	2	1	1	1	3	1	1	1		1		6	6	1			1	2	5	1				35	41
160	<i>Respiratory and intrathoracic organs</i>																										
161	Nasal cavities, middle ear and accessory sinuses														1					1						2	2
162	Larynx			2	1									3	1					3				1	1	18	8
163	Trachea, bronchus and lung	5		26	12	7	4	8	2	14	7	19	3	17	8	16	6	6	2	28	11	10	8	16	4	511	257
164	Pleura			4										1						1						24	
165	Thymus, heart and mediastinum																									1	1
165	Other and ill-defined sites within the respiratory system and intrathoracic organs																										
170	<i>Bone, connective tissue, skin and breast</i>																										
171	Bone and articular cartilage				2	1		1	1																	4	4
172	Connective and other soft tissue				1			1	1								1		2	1		1				6	12
173	Melanoma of skin	1	1	1	2		1	1		2	1	1		2							1				1	14	22
174	Skin (other than melanoma)					1								1		1									1	9	2
175	Female breast		2		18		13		7		13		10		11		15		6		26		6		2		338
175	Male breast																										
179	<i>Genitourinary organs</i>																										
180	Uterus, part unspecified		1		1		1		1				1		1												20
181	Cervix uteri						1		1		3		2		2		2		1		2			1			38
182	Placenta																										
183	Body of uterus				1		2		2		2																17
184	Ovary and other uterine adnexa		2		1		1				3		1		3						3				3		90
185	Other and unspecified female genital organs		1								3		1							1							11
186	Prostate	6		9		8		3				5		12		7		4		14		10		1		209	
187	Testis									1										1						5	
188	Penis and other male genital organs																										
189	Bladder			2	3	1	2	2	1	1	3	1	1	1	3	2	1	2		4	1	4	1			51	32
189	Kidney and other and unspecified urinary organs		1	2	1	3		2		2	1	1		1	1	1	2		1	4	1	1		1		36	21
190	<i>Other and unspecified sites</i>																										
191	Eye																										
192	Brain				5	2		1			1			2	1	1		1			2		2	2	1	41	33
193	Other and unspecified parts of nervous system																1									2	
194	Thyroid gland					1									1	1										6	7
195	Other endocrine glands and related structures			1	1																					3	3
196	Other and ill-defined sites				2						1							1	1	1						9	18
197	Lymph nodes (secondary and unspecified)																										
198	Respiratory and digestive systems (secondary)																					1					4
199	Other specified sites (secondary)																									1	
199	Unspecified sites			4	6	1	5	4	2	5	1	5	6	6	4	6	6		2	2	6	5	2	3	3	113	125
200	<i>Lymphatic and haematopoietic tissue</i>																										
201	Lymphosarcoma and reticulosarcoma				1			1				2	1				1									6	3
202	Hodgkins Disease			1						1											1					7	5
203	Lymphoid and histiocytic tissue	3	1	2		2	3	2	1	6	2	2		5	1	1	1	2		3	3		1	4	63	41	
204	Multiple myeloma and immunoproliferative			2	2		2		1	3	2			1		1	1		1	1	2	1	1		1	31	34
205	Lymphoid leukaemia		1	2	1	1						1	1	1	1	2		1		1	1	3				20	15
206	Myeloid leukaemia			2	2		1			2				6	2	1	2	1		2	2	2	2	1		30	21
207	Monocytic leukaemia																										1
208	Other specified leukaemia																										
208	Leukaemia of unspecified cell type					1											1									6	1
TOTAL		22	15	86	82	48	60	39	33	60	67	55	43	97	80	61	53	31	27	99	88	63	35	33	39	1,854	1,741

*See page 180.

**ABSTRACT 30. Northern Ireland: Deaths of all children under one year
in each District Council Area, 1994.**

AREA	Total	Under 1 day	1-6 days	1-3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland . . M	81	25	17	11	8	6	3	4	2	3	2
F	66	26	14	8	9	.	1	4	.	.	2	.	.	2	.
Ards M	6	3	.	1	1	1
F	3	2	1
Belfast . . . M	14	2	5	4	1	.	1	1
F	8	4	1	2	1
Castlereagh. . M	2	1	.	.	1
F	2	1	.	.	1
Down. . . . M
F	4	2	.	.	1	1
Lisburn . . . M	5	2	1	1	.	1
F	7	2	3	2
North Down . . M	4	3	.	1
F	5	1	1	2	.	.	1
Antrim . . . M	5	4	1
F	2	1	.	1
Ballymena . . M	2	.	.	1	.	.	1
F	1	1
Ballymoney. . M	2	.	1	.	.	1
F
Carrickfergus . M	1	1
F	2	1	1
Coleraine . . . M	3	.	.	.	1	2
F	3	1	1	1
Cookstown. . . M	1	.	.	1
F	1	1
Larne. . . . M	1	.	1
F
Magherafelt. . M	5	2	1	1	.	.	1
F	3	.	1	1	1	.
Moyle M
F	1	1
Newtownabbey . M	2	1	.	.	.	1
F	4	2	1	.	1
Armagh M	1	.	.	1
F	2	.	.	.	2
Banbridge . . . M	2	.	.	.	2
F	1	1
Craigavon . . . M	3	2	1
F	3	.	1	.	1	.	.	1
Dungannon. . . M	5	2	2	.	.	1
F	4	4
Newry and Mourne . M	7	2	2	2	.	1
F	1	.	.	.	1
Fermanagh . . . M	1	.	.	.	1
F	2	1	1	.
Limavady . . . M	3	.	.	1	.	.	.	1	.	1
F	1	.	1
Derry. . . . M	2	.	1	.	1
F	3	.	2	1
Omagh M	1	1
F	2	.	.	.	1	.	.	1
Strabane . . . M	3	.	1	1	.	1
F	1	.	.	.	1

**ABSTRACT 31. Northern Ireland: Deaths of illegitimate children under one year
in each District Council Area, 1994.**

AREA		Total	Under 1 day	1-6 days	1-3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland	M	8	3	1	1	.	.	.	2	1
	F	9	5	1	.	2	1
Ards	M
	F	1	1
Belfast	M	1	.	.	1
	F	2	.	1	1
Castlereagh	M
	F	1	1
Down	M
	F
Lisburn	M	2	.	1	1
	F	1	1
North Down	M
	F
Antrim	M
	F	1	1
Ballymena	M
	F
Ballymoney	M
	F
Carrickfergus	M
	F
Coleraine	M
	F
Cookstown	M
	F
Larne	M
	F
Magherafelt	M	1	1
	F
Moyle	M
	F
Newtownabbey	M
	F	1	.	.	.	1
Armagh	M
	F
Banbridge	M
	F
Craigavon	M	1	1
	F
Dungannon	M
	F
Newry and Mourne	M	3	1	2
	F	1	.	.	.	1
Fermanagh	M
	F	1	1
Limavady	M
	F
Derry	M
	F
Omagh	M
	F
Strabane	M
	F

ABSTRACT 32. Northern Ireland: Infant mortality by cause, age and sex, 1994.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS								Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants	
			Under 1 day	1	2	3	4	5	6	1		2	3	1		2	3	4	5	6	7	8	9	10	11	No.		Rate per 10,000 illegitimate live births	
	ALL CAUSES	M F	81 66	25 26	6 4	4 1	2 1	1 3	2 3	2 2	42 40	8 3	1 4	2 1	53 48	8 9	6 .	3 1	4 4	2 .	3 .	2 2	.	.	2 .	.	65 56	8 9	29 34
009	Ill-defined intestinal infections	M F
013	Tuberculosis of meninges and central nervous system	M F
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M F
010-012, 015-018	Other tuberculosis diseases	M F
032	Diphtheria	M F
033	Whooping cough	M F
034-1	Scarlet fever	M F
036	Meningococcal infection	M F
045	Acute poliomyelitis.	M F
055	Measles	M F
090-097	Syphilis	M F
317-319	Mental retardation	M F
320-322	Meningitis	M F
466-0 and 490-491	Bronchitis	M F	1 1	1 .	.	.	1	1 1	.	.
480-486	Pneumonia	M F	2 1	1 .	.	.	1 1	2 1	1 .	4 .
487	Influenza	M F
516-8	Other alveolar and parietoalveolar pneumopathy	M F
740	Anencephalus and similar anomalies	M F	1 1	1 1	1 1	.	.	1 1	1 1	.	.
741-0	Spina bifida with hydrocephalus	M F	2	1 .	.	1	2 .	.	.
741-9	Spina bifida without mention of hydrocephalus	M F
742-3	Congenital hydrocephalus.	M F	2 .	1	1 .	1 .	.	2	2 .	.	.
Rem. of 742	Other congenital anomalies of nervous system	M F

ABSTRACT 32 (continued). Northern Ireland: Infant mortality by cause, age and sex, 1994.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants					
			Under 1 day	1	2	3	4	5	6		1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 illegitimate live births				
743	Congenital anomalies of eye	M F	
744	Congenital anomalies of ear, face and neck	M F	
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	M F	1	1	1	
746	Other congenital anomalies of heart	M F	11 8	1 1	1	.	1	.	.	3 2	2 1	1	1	6 4	1 2	1	1	1	1	.	.	.	1	.	9 7	3 1	11 4
747	Other congenital anomalies of circulatory system	M F	1 2	1	1	2	.	.	.	2	.	.	1	1 2	1	4
748	Congenital anomalies of respiratory system	M F	5 2	4 2	1	5 2	.	.	.	5 2	4 2	1	4
749	Cleft palate and cleft lip	M F	
750	Other congenital anomalies of upper alimentary tract	M F	1	1	1	1
751	Other congenital anomalies of digestive system	M F	
752	Congenital anomalies of genital organs	M F	
753	Congenital anomalies of urinary system	M F	3 2	3 1	1	3 2	.	.	.	3 2	2 2	1	4
754	Certain congenital musculoskeletal deformities	M F	
755	Other congenital anomalies of limbs	M F	
756	Other congenital musculoskeletal anomalies.	M F	2 2	.	1	.	.	.	1	2	1	.	.	1 2	1	2 2
757	Congenital anomalies of the integument	M F	
758	Chromosomal anomalies	M F	1 2	.	1	1	1	.	.	1 1	1	1 2
759	Other and unspecified congenital anomalies.	M F	4 1	2 1	2 1	.	.	.	2 1	.	1	.	.	1	3 1
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	M F	
761	Fetus or newborn affected by maternal complications of pregnancy	M F	2	2	2	.	.	.	2	2
762	Fetus or newborn affected by complications of placenta, cord and membranes	M F	1 2	.	1	1 2	.	.	.	1 2	1 2	1	4
763	Fetus or newborn affected by other complications of labour and delivery	M F	1	.	1	1	.	.	.	1	1
764	Slow fetal growth and fetal malnutrition	M F	
765	Disorders relating to short gestation and unspecified low birthweight	M F	10 8	7 7	1 1	1	1	.	.	10 8	.	.	.	10 8	8 7	.	8
766	Disorders relating to long gestation and high birthweight.	M F	

ABSTRACT 32 (continued). Northern Ireland: Infant mortality by cause, age and sex, 1994.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants	
			Under 1 day	1	2	3	4	5	6		1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 illegitimate live births
767	Birth trauma	M F	2 4	1 2	. 1	. 1	. .	1 .	. .	2 3	1 4	2 4	2 3	1 .	4 .
768	Intrauterine hypoxia and birth asphyxia	M F	2 1	. 1	1	1 1 1	1 1	1	2 1
769	Respiratory distress syndrome	M F	5 6	1 2	. 1	. .	. 2	1 .	. .	2 5	3 .	. 1	. .	5 6	4 5
770	Other respiratory conditions of fetus and newborn	M F	7 2	2 2	. .	2 .	1 .	. .	1 .	6 2	6 2	1	6 2	. 1	. 4
771	Infections specific to the perinatal period	M F	1 2	. 1 1	1	1 1	1	1 2
772	Fetal and neonatal haemorrhage.	M F	1 2	1 1	. 1	1 1	. 2	1 2	1 2
773	Haemolytic disease of fetus or newborn, due to isoimmunization	M F
774	Other perinatal jaundice	M F
775	Endocrine and metabolic disturbances specific to the fetus and newborn	M F
776	Haematological disorders of fetus and newborn	M F
777	Perinatal disorders of digestive system	M F	3 5	1 .	1 1	. 1	2 3	1 3	. 1	. .	1 1	2 4
778	Conditions involving the integument and temperature regulation of fetus and newborn	M F	1 1	1	1	1 .	1 .	4 .
779	Other and ill-defined conditions originating in the perinatal period	M F	. 1	1	1
798-0	Sudden infant death syndrome	M F	5 2 1	3 2 1	4 2	1 .	4 .
Rem. of 001-999	All other causes	M F	6 6	1 2	1 .	2 2	. .	1 .	. .	2 3	1 .	. .	2 1	1 .	. .	1	1	5 5	1 1	4 4
EXTERNAL CAUSES																												
E904	Hunger, thirst, exposure, neglect	M F	. 1	. 1	1	1	1 .	1 .	4 .
E911-E912	Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation	M F	1	1	1 .	1 .	4 .
E913	Accidental mechanical suffocation	M F
E967	Child battering and other maltreatment	M F
Rem. of E800-E999	Other violent deaths	M F	1 1	1

**ABSTRACT 33. Northern Ireland: Infant mortality by cause,
sex and month of registration, 1994.**

Detailed List No.	CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
	ALL CAUSES M F	81 66	14 7	9 8	7 7	9 7	1 3	2 5	6 3	7 6	4 4	10 3	6 6	6 7
009	Ill-defined intestinal diseases . . . M F
013	Tuberculosis of meninges and central nervous system M F
014	Tuberculosis of intestines, peritoneum and mesenteric glands M F
010-012 015-018	Other tuberculosis M F
032	Diphtheria M F
033	Whooping cough M F
034-1	Scarlet fever M F
036	Meningococcal infection M F
045	Acute poliomyelitis M F
055	Measles M F
090-097	Syphilis M F
317-319	Mental retardation M F
320-322	Meningitis M F
466-0 & 490-491	Bronchitis M F	1 1	.	.	.	1	1	.
480-486	Pneumonia M F	2 1	.	.	1	1	1	.	.
487	Influenza M F
516-8	Other post-inflammatory pulmonary fibrosis M F
740	Anencephalus and similar anomalies . M F	1 1	1	1	.	.	.
741-0	Spina bifida with hydrocephalus . . M F	2	2
741-9	Spina bifida without mention of hydrocephalus M F
742-3	Congenital hydrocephalus M F	2 .	.	.	1	.	.	1
Rem. of 742	Other congenital anomalies of nervous system M F
743	Congenital anomalies of eye M F
744	Congenital anomalies of ear, face and neck M F
745	Bulbus cordis anomalies and anomalies of cardiac septal closure M F	1	1
746	Other congenital anomalies of heart . M F	11 8	2 2	3 1	.	2	.	2	2	1	1	1	1	.
747	Other congenital anomalies of circulatory system M F	1 2	.	.	1	1	.
748	Congenital anomalies of respiratory system M F	5 2	1	1	1	1	2	1
749	Cleft palate and cleft lip M F
750	Other congenital anomalies of upper alimentary tract M F	1	1
751	Other congenital anomalies of digestive system M F
752	Congenital anomalies of genital organs . M F
753	Congenital anomalies of urinary system . M F	3 2	.	2	1 1	.	.
754	Certain congenital musculoskeletal deformities M F
755	Other congenital anomalies of limbs . M F
756	Other congenital musculoskeletal anomalies M F	2 2	1	.	1	.	1
757	Congenital anomalies of the integument . M F

**ABSTRACT 33 (continued). Northern Ireland: Infant mortality by cause,
sex and month of registration, 1994.**

Detailed List No.	CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
758	Chromosomal anomalies . . . M	1	1
	F	2	.	1	1
759	Other and unspecified congenital anomalies. . . M	4	.	1	.	1	.	.	.	1	.	1	.	.
	F	1	1	.
760	Fetus or newborn affected by maternal complications which may be unrelated to present pregnancy . . . M
	F
761	Fetus or newborn affected by maternal complications of pregnancy . . . M	2	.	.	.	1	1	.	.	.
	F
762	Fetus or newborn affected by complications of placenta, cord and membranes . . . M	1	1
	F	2	.	.	1	.	.	.	1
763	Fetus or newborn affected by other complications of labour and delivery . . . M	1	1
	F
764	Slow fetal growth and fetal malformation . . . M
	F
765	Disorders relating to short gestation and unspecified low birth-weight. . . M	10	3	1	2	.	.	.	1	.	1	.	.	2
	F	8	1	3	.	1	1	2
766	Disorders relating to long gestation and high birth weight . . . M
	F
767	Birth trauma. . . . M	2	.	.	1	.	.	.	1
	F	4	.	.	1	2	1
768	Intrauterine hypoxia and birth asphyxia . . . M	2	.	.	1	.	.	1
	F	1	1
769	Respiratory distress syndrome . . . M	5	2	1	1	1
	F	6	1	.	.	1	.	1	.	1	1	.	1	.
770	Other respiratory conditions of fetus and newborn . . . M	7	2	1	2	.	1	1	.
	F	2	.	.	.	1	.	.	.	1
771	Infections specific to the perinatal period . . . M	1	1
	F	2	.	.	1	1
772	Fetal and neonatal haemorrhage. . . M	1	1	.	.
	F	2	.	1	1
773	Haemolytic disease of fetus or newborn, due to isoimmunization . . . M
	F
774	Other perinatal jaundice . . . M
	F
775	Endocrine and metabolic disturbances specific to the fetus and newborn . . . M
	F
776	Haematological disorders of fetus and newborn . . . M
	F
777	Perinatal disorders of digestive system . . . M	3	1	.	1	1
	F	5	1	1	1	.	.	1	.	1
778	Conditions involving the integument and temperature regulation of fetus and newborn . . . M	1	1
	F
779	Other and ill-defined conditions originating in the perinatal period . . . M
	F	1	1	.	.	.
798-0	Sudden infant death syndrome . . . M	5	2	1	1	.	1	.	.
	F	2	1	.	.	.	1
Rem. of 001-999	Other natural causes of death . . . M	6	.	.	.	1	1	2	1	1
	F	6	1	.	1	.	1	.	1	.	1	.	1	.
EXTERNAL CAUSES														
E904	Hunger, thirst, exposure, neglect . . . M
	F	1	1	.
E911-E912	Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation . . . M	1	1	.	.
	F
E913	Accidental mechanical suffocation . . . M
	F
E967	Child battering and other maltreatment . . . M
	F
Rem. E800-E999	Other violent deaths . . . M	1	1	.
	F

ABSTRACT 34. Northern Ireland: Marriages, births, still-births and deaths, by age, sex and cause, in each District Council Area 1994, together with the Census population 1991.

POPULATION, MARRIAGES, BIRTHS, STILL-BIRTHS AND DEATHS		Northern Ireland	Ardara	Belfast	Castlereagh	Down	Lisburn	North Down	Antrim	Ballymena	Ballymoney	Carrickfergus	Coleraine	Cookstown
Population Census 1991	M	769,071	31,527	130,820	28,946	28,835	48,653	34,284	22,135	27,830	12,022	15,871	24,369	15,503
	F	808,765	33,237	148,417	31,853	29,173	50,805	37,548	22,381	28,811	12,176	16,879	26,069	15,579
Marriages		8,683	275	1,580	227	301	458	439	267	324	135	174	334	160
Live births, total	M	12,465	428	2,049	465	454	867	432	391	413	180	284	369	210
	F	11,824	407	1,997	412	468	778	422	372	393	170	241	359	206
Illegitimate live births	M	2,726	86	742	58	86	184	55	93	77	33	64	104	28
	F	2,627	78	714	72	83	163	58	93	76	28	57	85	36
Still-births ¹ , total	M	88	8	14	1	5	7	.	2	3	2	2	6	2
	F	66	1	14	4	2	3	5	2	.	.	2	1	.
Illegitimate still-births ¹	M	25	2	5	.	2	.	.	.	2	.	.	1	.
	F	13	.	2	3	.	1	1	.	.	.	2	.	.
Deaths, total	M	7,362	259	1,550	303	287	363	315	182	266	130	157	246	138
	F	7,752	334	1,804	338	314	434	419	174	287	115	150	254	140
Ages at death—	M	42	3	7	1	.	3	3	5	.	1	.	.	.
under 1 week	F	40	3	5	1	2	5	2	1	1	.	2	2	1
under 4 weeks	M	53	4	11	1	.	3	4	5	1	1	.	.	1
	F	48	3	7	1	2	7	4	2	1	.	2	2	1
4 weeks—11 months	M	28	2	3	1	.	2	.	.	1	1	1	3	.
	F	18	.	1	1	2	.	1	1	.
1 year—14 years	M	58	.	10	2	4	5	1	3	.	.	.	3	1
	F	33	.	5	.	1	2	3	2	.	1	.	2	.
15 years—44 years	M	447	16	83	16	20	21	5	20	20	7	5	22	19
	F	207	7	33	6	7	13	5	11	10	3	5	11	5
45 years—64 years	M	1,411	65	325	57	55	69	50	37	48	25	29	34	21
	F	930	40	206	48	21	56	43	25	32	16	16	28	12
65 years and over	M	5,365	172	1,118	226	208	263	255	117	196	96	122	184	96
	F	6,516	284	1,552	282	281	356	363	134	244	95	127	210	122
Deaths from—														
Infective and parasitic diseases		39	2	11	1	1	2	2	.	4	.	1	1	.
Neoplasms (a) Cancers*		3,595	129	815	167	131	189	186	90	133	52	91	122	56
(b) Other neoplasms		70	.	10	2	3	2	6	.	3	.	4	4	.
Endocrine, nutritional, metabolic diseases and immunity disorders		74	5	12	2	1	1	2	2	.	4	3	11	1
Diseases of blood and blood-forming organs		29	1	7	.	.	1	3	1	1	.	.	1	.
Mental disorders		91	3	27	5	4	7	4	4	5	.	.	2	2
Diseases of the nervous system and sense organs		187	5	36	12	9	9	10	4	12	2	5	7	6
Diseases of the circulatory system		7,011	285	1,521	282	282	355	327	154	258	137	133	222	144
Diseases of the respiratory system		2,398	101	576	118	116	136	122	50	88	24	43	53	31
Diseases of the digestive system		424	17	100	20	11	22	17	13	9	4	8	19	10
Diseases of the genitourinary system		250	8	49	7	11	18	16	6	9	5	6	14	3
Complications of pregnancy, childbirth and the puerperium	
Diseases of the skin and subcutaneous tissue		27	1	6	.	1	.	4	.	2	1	.	.	.
Diseases of the musculo-skeletal system and connective tissue		31	.	7	3	1	.	3	.	1	.	2	1	.
Congenital anomalies		87	5	15	3	2	5	7	3	3	1	1	1	.
Certain conditions originating in the perinatal period		69	4	8	2	2	8	4	5	.	1	1	3	2
Symptoms, signs and ill-defined conditions		44	1	8	2	2	4	.	.	.	1	2	4	1
Injury and poisoning		688	26	146	15	24	38	21	24	25	13	7	35	22

*See definition on page 1.

ABSTRACT 34 (continued). Northern Ireland: Marriages, births, still-births¹ and deaths, by age, sex and cause, in each District Council Area 1994, together with the Census population 1991.

POPULATION, MARRIAGES, BIRTHS, STILL-BIRTHS AND DEATHS		Larne	Magherafelt	Moyle	Newtownabbey	Armagh	Banbridge	Craigavon	Dungannon	Newry & Mourne	Fermanagh	Lisnavea	Derry	Omagh	Strabane
Population Census 1991	M	14,318	18,177	7,355	35,760	25,741	16,568	36,511	22,556	41,307	27,095	15,042	46,708	23,022	18,116
	F	15,101	18,116	7,434	38,275	26,076	16,914	38,475	22,872	41,636	26,938	14,525	48,663	22,787	18,025
Marriages		254	227	88	353	300	222	394	242	474	300	155	532	241	227
Live births, total	M	198	332	87	545	431	265	653	411	780	446	273	891	355	256
	F	165	345	93	528	382	221	607	379	739	388	264	874	349	265
Illegitimate live births.	M	50	49	20	106	57	31	142	66	124	61	54	268	37	51
	F	35	42	26	114	49	41	139	49	101	54	71	228	56	79
Still-births ¹ , total	M	1	2	1	3	1	1	1		13	2	1	8		2
	F	1	3		1	1	1	3	5	6	1	2	4	3	1
Illegitimate still-births ¹	M	1			3	1		1			1	1	4		1
	F	1						1	1						
Deaths, total	M	157	168	95	306	221	148	290	262	382	302	116	333	228	158
	F	122	102	67	354	253	152	335	207	345	249	97	390	168	148
Ages at death—	M	1	3		1			3	4	4			1	1	1
under 1 week.	F		1	1	3		1	1	4		1	1	2		
under 4 weeks	M	1	4		1	1		3	4	4		1	1	1	1
	F		1	1	3		1	1	4		1	1	3		
4 weeks—11 months	M		1		1		2		1	3	1	2	1		2
	F		2		1	2		2		1	1			2	1
1 year—14 years	M	3	6	2	2	1	1	2	4	2	1	1	1	2	1
	F	1			1			2	2	3	2		3	1	2
15 years—44 years.	M	5	14	6	16	13	5	15	29	17	22	5	28	7	11
	F	4	7	3	13	10	5	7	5	15	3	4	10	3	2
45 years—64 years.	M	28	23	15	50	36	28	57	46	82	50	18	81	47	35
	F	16	12	4	47	30	15	41	29	42	30	15	59	21	26
65 years and over	M	120	120	72	236	170	112	213	178	274	228	89	221	171	108
	F	101	80	59	289	211	131	282	167	284	212	77	315	141	117
Deaths from—															
Infective and parasitic diseases		1		1		2	3	1	1		1		2	2	
Neoplasms (a) Cancers*		59	59	37	168	108	72	127	98	177	114	58	187	98	72
(b) Other neoplasms		3	1		2	6	1	6	2	5	3	1	4	1	1
Endocrine, nutritional, meta- bolic diseases and immunity disorders.		1	2	1	2	2	2	2	4	2	2	1	7	2	
Diseases of blood and blood- forming organs.					1	1		4	1	2		1	1	3	
Mental disorders		3			5	1		1		6	6		2		4
Diseases of the nervous system and sense organs		5	4	1	8	6	1	7	3	10	6	2	7	8	2
Diseases of the circulatory system		140	132	78	302	224	149	311	215	341	244	91	343	193	148
Diseases of the respiratory system		51	35	21	111	76	46	101	57	108	104	36	89	58	47
Diseases of the digestive system		4	6	5	20	10	9	17	13	16	20	8	28	10	8
Diseases of the genitourinary system		3	2	6	9	9	4	12	6	9	14	1	12	7	4
Complications of pregnancy, childbirth and the puer- perium															
Diseases of the skin and subcutaneous tissue		1			3	1		3		1	1			2	
Diseases of the musculo- skeletal system and con- nective tissue		1	2		1	2	1		1		1	1	2	1	
Congenital anomalies			5	2	2	1		5	6	9	2	2	2	2	3
Certain conditions originating in the perinatal period.		1	3		2	2	2	3	5	2	1	2	3	2	1
Symptoms, signs and ill- defined conditions					6			2	2	5	1		1		2
Injury and poisoning		6	19	10	18	23	10	23	55	34	31	9	33	7	14

*See definition on page 1.

ABSTRACT 35. Northern Ireland: Divorces*, by ground and class of decree, 1994.

CLASS OF DECREE	GROUNDS FOR DIVORCE							Nullity of marriage	Dissolution of marriage	All Decrees
	Adultery	Behaviour	Desertion	Non-cohabitation		Combination of grounds	All grounds of divorce			
				2 years and consent	5 years					
Husband	67	27	6	373	255	6	734	4	.	738
Wife	128	359	14	699	339	23	1,562	2	1	1,565
Both
TOTAL	195	386	20	1,072	594	29	2,296	6	1	2,303

*Includes nullities and dissolutions of marriage.

ABSTRACT 36. Northern Ireland: Divorces*, by method of celebration and duration of marriage, 1994.

DURATION OF MARRIAGE (Years)	All divorces	METHOD OF CELEBRATION OF MARRIAGE							
		Roman Catholic	Presbyterian	Church of Ireland	Methodist	Free Presbyterian	Church of England	Other denominations	Register Office
0
1	2	.	.	.	1	1	.	.	.
2	12	1	4	1	.	.	.	4	2
3	72	11	22	16	.	.	1	7	15
4	102	19	24	16	3	1	2	8	29
0- 4	188	31	50	33	4	2	3	19	46
5- 9	656	169	133	109	31	6	6	43	159
10-14	512	155	108	88	18	3	5	39	96
15-19	350	111	90	63	18	3	3	15	47
20-24	280	85	62	49	12	4	4	16	48
25-29	155	44	40	32	4	.	.	15	20
30 and over	162	41	39	41	16	.	1	16	8
TOTAL	2,303	636	522	415	103	18	22	163	424

*Includes nullities and dissolutions of marriage.

ABSTRACT 37. Northern Ireland: Divorces*, by age of husband and wife at marriage, 1994.

AGE OF WIFE AT MARRIAGE	All Ages	AGE OF HUSBAND AT MARRIAGE														
		Under 17	17	18	19	20	Under 21	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
Under 17	45	1	3	15	4	11	34	9	2
17	133	.	7	20	29	16	72	52	8	1
18	266	.	4	29	46	51	130	107	22	7
19	310	1	.	17	36	65	119	148	31	8	3	1
20	304	1	5	12	26	49	93	152	52	6	1
Under 21	1,058	3	19	93	141	192	448	468	115	22	4	1
21-24	802	.	.	8	25	63	96	436	203	48	9	8	2	.	.	.
25-29	290	.	.	3	3	9	15	78	131	49	13	2	1	1	.	.
30-34	81	1	1	9	25	24	12	4	3	2	.	1
35-39	35	5	4	11	5	6	4	.	.	.
40-44	20	1	.	5	6	2	2	2	2
45-49	7	2	.	.	1	3	.	1
50-54	6	1	1	1	2	.	.	1	.
55-59	2	1	1
60 and over	2	2
TOTAL	2,303	3	19	104	169	265	560	996	480	157	49	29	13	8	4	7

*Includes nullities and dissolutions of marriage.

ABSTRACT 38. Northern Ireland: Divorces*, by age of wife at marriage and duration of marriage, 1994.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT MARRIAGE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0
1	2	.	1	1
2	12	.	1	4	5	.	1	.	1	.	.	.
3	72	1	21	27	13	3	3	2	.	.	.	2
4	102	2	26	42	19	6	2	4	.	1	.	.
0- 4	188	3	49	73	37	9	6	7	1	1	.	2
5- 9	656	32	212	244	103	35	16	6	4	2	2	.
10-14	512	40	226	165	52	18	4	5	1	1	.	.
15-19	350	46	161	102	29	6	3	2	.	1	.	.
20-24	280	26	113	96	36	5	3	.	.	1	.	.
25-29	155	16	60	59	12	6	2
30 and over	162	15	59	63	21	2	1	.	1	.	.	.
TOTAL	2,303	178	880	802	290	81	35	20	7	6	2	2

*Includes nullities and dissolution of marriage.

ABSTRACT 39. Northern Ireland: Divorces*, by age of wife at divorce and duration of marriage, 1994.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT DIVORCE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0
1	2	.	.	1	.	.	.	1
2	12	.	.	4	3	3	1	.	.	1	.	.
3	72	.	1	32	22	9	3	3	.	.	.	2
4	102	.	.	28	49	12	6	4	2	1	.	.
0- 4	188	.	1	65	74	24	10	8	2	2	.	2
5- 9	656	.	.	56	327	176	55	24	9	4	2	3
10-14	512	.	.	.	65	300	104	29	6	5	2	1
15-19	350	63	198	72	10	3	3	1
20-24	280	48	138	78	12	1	3
25-29	155	23	91	30	9	2
30 and over	162	23	56	41	42
TOTAL	2,303	.	1	121	466	563	415	294	219	112	58	54

*Includes nullities and dissolution of marriage.

ABSTRACT 40. Northern Ireland: Divorces*, by age of wife at marriage and number of children, 1994.

AGE OF WIFE AT MARRIAGE	Size of family	NUMBER OF CHILDREN BY AGE						Total number of children (All ages)	Number of divorces
		Children under 16 years				16-17 years	18 years and over		
		0-4	5-9	10-15	Under 16				
Under 21	0	185
	1	41	116	48	205	10	27	242	242
	2	47	214	245	506	45	101	652	326
	3	29	142	222	393	51	135	579	193
	4	11	69	99	179	28	121	328	82
	5+	2	19	37	58	13	100	171	30
	All sizes	130	560	651	1,341	147	484	1,972	1,058
21-24	0	260
	1	32	69	40	141	10	17	168	168
	2	42	132	143	317	27	90	434	217
	3	21	65	76	162	17	100	279	93
	4	13	40	42	95	13	56	164	41
	5+	5	20	28	53	9	75	137	23
	All sizes	113	326	329	768	76	338	1,182	802
25-29	0	106
	1	14	19	13	46	4	4	54	54
	2	8	52	47	107	7	40	154	77
	3	4	28	30	62	7	33	102	34
	4	1	9	13	23	4	13	40	10
	5+	1	7	9	17	3	35	55	9
	All sizes	28	115	112	255	25	125	405	290
30-34	0	39
	1	1	4	9	14	1	3	18	18
	2	2	7	6	15	1	4	20	10
	3	.	3	5	8	5	17	30	10
	4	.	1	1	2	.	6	8	2
	5+	.	3	3	6	1	4	11	2
	All sizes	3	18	24	45	8	34	87	81
35-39	0	19
	1	2	1	1	4	1	3	8	8
	2	.	.	2	2	2	2	6	3
	3	.	3	2	5	1	6	12	4
	4	4	4	1
	5+
	All sizes	2	4	5	11	4	15	30	35
40-44	0	16
	1	1	1	2	2
	2	2	2	1
	3
	4	1	3	4	1
	5+
	All sizes	2	6	8	20
45+	0	17
	1
	2
	3
	4
	5+
	All sizes	17
All ages	0	642
	1	90	209	111	410	27	55	492	492
	2	99	405	443	947	82	239	1,268	634
	3	54	241	335	630	81	291	1,002	334
	4	25	119	155	299	46	203	548	137
	5+	8	49	77	134	26	214	374	64
	All sizes	276	1,023	1,121	2,420	262	1,002	3,684	2,303

*Includes nullities and dissolution of marriage.