

Seventy-Fourth Annual Report of the Registrar General 1995

Presented pursuant to:

Section 56 of the Marriages (Ireland) Act, 1844

Section 16 of the Registration of Marriages (Ireland) Act, 1863

Article 3(3) of the Births and Deaths Registration (Northern Ireland) Order 1976

BELFAST: THE STATIONERY OFFICE

© *Crown copyright* 1996

Published for the Department of Finance and Personnel under licence from the Controller of Her Majesty's Stationery Office.

Applications for reproduction should be made in writing to The Copyright Unit, Her Majesty's Stationery Office,
St Clements House, 2-16 Colegate, Norwich NR3 1BQ.

TABLE OF CONTENTS

TEXT	Page
GENERAL NOTES.	1
SUMMARY	3
SERIAL STATISTICS FOR NORTHERN IRELAND.	4
COMPARATIVE STATISTICS, NORTHERN IRELAND, ENGLAND AND WALES, SCOTLAND AND THE IRISH REPUBLIC	5
POPULATION	6
MARRIAGES	
Number and rate	8
Ages at marriage	8
Method of celebration	8
DIVORCES	
Number, rate and type of decree	11
Duration of marriage	11
Marital status at marriage	11
Age at marriage	12
Children affected by divorce	12
Size of family	12
LIVE BIRTHS-FERTILITY	
Number and rate of live births.	13
Proportion of males to females	13
Age of parents	13
Place of occurrence	13
Multiple births	13
Births outside marriage	16
LIVE BIRTHS BY SOCIAL CLASS	17
STILL-BIRTHS	
Number and rate	19
DEATHS	
Number and rate	21
Area mortality comparisons	21
Deaths in hospitals	23
Cause of death	23
Proportion of deaths from the principal causes	23
Deaths from the principal epidemic diseases	23
Influenza	23
Tuberculosis.	27
Cancer	27
Cerebral haemorrhage etc.	29
Heart disease	29
Bronchitis	30
Pneumonia	30
Pregnancy and childbirth	30
Infant mortality	32
Neonatal mortality.	32
Perinatal deaths	32
Infant mortality by social class	35
Mortality among children born outside marriage	35
Violent deaths	39
CERTIFICATION OF DEATHS	42
LIFE TABLE	42
MIGRATION	44

TABLE OF CONTENTS *(Continued)*

	<i>Page</i>
ADMINISTRATION	
Introductory.	45
Buildings licensed or registered for marriages	45
Legitimacy Acts (N.I.) 1928 to 1961.	45
Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969	45
Searches and certificates.	45
Verifications	45

ABSTRACTS

Abbreviations:—N.I. = Northern Ireland

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
POPULATION			
1	Ages of the population according to the 1991 Census	District Council Areas	48
MARRIAGES			
2	Marriages by area and month of registration, 1995	District Council Areas	50
3	Conjugal condition of persons contracting marriage, 1995	District Council Areas	51
4	Ages of men at marriage, 1995	District Council Areas	52
5	Ages of women at marriage, 1995	District Council Areas	53
6	Age and conjugal condition of persons married in the year, 1995	N.I.	54
7	Ages in combination of men and women at marriage, 1995	N.I.	56
8	Marriages by age of bachelors, by age of spinsters, 1995	N.I.	57
LIVE BIRTHS			
9	Live births by District Council Area, by month and sex, with quarterly totals, 1995	District Council Areas	58
10	Live births within marriage by sex and by age of mother and father, 1995	N.I.	60
11	Live births within marriage by sex, age of mother and parity, 1995	N.I.	61
12	Live births by age of mother and live birth order, 1995	N.I.	63
13	Live births within marriage by sex, age of mother, and duration of marriage, 1995	N.I.	64
14	Live births by sex, legitimacy and age of mother, 1995	N.I.	65
STILL-BIRTHS			
15	Still-births by sex, legitimacy and age of mother, 1995	N.I.	66
16	Still-births by sex, cause and period of gestation, 1995	N.I.	67
17	Still-births by sex, cause and weight of fetus, 1995	N.I.	69
18	Still-births ¹ by sex, age of mother and parity, 1995	N.I.	71
DEATHS			
19	Deaths by District Council Area, month and sex, with quarterly totals, 1995	District Council Areas	72
20	Causes of death at different age-periods, by I.C.D. detailed list, 1995	N.I.	73
21	Deaths by sex, cause and place of occurrence by I.C.D. abbreviated list, 1995	N.I.	132
22	Deaths by month of registration, by I.C.D. abbreviated list, 1995	N.I.	135
23	Deaths by sex at each year of age, by conjugal condition, 1995	N.I.	137
24	Deaths by sex and age-periods, by I.C.D. abbreviated list, 1995	N.I.	139
25	Causes of death by sex and age-periods, by I.C.D. detailed list, 1995	District Council Areas	143
26	Deaths at different age-periods, by District Council Area, 1995	District Council Areas	170
27	Deaths from violent causes, by nature of injury, external cause and sex, 1995	N.I.	172
28	Deaths from non-transport accidents—by age and sex, (a) by place of occurrence, (b) while working, 1995	N.I.	173
29	Deaths from cancer in each of the District Council Areas by sex and site, 1995	District Council Areas	175
INFANT MORTALITY			
30	Deaths of all children under one year in each District Council Area, 1995	District Council Areas	177
31	Deaths of children born outside marriage under one year in each District Council Area, 1995	District Council Areas	178
32	Infant mortality, by cause, age and sex, also born outside marriage infant mortality, by cause, 1995	N.I.	179
33	Infant mortality, by cause, sex and month of registration, 1995	N.I.	182
SUMMARY			
34	Marriages, births, still-births and deaths by age, sex and cause, in each District Council Area, 1995, together with the Census population 1991	District Council Areas	184
DIVORCES			
35	Divorces by ground and class of decree, 1995	N.I.	186
36	Divorces by method of celebration and duration of marriage, 1995	N.I.	186
37	Divorces by ages of husband and wife at marriage, 1995	N.I.	186
38	Divorces by age of wife at marriage and duration of marriage, 1995	N.I.	187
39	Divorces by age of wife at divorce and duration of marriage, 1995	N.I.	187
40	Divorces by age of wife at marriage and number of children, 1995	N.I.	188

CHARTS

(Rates shown for Northern Ireland, England and Wales, Scotland and the Irish Republic)

	<i>Page</i>
Figure 1 Marriage rates per 1,000 population	9
Figure 2 Live birth rates per 1,000 population	15
Figure 3 Death rates per 1,000 population	26
Figure 4 Death rates from cancer per 100,000 population	28
Figure 5 Maternal mortality rates per 1,000 total births	31
Figure 6 Infant mortality rates per 1,000 live births	34

GENERAL NOTES

The figures contained in this Report may be regarded as superseding the provisional figures already published for the year 1995 in the Registrar General's quarterly returns.

Throughout the Report births and deaths have been recorded according to date of registration and not to date of occurrence. They have also been allocated to the district of normal residence, if in Northern Ireland; births have been assigned to the districts containing the normal residence of parents and deaths to the districts containing the normal residence of the deceased persons. Events occurring in Northern Ireland relating to persons whose normal residence is outside Northern Ireland have been assigned to the district of occurrence.

Rates, unless otherwise stated, are assessed per 1,000 of the estimated home population as at 30 June 1995. The home population is a count of the usually resident population, and includes Her Majesty's Forces. This figure is based on the 1991 Census count of persons usually resident in Northern Ireland.

Marriage rates relate to the number of marriages solemnised and not to the number of persons married.

Divorce statistics have been compiled from returns of "Decrees made Absolute" supplied by the Northern Ireland Court Service.

Comparisons with rates (births, deaths etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but it should be remembered that (with the exception of Diagram 3) they are crude rates only and take no account of changes in, or differences between, the age and sex structure of the populations.

Generally speaking, the classifications adopted for the purposes of this Report are the Detailed and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1975."

§ The term cancer, where used, refers to all malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues, including Hodgkin's disease, leukaemia and aleukaemia (I.C.D. Nos. 201, 204-208) which prior to 1988 were not included in this heading. Therefore rates will no longer be comparable.

Where more than one cause of death is reported, the death is classified according to the underlying cause, i.e. the disease or injury which initiated the train of morbid events leading directly to death. This method of classification is followed even if the deceased may have recovered from the underlying cause long before the date of death.

Generally in the tables and abstracts, dots (.) are used to indicate "none" and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

REPORT 1995

SUMMARY

In 1995 there were decreases in the birth, marriage and still birth rates compared with 1994. The death, infant death, neonatal and perinatal mortality rates increased.

The following figures indicate the general trend of marriages, births and deaths over the past 30 years. More detailed comparisons will be found in Tables A and A1.

Table B shows comparative statistics for Northern Ireland, England and Wales, Scotland and the Republic of Ireland.

The marriage rate for Northern Ireland was lower than in Scotland but higher than in the Irish Republic. The figures for England and Wales were not available at time of publication. The live birth rate was highest in Northern Ireland and the death rate was lowest in the Irish Republic.

		1965	1985	1993	1994	1995
Estimated population		1,469,000	1,557,800	1,631,800	1,641,700	1,649,000
Marriages	Number	10,452	10,343	9,045	8,683	8,576
	Rate	7.1	6.6	5.5	5.3	5.2
Live Births	Number	33,890	27,635	24,909	24,289	23,860
	Rate	23.1	17.7	15.3	14.8	14.5
Live births outside marriage	Number	995	3,195	5,459	5,353	5,503
	Rate*	2.9	11.6	21.9	22.0	23.1
Still-births [†]	Number	660	178	130	154	147
	Rate†††	19.0	6.4	5.2	6.3	6.1
Deaths	Number	15,551	15,955	15,633	15,114	15,310
	Rate	10.6	10.2	9.6	9.2	9.3
Perinatal	Number	1,192	308	220	236	250
	Rate†††	34.5	11.1	8.8	9.7	10.4
Neonatal	Number	602	155	123	101	131
	Rate††	17.8	5.6	4.9	4.2	5.5
Infant	Number	849	265	176	147	169
	Rate††	25.0	9.6	7.1	6.1	7.1
Maternal	Number	11
	Rate	0.3
Divorces	Number	131	1,669	2,213	2,303	2,302
	Rate†	**	**	3.1	3.3	3.3
Deaths from:						
Heart diseases (all forms)		5,700	5,700	4,997	4,853	4,808
Cerebral haemorrhage etc.		2,276	1,941	1,722	1,738	1,690
Cancer (all sites)§		2,417	3,130	3,624	3,595	3,491
Lung cancer		414	757	812	768	752
Road vehicle accidents (E810–E829)		211	199	153	175	142
Accidents in the home		172	172	99	111	91
Other violent causes		210	375	387	402	430
Inquests held		548	606	502	588	523

* Rate shown as % of live births.

† Rate per 1,000 married population.

†† Rate per 1,000 births.

††† Rate per 1,000 births (live and still).

** Not available.

TABLE A. Northern Ireland: Population, marriages, live births and deaths, 1986-1995, with quinquennial averages from 1911.

YEAR	Estimated mid-year population	Marriages	Live births (total)	Live births outside marriage	Deaths	Deaths of infants under 1 year of age	Still-births
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030	—
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620	—
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392	—
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083	—
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966	—
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970	—
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169	—
1946-50	1,350,000*	9,396	29,764	1,124	16,039*	1,423	—
1951-55	1,383,000	9,359	28,798	838	15,557	1,054	—
1956-60	1,405,000	9,500	30,539	758	15,175	863	—
1961-65	1,447,000	10,185	33,226	890	15,628	879	695
1966-70	1,501,500	11,357	32,866	1,180	15,987	791	530
1971-75	1,532,000	11,383	28,849	1,260	16,948	610	406
1976-80	1,526,200	10,010	26,959	1,531	16,750	427	269
1981-85	1,545,500	10,049	27,383	2,479	15,972	323	195
1986	1,566,800	10,225	28,152	3,580	16,065	286	125
1987	1,575,100	10,363	27,865	3,976	15,334	242	171
1988	1,578,000	9,961	27,767	4,464	15,813	248	139
1989	1,583,000	10,019	26,080	4,412	15,844	180	133
1990	1,589,400	9,588	26,499	4,972	15,426	198	116
1986-90	1,578,500	10,031	27,273	4,281	15,696	231	137
1991	1,601,400	9,221	26,265	5,306	15,096	194	124
1992	1,618,400	9,392	25,572	5,603	14,988	153	127
1993	1,631,800	9,045	24,909	5,459	15,633	176	130
1994	1,641,700	8,683	24,289	5,353	15,114	147	154
1995	1,649,000	8,576	23,860	5,503	15,310	169	147
1991-95	1,628,500	8,983	24,979	5,445	15,228	168	136

TABLE A1. Northern Ireland: Annual marriage, birth and death rates and death rates of infants under 1 year per 1,000 live births, 1986-1995, with quinquennial averages from 1911.

YEAR	Rates per 1,000 of estimated population			Live births outside marriage per cent. of total live births	Death rates of infants under 1 year of age per 1,000 live births	Still-birth rates per 1,000 births (live and still)
	Marriages	Live births	Deaths			
1911-15	6.1	24.0	17.7	4.37	102	—
1916-20	6.7	22.5	18.0	4.56	95	—
1921-25	6.3	23.1	15.6	4.29	82	—
1926-30	5.9	21.2	14.8	4.73	79	—
1931-35	6.2	20.0	14.3	5.02	78	—
1936-40	7.1	19.8	14.3	4.61	77	—
1941-45	8.2	22.7	13.4*	5.27	73	—
1946-50	7.0	22.0	11.9*	3.78	48	—
1951-55	6.8	20.8	11.3	2.91	37	—
1956-60	6.8	21.7	10.8	2.48	28	—
1961-65	7.0	23.0	10.8	2.67	26	20
1966-70	7.6	21.0	10.6	3.59	24	16
1971-75	7.4	18.8	11.1	4.35	21	14
1976-80	6.6	17.7	11.0	5.67	16	10
1981-85	6.5	17.7	10.3	9.04	12	7
1986	6.5	18.0	10.3	12.72	10	4
1987	6.6	17.7	9.7	14.27	9	6
1988	6.3	17.6	10.0	16.08	9	5
1989	6.3	16.5	10.0	16.92	7	5
1990	6.0	16.7	9.7	18.76	7	4
1986-90	6.4	17.3	9.9	15.75	8	5
1991	5.8	16.4	9.4	20.20	7	5
1992	5.8	15.8	9.3	21.91	6	5
1993	5.5	15.3	9.6	21.91	7	5
1994	5.3	14.8	9.2	22.04	6	6
1995	5.2	14.5	9.3	23.06	7	6
1991-95	5.5	15.4	9.4	21.82	7	6

*Statistics of population and deaths for the years 1941-1949 relate to civilians only.

TABLE B. *Comparative statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1961, 1966, 1971, 1981, 1989-1995.*

MARRIAGE RATES PER 1,000 OF POPULATION												
Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
1926	5.8			7.2			6.4			4.6		
1937	6.7			8.8			7.7			5.0		
1951	6.9			8.2			8.1			5.4		
1961	6.9			7.5			7.8			5.4		
1966	7.3			8.0			8.1			5.8		
1971	7.9			8.3			8.1			7.4		
1981	6.3			7.1			7.0			6.0		
1989	6.3			6.9			6.9			5.2		
1990	6.0			6.5			6.8			5.1		
1991	5.8			6.0			6.6			4.8		
1992	5.8			6.1			6.9			4.6		
1993	5.5			5.8			6.5			4.4		
1994	5.3			5.6			6.1			4.6		
1995	5.2			N/A			6.0			4.4		

LIVE BIRTH RATES PER 1,000 OF POPULATION												
Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
1926	22.5			17.8			21.1			20.6		
1937	19.8			14.9			17.6			19.2		
1951	20.7			15.4			17.7			21.2		
1961	22.4			17.6			19.5			21.2		
1966	22.5			17.7			18.6			21.6		
1971	20.6			16.0			16.6			22.8		
1981	17.8			12.8			13.4			21.0		
1989	16.5			13.6			12.5			14.7		
1990	16.7			13.6			12.9			15.1		
1991	16.4			13.7			13.1			15.0		
1992	15.8			13.4			12.9			14.5		
1993	15.3			13.1			12.4			13.9		
1994	14.8			12.9			12.0			13.4		
1995	14.5			12.6			11.7			13.5		

DEATH RATES PER 1,000 OF POPULATION												
Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
1926	15.0			11.6			13.1			14.1		
1937	15.1			12.4			13.9			15.3		
1951	12.8			12.5			12.9			14.3		
1961	11.3			12.0			12.3			12.3		
1966	11.1			11.7			12.3			12.1		
1971	10.5			11.6			11.8			10.6		
1981	10.6			11.6			12.4			9.4		
1989	10.0			11.4			12.8			8.9		
1990	9.7			11.1			12.1			9.1		
1991	9.4			11.2			12.0			8.9		
1992	9.3			10.9			11.9			8.7		
1993	9.6			11.3			12.5			8.9		
1994	9.2			10.7			11.6			8.6		
1995	9.3			11.0			11.8			8.8		

PERINATAL, NEONATAL, AND INFANT MORTALITY RATES												
Year	Northern Ireland			England and Wales			Scotland			Irish Republic		
	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant	†††Peri-natal	††Neo-natal	††Infant
1926	—	34	85	—	32	70	—	36	83	—	27	74
1937	—	36	77	60	30	58	—	38	80	—	30	73
1951	—	25	41	38	19	30	44	22	37	—	25	46
1961	38	19	27	32	15	21	36	18	26	36	21	31
1966	31	17	26	26	13	19	29	15	23	29	16	25
1971	27	16	23	22	12	18	25	14	20	23	12	18
1981	15	8	13	12	7	11	12	7	11	13	7	11
1989	8	4	7	8	5	8	9	5	9	10	5	8
1990	8	4	7	8	5	8	9	4	8	10	5	8
1991	8	5	7	8	4	7	9	4	7	10	5	8
1992	8	4	6	8	4	7	9	5	7	9	4	7
1993	9	5	7	9	4	6	10	4	7	9	4	6
1994	10	4	6	9	4	6	9	4	6	10	4	6
1995	10	5	7	9	4	6	10	4	6	N/A	5	6

†††Per 1,000 births (live and still). ††Per 1,000 live births.

POPULATION

The home population of Northern Ireland estimated at 30 June 1995 was 1,649,000 persons. This estimate, comprising civilians and members of H.M. forces stationed in Northern Ireland, is based on the Census taken on 21 April 1991 (1,577,836 persons) and takes account of natural increase and net migration. During the year ended 30 June 1995, the natural increase of 8,624 was off-set by net migration of -240. Further details regarding migration are shown on page 44.

The total population is further analysed by sex and age in Table C1.

Table C shows the population of the 26 District Council Areas.

TABLE C. *Population of 26 District Council Areas as recorded at the Census of 1991 and as estimated at mid-year 1995.*

AREA	Census 1991	Mid-Year Estimate 1995
Northern Ireland	1,577,836	1,649,000
Ards	64,764	66,700
Belfast	279,237	296,700
Castlereagh	60,799	63,400
Down	58,008	60,700
Lisburn	99,458	106,000
North Down	71,832	74,000
Antrim	44,516	48,500
Ballymena.	56,641	57,500
Ballymoney	24,198	24,600
Carrickfergus	32,750	34,900
Coleraine	50,438	54,100
Cookstown	31,082	31,300
Larne	29,419	30,000
Maghcraft	36,293	37,000
Moyle	14,789	14,800
Newtownabbey	74,035	78,600
Armagh	51,817	52,500
Banbridge.	33,482	37,300
Craigavon.	74,986	78,100
Dungannon	45,428	46,800
Newry and Mourne	82,943	84,100
Fermanagh	54,033	54,700
Limavady	29,567	30,900
Derry	95,371	102,800
Omagh	45,809	46,900
Strabane	36,141	36,100

TABLE C1. *Northern Ireland: Sex and age distribution of home population as estimated at 30 June 1995 and percentage of total population in each age-group.*

Age Groups	Persons	% Age	Males	% Age	Females	% Age
Years						
0-14	390,006	23.6	199,706	24.8	190,300	22.6
15-64	1,048,260	63.6	521,616	64.8	526,644	62.4
65+	210,694	12.8	83,900	10.4	126,794	15.0
0-	24,064	1.4	12,366	1.5	11,698	1.4
1-	24,500	1.5	12,398	1.5	12,102	1.4
2-	24,999	1.5	12,740	1.6	12,259	1.5
3-	26,283	1.6	13,489	1.7	12,794	1.5
4-	26,507	1.6	13,573	1.7	12,934	1.5
0- 4	126,353	7.6	64,566	8.0	61,787	7.3
5- 9	132,273	8.0	67,865	8.4	64,408	7.7
10-14	131,380	8.0	67,275	8.4	64,105	7.6
15-19	124,527	7.6	63,981	7.9	60,546	7.2
20-24	127,767	7.7	66,509	8.3	61,258	7.3
25-29	127,429	7.8	63,600	7.9	63,829	7.6
30-34	125,668	7.6	61,441	7.6	64,227	7.6
35-39	113,567	6.9	55,735	6.9	57,832	6.8
40-44	99,292	6.0	49,644	6.2	49,648	5.9
45-49	97,502	5.9	48,229	6.0	49,273	5.8
50-54	87,929	5.3	43,268	5.4	44,661	5.3
55-59	75,763	4.6	36,772	4.6	38,991	4.6
60-64	68,816	4.2	32,437	4.0	36,379	4.3
65-69	65,137	4.0	29,230	3.6	35,907	4.3
70-74	57,704	3.5	24,649	3.0	33,055	3.9
75-79	40,764	2.5	15,930	2.0	24,834	2.9
80-84	28,524	1.7	9,576	1.2	18,948	2.2
85+	18,565	1.1	4,515	0.6	14,050	1.7
TOTALS	1,648,960	100	805,222	100	843,738	100

The 1991 Census of population by age and sex for Northern Ireland and for District Council Areas is given in Abstract 1.

MARRIAGES

Number and rate. Marriages registered during the year numbered 8,576 giving a rate of 5.2 per 1,000 population. The corresponding number and rate for 1994 was 8,683 and 5.3 respectively. In 6,838 (79.7 per cent.) of the total marriages both contracting parties were single; in 249 (2.9 per cent.) one or both were widowed and in 1,592 (18.6 per cent.) one or both were divorced. Further details are given in Abstracts 3 and 6.

The number of marriages celebrated in each month in 1995 was as follows:

January . . .	237	April . . .	693	July . . .	1,112	October . . .	703
February . . .	288	May . . .	716	August . . .	1,354	November . . .	419
March . . .	390	June . . .	988	September . . .	1,378	December . . .	298
Qtrs.: 1st . . .	915	2nd . . .	2,397	3rd . . .	3,844	4th . . .	1,420

This shows that the period July to September was the most popular quarter for weddings, September headed the monthly totals with 1,378. January was the least popular month with 237.

Ages at marriage. Although the most popular age for marriage was 26 years for men and 24 for women, the mean age of men marrying in 1995 was 29.7 and of women 27.6. During 1994 this age was 29.3 for men and 27.2 for women. In 1985 the mean age was 26.6 for men and 24.5 for women. The mean age at marriage of persons marrying for the first time in 1995 was 27.7 years for men and 25.9 for women. Of the contracting parties 0.08 per cent. of the husbands and 0.30 per cent. of the wives were minors (the age of majority was lowered from 21 to 18 from 1 January 1970), the relative figures for 1985 being 0.4 per cent. and 2.3 per cent. Further statistics can be found in Table D and Abstracts 4, 5, 6, 7 and 8.

Method of celebration. Table D1 shows the marriages registered during the years 1927, 1937, 1951, 1961, 1966, 1971, 1981 and 1989 to 1995 according to the form of celebration and Table D2 gives further details of marriages in 1995.

Marriages taking place in registrars' offices in the year under review represented 22.0 per cent. of the total marriages which is 1.8 above that for the previous year.

TABLE D. Marriages, mean ages at marriage; men and women by previous marital status, 1991–1995.

YEAR	Males—mean age at marriage												
	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
1991 . . .	28.1	26.4	55.7	38.9	26.0	41.0	31.8	48.7	63.0	53.3	36.0	50.6	42.2
1992 . . .	28.5	26.7	57.1	38.8	26.4	41.4	32.1	51.7	65.3	54.2	35.8	49.3	41.5
1993 . . .	28.9	27.0	57.3	39.2	26.6	42.3	31.8	51.8	63.4	54.3	36.3	51.4	41.8
1994 . . .	29.3	27.3	56.9	39.8	26.8	42.1	33.4	52.0	64.7	52.6	36.8	50.7	42.8
1995 . . .	29.7	27.7	55.4	39.8	27.2	38.6	33.2	47.4	65.1	53.8	37.0	49.4	42.5

YEAR	Females—mean age at marriage												
	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
1991 . . .	26.0	24.6	50.4	36.4	24.2	38.4	29.2	41.3	57.8	47.1	33.2	46.5	38.4
1992 . . .	26.5	25.0	51.1	36.5	24.6	43.0	29.1	43.0	60.6	47.0	33.4	46.1	38.7
1993 . . .	26.8	25.2	50.8	36.4	24.8	44.4	29.3	42.8	58.2	49.8	33.5	45.7	38.4
1994 . . .	27.2	25.6	52.3	37.4	25.1	42.2	30.3	43.6	58.8	50.6	34.9	45.6	39.0
1995 . . .	27.6	25.9	49.2	37.0	25.5	39.1	30.2	39.2	60.5	46.4	34.4	45.7	39.0

Marriage Rates




Figure 1

TABLE D1. *Northern Ireland: Marriages registered according to forms of celebration, 1927, 1937, 1951, 1961, 1966, 1971, 1981, 1989–1995.*

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	Other denominations	In Registrars' Offices	Total marriages registered	Total marriage rate per 1,000 of estimated population
1927	2,091	2,074	2,150	235	237	388	7,175	5.74
1937	2,396	2,473	2,426	426	255	647	8,623	6.73
1951	2,723	2,975	2,270	446	306	694	9,414	6.86
1961	3,285	2,942	2,258	517	339	520	9,861	6.91
1966	3,707	3,207	2,338	582	356	545	10,735	7.26
1971	4,672	3,138	2,446	563	472	861	12,152	7.92
1981	3,726	2,258	1,570	443	485	1,154	9,636	6.16
1989	3,894	2,206	1,576	417	628	1,298	10,019	6.33
1990	3,759	2,048	1,459	380	641	1,301	9,588	6.03
1991	3,590	1,880	1,358	413	560	1,420	9,221	5.76
1992	3,545	1,920	1,388	398	558	1,583	9,392	5.80
1993	3,582	1,713	1,252	349	540	1,609	9,045	5.54
1994	3,312	1,594	1,196	313	518	1,750	8,683	5.29
1995	3,278	1,497	1,162	286	463	1,890	8,576	5.20

TABLE D2. *Northern Ireland: Marriages registered by District Council Area and method of celebration, 1995.*

AREA	Total Marriages	Roman Catholic	Presbyterian		Church of Ireland			Methodist		In Registrars' Offices	Other denominations	
			By Licence	By Special Licence	After Banns	By Licence	By Special Licence	By Licence or Certificate	By Special Licence		By Licence or Certificate	By Special Licence
Northern Ireland	8,576	3,278	1,437	60	26	990	146	201	85	1,890	420	43
Ards	322	40	99	5	.	34	7	13	5	100	14	5
Belfast	1,562	550	204	15	4	115	19	49	24	457	112	13
Castlereagh	197	24	40	4	2	49	5	8	3	46	15	1
Down	318	179	31	2	1	39	2	1	4	51	5	3
Lisburn	470	87	100	1	1	74	41	17	5	107	36	1
North Down	411	24	98	5	4	46	14	18	5	177	16	4
Antrim	260	76	63	1	.	26	3	1	2	84	4	.
Ballymena	299	48	118	8	3	19	8	8	3	55	29	.
Ballymoney	137	56	35	1	.	13	1	.	.	19	11	1
Carrickfergus	167	8	27	4	2	24	4	12	3	69	12	2
Coleraine	292	58	81	1	2	49	11	5	.	69	16	.
Cookstown	158	86	22	.	.	20	.	2	.	19	8	1
Larne	268	156	54	.	1	15	2	5	1	32	2	.
Magherafelt	211	123	26	1	.	19	3	.	.	22	15	2
Moyle	88	50	12	4	.	8	3	.	.	10	.	1
Newtownabbey	353	23	81	4	2	45	6	26	12	121	26	7
Armagh	296	138	48	.	.	48	1	1	1	41	18	.
Banbridge	219	50	57	1	.	27	3	2	2	53	23	1
Craigavon	437	168	37	.	2	81	5	13	6	99	26	.
Dungannon	234	140	25	.	1	42	4	2	.	12	8	.
Newry and Mourne	477	363	31	.	1	18	1	.	1	57	5	.
Fermanagh	284	142	5	1	.	72	.	11	3	43	7	.
Limavady	162	93	26	.	.	20	.	1	.	21	1	.
Derry	501	304	48	.	.	39	2	2	3	99	3	1
Omagh	258	172	31	.	.	33	1	2	2	14	3	.
Strabane	195	120	38	2	.	15	.	2	.	13	5	.

DIVORCES

Number, rate and type of decree. The number of divorce decrees in 1995 numbered 2,302 as compared with 2,303 for 1994, a decrease of 1. The rates per 1,000 of the married population were 3.3 for 1995 and 3.3 for 1994. The estimated married population was 694,327. Table Z shows statistics covering 1986–1995.

TABLE Z. *Divorces* by type of decree, 1986-1995.*

Year	All Grounds of Divorce	Nullity of Marriage	Dissolution of Marriage	All Decrees	Rate per 1,000 of Married Population
1986	1,535	4	.	1,539	2.3
1987	1,507	7	.	1,514	2.3
1988	1,546	4	.	1,550	2.3
1989	1,812	5	1	1,818	2.7
1990	1,893	4	.	1,897	2.8
1991	2,301	9	.	2,310	3.4
1992	2,274	5	1	2,280	3.3
1993	2,206	7	.	2,213	3.1
1994	2,303	6	1	2,310	3.3
1995	2,302	.	.	2,302	3.3

Duration of marriage. During the year 1995 the highest proportion of divorces, (26.3%), took place between 5 and 9 years after marriage. In 1995 divorces in the first 5 years of marriage were less frequent than in 1994. 13.9% of divorces took place between couples who had been married for over 25 years.

TABLE Z1. *Divorces* by duration of marriage, 1989-1995.*

Duration of Marriage (Years)	All Decrees						
	1989	1990	1991	1992	1993	1994	1995
0	.	.	.	1	.	.	.
1	2	2	1	.	1	2	.
2	2	7	18	19	21	12	22
3	35	33	75	65	69	72	67
4	73	75	108	123	95	102	90
0-4	112	117	202	208	186	188	179
5-9	539	562	641	635	625	656	606
10-14	407	382	498	522	526	512	485
15-19	296	325	388	344	346	350	399
20-24	224	239	261	280	259	280	313
25-29	131	151	183	168	144	155	190
30+	109	121	137	123	127	162	130
TOTAL	1,818	1,897	2,310	2,280	2,213	2,303	2,302

Marital status at marriage. In 1995 5.6% of husbands and 5.1% of wives securing a divorce were already of divorced status when entering the marriage. The equivalent figures for 1994 were 6.0% for husbands and 5.6% for wives.

TABLE Z.2. *Divorces* by marital status at time of marriage, 1986-1995.*

Year	Husbands			All Decrees	Wives			All Decrees
	Marital Status at Time of Marriage				Marital Status at Time of Marriage			
	Bachelors	Widowers	Divorced Men		Spinsters	Widows	Divorced Women	
1986	1,476	12	51	1,539	1,467	17	55	1,539
1987	1,459	11	44	1,514	1,467	6	41	1,514
1988	1,494	7	49	1,550	1,488	7	55	1,550
1989	1,716	15	87	1,818	1,729	14	75	1,818
1990	1,815	14	68	1,897	1,817	11	69	1,897
1991	2,194	17	99	2,310	2,183	20	107	2,310
1992	2,155	13	112	2,280	2,158	20	102	2,280
1993	2,085	17	111	2,213	2,063	22	128	2,213
1994	2,152	12	139	2,303	2,154	19	130	2,303
1995	2,163	10	129	2,302	2,164	20	118	2,302

*Includes nullities and dissolutions of marriage.

Age at marriage. The percentages of the total divorces where one or both of the parties were under 21 years of age at the time of marriage for the years 1995 and 1994 were both 46%. Further details are given in Abstract 37.

Children affected by divorce. A total of 4,039 children were affected by divorce in 1995; the majority of these children (2,234) were between 5 and 15 years old. The 1994 figures were 3,684 and 2,144 respectively.

TABLE Z.3. *Divorces* by ages of children, 1989–1995.*

Ages of Children	1989	1990	1991	1992	1993	1994	1995
0–4	232	223	301	295	283	276	225
5–9	767	800	988	1,050	1,015	1,023	1,030
10–15	791	860	1,013	998	1,112	1,121	1,204
16–17	231	258	271	257	237	262	313
18+	993	1,090	1,222	1,054	1,040	1,002	1,267
All Ages	3,014	3,231	3,795	3,654	3,687	3,684	4,039
No. of Divorces	1,818	1,897	2,310	2,280	2,213	2,303	2,302

Size of family. 544 of the couples granted divorces in 1995 were childless. This represents 23.6% of all the divorces compared with 642 or 28% in 1994. Families with 2 children formed the largest proportion of those involved in divorce in 1995 whereas in 1994 the largest proportion of those involved in divorce were childless couples.

TABLE Z.4. *Divorces* by size of family, 1986–1995.*

Year	All Sizes	Size of Family					
		0	1	2	3	4	5+
1986	1,539	354	374	444	201	95	71
1987	1,514	383	395	425	172	83	56
1988	1,550	382	398	457	191	67	55
1989	1,818	473	417	493	254	110	71
1990	1,897	469	434	519	275	121	79
1991	2,310	597	523	646	343	121	80
1992	2,280	592	520	665	320	117	66
1993	2,213	539	499	669	297	139	70
1994	2,303	642	492	634	334	137	64
1995	2,302	544	461	700	362	151	84

Further details of divorces are given in Abstracts 35 to 40. All information relates to divorces granted under The Matrimonial Causes (Northern Ireland) Order 1978 and The Matrimonial Causes Rules (Northern Ireland) 1981.

*Includes nullities and dissolutions of marriage.

FERTILITY

LIVE BIRTHS

Number and rate. Live births registered during 1995 numbered 23,860, a decrease of 429 compared with the previous year. The birth rate was 14.5 per 1,000 of the estimated population, 0.3 below the rate for 1994.

The monthly incidence of births was as follows:

January . . . 2,246	April . . . 1,845	July . . . 2,054	October . . . 2,077
February . . . 1,842	May . . . 2,125	August . . . 2,021	November . . . 1,937
March . . . 2,072	June . . . 2,160	September . . . 2,019	December . . . 1,462
Qtrs.: 1st . . . 6,160	2nd . . . 6,130	3rd . . . 6,094	4th . . . 5,476

Compared with 1994 the last three quarters showed decreases of 183, 125 and 195 live births respectively.

Births registered during 1995 where the normal residence of the parents was outside Northern Ireland, numbered 167 compared with 191 in 1994. In 144 cases an address in the Irish Republic was given, compared with 163 in 1994. Fourteen children were born to mothers normally resident in England and Wales and 7 to mothers from Scotland. There were 2 children born to parents from a foreign country outside the British Commonwealth.

Proportion of males to females. Births of males in Northern Ireland in 1995 numbered 12,385 and those of females 11,475, the proportion of male to female births being 1,079 to 1,000. The corresponding proportion for each of the five years 1990–1994 were 1,048, 1,065, 1,039, 1,027 and 1,054 respectively.

Age of parents. Table E2 classifies live births within marriage according to the age of the mother. The maternal age-group which contributed the greatest number of live births was the group aged 25–29.

Place of Occurrence. 99.7 per cent of all live births occurred in hospitals.

Multiple births. Up to and including 1960, the birth of one live and one still-born infant was regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth. Since 1961 still-births have been registered and these are now being taken into account to obtain accurate figures for single and multiple births. Of the 23,860 live births, 23,189 were the product of single, 642 of twin, 21 of triple and 8 of quadruple pregnancies. Table E gives the multiplicity of all births.

TABLE E. *Multiple births (live and still), by age of mother, sex and type, 1995.*

Type	Live births		Still-births	Total	Within marriage	Outside marriage	Age of mother							
	Male	Female					<20	20–24	25–29	30–34	35–39	40–44	45–49	50+
Twin Births	2	.	.	125	101	24	4	13	47	43	15	3	.	.
	1	1	.	106	98	8	1	11	34	39	21	.	.	.
	.	2	.	87	72	15	4	9	26	28	19	1	.	.
	1	.	1	3	2	1	.	1	2
	.	1	1	3	2	1	.	1	1	1
Triplet Births	3	.	.	1	1	1
	2	1	.	1	.	1	.	1
	1	2	.	3	3	.	.	.	1	2
	.	3	.	2	2	.	.	.	1	1
Quadruplet Births	2	2	.	2	2	.	.	.	2
Single confinements	23,330	17,884	5,446	1,425	4,365	8,055	6,474	2,569	423	19	.
Twin confinements	324	275	49	9	35	110	111	55	4	.	.
Triple confinements	7	6	1	.	1	2	4
Quadruple confinements	2	2	.	.	.	2
All confinements	23,663	18,167	5,496	1,434	4,401	8,169	6,589	2,624	427	19	.
All multiple confinements	333	283	50	9	36	114	115	55	4	.	.
Percentage of mothers who had multiple births.	1.41	1.56	0.91	0.63	0.82	1.40	1.75	2.10	0.94	.	.

TABLE E1. *Northern Ireland: Live births, numbers and rates by District Council Area, 1992–1995.*

AREA	Number				Rate per 1,000 of the population			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland	25,572	24,909	24,289	23,860	15.8	15.3	14.8	14.5
Ards	879	888	835	850	13.4	13.4	12.6	12.7
Belfast	4,558	4,390	4,046	3,904	15.4	14.8	13.6	13.2
Castlereagh	843	839	877	831	13.5	13.3	13.9	13.1
Down	970	942	922	924	16.3	15.6	15.3	15.2
Lisburn	1,727	1,589	1,645	1,578	16.7	15.3	15.7	14.9
North Down	911	863	854	854	12.5	11.7	11.6	11.5
Antrim	715	749	763	718	15.3	15.8	15.9	14.8
Ballymena	830	865	806	769	14.7	15.2	14.1	13.4
Ballymoney	367	335	350	354	15.3	13.7	14.3	14.4
Carrickfergus	540	532	525	489	15.9	15.4	15.1	14.0
Coleraine	746	700	728	746	14.0	13.1	13.5	13.8
Cookstown	480	463	416	446	15.6	15.0	13.4	14.2
Larne	399	411	363	357	13.5	13.8	12.1	11.9
Magherafelt	647	598	677	659	17.9	16.5	18.5	17.8
Moyle	180	180	180	158	12.2	12.2	12.2	10.7
Newtownabbey	1,148	1,085	1,073	1,049	14.9	14.0	13.7	13.3
Armagh	849	790	813	717	16.3	15.1	15.4	13.7
Banbridge	486	481	486	543	14.4	13.1	13.1	14.6
Craigavon	1,289	1,276	1,260	1,178	16.9	16.6	16.3	15.1
Dungannon	809	750	790	722	17.9	16.2	17.0	15.4
Newry and Mourne	1,574	1,547	1,519	1,588	18.8	18.9	18.2	18.9
Fermanagh	792	881	834	852	14.4	16.1	15.1	15.6
Limavady	518	512	537	491	17.3	16.9	17.5	15.9
Derry	1,983	1,882	1,765	1,811	20.0	18.7	17.4	17.6
Omagh	749	770	704	722	16.3	16.6	15.1	15.4
Strabane	583	591	521	550	16.4	16.6	14.5	15.2

TABLE E2. *Northern Ireland: Live births within marriage by age of mother, 1991–1995.*

Year	All Ages	Live births within marriage by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1991	20,959	325	4,083	8,216	5,745	2,139	423	28
1992	19,969	329	3,587	7,858	5,745	2,031	392	27
1993	19,450	187	3,169	7,589	5,903	2,185	400	17
1994	18,936	171	2,738	7,307	6,044	2,257	400	19
1995	18,357	140	2,435	6,985	6,009	2,409	363	16
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1991	100	1.6	19.5	39.2	27.4	10.2	2.0	0.1
1992	100	1.6	18.0	39.3	28.8	10.2	2.0	0.1
1993	100	1.0	16.3	39.0	30.3	11.2	2.1	0.1
1994	100	0.9	14.5	38.6	31.9	11.9	2.1	0.1
1995	100	0.8	13.3	38.0	32.7	13.1	2.0	0.1

Live Birth Rates




Figure 2

Births outside marriage. The number of births outside marriage in 1995 was 5,503. This was 150 more than in 1994. Live births outside marriage represented 23.1 per cent of all live births, 1.1 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the births outside marriage as percentages of the total live births in the year 1995 were 33.9, 33.7 and 22.2 respectively. Table F1 shows live births outside marriage by age of mother and reveals that births outside marriage are highest among women in the 20–24 age group.

TABLE F. *Northern Ireland: Live births outside marriage by District Council Area, 1992–1995.*

AREA	Number				Live births outside marriage as percentage of total live births			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland	5,603	5,459	5,353	5,503	21.9	21.9	22.0	23.1
Ards	157	173	164	166	17.9	19.5	19.6	19.5
Belfast.	1,582	1,578	1,456	1,475	34.7	35.9	36.0	37.8
Castlereagh	126	111	130	120	14.9	13.2	14.8	14.4
Down	183	178	169	181	18.9	18.9	18.3	19.6
Lisburn	385	362	347	372	22.3	22.8	21.1	23.6
North Down.	164	150	113	180	18.0	17.4	13.2	21.1
Antrim.	154	168	186	172	21.5	22.4	24.4	24.0
Ballymena	184	162	153	146	22.2	18.7	19.0	19.0
Ballymoney.	72	54	61	60	19.6	16.1	17.4	16.9
Carrickfergus	100	105	121	117	18.5	19.7	23.0	23.9
Coleraine	191	202	189	209	25.6	28.9	26.0	28.0
Cookstown	83	76	64	70	17.3	16.4	15.4	15.7
Larne	92	97	85	87	23.1	23.6	23.4	24.4
Magherafelt.	84	82	91	83	13.0	13.7	13.4	12.6
Moyle.	50	36	46	32	27.8	20.0	25.6	20.3
Newtownabbey	244	226	220	243	21.3	20.8	20.5	23.2
Armagh	99	90	106	117	11.7	11.4	13.0	16.3
Banbridge	70	66	72	68	14.4	13.7	14.8	12.5
Craigavon	284	266	281	237	22.0	20.8	22.3	20.1
Dungannon	94	103	115	87	11.6	13.7	14.6	12.1
Newry and Mourne	206	221	225	216	13.1	14.3	14.8	13.6
Fermanagh	102	128	115	152	12.9	14.5	13.8	17.8
Limavady	121	103	125	109	23.4	20.1	23.3	22.2
Derry	524	473	496	530	26.4	25.1	28.1	29.3
Omagh.	116	113	93	117	15.5	14.7	13.2	16.2
Strabane	136	136	130	157	23.3	23.0	25.0	28.5

TABLE F1. *Northern Ireland: Live births outside marriage by age of mother, 1991–1995.*

Year	All Ages	Live births outside marriage by age of mother						
		Numbers						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1991	5,306	1,464	2,051	1,047	510	205	28	1
1992	5,603	1,531	2,077	1,150	549	247	47	2
1993	5,459	1,409	2,042	1,154	591	215	45	3
1994	5,353	1,378	1,868	1,162	637	241	64	3
1995	5,503	1,294	1,975	1,264	650	256	61	3
Year	All Ages	Percentages						
		<20	20–24	25–29	30–34	35–39	40–44	45+
1991	100	27.6	38.6	19.7	9.6	3.8	0.5	0.2
1992	100	27.3	37.1	20.5	9.8	4.4	0.8	0.1
1993	100	25.8	37.4	21.2	10.8	3.9	0.8	0.1
1994	100	25.7	34.9	21.7	11.9	4.5	1.2	0.1
1995	100	23.5	35.9	23.0	11.8	4.6	1.1	0.1

LIVE BIRTHS BY SOCIAL CLASS

Social class is based on the occupation of the father of the child except where the child is born outside marriage and the father's name and occupation is not stated. In these cases the social class is determined from the mother's occupation. Occupations are grouped into the following categories:—professional, managerial and technical, skilled non-manual, skilled manual, partly skilled and unskilled. In addition there are two further groups, namely members of the Armed Forces and those whose occupations are inadequately described. This last group includes students, children under 16, housewives, persons with independent means, the permanently sick and those with no stated occupation.

In 1995 the largest percentage of all live births, 33.7% (8,038) were those of the skilled manual group and the smallest, 5.4% or 1,284 (excluding those born to the Armed Forces and to those with no occupation) were from the professional group. Further details will be found in Table G.

Of the 5,503 live births outside marriage, 39.8% were born to parents' whose occupations could not be adequately described, 12.6% and 26.8% were born to the partly skilled and skilled manual groups respectively. The lowest percentages of births outside marriage were born to professional parents and members of the Armed Forces. Table G1 gives more detailed information. Tables G2 and G3 show details of live births by sex, age of mother, number of previous children born and social class.

TABLE G. *Northern Ireland: Live Births by social class, 1995.*

Social Class	Number	Percentage
Professional	1,284	5.4
Managerial and Technical	4,801	20.1
Skilled non-manual	2,530	10.6
Skilled manual	8,038	33.7
Partly skilled	2,922	12.2
Unskilled	1,657	7.0
Armed Forces	271	1.1
Inadequately described occupations	2,357	9.9
TOTAL	23,860	100.0

TABLE G1. *Northern Ireland: Live births outside marriage by social class, 1995.*

Social Class	Number	Percentage
Professional	29	0.5
Managerial and Technical	314	5.7
Skilled non-manual	323	5.9
Skilled manual	1,474	26.8
Partly skilled	692	12.6
Unskilled	478	8.7
Armed Forces
Inadequately described occupations	2,193	39.8
TOTAL	5,503	100.0

TABLE G2. *Northern Ireland: Live births within marriage by sex, age of mother and social class, 1995.*

Age of mother at birth of child		Professional	Managerial and Technical	Skilled (non-manual)	Skilled (manual)	Partly Skilled	Unskilled	Armed Forces and Inadequately Described Occupations
<20	M	2	5	10	29	14	11	8
	F	.	7	12	24	5	5	8
20-24	M	28	165	132	532	205	129	62
	F	17	154	120	497	220	109	65
25-29	M	188	763	483	1,378	474	213	78
	F	171	726	432	1,285	459	242	93
30-34	M	306	907	371	1,031	343	154	45
	F	260	849	361	929	258	150	45
35-39	M	127	406	126	383	125	70	13
	F	115	369	132	361	95	72	15
40-44	M	21	66	14	67	18	15	2
	F	20	62	14	42	13	9	.
45+	M	.	5	.	4	.	.	.
	F	.	3	.	2	1	.	1
Total births within marriage	M	672	2,317	1,136	3,424	1,179	592	208
	F	583	2,170	1,071	3,140	1,051	587	227

TABLE G3. *Northern Ireland: Live Births within marriage by sex, number of previous children (live and still) and social class, 1995.*

Social Class		All births within marriage	Births within marriage classified according to number of previous children born (live and still)											All births outside marriage
			0	1	2	3	4	5	6	7	8	9	10+	
Professional	M	672	245	227	126	50	21	3	16
	F	583	209	194	123	36	9	7	3	1	.	.	1	13
Managerial and Technical	M	2,317	727	788	478	215	64	25	13	1	3	2	1	171
	F	2,170	732	742	391	179	84	28	10	1	1	1	1	143
Skilled (non- manual)	M	1,136	445	413	185	64	23	4	2	167
	F	1,071	416	375	187	66	21	3	2	1	.	.	.	156
Skilled (manual)	M	3,424	1,024	1,155	695	305	129	70	19	16	4	4	3	761
	F	3,140	956	1,049	630	303	118	44	19	12	4	3	2	713
Partly Skilled	M	1,179	387	406	227	92	41	17	5	2	1	1	.	369
	F	1,051	331	385	199	75	36	16	4	2	1	.	2	323
Unskilled	M	592	126	188	114	90	32	19	11	6	2	1	3	256
	F	587	137	170	132	71	32	22	7	6	5	5	.	222
Armed Forces and Inadequately Described Occupations	M	208	62	79	37	17	7	2	2	1	.	.	1	1,117
	F	227	77	72	46	19	6	2	4	1	.	.	.	1,076
TOTAL	M	9,528	3,016	3,256	1,862	833	317	140	52	26	10	8	8	2,857
	F	8,829	2,858	2,981	1,708	749	306	122	49	24	11	9	6	2,646
	T	18,357	5,874	6,243	3,570	1,582	623	262	101	50	21	17	14	5,503

STILL-BIRTHS

The Still-Birth (Definition) Act 1992 redefined still-births, from 1 October 1992, to include losses between 24 and 27 weeks gestation.

Number and rate. The number of still-births registered in 1995 was 147 giving a rate of 6.1 per 1,000 births (live and still). Comparative 1995 figures for England and Wales, and Scotland were 3,600; 5.5; and 397; 6.6 respectively. Figures for the Irish Republic were not available at time of publication.

Abstract 34 shows the number of still-births in administrative areas by sex. The number of still-born children outside marriage had they been born alive was 42 representing 28.6 per cent. of all still-births. Five of the still-births were the product of multiple confinements, further particulars of which will be found in Table E. In 104 cases the births occurred between 24 and 37 weeks gestation or when the weight of the fetus was not more than 2,500 grammes. Of the 147 still-births, 146 were certified by doctors, and 1 by Coroner's Certificate without inquest. Post-mortem examinations were held in 18 cases. Abstract 16 shows still-births by cause, sex and period of gestation. The percentage of still-births which occurred in hospitals in 1995 was 96.6 per cent. compared to 98.1 per cent. in 1994. Congenital malformations (ICD 740-759) caused 10 still-births (i.e. 6.8 per cent. of the total). The corresponding figures for 1994 were 12 and 7.8 per cent. respectively.

TABLE H. *Northern Ireland: Still-births and rates per 1,000 births (live and still)*
by District Council Area, 1992-1995.

AREA	Number of still-births				Rate per 1,000 live and still-births			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland	127	130	154	147	4.9	5.2	6.3	6.1
Ards	4	2	9	4	4.5	2.2	10.7	4.7
Belfast.	23	20	28	23	5.0	4.5	6.9	5.9
Castlereagh	5	3	5	4	5.9	3.6	5.7	4.8
Down	9	9	7	10	9.2	9.5	7.5	10.7
Lisburn	10	6	10	6	5.8	3.8	6.0	3.8
North Down. . . .	4	4	5	8	4.4	4.6	5.8	9.3
Antrim.	1	4	4	4	1.4	5.3	5.2	5.5
Ballymena	3	7	3	1	3.6	8.0	3.7	1.3
Ballymoney. . . .	4	.	2	3	10.8	.	5.7	8.4
Carrickfergus . . .	4	3	4	5	7.4	5.6	7.6	10.1
Coleraine	2	8	7	6	2.7	11.3	9.5	8.0
Cookstown	4	2	2	5	8.3	4.3	4.8	11.1
Larne	2	6	2	2	5.0	14.4	5.5	5.6
Magherafelt. . . .	3	3	5	3	4.6	5.0	7.3	4.5
Moyle.	1	1	1	.	5.5	5.5	5.5	.
Newtownabbey . . .	5	8	4	4	4.3	7.3	3.7	3.8
Armagh	2	4	2	6	2.4	5.0	2.5	8.3
Banbridge	3	2	2	2	6.1	4.1	4.1	3.7
Craigavon	7	7	4	3	5.4	5.5	3.2	2.5
Dungannon	3	.	5	6	3.7	.	6.3	8.2
Newry and Mourne .	13	4	19	9	8.2	2.6	12.4	5.6
Fermanagh	2	3	3	7	2.5	3.4	3.6	8.1
Limavady	2	6	3	4	3.8	11.6	5.6	8.1
Derry	5	12	12	6	2.5	6.3	6.8	3.3
Omagh.	5	3	8	.	6.5	4.2	11.0
Strabane	6	1	3	8	10.2	1.7	5.7	14.3

TABLE H1. *Northern Ireland: Births (live and still) by place of occurrence and by District Council Area, 1995.*

AREA	All Births (Live and Still)	Place of occurrence		
		At Home	NHS Hospital	Non NHS Hospital
Northern Ireland	24,007	70	23,932	5
Ards	854	3	851	.
Belfast	3,927	11	3,916	.
Castlereagh	835	1	834	.
Down	934	.	934	.
Lisburn	1,584	1	1,582	1
North Down	862	4	858	.
Antrim	722	3	719	.
Ballymena	770	2	768	.
Ballymoney	357	.	357	.
Carrickfergus	494	3	491	.
Coleraine	752	1	751	.
Cookstown	451	1	450	.
Larne	359	2	357	.
Magherafelt	662	1	661	.
Moyle	158	.	157	1
Newtownabbey	1,053	2	1,051	.
Armagh	723	1	721	1
Banbridge	545	.	545	.
Craigavon	1,181	3	1,178	.
Dungannon	728	1	727	.
Newry and Mourne	1,597	8	1,588	1
Fermanagh	859	5	854	.
Limavady	495	1	494	.
Derry	1,817	10	1,806	1
Omagh	730	2	728	.
Strabane	558	4	554	.

TABLE H2. Northern Ireland: Still-births which occurred between 24 and 37 weeks or when the weight of the fetus was 2,500 grams or under; 1991-1995.

[illegible]

Note: (—) dashes are not applicable.

DEATHS

Number and rate. The number of deaths recorded during the year 1995 and the death rate per 1,000 of the population were 15,310 and 9.3 respectively. The comparable figures for 1994 were 15,114 and 9.2.

The monthly incidence of deaths was as follows:

January . . . 1,530	April . . . 1,168	July . . . 1,092	October . . . 1,220
February . . . 1,340	May . . . 1,362	August . . . 1,163	November . . . 1,290
March . . . 1,457	June . . . 1,231	September . . . 1,166	December . . . 1,291
Qtrs.: 1st . . . 4,327	2nd . . . 3,761	3rd . . . 3,421	4th . . . 3,801

Of the total deaths 7,482 were of males and 7,828 were of females, the equivalent annual death rate being 9.3 per 1,000 of both the male and female estimated populations, respectively. The corresponding rates for 1994 were both 9.2.

According to the ages stated to registrars, 199 (1.3 per cent.) of the total deaths were of children under 5 years of age and 12,137 (79.3 per cent.) were of persons aged 65 and upwards. There were 386 deaths of persons (75 males and 311 females) aged 95 and upwards and this number included 3 males and 17 females aged 100, 3 males and 13 females aged 101, 7 females aged 102, 1 male and 2 females aged 103, 4 females aged 104, 1 male and 2 females aged 105, 2 females aged 106 and 2 females aged 107.

Table J gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

TABLE I. *Northern Ireland: Deaths and death rates by District Council Area, 1992–1995.*

AREA	Number				Rate per 1,000 of the population			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland . . .	14,988	15,633	15,114	15,310	9.3	9.6	9.2	9.3
Ards	673	654	593	651	10.3	9.9	8.9	9.8
Belfast	3,370	3,539	3,354	3,237	11.4	11.9	11.3	10.9
Castlereagh	620	665	641	656	10.0	10.6	10.1	10.3
Down	585	534	601	637	9.8	8.8	9.9	10.5
Lisburn	770	789	797	857	7.4	7.6	7.6	8.1
North Down	681	766	734	772	9.3	10.4	10.0	10.4
Antrim	376	331	356	359	8.1	7.0	7.4	7.4
Ballymena	537	568	553	534	9.5	10.0	9.7	9.3
Ballymoney	199	231	245	241	8.2	9.5	10.0	9.8
Carrickfergus	298	292	307	318	8.8	8.5	8.8	9.1
Coleraine	493	515	500	512	9.2	9.6	9.3	9.5
Cookstown	234	223	278	244	7.6	7.2	9.0	7.8
Larne	281	337	279	295	9.5	11.3	9.3	9.8
Magherafelt	274	299	270	265	7.6	8.2	7.4	7.2
Moyle	145	170	162	149	9.9	11.6	11.0	10.1
Newtownabbey	612	663	660	694	8.0	8.5	8.5	8.8
Armagh	463	522	474	459	8.9	10.0	9.0	8.7
Banbridge	292	307	300	321	8.7	8.4	8.1	8.6
Craigavon	694	708	625	673	9.1	9.2	8.1	8.6
Dungannon	414	400	469	413	9.2	8.7	10.1	8.8
Newry and Mourne	684	749	727	716	8.2	9.2	8.7	8.5
Fermanagh	560	634	551	556	10.2	11.6	10.0	10.2
Limavady	234	206	213	246	7.8	6.8	7.0	8.0
Derry	745	760	723	832	7.5	7.6	7.1	8.1
Omagh	423	416	396	378	9.2	9.0	8.5	8.1
Strabane	331	355	306	295	9.3	9.9	8.5	8.2

TABLE J. *Northern Ireland: Deaths by sex and age-group and as a percentage of total deaths, 1995.*

		Total	Under 1 year	1–14 years	15–44 years	45–64 years	65 years and over
Number of deaths	Persons	15,310	169	89	664	2,251	12,137
	Males	7,482	93	52	453	1,362	5,522
	Females	7,828	76	37	211	889	6,615
Percentage of total deaths	Persons	100	1.1	0.6	4.3	14.7	79.3
	Males	100	1.2	0.7	6.1	18.2	73.8
	Females	100	1.0	0.4	2.7	11.3	84.5

TABLE K. *Northern Ireland: Death rate per 1,000 population within sex and age-groups, 1926, 1937, 1961, 1971, 1981, 1991, 1993-1995.*

YEAR		All ages	AGES AT DEATH																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over
1926	Persons	15.0	28.0	2.7	2.1	3.2	4.4	4.8	6.1	5.9	8.5	10.9	16.0	21.0	31.1	39.3	70.2	92.1	132.4	208.4
	Males	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8
	Females	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1
1937	Persons	15.0	23.0	1.8	1.5	2.5	3.5	3.6	4.6	5.0	7.5	10.2	14.4	19.4	28.8	46.0	76.4	115.0	153.2	250.9
	Males	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2
	Females	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6
1961	Persons	11.3	6.7	0.4	0.4	0.6	0.8	1.0	1.2	1.8	2.8	4.3	8.1	12.9	22.0	35.1	56.9	92.7	142.8	245.2
	Males	12.1	8.0	0.5	0.5	0.8	1.2	1.4	1.5	2.1	3.5	5.0	10.4	17.6	28.7	43.5	65.6	107.0	145.7	259.4
	Females	10.5	5.5	0.3	0.3	0.4	0.5	0.7	1.0	1.5	2.2	3.7	5.9	8.2	15.4	26.8	48.3	78.5	140.0	231.1
1971	Persons	10.5	5.2	0.4	0.3	0.7	0.8	0.7	1.0	1.6	2.9	4.6	7.2	12.5	19.1	32.0	50.6	72.6	119.4	263.0
	Males	11.4	5.7	0.5	0.4	1.0	1.3	1.0	1.3	2.1	3.3	5.8	9.6	16.2	26.3	44.7	63.7	93.9	143.8	328.2
	Females	9.7	4.7	0.2	0.2	0.4	0.3	0.5	0.6	1.2	2.4	3.5	5.1	9.2	12.4	22.2	41.3	59.4	105.1	233.5
1981	Persons	10.6	3.3	0.3	0.3	0.6	1.0	0.8	1.1	1.3	2.3	3.9	7.5	13.0	18.9	30.1	46.4	77.2	116.3	192.8
	Males	11.2	3.8	0.3	0.4	0.9	1.4	1.2	1.6	1.6	3.0	4.7	9.6	17.2	25.4	42.0	63.7	103.4	147.0	226.4
	Females	10.0	2.8	0.2	0.2	0.3	0.4	0.4	0.6	1.1	1.6	3.2	5.6	9.3	13.4	20.6	34.2	61.9	101.4	179.8
1991	Persons	9.5	1.8	0.2	0.2	0.6	0.8	0.8	0.8	1.2	2.0	3.2	5.3	8.5	15.6	24.5	38.3	62.4	95.3	181.1
	Males	9.7	2.0	0.2	0.2	0.9	1.2	1.3	1.1	1.3	2.4	4.2	6.6	10.7	20.3	33.0	51.3	83.6	128.0	220.7
	Females	9.3	1.6	0.2	0.2	0.3	0.3	0.3	0.5	1.0	1.6	2.3	4.0	6.4	11.6	17.6	28.6	49.3	79.1	168.3
1993	Persons	9.6	1.7	0.2	0.3	0.6	0.8	0.8	0.8	1.0	1.7	2.8	4.9	8.9	14.8	24.0	40.0	61.5	96.2	187.4
	Males	9.7	1.8	0.1	0.4	0.8	1.3	1.2	1.0	1.2	2.0	3.3	5.9	10.8	19.1	32.5	53.0	83.5	129.2	228.1
	Females	9.5	1.5	0.2	0.2	0.3	0.4	0.4	0.5	0.9	1.4	2.2	3.8	7.1	11.0	16.9	30.3	47.8	79.6	174.3
1994	Persons	9.2	1.5	0.2	0.2	0.7	0.6	0.7	0.8	1.1	1.8	2.9	4.6	8.4	15.0	22.8	36.1	57.8	94.0	184.3
	Males	9.2	1.6	0.2	0.3	1.0	1.0	1.0	1.2	1.4	2.0	3.3	5.2	11.2	19.3	30.3	47.0	76.7	121.2	224.5
	Females	9.2	1.3	0.1	0.1	0.3	0.3	0.3	0.5	0.9	1.5	2.4	4.0	5.8	11.2	16.7	28.0	45.9	80.4	171.3
1995	Persons	9.3	1.6	0.2	0.2	0.6	0.8	0.7	0.9	1.1	1.8	2.6	5.0	8.2	13.5	21.9	37.5	59.3	92.8	187.6
	Males	9.3	1.7	0.2	0.3	0.8	1.2	1.0	1.3	1.4	1.9	3.1	6.1	10.3	17.6	28.1	49.5	79.5	121.3	233.2
	Females	9.3	1.4	0.2	0.2	0.3	0.3	0.3	0.5	0.8	1.6	2.2	4.1	6.2	9.9	16.8	28.6	46.3	78.3	173.0

Deaths in hospitals. The number of deaths occurring in hospitals in 1995 is shown in Table L. Of the deaths registered, 49.9 per cent. took place in N.H.S. hospitals (0.8 per cent. in mental hospitals).

TABLE L. *Northern Ireland: Deaths in hospitals, 1992–1995.*

Place	1992	1993	1994	1995
Number of deaths in:				
N.H.S. Psychiatric Hospitals	304	235	139	121
N.H.S. other Hospitals	7,498	7,721	7,321	7,519
Non-N.H.S. hospitals and institutions for old and disabled	2,300	2,722	2,777	2,992
Elsewhere	4,886	4,955	4,877	4,678
Total deaths.	14,988	15,633	15,114	15,310
Percentage of deaths in N.H.S. hospitals.	52.1	50.9	49.4	49.9

Cause of death. Where more than one cause of death is reported, the death is classified to the underlying cause, i.e. the starting point in the sequence of events leading to death. See General Notes on page 1.

Proportion of deaths from principal causes. Heart disease (4,808) continued to be the most frequent cause of death; other diseases having a high proportion were cancer (3,491), respiratory disease (2,656) and cerebrovascular disease (1,690) (mainly cerebral thrombosis and cerebral haemorrhage).

At ages under one year premature birth (93) and congenital malformations (62) were the principal causes of death.

Between the ages of one and nine the most frequent causes of death were from accidents (17), congenital malformations (11), cancer (9) and respiratory diseases (5).

Between the ages of ten and twenty-four, the largest proportion of deaths were from accidents (66) with suicides (29) and cancer (24) coming next.

Between the ages of twenty-five and forty-four the principal causes were cancer (117), accidents (76), heart disease (57) and suicides (49).

From age forty-five the pattern was heart disease (4,742) followed by cancer (3,340), respiratory disease (2,618) and cerebrovascular diseases (1,669).

Table M shows, for each of the principal causes, the number of deaths and the death rates for 1994 and 1995.

Deaths from the principal epidemic diseases. A total of 9 deaths (0.005 per 1,000 population) fell within this group, all were caused by influenza. There were no deaths from the remaining diseases in this group, namely diarrhoeal diseases of children under 2 years of age, whooping cough, scarlet fever, acute poliomyelitis, typhoid and paratyphoid fevers, typhus, diphtheria and smallpox.

The number of deaths from the principal epidemic diseases in 1994 was 4 and the relative rate was 0.002.

Influenza. There were 9 deaths from influenza in 1995 as against a total of 3 in 1994. The rate per 1,000 of the population was 0.005 in 1995 (0.002 in 1994).

TABLE M. *Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1994 and 1995.*

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1994	1995	1994	1995
01-56	ALL CAUSES	15,114	15,310	920.6	928.4
01	Intestinal infectious diseases	2	1	0.1	0.1
020-021	Respiratory tuberculosis	6	13	0.4	0.8
Rem. 02	Other tuberculosis (excluding late effects).	2	1	0.1	0.1
034	Whooping cough
036	Meningococcal infection	4	4	0.2	0.2
037	Tetanus
038	Septicaemia	15	11	0.9	0.7
041	Smallpox
042	Measles	1	.	0.1	.
052	Malaria
06	Venereal diseases
077	Late effects of tuberculosis	1	.	0.1	.
Rem. 01-07	All other infective and parasitic diseases	8	14	0.5	0.8
091	Malignant neoplasm of stomach	201	170	12.2	10.3
093	Malignant neoplasm of colon	324	354	19.7	21.5
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	114	100	6.9	6.1
096	Malignant neoplasm of pancreas	149	143	9.1	8.7
101	Malignant neoplasm of trachea, bronchus and lung	768	752	46.8	45.6
113	Malignant neoplasm of female breast	338	327	20.6	19.8
120	Malignant neoplasm of cervix uteri	38	19	2.3	1.2
123	Malignant neoplasm of ovary and other uterine adnexa	90	100	5.5	6.1
124	Malignant neoplasm of prostate	209	216	12.7	13.1
141	Leukaemia	94	83	5.7	5.0
Rem. 08-14	All other malignant neoplasms.	1,270	1,227	77.4	74.4
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	70	94	4.3	5.7
181	Diabetes mellitus	45	43	2.7	2.6
Rem. 18	Other endocrine and metabolic diseases and immunity disorders.	28	41	1.7	2.5
191	Nutritional marasmus
192	Other protein-caloric malnutrition	1	1	0.1	0.1
Rem. 19	Other nutritional deficiencies	1	.	0.1
200	Anaemias	15	10	0.9	0.6
Rem. 20	Other diseases of blood and blood-forming organs	14	19	0.9	1.2
21	Mental disorders	91	78	5.5	4.7
220	Meningitis	4	3	0.2	0.2
223	Multiple sclerosis	21	27	1.3	1.6
224	Infantile cerebral palsy and other paralytic syndromes	6	3	0.4	0.2
Rem. 22-24	Other diseases of the nervous system and sense organs	156	191	9.5	11.6
250	Acute rheumatic fever	3	6	0.2	0.4
251	Chronic rheumatic heart disease	30	47	1.8	2.8
260	Hypertensive heart disease	22	34	1.3	2.1
Rem. 26	Other hypertensive diseases	57	60	3.5	3.6
270A	Acute myocardial infarction with hypertension	315	308	19.2	18.7
270B	Acute myocardial infarction without hypertension	2,799	2,716	170.5	164.7
Rem. 27A	Other ischaemic heart disease with hypertension	154	175	9.4	10.6
Rem. 27B	Other ischaemic heart disease without hypertension	900	887	54.8	53.8
289	Heart failure	398	357	24.2	21.6
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	235	284	14.3	17.2
29A	Cerebrovascular disease with mention of hypertension	148	141	9.0	8.6
29B	Cerebrovascular disease without mention of hypertension	1,590	1,549	96.8	93.9
300	Atherosclerosis	49	41	3.0	2.5

TABLE M (continued). Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1994 and 1995.

Abbreviated List Numbers	CAUSES OF DEATH	Number of deaths		Rate per 100,000 population	
		1994	1995	1994	1995
Rem. 30	Other diseases of the circulatory system	311	324	18.9	19.6
321	Pneumonia	1,595	1,781	97.2	108.0
322	Influenza	3	9	0.2	0.5
323	Bronchitis, emphysema and asthma	146	146	8.9	8.9
326	Pneumoconiosis and other lung diseases due to external agents	14	12	0.9	0.7
31 Rem. 32	Other diseases of the respiratory system	640	708	39.0	42.9
341	Ulcer of stomach and duodenum	100	87	6.1	5.3
342	Appendicitis	3	6	0.2	0.4
347	Chronic liver disease and cirrhosis	66	71	4.0	4.3
33 Rem. 34	Other diseases of the digestive system	255	285	15.5	17.3
350	Nephritis, nephrotic syndrome and nephrosis	165	162	10.0	9.8
360	Hyperplasia of prostate	3	7	0.2	0.4
37, Rem. 35,36	Other diseases of the genitourinary tract	82	82	5.0	5.0
38	Abortion
39	Direct obstetric causes
Rem. 40, 41	Other complications of pregnancy, childbirth and the puerperium
42, 43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue	58	77	3.5	4.7
440	Spina bifida and hydrocephalus	6	9	0.4	0.5
442	Congenital anomalies of heart and circulatory system	37	33	2.3	2.0
Rem. 44	Other congenital anomalies	44	49	2.7	3.0
453	Birth trauma	6	1	0.4	0.1
454	Hypoxia, birth asphyxia and other respiratory conditions	23	26	1.4	1.6
Rem. 45	Other conditions originating in the perinatal period	40	66	2.4	4.0
46	Symptoms, signs and ill-defined conditions	44	55	2.7	3.3
47	Fractures.	169	148	10.3	9.0
49	Intracranial and internal injuries including nerves	188	160	11.5	9.7
52	Burns	7	8	0.4	0.5
53	Poisoning and toxic effects	99	90	6.0	5.5
Rem. 48-56	Other injuries and poisonings	225	257	13.7	15.6
E471	Motor vehicle traffic accidents.	158	131	9.6	7.9
E50	Accidental falls	131	125	8.0	7.6
Rem. E47-E53	Other accidents and adverse effects	144	136	8.8	8.2
E54	Suicide	138	122	8.4	7.4
E55	Homicide	100	113	6.1	6.9
E56	Other violence.	17	36	1.0	2.2

Death Rates




Figure 3

Tuberculosis. Deaths from this cause numbered 14 in 1995, compared with 8 in 1994. The rate of 0.01 per 1,000 population is the same as that for 1994. Further details of comparable figures over the past years may be seen in Table N

There were no deaths from the late effects of tuberculosis in 1995. Although not related to the condition taken to have initiated the sequence of events leading to death, tuberculosis was also an important contributory factor in a further 10 deaths.

The tuberculosis death rates for England and Wales, Scotland and the Irish Republic in 1995 were 0.01, 0.01 and 0.01 respectively. More detailed information about deaths from tuberculosis is given in Abstracts 20 and 25.

TABLE N. *Northern Ireland: Deaths and death rates from tuberculosis (all forms), (I.C.D. 010-018, 137), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1989-1995.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1961	75	0.11	30	0.04	105	0.07
1966	39	0.05	18	0.02	57	0.04
1971	30	0.04	13	0.02	43	0.03
1981	7	0.01	13	0.02	20	0.01
1989	8	0.01	5	0.01	13	0.01
1990	6	0.01	6	0.01	12	0.01
1991	4	0.01	4	0.01	8	0.01
1992	6	0.01	5	0.01	11	0.01
1993	6	0.01	7	0.01	13	0.01
1994	5	0.01	3	0.01	8	0.01
1995	8	0.01	6	0.01	14	0.01

Cancer. The number of deaths from cancer in Northern Ireland during 1995 was 3,491 giving a death rate of 2.12 per 1,000 of the population which is 0.07 below the rate for 1994.

TABLE O. *Northern Ireland: Deaths and death rates from cancer, (I.C.D. 140-208), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1989-1995.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	619	1.02	791	1.22	1,410	1.12
1937	777	1.25	891	1.36	1,668	1.30
1951	1,041	1.56	993	1.41	2,034	1.48
1961	1,138	1.64	1,048	1.43	2,186	1.53
1966	1,284	1.78	1,138	1.50	2,422	1.64
1971	1,463	1.94	1,295	1.65	2,758	1.81
1981	1,465	1.94	1,442	1.84	2,907	1.89
1989	1,839	2.37	1,661	2.06	3,500	2.21
1990	1,765	2.26	1,680	2.08	3,445	2.17
1991	1,792	2.29	1,694	2.06	3,486	2.18
1992	1,835	2.32	1,719	2.08	3,554	2.20
1993	1,875	2.35	1,749	2.09	3,624	2.22
1994	1,854	2.31	1,741	2.07	3,595	2.19
1995	1,841	2.29	1,650	1.96	3,491	2.12

Cancer Death Rates




Figure 4

The most frequent sites of fatal cancer during the year among males were bronchus and lungs 483, prostate 216, colon 181, stomach 99, bladder 75, oesophagus 74, pancreas 70, rectum and leukaemia 51. Among females the most frequent sites were breast 327, bronchus and lungs 269, colon 173, cervix uteri, ovary and other uterine adnexa 119, pancreas 73, stomach 71, oesophagus 50, rectum 49, leukaemia 32 and bladder 32.

For many years cancer of the stomach proved to be the most frequent site for fatal cancer in both sexes and it remained so among females up to 1961 when it took second place to cancer of the breast. Since 1954, however, cancer of the lung has been more prevalent among males and this cause is now the 2nd most frequent site in females.

Table O1 shows the numbers and rates of lung cancer deaths by sex for the past seven years. Abstract 20 gives particulars regarding the cancer sites by sex and age-groups and Abstracts 25, 29 and 34 give details of cancer incidence in administrative areas.

TABLE O1. *Northern Ireland: Deaths and death rates from lung cancer, 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1989–1995.*

YEAR	Number			Rate per 100,000 population		
	Males	Females	Persons	Males	Females	Persons
1926	15	16	31	2	2	2
1937	51	31	82	8	5	6
1951	154	31	185	23	4	13
1961	317	48	365	46	7	26
1966	374	73	447	52	10	30
1971	479	101	580	63	13	38
1981	511	178	689	68	23	45
1989	610	221	831	78	27	52
1990	527	244	771	68	30	49
1991	566	222	788	72	27	49
1992	512	259	771	65	31	48
1993	543	269	812	68	32	50
1994	511	257	768	64	31	47
1995	483	269	752	60	32	46

Cerebral haemorrhage, apoplexy, etc. (I.C.D. 430–438). The deaths assigned to this group (described as “cerebrovascular disease”) numbered 1,690 giving a rate of 1.02 per 1,000 of the population. This rate is 0.04 below the rate for 1994 and is 0.03 below the average rate for the period 1990–1994. The rate per 1,000 of the population was 0.78 for males whilst the female rate was 1.26. Details of deaths in this group by ages are shown in Abstract 20.

Heart disease. The deaths from the various forms of heart disease during the year numbered 4,808, the rate per 1,000 of the population being 2.92 which is 0.04 below that for the previous year and is 0.16 below the average for the five years 1990–1994.

TABLE O2. *Northern Ireland: Deaths and death rates from heart disease (all forms), 1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1989–1995.*

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1961	3,199	4.60	2,708	3.70	5,907	4.14
1966	3,178	4.41	2,611	3.45	5,789	3.92
1971	3,232	4.28	2,551	3.25	5,783	3.75
1981	3,431	4.55	2,681	3.42	6,112	3.97
1989	2,796	3.60	2,455	3.05	5,251	3.32
1990	2,684	3.44	2,363	2.92	5,047	3.18
1991	2,612	3.34	2,312	2.82	4,924	3.07
1992	2,639	3.34	2,400	2.90	5,039	3.11
1993	2,619	3.29	2,378	2.85	4,997	3.06
1994	2,470	3.08	2,383	2.84	4,853	2.96
1995	2,466	3.06	2,342	2.78	4,808	2.92

Of the total number of deaths from heart disease 4,086 (85.0 per cent.) were in the group known as ischaemic heart disease which includes coronary disease. Chronic rheumatic heart disease accounted for 47 (1.0 per cent.), hypertensive heart disease for 34 (0.7 per cent.) and other forms of heart disease for 641 (13.3 per cent.) of all deaths from heart disease.

I.C.D. numbers 393–398, 402, 404, 410–416, 420–429 as shown in Abstract 20, give the age and sex breakdown of all deaths from heart disease.

Bronchitis (I.C.D. numbers 466, 490–491). The deaths from bronchitis during the year 1995 numbered 63, giving a rate of 0.04 per 1,000 of the population, which is 0.01 below the rate for 1994. Bronchitis was also an important contributory factor in 76 deaths though not related to the condition taken to have initiated the sequence of events leading to death.

Pneumonia (I.C.D. numbers 480–486). Deaths from pneumonia numbered 1,781 during the year 1995, a rate of 1.08 per 1,000 of the population, 0.11 above the rate for 1994 and 0.03 above the average rate for the five years 1990–1994.

Pregnancy and childbirth. The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) deliveries and complications of pregnancy, childbirth and the puerperium and (2) deaths with mention of pregnancy, childbirth and the puerperium but not classified as maternal. The causes of death shown in detailed list numbers 630–676 of Abstract 20 are those to which the former group are assigned. In 1995 there were no deaths from diseases of pregnancy, childbirth, and the puerperal state. There were no such deaths in 1994 either.

TABLE P. *Northern Ireland: Deaths of women in pregnancy, childbirth and the puerperium*
1926, 1937, 1951, 1961, 1966, 1971, 1981 and 1989–1995.

Year	Maternal deaths		Not classed as maternal	
	No.	Rate‡ per 1,000 births	No.	Rate‡ per 1,000 births
1926	158	5.61	17	0.60
1937	127	5.00	37	1.46
1951	31	1.09	8	0.28
1961	17	0.53	3	0.09
1966	6	0.18	8	0.24
1971	6	0.19	6	0.19
1981	1	0.04	.	.
1989
1990	.	.	3	0.11
1991	1	0.04	.	.
1992	.	.	1	0.04
1993	.	.	3	0.12
1994	.	.	1	0.04
1995	.	.	2	0.08

‡ Rate per 1,000 live births for years 1926–60. The rates from 1961 are per 1,000 total births (live and still).

Maternal Mortality Rates




Figure 5

Infant mortality. Deaths of infants under 1 year of age numbered 169 or 7.1 per 1,000 live births registered. This rate is 1.0 above that for the previous year. Of these deaths, 93 were of males and 76 of females, the former number being equivalent to 7.5 per 1,000 live births of males and the latter 6.6 per 1,000 live births of females. The corresponding rates for 1994 were 147 and 6.1 respectively. The 1995 rates for England and Wales, Scotland and the Irish Republic were 6.1, 6.2 and 6.3. Comparative figures for previous years are shown in Table B on page 5.

Neonatal mortality. Deaths of infants aged under four weeks numbered 131 representing a rate of 5.5 per 1,000 live births. This is equivalent to 77.5 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1994 were, 101, 4.2, and 68.7 per cent. respectively. The 1995 rates for England and Wales, Scotland and the Irish Republic were 4.1, 4.0 and 4.6 respectively.

Perinatal Deaths (i.e. deaths of children within the first week of life together with all still-births) numbered 250, giving a rate of 10.4 per 1,000 live and still-births. Comparative rates in England and Wales and Scotland for 1995 were 8.8 and 9.6 respectively. The figures for the Irish Republic were not available at the time of publication.

Abstract 34 gives the number of infant deaths, together with the number of births for each of the 26 District Council Areas in Northern Ireland. Abstract 30 gives the number of deaths of children under 1 year of age for Northern Ireland by District Council Areas for the year 1995, the numbers are given by sex and age groups.

The number of infant deaths for 1995 by age and cause of death are given in Abstract 32, together with the infant mortality rates by cause.

TABLE Q. *Northern Ireland: Infant mortality by District Council Area, 1992-1995.*

AREA	Number				Infant mortality rate per 1,000 live births			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland . .	153	176	147	169	6.0	7.1	6.1	7.1
Ards	3	4	9	11	3.4	4.5	10.8	12.9
Belfast.	31	22	22	39	6.8	5.0	5.4	10.0
Castlereagh	2	5	4	6	2.4	6.0	4.6	7.2
Down	6	11	4	7	6.2	11.7	4.3	7.6
Lisburn	13	8	12	10	7.5	5.0	7.3	6.3
North Down.	6	6	9	14	6.6	7.0	10.5	16.4
Antrim.	6	2	7	3	8.4	2.7	9.2	4.2
Ballymena	2	4	3	4	2.4	4.6	3.7	5.2
Ballymoney.	4	2	2	2	10.9	6.0	5.7	5.6
Carrickfergus	3	5	3	.	5.6	9.4	5.7	.
Coleraine	2	6	6	6	2.7	8.6	8.2	8.0
Cookstown	2	4	2	3	4.2	8.6	4.8	6.7
Larne	2	1	1	.	4.9	2.8	2.8
Magherafelt.	5	3	8	2	7.7	5.0	11.8	3.0
Moyle.	2	.	1	4	11.1	.	5.6	25.3
Newtownabbey	4	7	6	7	3.4	6.5	5.6	6.7
Armagh	2	7	3	4	2.4	8.9	3.7	5.6
Banbridge	1	1	3	1	2.1	2.1	6.2	1.8
Craigavon	8	8	6	5	6.2	6.3	4.8	4.2
Dungannon	5	3	9	5	6.2	4.0	11.4	6.9
Newry and Mourne . .	10	18	8	7	6.4	11.6	5.3	4.4
Fermanagh	10	14	3	6	12.6	15.9	3.6	7.0
Limavady	6	2	4	5	11.6	3.9	7.4	10.2
Derry	12	19	5	9	6.1	10.1	2.8	5.0
Omagh.	6	8	3	2	8.0	10.4	4.3	2.8
Strabane	2	5	4	6	3.4	8.5	7.7	10.9

TABLE Q1. Northern Ireland: Neonatal mortality by District Council Area, 1992-1995.

AREA	Number of neonatal deaths				Neonatal mortality rate per 1,000 live births			
	1992	1994	1994	1995	1992	1993	1994	1995
Northern Ireland . . .	104	123	101	131	4.1	4.9	4.2	5.5
Ards	1	4	7	10	1.1	4.5	8.4	11.8
Belfast.	20	13	18	30	4.4	3.0	4.4	7.7
Castlereagh	2	3	2	2	2.4	3.6	2.3	2.4
Down	4	6	2	6	4.1	6.4	2.2	6.5
Lisburn	8	7	10	9	4.6	4.4	6.1	5.7
North Down.	3	4	8	11	3.3	4.6	9.4	12.9
Antrim.	4	2	7	2	5.6	2.7	9.2	2.8
Ballymena	1	3	2	4	1.2	3.5	2.5	5.2
Ballymoney.	4	2	1	2	10.9	6.0	2.9	5.6
Carrickfergus	3	5	2	.	5.6	9.4	3.8	.
Coleraine	1	3	2	1	1.3	4.3	2.7	1.3
Cookstown	2	1	2	3	4.2	2.2	4.8	6.7
Larne	1	1	.	.	2.8	2.8
Magherafelt.	3	2	5	2	4.6	3.3	7.4	3.0
Moyle.	1	.	1	2	5.6	.	5.6	12.7
Newtownabbey	2	3	4	6	1.7	2.8	3.7	5.7
Armagh	1	6	1	2	1.2	7.6	1.2	2.8
Banbridge	1	1	1	1	2.1	2.1	2.1	1.8
Craigavon	6	7	4	4	4.7	5.5	3.2	3.4
Dungannon	3	3	8	5	3.7	4.0	10.1	6.9
Newry and Mourne . .	8	13	4	6	5.1	8.4	2.6	3.8
Fermanagh	6	13	1	4	7.6	14.8	1.2	4.7
Limavady	5	2	2	4	9.7	3.9	3.7	8.1
Derry	10	12	4	8	5.0	6.4	2.3	4.4
Omagh.	3	6	1	2	4.0	7.8	1.4	2.8
Strabane	2	2	1	4	3.4	3.4	1.9	7.3

TABLE Q2. Perinatal deaths and rates per 1,000 births (live and still) by District Council Area, 1992-1995.

AREA	Number of perinatal deaths				Perinatal death rate per 1,000 births (live and still)			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland . . .	212	220	236	250	8.2	8.8	9.7	10.4
Ards	5	6	15	14	5.7	6.7	17.8	16.4
Belfast.	40	29	40	47	8.7	6.6	9.8	12.0
Castlereagh	7	5	7	5	8.3	5.9	7.9	6.0
Down	12	14	9	14	12.3	14.7	9.7	15.0
Lisburn	16	10	18	13	9.2	6.3	10.9	8.2
North Down.	7	6	10	18	7.7	6.9	11.6	20.9
Antrim.	5	4	10	4	7.0	5.3	13.0	5.5
Ballymena	3	10	4	3	3.6	11.5	4.9	3.9
Ballymoney.	8	1	3	5	21.6	3.0	8.5	14.0
Carrickfergus	7	6	6	5	12.9	11.2	11.3	10.1
Coleraine	3	10	9	6	4.0	14.1	12.2	8.0
Cookstown	6	2	3	8	12.4	4.3	7.2	17.7
Larne	2	6	3	3	5.0	14.4	8.2	8.4
Magherafelt.	4	5	9	5	6.2	8.3	13.2	7.6
Moyle.	2	1	2	1	11.0	5.5	11.1	6.3
Newtownabbey	6	11	8	9	5.2	10.1	7.4	8.5
Armagh	2	9	2	8	2.4	11.3	2.5	11.1
Banbridge	3	3	3	2	6.0	6.2	6.1	3.7
Craigavon	12	14	8	6	9.3	10.9	6.3	5.1
Dungannon	5	2	13	11	6.2	2.7	16.4	15.1
Newry and Mourne . .	21	15	23	14	13.2	9.7	15.0	8.8
Fermanagh	6	13	4	10	7.6	14.7	4.8	11.6
Limavady	7	6	4	8	13.5	11.6	7.4	16.2
Derry	13	22	15	10	6.5	11.6	8.4	5.5
Omagh.	3	8	4	10	4.0	10.3	5.7	13.7
Strabane	7	2	4	11	11.9	3.4	7.6	19.7

Infant Mortality Rates




Figure 6

Infant mortality by social class. Of the 169 infant deaths in Northern Ireland in 1995, 8 deaths occurred to children of professional parents, 27 to parents with managerial and technical occupations, 30 to skilled non-manual workers, 51 to skilled manual, 23 to partly-skilled, 12 to unskilled and 18 to those parents whose occupations are inadequately described and to members of the Armed Forces serving in Northern Ireland. The lowest rate of infant deaths per 1,000 live births was 5.6 (managerial and technical occupations) and the highest rate was 11.9 (skilled non-manual). A summary of perinatal, neonatal and infant mortality by social class is given below.

Tables R1 and R2 show live births, neonatal, infant and perinatal mortality by District Council Areas and social class in Northern Ireland.

TABLE R. *Northern Ireland: Infant, neonatal, and perinatal numbers and rates by social class, 1994 and 1995.*

Social Class	NUMBERS						RATES					
	Perinatal Mortality		Neonatal Mortality		Infant Mortality		Perinatal Mortality†		Neonatal Mortality‡		Infant Mortality‡	
	1994	1995	1994	1995	1994	1995	1994	1995	1994	1995	1994	1995
Professional.	5	13	5	6	6	8	3.9	10.1	3.9	4.7	4.7	6.2
Managerial and Technical	40	46	18	23	31	27	8.3	9.5	3.8	4.8	6.5	5.6
Skilled non-manual . . .	24	26	11	22	15	30	8.9	10.2	4.1	8.7	5.6	11.9
Skilled manual	77	100	29	41	48	51	9.5	12.3	3.6	5.1	5.9	6.3
Partly skilled	41	31	16	18	19	23	13.9	10.6	5.5	6.2	6.5	7.9
Unskilled	22	9	11	9	13	12	12.9	5.4	6.5	5.4	7.7	7.2
Inadequately described and Armed Forces . .	27	25	11	12	15	18	9.4	9.4	3.9	4.6	5.3	6.8
TOTAL	236	250	101	131	147	169	9.7	10.4	4.2	5.5	6.1	7.1

† Per 1,000 births (live and still).

‡ Per 1,000 live births.

Mortality among children born outside marriage. Deaths of children born outside marriage under 1 year of age numbered 34 in 1995, which is equivalent to a rate of 6.2 per 1,000 of the live births outside marriage registered and is 3.0 above the rate for the previous year. The corresponding rates for children born within marriage in 1994 and 1995 were 6.9 and 7.4 per 1,000 children born live within marriage.

Deaths of infants born outside marriage aged under four weeks (neonatal mortality outside marriage) numbered 29, representing 85.3 per cent of the total deaths of all children born outside marriage under 1 year of age. The corresponding figures for 1994 were 11 and 64.7 per cent. respectively.

Tables S and S1 show infant and neonatal mortality for children born outside marriage by District Council Areas.

Abstract 31 shows the number of deaths of children born outside marriage under 1 year of age for Northern Ireland by District Council Areas; the sex and age distribution is also shown.

Abstract 32 gives the number of deaths and mortality rates of children born outside marriage under 1 year of age by cause.

TABLE R1. *Northern Ireland: Live births, neonatal and infant mortality by District Council Area and social class, 1995.*

AREA	TOTAL			PROFESSIONAL			MANAGERIAL AND TECHNICAL			SKILLED NON-MANUAL			SKILLED MANUAL			PARTLY SKILLED			UNSKILLED			INADEQUATELY DESCRIBED AND ARMED FORCES		
	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant	Live Births	Neo- natal	Infant
Ards	850	10	11	38	1	1	187	4	4	150	2	2	261	1	2	122	2	2	55	.	.	37	.	.
Belfast	3,904	30	39	274	3	4	581	5	5	298	5	5	1,186	6	8	483	4	6	344	3	5	738	4	6
Castlereagh	831	2	6	96	.	.	239	.	1	139	2	2	209	.	3	92	.	.	36	.	.	20	.	.
Down	924	6	7	57	.	.	207	.	1	76	2	2	321	2	2	106	1	1	65	.	.	92	1	1
Lisburn	1,578	9	10	114	.	.	294	2	2	198	2	3	491	3	3	190	1	1	82	.	.	209	1	1
North Down	854	11	14	70	2	2	223	1	1	183	4	5	209	2	2	89	1	3	31	.	.	49	1	1
Antrim	718	2	3	30	.	.	149	.	1	79	1	1	226	.	.	88	1	1	41	.	.	105	.	.
Ballymena	769	4	4	40	.	.	170	1	1	75	.	.	268	3	3	111	.	.	41	.	.	64	.	.
Ballymoney	354	2	2	11	.	.	81	.	.	24	.	.	152	2	2	43	.	.	26	.	.	17	.	.
Carrickfergus	489	.	.	31	.	.	75	.	.	96	.	.	158	.	.	67	.	.	26	.	.	36	.	.
Coleraine	746	1	6	40	.	.	167	1	2	109	.	1	205	.	2	89	.	.	44	.	.	92	.	1
Cookstown	446	3	3	12	.	.	99	.	.	26	.	.	179	1	1	61	.	.	34	2	2	35	.	.
Larne	357	1	1	17	.	.	65	.	.	42	1	1	134	.	.	45	.	.	24	.	.	30	.	.
Magherafelt	659	2	2	19	.	.	125	.	.	35	1	1	308	1	1	69	.	.	58	.	.	45	.	.
Moyle	158	2	4	4	.	.	36	1	1	6	.	.	59	.	.	20	.	.	19	.	.	14	1	3
Newtownabbey	1,049	6	7	78	.	.	186	.	.	155	1	1	353	2	3	149	1	1	48	1	1	80	1	1
Armagh	717	2	4	30	.	.	190	1	1	64	.	1	272	.	.	69	1	1	56	.	1	36	.	.
Banbridge	543	1	1	27	.	.	114	.	.	90	.	.	188	.	.	64	.	.	38	1	1	22	.	.
Craigavon	1,178	4	5	61	.	.	214	.	.	110	.	1	440	1	1	183	2	2	96	1	1	74	.	.
Dungannon	722	5	5	25	.	.	175	1	1	53	.	.	299	3	3	75	.	.	41	.	.	54	1	1
Newry and Mourne	1,588	6	7	59	.	.	337	2	2	105	1	1	716	3	4	168	.	.	114	.	.	89	.	.
Fermanagh	852	4	6	30	.	1	237	1	1	103	.	1	283	2	2	77	1	1	56	.	.	66	.	.
Limavady	491	4	5	13	.	.	63	.	.	65	.	1	152	4	4	44	.	.	57	.	.	97	.	.
Derry	1,811	8	9	66	.	.	314	2	2	138	.	.	539	2	2	269	2	2	121	.	.	364	2	3
Omagh	722	2	2	32	.	.	173	1	1	78	.	.	243	1	1	73	.	.	50	.	.	73	.	.
Strabane	550	4	6	10	.	.	100	.	.	33	.	1	187	2	2	76	1	2	54	1	1	90	.	.
NORTHERN IRELAND	23,860	131	169	1,284	6	8	4,801	23	27	2,530	22	30	8,038	41	51	2,922	18	23	1,657	9	12	2,628	12	18

TABLE R2. *Northern Ireland: Perinatal mortality by District Council Area and social class, 1995.*

AREA	TOTAL		PROFESSIONAL		MANAGERIAL AND TECHNICAL		SKILLED NON-MANUAL		SKILLED MANUAL		PARTLY SKILLED		UNSKILLED		INADEQUATELY DESCRIBED AND ARMED FORCES	
	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality	Live and still-births	Perinatal Mortality
Ards	854	14	38	1	188	5	151	3	262	2	123	3	55	.	37	.
Belfast	3,927	47	276	5	583	7	299	4	1,195	12	484	5	344	3	746	11
Castlereagh.	835	5	97	1	239	.	140	2	210	1	93	1	36	.	20	.
Down	934	14	57	.	209	2	76	2	327	7	108	3	65	.	92	.
Lisburn	1,584	13	114	.	294	2	199	2	495	7	190	1	82	.	210	1
North Down	862	18	70	2	226	4	184	4	213	6	89	1	31	.	49	1
Antrim	722	4	30	.	151	2	80	1	227	1	88	.	41	.	105	.
Ballymena	770	3	40	.	170	.	75	.	269	3	111	.	41	.	64	.
Ballymoney.	357	5	11	.	81	.	24	.	155	5	43	.	26	.	17	.
Carrickfergus	494	5	31	.	75	.	96	.	161	3	68	1	26	.	37	1
Coleraine	752	6	41	1	169	2	109	.	207	2	90	1	44	.	92	.
Cookstown	451	8	12	.	101	2	26	.	182	4	61	.	34	2	35	.
Larne	359	3	17	.	65	.	43	2	134	.	45	.	24	.	31	1
Magherafelt.	662	5	19	.	125	.	35	1	310	3	69	.	59	1	45	.
Moyle	158	1	4	.	36	1	6	.	59	.	20	.	19	.	14	.
Newtownabbey	1,053	9	78	.	186	.	155	1	354	3	151	3	48	.	81	2
Armagh	723	8	31	1	192	3	64	.	274	2	69	1	57	1	36	.
Banbridge	545	2	27	.	116	2	90	.	188	.	64	.	38	.	22	.
Craigavon	1,181	6	61	.	216	2	111	1	440	1	183	1	96	1	74	.
Dungannon.	728	11	26	1	176	2	53	.	303	7	75	.	41	.	54	1
Newry and Mourne.	1,597	14	59	.	338	3	106	2	722	8	169	1	114	.	89	.
Fermanagh	859	10	30	.	238	2	103	.	285	3	80	4	56	.	67	1
Limavady	495	8	13	.	63	.	65	.	154	6	44	.	57	.	99	2
Derry	1,817	10	66	.	315	1	138	.	541	3	271	4	121	.	365	2
Omagh	730	10	33	1	175	3	79	1	247	5	73	.	50	.	73	.
Strabane	558	11	10	.	101	1	33	.	191	6	77	1	54	1	92	2
NORTHERN IRELAND	24,007	250	1,291	13	4,828	46	2,540	26	8,105	100	2,938	31	1,659	9	2,646	25

TABLE S. Northern Ireland: Infant mortality for children born outside marriage by District Council Area, 1992-1995.

AREA	Numbers of infant mortality for children born outside marriage				Infant mortality rate for children born outside marriage per 1,000 live births outside marriage			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland	33	19	17	34	5.9	3.5	3.2	6.2
Ards	1	1	.	.	6.1	6.0
Belfast.	11	5	3	12	7.0	3.2	2.1	8.1
Castlereagh	1	.	.	.	7.7	.
Down	2	.	.	1	10.9	.	.	5.5
Lisburn	3	1	3	4	7.8	2.8	8.6	10.8
North Down.	1	.	.	1	6.1	.	.	5.6
Antrim.	1	.	.	.	5.4	.
Ballymena	1	.	.	.	6.8
Ballymoney.	2	.	.	.	27.8	.	.	.
Carrickfergus
Coleraine	1	.	.	1	5.2	.	.	4.8
Cookstown
Larne
Magherafelt.	1	.	1	.	11.9	.	11.0	.
Moyle.
Newtownabbey	1	2	.	.	4.5	8.2
Armagh	1	.	.	.	10.1	.	.	.
Banbridge	1	.	.	.	14.7
Craigavon	3	1	1	.	10.6	3.8	3.6	.
Dungannon	1	.	.	.	11.5
Newry and Mourne	4	.	.	.	17.8	.
Fermanagh	1	1	.	.	8.7	6.6
Limavady	2	.	.	1	16.5	.	.	9.2
Derry	4	6	.	4	7.6	12.7	.	7.5
Omagh.	2	3	.	.	8.6	26.5	.	.
Strabane	3	.	3	.	22.1	.	19.1

TABLE S1. Northern Ireland: Neonatal mortality for children born outside marriage by District Council Area, 1992-1995.

AREA	Number of neonatal deaths of children born outside marriage.				Neonatal mortality rate for children born outside marriage per 1,000 live births outside marriage			
	1992	1993	1994	1995	1992	1993	1994	1995
Northern Ireland	20	13	11	29	3.6	2.4	2.1	5.3
Ards	1	1	.	.	6.1	6.0
Belfast.	5	4	2	9	3.2	2.5	1.4	6.1
Castlereagh	1	.	.	.	7.7	.
Down	1	.	.	1	5.5	.	.	5.5
Lisburn	3	1	2	3	7.8	2.8	5.8	8.1
North Down.	1	.	.	1	6.1	.	.	5.6
Antrim.	1	.	.	.	5.4	.
Ballymena	1	.	.	.	6.8
Ballymoney.	2	.	.	.	27.8	.	.	.
Carrickfergus
Coleraine	1	.	.	.	4.8
Cookstown
Larne
Magherafelt.	1	.	.	.	11.0	.
Moyle.
Newtownabbey	2	.	.	.	8.2
Armagh	1	.	.	.	10.1	.	.	.
Banbridge	1	.	.	.	14.7
Craigavon	1	1	1	.	3.5	3.8	3.6	.
Dungannon	1	.	.	.	11.5
Newry and Mourne	1	.	.	.	4.4	.
Fermanagh	1	1	.	.	17.8	6.6
Limavady	1	.	.	1	8.3	.	.	9.2
Derry	4	3	.	3	7.6	6.3	.	5.7
Omagh.	1	3	.	.	8.6	26.5	.	.
Strabane	1	.	3	.	7.4	.	19.1

Violent deaths. Deaths from causes other than natural causes are termed violent deaths and are classified according to both the external circumstances giving rise to injury, expressed as the "external cause of injury" and to the nature of the injury sustained, designated as the "nature of injury" (see Abstract 27).

The number of deaths ascribed to violence during the year was 663 (459 males and 204 females) which is 25 less than the number registered in 1994, and is equivalent to 4.3 per cent. of the total deaths registered.

TABLE T. *Northern Ireland: Violent deaths by external cause of injury, 1991–1995.*

CAUSE OF DEATH/ CODE	1991	1992	1993	1994	1995
<i>Accidental Causes:</i>					
Drowning E830, E832, E910	15	18	16	23	23
Falls E880-E888	152	95	110	131	125
Fire (excl. fire on transport) . E890-E899	25	16	28	15	18
Firearms. E922	4	3	2	2	4
Machinery E919	10	6	5	2	2
Mechanical suffocation . . . E913	3	4	2	4	3
Poisons (including drugs). . . E850-E858, E860-E866	25	17	20	16	24
Poisonous gases E867-E869	17	9	13	13	5
<i>Transport:</i>					
Motor vehicles E810-E825	195	165	152	172	140
Other road vehicles E826-E829	3	2	1	3	2
Railways E800-E807	1	3	2
Aircraft E840-E845	2	1	5	1
Shipping (excl. drowning). E831, E833-E838	1	.	.	1	3
Other accidental causes (incl. late effects of accidents) . E846-E848, E870-E876, E878-E879, E900-E909, E911-E912, E914, E915 E916-E918, E920-E921 E923-E949	45	40	42	43	40
<i>Suicide:</i>					
Drowning E954	16	11	12	15	12
Hanging. E953	29	32	46	46	50
Firearms. E955	19	22	24	22	16
Poisons E950	36	21	24	28	32
Poisonous gases E951-E952	20	13	17	21	8
Other suicide E956-E959	9	8	6	6	4
<i>Homicide:</i>					
Poisons E962
Assault by firearms and other means E960-E961, E963-E969	76	75	90	100	113
<i>Legal intervention.</i> E970-E978	1	5	4	12
<i>Injury undetermined whether accidentally or purposely inflicted</i> E980-E989	19	21	22	13	24
TOTAL DEATHS FROM VIOLENCE	719	581	639	688	663

Of the 663 deaths 150 were attributed to transport accidents (E800–E845). Road vehicle accidents (E810–E829) accounted for 142 deaths compared with 175 in 1994. Table T1 affords comparison of numbers of deaths from road vehicle accidents in 1995 with those for the four preceding years by sex and certain age-groups whilst Table T2 shows the various categories of persons killed in motor vehicle accidents and details of other transport accidents.

TABLE T1. *Northern Ireland: Deaths from road vehicle accidents (E810–E829), 1991–1995.*

Sex	Year	All ages	Under 5 years	5–14	15–34	35–54	55–74	75 and over
MALES.	1991	155	3	11	89	24	20	8
	1992	110	4	9	56	13	22	6
	1993	110	.	8	67	18	12	5
	1994	119	6	13	47	22	16	15
	1995	104	2	9	40	21	23	9
FEMALES	1991	43	2	6	18	4	6	7
	1992	57	3	3	19	9	13	10
	1993	43	1	3	16	4	7	12
	1994	56	3	5	12	7	18	11
	1995	38	.	5	12	7	11	3

TABLE T2. *Deaths from transport accidents, by sex and age, 1995.*

I.C.D. Numbers	Cause of death	All ages	Under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E810-E825 E929-0	Motor vehicle accident causing death to:—													
	(a) pedestrian M	27	.	1	4	1	4	1	3	1	4	6	1	1
 F	9	.	.	1	1	1	1	.	.	1	1	3	.
	(b) pedal cyclist M	3	2	1	.	.	.
 F
	(c) motor cyclist M	11	4	4	2	1
 F
	(d) driver of motor vehicle other than motor cycle M	33	13	3	4	2	3	4	3	1
 F	9	1	2	1	2	1	2	.	.
	(e) passenger in motor vehicle M	9	1	.	1	.	4	.	1	.	.	2	.	.
 F	14	.	.	2	1	5	.	3	1	.	2	.	.
	(f) other persons M	19	.	.	.	2	4	3	3	1	1	2	3	.
 F	6	2	.	.	.	2	2	.	.
E826-E829 E929-1	Other road vehicle accidents M	2	.	.	1	1
 F
	Total road vehicle accidents M	104	1	1	6	3	29	11	13	8	9	14	7	2
 F	38	.	.	3	2	9	3	4	3	4	7	3	.
E800-E807 E830-E838 E840-E845	Rail, air and water (incl. drowning), transport accidents M	8	.	.	.	1	1	2	2	2
 F
E800-E845 E929-0, E929-1	Total transport accidents M	112	1	1	6	4	30	13	15	10	9	14	7	2
 F	38	.	.	3	2	9	3	4	3	4	7	3	.

Other accidents accounted for 250 deaths and of these deaths 125 were ascribed to falls; 23 to drownings; 29 to poisons or poisonous gases; 18 to fire and heat and 55 to other accidental causes. A detailed break-down showing non-transport accidents by sex and age-groups is given in Abstract 28.

Deaths from accidents recorded as occurring in the home numbered 91 compared with 111 in 1994 and 99 in 1993. Most accidents in the home are occasioned by falls. Fuller details of these and other accidents (apart from transport accidents) are given below and in Abstract 28.

TABLE T2a. *Deaths from accidents at home, by sex, age and cause, 1995.*

I.C.D. Numbers	Cause of death	All ages	Under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E850-E859	Poisoning by Drugs, Medicaments and Biologicals M	6	2	.	1	2	1	.	.
 F	2	.	.	.	1	1
E860-E866	Poisoning by Other Solid and Liquid substances M	1	1	.	.	.
 F	1	1	.	.	.
E867-E869	Poisoning by Gases and Vapours M	4	1	1	.	1	1	.	.
 F
E880-E888	Accidental Falls M	20	2	2	2	5	5	4	.
 F	14	1	1	1	1	3	2	6
E890-E899	Accidents caused by Fire and Flames M	10	.	.	.	1	1	2	1	1	.	1	1	2
 F	7	2	2	1	2
E911-E913	Choking and Suffocation M	5	.	.	.	2	1	.	2	.
 F	6	.	1	2	.	2	.	1
E900-E910 E914-E928 E929-2-E929-9	Other Accidents M	10	.	1	1	.	1	3	.	1	1	.	2	.
 F	5	2	2	1
	Total Accidents at Home M	56	.	1	1	3	2	10	4	5	11	8	9	2
 F	35	.	1	.	1	3	2	1	3	2	7	5	10

During the year there were 63 deaths resulting from falls in respect of which it has not been possible to ascertain whether the falls occurred at home or elsewhere.

During the year there were 122 cases of suicide (91 males and 31 females) compared with 138 during 1994 (107 males and 31 females). There were 113 deaths from homicide. In addition there were 24 deaths in which it was not possible to determine whether the injuries were accidentally or purposely inflicted.

Deaths in which violence was stated to be the sequel to some other cause are correlated in Table T3. Alcohol intoxication was the greatest single factor in this group causing the deaths of 61 people.

TABLE T3. *Northern Ireland: Deaths due to injury and poisoning in which there were contributing associated causes of death, 1995.*

Detailed List No.	Associated cause of death	EXTERNAL CAUSE OF INJURY															
		TOTAL	E810-E825. Motor vehicle accidents	E800-E807, E826-E848. Other transport accidents	E850-E869. Accidental poisoning	E880-E888. Accidental falls	E890-E899. Accidents caused by fire or flames	E910. Accidental drowning and submersion	E922. Accident caused by firearm missile	E916-E921, E923-E928. Accidents, including those of industrial type	Rem. E870-E949. All other accidents	E950-E952. Suicide and self-inflicted poisoning	E953-E959. Other suicide and self-inflicted injury	E960-E978. Homicide and injury purposely inflicted by other persons; legal intervention	E980-E982. Poisoning undetermined whether accidentally or purposely inflicted.	E983-E989. Other injury undetermined whether accidentally or purposely inflicted	E990-E999. Injury resulting from operations of war.
303	Alcohol dependence syndrome . { M F
305	Nondependent abuse of drugs (alcohol intoxication) . { M F	52 9	13 1	. .	3 .	10 2	6 2	1 .	1 .	1 .	6 2	2 1	7 1	1 .	. .	1 .	. .
340	Multiple sclerosis . . . { M F
345	Epilepsy { M F	1	1
TOTAL. { M F		53 9	13 1	. .	3 .	10 2	6 2	1 .	1 .	1 .	7 2	2 1	7 1	1 .	. .	1 .	. .

CERTIFICATION OF DEATHS

All deaths must be certified by either a medical practitioner or a coroner and Table U shows the type of certification during the year. The circumstances of 2,801 deaths (18.3 per cent. of all deaths) were considered by the coroners and in 523 of these cases inquests were held. In 1,180 cases the deaths were certified by coroners after post-mortem examinations had proved inquests to be unnecessary.

Of the 12,509 deaths certified by medical practitioners, the deceased persons were not seen after death by the practitioners in 267 cases.

TABLE U. *Northern Ireland: Deaths by certification, 1995.*

AREA	Total deaths	Certified by medical practitioners	Certified by coroners		
			Without inquest		After inquest
			Without post-mortem	After post-mortem	
Northern Ireland	15,310	12,509	1,098	1,180	523
Ards	651	522	51	50	28
Belfast	3,237	2,490	234	397	116
Castlereagh	656	532	52	60	12
Down	637	522	39	47	29
Lisburn	857	707	49	69	32
North Down	772	628	59	65	20
Antrim	359	288	24	33	14
Ballymena	534	451	40	18	25
Ballymoney	241	207	20	8	6
Carrickfergus	318	236	37	33	12
Coleraine	512	419	49	24	20
Cookstown	244	219	14	11	.
Larne	295	242	16	27	10
Magherafelt	265	227	27	5	6
Moyle	149	136	3	8	2
Newtownabbey	694	563	54	66	11
Armagh	459	387	47	11	14
Banbridge	321	271	27	12	11
Craigavon	673	541	70	40	22
Dungannon	413	369	20	13	11
Newry and Mourne	716	611	43	41	21
Fermanagh	556	446	47	35	28
Limavady	246	216	7	12	11
Derry	832	711	33	56	32
Omagh	378	314	26	19	19
Strabane	295	254	10	20	11

LIFE TABLE

The expectation of life is the average number of years which would be lived by a group of people of given age who are continuously subject to given mortality rates, usually those of a selected year or years.

The abridged life table shown as Table V is based on the mortality rates for 1993-1995 and shows the expectation of life at various age-points together with the number of persons who would survive to given age x out of 10,000 born, if subjected throughout their lives to this mortality experience.

Thus 99 per cent. of males and females would survive the first year of life; 98 per cent. of males and 99 per cent. of females would reach the age of 20; 86 per cent. of males and 91 per cent. of females would reach the age of 60 and the men could then expect an average future lifetime of 17 years compared with 22 years for women.

Based on the mortality experience of 1993-1995 the expectation of life at birth was 72.73 years for males and 78.29 years for females; at age one year the expectations were 72.28 years for males and 77.80 years for females. Table VI affords comparison of these figures with those for certain preceding years.

TABLE V. *Northern Ireland: Abridged Life Table 1993–1995.*

Age <i>x</i>	Males		Females	
	<i>l_x</i>	<i>e^ox</i>	<i>l_x</i>	<i>e^ox</i>
0	10,000	72.73	10,000	78.29
1	9,924	72.28	9,935	77.80
2	9,920	71.31	9,932	76.82
3	9,915	70.35	9,929	75.85
4	9,913	69.36	9,925	74.87
5–9	9,908	68.39	9,924	73.89
10–14	9,897	63.47	9,916	68.94
15–19	9,884	58.55	9,907	64.00
20–24	9,838	53.81	9,895	59.08
25–29	9,776	49.14	9,877	54.18
30–34	9,724	44.38	9,858	49.28
35–39	9,665	39.64	9,832	44.40
40–44	9,600	34.89	9,791	39.58
45–49	9,495	30.25	9,721	34.84
50–54	9,343	25.70	9,611	30.22
55–59	9,070	21.40	9,425	25.76
60–64	8,586	17.46	9,122	21.53
65–69	7,807	13.96	8,627	17.63
70–74	6,705	10.84	7,927	13.96
75–79	5,194	8.27	6,852	10.76
80–84	3,511	6.04	5,402	7.98
85+	1,827	4.29	3,601	5.72

This abridged life table is constructed from the estimated population and the total deaths registered during the years 1993–1995.

The column headed *l_x* shows the numbers who would survive to exact age *x* out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1993–1995.

Column *e^ox* gives the “expectation of life”—that is the average future lifetime which would be lived by a person aged exactly *x* if subject to those death probabilities.

TABLE V1. *Northern Ireland: Expectation of life at birth, at one year of age and at 65 years of age for certain periods between 1890 and 1995.*

Period	Expectation of life					
	At birth		At age one year		At age 65 years	
	Male	Female	Male	Female	Male	Female
1890–92	46.3	45.7	—	—	10.6	10.6
1900–02	47.1	46.7	—	—	10.5	10.4
1910–12	50.7	51.0	—	—	12.1	12.8
1925–27	55.4	56.1	59.9	59.5	11.9	12.7
1936–38	57.8	59.2	—	—	11.6	12.4
1950–52	65.5	68.8	67.5	70.3	12.1	13.5
1960–62	67.6	72.4	68.7	73.2	12.2	14.4
1965–67	68.1	73.3	68.9	74.1	12.3	15.0
1970–72	67.6	73.7	68.3	74.1	12.0	15.2
1975–77	67.5	73.8	67.9	74.1	11.8	15.3
1980–82	69.3	75.7	69.3	75.4	12.4	16.1
1982–84	69.9	76.1	69.9	75.9	12.7	16.4
1983–85	70.1	76.4	69.9	76.1	12.6	16.4
1984–86	70.3	76.5	70.0	76.2	12.7	16.5
1985–87	70.6	76.7	70.3	76.4	12.8	16.6
1986–88	70.8	76.8	70.5	76.5	12.9	16.7
1987–89	71.1	77.1	70.7	76.6	13.0	16.8
1988–90	71.3	77.2	70.9	76.7	13.0	16.9
1989–91	71.8	77.6	71.3	77.1	13.3	17.1
1990–92	72.2	78.1	71.8	77.5	13.6	17.4
1991–93	72.5	78.4	72.1	77.8	13.7	17.6
1992–94	72.6	78.3	72.2	77.8	13.7	17.6
1993–95	72.7	78.3	72.3	77.8	14.0	17.6

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. Table W shows that during the period between the Censuses taken on the 5 April 1981 and the 21 April 1991 there was a net outward movement of 69,420 persons to all countries including other parts of the British Isles.

TABLE W. *Northern Ireland: Net migration during inter-censal period, 1981-1991.*

	Males	Females	Total
Population Census of 1981 (TE)	749,480	782,716	1,532,196
Births, 1981-1991.	140,463	132,764	273,227
Deaths, 1981-1991	79,935	78,232	158,167
Natural increase*.	60,528	54,532	115,060
Population 1981 plus natural increase	810,008	837,248	1,647,256
Population Census of 1991	769,071	808,765	1,577,836
Net movement outwards	40,937	28,483	69,420

*The excess of births over deaths.

(TE) Total estimated population as revised 1986.

Table W1 shows the natural increase in the population for each inter-censal period since birth and death registration commenced in 1864, together with the net movement outwards and the percentage of the increase lost by migration.

TABLE W1. *Northern Ireland: Inter-censal variations in population, 1871-1991.*

Inter-censal period	Population at beginning of period	Natural increase*	Net movement outwards	Percentage of increase lost by migration
1871-1881	1,359,190	104,350	158,724	152
1881-1891	1,304,816	71,910	140,670	196
1891-1901	1,236,056	68,634	67,738	99
1901-1911	1,236,952	78,996	65,417	83
1911-1926	1,250,531	113,603	107,573†	95
1926-1937	1,256,561	80,835	57,651	71
1937-1951	1,279,745	158,443	67,267†	42
1951-1961	1,370,921	146,349	92,228	63
1961-1966	1,425,042	97,434	37,701	39
1966-1971	1,484,775	76,128	31,521	41
1971-1981	1,536,065	107,554	111,423	104
1981-1991	1,532,196 (TE)	115,060	69,420	60

*Excess of births over deaths.

†Including deaths in H.M. Forces and Mercantile Marine which occurred outside Northern Ireland.

(TE) Total estimated population as revised in 1986.

It is estimated that during the year ended 30 June 1995, 15,880 persons immigrated and 16,120 persons emigrated. The net outward migration amounted to 240.

ADMINISTRATION

Introductory: The administrative functions of the Registrar General comprise the registration of births (live and still), deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for marriages: The number of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31 December in each of the years 1991–1995 are as follows:—

<i>Denomination</i>	1991	1992	1993	1994	1995
Church of Ireland	434	434	434	434	434
Presbyterian	534	535	535	537	538
Methodist	167	167	168	168	169
Others	589	599	605	622	629
TOTAL	1,724	1,735	1,742	1,761	1,770

Legitimacy Acts (N.I.), 1928 to 1961: Under these Acts a child born outside marriage whose parents have since married is subject to certain conditions, legitimated, and the Registrar General is empowered to authorise the registration or re-registration of the birth. During 1995 the registration or re-registration of the births of 631 children was authorised, the comparative figures for 1994 and 1993 being 557 and 544 respectively.

The Adoption (N.I.) Order 1987 and Adoption (Hague Convention) Act (N.I.) 1969: Registers of children adopted under the provisions of the above Acts and of the previous Adoption Acts of 1929, 1950 and 1967 are kept in the General Register Office, to which the adoption orders made by the Courts are transmitted. A certified copy of an entry in the Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Register during 1995 numbered 163 whilst the figure for 1994 and 1993 was 192 in each year.

Searches and certificates: The original records of live births, deaths and marriages registered in Northern Ireland were in the custody of local registration officers until 1 October 1973*, since which date the original records of births and deaths have been centralised in the General Register Office at Oxford House, 49/55 Chichester Street, Belfast; marriage original records are held by the local Registrars. The following statement shows the activity during 1995 by way of searches and issue of certificates from the General Register Office:—

*The date of introduction of a new system of registration in Northern Ireland: See The Births, Deaths and Marriages Registration (N.I.) Order 1973.

TABLE X

YEAR	Official Certificates	PAID		Searches
		Certificates		
		Full	Short	
1927	29	112	—	—
1937	88	290	—	—
1951	220	1,609	1,270	—
1971	286	4,306	3,455	—
1986	1,029	26,296	21,485	48,607
1987	1,034	28,360	24,417	54,402
1988	831	28,496	23,839	54,205
1989	439	28,164	24,496	58,914
1990	34	29,454	21,214	54,068
1991	19	31,511	20,298	55,597
1992	8	35,127	20,669	58,824
1993	0	36,897	20,199	59,917
1994	3	37,362	22,196	63,061
1995	0	32,889	25,759	61,980

Verifications. Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for pensions, etc. During the year the number of cases dealt with was 3,148.

ABSTRACTS
1995

ABSTRACT 1. Northern Ireland: Ages of population according to the Census of 1991.

AGES	Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Derry District	Down District	Dungannon District	Fermanagh District	Larne District	Lisnady District	Lisburn District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES
— 1 yr. M	12,736	364	447	420	382	176	279	2,161	243	401	392	278	661	905	512	389	397	226	279	838	328	115	758	587	503	394	301	M — 1 yr.
F	12,011	362	436	418	361	191	213	2,046	255	454	376	268	595	894	468	384	398	199	239	805	273	112	665	538	428	351	282	F
1— M	12,990	338	491	481	407	219	268	2,125	285	434	355	313	650	915	518	426	441	212	299	854	328	126	768	561	429	416	331	M 1—
F	12,249	338	411	423	412	180	243	2,095	268	436	383	278	606	872	483	378	421	186	256	833	341	108	704	474	427	377	316	F
2— M	13,064	368	478	442	430	189	287	2,233	249	399	411	288	669	929	483	410	451	241	273	898	354	113	784	508	444	430	303	M 2—
F	12,401	317	457	418	402	171	264	2,193	270	395	352	279	610	906	432	376	460	208	278	813	298	120	699	542	472	379	290	F
3— M	13,394	404	516	460	470	191	256	2,225	277	393	372	283	657	1,021	528	370	491	221	265	882	359	129	804	597	477	418	328	M 3—
F	12,688	357	452	430	439	186	273	2,144	253	407	372	292	637	952	500	385	387	211	254	842	317	104	770	558	445	404	317	F
4— M	13,737	361	485	461	452	223	287	2,349	288	394	463	317	683	992	506	460	507	210	293	869	356	142	792	555	504	427	361	M 4—
F	12,983	346	465	453	428	196	253	2,188	251	403	386	283	632	954	523	406	485	218	285	832	347	125	748	507	489	432	348	F
5— M	13,462	363	463	454	451	221	252	2,272	278	421	435	315	659	1,017	539	431	487	197	286	888	335	112	742	528	514	447	355	M 5—
F	12,816	344	459	441	385	170	275	2,176	271	358	371	267	598	927	476	396	485	221	255	889	341	125	772	557	502	421	334	F
6— M	13,396	326	482	485	453	218	288	2,207	250	370	410	316	616	1,024	520	429	461	204	264	916	353	150	776	548	498	463	369	M 6—
F	12,460	339	461	455	408	195	265	2,053	231	382	357	288	649	901	498	367	461	200	242	822	321	112	743	553	473	397	287	F
7— M	13,346	356	505	468	424	190	278	2,100	250	329	382	280	645	1,049	537	439	533	224	293	863	333	123	841	521	559	470	354	M 7—
F	12,727	328	448	457	441	208	241	2,065	249	352	357	314	619	952	468	429	487	203	264	813	334	125	769	538	508	450	308	F
8— M	13,056	377	485	457	466	198	262	2,059	246	371	362	291	604	954	520	405	476	201	297	864	351	129	827	567	514	440	333	M 8—
F	12,439	348	462	426	440	214	259	1,956	237	326	325	269	577	945	513	434	497	208	279	791	315	111	770	473	462	451	351	F
9— M	12,956	375	478	443	422	211	303	1,978	225	401	396	293	587	948	504	424	493	222	288	851	340	126	763	557	535	452	341	M 9—
F	12,495	374	446	456	387	194	297	1,944	228	329	340	294	578	908	490	415	453	209	285	779	317	119	800	547	520	447	339	F
10— M	13,611	383	507	487	471	245	332	2,100	255	408	365	324	667	984	589	427	498	221	278	850	352	133	798	576	583	449	329	M 10—
F	13,088	375	505	508	436	199	284	1,917	255	357	383	309	584	984	508	432	499	214	267	910	370	134	818	536	507	472	325	F
11— M	13,743	381	525	495	451	206	275	2,129	257	398	433	304	650	1,005	553	454	536	201	297	880	308	141	827	585	618	464	370	M 11—
F	13,029	417	500	439	434	193	311	1,929	239	371	397	317	625	953	499	411	490	227	287	775	362	128	818	553	578	456	320	F
12— M	12,774	397	477	486	481	190	253	1,896	240	348	388	286	615	949	474	446	477	187	255	754	357	139	775	601	539	419	345	M 12—
F	12,556	350	465	445	446	202	248	1,915	229	369	342	260	636	891	512	434	482	219	235	786	349	152	756	521	528	463	321	F
13— M	12,531	388	495	455	404	206	293	1,879	224	364	373	284	568	926	525	404	468	191	279	722	340	113	795	574	498	433	330	M 13—
F	12,180	322	500	430	391	180	246	1,867	229	335	343	300	568	861	460	413	461	203	272	742	301	119	760	578	534	414	351	F
14— M	12,470	363	483	479	457	187	259	1,921	220	343	379	286	580	933	475	398	463	210	260	776	316	117	772	540	518	383	352	M 14—
F	11,887	326	479	377	396	181	261	1,779	227	317	395	245	511	857	448	441	469	186	266	774	330	116	707	544	518	400	337	F
15— M	12,634	381	540	462	417	192	269	1,823	211	380	368	298	582	917	509	430	476	215	308	752	310	135	743	591	547	404	374	M 15—
F	11,989	393	502	445	404	215	216	1,791	207	376	382	277	565	849	424	412	477	213	274	713	323	132	665	533	497	400	304	F
16— M	12,849	379	535	472	425	183	261	1,869	251	391	390	291	642	903	493	454	483	227	271	748	337	162	783	576	542	419	362	M 16—
F	12,226	367	473	452	444	184	248	1,887	209	348	401	264	569	865	474	409	410	245	288	722	321	118	687	587	518	384	352	F
17— M	13,220	387	564	486	529	215	275	1,939	257	407	439	314	607	878	479	416	506	251	287	760	373	129	766	603	547	437	369	M 17—
F	12,422	373	456	435	450	168	247	1,879	224	369	413	274	602	873	489	423	470	216	291	689	309	134	741	566	550	424	357	F
18— M	13,576	404	495	461	527	216	284	2,038	285	429	440	305	664	908	564	459	503	253	322	773	335	155	787	575	546	449	399	M 18—
F	12,697	405	530	465	466	180	283	1,912	248	408	454	286	569	854	474	416	446	236	259	767	325	132	738	562	527	429	326	F
19— M	13,488	387	511	477	475	213	279	2,027	222	465	416	292	652	916	550	422	476	230	309	837	370	135	847	606	540	460	374	M 19—
F	12,480	373	457	446	472	189	267	2,018	268	418	429	246	644	801	418	391	467	235	273	727	329	124	670	595	496	401	326	F
20— M	13,515	405	453	453	559	213	270	2,151	228	510	420	271	654	872	549	425	447	255	348	835	365	119	846	585	526	433	323	M 20—
F	12,869	380	489	460	439	177	247	2,273	264	431	457	282	637	848	470	373	413	241	283	806	310	114	697	586	498	354	340	F
21— M	12,851	426	439	467	471	198	267	2,147	264	429	392	265	647	863	485	359	388	232	294	823	356	127	716	559	502	429	306	M 21—
F	12,389	389	453	391	463	212	243	2,191	233	466	438	250	594	777	427	321	425	236	243	752	336	104	714	564	529	341	297	F
22— M	12,906	405	504	429	470	207	268	2,222	276	454	382	239	636	914	530	318	386	238	300	805	335	128	745	558	486	363	308	M 22—
F	12,556	370	478	493	428	198	263	2,247	249	430	434	250	651	795	448	350	334	252	270	763	285	80	662	561	485	402	278	F
23— M	12,502	422	460	397	475	200	259	2,337	250	442	363	240	605	818	446	358	365	235	285	849	303	88	673	501	478	349	304	M 23—
F	12,226	372	453	352	471	184	241	2,439	258	451	405	222	652	840	406	298	351	217	219	746	285	99	640	585	445	321	274	F
24— M	12,122	419	480	371	446	176	258	2,236	278	436	359	238	599	724	462	305	333	218	279	838	295	98	637	536	472	332	282	M 24—

ABSTRACT 1. (continued). Northern Ireland: Ages of population according to the Census of 1991.

AGES		Northern Ireland	Antrim District	Ards District	Armagh District	Ballymena District	Ballymoney District	Banbridge District	Belfast District	Carrickfergus District	Castlereagh District	Coleraine District	Cookstown District	Craigavon District	Derry District	Down District	Dungannon District	Fermanagh District	Larne District	Lisnady District	Lisburn District	Magherafelt District	Moyle District	Newry and Mourne District	Newtownabbey District	North Down District	Omagh District	Strabane District	AGES	
0-4	M F	65,921 62,332	1,835 1,720	2,417 2,221	2,264 2,142	2,141 2,042	998 924	1,377 1,246	11,093 10,666	1,342 1,297	2,021 2,095	1,993 1,869	1,479 1,400	3,320 3,080	4,762 4,578	2,547 2,406	2,055 1,929	2,287 2,151	1,110 1,022	1,409 1,312	4,341 4,125	1,725 1,576	625 569	3,906 3,586	2,808 2,619	2,357 2,261	2,085 1,943	1,624 1,553	M F	0-4
5-9	M F	66,216 62,937	1,797 1,733	2,413 2,276	2,307 2,235	2,216 2,061	1,038 981	1,383 1,337	10,616 10,194	1,249 1,216	1,892 1,747	1,985 1,750	1,495 1,432	3,111 3,021	4,992 4,633	2,620 2,445	2,128 2,041	2,450 2,383	1,048 1,041	1,428 1,325	4,382 4,094	1,712 1,628	640 592	3,949 3,854	2,721 2,668	2,620 2,465	2,272 2,166	1,752 1,619	M F	5-9
10-14	M F	65,129 62,740	1,912 1,790	2,487 2,449	2,402 2,199	2,264 2,103	1,034 955	1,412 1,350	9,925 9,407	1,196 1,179	1,861 1,749	1,938 1,860	1,484 1,431	3,080 2,924	4,797 4,546	2,616 2,427	2,129 2,131	2,442 2,401	1,010 1,049	1,369 1,327	3,982 3,987	1,673 1,712	643 649	3,967 3,859	2,876 2,732	2,756 2,665	2,148 2,205	1,726 1,654	M F	10-14
15-19	M F	65,767 61,814	1,938 1,911	2,645 2,418	2,358 2,243	2,373 2,236	1,019 936	1,368 1,261	9,696 9,487	1,226 1,156	2,072 1,919	2,053 2,079	1,500 1,347	3,147 2,949	4,522 4,242	2,595 2,279	2,181 2,051	2,444 2,270	1,176 1,145	1,497 1,385	3,870 3,618	1,725 1,607	716 640	3,926 3,501	2,951 2,843	2,722 2,588	2,169 2,038	1,878 1,665	M F	15-19
20-24	M F	63,896 62,224	2,077 1,867	2,336 2,336	2,117 1,996	2,421 2,245	994 946	1,322 1,239	11,093 11,834	1,296 1,274	2,271 2,275	1,916 2,133	1,253 1,231	3,141 3,165	4,191 4,010	2,472 2,131	1,765 1,637	1,919 1,863	1,178 1,164	1,506 1,253	4,150 3,917	1,653 1,446	556 505	3,617 3,303	2,739 2,838	2,464 2,431	1,911 1,722	1,538 1,463	M F	20-24
25-29	M F	60,474 61,765	1,871 1,746	2,273 2,363	2,011 1,872	2,058 2,056	911 919	1,287 1,280	10,873 12,391	1,414 1,506	2,432 2,567	1,860 1,904	1,155 1,113	3,093 3,077	3,611 3,935	2,171 2,101	1,644 1,599	1,910 1,767	1,068 1,124	1,278 1,170	4,168 4,167	1,363 1,317	499 484	3,183 2,991	2,923 2,938	2,345 2,450	1,696 1,621	1,377 1,307	M F	25-29
30-34	M F	55,772 57,689	1,647 1,643	2,366 2,404	1,856 1,723	1,862 1,885	865 839	1,296 1,280	9,491 10,575	1,290 1,316	2,382 2,442	1,800 1,821	1,076 1,078	2,651 2,729	3,256 3,568	1,971 2,022	1,562 1,513	1,787 1,810	1,112 1,040	1,075 1,028	3,862 3,978	1,254 1,283	474 476	2,879 2,890	2,697 2,919	2,455 2,623	1,656 1,645	1,150 1,159	M F	30-34
35-39	M F	49,778 49,533	1,488 1,507	2,170 2,248	1,558 1,557	1,893 1,905	771 742	1,147 1,036	7,841 8,070	1,076 1,091	1,890 1,931	1,629 1,615	931 944	2,268 2,340	2,863 3,056	1,863 1,827	1,402 1,338	1,818 1,653	942 873	994 935	3,452 3,369	1,155 1,061	464 443	2,643 2,554	2,465 2,503	2,420 2,450	1,569 1,453	1,066 1,032	M F	35-39
40-44	M F	48,608 49,302	1,537 1,565	2,432 2,484	1,633 1,644	1,885 1,869	755 690	1,059 1,092	7,289 7,712	1,022 1,060	1,715 1,879	1,587 1,639	946 942	2,304 2,396	2,791 2,728	1,885 1,803	1,362 1,359	1,736 1,701	951 981	923 871	3,249 3,288	1,077 1,084	479 406	2,466 2,414	2,410 2,529	2,644 2,783	1,375 1,269	1,096 1,114	M F	40-44
45-49	M F	44,512 45,408	1,400 1,428	2,259 2,159	1,460 1,396	1,717 1,810	717 765	1,016 998	7,069 7,547	1,007 1,016	1,805 1,989	1,489 1,469	849 842	2,134 2,256	2,329 2,434	1,637 1,581	1,209 1,168	1,483 1,393	953 882	767 797	2,937 2,982	919 952	388 419	2,057 2,116	2,290 2,366	2,507 2,558	1,166 1,150	948 935	M F	45-49
50-54	M F	37,534 39,037	1,078 1,112	1,634 1,600	1,189 1,236	1,505 1,542	611 607	794 862	6,501 7,155	827 827	1,605 1,801	1,303 1,451	699 684	1,854 1,915	2,041 2,064	1,354 1,395	1,042 1,080	1,232 1,182	780 786	655 604	2,323 2,499	765 800	361 361	1,818 1,786	1,946 2,074	1,801 1,817	972 978	844 819	M F	50-54
55-59	M F	34,198 36,871	930 933	1,382 1,538	1,085 1,105	1,317 1,397	530 556	699 785	6,445 7,446	751 814	1,564 1,812	1,140 1,198	574 575	1,642 1,789	1,763 1,876	1,154 1,232	977 1,023	1,162 1,159	749 776	479 517	2,078 2,238	719 740	321 321	1,682 1,773	1,828 1,946	1,611 1,739	884 841	732 742	M F	55-59
60-64	M F	31,978 37,349	831 840	1,276 1,575	988 1,155	1,184 1,393	505 596	686 709	6,513 8,018	682 787	1,647 2,001	1,002 1,180	589 587	1,458 1,673	1,568 1,780	1,072 1,242	899 1,013	1,126 1,175	651 778	482 518	1,775 2,132	667 723	290 347	1,446 1,688	1,708 1,993	1,433 1,792	814 892	686 762	M F	60-64
65-69	M F	29,233 35,722	679 766	1,251 1,529	952 1,092	1,060 1,237	494 548	630 736	6,062 7,982	573 711	1,525 1,830	970 1,159	521 592	1,238 1,559	1,204 1,667	1,026 1,221	789 918	1,072 1,246	619 702	429 490	1,560 1,941	621 626	307 355	1,405 1,610	1,417 1,764	1,445 1,940	774 840	610 661	M F	65-69
70-74	M F	22,242 29,881	505 648	1,005 1,324	685 898	812 1,028	356 489	480 656	4,479 6,736	443 595	1,073 1,419	752 1,026	417 537	907 1,266	945 1,336	811 1,023	630 812	961 1,011	457 636	334 372	1,154 1,602	517 591	258 286	1,051 1,364	952 1,260	1,161 1,683	627 730	470 553	M F	70-74
75-79	M F	15,419 24,867	331 545	647 1,044	473 731	604 914	237 306	346 502	3,253 5,867	254 470	692 1,087	530 899	293 420	679 1,123	597 1,031	543 872	420 609	700 844	292 501	216 298	745 1,296	350 486	191 268	746 1,139	615 1,036	843 1,463	496 635	326 481	M F	75-79
80-84	M F	8,299 16,763	182 342	371 759	262 475	325 633	128 206	178 337	1,734 4,192	150 324	326 722	281 565	152 223	334 717	325 681	345 613	239 397	384 540	160 369	134 184	425 899	180 270	98 180	381 674	276 685	456 1,086	273 370	200 320	M F	80-84
85-89	M F	3,122 8,866	72 209	129 348	109 266	150 322	49 139	74 152	649 2,192	54 174	135 405	109 307	62 141	113 354	114 373	111 387	92 179	135 293	52 154	47 94	150 497	78 155	38 90	135 372	108 393	193 528	97 214	67 128	M F	85-89
90-94	M F	803 2,934	21 67	28 132	30 88	39 105	9 26	10 50	169 744	16 53	33 147	26 120	24 49	30 106	29 96	35 133	23 65	35 77	6 31	17 31	43 140	21 53	5 29	37 121	24 139	41 190	30 63	22 49	M F	90-94
95 & over	M F	170 731	4 9	6 30	2 23	4 28	1 6	4 6	29 202	3 13	5 36	6 25	4 11	7 36	8 29	7 33	8 10	12 19	4 17	3 36	7 3	3 6	2 14	13 41	6 30	10 36	8 12	4 9	M F	95 & over
ALL AGES	M F	769,071 808,765	22,135 22,381	31,527 33,237	25,741 26,076	27,830 28,811	12,022 12,176	16,568 16,914	130,820 148,417	15,871 16,879	28,946 31,853	24,369 26,069	15,503 15,579	36,511 38,475	46,708 48,663	28,835 29,173	22,556 22,872	27,095 26,938	14,318 15,101	15,042 14,525	48,653 50,805	18,177 18,116	7,355 7,434	41,307 41,636	35,760 38,275	34,284 37,548	23,022 22,787	18,116 18,025	M F	ALL AGES
TOTAL		1,577,836	44,516	64,764	51,817	56,641	24,198	33,482	279,237	32,750	60,799	50,438	31,082	74,986	95,371	58,008	45,428	54,033	29,419	29,567	99,458	36,293	14,789	82,943	74,035	71,832	45,809	36,141	TOTAL	

ABSTRACT 2. Northern Ireland: Marriages registered by District Council Area and month of registration, 1995.

AREA	Total	January	February	March	April	May	June	July	August	September	October	November	December
Ards	322	7	13	17	22	29	42	40	54	45	11	22	20
Belfast	1,562	56	58	99	101	129	212	194	199	251	133	79	51
Castlereagh	197	6	8	13	18	16	15	16	28	38	15	16	8
Down	318	12	7	13	18	30	43	43	45	50	36	12	9
Lisburn	470	8	18	21	41	42	62	54	76	87	30	17	14
North Down	411	8	16	27	38	27	46	51	66	58	24	27	23
Antrim	260	8	12	9	22	26	23	35	38	41	19	11	16
Ballymena	299	7	5	14	26	37	33	52	45	38	26	9	7
Ballymoney	137	6	2	5	9	9	25	17	21	23	9	7	4
Carrickfergus	167	5	9	9	15	20	19	17	22	29	7	7	8
Coleraine	292	3	12	12	24	24	27	37	50	49	25	16	13
Cookstown	158	5	1	5	12	14	9	26	32	28	19	6	1
Larne	268	13	11	20	23	23	21	18	48	34	34	14	9
Magherafelt	211	3	4	2	29	16	21	31	30	50	16	4	5
Moyle	88	.	4	3	4	11	13	10	10	7	12	13	1
Newtownabbey	353	6	15	22	29	37	28	40	67	58	19	14	18
Armagh	296	6	3	11	26	24	40	41	49	52	19	13	12
Banbridge	219	3	14	10	22	15	22	26	30	36	19	15	7
Craigavon	437	17	14	25	52	26	40	57	68	67	32	22	17
Dungannon	234	6	9	5	17	17	30	40	41	32	24	6	7
Newry and Mourne	477	18	11	14	43	33	50	73	84	78	40	24	9
Fermanagh	284	4	7	5	22	21	26	34	62	63	20	9	11
Limavady	162	2	7	8	11	14	20	19	27	26	13	8	7
Derry	501	16	16	9	40	46	56	81	70	56	78	21	12
Omagh	258	5	8	5	16	18	47	28	48	53	12	16	2
Strabane	195	7	4	7	13	12	18	32	44	29	11	11	7
NORTHERN IRELAND . .	8,576	237	288	390	693	716	988	1,112	1,354	1,378	703	419	298

ABSTRACT 3. Northern Ireland: Conjugal condition of persons contracting marriage by District Council Area, 1995.

AREA	Rate per 1,000 population†	Total	Marriages contracted between									Marriages of	
			Bachelors and			Widowers and			Divorced Men and			Divorced Men	Divorced Women
			Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women		
Ards	4.8	322	223	1	23	2	5	2	29	1	36	66	61
Belfast	5.3	1,562	1,221	4	103	12	9	11	107	11	84	202	198
Castlereagh	3.1	197	161	1	10	1	1	1	11	1	10	22	21
Down	5.2	318	267	.	13	2	2	1	18	2	13	33	27
Lisburn	4.4	470	357	1	28	3	4	3	35	3	36	74	67
North Down.	5.6	411	282	4	36	2	3	8	36	2	38	76	82
Antrim	5.4	260	187	2	21	1	2	3	22	3	19	44	43
Ballymena	5.2	299	249	2	15	3	2	3	11	2	12	25	30
Ballymoney.	5.6	137	118	.	6	1	2	1	5	.	4	9	11
Carrickfergus	4.8	167	112	2	12	1	.	1	16	.	23	39	36
Coleraine	5.4	292	216	2	28	3	1	2	23	2	15	40	45
Cookstown	5.1	158	133	1	6	1	1	1	9	.	6	15	13
Larne	8.9	268	129	.	50	.	1	6	49	5	28	82	84
Magherafelt.	5.7	211	192	1	8	1	1	.	4	.	4	8	12
Moyle	6.0	88	79	.	3	1	1	.	3	.	1	4	4
Newtownabbey	4.5	353	264	2	23	.	2	4	30	3	25	58	52
Armagh	5.6	296	262	2	11	.	1	1	12	1	6	19	18
Banbridge	5.9	219	178	.	8	1	3	2	15	1	11	27	21
Craigavon	5.6	437	363	1	21	5	1	1	28	2	15	45	37
Dungannon	5.0	234	220	1	2	1	1	1	5	.	3	8	6
Newry and Mourne	5.7	477	415	10	17	1	2	.	23	1	8	32	25
Fermanagh	5.2	284	247	.	13	1	1	2	11	1	8	20	23
Limavady	5.2	162	142	1	4	.	.	1	10	.	4	14	9
Derry	4.9	501	404	4	28	4	3	1	37	3	17	57	46
Omagh	5.5	258	236	1	8	2	1	1	7	1	1	9	10
Strabane	5.4	195	181	2	3	1	1	.	5	1	1	7	4
NORTHERN IRELAND	5.2	8,576	6,838	45	500	50	51	57	561	46	428	1,035	985

1995 population estimate used—see page 1 for further details.

ABSTRACT 4. Northern Ireland: Ages of men at marriage by District Council Area, 1995.

AREA	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	30.62	322	.	.	.	3	2	4	73	112	59	30	12	8	6	8	1	1	1	2	.
Belfast	29.95	1,562	1	.	1	3	13	27	330	583	301	135	72	33	28	17	10	6	3	.	.
Castlereagh	29.89	197	6	33	80	42	18	8	3	4	1	1	.	.	1	.
Down	29.63	318	1	3	62	151	53	17	9	13	4	.	1	3	.	1	.
Lisburn	30.03	470	5	7	82	205	85	36	19	9	4	10	5	1	.	2	.
North Down.	31.09	411	3	2	71	149	83	52	23	10	8	2	3	2	1	1	1
Antrim	30.10	260	.	1	1	.	1	3	53	109	47	16	5	9	8	3	3	2	.	.	.
Ballymena	28.81	299	2	6	77	119	56	18	7	4	3	2	3	1	.	.	1
Ballymoney.	28.43	137	1	1	40	54	26	6	4	.	2	1	.	2	.	.	.
Carrickfergus	30.73	167	1	.	34	63	33	11	12	6	1	4	.	1	.	1	.
Coleraine	30.13	292	.	.	.	1	.	2	56	112	69	24	13	4	5	4	.	1	1	.	.
Cookstown	29.33	158	1	1	37	69	24	11	6	5	2	.	1	1	.	.	.
Larne	34.49	268	.	.	.	2	2	5	32	66	49	40	27	22	10	6	1	2	3	.	1
Magherafelt.	28.09	211	.	.	.	1	2	2	61	86	29	15	9	4	.	.	1	1	.	.	.
Moyle	29.68	88	1	17	35	19	7	2	6	1
Newtownabbey	30.31	353	.	.	.	6	2	5	73	127	62	35	16	10	8	4	1	3	.	1	.
Armagh	28.91	296	3	4	67	112	75	16	10	3	.	3	2	1	.	.	.
Banbridge	29.81	219	1	2	51	89	38	18	7	2	3	4	3	.	1	.	.
Craigavon	29.03	437	.	1	1	.	.	8	105	186	77	29	14	1	3	4	1	5	2	.	1
Dungannon	28.02	234	.	.	.	2	.	3	65	101	41	11	3	3	1	1	2	.	1	.	.
Newry and Mourne	28.57	477	.	.	.	6	5	8	100	198	96	34	14	9	3	3	.	1	.	.	.
Fermanagh	29.62	284	.	1	1	.	.	5	41	127	71	20	6	4	4	4	.	1	.	.	.
Limavady	28.64	162	3	39	74	23	12	3	3	3	1	1
Derry	29.31	501	.	2	2	2	1	7	109	188	115	33	15	16	5	4	3	.	.	1	.
Omagh	28.61	258	.	1	1	.	2	3	54	122	48	11	9	5	1	.	.	.	1	.	1
Strabane	28.37	195	.	.	.	1	2	3	44	85	36	13	6	2	2	1
NORTHERN IRELAND	29.71	8,576	1	6	7	27	50	121	1,806	3,402	1,657	668	331	194	119	87	43	35	14	10	5

ABSTRACT 5. Northern Ireland: Ages of women at marriage by District Council Area, 1995.

AREA	Average age	All ages	16	17	Under 18 years	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
Ards	28.47	322	.	.	.	4	9	10	109	96	38	18	16	10	6	3	1	1	.	1	.
Belfast	28.11	1,562	.	6	6	7	37	45	446	574	224	108	48	29	16	10	9	2	1	.	.
Castlereagh	27.85	197	.	.	.	1	6	6	43	88	30	14	1	5	.	1	1	1	.	.	.
Down	27.40	318	1	.	1	1	6	15	101	112	47	11	16	3	3	.	.	1	1	.	.
Lisburn	28.01	470	.	1	1	7	10	13	148	166	66	18	15	10	12	1	1	1	1	.	.
North Down,	28.90	411	.	.	.	1	8	11	112	139	67	35	20	7	5	1	2	1	.	1	1
Antrim	27.84	260	.	2	2	3	6	9	80	89	31	15	9	8	6	1	1
Ballymena	26.79	299	.	1	1	2	5	14	113	99	38	11	6	5	1	2	2
Ballymoney,	27.08	137	.	.	.	3	.	2	51	59	9	6	1	2	2	.	1	1	.	.	.
Carrickfergus	28.29	167	.	.	.	2	5	7	44	50	36	12	3	4	1	2	.	1	.	.	.
Coleraine	27.94	292	.	.	.	1	11	3	90	100	53	15	8	4	4	2	1
Cookstown	26.74	158	.	.	.	2	4	5	59	47	28	8	2	1	1	.	.	1	.	.	.
Larne	31.25	268	1	2	3	3	4	7	51	71	52	36	16	10	7	2	5	.	1	.	.
Magherafelt,	26.37	211	.	.	.	4	7	5	70	84	24	9	2	5	.	1
Moyle	27.48	88	3	3	24	33	14	5	5	1
Newtownabbey	27.96	353	.	1	1	6	8	13	120	108	41	21	13	14	5	1	.	1	1	.	.
Armagh	26.68	296	.	1	1	6	9	10	89	116	40	17	5	.	.	1	2
Banbridge	27.72	219	.	.	.	4	5	6	73	72	29	16	3	4	2	4	1
Craigavon	26.97	437	.	1	1	5	7	19	143	162	57	20	10	3	5	2	3
Dungannon	26.20	234	.	1	1	3	5	5	94	86	22	10	2	4	1	.	.	.	1	.	.
Newry and Mourne	26.69	477	.	2	2	9	5	12	172	170	63	32	5	4	1	2
Fermanagh	27.19	284	.	.	.	2	8	5	89	111	45	15	1	5	2	.	.	1	.	.	.
Limavady	26.36	162	.	.	.	3	8	3	52	65	18	5	4	3	1
Derry	27.50	501	.	3	3	7	12	17	153	180	70	26	16	7	3	5	1	.	1	.	.
Omagh	26.56	258	.	2	2	1	6	9	86	107	34	4	2	2	1	2	1	.	1	.	.
Strabane	26.29	195	.	1	1	1	5	5	69	76	26	5	2	2	3
NORTHERN IRELAND	27.63	8,576	2	24	26	88	199	259	2,681	3,060	1,202	492	231	152	88	43	32	12	8	2	1

**ABSTRACT 6: Northern Ireland: Age and conjugal condition of persons married in the year 1995:
Men**

Age last birthday	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
TOTAL	8,576	7,383	158	1,035	6,838	45	500	50	51	57	561	46	428
16	1	1	.	.	1
17	6	6	.	.	6
under 18	7	7	.	.	7
18	27	27	.	.	27
19	50	50	.	.	50
20	121	121	.	.	118	.	3
under 21	205	205	.	.	202	.	3
21	209	209	.	.	209
22	351	351	.	.	343	.	8
23	539	539	.	.	531	1	7
24	707	705	.	2	684	2	19	.	.	.	1	.	1
21-24	1,806	1,804	.	2	1,767	3	34	.	.	.	1	.	1
25	745	742	1	2	728	3	11	1	.	.	1	.	1
26	757	748	1	8	726	.	22	1	.	.	7	.	1
27	748	734	1	13	689	.	45	1	.	.	11	.	2
28	631	605	1	25	580	1	24	1	.	.	21	.	4
29	521	486	1	34	449	3	34	1	.	.	26	.	8
25-29	3,402	3,315	5	82	3,172	7	136	5	.	.	66	.	16
30	485	442	3	40	407	2	33	3	.	.	30	.	10
31	375	319	3	53	283	2	34	2	.	1	45	1	7
32	308	253	.	55	222	3	28	.	.	.	42	.	13
33	260	214	2	44	188	2	24	2	.	.	32	.	12
34	229	177	2	50	143	.	34	1	.	1	32	.	18
30-34	1,657	1,405	10	242	1,243	9	153	8	.	2	181	1	60
35	174	119	2	53	96	2	21	1	.	1	34	2	17
36	144	92	.	52	72	2	18	.	.	.	31	.	21
37	113	63	2	48	43	.	20	1	.	1	27	1	20
38	126	61	4	61	45	.	16	2	.	2	40	1	20
39	111	57	2	52	36	1	20	2	.	.	24	4	24
35-39	668	392	10	266	292	5	95	6	.	4	156	8	102
40	87	53	.	34	44	.	9	.	.	.	18	2	14
41	75	35	1	39	28	1	6	1	.	.	13	2	24
42	74	37	1	36	22	3	12	.	.	1	16	.	20
43	43	15	2	26	5	2	8	.	.	2	9	4	13
44	52	15	2	35	8	3	4	1	1	.	21	2	12
40-44	331	155	6	170	107	9	39	2	1	3	77	10	83
45	43	18	5	20	14	1	3	1	2	2	9	2	9
46	29	10	2	17	3	1	6	2	.	.	4	1	12
47	38	13	1	24	8	1	4	.	.	1	9	.	15
48	55	11	6	38	5	1	5	3	.	3	12	.	26
49	29	6	5	18	3	.	3	2	1	2	5	1	12
45-49	194	58	19	117	33	4	21	8	3	8	39	4	74
50	30	4	4	22	1	1	2	1	.	3	6	3	13
51	29	1	6	22	.	.	1	3	.	3	2	3	17
52	26	6	2	18	1	1	4	.	1	1	4	4	10
53	21	5	5	11	3	1	1	2	1	2	3	1	7
54	13	1	5	7	.	1	.	1	1	3	2	.	5
50-54	119	17	22	80	5	4	8	7	3	12	17	11	52
55	31	10	5	16	3	2	5	2	2	1	7	3	6
56	17	2	4	11	2	.	.	.	2	2	5	1	5
57	17	4	6	7	3	.	1	.	2	4	.	.	7
58	11	2	4	5	1	.	1	.	1	3	1	.	4
59	11	1	6	4	.	.	1	2	.	4	2	.	2
55-59	87	19	25	43	9	2	8	4	7	14	15	4	24
60	11	3	1	7	2	1	.	1	.	.	3	.	4
61	12	2	6	4	1	.	1	.	4	2	1	.	3
62	3	.	2	1	2	.	1	.
63	5	.	2	3	.	.	.	1	1	.	2	.	1
64	12	3	7	2	1	1	1	1	3	3	.	.	2
60-64	43	8	18	17	4	2	2	3	8	7	6	1	10
65	9	.	4	5	.	.	.	1	2	1	.	2	3
66	8	1	5	2	.	.	1	.	3	2	.	1	1
67	2	.	2	1	1
68	8	.	5	3	.	.	.	1	3	1	1	.	2
69	8	2	4	2	2	.	.	.	4	.	.	2	.
65-69	35	3	20	12	2	.	1	3	13	4	1	5	6
70	3	.	2	1	1	1	1	.	.
71	2	.	1	1	1	.	1	.	.
72	2	2	.	.	2
73	6	.	6	1	4	1	.	.	.
74	1	.	1	1
70-74	14	2	10	2	2	.	.	1	7	2	2	.	.
75	3	.	3	3
76	3	.	2	1	.	.	.	1	.	1	.	1	.
77	2	.	2	2
78	1	.	1	1
79	1	.	1	1
75-79	10	.	9	1	.	.	.	1	7	1	.	1	.
80 & over	5	.	4	1	.	.	.	2	2	.	.	1	.

ABSTRACT 6: (continued). Northern Ireland: Age and conjugal condition of persons married in the year 1995:
Women

Age last birthday	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
TOTAL	8,576	7,449	142	985	6,838	50	561	45	51	46	500	57	428
16	2	2	.	.	2
17	24	24	.	.	24
under 18	26	26	.	.	26
18	88	88	.	.	87	.	1
19	199	199	.	.	189	1	9
20	259	258	.	1	252	1	5	.	.	.	1	.	.
under 21	572	571	.	1	554	2	15	.	.	.	1	.	.
21	482	482	.	.	466	1	15
22	622	618	3	1	597	1	20	3	.	.	1	.	.
23	744	739	1	4	707	.	32	1	.	.	3	.	1
24	833	821	.	12	781	1	39	.	.	.	8	.	4
21-24	2,681	2,660	4	17	2,551	3	106	4	.	.	12	.	5
25	763	745	3	15	709	.	36	2	.	1	10	1	4
26	746	720	1	25	678	3	39	1	.	.	17	.	8
27	624	595	3	26	560	.	35	3	.	.	19	.	7
28	505	460	1	44	422	.	38	.	.	.	35	1	8
29	422	380	1	41	351	.	29	1	.	.	28	2	11
25-29	3,060	2,900	9	151	2,720	3	177	8	.	1	109	4	38
30	360	310	1	49	275	4	31	1	.	.	33	2	14
31	309	248	2	59	212	2	34	2	.	.	35	2	22
32	204	152	.	52	124	2	26	.	.	.	39	.	13
33	158	111	1	46	91	2	18	.	.	1	25	.	21
34	171	113	5	53	92	2	19	1	.	4	29	2	22
30-34	1,202	934	9	259	794	12	128	4	.	5	161	6	92
35	130	69	3	58	43	2	24	3	.	.	34	1	23
36	101	48	4	49	30	2	16	1	.	3	25	.	24
37	99	45	3	51	24	2	19	1	.	2	32	.	19
38	92	44	1	47	32	1	11	1	.	.	23	2	22
39	70	33	5	32	23	.	10	.	2	3	14	1	17
35-39	492	239	16	237	152	7	80	6	2	8	128	4	105
40	48	18	2	28	10	2	6	1	.	1	8	2	18
41	46	16	3	27	7	2	7	.	.	3	7	.	20
42	59	26	3	30	15	3	8	1	.	2	7	4	19
43	37	12	3	22	6	1	5	2	.	1	8	2	12
44	41	12	3	26	4	1	7	2	.	1	14	2	10
40-44	231	84	14	133	42	9	33	6	.	8	44	10	79
45	36	9	2	25	4	2	3	.	.	2	13	1	11
46	33	11	3	19	5	1	5	2	.	1	6	3	10
47	28	1	4	23	1	.	.	3	1	.	7	3	13
48	31	6	5	20	3	.	3	3	.	2	3	5	12
49	24	6	9	9	3	2	1	1	7	1	.	1	8
45-49	152	33	23	96	16	5	12	9	8	6	29	13	54
50	17	.	3	14	.	.	.	2	.	1	3	2	9
51	16	4	3	9	1	.	3	1	1	1	1	1	7
52	22	3	2	17	2	1	.	1	1	1	1	3	13
53	18	3	6	9	.	1	2	1	.	5	1	1	7
54	15	.	2	13	1	1	3	3	7
50-54	88	10	16	62	3	2	5	4	3	9	9	10	43
55	14	2	3	9	.	2	.	1	1	1	.	3	6
56	8	2	2	4	1	.	1	.	1	1	1	.	3
57	5	3	2	.	2	.	1	.	2
58	10	.	7	3	.	.	.	1	4	2	2	.	1
59	6	1	1	4	.	1	.	.	1	.	1	2	1
55-59	43	8	15	20	3	3	2	2	9	4	4	5	11
60	3	1	1	1	.	1	.	1	.	.	.	1	.
61	8	2	4	2	.	1	1	1	2	1	.	1	1
62	4	.	3	1	3	.	1	.	.
63	11	3	5	3	2	.	1	.	4	1	2	1	.
64	6	1	5	.	.	1	.	.	5
60-64	32	7	18	7	2	3	2	2	14	2	3	3	1
65	3	.	2	1	1	1	.	1	.
66	3	.	2	1	2	.	.	1	.
67	3	.	3	3
68	1	1	.	.	1
69	2	.	2	1	1	.	.	.
65-69	12	1	9	2	1	.	.	.	7	2	.	2	.
70	1	1	.	.	.	1
71	2	1	1	.	.	.	1	.	1
72
73	2	.	2	1	1	.	.	.
74	3	.	3	3
70-74	8	2	6	.	.	1	1	.	5	1	.	.	.
75	1	.	1	1
76	1	1
77
78
79
75-79	2	.	2	2
80 & over	1	.	1	1

ABSTRACT 7. Northern Ireland: Ages in combination of men and women at marriage, 1995.

Age of Husband	AGE OF WIFE																					Total Husbands
	16	17	18	19	20	21	22	23	24	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 & over	
16	.	.	1	1
17	.	3	2	.	.	.	1	6
18	1	5	10	3	1	1	.	2	1	2	.	1	27
19	.	3	13	16	7	4	2	4	1	50
20	.	2	9	24	28	17	14	10	4	10	3	121
21	.	3	15	24	41	45	32	18	10	18	2	1	209
22	1	2	8	25	33	72	71	61	30	41	5	2	351
23	.	3	13	23	30	79	90	100	84	107	8	2	539
24	.	1	7	19	36	67	107	131	125	188	22	4	707
25—	.	1	7	49	68	156	241	333	455	1,724	310	46	9	2	1	3,402
30—	.	1	.	11	12	33	57	62	105	744	499	108	17	7	.	1	1,657
35—	.	.	1	3	3	7	4	14	13	167	226	161	55	12	2	668
40—	.	.	1	2	.	1	2	8	3	44	85	96	52	25	9	3	331
45—	1	1	2	11	28	43	56	39	11	2	194
50—	3	6	17	27	39	22	3	1	1	.	.	.	119
55—	.	.	1	1	5	7	7	20	27	13	5	1	.	.	.	87
60—	3	3	5	5	8	12	7	43
65—	1	3	3	6	9	7	4	1	1	.	35
70—	2	.	7	2	3	.	.	14
75—	2	4	3	1	.	10
80 & over	3	.	1	.	1	5
Total Wives	2	24	88	199	259	482	622	744	833	3,060	1,202	492	231	152	88	43	32	12	8	2	1	8,576

ABSTRACT 8. Northern Ireland: Marriages by age of bachelors, by age of spinsters, 1995.

BACHELORS AND SPINSTERS

Age of Husband	AGE OF WIFE																							Total Husbands	
	16	17	18	19	20	21	22	23	24	<21	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—		85 & over
16	.	.	1	1	1
17	.	3	2	.	.	.	1	.	.	5	1	6
18	1	5	10	3	1	1	.	2	1	20	4	2	.	1	27
19	.	3	13	16	7	4	2	4	1	39	11	50
20	.	2	9	24	27	17	14	10	3	62	44	10	2	118
21	.	3	15	24	41	45	32	18	10	83	105	18	2	1	209
22	1	2	8	25	33	72	71	61	29	69	233	38	3	343
23	.	3	13	23	30	79	89	100	84	69	352	103	7	531
24	.	1	7	19	36	67	105	130	123	63	425	178	18	684
<21	1	13	35	43	35	22	17	16	5	127	60	12	2	1	202
21—	1	9	43	91	140	263	297	309	246	284	1,115	337	30	1	1,767
25—	.	1	7	45	67	148	232	321	440	120	1,141	1,636	254	18	2	1	3,172
30—	.	1	.	6	9	27	49	52	85	16	213	616	348	46	2	2	1,243
35—	.	.	.	2	1	5	.	5	3	3	13	97	117	47	15	292
40—	.	.	1	2	.	1	1	3	1	3	6	18	34	28	13	5	107
45—	1	1	1	.	3	4	5	8	8	5	33
50—	2	.	1	1	.	1	5
55—	.	.	1	1	.	.	1	3	1	1	1	1	9
60—	1	.	.	1	1	1	4
65—	1	.	.	1	2
70—	2	2
75—
80—
85& over
Total Wives	2	24	87	189	252	466	597	707	781	554	2,551	2,720	794	152	42	16	3	3	2	1	6,838

ABSTRACT 9. Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1995.

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept- ember	3rd Quarter	October	Nov- ember	Dec- ember	4th Quarter
Northern Ireland	Persons	23,860	2,246	1,842	2,072	6,160	1,845	2,125	2,160	6,130	2,054	2,021	2,019	6,094	2,077	1,937	1,462	5,476
	Males	12,385	1,107	967	1,068	3,142	989	1,070	1,083	3,142	1,071	1,078	1,099	3,248	1,075	1,016	762	2,853
	Females	11,475	1,139	875	1,004	3,018	856	1,055	1,077	2,988	983	943	920	2,846	1,002	921	700	2,623
Ards	Persons	850	80	65	70	215	73	85	89	247	77	71	71	219	55	62	52	169
	Males	436	32	37	34	103	38	45	50	133	37	34	38	109	31	32	28	91
	Females	414	48	28	36	112	35	40	39	114	40	37	33	110	24	30	24	78
Belfast	Persons	3,904	386	348	348	1,082	301	318	343	962	329	340	321	990	308	305	257	870
	Males	2,017	194	181	176	551	147	149	165	461	164	177	192	533	162	160	150	472
	Females	1,887	192	167	172	531	154	169	178	501	165	163	129	457	146	145	107	398
Castlereagh	Persons	831	80	76	53	209	64	81	66	211	59	75	87	221	63	61	66	190
	Males	426	26	47	29	102	29	35	34	98	37	44	40	121	33	33	39	105
	Females	405	54	29	24	107	35	46	32	113	22	31	47	100	30	28	27	85
Down	Persons	924	77	71	89	237	77	71	99	247	97	74	77	248	79	64	49	192
	Males	497	48	34	43	125	51	37	55	143	49	36	43	128	40	37	24	101
	Females	427	29	37	46	112	26	34	44	104	48	38	34	120	39	27	25	91
Lisburn	Persons	1,578	148	109	163	420	114	129	145	388	128	135	126	389	158	130	93	381
	Males	822	73	45	85	203	69	66	72	207	66	81	72	219	75	67	51	193
	Females	756	75	64	78	217	45	63	73	181	62	54	54	170	83	63	42	188
North Down	Persons	854	85	46	73	204	63	68	76	207	71	65	72	208	84	76	75	235
	Males	457	41	27	45	113	28	39	31	98	43	37	40	120	47	44	35	126
	Females	397	44	19	28	91	35	29	45	109	28	28	32	88	37	32	40	109
Antrim	Persons	718	57	52	59	168	47	62	65	174	66	67	58	191	68	65	52	185
	Males	385	29	30	34	93	17	41	41	99	33	32	33	98	39	30	26	95
	Females	333	28	22	25	75	30	21	24	75	33	35	25	93	29	35	26	90
Ballymena	Persons	769	81	68	64	213	58	62	63	183	73	58	69	200	69	65	39	173
	Males	397	42	36	37	115	31	31	29	91	37	28	37	102	36	32	21	89
	Females	372	39	32	27	98	27	31	34	92	36	30	32	98	33	33	18	84
Ballymoney	Persons	354	31	34	33	98	29	30	23	82	27	27	31	85	32	35	22	89
	Males	185	15	20	19	54	17	14	12	43	12	14	18	44	14	19	11	44
	Females	169	16	14	14	44	12	16	11	39	15	13	13	41	18	16	11	45
Carrickfergus	Persons	489	40	38	33	111	42	53	36	131	45	46	47	138	60	30	19	109
	Males	246	21	16	17	54	23	22	22	67	25	20	25	70	29	17	9	55
	Females	243	19	22	16	57	19	31	14	64	20	26	22	68	31	13	10	54
Coleraine	Persons	746	77	54	62	193	49	67	70	186	68	70	57	195	61	69	42	172
	Males	371	34	25	30	89	28	31	37	96	31	38	32	101	26	39	20	85
	Females	375	43	29	32	104	21	36	33	90	37	32	25	94	35	30	22	87
Cookstown	Persons	446	39	39	38	116	35	44	39	118	39	38	29	106	54	35	17	106
	Males	232	20	20	19	59	21	21	17	59	22	23	14	59	28	19	8	55
	Females	214	19	19	19	57	14	23	22	59	17	15	15	47	26	16	9	51

ABSTRACT 9. (continued). Northern Ireland: Live births by District Council Area, month of registration and sex with quarterly totals, 1995.

AREA		Total	January	February	March	1st Quarter	April	May	June	2nd Quarter	July	August	Sept- ember	3rd Quarter	October	Nov- ember	Dec- ember	4th Quarter
Larne	Persons	357	40	34	33	107	22	30	34	86	26	30	33	89	27	25	23	75
	Males	183	20	20	17	57	14	13	17	44	9	18	18	45	12	14	11	37
	Females	174	20	14	16	50	8	17	17	42	17	12	15	44	15	11	12	38
Magherafelt	Persons	659	67	43	52	162	36	56	70	162	56	52	58	166	68	59	42	169
	Males	334	30	23	25	78	16	33	36	85	25	24	28	77	40	29	25	94
	Females	325	37	20	27	84	20	23	34	77	31	28	30	89	28	30	17	75
Moyle	Persons	158	12	14	11	37	13	14	15	42	16	14	17	47	15	7	10	32
	Males	74	5	5	4	14	7	7	9	23	6	10	4	20	9	4	4	17
	Females	84	7	9	7	23	6	7	6	19	10	4	13	27	6	3	6	15
Newtown- abbey	Persons	1,049	109	102	96	307	82	90	99	271	77	92	81	250	68	77	76	221
	Males	561	61	54	50	165	51	44	45	140	41	56	49	146	30	41	39	110
	Females	488	48	48	46	142	31	46	54	131	36	36	32	104	38	36	37	111
Armagh	Persons	717	68	53	71	192	64	69	57	190	68	59	51	178	52	66	39	157
	Males	386	43	27	38	108	35	33	26	94	32	33	27	92	34	43	15	92
	Females	331	25	26	33	84	29	36	31	96	36	26	24	86	18	23	24	65
Banbridge	Persons	543	64	42	44	150	39	51	47	137	39	46	39	124	53	52	27	132
	Males	292	32	23	25	80	25	31	25	81	26	16	23	65	25	29	12	66
	Females	251	32	19	19	70	14	20	22	56	13	30	16	59	28	23	15	66
Craigavon	Persons	1,178	106	100	92	298	95	89	129	313	122	82	107	311	113	90	53	256
	Males	622	56	57	44	157	47	41	64	152	71	45	61	177	68	45	23	136
	Females	556	50	43	48	141	48	48	65	161	51	37	46	134	45	45	30	120
Dungannon	Persons	722	73	47	69	189	65	63	60	188	40	63	53	156	72	64	53	189
	Males	359	36	24	32	92	35	28	33	96	19	33	26	78	36	29	28	93
	Females	363	37	23	37	97	30	35	27	92	21	30	27	78	36	35	25	96
Newry and Mourne	Persons	1,588	136	104	134	374	113	164	152	429	145	129	150	424	126	143	92	361
	Males	843	59	55	72	186	71	90	86	247	80	69	79	228	69	69	44	182
	Females	745	77	49	62	188	42	74	66	182	65	60	71	196	57	74	48	179
Fermanagh	Persons	852	77	61	71	209	81	82	74	237	73	70	75	218	70	64	54	188
	Males	443	47	30	29	106	42	36	38	116	42	37	37	116	33	38	34	105
	Females	409	30	31	42	103	39	46	36	121	31	33	38	102	37	26	20	83
Limavady	Persons	491	43	43	37	123	31	52	49	132	50	37	42	129	51	30	26	107
	Males	252	17	21	17	55	18	26	28	72	23	19	19	61	30	18	16	64
	Females	239	26	22	20	68	13	26	21	60	27	18	23	68	21	12	10	43
Derry	Persons	1,811	156	114	155	425	147	173	156	476	166	152	151	469	155	171	115	441
	Males	920	69	64	83	216	81	89	66	236	90	91	82	263	71	80	54	205
	Females	891	87	50	72	209	66	84	90	240	76	61	69	206	84	91	61	236
Omagh	Persons	722	63	53	72	188	58	59	63	180	53	69	66	188	71	52	43	166
	Males	363	32	29	34	95	25	34	25	84	27	36	36	99	32	32	21	85
	Females	359	31	24	38	93	33	25	38	96	26	33	30	89	39	20	22	81
Strabane	Persons	550	51	32	50	133	47	63	41	151	44	60	51	155	45	40	26	111
	Males	282	25	17	30	72	23	34	20	77	24	27	26	77	26	16	14	56
	Females	268	26	15	20	61	24	29	21	74	20	33	25	78	19	24	12	55

ABSTRACT 10. Northern Ireland: Live births within marriage by sex and by ages of mother and father, 1995.

AGE OF MOTHER		ALL AGES	AGE OF FATHER																					
			16	17	18	19	20	21	22	23	24	25	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and over
16	M	1	1
	F	2	1	1
17	M	7	.	.	.	1	1	1	2	1
	F	2	.	1	1
18	M	23	.	.	1	2	3	1	3	8	3	1	1
	F	19	.	.	.	5	3	3	3	2	.	1	.	.	2
19	M	48	.	.	1	5	5	8	8	4	6	4	.	2	1	1	3
	F	38	.	.	1	.	6	9	3	6	3	3	.	2	.	.	2	.	1
20	M	94	.	.	.	1	10	13	6	14	14	9	6	5	6	3	6	.	1
	F	79	.	.	.	1	6	16	9	7	9	9	9	4	3	3	2	1
21	M	134	.	.	.	1	5	10	17	17	26	11	9	10	5	5	17	1
	F	135	.	.	.	1	3	14	17	18	18	21	10	12	7	2	10	2
22	M	238	2	8	27	30	50	18	31	21	15	8	23	4	1
	F	223	.	.	.	1	2	10	16	32	24	29	28	20	11	19	25	6
23	M	303	1	3	10	33	42	51	47	34	26	17	32	5	1	1
	F	317	.	.	.	1	.	5	26	37	37	51	50	36	18	17	30	6	3
24	M	484	.	.	.	1	4	4	14	27	53	83	72	56	50	38	65	16	1
	F	428	.	.	.	1	4	6	11	26	42	60	67	55	52	38	52	11	1	2
25	M	581	1	3	3	18	42	69	84	75	95	56	107	25	2	.	1	.	.	.
	F	527	2	6	21	26	70	69	81	71	56	103	16	5	.	1	.	.	.
26	M	656	3	1	4	10	16	43	103	105	90	77	167	32	4	.	.	1	.	.
	F	696	3	2	8	19	54	90	119	111	80	175	30	5
27	M	768	1	1	4	6	9	23	70	110	113	130	258	34	6	3
	F	719	3	6	13	31	63	99	119	102	238	37	8
28	M	773	2	1	4	4	7	19	22	63	110	129	344	57	9	1	1	.	.	.
	F	710	1	3	2	9	16	28	62	97	123	307	49	11	2
29	M	799	1	3	6	11	27	40	80	95	438	79	12	5	1	1	.	.
	F	756	1	2	5	16	18	28	59	116	408	79	16	6	2	.	.	.
30-34	M	3,157	2	1	2	15	11	48	59	93	157	1,688	884	146	41	8	1	1	.
	F	2,852	1	1	4	3	12	28	43	86	121	1,614	766	136	26	8	3	.	.
35-39	M	1,250	1	2	2	2	6	5	12	241	647	267	50	9	4	1	1	.
	F	1,159	2	3	6	8	11	205	615	241	53	11	4	.	.	.
40-44	M	203	12	53	75	48	12	1	2	.	.
	F	160	1	8	37	72	29	12	1	.	.
45-49	M	9	1	2	2	4
	F	7	1	2	4
50 and over	M
	F
TOTAL	M	9,528	.	.	2	11	38	56	105	178	292	354	521	586	689	728	3,402	1,839	527	151	36	8	4	1
	F	8,829	.	1	2	10	24	71	101	171	208	375	465	565	646	690	3,179	1,656	501	122	34	7	1	.

ABSTRACT 11. Northern Ireland: Live births within marriage by sex, age of mother and parity* during year ended 31 December, 1995.

Age of Mother	Total	Number of previous children born (live and still)										
		0	1	2	3	4	5	6	7	8	9	10 and over
16 M	1	1
F	2	2
17 M	7	6	1
F	2	2
18 M	23	19	3	1
F	19	15	4
19 M	48	33	13	2
F	38	21	15	2
16-19 M	79	59	17	3
F	61	40	19	2
20 M	94	46	42	6
F	79	46	24	9
21 M	134	59	64	9	1	1
F	135	62	60	11	2
22 M	238	112	89	29	7	1
F	223	111	84	24	3	1
23 M	303	155	108	29	8	3
F	317	156	110	41	7	3
24 M	484	233	168	57	22	4
F	428	209	148	54	13	4
20-24 M	1,253	605	471	130	38	9
F	1,182	584	426	139	25	8
25 M	581	255	216	76	27	5	2
F	527	244	196	66	14	6	1
26 M	656	315	222	84	27	6	1	.	1	.	.	.
F	696	309	232	117	33	5
27 M	768	324	266	119	45	9	3	2
F	719	288	260	107	47	11	4	2
28 M	773	286	296	128	50	8	3	2
F	710	249	284	109	49	15	3	1
29 M	799	264	294	155	60	18	5	2	1	.	.	.
F	756	241	293	149	49	21	3
25-29 M	3,577	1,444	1,294	562	209	46	14	6	2	.	.	.
F	3,408	1,331	1,265	548	192	58	11	3
30 M	816	246	297	185	54	20	9	3	2	.	.	.
F	699	210	264	142	52	21	8	2
31 M	689	165	259	175	51	22	10	6	1	.	.	.
F	672	168	236	162	65	25	10	3	2	.	1	.
32 M	637	139	224	144	81	35	12	2
F	578	149	199	127	77	14	8	2	1	1	.	.
33 M	558	96	180	156	71	33	15	2	4	.	1	.
F	500	105	153	132	63	34	7	3	1	.	2	.
34 M	457	67	136	140	67	28	13	5	.	1	.	.
F	403	60	131	122	48	29	7	1	3	1	.	1
30-34 M	3,157	713	1,096	800	324	138	59	18	7	1	1	.
F	2,852	692	983	685	305	123	40	11	7	2	3	1
35 M	386	61	116	110	62	18	12	2	3	2	.	.
F	346	66	85	93	56	23	10	6	4	.	2	1
36 M	317	40	90	85	63	21	8	7	1	2	.	.
F	301	43	67	105	48	18	13	5	1	1	.	.
37 M	245	35	75	53	46	19	9	4
F	223	41	46	54	37	24	14	4	1	1	1	.
38 M	170	18	32	48	36	18	15	3
F	177	26	39	37	34	18	10	9	4	.	.	.
39 M	132	21	31	30	21	9	8	4	1	1	3	3
F	112	19	23	20	18	14	8	4	5	1	.	.
35-39 M	1,250	175	344	326	228	85	52	20	9	5	3	3
F	1,159	195	260	309	193	97	55	28	15	3	3	1
40 M	90	3	23	20	16	12	5	5	2	1	2	1
F	69	8	16	11	15	8	6	2	.	1	1	1
41 M	51	10	6	9	10	8	5	.	1	1	1	.
F	37	2	8	7	11	2	5	1	.	1	.	.
42 M	35	2	1	6	4	13	2	1	1	2	.	3
F	33	3	7	4	5	2	3	3	1	3	1	1
43 M	16	2	2	3	1	4	.	2	1	.	1	.
F	13	1	3	2	1	1	1	1	1	1	.	1
44 M	11	1	2	1	2	1	3	.	1	.	.	.
F	8	1	.	.	1	4	1	.	.	.	1	.
40-44 M	203	18	34	39	33	38	15	8	6	4	4	4
F	160	15	34	24	33	17	16	7	2	6	3	3
45 M	4	2	.	.	1	1
F	4	.	.	.	1	3
46 M	2	.	.	1	1	.	.	.
F	2	.	.	1	1
47 M	3	.	.	1	1	.	.	1
F	1	1
48 M
F
49 M
F
45-49 M	9	2	.	2	1	1	.	.	2	.	.	1
F	7	1	.	1	1	3	1
TOTAL M	9,528	3,016	3,256	1,862	833	317	140	52	26	10	8	8
TOTAL F	8,829	2,858	2,987	1,708	749	306	122	49	24	11	9	6

*Parity has been taken to mean the number of children born (live and still) to the mother as a result of previous pregnancies.

ABSTRACT 11a. Northern Ireland: Live births within marriage by sex, age of mother and parity during year ended 31 December, 1995.

Age of Mother	Total	Number of previous children born (live only)										
		0	1	2	3	4	5	6	7	8	9	10 and over
16 M	1	1
16 F	2	2
17 M	7	6	1
17 F	2	2
18 M	23	19	3	1
18 F	19	15	4
19 M	48	33	14	1
19 F	38	21	15	2
16-19 M	79	59	18	2
16-19 F	61	40	19	2
20 M	94	46	43	5
20 F	79	46	24	9
21 M	134	60	64	8	1	1
21 F	135	64	59	10	2
22 M	238	112	90	28	7	1
22 F	223	111	85	23	4
23 M	303	155	109	28	8	3
23 F	317	156	110	41	7	3
24 M	484	235	168	55	22	4
24 F	428	210	147	55	12	4
20-24 M	1,253	608	474	124	38	9
20-24 F	1,182	587	425	138	25	7
25 M	581	258	218	72	26	5	2
25 F	527	248	194	64	15	5	1
26 M	656	315	224	82	27	6	1	.	1	.	.	.
26 F	696	312	235	112	32	5
27 M	768	326	270	118	41	8	5
27 F	719	290	258	108	47	10	4	2
28 M	773	288	295	128	51	7	2	2
28 F	710	249	289	108	47	13	4
29 M	799	266	296	154	57	19	5	1	1	.	.	.
29 F	756	243	294	150	47	19	3
25-29 M	3,577	1,453	1,303	554	202	45	15	3	2	.	.	.
25-29 F	3,408	1,342	1,270	542	188	52	12	2
30 M	816	247	298	185	55	18	9	2	2	.	.	.
30 F	699	211	270	135	52	22	7	2
31 M	689	166	261	173	53	20	9	6	1	.	.	.
31 F	672	169	240	157	70	21	10	3	1	.	1	.
32 M	637	139	226	143	80	36	11	2
32 F	578	150	199	131	72	14	8	3	.	1	.	.
33 M	558	97	183	153	72	31	16	1	4	.	1	.
33 F	500	106	155	133	60	33	7	3	1	.	2	.
34 M	457	68	135	140	68	27	13	5	.	1	.	.
34 F	403	60	133	121	48	29	6	1	3	1	.	1
30-34 M	3,157	717	1,103	794	328	132	58	16	7	1	1	.
30-34 F	2,852	696	997	677	302	119	38	12	5	2	3	1
35 M	386	62	116	110	62	18	11	2	3	2	.	.
35 F	346	66	87	91	59	21	9	6	4	.	2	1
36 M	317	41	91	85	63	21	7	6	1	2	.	.
36 F	301	43	68	105	47	22	9	5	1	1	.	.
37 M	245	36	75	54	47	18	7	4	4	.	.	.
37 F	223	42	45	59	33	23	14	4	1	1	1	.
38 M	170	18	33	48	35	19	16	1
38 F	177	27	39	37	34	17	10	11	2	.	.	.
39 M	132	21	31	30	21	9	9	3	1	1	3	3
39 F	112	19	23	20	19	15	6	4	5	1	.	.
35-39 M	1,250	178	346	327	228	85	50	16	9	5	3	3
35-39 F	1,159	197	262	312	192	98	48	30	13	3	3	1
40 M	90	3	24	19	16	12	5	5	2	1	2	1
40 F	69	8	16	13	13	8	6	2	.	2	.	1
41 M	51	10	6	9	10	10	3	.	2	1	.	.
41 F	37	2	9	6	11	2	5	1	.	1	.	.
42 M	35	2	1	6	4	13	2	1	1	2	.	3
42 F	33	3	7	4	5	2	3	3	2	2	1	1
43 M	16	2	2	3	1	4	.	2	1	.	1	.
43 F	13	1	3	2	1	1	.	2	.	1	.	1
44 M	11	1	2	1	2	1	3	.	1	.	.	.
44 F	8	1	.	.	1	4	1	.	.	.	1	.
40-44 M	203	18	35	38	33	40	13	8	7	4	3	4
40-44 F	160	15	35	25	31	17	16	8	2	6	2	3
45 M	4	2	.	.	1	1
45 F	4	.	.	.	1	3
46 M	2	.	.	1	1	.	.	.
46 F	2	.	.	1	1
47 M	3	.	.	1	1	.	.	1
47 F	1	1
48 M
48 F
49 M
49 F
45-49 M	9	2	.	2	1	1	.	.	2	.	.	1
45-49 F	7	1	.	1	1	3	1
TOTAL M	9,528	3,035	3,279	1,841	830	312	136	43	27	10	7	8
TOTAL F	8,829	2,878	3,008	1,697	739	296	114	52	20	11	8	6

ABSTRACT 12. Northern Ireland: Live births by age of mother and live birth order*, 1995.

Live birth order	Age of mother									
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 and over
Total live births.	23,860	13	1,421	4,410	8,249	6,659	2,665	424	19	.
First	11,416	13	1,380	3,170	4,059	2,063	631	94	6	.
Second	6,287	.	37	899	2,573	2,100	608	70	.	.
Third	3,538	.	4	262	1,096	1,471	639	63	3	.
Fourth	1,569	.	.	63	390	630	420	64	2	.
Fifth	608	.	.	16	97	251	183	57	4	.
Sixth	250	.	.	.	27	96	98	29	.	.
Seventh	95	.	.	.	5	28	46	16	.	.
Eighth	47	.	.	.	2	12	22	9	2	.
Ninth	21	3	8	10	.	.
Tenth and over	29	5	10	12	2	.

*Live birth order is the numerical order of the child in relation to all previous live-born issue of the mother irrespective of whether the pregnancies were nuptial or extra-nuptial.

ABSTRACT 13. Northern Ireland: Live births within marriage by sex, age of mother and duration of marriage, 1995.

Duration of Marriage			All ages	AGE OF MOTHER														
				16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over
MONTHS	0	M	
		F	
	1-2	M	56	.	.	5	4	8	2	3	5	4	13	7	4	1	.	
		F	51	.	1	3	4	2	3	3	7	3	14	6	5	.	.	
	3-5	M	177	.	3	7	13	20	8	10	10	19	46	31	9	1	.	
		F	172	.	.	4	9	14	14	19	14	17	42	28	10	1	.	
	6-8	M	154	1	2	2	7	9	10	13	10	18	44	23	14	1	.	
		F	165	2	.	4	4	11	8	13	19	14	52	22	14	2	.	
9-11	M	328	.	1	3	8	9	10	26	28	34	131	53	25	.	.	.	
	F	278	.	1	2	6	9	13	26	22	25	98	51	19	5	1	.	
YEARS	0	M	715	1	6	17	32	46	30	52	53	75	234	114	52	3	.	.
		F	666	2	2	13	23	36	38	61	62	59	206	107	48	8	1	.
	1	M	1,130	.	1	5	13	33	62	72	87	112	476	197	65	7	.	.
		F	1,045	.	.	5	11	24	47	63	83	89	449	206	58	10	.	.
	2	M	1,077	.	.	1	3	8	25	48	63	98	524	228	71	8	.	.
		F	1,066	.	.	1	3	17	30	55	76	105	510	211	56	2	.	.
	3	M	1,040	7	10	41	52	80	532	243	65	9	1	.
		F	964	.	.	.	1	2	17	24	49	73	509	219	64	6	.	.
	4	M	932	7	18	31	67	507	239	60	3	.	.
		F	907	3	18	28	56	474	266	57	5	.	.
	5	M	846	3	13	34	407	313	69	7	.	.
		F	840	1	15	29	422	303	65	5	.	.
	6	M	786	4	4	13	374	323	65	3	.	.
		F	707	1	4	11	324	296	67	4	.	.
	7	M	687	4	241	345	90	7	.	.
		F	577	3	213	285	71	4	1	.
	8	M	519	1	142	290	76	9	1	.
		F	480	3	160	246	67	4	.	.
	9	M	427	90	246	82	9	.	.
		F	348	77	205	60	5	1	.
	10-14	M	1,033	50	581	360	41	1	.
		F	928	64	472	347	44	1	.
	15-19	M	267	38	175	54	.	.
		F	261	36	186	38	1	.
	20-24	M	66	20	41	5	.
		F	39	13	24	2	.
	25 and over	M	3	2	1	.
		F	1	1	.	.
TOTAL		M	9,528	1	7	23	48	94	134	238	303	484	3,577	3,157	1,250	203	9	.
TOTAL		F	8,829	2	2	19	38	79	135	223	317	428	3,408	2,852	1,159	160	7	.

ABSTRACT 14. Northern Ireland: Live births by age of mother, sex and legitimacy, 1995.

Age of Mother	LIVE BIRTHS								
	All live births			Born within marriage			Born outside marriage		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
11
12
13	1	1	1	1	.
14	12	9	3	.	.	.	12	9	3
up to 14	13	10	3	.	.	.	13	10	3
15	32	22	10	.	.	.	32	22	10
16	100	47	53	3	1	2	97	46	51
17	269	141	128	9	7	2	260	134	126
18	479	263	216	42	23	19	437	240	197
19	541	275	266	86	48	38	455	227	228
15-19	1,421	748	673	140	79	61	1,281	669	612
20	600	311	289	173	94	79	427	217	210
21	716	375	341	269	134	135	447	241	206
22	861	461	400	461	238	223	400	223	177
23	977	486	491	620	303	317	357	183	174
24	1,256	659	597	912	484	428	344	175	169
20-24	4,410	2,292	2,118	2,435	1,253	1,182	1,975	1,039	936
25	1,381	721	660	1,108	581	527	273	140	133
26	1,641	801	840	1,352	656	696	289	145	144
27	1,757	916	841	1,487	768	719	270	148	122
28	1,706	884	822	1,483	773	710	223	111	112
29	1,764	904	860	1,555	799	756	209	105	104
25-29	8,249	4,226	4,023	6,985	3,577	3,408	1,264	649	615
30	1,686	906	780	1,515	816	699	171	90	81
31	1,517	767	750	1,361	689	672	156	78	78
32	1,344	705	639	1,215	637	578	129	68	61
33	1,162	612	550	1,058	558	500	104	54	50
34	950	500	450	860	457	403	90	43	47
30-34	6,659	3,490	3,169	6,009	3,157	2,852	650	333	317
35	818	421	397	732	386	346	86	35	51
36	662	336	326	618	317	301	44	19	25
37	529	270	259	468	245	223	61	25	36
38	386	194	192	347	170	177	39	24	15
39	270	145	125	244	132	112	26	13	13
35-39	2,665	1,366	1,299	2,409	1,250	1,159	256	116	140
40	183	105	78	159	90	69	24	15	9
41	107	64	43	88	51	37	19	13	6
42	75	40	35	68	35	33	7	5	2
43	35	20	15	29	16	13	6	4	2
44	24	15	9	19	11	8	5	4	1
40-44	424	244	180	363	203	160	61	41	20
45	9	4	5	8	4	4	1	.	1
46	5	2	3	4	2	2	1	.	1
47	5	3	2	4	3	1	1	.	1
48
49
45-49	19	9	10	16	9	7	3	.	3
50 and over
ALL AGES	23,860	12,385	11,475	18,357	9,528	8,829	5,503	2,857	2,646

ABSTRACT 15. Northern Ireland: Still-births by age of mother, sex and legitimacy, 1995.

Age of Mother	STILL-BIRTHS								
	All still-births			Born within marriage			Born outside marriage		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
16	2	2	2	2	.
17	3	3	3	3	.
18	3	2	1	1	.	1	2	2	.
19	1	1	1	1	.
15-19	9	8	1	1	.	1	8	8	.
20	2	.	2	1	.	1	1	.	1
21	4	2	2	.	.	.	4	2	2
22	5	2	3	1	.	1	4	2	2
23	4	2	2	3	2	1	1	.	1
24	13	6	7	8	4	4	5	2	3
20-24	28	12	16	13	6	7	15	6	9
25	4	1	3	3	.	3	1	1	.
26	6	3	3	4	1	3	2	2	.
27	13	5	8	11	5	6	2	.	2
28	10	5	5	9	4	5	1	1	.
29	7	3	4	5	2	3	2	1	1
25-29	40	17	23	32	12	20	8	5	3
30	15	8	7	14	7	7	1	1	.
31	9	5	4	7	5	2	2	.	2
32	10	2	8	7	2	5	3	.	3
33	9	6	3	7	4	3	2	2	.
34	6	5	1	5	4	1	1	1	.
30-34	49	26	23	40	22	18	9	4	5
35	6	3	3	6	3	3	.	.	.
37	3	2	1	3	2	1	.	.	.
38	3	1	2	2	1	1	1	.	1
39	2	1	1	1	.	1	1	1	.
35-39	14	7	7	12	6	6	2	1	1
40	2	2	.	2	2
41	2	1	1	2	1	1	.	.	.
42	3	2	1	3	2	1	.	.	.
40-44	7	5	2	7	5	2	.	.	.
ALL AGES	147	75	72	105	51	54	42	24	18

ABSTRACT 16. Northern Ireland: Still-births by sex, cause and period of gestation, 1995.

Detailed List No.	CAUSE OF STILL-BIRTH	PERIOD OF GESTATION (WEEKS)																						
		Total	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
238.0	Neoplasm of uncertain M behaviour of bone and F articular cartilage	1	1
740.0	Anencephalus. . . . M F	2 1	1	1 1
742.3	Congenital hydrocephalus . M F	1	1
746.9	Unspecified anomalies of heart M F	1	1
753.0	Renal agenesis and dysgenesis M F	1	1
758.1	Patau's Syndrome . . . M F	1	1
759.7	Multiple congenital anomaly . M F	1 .	1
759.9	Congenital anomaly, M unspecified F	1 1	1	1
760.0	Maternal hypertensive M disorders F	1 4	. .	1	2 .	1	1
760.5	Fetus affected by maternal M injury. F	1 .	1
761.1	Premature rupture of M membranes. F	2 1	1	1	1
761.2	Oligohydramnios M F	1	1
762.1	Other forms of placental M separation and haemorrhage . F	6 9	1 1	. .	1 .	1	1 .	2 .	1 .	. .	2 .	. .	1 .	1 .	. .	2 .	. .	1
762.2	Other and unspecified morpho- M logical and functional F abnormalities of placenta .	7 5	. 1	. .	1 1	1 1	. .	1 .	1 .	1 .	2 .	2 .	. 1
762.3	Placental Transfusion M Syndromes. F	. 2	2
762.5	Other compression of umbilical M cord F	7 9	. .	. 2	1 .	. .	1 .	1	1 .	2 .	1 .	1 .	. 1	1 3	. 1

ABSTRACT 16 (continued). Northern Ireland: Still-births by sex, cause and period of gestation, 1995.

Detailed List No.	CAUSE OF STILL-BIRTH	PERIOD OF GESTATION (WEEKS)																						
		Total	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
762.6	Other and unspecified M conditions of umbilical cord F	2 1	1	1	1
763.8	Other complications of labour M and delivery F	1	1
764.9	Fetal growth retardation, M unspecified. . . . F	1	1
765.0	Extreme immaturity . . M F	2 .	. .	2
765.1	Prematurity M F	1 1	1
768.0	Fetal death from asphyxia or M anoxia before onset of labour F or at unspecified time . .	6 1	1 .	1 .	1 .	. .	1	1 .	1	1
771.8	Other infection specific to the M perinatal period . . . F	1	1
772.0	Fetal blood loss M F	. 1	. .	. 1
774.6	Unspecified fetal and neonatal M jaundice F	. 1 1
778.0	Hydrops fetalis not due to M isoimmunization. . . F	1 1	1 1
779.9	Unspecified M F	33 28	2 4	2 .	4 3	. .	1 .	. 2	. 1	. .	3 .	2 .	1 1	. .	3 4	2 3	4 5	5 1	3 2	1 2
	ALL CAUSES M F	75 72	6 8	4 5	6 4	3 1	2 3	1 8	2 4	. 4	7 .	3 .	1 5	2 1	10 6	4 4	6 5	11 3	6 6	1 5

ABSTRACT 17. Northern Ireland: Still-births by sex, cause and weight of fetus, 1995.

Detailed List No.	CAUSE OF STILL-BIRTH	WEIGHT OF FETUS (in grams)														Not Stated
		Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	
238.0	Neoplasm of uncertain behaviour of bone and articular cartilage	M F	1	1
740.0	Anencephalus	M F	2 1	. .	1 1	1
742.3	Congenital hydrocephalus	M F	1	1
746.9	Unspecified anomalies of the heart	M F	. 1 1
753.0	Renal agenesis and dysgenesis	M F	1	1
758.1	Patau's syndrome.	M F	. 1 1
759.7	Multiple congenital anomalies	M F	1 .	. .	1
759.9	Congenital anomaly, unspecified	M F	1 1	. .	. 1	1
760.0	Maternal hypertensive disorders	M F	1 4	. .	1 3 1
760.5	Fetus affected by maternal injury	M F	. 1	. .	. 1
761.1	Premature rupture of membranes	M F	2 1	. .	1 .	1 1
761.2	Oligohydramnios	M F	. 1 1
762.1	Other forms of placental separation and haemorrhage	M F	6 9	. 1	2 1	. 2	1 4	. .	1 .	1 .	1 1
762.2	Other and unspecified morphological and functional abnormalities of the placenta	M F	7 5	. .	1 1	1 2	1 1	. .	1 .	1 1	. 2
762.3	Placental transfusion syndromes	M F	. 2 2
762.5	Other compression of umbilical cord	M F	7 9	. 2	. 2	. .	2 .	1 .	. 1	1 .	2 2	. 1	. 1

ABSTRACT 17 (continued). Northern Ireland: Still-births by sex, cause and weight of fetus, 1995.

Detailed List No.	CAUSE OF STILL-BIRTH	WEIGHT OF FETUS (in grams)														
		Total	Under 500	500 to 999	1000 to 1499	1500 to 1999	2000 to 2249	2250 to 2499	2500 to 2749	2750 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 to 4999	5000 & over	Not Stated
762-6	Other and unspecified conditions of umbilical cord M	2	1	.	.	1
	F	1	.	.	.	1
763.8	Other complications of labour and delivery . . . M	1	1
	F
764-9	Fetal growth retardation, unspecified M	1	1
	F
765.0	Extreme immaturity M
	F	2	.	2
765.1	Prematurity M
	F	1	1
768-0	Fetal death from asphyxia or anoxia before onset of M	6	1	2	1	.	1	1
	F	1	.	.	1
771.8	Other infection specific to the perinatal period. . . M	1	.	.	1
	F
772.0	Fetal blood loss M
	F	1	1
774.6	Unspecified fetal and neonatal jaundice M
	F	1	1
778-0	Hydrops fetalis not due to isoimmunization M	1	.	.	.	1
	F	1	.	.	.	1
779-9	Unspecified. M	33	4	6	3	2	1	2	2	3	7	1	2	.	.	.
	F	28	2	6	2	.	4	1	4	3	3	2	1	.	.	.
ALL CAUSES. M		75	5	15	9	9	4	4	6	5	14	2	2	.	.	.
F		72	7	17	11	8	4	2	7	4	6	4	2	.	.	.

ABSTRACT 18. Northern Ireland: Still-births by sex, age of mother and parity*, 1995.

Age of Mother	Total still-births	PARITY OF MOTHER										
		0	1	2	3	4	5	6	7	8	9	10 and over
16 M	2	2
16 F
17 M	3	3
17 F
18 M	2	2
18 F	1	1
19 M	1	1
19 F
Under 20 M	8	8
Under 20 F	1	1
20 M
20 F	2	2
21 M	2	2
21 F	2	2
22 M	2	2
22 F	3	3
23 M	2	1	1
23 F	2	1	.	1
24 M	6	4	2
24 F	7	6	1
20-24 M	12	9	3
20-24 F	16	14	1	1
25 M	1	1
25 F	3	.	2	1
26 M	3	2	1
26 F	3	2	.	.	.	1
27 M	5	2	.	2	1
27 F	8	5	2	1
28 M	5	3	.	1	1
28 F	5	2	3
29 M	3	1	1	1
29 F	4	3	1
25-29 M	17	9	2	4	2
25-29 F	23	12	8	2	.	1
30 M	8	4	.	2	2
30 F	7	2	.	5
31 M	5	.	2	1	2
31 F	4	3	.	.	.	1
32 M	2	1	.	1
32 F	8	4	.	2	1	.	1
33 M	6	5	.	1
33 F	3	1	.	1	1
34 M	5	2	.	2	1	.	.	.
34 F	1	1
30-34 M	26	12	2	7	4	.	.	.	1	.	.	.
30-34 F	23	11	.	8	2	1	1
35 M	3	1	.	2
35 F	3	.	.	.	3
37 M	2	1	.	.	1
37 F	1	.	.	1
38 M	1	1	.	.	.
38 F	2	1	1
39 M	1	1
39 F	1	.	1
35-39 M	7	3	.	2	1	.	.	.	1	.	.	.
35-39 F	7	1	2	1	3
40 M	2	1	1	.	.
40 F
41 M	1	1	.	.	.
41 F	1	.	.	.	1
42 M	2	.	1	.	1
42 F	1	.	.	.	1
40-44 M	5	1	1	.	1	.	.	.	1	1	.	.
40-44 F	2	.	.	.	2
ALL M	75	42	8	13	8	.	.	.	3	1	.	.
ALL F	72	39	11	12	7	2	1

*See definition at foot of Abstract 11.

ABSTRACT 19. Northern Ireland: Quarterly incidence of deaths, by District Council Area, month and sex with quarterly totals, 1995.

AREA	Total	January	February	March	1st quarter	April	May	June	2nd quarter	July	August	September	3rd quarter	October	November	December	4th quarter
Northern Ireland . . . M	7,482	755	649	699	2,103	587	696	601	1,884	543	558	578	1,679	573	642	601	1,816
F	7,828	775	691	758	2,224	581	666	630	1,877	549	605	588	1,742	647	648	690	1,985
Ards M	318	36	22	30	88	23	31	21	75	19	27	31	77	26	21	31	78
F	333	31	33	28	92	25	23	33	81	30	26	28	84	21	24	31	76
Belfast M	1,517	144	155	128	427	118	133	136	387	118	96	113	327	97	133	146	376
F	1,720	171	159	148	478	140	153	135	428	110	141	130	381	135	144	154	433
Castlereagh M	322	29	37	24	90	18	29	29	76	12	25	31	68	26	30	32	88
F	334	41	26	33	100	17	30	20	67	25	24	25	74	32	26	35	93
Down M	311	47	23	27	97	20	27	25	72	20	23	29	72	17	30	23	70
F	326	31	29	28	88	22	32	27	81	19	26	34	79	24	24	30	78
Lisburn M	407	34	30	43	107	31	34	38	103	29	44	24	97	27	38	35	100
F	450	34	50	48	132	34	32	39	105	26	40	29	95	42	22	54	118
North Down M	340	31	26	31	88	22	39	20	81	20	28	27	75	29	37	30	96
F	432	47	38	44	129	32	37	38	107	25	34	28	87	36	30	43	109
Antrim M	192	18	23	20	61	16	10	17	43	15	11	17	43	16	19	10	45
F	167	12	19	17	48	9	15	17	41	15	9	16	40	12	14	12	38
Ballymena M	257	15	25	28	68	19	23	21	63	23	25	16	64	24	25	13	62
F	277	45	13	29	87	23	20	21	64	13	17	17	47	27	30	22	79
Ballymoney M	116	13	10	7	30	6	16	8	30	7	7	9	23	15	6	12	33
F	125	12	15	16	43	7	4	14	25	4	10	10	24	12	15	6	33
Carrickfergus M	146	18	16	8	42	18	14	8	40	10	13	8	31	9	10	14	33
F	172	11	13	19	43	14	16	12	42	17	13	18	48	12	11	16	39
Coleraine M	251	19	21	22	62	33	15	24	72	10	17	19	46	20	28	23	71
F	261	21	20	20	61	23	27	18	68	22	25	17	64	16	29	23	68
Cookstown M	132	21	15	14	50	4	9	8	21	12	10	13	35	10	8	8	26
F	112	10	6	4	20	3	9	17	29	7	9	14	30	14	10	9	33
Larne M	147	17	9	9	35	10	19	9	38	13	8	13	34	17	7	16	40
F	148	12	16	16	44	19	16	13	48	9	9	4	22	10	11	13	34
Magherafelt M	141	21	11	12	44	12	12	4	28	5	13	17	35	13	12	9	34
F	124	14	10	11	35	8	19	9	36	11	10	12	33	6	5	9	20
Moyle M	81	13	6	10	29	5	8	3	16	5	2	4	11	5	12	8	25
F	68	11	4	4	19	6	6	4	16	4	6	5	15	6	4	8	18
Newtownabbey M	328	30	28	23	81	27	45	19	91	31	28	24	83	23	26	24	73
F	366	36	30	32	98	32	33	33	98	27	31	26	84	39	21	26	86
Armagh M	228	22	16	30	68	22	24	9	55	22	19	13	54	18	18	15	51
F	231	28	15	30	73	12	15	17	44	15	14	14	43	21	24	26	71
Banbridge M	159	20	17	8	45	13	19	11	43	11	11	12	34	11	15	11	37
F	162	20	14	15	49	12	18	14	44	13	16	10	39	6	14	10	30
Craigavon M	336	36	28	26	90	29	32	37	98	19	24	36	79	29	20	20	69
F	337	33	22	47	102	23	24	29	76	26	26	27	79	27	29	24	80
Dungannon M	221	21	18	22	61	16	23	24	63	17	10	20	47	17	17	16	50
F	192	20	17	23	60	7	18	8	33	9	16	16	41	21	16	21	58
Newry and Mourne M	339	33	21	31	85	24	32	28	84	22	24	32	78	37	24	31	92
F	377	33	42	38	113	26	30	34	90	27	23	25	75	25	40	34	99
Fermanagh M	308	37	29	41	107	22	29	23	74	26	16	14	56	17	32	22	71
F	248	24	22	24	70	15	16	15	46	30	17	19	66	28	27	11	66
Lisnavea M	127	11	8	18	37	12	10	14	36	13	12	7	32	9	8	5	22
F	119	12	8	14	34	8	9	9	26	13	8	11	32	16	6	5	27
Derry M	416	32	30	46	108	40	34	29	103	32	37	30	99	35	41	30	106
F	416	37	36	35	108	36	34	31	101	27	31	31	89	40	41	37	118
Omagh M	192	26	14	19	59	16	18	21	55	19	17	13	49	12	9	8	29
F	186	20	21	20	61	16	19	9	44	14	15	9	38	12	13	18	43
Strabane M	150	11	11	22	44	11	11	15	37	13	11	6	30	14	16	9	39
F	145	9	13	15	37	12	11	14	37	11	9	13	33	7	18	13	38

ABSTRACT 20. Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
	TOTAL DEATHS . . . M	7,482	71	93	9	4	4	2	15	18	53	82	65	77	80	96	149	262	380	571	821	1,219	1,267	1,162	684	294	75
	(All Causes) . . . F	7,828	60	76	4	2	3	2	12	14	17	20	20	30	45	79	107	181	241	360	605	947	1,149	1,484	1,313	806	311
001-139	I Infectious and Parasitic Diseases . . . M	24	1	1	.	1	1	.	1	.	1	1	1	2	3	.	3	5	1	2	1	.
	. . . F	20	.	1	.	1	3	4	.	2	1	4	1	3	.
140-208	II Neoplasms [a] Cancer* . . M	1,841	2	1	4	4	4	10	6	11	15	18	40	86	116	183	280	347	326	236	112	33	7
	. . . F	1,650	2	.	4	3	3	9	17	38	64	99	110	149	198	269	235	209	177	48	16
210-239	[b] Other Neoplasms . . . M	51	1	1	1	.	.	1	.	2	1	4	6	7	5	7	12	3	1	.
	. . . F	43	1	.	.	1	.	.	.	1	1	1	2	1	7	4	10	8	4	2	.
240-279	III Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders . . M	35	.	.	1	.	.	.	1	1	1	1	.	4	.	.	2	6	8	6	1	2	1
	. . . F	51	2	1	3	.	1	1	1	.	1	7	1	3	8	4	9	5	4	1
280-289	IV Diseases of Blood and Blood-Forming Organs . . M	14	2	1	.	.	5	3	.	2	1	.
	. . . F	15	1	.	.	1	2	3	1	5	2	.
290-319	V Mental Disorders . . . M	29	1	.	.	.	2	3	2	3	3	5	4	1	1	4	.	.
	. . . F	49	2	2	1	3	6	2	3	2	2	4	8	11	3
320-389	VI Diseases of the Nervous System and Sense Organs . M	101	.	.	1	.	.	.	1	2	3	4	2	3	2	3	2	7	8	7	8	12	9	19	6	2	.
	. . . F	123	.	2	2	.	1	.	.	2	3	2	2	1	1	2	1	6	7	6	8	13	16	24	15	12	.
390-459	VII Diseases of the Circulatory System . . . M	3,324	2	2	1	2	5	9	14	31	56	113	170	274	390	625	620	553	306	122	31
	. . . F	3,605	.	.	1	.	.	.	2	2	1	2	1	7	6	16	18	39	67	126	266	457	589	824	671	382	128
460-519	VIII Diseases of the Respiratory System . . . M	1,133	.	2	1	.	2	.	.	2	.	.	3	4	3	4	8	13	23	50	80	146	204	255	199	105	29
	. . . F	1,523	.	1	.	1	1	.	.	1	.	.	3	2	2	6	4	8	24	46	77	133	215	276	316	264	143
520-579	IX Diseases of the Digestive System . . . M	210	1	.	1	1	3	5	13	8	24	17	29	27	31	30	12	8	1
	. . . F	239	.	.	.	1	.	.	1	.	1	.	1	2	6	6	9	4	7	12	27	31	50	46	32	3	.
580-629	X Diseases of the Genito-urinary System . . . M	112	1	1	2	3	4	3	11	24	28	22	10	3
	. . . F	139	1	4	1	7	9	11	21	35	28	17	5
630-676	XI Complications of Pregnancy, Childbirth and the Puerperium . M
	. . . F
680-709	XII Diseases of the Skin and Subcutaneous Tissue . . M	13	1	1	.	1	3	4	.	2	1
	. . . F	24	2	.	.	2	4	4	7	4	1
710-739	XIII Diseases of the Musculo-skeletal System and Connective Tissue . . M	13	1	2	.	1	.	3	1	4	.	1	.	.
	. . . F	27	1	1	.	.	1	.	2	4	7	7	3	1
740-759	XIV Congenital Anomalies . . M	50	24	34	5	.	1	1	2	.	2	3	1	1	1	.	.
	. . . F	41	19	28	1	.	1	.	1	4	.	.	1	.	1	.	1	.	1	1	.	1
760-779	XV Certain Conditions originating in the Perinatal Period . M	49	44	49
	. . . F	44	41	44
780-799	XVI Symptoms, Signs and Ill-defined Conditions . . . M	24	1	5	1	1	.	1	.	1	1	.	3	1	4	4	1	1
	. . . F	31	1	2	1	.	.	1	4	4	6	8	4
800-999	XVII Injury and Poisoning . . M	459	.	1	1	3	.	.	7	8	41	60	45	47	39	30	20	25	23	22	14	23	21	13	9	6	1
	. . . F	204	1	5	5	10	10	7	10	13	6	8	8	9	10	17	13	10	25	17	14	6

*See definition on page 1.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
I. Infectious and Parasitic Diseases																											
001-009	Intestinal Infectious Diseases. . M F	1	1	.	.
001	Cholera M F
002	Typhoid and Paratyphoid fevers . M F
003	Other salmonella infections . . M F	1	1	.	.
004	Shigellosis M F
005	Other food poisoning (bacterial) . M F
006	Amoebiasis M F
007	Other protozoal intestinal diseases . M F
008	Intestinal infections due to other M organisms F
009	Ill-defined intestinal infection. . M F
010-018	Tuberculosis M F	8 6	1 1	.	1 2	1 1	3 1	.	1 1	1 1	1 1	.
010	Primary tuberculous infection. . M F
011	Pulmonary tuberculosis . . . M F	7 6	1 1	2	1 1	3 1	.	1 1	1 1	1 1	.
012	Other respiratory tuberculosis. . M F
013	Tuberculosis of meninges and central M nervous system . . . F
014	Tuberculosis of intestines, peri- M toneum and mesenteric glands . F
015	Tuberculosis of bones and joints . M F
016	Tuberculosis of genitourinary M system F	1	1
017	Tuberculosis of other organs . . M F
018	Miliary tuberculosis M F
020-027	Zoonotic bacterial diseases . . M F

[illegible]

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
045-049	<i>Poliomyelitis and other non-arthropod-borne viral diseases of the central nervous system</i> . M F	1	1	
045	Acute poliomyelitis M F	
046	Slow virus infection of central nervous system M F	
047	Meningitis due to enterovirus. . . M F	1	1	
048	Other enterovirus diseases of central nervous system . . . M F	
049	Other non-arthropod-borne viral diseases of the central nervous system . M F	
050-057	<i>Viral diseases accompanied by exanthem</i> M F	1	1	
050	Smallpox M F	
051	Cowpox and paravaccinia . . . M F	
052	Chickenpox M F	
053	Herpes zoster M F	
054	Herpes simplex M F	1	1	
055	Measles M F	
056	Rubella M F	
057	Other viral exanthemata . . . M F	
060-066	<i>Arthropod-borne viral diseases</i> . . . M F	
060	Yellow fever M F	
061	Dengue M F	
062	Mosquito-borne viral encephalitis . M F	
063	Tick-borne viral encephalitis . . M F	
064	Viral encephalitis transmitted by other and unspecified arthropods . M F	
065	Arthropod-borne haemorrhagic fever . M F	
066	Other arthropod-borne viral diseases . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
070-079	Other diseases due to viruses and Chlamydiae. M F	3	1 .	1	1	
070	Viral hepatitis. M F	3	1 .	1	1	
071	Rabies. M F	
072	Mumps M F	
073	Ornithosis M F	
074	Specific diseases due to Coxsackie virus M F	
075	Infectious mononucleosis M F	
076	Trachoma M F	
077	Other diseases of conjunctiva due to viruses and Chlamydiae M F	
078	Other diseases due to viruses and Chlamydiae. M F	
079	Viral infection in conditions classified elsewhere and of unspecified site. M F	
080-088	Rickettsioses and other arthropod-borne diseases M F	
080	Louse-borne (epidemic) typhus M F	
081	Other typhus M F	
082	Tick-borne rickettsioses M F	
083	Other rickettsioses M F	
084	Malaria M F	
085	Leishmaniasis. M F	
086	Trypanosomiasis M F	
087	Relapsing Fever M F	
088	Other arthropod-borne diseases M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
090-099	<i>Syphilis and other venereal diseases</i> M F
090	Congenital syphilis . . . M F
091	Early syphilis, symptomatic . . M F
092	Early syphilis, latent . . . M F
093	Cardiovascular syphilis . . . M F
094	Neurosyphilis . . . M F
095	Other forms of late syphilis, with symptoms . . . M F
096	Late syphilis, latent . . . M F
097	Other and unspecified syphilis . M F
098	Gonococcal infections . . . M F
099	Other venereal diseases . . . M F
100-104	<i>Other spirochaetal diseases</i> . M F
100	Leptospirosis . . . M F
101	Vincent's angina . . . M F
102	Yaws . . . M F
103	Pinta . . . M F
104	Other spirochaetal infection . . M F
110-118	<i>Mycoses</i> . . . M F
110	Dermatophytosis . . . M F
111	Dermatomycosis, other and unspecified . M F
112	Candidiasis . . . M F
114	Coccidioidomycosis . . . M F
115	Histoplasmosis . . . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
116	Blastomycotic infection . . . M F
117	Other mycoses. . . . M F
118	Opportunistic mycoses . . . M F
120-129	Helminthiases. . . . M F
120	Schistosomiasis (bilharziasis). . . M F
121	Other trematode infections . . . M F
122	Echinococcosis M F
123	Other cestode infection M F
124	Trichinosis M F
125	Filarial infection and dracontiasis . M F
126	Ancylostomiasis and necatoriasis . M F
127	Other intestinal helminthiases. . . M F
128	Other and unspecified helminthiases M F
129	Intestinal parasitism, unspecified . M F
130-136	Other infectious and parasitic diseases . M F	2 2	1 1	.	1 1	.	.	.	1 1	.
130	Toxoplasmosis M F
131	Trichomoniasis M F
132	Pediculosis and phthirus infestation M F
133	Acariasis M F
134	Other infestation M F
135	Sarcoidosis M F	1 1	1 1
136	Other and unspecified infectious and parasitic diseases . M F	1 1	1 1	1 1	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
137-139	Late effects of infectious and parasitic diseases M F	1	1
137	Late effects of tuberculosis M F
138	Late effects of acute poliomyelitis M F	1	1
139	Late effects of other infectious and parasitic diseases M F
II Neoplasms																											
140-149	Malignant neoplasm of lip, oral cavity and pharynx M F	30 16	1 .	1 .	1 .	1 .	3 .	4 .	3 2	7 1	2 2	1 4	5 1	1 3	. .	. 1
140	Malignant neoplasm of lip M F	2	1	1
141	Malignant neoplasm of tongue M F	10 8	1 .	1 .	1 .	1 .	4 1	. 2	1 1	2 .	3
142	Malignant neoplasm of major salivary glands M F	. 2 2
143	Malignant neoplasm of gum M F	. 1 1
144	Malignant neoplasm of floor of mouth M F	2	1 .	. .	1
145	Malignant neoplasm of other and unspecified part of mouth M F	1 1 1 1	. .
146	Malignant neoplasm of oropharynx M F	6	1 .	. .	1 .	. .	2	2
147	Malignant neoplasm of naso-pharynx M F	3 1	1	1 1	. .	1
148	Malignant neoplasm of hypopharynx M F	1 2	1 .	. 1	. .	1
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx. M F	5 1	1 .	1 .	1 .	1 .	. 1	1
150-159	Malignant neoplasms of digestive organs and peritoneum M F	570 494	1 .	1 .	1 .	3 1	5 3	5 5	10 10	26 18	33 25	61 31	84 56	115 71	113 90	64 79	40 79	6 17	2 8	
150	Malignant neoplasm of oesophagus M F	74 50	1 .	3 .	3 .	1 .	1 2	6 3	8 10	13 6	13 11	8 7	2 9	. 2	. .	
151	Malignant neoplasm of stomach M F	99 71	2 1	1 1	1 1	4 3	4 4	11 5	18 1	21 13	19 11	10 12	8 14	. 3	. 1	
152	Malignant neoplasm of small intestine, including duodenum M F	3 7 1	1 1	1 .	. .	2 .	2	
153	Malignant neoplasm of colon. M F	181 173 1	. .	1	2 .	2 .	6 4	10 7	11 10	15 13	27 21	30 18	35 31	23 31	17 22	4 8	1 3
154	Malignant neoplasm of rectum, rectosigmoid junction and anus M F	51 49	1 .	5 2	4 2	6 2	6 2	9 7	8 5	8 6	3 14	. 1	1 2	
155	Malignant neoplasm of liver and intrahepatic bile ducts M F	41 25	1 .	. .	1 .	1	1 .	1 .	1 3	7 2	6 4	9 6	9 6	3 1	1 2	. 1	. .	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
156	Malignant neoplasm of gallbladder and extrahepatic bile ducts. M F	8 9	2	1	1	2	1	3	2	1	.	.
157	Malignant neoplasm of pancreas. M F	70 73	1	.	1	3	3	10	8	15	20	6	6	.	.
158	Malignant neoplasm of retro-peritoneum and peritoneum. M F	5	1	.	.	.	2	.	1	1	.	.
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum. M F	38 37	2	2	2	3	4	13	6	5	1	2	2
160-165	Malignant neoplasm of respiratory and intrathoracic organs. M F	533 277	1 2	7 5	10 11	28 20	44 18	66 29	94 42	114 59	86 44	61 24	18 19	4 2	.
160	Malignant neoplasm of nasal cavities, middle ear and accessory sinuses. M F	2 1	1	1	.	1	.	.	.
161	Malignant neoplasm of larynx. M F	17 3	2	3	4	3	3	2	.	.	.
162-0	Malignant neoplasm of trachea. M F
162-2	Malignant neoplasm of main bronchus. M F
162-3	Malignant neoplasm of upper lobe, bronchus or lung. M F	3 1	1	.	1	1
162-9	Malignant neoplasm of bronchus or lung, unspecified. M F	480 268	1 1	7 4	8 11	27 19	37 18	59 29	84 40	103 58	77 42	57 23	16 19	4 2	2
163	Malignant neoplasm of pleura. M F	27 2	1	.	1	4	3	5	6	5	1	2	.	.
164	Malignant neoplasm of thymus, heart and mediastinum. M F	4 2	1	.	1	.	1	1	.	1
165	Malignant neoplasm of other and ill-defined sites within the respiratory system and intrathoracic organs. M F
170-175	Malignant neoplasm of bone, connective tissue, skin and breast. M F	25 359	1 1	4 1	.	1 6	2 8	19	2 27	1 32	2 27	3 42	.	3 46	2 33	2 39	1 33	1 8	2
170	Malignant neoplasm of bone and articular cartilage. M F	6 4	1 1	2 1	.	1	1	1	.	1	.	1	.
171	Malignant neoplasm of connective and other soft tissue. M F	6 9	2	1	.	.	1	.	1	3	1	1	.	.
172	Malignant melanoma of skin. M F	8 15	2 1	.	1 3	.	1	1	2	1	1	2	3	1	.
173	Other malignant neoplasm of skin. M F	3 4	1	.	.	1	.	.	1	2	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
174	Malignant neoplasm of female breast . F	327	6	7	19	24	31	26	41	32	40	30	34	30	5	2
175	Malignant neoplasm of male breast . M	2	1	.	.	.	1
179-189	Malignant neoplasm of genito-urinary organs . M	349	2	1	1	1	1	.	4	9	7	18	38	65	76	69	34	19	4
	F	216	1	3	6	9	17	22	19	32	34	26	24	17	6	.
179	Malignant neoplasm of uterus, part unspecified . F	19	1	.	.	.	4	5	1	3	2	3	.
180	Malignant neoplasm of cervix uteri . F	19	1	1	3	2	2	1	2	.	4	2	.	1	.	.
181	Malignant neoplasm of placenta . F
182	Malignant neoplasm of body of uterus . F	9	2	1	.	2	2	.	2	.	.
183	Malignant neoplasm of ovary and other uterine adnexa . F	100	2	2	5	13	16	11	17	14	8	7	3	2	.
184	Malignant neoplasm of other and unspecified female genital organs . F	13	3	3	.	2	4	1	.	.
185	Malignant neoplasm of prostate . M	216	1	1	2	7	19	38	52	51	28	15	2
186	Malignant neoplasm of testis . M	4	1	1	.	1	.	1
187	Malignant neoplasm of penis and other male genital organs . M	4	1	1	1	.	1	.	.	.
188	Malignant neoplasm of bladder . M	75	1	3	1	6	5	20	13	15	5	4	2
	F	32	2	1	1	2	6	5	7	1	.	.
189	Malignant neoplasm of kidney and other unspecified urinary organs . M	50	2	1	.	1	1	5	4	4	13	6	11	2	1	.	.
	F	24	1	1	.	2	1	6	2	5	5	1	.	.
190-199	Malignant neoplasm of other and unspecified sites . M	181	2	1	1	3	1	2	3	3	6	11	20	17	26	31	20	22	10	2	.
	F	176	1	.	.	1	1	1	1	1	4	8	11	15	21	33	19	31	18	9	1
190	Malignant neoplasm of eye . M	3	1	1	1	.
	F
191	Malignant neoplasm of brain . M	45	1	1	1	1	.	2	3	1	1	3	13	5	3	4	4	2	.	.	.
	F	35	1	.	.	1	1	1	.	1	4	4	2	2	3	6	6	3	.	.	.
192	Malignant neoplasm of other and unspecified parts of nervous system . M
	F
193	Malignant neoplasm of thyroid gland . M	5	2	1	.	1	.	.	1
	F	2	1	1	.	.
194	Malignant neoplasm of other endocrine glands and related structures . M	3	1	1	1
	F	2	2
195	Malignant neoplasm of other and ill-defined sites . M	7	1	1	.	.	1	1	.	.	3	.	.	.
	F	12	1	1	.	3	.	5	2	.	.
196	Secondary and unspecified malignant neoplasm of lymph nodes . M	1	1	.	.	.
	F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
197	Secondary malignant neoplasm of respiratory and digestive systems . M F	3	1	.	.	1	.	1	.	.	.
198	Secondary malignant neoplasm of other specified sites. M F	2	1	.	.	.	1	.	.
199	Malignant neoplasm without specification of site. M F	114 123	1	.	.	2	2	6 4	5 7	10 12	22 17	26 24	15 11	15 23	9 14	1 9	.	1
200-208	Malignant neoplasm of lymphatic and haematopoietic tissue M F	153 112	1	2 1	3	1 3	1 1	3 1	3	2	2 2	7 2	8 4	6 6	15 11	31 11	17 24	28 19	13 11	8 8	1 6	1 2
200	Lymphosarcoma and reticulosarcoma M F	6 2	1	.	2	1	.	1	.	.	.	1
201	Hodgkin's disease M F	5 3	1	3	.	2	.	2	.	.	.
202	Other malignant neoplasm of lymphoid and histiocytic tissue M F	55 38	1	.	1	1	1	4 1	6 1	2 2	5 5	9 2	6 12	11 8	6 1	2	.	3	2
203	Multiple myeloma and immunoproliferative neoplasms M F	36 37	2 1	1 3	1 2	8 1	9 3	4 10	6 6	3 6	2 5	.	.	.
204	Lymphoid leukaemia M F	19 6	1	2	1	.	.	1	.	.	1	.	.	.	1	1	3	4	4	1	1	1	.
205	Myeloid leukaemia M F	25 21	1	1 3	.	.	2	1	.	2	.	3	1	4	5 3	2 2	4 2	3 2	2 2	1	.
206	Monocytic leukaemia. M F
207	Other specified leukaemia M F
208	Leukaemia of unspecified cell type M F	7 5	1	.	1	1	.	.	.	1	.	.	.	1	1	.	.	1	.	2	.
210-229	Benign neoplasms M F	3 5	1	1	.	1	1	1	1	.	.	.
210	Benign neoplasms of lip, oral cavity and pharynx. M F
211	Benign neoplasm of other parts of digestive system M F	1	1
212	Benign neoplasm of respiratory and intrathoracic organs. M F
213	Benign neoplasm of bone and articular cartilage M F
214	Lipoma M F
215	Other benign neoplasm of connective and other soft tissue M F	1	1
216	Benign neoplasm of skin M F
217	Benign neoplasm of breast M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
218	Uterine leiomyoma F	1	1	.	.
219	Other benign neoplasm of uterus . F
220	Benign neoplasm of ovary F
221	Benign neoplasm of other female genital organs F
222	Benign neoplasm of male genital organs M
223	Benign neoplasm of kidney and other urinary organs M
	F
224	Benign neoplasm of eye M
	F
225	Benign neoplasm of brain and other parts of nervous system . . . M	3
	F	1	1	.	1	1	1	.	.	.
226	Benign neoplasm of thyroid gland . M
	F
227	Benign neoplasm of other endocrine glands and related structures . M
	F	1	1
228	Haemangioma and lymphangioma, any site M
	F
229	Benign neoplasm of other and unspecified sites M
	F
230-234	Carcinoma in situ M
	F
230	Carcinoma in situ of digestive organs . M
	F
231	Carcinoma in situ of respiratory system M
	F
232	Carcinoma in situ of skin M
	F
233	Carcinoma in situ of breast and genitourinary system . . . M
	F
234	Carcinoma in situ of other and unspecified sites M
	F
235-238	Neoplasms of uncertain behaviour . M	24	1	1	2	.	1	3	2	2	5	6	2	.	.
	F	19	1	1	.	1	3	5	5	3	.	.
235	Neoplasm of uncertain behaviour of digestive and respiratory systems . M
	F	4	1	.	1	.	.	1	.	1	.	.	.
236	Neoplasm of uncertain behaviour of genitourinary organs M
	F
237	Neoplasm of uncertain behaviour of endocrine glands and nervous system M	2	1	.	.	1
	F
238	Neoplasm of uncertain behaviour of other and unspecified sites and tissues M	21	1	1	2	2	5	6	2	.	.	.
	F	16	1	1	2	1	5	4	3	.	.	.
239	Neoplasms of unspecified nature . . M	24	1	.	.	.	1	.	1	3	3	5	2	1	5	1	1	.
	F	19	1	1	.	6	1	3	3	.	2	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
III. Endocrine, nutritional and metabolic diseases and immunity disorders																													
240-246	Disorders of thyroid gland . . . M F	2	1	1	
240	Simple and unspecified goitre . . . M F		
241	Nontoxic nodular goitre . . . M F		
242	Thyrototoxicosis with or without goitre . M F	2	1	1		
243	Congenital hypothyroidism . . . M F		
244	Acquired hypothyroidism . . . M F		
245	Thyroiditis . . . M F		
246	Other disorders of thyroid . . . M F		
250-259	Diseases of other endocrine glands . M F	21 23	1	.	1 1	3	.	1 3	4 2	5 4	1 2	2 3	1 3	1		
250	Diabetes mellitus . . . M F	20 23	1	.	1 1	3	.	1 3	4 2	5 4	1 2	1 3	1	1		
251	Other disorders of pancreatic internal secretion . M F	1	1	.		
252	Disorders of parathyroid gland . . . M F		
253	Disorders of the pituitary gland and its hypothalamic control . . . M F		
254	Diseases of thymus gland . . . M F		
255	Disorders of adrenal glands . . . M F		
256	Ovarian dysfunction . . . F		
257	Testicular dysfunction. . . M		
258	Polyglandular dysfunction and related disorders . . . M F		
259	Other endocrine disorders . . . M F		
260-269	Nutritional deficiencies . . . M F	2	1	1	.	.	.		
260	Kwashiorkor . . . M F		
261	Nutritional marasmus. . . M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
262	Other severe protein-calorie malnutrition. M F
263	Other and unspecified protein-calorie malnutrition. M F	1	1
264	Vitamin A deficiency. M F
265	Thiamine and niacin deficiency states. M F
266	Deficiency of B-complex components. M F
267	Ascorbic acid deficiency. M F
268	Vitamin D deficiency. M F	1	1	.	.	.
269	Other nutritional deficiencies. M F
270-279	Other metabolic disorders and immunity disorders. M F	14 24	.	.	1	.	.	.	1	.	2	1	3	1	1	1	.	3	3	1	1	2	2	1	3	1	.
270	Disorders of amino-acid transport and metabolism. M F
271	Disorders of carbohydrate transport and metabolism. M F	1	1
272	Disorders of lipid metabolism. M F	1	.	.	1
273	Disorders of plasma protein metabolism. M F	1 2	1	1	.	1	.	.
274	Gout. M F
275	Disorders of mineral metabolism. M F	1 2	1	.	.	.	1	1
276	Disorders of fluid, electrolyte and acid-base balance. M F	2 6	1	1	.	.	.	1	2	2	1
277	Other and unspecified disorders of metabolism. M F	5 8	2	1	2	1	1	1	.	2	2	1	.	.	.
278	Obesity and other hyperalimentation. M F	1 5	1	1	.	.	2	.	.	2
279	Disorders involving the immune mechanism. M F	2 1	1	1	1	.	.	.
IV. Diseases of the Blood and Blood-Forming Organs																											
280-289	Diseases of blood and blood-forming organs. M F	14 15	2	1	1	.	1	5 2	3 3	1	2 5	1 2	.
280	Iron deficiency anaemias. M F
281	Other deficiency anaemias. M F	1	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
282	Hereditary haemolytic anaemias . M F	1	1	
283	Acquired haemolytic anaemias . M F	
284	Aplastic anaemia . . . M F	2 3	1 1	. 1	1 .	. .	
285	Other and unspecified anaemias . M F	1 1	1 1	
286	Coagulation defects . . . M F	4 2	2	1 1	1	1 .	. .	
287	Purpura and other haemorrhagic conditions . M F	1 1	1	1 .	. .	
288	Diseases of white blood cells. . M F	. 1	1 1	
289	Other diseases of blood and blood-forming organs . M F	5 5	2 .	2 2	. .	1 1	1 1	. .	
V. Mental Disorders																												
290-294	Organic psychotic conditions. . M F	4 21	1 .	. .	1 1	. 3	2 5	9 .	3 .	
290	Senile and presenile organic psychotic conditions . M F	4 21	1 .	. .	1 1	3 .	2 5	9 .	3 .	
291	Alcoholic psychoses . . . M F	
292	Drug psychoses . . . M F	
293	Transient organic psychotic conditions . . . M F	
294	Other organic psychotic conditions (chronic) . . . M F	
295-299	Other psychoses . . . M F	4 7	1 .	1 1	1 1	2 3	2 .	. .	
295	Schizophrenic psychoses . . . M F	
296	Affective psychoses . . . M F	
297	Paranoid states . . . M F	
298	Other nonorganic psychoses . . . M F	4 7	1 .	. 1	1 1	2 3	2 .	. .	
299	Psychoses with origin specific to childhood . . . M F	
300-316	Neurotic disorders, personality disorders and other non-psychotic mental disorders . . . M F	21 21	1 .	. .	2 .	2 2	3 1	2 3	3 6	3 2	4 3	3 2	
300	Neurotic disorders . . . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
301	Personality disorders . . . M F
302	Sexual deviation and disorders . M F
303	Alcohol dependence syndrome . M F	17 15	1	2 2	3 .	2 3	3 4	2 1	2 2	3 2
304	Drug dependence . . . M F
305	Non-dependent abuse of drugs . M F	4 5	1	.	1	.	1	.	2	1	2 1
306	Physiological malfunction arising M from mental factors. . . F
307	Special symptoms or syndromes not M elsewhere classified . . . F	1	1
308	Acute reaction to stress . . . M F
309	Adjustment reaction . . . M F
310	Specific nonpsychotic mental M disorders following organic brain damage . . . F
311	Depressive disorder, not elsewhere M classified . . . F
312	Disturbance of conduct not elsewhere M classified . . . F
313	Disturbance of emotions specific to M childhood and adolescence. . F
314	Hyperkinetic syndrome of childhood M F
315	Specific delays in development . M F
316	Psychic factors associated with M diseases classified elsewhere . F
317-319	Mental retardation . . . M F
317	Mild mental retardation . . . M F
318	Other specified mental retardation . M F
319	Unspecified mental retardation . M F
VI. Diseases of the Nervous System and Sense Organs																											
320-326	Inflammatory diseases of the central M nervous system . . . F	2 4	.	1	1	.	1	.	1	1	.	.	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
320	Bacterial meningitis M
	F	1	.	1
321	Meningitis due to other organisms . M
	F
322	Meningitis of unspecified cause . . M	1	1
	F	1	1
323	Encephalitis, myelitis, and M	1	1	.	1
	F	1	1
324	Intracranial and intraspinal abscess . M
	F	1	1
325	Phlebitis and thrombophlebitis of M
	F
326	Late effects of intracranial abscess of M
	F
330-337	Hereditary and degenerative diseases M	57	1	.	.	.	1	5	4	5	10	6	17	6	2	.
	F	86	.	1	2	.	1	.	.	.	1	1	4	3	5	8	11	23	14	12	.
330	Cerebral degenerations usually M	.	.	.	1	.	1	.	.	.	1
	F	3
331	Other cerebral degenerations . . . M	17	1	2	1	1	1	2	6	2	1	.	
	F	41	1	.	1	1	2	8	11	10	7	.	
332	Parkinson's disease M	23	1	1	2	3	2	10	3	1	.	
	F	27	1	.	2	4	1	10	4	5	.	
333	Other extrapyramidal disease and M	3	1	.	.	1	.	1	.	.	.	
	F	3	1	.	.	1	1	
334	Spinocerebellar disease M
	F	1	1
335	Anterior horn cell disease M	14	1	1	2	2	5	2	.	1	.	.	
	F	11	.	1	1	2	2	2	1	.	2	.	.	.	
336	Other diseases of spinal cord. . . M
	F
337	Disorders of the autonomic nervous M
	F
340-349	Other disorders of the central nervous M	32	.	.	1	.	.	.	1	2	2	2	2	2	2	2	3	3	2	2	1	3	
	F	27	1	4	3	2	2	4	4	1	1	.	.	
340	Multiple sclerosis M	9	1	.	1	2	2	3	2	2	
	F	18	1	.	.	2	1	2	3	1	2	
341	Other demyelinating diseases of M
	F
342	Hemiplegia M
	F	1	1
343	Infantile cerebral palsy M	1	1
	F
344	Other paralytic syndromes M	2	1	1
	F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
345	Epilepsy M F	18 5	2 1	2 .	2 .	2 1	2 .	1 .	1 .	2 .	1 1	.	.	1 .	.	2 .	.	1
346	Migraine M F	
347	Cataplexy and narcolepsy . . M F	
348	Other conditions of brain . . M F	2 3	.	.	1	1 .	.	1 .	.	1 .	1	
349	Other and unspecified disorders of the nervous system. . . M F	
350-359	Disorders of the peripheral nervous system . . . M F	10 6	1 .	1 1	.	.	.	1 .	.	2 1	.	1 .	1 1	1 1	1 1	2	
350	Trigeminal nerve disorders . . M F	
351	Facial nerve disorders. . . M F	
352	Disorders of other cranial nerves . M F	
353	Nerve root and plexus disorders . M F	
354	Mononeuritis of upper limb and mononeuritis multiplex . . M F	
355	Mononeuritis of lower limb . . M F	1 1	1	1	
356	Hereditary and idiopathic peripheral neuropathy . . . M F	1 1	1 .	.	1	
357	Inflammatory and toxic neuropathy . M F	
358	Myoneural disorders . . . M F	1	1	
359	Muscular dystrophies and other myopathies. . . . M F	7 4	1 .	1	1 .	.	1 1	.	1 1	1 1	.	1 .	1 1	.	1 .	.	
360-379	Disorders of the eye and adnexa . . M F	
360	Disorders of the globe. . . M F	
361	Retinal detachments and defects . M F	
362	Other retinal disorders . . . M F	
363	Chorioretinal inflammations and scars and other disorders of choroid F	
364	Disorders of iris and ciliary body . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
365	Glaucoma M F
366	Cataract M F
367	Disorders of refraction and accommodation M F
368	Visual disturbances M F
369	Blindness and low vision M F
370	Keratitis M F
371	Corneal opacity and other disorders of cornea M F
372	Disorders of conjunctiva M F
373	Inflammation of eyelids M F
374	Other disorders of eyelids M F
375	Disorders of lacrimal system. M F
376	Disorders of the orbit. M F
377	Disorders of optic nerve and visual pathways M F
378	Strabismus and other disorders of binocular eye movements M F
379	Other disorders of eye. M F
380-389	Diseases of the ear and mastoid process M F
380	Disorders of external ear M F
381	Nonsuppurative otitis media and Eustachian tube disorders M F
382	Suppurative and unspecified otitis media M F
383	Mastoiditis and related conditions M F
384	Other disorders of tympanic membrane M F
385	Other disorders of middle ear and mastoid M F
386	Vertiginous syndromes and other disorders of vestibular system M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
387	Otosclerosis M F	
388	Other disorders of ear. . . . M F	
389	Deafness M F	
VII. Diseases of the Circulatory System																												
390-392	Acute rheumatic fever. . . . M F	2 4	2 3	.	.	1
390	Rheumatic fever without mention of heart involvement M F	3	3	
391	Rheumatic fever with heart involvement M F	2 1	2	.	.	1 .	.	.	
392	Rheumatic chorea M F	
393-398	Chronic rheumatic heart disease . M F	13 34	1 .	.	3 1	2 1	3 4	1 6	1 8	5 .	5 .	2 2	2 .	
393	Chronic rheumatic pericarditis . M F	
394.0	Mitral stenosis. M F	5	1 .	2 .	1 .	1 .	.	
394.2	Mitral stenosis with insufficiency . M F	1	1 .	
394.9	Diseases of mitral valve, other and unspecified. M F	2 8	1 1	2 .	4 .	.	.	1 1	.	
395.0	Rheumatic aortic stenosis M F	
395.2	Rheumatic aortic stenosis with insufficiency M F	1	1	
396	Diseases of mitral and aortic valves . M F	4 5	1 .	1 1	1 .	1 .	1 .	2 .	.	.	1 .	
397	Diseases of other endocardial structures M F	3 5	1 1	2 .	.	.	1 .	.	.	
398	Other rheumatic heart disease. . . M F	3 10	1 .	.	1 .	1 .	2 .	2 .	2 .	1 .	3 .	.	.	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
401-405	Hypertensive disease . . . M F	48 46	1	1	1	2	1	1	5	7	2	8	15	3	1	.	1
401	Essential hypertension . . . M F	28 21	1	.	1	2	1	1	5	4	1	4	7	1	.	.	1	
402	Hypertensive heart disease . . . M F	13 19	3	1	2	7	1	.	.	.	
403	Hypertensive renal disease . . . M F	7 4	1	1	2	1	1	1	.	.	
404	Hypertensive heart and renal disease . . . M F	1	1	.	.	.	
405	Secondary hypertension . . . M F	
410-414	Ischaemic heart disease . . . M F	2,175 1,911	1	2	3	8	20	40	83	126	224	286	450	359	315	176	63	20
410-0	Acute myocardial infarction with hypertension . . . M F	160 148	2	1	7	9	13	17	34	36	25	8	8	.	.	
410-9	Acute myocardial infarction without hypertension . . . M F	1,445 1,271	1	.	3	2	13	21	45	84	154	184	300	232	238	119	36	13	
411-9	Other acute and subacute forms of heart disease without hypertension . . . M F	
412-0	Old myocardial infarction with hypertension . . . M F	1 1	1	.	.	
412-9	Old myocardial infarction without hypertension . . . M F	1 2	1	.	.	1	.	.	.	
413-0	Angina pectoris with hypertension . . . M F	
413-9	Angina pectoris without hypertension . . . M F	2	1	.	1	.	.	.	
414-00	Coronary atherosclerosis with hypertension . . . M F	118 38	1	3	12	13	19	17	27	14	6	3	2	1	
414-09	Coronary atherosclerosis without hypertension . . . M F	131 57	1	.	3	5	7	11	10	14	14	21	17	12	7	9	.	
414-19	Aneurysm of heart without hypertension . . . M F	1	1	
414-80	Other forms of ischaemic heart disease with hypertension . . . M F	1	1	
414-90	Unspecified forms of chronic ischaemic heart disease with hypertension . . . M F	9 8	1	.	1	1	4	.	1	2	1	1	
414-99	Unspecified forms of chronic ischaemic heart disease without hypertension . . . M F	308 385	1	.	1	2	5	6	19	35	64	66	50	39	16	5	16	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
415-417	Diseases of pulmonary circulation . M F	45 42	1	.	.	.	1	.	2	3	2	1	3	5	11	9	9	1	.	.
415	Acute pulmonary heart disease . M F	42 39	2	3	2	1	3	5	11	9	7	1	2	1
416	Chronic pulmonary heart disease . M F	3 3	1	.	.	.	1	1	2	.	.	1
417	Other diseases of pulmonary circulation . M F
420-429	Other forms of heart disease . M F	220 334	.	.	.	1	.	.	.	1	2	.	2	3	3	4	4	5	6	5	13	22	56	51	26	15	3
420	Acute pericarditis . M F
421	Acute and subacute endocarditis . M F	4 1	2	1	.	.	.	1	.	.	1	.	.
422	Acute myocarditis . M F	1 1	1	.	1
423	Other diseases of pericardium . M F	1 1	1
424	Other diseases of endocardium . M F	26 35	1	.	1	1	1	.	1	1	2	4	4	5	6	2	1	1
425	Cardiomyopathy . M F	17 8	.	.	.	1	.	.	.	1	.	.	.	2	1	3	1	3	2	1	1	2	2	.	.	1	.
426	Conduction disorders . M F	2	1	.	1	.	.
427.2	Paroxysmal tachycardia . M F
427.3	Atrial fibrillation and flutter . M F	4 7	1	.	2	1	.	1	.
427.4	Ventricular fibrillation and flutter . M F	1 1	1	.	.	.	1
427.5	Cardiac arrest . M F	8 15	1	3	1	7	3	2
427.8	Other cardiac dysrhythmias . M F	1	1	.	.	.	1	.
427.9	Unspecified cardiac dysrhythmias . M F	2 3	1	1	1	1	.	.	.
428	Heart failure . M F	131 226	1	.	1	.	3	3	7	12	39	31	18	14	2
429	Ill-defined descriptions and complications of heart disease . M F	24 33	1	1	.	.	1	1	2	2	7	6	4	5	3

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
430-438	Cerebrovascular disease . . . M F	627 1,063	1	.	1	.	1	2	4	5	6	16	20	26	53	95	141	139	79	38	6
									1		1			2	4	5	8	15	11	16	52	114	151	262	221	153	47	
430-0	Subarachnoid haemorrhage with M hypertension . . . F	10 1	1	2	1	2	1	1	1	1	.	.	.	
430-9	Subarachnoid haemorrhage without M hypertension . . . F	19 31	1	.	.	.	1	1	2	1	1	4	3	2	1	1	1	4	1	.	
														1	1	2	4	4	3	1	4	4	2	4	1	.	.	
431-0	Intracerebral haemorrhage with M hypertension . . . F	13 12	1	.	.	4	.	1	2	4	1	.	.	.	
																	1	1	.	1	3	3	.	3	.	.	.	
431-9	Intracerebral haemorrhage without M hypertension . . . F	38 45	1	1	6	2	5	2	3	10	5	2	1	.	
														1	.	1	2	2	1	4	5	5	9	7	4	3	.	
432-19	Subdural haemorrhage without M hypertension . . . F	1 4	1	.	.	1	1	1	.	.	1	
432-90	Unspecified intracranial haemor- M rhage with hypertension . . . F	2	1	1	
432-99	Unspecified intracranial haemor- M rhage without hypertension . . . F	4	1	.	1	.	.	.	2	
433-09	Occlusion and stenosis of basilar M artery without hypertension . . . F	
433-19	Occlusion and stenosis of carotid M artery without hypertension . . . F	1 3	1	1	1	.	1	.	.	
433-20	Occlusion and stenosis of vertebral M artery with hypertension . . . F	
433-89	Other occlusion and stenosis of M precerebral arteries without F hypertension	
434-00	Cerebral thrombosis with hyper- M tension . . . F	2 2	1	1	.	.	.	
434-09	Cerebral thrombosis without M hypertension . . . F	22 61	1	.	.	2	3	5	7	3	1	.	
																		1	.	.	1	4	5	17	18	15	.	
434-19	Cerebral embolism without hyper- M tension . . . F	1	1	
434-90	Unspecified occlusion of cerebral M arteries with hypertension . . . F	5 3	1	2	1	1	.	.	.	
																				1	.	.	.	2	.	.	.	
434-99	Unspecified occlusion of cerebral M arteries without hypertension . . . F	27 41	1	.	.	2	2	1	2	2	6	3	3	4	2	.	
																		.	2	2	4	8	3	8	10	3	.	
435-0	Transient cerebral ischaemia with M hypertension . . . F	
435-9	Transient cerebral ischaemia without M hypertension . . . F	2 5	1	.	1	.	1	.	
																					.	1	1	1	2	1	.	
436-0	Acute but ill-defined cerebrovascular M disease with hypertension . . . F	25 61	1	2	.	2	7	4	3	5	1	.	
																	1	1	1	2	3	8	15	22	6	2	.	
436-9	Acute but ill-defined cerebrovascular M disease without hypertension . . . F	405 703	2	1	.	3	6	13	37	60	95	102	54	28	6	
															2	3	.	2	2	9	30	74	105	174	152	113	37	

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
437-00	Cerebral atherosclerosis with hypertension . . . M F	
437-09	Cerebral atherosclerosis without hypertension . . . M F	7 25	2	.	2	1	2	2	6	4	
437-10	Other generalised ischaemic cerebrovascular disease with hypertension . . . M F	
437-19	Other generalised ischaemic cerebrovascular disease without hypertension . . . M F	4 10	1	1	2	4	3	2	1	
437-39	Cerebral aneurysm nonruptured without hypertension . . . M F	. 3	2	.	.	1	
437-49	Cerebral arteritis without hypertension . . . M F	. 1	1	
437-89	Other cerebrovascular disease without hypertension . . . M F	1	1	
437-90	Unspecified and ill-defined cerebrovascular disease with hypertension . . . M F	3 2	1	.	1	.	1	.	1	.	
437-99	Unspecified and ill-defined cerebrovascular disease without hypertension . . . M F	39 46	1	2	6	11	12	4	3	3	3	
440-448	Diseases of arteries, arterioles and capillaries . . . M F	161 121	1	.	.	.	3	4	4	21	34	34	33	22	4	2		
440	Atherosclerosis . . . M F	17 24	1	1	1	1	4	2	6	5	2	1	
441	Aortic aneurysm . . . M F	102 41	2	3	3	17	25	21	21	9	1	.		
442	Other aneurysm . . . M F	4 3	1	1	.	1	.	2		
443	Other peripheral vascular disease . . . M F	29 42	1	2	6	5	6	7	1	1		
444	Arterial embolism and thrombosis . . . M F	4 2	1	.	1	.	3		
446	Polyarteritis nodosa and allied conditions . . . M F	4 1	1	.	.	.	1	.	2	.	.	.		
447	Other disorders of arteries and arterioles . . . M F	1 8	1	1	2	1	3	.	.	.		
448	Diseases of capillaries. . . M F	
451-459	Diseases of veins and lymphatics and other diseases of circulatory system . . . M F	33 50	1	.	1	2	1	1	1	3	5	3	7	2	5	3	1	3		
451	Phlebitis and thrombophlebitis . . . M F	1	1	
453	Other venous embolism and thrombosis . . . M F	22 37	1	.	1	1	1	2	2	3	3	6	4	4	1	1	3	.		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
454	Varicose veins of lower extremities M F	. 1 1
455	Haemorrhoids. M F
456	Varicose veins of other sites M F	2 1	1 .	. .	1 1
457	Noninfective disorders of lymphatic channels M F
458	Hypotension M F	1 1 1 1
459	Other disorders of circulatory system M F	7 10	1 2	2 1	1 .	2 2	1 5
VIII. Diseases of the Respiratory System																											
460-466	Acute respiratory infections M F	1 2	1	1	1 .	. .
460	Acute nasopharyngitis (common cold) M F
461	Acute sinusitis. M F
462	Acute pharyngitis M F
463	Acute tonsillitis M F
464	Acute laryngitis and tracheitis M F	1	1
465	Acute upper respiratory infections of multiple or unspecified sites M F	. 1 1
466	Acute bronchitis and bronchiolitis M F	. 1 1	. .
470-478	Other diseases of upper respiratory tract M F	. 2 1 1
470	Deflected nasal septum M F
471	Nasal polyps M F
472	Chronic pharyngitis and naso-pharyngitis M F
473	Chronic sinusitis M F
474	Chronic disease of tonsils and adenoids M F
475	Peritonsillar abscess M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
476	Chronic laryngitis and laryngotracheitis M	
 F	
477	Allergic rhinitis M	
 F	
478	Other diseases of upper respiratory tract. M	1	.	.	.	1	.	.	
 F	2	
480-487	Pneumonia and influenza M	667	.	2	1	.	2	1	.	2	.	.	3	4	1	4	3	6	12	13	30	70	103	156	146	85	25	
 F	1,123	.	1	.	1	1	1	.	1	.	.	1	1	1	3	2	4	5	19	35	60	136	211	271	240	130	
480	Viral pneumonia M	1	.	1	
 F	
481	Pneumococcal pneumonia M	35	1	.	.	1	3	1	3	8	6	8	4	.	
 F	47	1	1	1	2	1	4	9	7	9	7	5	
482	Other bacterial pneumonia M	2	1	1	
 F	
483	Pneumonia due to other specified organism M	1	1	
 F	1	1	
484	Pneumonia in infectious diseases classified elsewhere M	
 F	
485	Bronchopneumonia, organism unspecified. M	584	.	1	1	.	1	.	.	2	.	.	2	2	.	2	3	4	9	9	24	60	86	143	131	79	25	
 F	1,016	.	1	.	.	1	1	.	1	.	.	1	1	.	2	1	3	4	14	32	50	120	193	249	220	123	
486	Pneumonia, organism unspecified M	38	1	1	.	1	.	1	2	1	5	6	6	6	6	2	.	
 F	56	1	.	1	.	.	.	3	2	6	7	10	13	12	1	
487	Influenza M	6	1	1	2	1	1	.	.	
 F	3	1	
490-496	Chronic obstructive pulmonary disease and allied conditions M	367	2	.	3	5	6	32	40	64	90	75	37	11	2	
 F	305	1	1	.	2	2	3	14	26	34	62	67	44	31	13	5	
490	Bronchitis not specified as acute or chronic M	1	1	1	.	.	
 F	1	
491	Chronic bronchitis M	40	1	.	1	3	3	7	12	7	4	2	1	
 F	20	1	1	4	3	5	2	1	1	1	
492	Emphysema M	27	1	1	6	3	3	5	3	4	1	1	.	
 F	15	1	1	2	5	3	1	1	1	.	1	
493	Asthma M	15	2	.	3	1	1	1	1	4	.	1	.	.	.	
 F	27	1	1	1	3	8	.	3	4	3	2	2	.	
494	Bronchiectasis. M	4	1	1	2	.	1	1	.	.	
 F	9	1	3	1	1	1	.	
495	Extrinsic allergic alveolitis M	4	1	1	.	.	.	2	
 F	1	1	
496	Chronic airways obstruction, not elsewhere classified M	276	2	3	21	33	51	67	64	26	8	1		
 F	232	1	.	1	.	1	9	15	25	51	54	37	26	9	3	
500-508	Pneumoconioses and other lung diseases due to external agents M	9	1	.	.	.	1	.	.	.	1	4	2	.	1	.	.	
 F	3	1	1	.	.	
500	Coalworkers' pneumoconiosis M	
 F	
501	Asbestosis M	5	1	2	1	.	1	.	.	
 F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
502	Pneumoconiosis due to other silica or silicates M F	
503	Pneumoconiosis due to other inorganic dust M F	
504	Pneumopathy due to inhalation of other dust M F	
505	Pneumoconiosis, unspecified. M F	
506	Respiratory conditions due to chemical fumes and vapours M F	
507	Pneumonitis due to solids and liquids M F	4 3	1	1	2 .	1 .	. .	1 1	1 .	. .	
508	Respiratory conditions due to other and unspecified external agents M F	
510-519	Other diseases of respiratory system M F	89 88	1 1	1 1	1 1	5 5	5 1	9 7	8 11	9 11	24 20	15 12	9 10	2 8		
510	Empyema M F	4 1	1	1 .	. .	1	2	
511	Pleurisy M F	3 1	1	1 1	1	
512	Pneumothorax. M F	. 1	1	
513	Abscess of lung and mediastinum M F	. 1	1	
514	Pulmonary congestion and hypostasis M F	9 13	2 2	1 2	1 2	2 3	1 1	1 5	1 .	
515	Postinflammatory pulmonary fibrosis M F	13 8	1 .	1 .	1 .	1 1	3 3	1 2	2 .	3 2	. .	1	
516	Other alveolar and parietoalveolar pneumopathy M F	9 9	1	3 2	2 .	2 2	3 .	1 .	. .	2 1	1	
517	Lung involvement in conditions classified elsewhere M F	
518	Other diseases of lung. M F	46 45	3 2	2 .	2 .	3 6	4 7	13 11	12 8	6 5	1 5		
519	Other diseases of respiratory system M F	5 9	1 1	1 1	2 .	3 1	1 .	1 3		
IX. Diseases of the Digestive System																												
520-529	Diseases of oral cavity, salivary glands and jaws M F	. 1	1	
520	Disorders of tooth development and eruption M F	
521	Diseases of hard tissues of teeth M F	
522	Diseases of pulp and periapical tissues M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
523	Gingival and periodontal diseases . M F	. 1
524	Dentofacial anomalies, including M malocclusion . F
525	Other diseases and conditions of the M teeth and supporting structures . F
526	Diseases of the jaws . M F
527	Diseases of the salivary glands . M F
528	Diseases of the oral soft tissues, M excluding lesions specific for F gingiva and tongue.
529	Diseases and other conditions of the M tongue . F
530-537	Diseases of oesophagus, stomach and M duodenum . F	57 51	1	1 .	2 3	3 .	6 2	12 2	6 5	8 3	11 9	5 14	2 11	. 2
530	Diseases of oesophagus . M F	3 7	1 .	. .	1 .	. .	1 .	1 .	1 .	1 .	1 .	. .
531	Gastric ulcer . M F	15 11	1 .	1 .	2 .	3 1	2 3	3 3	2 3	1 2	. 2
532	Duodenal ulcer . M F	25 17	1	1 .	2 1	2 .	4 .	6 2	2 4	2 .	3 2	2 5	5 .	. .
533	Peptic ulcer, site unspecified . M F	8 11	1 2	1 2	3 1	2 1	1 3	1 .	. .	
534	Gastrojejunal ulcer . M F	1 1	1 1
535	Gastritis and duodenitis . M F	3 2	3	1 .	1 .	. .
536	Disorders of function of stomach . M F	1	1
537	Other disorders of stomach and M duodenum . F	1 2	1	1 .	. .
540-543	Appendicitis . M F	5 1	1 .	. .	1	1 1	. .	2
540	Acute appendicitis . M F	5 1	1 .	. .	1	1 1	. .	2
541	Appendicitis, unqualified . M F
542	Other appendicitis . M F
543	Other diseases of appendix . M F
550-553	Hernia of abdominal cavity . M F	1 11	1 .	. .	1 .	. .	2 .	3 .	2 .	3 .	. .
550	Inguinal hernia . M F	. 1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
551	Other hernia of abdominal cavity, with gangrene M	1	1
 F
552	Other hernia of abdominal cavity with obstruction, without mention of gangrene M	8	1	.	.	1	3	2	1	.
 F
553	Other hernia of abdominal cavity without mention of obstruction or gangrene M	2	1	.	.	1	.
 F
555-558	Noninfective enteritis and colitis M	18	1	.	.	2	.	1	1	2	5	4	1	1	.	.
 F	31	1	1	.	.	1	1	6	5	10	6	2	.
555	Regional enteritis M	2	2
 F	3	1	2	.	.	.
556	Idiopathic proctocolitis M	5	1	.	.	1	1	1	.	.	1	.	.
 F	4	1	1	2	.	.	.
557	Vascular insufficiency of intestine M	10	1	.	.	1	.	1	.	1	3	2	1	.	.	
 F	20	1	5	4	6	4	.	.
558	Other noninfective gastroenteritis and colitis M	1	1	.	.	2	2	.
 F	4
560-569	Other diseases of intestines and peritoneum M	35	.	.	.	1	1	.	1	.	.	2	.	3	.	7	3	8	6	2	3	1
 F	50	1	.	.	1	.	.	.	1	.	.	3	6	10	11	11	5	.
560	Intestinal obstruction without mention of hernia M	12	2	6	1	1	1	1	1
 F	15	1	1	.	.	.	1	1	2	1	6	2	.
562	Diverticula of intestine M	10	1	.	1	.	2	1	3	6	4	2	.
 F	21	1	2	6	6	4	2	.
564	Functional digestive disorders, not elsewhere classified M	1	1
 F
565	Anal fissure and fistula M
 F
566	Abscess of anal and rectal regions M
 F
567	Peritonitis M	3	.	.	.	1	1	2
 F	6	1	1	1	2	.	.	.
568	Other disorders of peritoneum M
 F
569	Other disorders of intestine M	9	1	.	3	1	1	2	1	.	.
 F	8	1	2	1	2	1	1	.
570-579	Other diseases of digestive system M	94	3	5	7	6	15	10	8	12	11	10	4	3	.	
 F	94	1	2	6	5	5	4	4	6	9	11	17	12	11	1	.
570	Acute and subacute necrosis of liver M	1	1
 F	1	1
571	Chronic liver disease and cirrhosis M	40	2	4	5	4	9	7	4	2	2	1	1	.	.	
 F	31	1	4	3	4	3	4	5	3	1	2	1	.	.	
572	Liver abscess and sequelae of chronic liver disease. M	6	1	1	.	.	2	1	1	3	1	.	
 F	11	1	1	1	.	1	.	1	2	.	
573	Other disorders of liver M	5	2	.	.	1	2	.	.	.	
 F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH		AGES AT DEATH																									
			ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
574	Cholelithiasis	M F	8 7	1	.	1	2	.	2	1	1	1	.
575	Other disorders of gallbladder	M F	2 10	1	2	1	2	3	2	.	.
576	Other disorders of biliary tract	M F	4 10	1	1	1	.	2	1	1	2	2	.	.
577	Diseases of pancreas	M F	12 12	1	1	1	1	1	2	.	1	2	1	2	1	1	.
578	Gastrointestinal haemorrhage.	M F	16 11	2	4	3	6	.	1	.	.
579	Intestinal malabsorption	M F
X. Diseases of the Genitourinary System																												
580-589	Nephritis, nephrotic syndrome and nephrosis	M F	64 98	1	1	1	2	3	2	8	12	15	10	7	2	.
580	Acute glomerulonephritis	M F
581	Nephrotic syndrome	M F	1 1	1	.	1
582	Chronic glomerulonephritis	M F	1	1
583	Nephritis and nephropathy, not specified as acute or chronic	M F	2	1	1
584	Acute renal failure	M F	16 21	1	.	1	1	.	1	3	7	1	1	1	.
585	Chronic renal failure	M F	23 34	1	.	1	1	3	1	4	5	3	5	4	.	.
586	Renal failure, unspecified	M F	21 41	1	1	3	3	4	4	4	3	1	.
587	Renal sclerosis, unspecified	M F
588	Disorders resulting from impaired renal function	M F
589	Small kidney of unknown cause	M F
590-599	Other diseases of urinary system	M F	41 38	1	1	1	1	3	11	10	11	2	.	.
590	Infections of kidney	M F	3 5	1	1	1	2
591	Hydronephrosis	M F	1	1
592	Calculus of kidney and ureter.	M F	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
593	Other disorders of kidney and ureter . M
	F	1	1	.
594	Calculus of lower urinary tract . M
	F
595	Cystitis M
	F
596	Other disorders of bladder . . . M
	F	2	1	.	.	1	.
597	Urethritis, not sexually transmitted, and urethral syndrome . . . M
	F
598	Urethral stricture M
	F
599	Other disorders of urethra and urinary tract M	36	1	1	1	1	2	11	6	6	11	2
	F	30	2	1	6	8	10	2	1
600-608	Diseases of male genital organs . M	7	1	3	1	1	1	1
600	Hyperplasia of prostate M	7	1	3	1	1	1	1
601	Inflammatory diseases of prostate . M
602	Other disorders of prostate . . . M
603	Hydrocele M
604	Orchitis and epididymitis . . . M
605	Redundant prepuce and phimosis . M
606	Infertility, male M
607	Disorders of penis M
608	Other disorders of male genital organs M
610-611	Disorders of breast M
	F
610	Benign mammary dysplasias . . M
	F
611	Other disorders of breast M
	F
614-616	Inflammatory diseases of female pelvic organs F
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue and peritoneum F
615	Inflammatory diseases of uterus except cervix F
616	Inflammatory diseases of cervix, vagina and vulva F
617-629	Other disorders of female genital tract. F	3	1	.	.	.	1	1	.	.
617	Endometriosis. F
618	Genital prolapse F	1	1	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
619	Fistulae involving female genital tract F	1	1
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament . F
621	Disorders of uterus, not elsewhere classified F
622	Noninflammatory disorders of cervix F
623	Noninflammatory disorders of vagina F
624	Noninflammatory disorders of vulva and perineum F
625	Pain and other symptoms associated with female genital organs. . . F
626	Disorders of menstruation and other abnormal bleeding from female genital tract. F	1	1	.	.	.
627	Menopausal and postmenopausal disorders F
628	Infertility, female F
629	Other disorders of female genital organs F
XI. Complications of Pregnancy, Childbirth and the Puerperium																											
630-639	<i>Pregnancy with abortive outcome F</i>
630	Hydatidiform mole F
631	Other abnormal product of conception . F
632	Missed abortion F
633	Ectopic pregnancy F
634	Spontaneous abortion. F
635	Legally induced abortion F
636	Illegally induced abortion F
637	Unspecified abortion F
638	Failed attempted abortion F
639	Complications following abortion and ectopic and molar pregnancies . F
640-648	<i>Complications mainly related to pregnancy F</i>
640	Haemorrhage in early pregnancy . . . F
641	Antepartum haemorrhage, abruptio placentae and placenta praevia . F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
642	Hypertension complicating pregnancy, childbirth and the puerperium. . . . F	
643	Excessive vomiting in pregnancy . . . F	
644	Early or threatened labour . . . F	
645	Prolonged pregnancy . . . F	
646	Other complications of pregnancy not elsewhere classified . . . F	
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium . . . F	
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium . . . F	
650-659	Normal delivery and other indications for care in pregnancy labour and delivery F	
650	Delivery in a completely normal case . . . F	
651	Multiple gestation F	
652	Malposition and malpresentation of fetus. F	
653	Disproportion. F	
654	Abnormality of organs and soft tissue of pelvis F	
655	Known or suspected fetal abnormality affecting management of mother . . . F	
656	Other fetal and placental problems affecting management of mother . . . F	
657	Polyhydramnios F	
658	Other problems associated with amniotic cavity and membranes . . . F	
659	Other indications for care or intervention related to labour and delivery and not elsewhere classified . . . F	
660-669	Complications occurring mainly in the course of labour and delivery. . . . F	
660	Obstructed labour F	
661	Abnormality of forces of labour . . . F	
662	Long labour F	
663	Umbilical cord complications. F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
664	Trauma to perineum and vulva during delivery . . . F
665	Other obstetrical trauma . . . F
666	Postpartum haemorrhage . . . F
667	Retained placenta or membranes, without haemorrhage . . . F
668	Complications of the administration of anaesthetic or other sedation in labour and delivery. . . F
669	Other complications of labour and delivery, not elsewhere classified. F
670-676	Complications of the puerperium . F
670	Major puerperal infection . . . F
671	Venous complications in pregnancy and the puerperium. . . F
672	Pyrexia of unknown origin during the puerperium. F
673	Obstetrical pulmonary embolism . F
674	Other and unspecified complications of the puerperium, not elsewhere classified F
675	Infections of the breast and nipple associated with childbirth . . F
676	Other disorders of the breast associated with childbirth, and disorders of lactation . . . F
XII. Diseases of the Skin and Subcutaneous Tissue																											
680-686	Infections of skin and subcutaneous tissue M	5	1	1	1	.	2	.
 F	7	1	.	.	1	3	1	.	1	.
680	Carbuncle and furuncle M
 F
681	Cellulitis and abscess of finger and toe M
 F
682	Other cellulitis and abscess . . . M	5	1	1	1	.	2	.
 F	5	3	1	.	1	.
683	Acute lymphadenitis M
 F
684	Impetigo M
 F
685	Pilonidal cyst M
 F
686	Other local infections of skin and subcutaneous tissue. . . . M
 F	2	1	.	.	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
690-698	Other inflammatory conditions of skin and subcutaneous tissue . . . M F	1 1	1 1
690	Erythematous dermatosis . . . M F
691	Atopic dermatitis and related conditions . . . M F
692	Contact dermatitis and other eczema . . . M F
693	Dermatitis due to substances taken internally . . . M F
694	Bullous dermatoses . . . M F	1 1
695	Erythematous conditions . . . M F	. 1	1
696	Psoriasis and similar disorders . . . M F
697	Lichen . . . M F
698	Pruritus and related conditions . . . M F
700-709	Other diseases of skin and subcutaneous tissue. . . M F	7 16	1 1	2 1	3 3	. 7	. 3	1 1	
700	Corn and callosities . . . M F
701	Other hypertrophic and atrophic conditions of skin . . . M F
702	Other dermatoses . . . M F
703	Diseases of nail . . . M F
704	Diseases of hair and hair follicles . . . M F
705	Disorders of the sweat glands. . . M F
706	Diseases of sebaceous glands. . . M F
707	Chronic ulcer of skin. . . M F	7 16	1 1	2 1	3 3	. 7	. 3	1 1	
708	Urticaria . . . M F
709	Other disorders of skin and subcutaneous tissue. . . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
XIII. Diseases of the Musculo-skeletal System and Connective Tissue																											
710-719	Arthropathies and related disorders. M F	6 22	1	1	.	.	1	1	2	4	4	1	1	1
710	Diffuse diseases of connective tissue M F	5	1	1	.	.	1	.	1	.	1	.	.	.
711	Arthropathy associated with M infections F	1	1
712	Crystal arthropathies. M F
713	Arthropathy associated with other M disorders classified elsewhere F
714	Rheumatoid arthritis and other M inflammatory polyarthropathies F	5 9	1	1	2	3	3	1	2	.
715	Osteoarthritis and allied disorders. M F	6	5	1	.
716	Other and unspecified arthropathies. M F	2	1	1
717	Internal derangement of knee. M F
718	Other derangement of joint. M F
719	Other and unspecified disorder of M joint. F
720-724	Dorsopathies. M F	2	1	1
720	Ankylosing spondylitis and other M inflammatory spondylopathies F	2	1	1
721	Spondylosis and allied disorders. M F
722	Intervertebral disc disorders. M F
723	Other disorders of the cervical region M F
724	Other and unspecified disorders of M back. F
725-729	Rheumatism, excluding the back. M F	2 2	1	1	1	.	1	.
725	Polymyalgia rheumatica. M F	1 1	1	.	.	.	1	.
726	Peripheral enthesopathies and allied M syndromes. F
727	Other disorders of synovium, tendon M and bursa. F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
728	Disorders of muscle, ligament and fascia M F	1	1	
729	Other disorders of soft tissues M F	. 1	1	
730-739	<i>Osteopathies, chondropathies and acquired musculoskeletal deformities</i> M F	3 3	1 .	. .	2	2 .	. .	1 .	. .	
730	Osteomyelitis, periostitis and other infections involving bone M F	
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere. M F	1	1	
732	Osteochondropathies M F	
733	Other disorders of bone and cartilage M F	1 2	1	2	
734	Flat foot M F	
735	Acquired deformities of toe M F	
736	Other acquired deformities of limbs M F	
737	Curvature of spine M F	1	1	
738	Other acquired deformity M F	
739	Nonallopathic lesions, not elsewhere classified M F	. 1	1 .		

XIV. Congenital Anomalies

740-739	Congenital anomalies.	M F	50 41	24 19	34 28	5 1	.	.	1	2 1	4	2	3	1 1	1 1	1
---------	-----------------------	--------	----------	----------	----------	--------	---	---	---	--------	---	---	---	--------	---	---	---	---	--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
748	Congenital anomalies of respiratory system M F	5 2	5 2	5 2		
749	Cleft palate and cleft lip M F		
750	Other congenital anomalies of upper alimentary tract M F	1	1	.	.		
751	Other congenital anomalies of digestive system M F	3 .	1 .	3		
752	Congenital anomalies of genital organs M F		
753	Congenital anomalies of urinary system M F	1 2	1 2	1 2		
754	Certain congenital musculoskeletal deformities M F		
755	Other congenital anomalies of limbs M F		
756	Other congenital musculoskeletal anomalies M F	4 2	3 1	4 2		
757	Congenital anomalies of the integument M F	1 .	1 .	1		
758	Chromosomal anomalies M F	6 7	3 4	4 5	2	1	.	1		
759	Other and unspecified congenital anomalies M F	7 2	3 1	3 2	1	.	.	.	2	.	1		
760-779	XV. Certain Conditions originating in the Perinatal Period* M F	40 44	44 41	40 44		
XVI. Symptoms, Signs and Ill-defined Conditions																													
780-789	Symptoms M F	7 6	1 .	1 .	.	2 1	1 1	1 1	1 1	2 1	.		
780	General symptoms M F		
781	Symptoms involving nervous and musculoskeletal systems M F		
782	Symptoms involving skin and other integumentary tissue M F		
783	Symptoms concerning nutrition, metabolism and development M F		
784	Symptoms involving head and neck M F		
785	Symptoms involving cardiovascular system M F	7 6	1 .	1 .	.	2 1	1 1	1 1	1 2	.	1		
786	Symptoms involving respiratory system and other chest symptoms M F		

*See Abstract 33 for further details.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
787	Symptoms involving digestive system M	
 F	
788	Symptoms involving urinary system M		
 F		
789	Other symptoms involving abdomen and pelvis M		
 F		
790-796	Nonspecific abnormal findings M		
 F		
790	Nonspecific findings on examination of blood M		
 F		
791	Nonspecific findings on examination of urine M		
 F		
792	Nonspecific abnormal findings in other body substances M		
 F		
793	Nonspecific abnormal findings on radiological and other examination of body structure M		
 F		
794	Nonspecific abnormal results of function studies M		
 F		
795	Nonspecific abnormal histological and immunological findings M		
 F		
796	Other nonspecific abnormal findings M		
 F		
797-799	Ill-defined and unknown causes of morbidity and mortality M	17	1	5	1	.	.	.	1	.	1	2	1	.	.	1	3	3	4	1	1		
 F	25	1	.	1	.	.	.	3	3	4	7	4		
797	Senility without mention of psychosis M	2	1	1	2	.		
 F	11	3		
*798	Sudden death, cause unknown M	7	1	5	1	.	1	1	1	.	.		
 F	2	1	1		
799	Other ill-defined and unknown causes of morbidity and mortality M	8	1	1	.	1	.	.	1	.	2	1	1	1		
 F	12	1	1	1	.	.	.	2	2	2	3	.		

XVII. Injury and Poisoning

800-804	Fracture of skull M	47	1	2	7	7	5	4	2	1	2	2	3	7	2	2
 F	13	1	1	3	1	.	.	2	1	1	.	.	.	1	1	1
800	Fracture of vault of skull M
 F
801	Fracture of base of skull M	6	1	1	.	1	.	1	.	.	.	1	.	1
 F	2	1
802	Fracture of face bones. M	1	1
 F
803	Other and unqualified skull fractures M	40	1	2	6	6	4	3	2	.	2	2	3	6	2	1	1
 F	11	1	.	3	1	.	.	1	.	1	.	.	.	1	1	1
804	Multiple fractures involving skull or face with other bones M
 F

*There were also 2 (1 Male, 1 Female) sudden deaths of children under a year where the cause of death was interstitial pneumonia/broncho-pneumonia (ICD 516/485).

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
805-809	Fracture of spine and trunk . . . M F	19 9	1	.	1	1	2	2	2	.	4 2	4 1	1 3	1 1	1 1	.
805	Fracture of vertebral column without mention of spinal cord lesion . . . M F	6 2	1	1	.	1	.	1	.	1	1	1	.
806	Fracture of vertebral column with spinal cord lesion . . . M F	3	1	.	1	.	1
807	Fracture of rib(s), sternum, larynx and trachea . . . M F	9 6	1	1	.	1	.	.	2 1	4 1	2	1	.	.
808	Fracture of pelvis . . . M F	1 1	1	.	.	1
809	Ill-defined fractures of trunk . . . M F
810-819	Fracture of upper limb . . . M F	1 2	1	.	.	1 1	.	.
810	Fracture of clavicle . . . M F
811	Fracture of scapula . . . M F
812	Fracture of humerus . . . M F	1 1	1 1	.	.	.
813	Fracture of radius and ulna . . . M F	1	1
814	Fracture of carpal bone(s) . . . M F
815	Fracture of metacarpal bone(s) . . . M F
816	Fracture of one or more phalanges of hand. . . . M F
817	Multiple fractures of hand bones . . . M F
818	Ill-defined fractures of upper limb . . . M F
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum . . . M F
820-829	Fracture of lower limb . . . M F	10 47	1	2	1 1	2 4	2 15	2 8	2 11	1 5
820	Fracture of neck of femur . . . M F	10 42	1	1	2 2	2 15	2 8	2 10	1 5
821	Fracture of other and unspecified parts of femur . . . M F	1	1
822	Fracture of patella . . . M F
823	Fracture of tibia and fibula . . . M F	1	1	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
824	Fracture of ankle M F
		1	1
825	Fracture of one or more tarsal and metatarsal bones M F
		1	1
826	Fracture of one or more phalanges of foot. M F
	
827	Other, multiple and ill-defined fractures of lower limb . . . M F
	
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum. . . . M F	1
		1
829	Fracture of unspecified bones. . . . M F
	
830-839	Dislocation M F
		1	1
830	Dislocation of jaw M F
	
831	Dislocation of shoulder M F
	
832	Dislocation of elbow M F
	
833	Dislocation of wrist M F
	
834	Dislocation of finger M F
	
835	Dislocation of hip M F
	
836	Dislocation of knee M F
	
837	Dislocation of ankle M F
	
838	Dislocation of foot M F
	
839	Other, multiple and ill-defined dislocations. M F	1
		1
840-848	Sprains and strains of joints and adjacent muscles M F
	
840	Sprains and strains of shoulder and upper arm M F
	
841	Sprains and strains of elbow and forearm M F
	
842	Sprains and strains of wrist and hand M F
	
843	Sprains and strains of hip and thigh M F
	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
844	Sprains and strains of knee and leg . M F
845	Sprains and strains of ankle and foot M F
846	Sprains and strains of sacroiliac M region F
847	Sprains and strains of other and M unspecified parts of back F
848	Other and ill-defined sprains and M strains F
850-854	Intracranial injury, excluding those M with skull fracture F	44 19	.	1 .	.	1 .	.	.	3 .	1 1	2 2	6 1	1 2	10 1	1 1	2 .	1 1	3 .	2 .	2 3	1 1	4 2	1 .	.	1 1	1 2	1 1
850	Concussion . M F
851	Cerebral laceration and contusion . M F	8 3	1 .	1 .	.	2 1	.	.	.	1 .	.	1 .	.	1 1	.	1
852	Subarachnoid, subdural and extra- M dural haemorrhage, following injury F	6 1	1	1 .	1 .	.	.	1 .	.	1 1	1 .	.
853	Other and unspecified intracranial M haemorrhage following injury F	1	1
854	Intracranial injury of other and M unspecified nature F	30 14	.	1 .	.	1 .	.	.	2 .	.	2 2	4 1	1 1	9 1	1 1	1 .	1 1	2 .	1 .	.	1 2	3 1	.	.	1 1	1 1	.
860-869	Internal injury of chest, abdomen and M pelvis F	64 26	2 3	1 1	5 3	9 1	4 2	2 1	10 3	1 1	4 1	2 1	3 2	3 .	4 4	6 2	3 .	4 .	1 1	.	.
860	Traumatic pneumothorax and M haemothorax F	1 1	1	1
861	Injury to heart and lung . M F	5	1 .	1 .	2 .	.	1
862	Injury to other or unspecified M intrathoracic organs F	10	1 .	.	1 .	1 .	1 .	.	1 .	.	.	1 .	1 .	1 .	1 .	.	1 .	.	.
863	Injury to gastrointestinal tract. M F	1 1	1	1
864	Injury to liver . M F	1	1
865	Injury to spleen . M F	1	1
866	Injury to kidney . M F
867	Injury to pelvic organs . M F	1
868	Injury to other intraabdominal M organs F	1	1
869	Internal injury to unspecified or ill- M defined organs F	44 23	2 3	1 1	3 3	8 1	1 2	1 1	8 3	1 .	3 .	2 1	3 2	1 .	2 3	3 2	1 .	4 .	.	1 .	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
870-879	Open wound of head, neck and trunk M F	101 6	9 2	24 1	16	14 2	9	9	4	7	4 1	1	1	.	.	2	1	.	.
870	Open wound of ocular adnexa M F	1	1
871	Open wound of eyeball M F
872	Open wound of ear M F
873	Other open wound of head M F	45 4	6 2	15	7	7 2	2	4	2	.	1	1
874	Open wound of neck M F	9	1	.	2	2	1	1	1	1	.	.	.
875	Open wound of chest (wall) M F	21	2	2	5	3	1	1	1	4	2
876	Open wound of back M F	1	1
877	Open wound of buttock M F
878	Open wound of genital organs (external), including traumatic amputation M F
879	Open wound of other and unspecified sites, except limbs M F	24 2	7 1	1	2	4	3	.	3	1 1	.	1	.	.	2	.	.	.
880-887	Open wound of upper limb M F
880	Open wound of shoulder and upper arm M F
881	Open wound of elbow, forearm and wrist M F
882	Open wound of hand except finger(s) alone M F
883	Open wound of finger(s) M F
884	Multiple and unspecified open wound of upper limb M F
885	Traumatic amputation of thumb (complete) (partial) M F
886	Traumatic amputation of other finger(s) (complete) (partial) M F
887	Traumatic amputation of arm and hand (complete) (partial) M F
890-897	Open wound of lower limb M F	1 1	1	.	1	.	.
890	Open wound of hip and thigh M F	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																											
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over		
891	Open wound of knee, leg (except thigh) and ankle M F	1	.	.		
892	Open wound of foot except toe(s) alone M F		
893	Open wound of toe(s). M F		
894	Multiple and unspecified open wound of lower limb M F		
895	Traumatic amputation of toe(s) (complete) (partial). M F		
896	Traumatic amputation of foot (complete) (partial). M F		
897	Traumatic amputation of leg(s) (complete) (partial). M F		
900-904	Injury to blood vessels M F	7 2	1 .	.	1 1	1 .	.	.	1	1 .	2 .	.	1 .	.	.		
900	Injury to blood vessels of head and neck. M F	1	1		
901	Injury to blood vessels of thorax M F	5 2	1 .	.	1 1	1 .	.	.	1	1 .	1		
902	Injury to blood vessels of abdomen and pelvis M F		
903	Injury to blood vessels of upper extremity M F	1	1		
904	Injury to blood vessels of lower extremity and unspecified sites M F		
905-909	Late effects of injuries, poisonings, toxic effects and other external causes M F	1	1		
905	Late effects of musculoskeletal and connective tissue injuries M F		
906	Late effects of injuries to skin and subcutaneous tissues M F	1	1		
907	Late effects of injuries to the nervous system M F		
908	Late effects of other and unspecified injuries M F		
909	Late effects of other and unspecified external causes M F		
910-919	Superficial injury M F		
910	Superficial injury of face, neck and scalp except eye M F		
911	Superficial injury of trunk M F		

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
912	Superficial injury of shoulder and upper arm . M F
913	Superficial injury of elbow, forearm and wrist . M F
914	Superficial injury of hand(s) except finger(s) alone . M F
915	Superficial injury of finger(s). M F
916	Superficial injury of hip, thigh, leg and ankle . M F
917	Superficial injury of foot and toe(s) . M F
918	Superficial injury of eye and adnexa M F
919	Superficial injury of other multiple and unspecified sites . M F
920-924	Contusion with intact skin surface . M F
920	Contusion of face, scalp and neck except eye(s) . M F
921	Contusion of eye and adnexa. M F
922	Contusion of trunk . M F
923	Contusion of upper limb . M F
924	Contusion of lower limb and of other and unspecified sites . M F
925-929	Crushing injury . M F	1 1	1	1
925	Crushing injury of face, scalp and neck. M F	1	1
926	Crushing injury of trunk . M F	1	1
927	Crushing injury of upper limb . M F
928	Crushing injury of lower limb . M F
929	Crushing injury of multiple and unspecified sites . M F
930-939	Effects of foreign body entering through orifice M F	8 7	1	1	1	1	1	2	2	.	1	2	1	1	.
930	Foreign body on external eye. M F
931	Foreign body in ear . M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
932	Foreign body in nose M F	
933	Foreign body in pharynx and larynx . M F	7 6	1	1	1	1	2	2	.	1	2	1	1	.	
934	Foreign body in trachea, bronchus, M and lung F	1 1	1	1	
935	Foreign body in mouth, oesophagus M and stomach F	
936	Foreign body in intestine and colon . M F	
937	Foreign body in anus and rectum . . M F	
938	Foreign body in digestive system, M unspecified F	
939	Foreign body in genitourinary tract . M F	
940-949	Burns M F	4 4	1	.	1	1	1	1	.	1	1	.	
940	Burn confined to eye and adnexa . . M F	
941	Burn of face, head and neck M F	
942	Burn of trunk M F	
943	Burn of upper limb, except wrist and M hand F	
944	Burn of wrist(s) and hand(s) M F	
945	Burn of lower limb(s) M F	
946	Burn of multiple specified sites . . M F	
947	Burn of internal organs M F	
948	Burns classified according to extent of M body surface involved F	
949	Burn, unspecified M F	4 4	1	.	1	1	1	1	.	1	1	.	
950-957	Injury to nerves and spinal cord . . M F	6 1	2	.	1	1	.	1	.	1	.	.	.	1	
950	Injury to optic nerve and pathways . M F	
951	Injury to other cranial nerve(s) . . M F	
952	Spinal cord lesion without evidence M of spinal bone injury F	3 1	1	.	.	.	1	.	1	.	.	.	1	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
953	Injury to nerve roots and spinal plexus M F
954	Injury to other nerve(s) of trunk excluding shoulder and pelvic girdles M F
955	Injury to peripheral nerve(s) of shoulder girdle and upper limb M F
956	Injury to peripheral nerve(s) of pelvic girdle and lower limb M F
957	Injury to other and unspecified nerves M F	3	2	.	.	1
958-959	Certain traumatic complications and unspecified injuries M F	3 2	1	1	1	1	.	.
958	Certain early complications of trauma M F	1 1	1	1	.	.
959	Injury, other and unspecified M F	2 1	1	1
960-979	Poisoning by drugs, medicaments and biological substances M F	25 20	1	2	1 2	3 2	2 1	2 2	4 2	2 1	3 2	2 4	1 2	1 1	2
960	Poisoning by antibiotics M F
961	Poisoning by other anti-infectives M F
962	Poisoning by hormones and synthetic substitutes M F	1	1
963	Poisoning by primarily systemic agents M F
964	Poisoning by agents primarily affecting blood constituents M F
965	Poisoning by analgesics, anti-pyretics and antirheumatics M F	8 9	1	2	1	1	1	2	1	2	1	2	1	1	1
966	Poisoning by anticonvulsants and anti-Parkinsonism drugs M F	2	1	1
967	Poisoning by sedatives and hypnotics M F	2 1	1	1	1
968	Poisoning by other central nervous system depressants M F
969	Poisoning by psychotropic agents M F	9 7	1	1	2	.	.	1	1	1	2
970	Poisoning by central nervous system stimulants M F
971	Poisoning by drugs primarily affecting the autonomic nervous system M F
972	Poisoning by agents primarily affecting the cardiovascular system M F	2 3	1	1	.	1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
973	Poisoning by agents primarily affecting the gastrointestinal system . M F
974	Poisoning by water, mineral and uric acid metabolism drugs . M F	1	1
975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system . M F
976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs . M F
977	Poisoning by other and unspecified drugs and medicaments . M F
978	Poisoning by bacterial vaccines . M F
979	Poisoning by other vaccines and biological substances . M F
980-989	Toxic effects of substances chiefly nonmedicinal as to source . M F	33 12	1	1	1	7	5	4	2	3	2	4	2	1	.	1	.	.	1	1
980	Toxic effect of alcohol . M F	10 8	1	1	2	2	1	2	1	2	2	1
981	Toxic effect of petroleum product . M F
982	Toxic effect of solvents other than petroleum-based . M F
983	Toxic effect of corrosive aromatics, acids and caustic alkalis . M F
984	Toxic effects of lead and its compounds (including fumes) . M F
985	Toxic effect of other metals . M F
986	Toxic effect of carbon monoxide . M F	13	6	1	1	1	1	2	.	.	1
987	Toxic effect of other gases, fumes or vapours . M F	7 2	1	1	1	.	2	1	.	.	.	1	.	.	.	1	.	.	1	.
988	Toxic effects of noxious substances eaten as food . M F
989	Toxic effect of other substances, chiefly nonmedicinal as to source . M F	3 2	1	.	.	.	1	.	1	.	1	.	.	.	1
990-995	Other and unspecified effects of external causes . M F	83 28	.	.	1	2	.	.	1	2	11	12	7	8	6	9	2	3	2	3	4	1	6	2	1	1	.
990	Effects of radiation, unspecified . M F
991	Effects of reduced temperature . M F	4 3	1	1	3	1	.	1	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
992	Effects of heat and light . . . M F	
993	Effects of air pressure. . . . M F	
994	Effects of other external causes . M F	76 25	.	.	1	2	.	.	2	11	12	7	8	6	9	2	3	2	3	4	1	1	1	1	1	.	.	
995	Certain adverse effects not elsewhere classified M F	3	2	.	.	.	1	.	.	
996-999	Complications of surgical and medical care not elsewhere classified M F	1 3	1	1	1	.	.	.	1	
996	Complications peculiar to certain M specified procedures F	
997	Complications affecting specified M body systems, not elsewhere classified F	1	1	
998	Other complications of procedures, M not elsewhere classified F	2	1	1	.	.	.	
999	Complications of medical care, not elsewhere classified M F	1	1	
External Causes of Injury and Poisoning																												
E800- E807	Railway accidents M F	2	1	1	
E800	Railway accident involving collision M with rolling stock F	
E801	Railway accident involving collision M with other object F	
E802	Railway accident involving derail- M ment without antecedent collision F	
E803	Railway accident involving M explosion, fire or burning . . . F	
E804	Fall in, on or from railway train . M F	1	1	
E805	Hit by rolling stock M F	1	1	
E806	Other specified railway accident . M F	
E807	Railway accident of unspecified M nature F	
E810- E819	Motor vehicle traffic accidents . M F	94 37	.	1	.	1	.	.	4	3	10	17	3	6	9	3	6	1	4	5	3	10	3	3	2	.	.	
E810	Motor vehicle traffic accident M involving collision with train . F	
E811	Motor vehicle traffic accident M involving re-entrant collision with another motor vehicle F	1	1	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E812	Other motor vehicle traffic accident involving collision with another motor vehicle M F	29 17	. .	1 1	. 1	1 3	6 .	2 .	2 .	1 2	. .	3 .	. 2	1 1	1 1	1 3	4 3	2 .	3 .	1
E813	Motor vehicle traffic accident involving collision with other vehicle M F	3 2 1	1 1	. .	1	1
E814	Motor vehicle traffic accident involving collision with pedestrian M F	28 8	1 .	. .	4 1	1 1	2 1	2 .	. .	1 1	3 .	. .	2 .	. .	2 1	2 .	2 .	4 .	1 2	. 1	. .	1
E815	Other motor vehicle traffic accident involving collision on the highway M F	3 2	1 .	1 1	. .	1 .	. .	1
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway. M F	11 5	4 .	4 2	2 .	. .	1 1	1 .	. .	1
E817	Noncollision motor vehicle traffic accident while boarding or alighting M F
E818	Other noncollision motor vehicle traffic accident M F	1	1
E819	Motor vehicle traffic accident of unspecified nature M F	18 3	2 .	2 2	4 .	. .	2 .	2 .	3 .	. .	1 .	1 1	1
E820—E825	Motor vehicle nontraffic accident M F	8 1	1 .	. .	2 .	. .	1 .	1 .	1	1 .	1	1
E820	Nontraffic accident involving motor-driven snow vehicle M F
E821	Nontraffic accident involving other off-road motor vehicle M F	3	1 .	. .	1	1
E822	Other motor vehicle nontraffic accident involving collision with moving object M F	1 1
E823	Other motor vehicle nontraffic accident involving collision with stationary object M F	1	1
E824	Other motor vehicle nontraffic accident while boarding or alighting M F
E825	Other motor vehicle nontraffic accident of other and unspecified nature M F	4	1 .	. .	1 .	. .	1	1
E826—E829	Other road vehicle accidents. M F	2	1	1
E826	Pedal cycle accident M F	1	1
E827	Animal-drawn vehicle accident M F
E828	Accident involving animal being ridden M F	1	1
E829	Other road vehicle accidents. M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E830- E838	Water transport accidents . . . M F	5	1	1	2	.	.	1
E830	Accidents to watercraft causing M submersion . . . F	5	1	1	2	.	.	1
E831	Accident to watercraft causing other M injury . . . F
E832	Other accidental submersion or M drowning in water transport F
E833	Fall on stairs or ladders in water M transport . . . F
E834	Other fall from one level to another in M water transport . . . F
E835	Machinery accident in water M transport . . . F
E836	Explosion, fire or burning in M watercraft . . . F
E837	Other and unspecified water transport M accident . . . F
E840- E845	Air and space transport accidents . M F	1	1
E840	Accident to powered aircraft at M takeoff or landing . . . F
E841	Accident to powered aircraft, other M and unspecified . . . F	1	1
E842	Accident to unpowered aircraft . M F
E843	Fall in, on or from aircraft . . M F
E844	Other specified air transport M accidents . . . F
E845	Accidents involving spacecraft . M F
E846- E848	Vehicle accidents not elsewhere M classifiable . . . F
E846	Accidents involving powered M vehicles used solely within the F buildings and premises of an industrial or commercial establishment
E847	Accidents involving cable cars not M running on rails . . . F
E848	Accidents involving other vehicles M not elsewhere classifiable . . . F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E850— E858	Accidental poisoning by drugs, medicaments and biologicals . M F	11 3	1	.	1	3	1	.	.	.	1	2	.	1	1	1	
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics . M F	5 1	1	1	1	1	.	.	1	1	
E851	Accidental poisoning by barbiturates . M F	1	1	
E852	Accidental poisoning by other sedatives and hypnotics . M F	
E853	Accidental poisoning by tranquilizers . M F	1	
E854	Accidental poisoning by other psychotropic agents. . M F	4	1	2	1	
E855	Accidental poisonings by other drugs acting on central and autonomic nervous systems . . M F	
E856	Accidental poisoning by antibiotics . M F	
E857	Accidental poisoning by anti-infectives . . . M F	
E858	Accidental poisoning by other drugs . M F	1 1	1	1	
E860— E869	Accidental poisoning by other solid and liquid substances, gases and vapours . . M F	12 3	3	1	1	2	.	.	3	1	1	1	.	1	
E860	Accidental poisoning by alcohol, not elsewhere classified . M F	6 3	1	1	1	1	.	.	2	1	1	
E861	Accidental poisoning by cleansing and polishing agents, disinfectants, paints and varnishes . . M F	
E862	Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere classified . M F	
E863	Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers . M F	
E864	Accidental poisoning by corrosives and caustics, not elsewhere classified . . M F	
E865	Accidental poisoning from food-stuffs and poisonous plants . M F	
E866	Accidental poisoning by other and unspecified solid and liquid substances . . . M F	1	1	
E867	Accidental poisoning by gas distributed by pipeline . M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E868	Accidental poisoning by other utility gas and other carbon monoxide	M F	5	2	1	1 .	. .	1
E869	Accidental poisoning by other gases and vapours.	M F
E870— E876	Misadventures to patients during surgical and medical care.	M F	2 2	1	1 .	. .	1 .	1
E870	Accidental cut, puncture, perforation or haemorrhage during medical care.	M F	2 2	1	1 .	. .	1 .	1
E871	Foreign object left in body during procedure	M F
E872	Failure of sterile precautions during procedure	M F
E873	Failure in dosage	M F
E874	Mechanical failure of instrument or apparatus during procedure.	M F
E875	Contaminated or infected blood, other fluid, drug or biological substance	M F
E876	Other and unspecified misadventures during medical care.	M F
E878— E879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	M F	1 2	1	1
E878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation	M F	1 2	1	1
E879	Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication	M F
ERR0— ERRR	Accidental falls	M F	54 71	1 1	1 1	1 .	1 .	5 .	1 1	1 1	2 1	4 .	5 .	7 2	2 4	7 6	5 4	3 18	4 15	3 13	1 5
E880	Fall on or from stairs or steps.	M F	17 9	1	1 .	1 1	1 1	1 .	3 .	3 .	2 1	. 1	2 2	. .	1 .	2
E881	Fall on or from ladders or scaffolding	M F	3	1	1 .	. .	1
E882	Fall from or out of building or other structure	M F	3	1 .	1	1
E883	Fall into hole or other opening in surface	M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E884	Other fall from one level to another . M F	3 4	1	1	.	1	1	.	.	1	1	1	.
E885	Fall on same level from slipping, tripping or stumbling . M F	2	1	1
E886	Fall on same level from collision, pushing or shoving, by or with other person. . M F
E887	Fracture, cause unspecified . M F	10 40	1	1	.	1	2	2	1	1	1
E888	Other and unspecified fall . M F	16 18	1	1	1	3	1	4	1	4	3	1	.
E890-E899	Accidents caused by fire and flames . M F	11 7	1	1	.	1	2	1	.	.	1	.	.	.	1	1	.	1	2	1
E890	Conflagration in private dwelling . M F	5 5	1	1	.	2	1	.	.	.	1	1	1	.
E891	Conflagration in other and unspecified building or structure . M F	2 1	1	1
E892	Conflagration not in building or structure . M F
E893	Accident caused by ignition of clothing . M F	1	1
E894	Ignition of highly inflammable material . M F
E895	Accident caused by controlled fire in private dwelling . M F	1	1	.
E896	Accident caused by controlled fire in other and unspecified building or structure . M F
E897	Accident caused by controlled fire not in building or structure . M F
E898	Accident caused by other specified fire and flames . M F	1 1	1	1
E899	Accident caused by unspecified fire. . M F	1	1
E900-E909	Accidents due to natural and environmental factors . M F	6 3	1	1	1	3	1	.	.	.
E900	Excessive heat . M F
E901	Excessive cold. . M F	3 3	1	1	3	.	1	.	.
E902	High and low air pressure and changes in air pressure . M F
E903	Travel and motion . M F
E904	Hunger, thirst, exposure, neglect . M F	2	1	1	.	.	.

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E905	Venomous animals and plants as the cause of poisoning and toxic reactions M F
E906	Other injury caused by animals M F	1	1
E907	Lightning M F
E908	Cataclysmic storms, and floods resulting from storms M F
E909	Cataclysmic earth surface movements and eruptions M F
E910— E915	Accidents caused by submersion, suffocation and foreign bodies M F	23 13	1 .	2 .	. .	1 .	1 .	2 .	2 .	4 .	2 .	1 .	. .	2 .	1 .	1 .	1 .	2 .	1 3	. .	2 .	2 .	1 .	1 .	. .
E910	Accidental drowning and submersion M F	13 5	1 .	2	1 .	. .	2 .	4 .	2 .	1 .	. .	1	1 .	. .	1 .	2
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation. M F	6 6	1 .	1 .	1 .	2 .	2 .	. .	1 .	1 .	1 .	1 .	. .
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation M F	2 1	1	1	1
E913	Accidental mechanical suffocation M F	2 1	2	1
E914	Foreign body accidentally entering eye and adnexa M F
E915	Foreign body accidentally entering other orifice. M F
E916— E928	Other accidents M F	16 1	1 .	. .	2 .	3 .	3 .	2 .	. .	1 .	1 .	1 .	1	1
E916	Struck accidentally by falling object M F	3	1	1	1
E917	Striking against or struck accidentally by objects or persons M F	1	1
E918	Caught accidentally in or between objects M F	1	1
E919	Accidents caused by machinery M F	2	1 .	. .	1
E920	Accidents caused by cutting and piercing instruments or objects M F	1	1
E921	Accident caused by explosion of pressure vessel M F
E922	Accident caused by firearm missile M F	4	2 .	1	1
E923	Accident caused by explosive material M F	1	1
E924	Accident caused by hot substance or object, caustic or corrosive material and steam M F

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E925	Accident caused by electric current M F	3	1	1	1	
E926	Exposure to radiation. M F	
E927	Overexertion and strenuous movements M F	
E928	Other and unspecified environmental and accidental causes M F	1	1	
E929	Late effects of accidental injury M F	
E930-E949	Drugs, medicaments and biological substances causing adverse effects in therapeutic use M F	1	1	.	
E930	Antibiotics M F	
E931	Other anti-infectives M F	1	1	.	
E932	Hormones and synthetic substitutes M F	
E933	Primarily systemic agents M F	
E934	Agents primarily affecting blood constituents M F	
E935	Analgesics, antipyretics and antirheumatics M F	
E936	Anticonvulsants and anti-Parkinsonism drugs M F	
E937	Sedatives and hypnotics M F	
E938	Other central nervous system depressants M F	
E939	Psychotropic agents M F	
E940	Central nervous system stimulants M F	
E941	Drugs primarily affecting the autonomic nervous system M F	
E942	Agents primarily affecting the cardiovascular system M F	
E943	Agents primarily affecting the gastrointestinal system M F	
E944	Water, mineral and uric acid metabolism drugs M F	

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E945	Agents primarily acting on the smooth and skeletal muscles and respiratory system	M F
E946	Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs	M F
E947	Other and unspecified drugs and medicaments	M F
E948	Bacterial vaccines	M F
E949	Other vaccines and biological substances	M F
E950– E959	<i>Suicide and self-inflicted injury</i>	M F	91 31	14 4	11 2	9 2	12 1	8 6	8 3	5 1	5 3	3 2	3 3	4 2	2 2	4 1	2 1	1
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M F	16 16	1 .	. 1	2 2	2 1	3 2	3 2	2 .	2 2	1 2	2 2	. .	1 .	1
E951	Suicide and self-inflicted poisoning by gases in domestic use	M F
E952	Suicide and self-inflicted poisoning by other gases and vapours	M F	8 1	3 .	1 .	1 .	. .	1 .	1
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M F	44 6	9 .	6 1	3 .	6 .	3 3	5 .	2 1	2 1	1 .	2 .	2 .	1 .	1 .	1
E954	Suicide and self-inflicted injury by submersion (drowning)	M F	5 7	1	1 .	1	1 .	1 1	1 .	2 .	1 .	1 .	1
E955	Suicide and self-inflicted injury by firearms and explosives	M F	14 2	4 .	3 2	3 .	1 .	1	1	1
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M F	1	1
E957	Suicide and self-inflicted injuries by jumping from a high place	M F
E958	Suicide and self-inflicted injury by other and unspecified means	M F	3	1	2
E959	Late effects of self-inflicted injury	M F
E960– E969	<i>Homicide and injury purposely inflicted by other persons</i>	M F	93 20	1 1	8 3	17 .	15 3	12 4	9 2	9 1	4 2	8 1	4 1	3 .	. .	1 .	1 .	1 1	1 1
E960	Fight, brawl, rape	M F	. 1	1
E961	Assault by corrosive or caustic substance, except poisoning	M F
E962	Assault by poisoning	M F
E963	Assault by hanging and strangulation	M F	. 4	1 .	1 .	. .	1 .	. .	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																									
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over
E964	Assault by submersion (drowning) . M F
E965	Assault by firearms and explosives . M F	82 12	1 .	1 .	7 3	16 .	11 2	10 2	8 1	9 .	3 1	8 .	4 1	3	1 .	1 .	1
E966	Assault by cutting and piercing M instrument F	6	1 .	3 .	. .	1 .	. .	1
E967	Child battering and other mul- M treatment F
E968	Assault by other and unspecified M means F	5 3	1 .	. .	1 .	2 1	. 1	1 .	. .	1
E969	Late effects of injury purposely M inflicted by other person . F
E970— E978	Legal intervention M F	12	4 .	3 .	3 .	2
E970	Injury due to legal intervention by M firearms F	12	4 .	3 .	3 .	2
E971	Injury due to legal intervention by M explosives F
E972	Injury due to legal intervention by M gas F
E973	Injury due to legal intervention by M blunt instrument F
E974	Injury due to legal intervention by M cutting and piercing instruments . F
E975	Injury due to legal intervention by M other specified means . . F
E976	Injury due to legal intervention by M unspecified means F
E977	Late effects of injuries due to legal M intervention. F
E978	Legal execution M F
E980— E989	Injury undetermined whether acci- M dentally or purposely inflicted . F	14 10	1 .	2 .	3	2 1	4 .	2 2	. 1	2 .	1 1	1	1
E980	Poisoning by solid or liquid sub- M stances, undetermined whether F accidentally or purposely inflicted	6 6	1	1 .	1 .	2 2	. 1	. 2	1 1
E981	Poisoning by gases in domestic use, M undetermined whether accidentally F or purposely inflicted
E982	Poisoning by other gases, undeter- M mined whether accidentally or F purposely inflicted
E983	Hanging, strangulation or M suffocation, undetermined whether F accidentally or purposely inflicted	. 1	1

ABSTRACT 20 (continued). Northern Ireland: Causes of death at different age-periods, 1995.

Detailed List No.	CAUSES OF DEATH	AGES AT DEATH																										
		ALL AGES	Under 4 weeks	Under 1 year	1	2	3	4	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95 and over	
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted	M F 3 2	1 .	2	1	1
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	M F 4	1 .	2	1
E986	Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted	M F 1	1
E987	Falling from high place, undetermined whether accidentally or purposely inflicted	M F
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	M F . 1	1
E989	Late effects of injury, undetermined whether accidentally or purposely inflicted	M F
E990-E999	Injury resulting from operations of war	M F
E990	Injury due to war operations by fires and conflagrations	M F
E991	Injury due to war operations by bullets and fragments	M F
E992	Injury due to war operations by explosion of marine weapons	M F
E993	Injury due to war operations by other explosion	M F
E994	Injury due to war operations by destruction of aircraft	M F
E995	Injury due to war operations by other and unspecified forms of conventional warfare	M F
E996	Injury due to war operations by nuclear weapons	M F
E997	Injury due to war operations by other forms of unconventional warfare	M F
E998	Injury due to war operations but occurring after cessation of hostilities	M F
E999	Late effects of injury due to war operations	M F
E800-E999	TOTAL ALL EXTERNAL CAUSES	M F 459 204	. .	1 .	1 .	3 .	. .	1 .	7 5	8 5	41 10	60 10	45 7	47 10	39 13	30 6	20 8	25 8	23 9	22 10	14 17	23 13	21 10	13 25	9 17	6 14	1 6	

ABSTRACT 21. Northern Ireland: Deaths by sex, cause and place of occurrence, 1995.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.I.S. hospitals	Other hospitals, nursing homes etc.	All other places
01-56	All Causes	M F	7,482 7,828	60 61	3,745 3,774	1,016 1,976	2,661 2,017
01	Intestinal infectious diseases.	M F	1 .	. .	1
020, 021	Respiratory tuberculosis	M F	7 6	. .	5 3	. .	2 3
Rem. 02	Other tuberculosis (excluding late effects)	M F	1 .	. .	1
034	Whooping cough	M F
036	Meningococcal infection	M F	2 2	. .	2 2
037	Tetanus	M F
038	Septicaemia	M F	3 8	. .	2 8	. .	1 .
041	Smallpox	M F
042	Measles	M F
052	Malaria	M F
06	Venereal diseases	M F
077	Late effects of tuberculosis	M F
Rem. 01-07	All other infective and parasitic diseases	M F	10 4	. .	7 2	2 1	1 1
091	Malignant neoplasm of stomach	M F	99 71	. .	43 23	18 17	38 31
093	Malignant neoplasm of colon	M F	181 173	1 1	75 68	36 53	69 51
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	M F	51 49	. .	21 15	10 17	20 17
096	Malignant neoplasm of pancreas	M F	70 73	. .	37 24	10 18	23 31
101	Malignant neoplasm of trachea, bronchus and lung.	M F	483 269	. 1	201 102	102 55	180 111
113	Malignant neoplasm of female breast	F	327	1	120	98	108
120	Malignant neoplasm of cervix uteri.	F	19	. .	10 .	2 .	7 .
123	Malignant neoplasm of ovary and other uterine adnexa	F	100	. .	43 .	17 .	40 .
124	Malignant neoplasm of prostate	M	216	1	101	54	60
141	Leukaemia	M F	51 32	. .	28 25	7 3	16 4
Rem. 08-14	All other malignant neoplasms	M F	690 537	2 1	344 241	122 150	222 145
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms.	M F	51 43	. .	28 21	11 8	12 14
181	Diabetes mellitus	M F	20 23	. .	15 14	3 5	2 4
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	M F	15 26	. .	10 17	1 5	4 4
191	Nutritional marasmus	M F
192	Other protein-calorie malnutrition	M F	. 1	. .	. 1
Rem. 19	Other nutritional deficiencies	M F	. 1
200	Anaemias	M F	4 6	. .	4 1	. 3	. 2
Rem. 20	Other diseases of the blood and blood-forming organs	M F	10 9	. .	7 8	1 1	2 .
21	Mental disorders	M F	29 49	2 2	11 18	4 15	12 14
220	Meningitis	M F	1 2	. .	1 1	. .	. 1
223	Multiple sclerosis	M F	9 18	. .	6 14	3 2	. 2
224	Infantile cerebral palsy and other paralytic syndromes	M F	3 .	. .	1 .	. .	2 .

ABSTRACT 21 (continued). Northern Ireland: Deaths by sex, cause and place of occurrence, 1995.

Abbreviated List No.	CAUSES OF DEATH		Total	Psychiatric hospitals	Other N.I.S. hospitals	Other hospitals, nursing homes etc.	All other places
Rem. 22-24	Other diseases of the nervous system and sense organs	M	88	1	34	19	34
		F	103	2	30	54	17
250	Acute rheumatic fever	M	2	.	2	.	.
		F	4	.	3	.	1
251	Chronic rheumatic heart disease	M	13	.	8	.	5
		F	34	.	22	7	5
260	Hypertensive heart disease	M	13	.	8	.	5
		F	21	.	12	4	5
Rem. 26	Other hypertensive diseases.	M	35	.	11	.	24
		F	25	.	10	4	11
270A	Acute myocardial infarction with hypertension	M	160	.	21	3	136
		F	148	.	19	21	108
270B	Acute myocardial infarction without hypertension.	M	1,445	7	508	108	822
		F	1,271	7	550	200	514
Rem. 27A	Other ischaemic heart disease with hypertension	M	127	.	25	3	99
		F	48	.	8	7	33
Rem. 27B	Other ischaemic heart disease without hypertension	M	443	3	246	39	155
		F	444	3	230	96	115
289	Heart failure.	M	131	1	90	16	24
		F	226	.	131	60	35
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	M	134	.	87	8	39
		F	150	1	97	22	30
29A	Cerebrovascular disease with mention of hypertension	M	60	1	38	3	18
		F	81	.	44	9	28
29B	Cerebrovascular disease without mention of hypertension.	M	567	6	383	104	74
		F	982	5	536	323	118
300	Atherosclerosis	M	17	.	6	6	5
		F	24	.	9	10	5
Rem. 30	Other diseases of the circulatory system	M	177	.	133	9	35
		F	147	2	105	16	24
321	Pneumonia	M	661	28	356	208	69
		F	1,120	29	435	514	142
322	Influenza	M	6	.	1	2	3
		F	3	.	.	2	1
323	Bronchitis, emphysema and asthma.	M	83	.	44	11	28
		F	63	1	29	4	29
326	Pneumoconiosis and other lung diseases due to external agents	M	9	.	9	.	.
		F	3	.	2	.	1
31, Rem. 32	Other diseases of the respiratory system	M	374	4	249	54	67
		F	334	3	215	59	57
341	Ulcer of stomach and duodenum	M	48	1	34	2	11
		F	39	.	37	1	1
342	Appendicitis.	M	5	.	5	.	.
		F	1	.	1	.	.
347	Chronic liver disease and cirrhosis	M	40	.	32	2	6
		F	31	.	22	2	7
33, Rem. 34	Other diseases of the digestive system	M	117	.	103	6	8
		F	168	.	144	15	9
350	Nephritis, nephrotic syndrome and nephrosis	M	64	.	51	8	5
		F	98	.	62	25	11
360	Hyperplasia of prostate	M	7	.	5	2	.
Rem. 35-37	Other diseases of the genitourinary tract	M	41	.	27	10	4
		F	41	.	30	9	2
38	Abortion	F
39	Direct obstetric causes	F
Rem. 38-41	Other complications of pregnancy, childbirth and the puerperium.	F
42, 43	Diseases of the skin, subcutaneous tissue, musculoskeletal system and connective tissue	M	26	1	22	3	.
		F	51	1	30	16	4
440	Spina bifida and hydrocephalus	M	2	.	1	.	1
		F	7	.	5	.	2
442	Congenital anomalies of heart and circulatory system	M	17	.	16	.	1
		F	16	.	12	.	4
Rem. 44	Other congenital anomalies.	M	31	.	28	.	3
		F	18	.	14	1	3
453	Birth trauma.	M	1	.	1	.	.
		F
454	Hypoxia, birth asphyxia and other respiratory conditions	M	16	.	16	.	.
		F	10	.	10	.	.
Rem. 45	Other conditions originating in the perinatal period	M	32	.	32	.	.
		F	34	.	34	.	.

ABSTRACT 21 (continued). Northern Ireland: Deaths by sex, cause and place of occurrence, 1995.

Abbreviated List No.	CAUSES OF DEATH	Total	Psychiatric hospitals	Other N.H.S. hospitals	Other hospitals, nursing homes etc.	All other places
46	Symptoms, signs and ill-defined conditions. M	24	.	15	2	7
 F	31	.	9	16	6
47	Fractures M	77	.	42	1	34
 F	71	.	48	5	18
49	Intracranial and internal injuries, including nerves M	114	.	52	.	62
 F	46	.	23	.	23
52	Burns M	4	.	3	.	1
 F	4	.	3	.	1
53	Poisoning and toxic effects M	58	.	15	.	43
 F	32	.	9	.	23
Rem. 47-56	Other injuries and poisonings M	206	1	35	3	167
 F	51	1	12	4	34

EXTERNAL CAUSES

E471	Motor vehicle traffic accident M	94	.	40	.	54
 F	37	.	17	.	20
E50	Accidental falls M	54	.	39	1	14
 F	71	.	53	6	12
Rem. E47-E53	Other accidents and adverse effects. M	101	1	28	2	70
 F	35	.	13	3	19
E54	Suicide M	91	.	12	1	78
 F	31	1	6	.	24
E55	Homicide M	93	.	27	.	66
 F	20	.	3	.	17
E56	Other violence M	26	.	1	.	25
 F	10	.	3	.	7

ABSTRACT 22. Northern Ireland: Deaths from the principal causes by month of registration, 1995.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
01	Intestinal infectious diseases	1	
020, 021	Respiratory tuberculosis	.	.	1	1	.	.	1	2	.	.	2	1	3	1	.	1	.	
Rem. 02	Other tuberculosis (excluding late effects)	1	.	
034	Whooping cough	
036	Meningococcal infection	1	1	1	.	.	.	1	.	
037	Tetanus	
038	Septicaemia	.	.	.	1	1	.	1	2	2	.	1	2	1	
041	Smallpox	
042	Measles	
052	Malaria	
06	Veneral diseases	
077	Late effects of tuberculosis	
Rem. 01-07	All other infective and parasitic diseases	.	.	1	.	.	.	2	.	.	.	1	.	1	.	1	2	.	2	1	2	1	.	.	.	
091	Malignant neoplasm of stomach	8	5	10	8	6	4	10	5	10	7	9	8	6	2	16	8	10	6	7	6	4	10	3	2	
093	Malignant neoplasm of colon	13	19	21	18	20	14	16	18	18	14	13	17	8	17	8	13	15	7	11	10	24	12	14	14	
094	Malignant neoplasm of rectum, rectosigmoid junction and anus	2	5	4	4	3	2	2	1	3	11	6	5	3	4	8	3	7	4	7	6	3	3	3	1	
096	Malignant neoplasm of pancreas	5	10	10	5	3	5	2	5	8	3	6	6	6	3	7	7	7	12	7	7	4	8	5	2	
101	Malignant neoplasm of trachea, bronchus and lung	47	31	35	13	58	25	29	13	41	22	48	30	38	26	35	26	38	22	28	19	43	19	43	23	
113	Malignant neoplasm of female breast	.	31	.	35	.	27	.	19	.	29	.	34	.	20	.	31	.	25	.	28	.	26	.	22	
120	Malignant neoplasm of cervix uteri	.	2	.	1	.	4	.	2	.	.	3	.	2	.	.	.	1	.	1	.	1	.	2	.	
123	Malignant neoplasm of ovary and other uterine adnexa	.	8	.	3	.	15	.	6	.	13	.	7	.	7	.	12	.	7	.	5	.	4	.	13	
124	Malignant neoplasm of prostate	18	.	16	.	17	.	16	.	18	.	17	.	12	.	23	.	23	.	19	.	25	.	12	.	
141	Leukaemia	6	4	5	2	5	4	4	.	4	.	4	4	5	4	3	2	3	5	4	1	6	2	2	4	
Rem. 08-14	All other malignant neoplasms	67	52	49	55	48	45	62	28	69	43	56	47	50	46	60	48	60	47	64	43	57	48	48	35	
15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms	1	2	4	4	5	4	1	2	10	3	3	2	1	6	9	5	1	2	8	4	6	5	2	4	
181	Diabetes mellitus	2	2	2	1	1	3	2	.	2	3	2	1	1	1	2	.	3	3	1	.	1	3	1	6	
Rem. 18	Other endocrine and metabolic diseases and immunity disorders	.	3	1	3	1	3	3	3	2	1	3	1	.	1	.	1	2	3	2	3	.	3	1	1	
191	Nutritional marasmus	
192	Other protein-calorie malnutrition	1	
Rem. 19	Other nutritional deficiencies	.	.	.	1	
200	Anaemias	.	1	1	1	.	.	.	1	.	.	.	2	2	.	.	1	.	.	1	.	
Rem. 20	Other diseases of blood and blood-forming organs	2	.	1	.	1	2	1	1	.	1	3	1	.	2	.	2	.	2	.	.	
21	Mental disorders	4	8	5	5	4	5	.	3	1	4	2	6	4	2	.	1	1	4	2	6	3	3	3	2	
220	Meningitis	1	1	1	
223	Multiple sclerosis	.	.	.	2	3	.	.	3	1	.	.	4	1	2	3	2	3	2	1	
224	Infantile cerebral palsy and other paralytic syndromes	1	1	1	.	
Rem. 22-24	Other diseases of the nervous system and sense organs	9	7	6	11	6	10	3	7	7	8	10	3	10	7	10	2	5	10	10	11	6	11	6	16	
250	Acute rheumatic fever	.	.	1	.	.	.	1	1	.	.	1	2	
251	Chronic rheumatic heart disease	.	2	6	1	.	5	1	1	1	7	1	3	.	1	2	1	1	4	.	1	6	.	3	.	
260	Hypertensive heart disease	2	1	2	3	.	4	.	1	3	2	.	1	1	.	1	2	1	1	2	2	1	3	.	1	
Rem. 26	Other hypertensive diseases	1	.	4	3	3	2	3	1	7	3	2	4	.	1	4	2	1	4	.	4	3	.	7	1	
270A	Acute myocardial infarction with hypertension	17	19	14	19	16	5	11	13	15	20	17	12	11	6	8	13	10	6	15	10	14	13	12	12	
270B	Acute myocardial infarction without hypertension	150	135	114	121	135	120	117	92	136	103	128	84	120	89	106	105	99	96	94	101	132	108	114	117	
Rem. 27A	Other ischaemic heart disease with hypertension	14	4	23	7	17	5	6	4	15	3	10	6	6	1	9	3	10	4	9	5	4	5	4	1	
Rem. 27B	Other ischaemic heart disease without hypertension	55	40	42	43	44	49	28	36	28	37	40	33	34	35	22	41	42	30	38	39	34	30	36	31	
289	Heart failure	17	28	14	16	9	20	13	18	5	25	10	14	12	14	10	10	9	14	8	21	17	25	7	21	
Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease	17	17	8	8	9	22	18	18	9	10	9	13	13	10	10	13	10	9	12	11	7	12	12	7	
29A	Cerebrovascular disease with mention of hypertension	5	10	3	13	4	6	6	4	4	6	4	8	2	4	4	6	6	5	9	7	7	4	6	8	
29B	Cerebrovascular disease without mention of hypertension	53	116	45	90	60	102	51	65	57	86	40	81	47	69	44	72	48	71	38	75	38	69	46	86	
300	Atherosclerosis	2	4	3	1	2	2	3	4	3	2	1	1	.	2	1	2	1	2	.	.	.	2	1	2	
Rem. 30	Other diseases of the circulatory system	18	9	16	8	13	18	13	18	15	16	13	9	19	12	11	13	13	15	9	14	12	17	10	.	
321	Pneumonia	79	104	53	84	74	117	60	99	57	92	44	79	46	73	44	91	32	67	45	93	51	92	76	129	
322	Influenza	2	.	.	.	1	1	1	.	2	1	.	1	.
323	Bronchitis, emphysema and asthma	18	9	6	7	7	11	6	5	4	5	5	5	5	2	11	2	4	2	7	8	6	4	4	3	
326	Pneumoconiosis and other lung diseases due to external agents	1	.	1	.	.	1	1	2	.	1	.	1	1	1	.	1	1	.	.	

ABSTRACT 22 (continued). Northern Ireland: Deaths from the principal causes by month of registration, 1995.

Abbreviated List No.	CAUSES OF DEATH	January		February		March		April		May		June		July		August		September		October		November		December	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
31, Rem. 32	Other diseases of the respiratory system	38	35	42	35	37	26	29	26	39	29	31	22	24	25	16	16	26	23	29	27	30	25	33	45
341	Ulcer of stomach and duodenum	4	2	4	4	3	5	3	2	.	2	4	1	1	3	6	3	8	6	2	2	7	8	6	1
342	Appendicitis	1	.	1	1	1	.	1	.	.	1	.	.
347	Chronic liver disease and cirrhosis	1	2	3	3	2	3	1	3	2	1	4	1	1	5	5	4	1	2	3	10	6	6	2
33, Rem. 34	Other diseases of the digestive system	15	13	12	15	11	16	6	16	13	11	9	14	7	16	11	11	10	13	6	13	10	6	7	24
350	Nephritis, nephrotic syndrome and nephosis	6	10	3	3	8	9	3	8	9	8	1	7	7	7	4	4	2	14	8	14	7	12	6	2
360	Hyperplasia of prostate	1	.	1	2	.	1	.	1	.	1	.	.	.
Rem. 35-37	Other diseases of the genitourinary tract	5	4	4	3	2	.	2	1	5	4	2	3	4	6	2	3	3	4	5	4	5	4	2	5
38	Abortion
39	Direct obstetric causes
Rem. 38-41	Other complications of pregnancy, childbirth and the puerperium
42, 43	Disease of skin, subcutaneous tissue, musculoskeletal system and connective tissue	1	7	3	2	1	4	2	5	3	6	1	4	1	5	5	4	3	4	.	4	3	3	3	3
440	Spina bifida and hydrocephalus	1	.	.	.	2	.	1	.	1	1	1	1	1	1
442	Congenital anomalies of heart and circulatory system	3	1	.	1	4	1	.	2	2	1	.	2	1	1	.	2	2	2	1	1	1	1	3	1
Rem. 44	Other congenital anomalies	5	2	7	1	3	2	3	3	2	1	1	2	2	1	.	.	4	3	3	.	1	1	1	2
453	Birth trauma	1
454	Hypoxia, birth asphyxia and other respiratory conditions	1	.	1	3	3	.	1	.	3	1	.	2	1	1	1	1	1	1	1	.	2	1	1	.
Rem. 45	Other conditions originating in the perinatal period	4	1	.	4	3	6	2	.	8	4	.	2	1	.	3	1	6	11	2	2	2	3	1	.
46	Symptoms, signs and ill-defined conditions	6	3	3	4	2	3	.	5	1	.	4	1	1	1	2	2	2	2	2	1	1	6	.	3
47	Fractures	4	4	9	4	6	10	5	3	11	4	6	9	4	3	4	5	6	4	7	7	5	8	10	10
49	Intracranial and internal injuries including nerves	8	1	5	4	16	4	6	4	14	5	8	9	5	1	6	2	15	3	10	4	13	6	8	3
52	Burns	2	2	.	1	.	2	.	.	.	1	.
53	Poisoning and toxic effects	4	2	6	3	3	.	10	.	6	3	5	5	4	3	4	4	3	1	6	6	3	4	4	1
Rem. 47-56	Other injuries and poisonings	14	1	19	5	16	6	21	4	20	4	21	7	14	2	13	2	11	8	20	6	23	1	14	5
	TOTAL	755	775	649	691	699	758	587	581	696	666	601	630	543	549	558	605	578	588	573	647	642	648	601	690
EXTERNAL CAUSES																									
E471	Motor vehicle traffic accidents	5	1	7	4	9	4	7	2	9	4	3	2	4	1	7	.	15	6	10	4	13	4	5	5
E50	Accidental falls	1	3	5	5	5	10	2	4	9	5	5	9	3	3	3	5	5	2	3	6	3	10	10	9
Rem. E47-E53	Other accidents and adverse effects	5	.	8	2	8	2	11	3	10	3	10	8	6	3	10	1	5	2	9	6	10	2	9	3
E54	Suicide	3	1	6	3	6	1	12	2	10	3	4	4	7	2	5	4	7	2	12	6	12	2	7	1
E55	Homicide	13	1	11	1	11	2	8	.	10	1	9	6	7	2	3	2	4	3	7	2	5	.	5	.
E56	Other violence	3	2	2	1	2	1	2	.	3	.	9	1	.	.	1	1	.	1	2	1	1	1	1	1

**ABSTRACT 23. Northern Ireland: Deaths by sex at each year of age,
by conjugal condition, 1995.**

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
0	93	93	.	.	.	76	76	.	.	.
1	9	9	.	.	.	4	4	.	.	.
2	4	4	.	.	.	2	2	.	.	.
3	4	4	.	.	.	3	3	.	.	.
4	2	2	.	.	.	2	2	.	.	.
0-4	112	112	.	.	.	87	87	.	.	.
5	5	5	.	.	.	1	1	.	.	.
6	1	1	.	.	.	3	3	.	.	.
7	4	4	.	.	.	2	2	.	.	.
8	3	3	.	.	.	2	2	.	.	.
9	2	2	.	.	.	4	4	.	.	.
5-9	15	15	.	.	.	12	12	.	.	.
10	3	3	.	.	.	3	3	.	.	.
11	3	3	.	.	.	1	1	.	.	.
12	4	4	.	.	.	2	2	.	.	.
13	3	3	.	.	.	5	5	.	.	.
14	5	5	.	.	.	3	3	.	.	.
10-14	18	18	.	.	.	14	14	.	.	.
15	9	9	.	.	.	3	3	.	.	.
16	7	7	.	.	.	5	5	.	.	.
17	14	14	.	.	.	2	2	.	.	.
18	12	12	.	.	.	3	3	.	.	.
19	11	11	.	.	.	4	4	.	.	.
15-19	53	53	.	.	.	17	17	.	.	.
20	17	16	1	.	.	7	7	.	.	.
21	18	18	.	.	.	2	2	.	.	.
22	16	14	2	.	.	4	4	.	.	.
23	15	15	.	.	.	5	5	.	.	.
24	16	14	2	.	.	2	2	.	.	.
20-24	82	77	5	.	.	20	20	.	.	.
25	10	10	.	.	.	1	1	.	.	.
26	11	7	4	.	.	3	3	.	.	.
27	18	12	4	.	2	8	7	1	.	.
28	17	8	7	.	2	4	2	2	.	.
29	9	5	3	.	1	4	.	3	1	.
25-29	65	42	18	.	5	20	13	6	1	.
30	18	9	9	.	.	2	1	1	.	.
31	15	5	10	.	.	8	2	6	.	.
32	12	7	4	.	1	9	3	4	.	2
33	14	7	7	.	.	5	1	2	.	2
34	18	8	10	.	.	6	1	4	.	1
30-34	77	36	40	.	1	30	8	17	.	5
35	14	7	6	.	1	5	3	2	.	.
36	17	3	12	.	2	8	1	6	.	1
37	12	5	6	.	1	12	2	8	1	1
38	20	5	15	.	.	10	.	10	.	.
39	17	4	11	.	2	10	2	6	1	1
35-39	80	24	50	.	6	45	8	32	2	3
40	19	5	11	1	2	14	4	8	.	2
41	15	4	10	.	1	14	4	9	.	1
42	16	4	8	1	3	18	5	11	.	2
43	24	10	11	1	2	15	.	12	1	2
44	22	1	19	.	2	18	6	9	1	2
40-44	96	24	59	3	10	79	19	49	2	9
45	18	6	9	1	2	19	1	17	1	.
46	28	10	10	1	7	20	3	15	.	2
47	36	10	25	1	.	29	5	22	1	1
48	29	4	22	.	3	18	3	14	.	1
49	38	5	30	.	3	21	1	17	1	2
45-49	149	35	96	3	15	107	13	85	3	6

**ABSTRACT 23 (continued). Northern Ireland: Deaths by sex at each year of age,
by conjugal condition, 1995.**

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
50	46	10	30	2	4	31	3	21	1	6
51	42	12	27	.	3	46	4	37	4	1
52	58	11	43	.	4	36	5	23	3	5
53	69	9	51	.	9	32	1	25	6	.
54	47	4	37	.	6	36	7	25	2	2
50-54	262	46	188	2	26	181	20	131	16	14
55	76	24	44	1	7	47	6	31	7	3
56	61	9	41	5	6	49	3	33	8	5
57	73	21	48	2	2	46	6	31	7	2
58	76	16	49	5	6	44	4	32	6	2
59	94	24	61	3	6	55	12	29	14	.
55-59	380	94	243	16	27	241	31	156	42	12
60	98	14	73	10	1	60	10	37	7	6
61	117	15	87	10	5	79	8	50	17	4
62	95	22	60	10	3	53	9	24	15	5
63	104	7	80	14	3	75	11	44	18	2
64	157	32	106	15	4	93	14	41	34	4
60-64	571	90	406	59	16	360	52	196	91	21
65	149	26	100	19	4	100	16	49	32	3
66	144	30	95	14	5	127	18	57	50	2
67	158	29	106	15	8	121	18	66	33	4
68	196	27	134	29	6	121	12	47	59	3
69	174	26	127	16	5	136	18	54	59	5
65-69	821	138	562	93	28	605	82	273	233	17
70	224	36	145	34	9	161	21	58	78	4
71	226	46	143	33	4	171	29	56	78	8
72	258	38	172	47	1	188	28	65	90	5
73	245	42	146	55	2	222	40	66	111	5
74	266	42	160	61	3	205	42	61	99	3
70-74	1,219	204	766	230	19	947	160	306	456	25
75	272	49	171	49	3	234	41	56	135	2
76	244	54	132	54	4	211	42	59	108	2
77	242	46	137	58	1	227	48	54	121	4
78	259	37	150	70	2	210	40	46	122	2
79	250	36	130	79	5	267	51	46	170	.
75-79	1,267	222	720	310	15	1,149	222	261	656	10
80	259	49	136	71	3	266	54	44	165	3
81	255	38	130	85	2	287	56	46	184	1
82	228	42	100	86	.	321	58	35	224	4
83	232	41	118	72	1	311	59	31	219	2
84	188	27	94	67	.	299	66	32	201	.
80-84	1,162	197	578	381	6	1,484	293	188	993	10
85	155	21	64	70	.	282	54	18	208	2
86	168	24	66	78	.	268	58	19	190	1
87	123	27	48	48	.	267	64	17	185	1
88	126	14	50	62	.	253	59	8	185	1
89	112	20	31	61	.	243	48	10	183	2
85-89	684	106	259	319	.	1,313	283	72	951	7
90	76	9	23	44	.	201	38	8	154	1
91	87	11	25	51	.	175	37	3	135	.
92	57	9	17	31	.	160	30	2	128	.
93	44	8	13	23	.	142	38	3	101	.
94	30	7	4	18	1	128	31	3	93	1
90-94	294	44	82	167	1	806	174	19	611	2
95	25	1	2	22	.	80	15	.	64	1
96	14	1	2	11	.	82	23	1	57	1
97	12	1	5	6	.	38	5	1	31	1
98	10	4	1	5	.	48	10	2	35	1
99	6	.	.	6	.	14	3	.	11	.
95-99	67	7	10	50	.	262	56	4	198	4
100 & over	8	3	.	5	.	49	6	.	43	.
TOTALS	7,482	1,587	4,082	1,638	175	7,828	1,590	1,795	4,298	145

ABSTRACT 24. Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1995.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																									
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over
001-999	01-56	TOTAL DEATHS (All Causes)	M F 7,482 7,828	71 60	93 76	9 4	4 2	4 3	2 2	15 12	18 14	53 17	82 20	65 20	77 30	80 45	96 79	149 107	262 181	380 241	571 360	821 605	1,219 947	1,267 1,149	1,162 1,484	684 1,313	294 806	75 311
001-009	01	Intestinal infectious diseases	M F	1	1 .	. .
010-012	020-021	Respiratory tuberculosis	M F	7 6	1 1	. 2	1 1	3 .	. 1	. 1	. 1	1 1	. .
013-018	Rem. 02	Other tuberculosis (excluding late effects)	M F	1	1
033	034	Whooping cough	M F
036	036	Meningococcal infection	M F	2 2	1 .	1 1	. 1	. 1
037	037	Tetanus	M F
038	038	Septicaemia	M F	3 8	1 1	. 2	1 1	. .	. 1	. 2	1 1	. 1	. .
050	041	Smallpox	M F
055	042	Measles	M F
084	052	Malaria	M F
090-099	06	Veneral diseases	M F
137	077	Late effects of tuberculosis	M F
Rem. 001-139	Rem. 01-07	All other infective and parasitic diseases	M F	10 4	1 .	. .	1	1 .	. .	2 .	2 1	. .	1 1	2 1	. 1	. 1	. 1	. .
151	091	Malignant neoplasm of stomach	M F	99 71	2 1	1 1	1 1	4 3	4 4	11 5	18 1	21 13	19 11	10 12	8 14	. 3	1 .
153	093	Malignant neoplasm of colon	M F	181 173	1 .	. 1	1 .	. 2	2 .	6 4	10 7	11 10	15 13	27 21	30 18	35 31	23 31	17 22	4 8	1 3
154	094	Malignant neoplasm of rectum, recto-sigmoid junction and anus	M F	51 49 1	. 2	1 5	4 2	6 2	6 2	9 7	8 5	8 6	3 14	. 1	1 2
157	096	Malignant neoplasm of pancreas	M F	70 73 1	. 1	1 3	3 3	10 2	8 14	15 16	20 16	6 9	6 8	. 1	. .
162	101	Malignant neoplasm of trachea, bronchus and lung	M F	483 269	1 1	7 4	8 11	27 19	37 18	59 29	85 40	103 58	78 43	58 23	16 19	4 2	. 2
174	113	Malignant neoplasm of female breast	M F	. 327	6 .	7 .	19 24	31 31	26 26	41 41	32 32	40 40	30 30	34 34	30 30	. 5	. 2	
180	120	Malignant neoplasm of cervix uteri	M F	. 19	1 .	1 .	3 3	2 2	. 2	. 1	. 2	. .	4 .	2 .	. 1
183	123	Malignant neoplasm of ovary and other uterine adnexa	M F	. 100 2	2 .	5 5	13 13	16 16	11 11	17 17	14 14	8 8	7 7	3 3	2 .	. .
185	124	Malignant neoplasm of prostate	M F	. 216	1 1	1 1	2 2	7 7	19 19	38 38	52 52	51 51	28 28	15 15	. 2
204-208	141	Leukaemia	M F	51 32 1	. 2	3 1	1 3	1 3	1 .	2 .	2 .	1 .	1 2	1 .	. 3	. 5	9 5	7 5	8 4	4 2	4 3	4 3	1 1	. .

ABSTRACT 24 (continued). Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1995.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																									
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over
Rem. 140-208	Rem. 08-14	All other malignant neoplasms . . . M	690	2	.	2	1	3	8	4	8	11	8	22	38	52	75	108	124	106	76	30	9	3
		. . . F	537	1	.	1	3	2	1	3	4	14	16	28	39	66	97	85	85	63	23	6
210-239	15-17	Benign neoplasms, carcinoma in situ, other and unspecified neoplasms . . . M	51	1	1	1	.	.	1	.	2	1	4	6	7	5	7	12	3	1	.
		. . . F	43	1	.	.	1	.	.	1	.	1	1	2	1	7	4	10	8	4	2	.
250	181	Diabetes mellitus . . . M	20	1	.	.	1	4	6	5	1	1	1
		. . . F	23	1	1	3	.	3	4	2	4	2	2	3	.
Rem. 240-259	Rem. 18	Other endocrine and metabolic diseases and immunity disorders . . . M	15	.	.	1	.	.	.	1	1	1	1	.	3	.	1	1	2	2	1	1	1	1
270-279		. . . F	26	2	1	3	.	.	1	.	.	.	3	1	.	4	2	4	3	1	1
261	191	Nutritional marasmus . . . M
		. . . F
262,263	192	Other protein-calorie malnutrition . . . M
		. . . F	1	1
Rem. 260-269	Rem. 19	Other nutritional deficiencies . . . M
		. . . F	1	1	.	.	.
280-285	200	Anaemias . . . M	4	1	1	.	1	1	.
		. . . F	6	1	1	1	.	3	.	.
Rem. 280-289	Rem. 20	Other diseases of the blood and blood-forming organs . . . M	10	2	1	.	.	4	2	.	1	.	.
		. . . F	9	1	.	.	.	1	2	1	2	2	.
290-319	21	Mental disorders . . . M	29	1	.	.	2	3	2	3	3	5	4	1	1	4	.	.
		. . . F	49	2	2	1	2	6	2	3	2	2	4	8	11	3
320-322	220	Meningitis . . . M	1	1
		. . . F	2	.	1	1
340	223	Multiple sclerosis . . . M	9	1	1	2	2	3	2	1	2	3	1	.	.	.
		. . . F	18	2	1	2	3	1	2	2	3
343, 344	224	Infantile cerebral palsy and other paralytic syndromes . . . M	3	1	1	1
		. . . F
Rem. 320-389	Rem. 22-24	Other diseases of the nervous system and sense organs . . . M	88	.	.	1	2	3	4	2	3	1	2	2	4	5	5	7	11	9	19	6	2	.
		. . . F	103	.	1	2	.	1	.	.	2	2	2	1	1	.	.	.	4	4	5	6	11	13	23	15	12	.
390-392	250	Acute rheumatic fever . . . M	2	2
		. . . F	4	3	.	1	.	.	.
393-398	251	Chronic rheumatic heart disease . . . M	13	1	.	3	2	3	1	1	5	5	2	.
		. . . F	34	1	1	4	6	8	5	5	2	2
402, 404	260	Hypertensive heart disease . . . M	13	3	.	2	7	1	.	.	.
		. . . F	21	1	1	.	5	9	2	3	.
401, 403	Rem. 26	Other hypertensive diseases . . . M	35	1	1	1	2	1	1	5	4	2	6	8	2	1	.	.
		. . . F	25	2	.	5	5	4	3	5	4	1	1
410-0	270A	Acute myocardial infarction with hypertension . . . M	160	2	1	7	9	13	17	34	36	25	8	8	.	.
		. . . F	148	1	2	.	.	2	13	20	32	26	32	14	6	.
410-9	270B	Acute myocardial infarction without hypertension . . . M	1,445	1	3	2	13	21	45	84	154	184	300	232	238	119	36	13
		. . . F	1,271	1	.	2	1	3	4	13	26	115	186	248	285	202	89	36	36
411-0-414-0	Rem. 27A	Other ischaemic heart disease with hypertension . . . M	127	1	3	13	13	20	18	28	18	6	3	2	2
		. . . F	48	1	1	5	7	6	8	7	4	6	2	1
411-9-414-9	Rem. 27B	Other ischaemic heart disease without hypertension . . . M	443	1	.	4	5	9	16	16	33	50	86	84	63	46	25	5
		. . . F	444	1	.	1	.	1	3	9	15	30	44	73	98	56	16	16
428	289	Heart failure . . . M	131	1	.	1	.	3	3	7	12	39	31	18	14	2
		. . . F	226	4	1	7	15	34	51	66	38	10

141

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																											
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over		
Rem. 415-429	Rem. 28	Other diseases of pulmonary circulation and other forms of heart disease . M F	134 150	.	.	1	.	.	.	1	2	1	2	4	2	4	6	7	4	5	11	21	26	29	9	1	1			
430-0-438-0	29A	Cerebrovascular disease with mention of hypertension (benign) . M F	60 81	1	2	3	7	2	6	13	12	7	5	2	.			
																	2	3	1	2	5	13	19	23	11	2	.			
430-9-438-9	29B	Cerebrovascular disease without mention of hypertension. M F	567 982	1	.	1	1	1	1	3	4	13	13	24	47	82	129	132	74	36	6			
												1	1	2	4	5	6	12	10	14	47	101	132	239	210	151	47			
440	300	Atherosclerosis . M F	17 24	1	.	1	1	4	2	6	2	1			
																				1	1	.	4	5	8	5				
Rem. 440-459	Rem. 30	Other diseases of the circulatory system M F	177 147	1	.	1	3	1	1	2	1	6	8	7	28	35	35	34	17	2	1			
480-486	321	Pneumonia . M F	661 1,120	.	2	1	2	.	2	1	.	3	3	4	3	6	12	13	30	69	101	155	145	85	25	129				
				1	1	1	1	1	1	1	1	1	3	2	4	5	19	35	60	136	210	271	239	129						
487	322	Influenza . M F	6 3	1	1	2	1	1	1	1				
																						1	1	1	1					
490-493	323	Bronchitis, emphysema and asthma . M F	83 63	1	.	.	1	2	5	11	7	9	9	10	10	4	3	2				
500-508	326	Pneumoconiosis and other lung diseases due to external agents . M F	9 3	1	.	.	.	1	1	4	2	1	1	.				
Rem. 460-519	31 Rem. 32	Other diseases of the respiratory system. M F	374 334	1	1	3	1	2	14	27	42	61	78	89	42	17	3				
531-533	341	Ulcer of stomach and duodenum. . M F	48 39	1	2	3	5	9	6	7	8	4	2	.	2				
540-543	342	Appendicitis . M F	5 1	1	.	1	.	.	1	2				
571	347	Chronic liver disease and cirrhosis . M F	40 31	2	4	5	4	9	7	4	2	2	1	.	.	.				
Rem. 520-579	33 Rem. 34	Other diseases of the digestive system . M F	117 168	.	.	1	.	.	1	.	1	1	1	1	2	3	3	11	5	16	18	22	19	8	6	1				
580-589	350	Nephritis, nephrotic syndrome and nephrosis . M F	64 98	1	1	1	2	3	2	8	12	15	10	7	2				
600	360	Hyperplasia of prostate . M	7	1	3	1	1	1				
Rem. 580-629	37, Rem. 35, 36	Other diseases of the genito-urinary tract M F	41 41	1	1	1	1	3	11	10	11	2	.				
630-639	38	Abortion . F				
640-646, 651-676	39	Direct obstetric causes . F				
Rem. 630-676	Rem. 40-41	Other complications of pregnancy, childbirth and the puerperium . M F				
680-709, 710-739	42-43	Diseases of skin, subcutaneous tissue, musculoskeletal system and connective tissue . M F	26 51	1	1	2	.	1	1	3	2	7	4	1	2	1				
741, 742-3	440	Spina bifida and hydrocephalus . M F	2 7	1	2	1	.	1	1	2	1				
745-747	442	Congenital anomalies of heart and circulatory system . M F	17 16	7	13	.	.	1	1	2	1	.	1	.	1				

ABSTRACT 24 (continued). Northern Ireland: Deaths by sex and age-periods, by abbreviated numbers, 1995.

Detailed List No.	Abbreviated List No.	CAUSES OF DEATH	AGES AT DEATH																									
			All Ages	Under 4 weeks	Under 1 year	1	2	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over
Rem. 740-759	Rem. 44	Other congenital anomalies M	31	17	21	4	.	.	.	2	.	1	1	1	1	.	.
	 F	18	12	15	1	.	.	1	.	1
767	453	Birth trauma M	1	1	1
	 F
768-770	454	Hypoxia, birth asphyxia and other respiratory conditions M	16	14	16
	 F	10	9	10
Rem. 760-779	Rem. 45	Other conditions originating in the perinatal period. M	32	29	32
	 F	34	32	34
780-799	46	Symptoms, signs and ill-defined conditions M	24	1	5	1	.	.	.	1	.	1	.	1	1	.	3	1	4	4	1	1
	 F	31	1	2	1	1	.	1	4	4	6	8	4	4
800-829	47	Fractures M	77	2	2	8	7	5	4	2	1	3	4	5	9	2	7	6	3	4	2	1
	 F	71	1	1	3	1	.	.	2	1	2	4	5	1	3	5	6	18	10	5	5
850-869, 950-957	49	Intracranial and internal injuries including nerves M	114	.	1	.	1	.	.	5	2	9	15	6	13	11	4	5	5	5	5	11	4	4	4	2	1	.
	 F	46	3	2	5	2	4	2	4	1	2	2	2	3	5	4	.	1	3	1	.
940-949	52	Burns M	4	1	1	1	.	.	1	.
	 F	4	1	1	1	.	.	.
960-989	53	Poisoning and toxic effects M	58	1	3	2	10	7	6	6	5	5	6	1	2	2	1	.	.	1	.
	 F	32	1	.	3	2	2	2	2	2	3	6	4	3	.	1	.	.	1	.
Rem. 800-999	Rem. 47-56	Other injuries and poisonings M	206	.	.	1	2	.	.	.	3	21	36	24	23	19	19	7	11	7	7	5	2	9	6	3	1	.
	 F	51	1	1	1	2	3	1	5	4	2	2	3	1	2	6	4	3	6	3	1	.
EXTERNAL CAUSES																												
E800-E999	E47-E56	All external causes M	459	.	1	1	3	.	.	7	8	41	60	45	47	39	30	20	25	23	22	14	23	21	13	9	6	1
	 F	204	1	5	5	10	10	7	10	13	6	8	8	8	9	10	17	13	10	25	17	14	6
E810-E819	E471	Motor vehicle traffic accidents M	94	.	1	.	1	.	.	4	3	10	17	3	6	9	3	6	1	4	5	3	10	3	3	2	.	.
	 F	37	3	2	6	3	2	1	3	1	1	2	2	2	3	3	2	1	.	.	.
E880-E888	E50	Accidental falls M	54	1	1	1	1	5	1	1	2	4	5	7	2	7	5	3	4	3	1
	 F	71	1	.	.	.	1	1	1	.	.	2	4	6	4	18	15	13	5
Rem. E800-E949	Rem. E47-E53	Other accidents and adverse effects M	101	.	.	1	2	.	.	3	4	6	7	14	9	8	5	1	7	7	3	5	3	8	4	1	3	.
	 F	35	1	1	1	.	3	.	4	.	.	.	1	1	2	2	7	2	3	3	2	1	1
E950-E959	E54	Suicide M	91	14	11	9	12	8	8	5	5	3	3	4	2	4	2	1	.	.
	 F	31	4	2	1	6	3	1	3	2	3	2	2	1	1
E960-E969	E55	Homicide M	93	8	17	15	12	9	9	4	8	4	3	.	1	1	1	1	.	.
	 F	20	1	1	3	.	3	4	2	1	2	1	1
E970-E999	E56	Other Violence M	26	2	7	3	3	4	4	2	.	.	1
	 F	10	1	1	.	2	1	2	1	1

The Abbreviated List numbers have been taken from the Mortality List published in the "International Classification of Diseases, 1975 Revision", with certain additions from the Basic Tabulation List.

ABSTRACT 25. Ards: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		651	318	5	1	6	1	2	1	6	12	25	37	81	101	46	333	5	.	.	5	.	.	.	2	1	16	23	83	120	83	
001-139
151	8	4	1	1	2	.	4	1	1	1	1	
153	12	4	3	.	.	8	1	2	3	1	.	
154	3	1	2	
157	4	1	3	
162	39	29	4	3	11	9	2	10	2	1	3	2	2	
174	15	15	2	2	4	6	1	
180	1	1	
183	12	7	12	4	5	1	2	.	
185	7	7	2	4	1	
204-208	5	4	1	.	.	2	.	1	1	
Rem.																																
140-208	52	30	1	.	.	1	1	7	4	5	11	.	22	5	6	9	2	
210-239	3	2	1	1	3	1	.	.	
250	4	1	1	.	3	
Rem.																																
240-279	1	1	1
280-289	1	1	1	.	.	.
290-319	3	3	2	.
340	2	1	1	1	1
Rem.																																
320-389	7	4	1	.	.	1	.	2	3	1	1	1	.
390-392
393-398	3	1	2	1	1	.
402, 404	3	1	2
401, 403, 405	1	1
410	133	71	1	3	12	25	21	9	62	62	2	.	1	26	26	8
411-414	50	29	1	4	3	9	6	6	21	21	1	.	1	13	6	.
428	9	9	2	.	3	4	.
Rem.																											
415-429	8	4	1	.	1	1	1	4	4	1	1	2	.
430-438	79	28	1	1	8	13	6	51	1	1	8	16	25	.
440
Rem.																											
440-459	12	4	1	1	2	.	8	1	.	1	.	1	4	1	.
480-486	57	23	1	2	12	8	34	1	.	1	.	4	13	15	.
487
490-493	4	3	1	.	2	.	1	1	.
Rem.																											
460-519	31	13	2	8	3	18	9	5	4	.
531-533	6	4	2	1	1	2	2	1	.
571	7	4	3	.	1	3	1	.	1	1	.	.
Rem.																											
520-579	9	6	1	.	2	1	2	3	1	1	1	.
580-629	13	6	1	.	2	3	7	1	2	4	.	.
630-676
680-739	4	2	1	1	2	1	.
741, 742, 3
745-747	1	1	1	.	.	1
Rem.																											
740-759	3	2	1	1	.	2	1	1
760-779	7	3	3	.	.	3	4	4
780-799	2	2	1	1	.	.
800-999	30	25	2	1	5	6	4	3	3	.	1	5	2	1	1	1	.
E810-E819	6	5	2	1	2	.	.	1	1	.	.	.
E880-E888	3	2	1	1	1	1
Rem.																											
E800-E949	11	11	1	1	3	3	1	1	1	

ABSTRACT 25. Castlereagh: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		656	322	2	3	.	5	1	1	2	4	3	16	30	102	103	55	334	.	1	.	1	.	1	.	.	6	10	14	66	121
001-139	2	1	1	1	1	1	.	.	
151	10	6	1	3	2	4	4	1	1	2	
153	14	8	1	1	4	2	.	6	1	1	1	2	1	
154	6	3	3	.	3	1	.	.	2	
157	8	2	1	1	6	1	2	1	2	
162	30	15	2	8	4	1	15	1	6	8	.	
174	12	12	2	2	3	2	1	
180	1	1	
183	2	2	
185	6	6	1	3	1	1	2	2	.	.	.	
204-208	8	3	1	1	1	.	5	3	1	
Rem.																															
140-208	60	37	1	2	2	5	18	8	1	23	1	.	9	11	2
210-239	2	1	1	.	1	1	.	
250	4	2	2	.	2	1	.	1	
Rem.																															
240-279
280-289	1	1	
290-319	3	3	
340	3	2	1	1	.	.	.	1	1	.	
Rem.																															
320-389	16	5	1	.	1	1	.	2	.	11	2	3	6
390-392	1	1	1	.	
393-398	3	3	1	1	1
402-404
401, 403, 405	3	2	1	1	.	.	1	1	.	.
410	137	79	2	16	29	18	58	3	12	27	16
411-414	37	25	5	1	9	7	3	12	7	1	5
428	7	1	1	.	6	1	.	4
Rem.																															
415-429	16	8	1	1	5	1	8	1	1	1	4	1
430-438	59	21	1	.	2	.	3	12	3	38	4	17	17	.
440
Rem.																															
440-459	11	6	1	2	3	.	5	1	.	.	1	2	1
480-486	118	51	1	12	15	23	67	1	.	1	10	14	41
487
490-493	4	2	1	.	.	1	.	2	1	.	1
Rem.																															
460-519	26	12	4	7	1	14	9	1	.
531-533	3	2	2	.	1
571	1	1
Rem.																															
520-579	8	5	2	1	2	3	1	1	1
580-629	8	4	1	2	1	4	1	1	2
630-676
680-739	4	2	1	1	.	2	1	.	.	.	1
741, 742-3
745-747	2	2	.	2	.	2
Rem.																															
740-759	2	1	.	1	.	1	1	.	1	.	1
760-779	2	2	2	.	.	2
780-799	1	1	1	.
800-999	15	6	1	1	1	1	.	1	1	.	9	2	5	2	2
E810-E819
E880-E888	8	8	1	5	2
Rem.																															
E800-E949	4	3	1	.	1	.	1	.	.	1
E950-E959	2	2	1	1
E960-E969
E970-E999	1	1	1

147

[illegible]

ABSTRACT 25. Lisburn: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		857	407	5	.	5	.	3	7	6	12	20	57	135	111	51	450	4	1	.	5	.	1	1	.	8	18	36	66	159	156
001-139	2	2	1	1
151	12	8	1	.	1	3	2	1	4	1	1
153	19	9	2	1	3	2	1	10	2	4	3
154	11	4	2	1	7	2	.	2
157	8	4	1	.	.	2	1	.	4	1	2	.	.	4	.	.
162	46	26	2	3	3	12	5	1	20	2	7	3	8	.	.
174	25	25	3	6	3	5	6	.
180	1	1	1	.	.	.
183	6	6	1	4	1	.
185	17	17	2	4	8	3
204-208	4	3	1	.	1	.	.	.	1	.	1	1
Rem.
140-208	65	38	1	.	.	.	4	9	20	4	27	1	2	2	6	11	5
210-239	3	2	1	.	1	1
250	2	1	1	.	1
Rem.
240-279	2	1	1	.	1	1
280-289	2	2	1	.	1	3
290-319	4	4	1	.
340
Rem.
320-389	16	10	3	1	.	.	1	3	.	6	1	.	1	4	.	.
390-392	3	1	1
393-398	3	1
402, 404	2	1	1
401, 403, 405	5	3
410	164	86	1	.	1	3	14	33	24	10	78	5	14	35	24
411-414	52	28	2	2	6	13	3	2	2	24	4	3	10	7
428	19	6	1	1	2	2	13	1	4	8
Rem.
415-429	25	13	1	1	3	6	2	12	1	3	3	5	.
430-438	76	28	1	.	.	4	8	13	2	48	1	.	.	.	1	1	8	18	19
440	1	1	1
Rem.
440-459	20	12	2	7	3	8	1	4	2
480-486	113	28	1	.	1	2	4	8	12	85	2	1	10	28	44
487	1	1	1
490-493	8	6	1	1	4	.	2
Rem.
460-519	32	18	3	7	7	1	14	2	8	4
531-533	10	5	2	2	1	5	5
571	5	5	1	1	2	.	1
Rem.
520-579	8	3	2	1	5	1	.	.	.	2	2
580-629	16	6	1	.	3	2	10	1	5	4
630-676
680-739	1	1	1
741, 742, 3	1	1	.	1	.	1
745-747
Rem.
740-759	3	1	1	.	.	1	2	1	.	.	1	1
760-779	7	4	4	.	.	4	3	3	.	.	3	3
780-799	5	2	1	.	1	.	3	3
800-999	35	25	1	3	2	3	2	3	7	.	4	10	1	.	1	4	.	1	.	.	3
E810-E819	5	4	1	2	1	.	1
E880-E888	6	4	1	.	1	.	2	2	2
Rem.
E800-E949	12	9	1	1	2	.	1	2	.	3	1	.	1
E950-E959	9	7	1	1	1	1	3	.	2	2	.	.	.
E960-E969	3	1	1	.	.	2	1	1
E970-E999

ABSTRACT 25. North Down: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		772	340	8	.	8	.	3	4	4	8	20	26	104	104	59	432	3	3	.	6	.	2	2	2	5	13	14	78	130	180	
001-139	5	5	1	.	.	1	2	1	
151	8	4	3	1	.	4	
153	12	6	1	2	1	6	
154	5	3	2	1	2	
157	6	3	1	1	3	
162	35	23	1	3	5	10	4	12	1	2	.	3	5	1	.	
174	15	15	
180	1	1	
183	6	6	
185	4	4	1	1	2	6	1	.	.	3	1	1	
204-208	6	5	1	2	1	1	1	
Rem.																																
140-208	73	39	1	.	1	3	9	16	6	2	34	1	.	1	3	8	13	8	
210-239	5	2	1	.	.	1	3
250	2	1	1	1
Rem.																																
240-279	1	1	1
280-289	2	1	1	1
290-319	2	1	1	1	1
340	1	1	1
Rem.																																
320-389	9	3	2	1	.	6	3
390-392
393-398	3	1	2	1
402, 404
401, 403, 405	2	1	1	1	1
410	140	63	1	2	4	4	25	17	10	77	2	19	23	33	
411-414	57	30	3	3	8	10	6	27	4	11	12	
428	10	5	2	2	1	5	2	2	3	
Rem.																																
415-429	8	3	1	.	1	.	1	.	.	5	1	.	.	.	1	.	1	.	1	
430-438	96	33	3	.	8	13	9	63	1	.	.	.	2	2	8	20	31	
440	1	1	1
Rem.																																
440-459	21	11	1	1	4	5	.	10	2	4	4	.
480-486	125	43	1	.	1	.	9	17	15	82	4	9	19	50	.
487
490-493	5	1	4
Rem.																																
460-519	22	10	2	6	2	12
531-533	6	2	1	.	1	4	2	2	.
571
Rem.																																
520-579	20	11	3	6	1	1	9	1	1	3	4	.
580-629	14	7	1	4	2	7	2	2	5	.
630-676</

ABSTRACT 25. Antrim: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		359	192	2	.	2	1	2	1	6	6	13	27	56	50	28	167	.	1	.	1	.	1	.	1	5	3	14	33	51	58	
001-139	
151	1	1	1	
153	7	5	3	1	1	2	1	.	1	.	
154	1	1	1	
157	1	1	1	
162	20	12	6	5	.	1	8	1	.	5	2	
174	7	7	1	.	1	1	2	
180	1	1	1	.	.	
183	2	2	1	
185	1	1	1	
204-208	3	2	1	.	1	1	1	
Rem.	
140-208	30	17	1	4	6	5	1	13	1	.	3	5	1	3
210-239	2	2	1	1	
250	1	1	
Rem.	
240-279	
280-289	
290-319	3	1	2	2	
340	
Rem.	
320-389	6	3	1	.	.	.	2	3	1	.	.	1	.	
390-392	1	1	1	
393-398	1	1	
402, 404	
401, 403, 405	2	1	1	1	
410	76	40	1	1	5	19	12	2	36	3	7	15	10		
411-414	29	19	5	4	7	3	10	1	3	2	4	.	
428	8	1	1	7	1	.	4	2	.	
Rem.	
415-429	2	2	1	.	1	
430-438	40	17	4	7	6	23	1	.	.	5	6	11
440	3	1	1	2	2	
Rem.	
440-459	6	4	1	1	1	1	2	1	1	.	
480-486	43	14	2	1	.	8	3	29	2	3	10	14	
487	1	1	1	
490-493	3	3	1	
Rem.	
460-519	16	12	1	1	6	4	4	3	1	.	
531-533	4	3	1	2	.	.	1	1	
571	1	1	1	
Rem.	
520-579	10	4	2	2	.	6	1	.	.	2	3	
580-629	2	1	1	.	.	1	
630-676	
680-739	1	1	1	
741, 742, 3	
745-747	1	1	.	1	.	1	
Rem.	
740-759	3	3	1	.	.	.	1	1	
760-779	1	1	1	.	.	.	1	
780-799	1	1	
800-999	18	17	1	1	5	3	3	.	1	1	2	1	1	
E810-E819	4	4	1	.	.	2	1	
E880-E888	2	2	1	1	
Rem.	
E800-E949	5	5	3	1	.	1	
E950-E959	4	3	1	.	1	.	.	1	.	.	1	1	
E960-E969	3	3	1	1	1	
E970-E999	

ABSTRACT 25. Ballymena: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		534	257	1	.	.	1	.	2	10	7	3	15	25	66	90	38	277	3	.	.	3	.	1	1	1	6	10	18	51	92	94
001-139
151	3	3	1	1	1	
153	20	12	1	.	2	2	3	3	1	8	4	1	3	.	
154	5	2	1	1	.	3	1	1	.	
157	2	1	1	.	1	
162	15	8	4	3	1	7	2	4	1	.	
174	12	12	1	2	2	2	1	2	.	
180	1	1	1	1	1	.	.	
183	5	5	2	1	1	.	.	
185	8	8	2	3	3	5	2	1	1	.	.	
204-208	2	1	1	1	
Rem.	
140-208	34	18	1	.	1	.	2	2	2	10	.	16	1	1	1	5	5	3	.	
210-239	1	1	
250	1	1	
Rem.	
240-279	1	1	
280-289	
290-319	1	1	
340	
Rem.	
320-389	13	7	1	1	.	.	1	1	2	1	6	1	.	.	.	1	1	2	1	.	
390-392	
393-398	1	1	
402, 404	
401, 403, 405	
410	120	63	5	7	27	18	6	57	5	14	27	11	.	
411-414	42	17	1	6	7	3	25	1	5	6	13	.		
428	8	2	2	6	3	3	3	
Rem.	
415-429	17	6	1	1	.	.	4	.	11	1	.	2	3	2	.	
430-438	57	25	1	6	11	6	.	32	1	1	1	15	15	.	
440	
Rem.	
440-459	16	10	1	1	.	1	3	4	.	6	1	2	2	1	
480-486	61	19	1	.	2	9	7	42	1	2	16	23	.	
487	
490-493	6	4	2	1	.	1	2	1	.	1	.	
Rem.	
460-519	24	16	3	5	5	3	8	3	3	2	.	
531-533	
571	
Rem.	
520-579	13	4	1	2	1	9	1	.	3	4	1	
580-629	10	6	2	4	4	2	2	.	
630-676	
680-739	2	2	2	.	
741, 742, 3	
745-747	
Rem.	
740-759	1	1	1	.	.	1	
760-779	3	3	3	.	.	3	1	.	
780-799	1	1	1	.
800-999	28	23	9	3	1	3	4	.	2	1	5	1	.	1	1	.	.	.	1	.
E810-E819	6	5	4	.	.	.	1	.	.	.	1	1	.	.	.	1	.
E880-E888	7	6	1	.	.	3	.	1	1	1	1	.
Rem.	
E800-E949	3	2	1	.	1	1
E950-E959	7	6	3	.	.	2	.	.	1
E960-E969	2	2	1	1	1	1
E970-E999	3	2	2

152

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
	241	116	1	.	.	1	.	.	.	2	1	9	15	25	47	16	125	1	.	.	.	1	2	5	9	34	33	41
001-139	
151	2	1	1	.	1	1	.	.	
153	8	1	1	.	7	2	.	3	1	1	.	
154	
157	3	2	1	1	.	1	
162	10	8	5	3	.	.	2	1	.	1	.	.	.	
174	3	3	1	.	.	1	.	.	.	
180	
183	6	5	
185	5	5	1	3	1	6	2	3	1	.	.	
204-208	
Rem.	
140-208	23	16	1	1	2	3	3	5	1	7	1	.	1	3	1	1	.	
210-239	1	1	1	.	.	.	1	
250	1	
Rem.	
240-279	
280-289	
290-319	
340	1	1	1	
Rem.	
320-389	2	1	1	1	1	
390-392	
393-398	
402, 404	1	1	.	.																												

ABSTRACT 25. Carrickfergus: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		318	146	2	2	3	4	13	27	37	40	18	172	1	1	2	1	2	6	18	30	56	55
001-139	1	1	1
151	4	3	1	.	1	1	.	1	1	4	
153	6	1	1	.	.	.	5	1	.	
154	2	2	1	1	.	
157	4	1	1	.	3	2	1	1	
162	23	15	1	4	7	3	.	8	1	2	1	1	2	1	.	
174	4	4	2	.	.	
180	
183	
185	6	6	1	2	3	
204-208	4	2	1	.	1	2	1	1	.	.	.	
Rem.	
140-208	23	12	1	.	3	5	3	.	11	1	2	4	4	.	
210-239	1	1	1	.	.	
250	2	1	1	1	1	.	.	.	
Rem.	
240-279	
280-289	
290-319	
340	
Rem.	
320-389	3	1	1	.	2	1	1	.	.	
390-392	
393-398	2	2	1	1	.	
402, 404	
401, 403, 405	
410	68	31	3	9	11	4	4	37	1	5	9	14	8	.	
411-414	21	14	2	3	3	5	1	7	1	1	3	2	.	
428	7	2	2	.	5	5	.	
Rem.	
415-429	3	2	1	.	.	1	.	1	1	.	.	.	
430-438	44	14	2	3	5	2	2	30	1	.	8	11	10	.	
440	2	2	2	
Rem.	
440-459	5	3	3	.	2	
480-486	40	12	1	1	5	5	28	1	1	1	8	18	.	
487	
490-493	2	1	1	1	1	
Rem.	
460-519	11	6	1	.	1	.	3	1	5	2	.	2	1	.	
531-533	3	2	1	.	.	1	.	1	1	
571	1	1	1	
Rem.	
520-579	4	4	2	2	.	
580-629	5	3	3	.	2	2	
630-676	
680-739	
741, 742-3	
745-747	
Rem.	
740-759	
760-779	
780-799	
800-999	17	10	1	2	2	2	.	1	.	2	.	7	1	1	1	1	.	.	1	.	2	
E810-E819	5	5	2	1	2	
E880-E888	4	4	1	.	.	1	.	2	
Rem.	
E800-E949	3	2	1	1	.	1	1	
E950-E959	3	3	1	.	.	.	1	.	1	
E960-E969	2	2	1	.	1	
E970-E999	

ABSTRACT 25. Coleraine: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		512	251	.	1	.	1	.	1	5	2	8	12	33	60	91	38	261	1	3	1	5	.	.	3	1	2	8	20	50	75	97
001-139	1	1
151	7	2	1	.	1	.	5	1	1	1	1	2	
153	11	7	5	2	.	4	2	
154	2	2	
157	8	5	1	1	2	2	3	2	.	1	
162	28	24	2	4	12	5	1	4	2	.	2	.	
174	9	9	1	.	1	.	4	1	
180	
183	2	2	
185	12	12	2	4	
204-208	5	3	1	.	2	.	2	
Rem.	
140-208	45	25	3	2	4	6	7	3	20	1	1	2	5	5	6	
210-239	4	3	1	1	.	.	
250	
Rem.	
240-279	
280-289	1	1	1	
290-319	2	1	1	1	1	.	.	.	
340	
Rem.	
320-389	5	1	1	.	.	.	4	.	.	1	1	.	.	1	.	.	.	1	1	.	.	
390-392	
393-398	1	1	1	
402, 404	2	1	1	1	
401, 403, 405	2	1	1	1	
410	111	54	2	10	13	25	4	57	2	4	17	16	18	
411-414	43	14	1	2	2	7	2	29	4	2	9	14	
428	8	4	4	2	1	1	.	
Rem.	
415-429	7	4	2	1	.	1	.	3	3	.	
430-438	56	20	2	3	11	4	36	2	6	12	16	
440	2	1	1	1	
Rem.	
440-459	16	11	4	5	2	5	1	2	1	1	
480-486	52	15	2	2	4	7	37	.	1	.	1	1	1	1	12	21	
487	1	1	
490-493	3	3	3	
Rem.	
460-519	24	12	3	8	1	12	3	6	3	
531-533	
571	1	1	
Rem.	
520-579	9	5	1	.	.	2	2	.	4	1	.	2	1	.
580-629	2	2	1	.	.	.	1	
630-676	
680-739	5	5	1	1	2	
741, 742, 3	
745-747	2	1	1	1	.	1	.	1	
Rem.	
740-759	
760-779	3	1	.	1	.	1	2	1	1	.	2	
780-799	
800-999	20	17	1	4	2	4	.	2	2	1	1	3	1	.	1	.	1	.	.	.	
E810-E819	4	4	1	.	.	.	1	.	1	1	
E880-E888	6	5	1	1	.	.	1	2	.	.	1	1	
Rem.	
E800-E949	3	3	1	1	.	1	
E950-E959	4	2	2	2	1	.	1	.	.	.	
E960-E969	1	1	1	
E970-E999	2	2	1	.	1	

ABSTRACT 25. Cookstown: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		244	132	2	2	2	6	12	40	51	17	112	3	.	.	3	1	2	9	24	45	28
001-139	.	2	2	.	.	2	1	.	1	.	
151	4	3	1	2	.	2	1	1	.	.	
153	5	2	1	
154	2	1	
157	1	1	1	.	.	.	
162	10	6	1	1	4	4	2	1	1	.	
174	5	5	1	1	2	1	.	
180	
183	1	1	
185	5	5	1	1	3	1	.	.	.	
204-208	1	1	1	
Rem.	
140-208	15	7	1	.	.	1	.	2	3	8	3	1	3	1	
210-239	2	2	1	1	
250	1	1	1	.	.	.	
Rem.	
240-279	
280-289	2	2	1	1	
290-319	1	1	1	
340	
Rem.	
320-389	2	2	1	1	
390-392	1	1	1	.	1	
393-398	
402, 404	1	1	
401, 403, 405	
410	59	38	1	.	.	3	5	16	10	3	21	2	9	7	3	
411-414	14	8	2	4	1	6	1	2	3	.	
428	13	5	1	1	.	2	2	8	1	3	4	
Rem.	
415-429	9	5	1	1	1	1	1	4	1	.	1	.	2	
430-438	23	12	1	.	.	.	4	6	1	11	1	.	2	4	4	
440	3	1	1	2	1	1	.	
Rem.	
440-459	3	2	1	.	1	1	
480-486	22	8	1	6	1	14	11	3	
487	
490-493	2	1	1	1	
Rem.	
460-519	17	8	1	2	5	.	9	3	5	1	
531-533	2	1	1	
571	1	1	1	
Rem.	
520-579	3	2	1	1	.	1	1	
580-629	4	1	1	.	3	1	2	
630-676	
680-739	
741, 742-3	
745-747	1	1	1	.	.	1	
Rem.	
740-759	
760-779	2	2	2	.	.	2	
780-799	2	2	
800-999	5	3	1	.	1	.	.	1	.	2	1	
E810-E819	1	1	1	.	.	.	
E880-E888	
Rem.	
E800-E949	
E950-E959	2	2	1	.	1	
E960-E969	2	1	1	1	.	.	.	
E970-E999	

ABSTRACT 25. Larne: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES																	
		AGED														AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
		295	147	1	.	1	4	6	24	40	52	19	148	1	.	.	.	1	.	.	1	1	.	3	16	28	53	45	
001-139	1	1	1	
151	1	1	
153	10	6	4	2	1	1	.	
154	5	3	2	2	.	.	.	
157	5	2	3	2	1	.	.	
162	10	6	4	2	1	1	.	
174	6	1	1	2	2	.	6	3	2	.	1	.	
180	1	1	1	
183	1	1	1	
185	3	3	2	1	
204-208	3	2	1	.	1	.	1	1	
Rem.	
140-208	36	20	1	4	4	11	.	16	1	2	5	5	3	.	
210-239	3	1	1	.	2	1	.	1	.	.	
250	1	1	1	
Rem.	
240-279	
280-289	1	1	1	
290-319	
340	
Rem.	
320-389	3	2	1	.	.	.	1	1	1	
390-392	
393-398	
402, 404	
401, 403, 405	3	3	1	2	2	7	5	29	1	3	6	15	4	.	
410	57	28	3	1	2	10	4	3	5	2	1	3	1	.	
411-414	16	11	2	4	3	2	.	5	1	3	1	.	
428	2	1	1	1	1	.	.	.	
Rem.	
415-429	5	2	1	.	1	1	3	3	1	1	1	.	
430-438	31	18	3	5	5	5	13	1	1	5	7	.	.	
440	2	1	1	.	1	
Rem.	
440-459	10	2	1	.	.	1	.	8	1	1	2	4	.	
480-486	42	15	1	3	6	5	27	1	1	13	13	.
487	
490-493	3	1	1	2	1	.	1	.	
Rem.	
460-519	14	9	2	3	4	.	5	2	2	1	.	
531-533	3	
571	3	3	2	1	.	.	.	
Rem.	
520-579	1	1	1	
580-629	2	1	1	.	1	1	
630-676	
680-739	1	1	1	.	.	
741, 742.3	
745-747	
Rem.	
740-759	1	1	1	.	.	1	
760-779	
780-799	1	1	
800-999	11	6	1	.	3	1	1	.	5	1	.	.	.	2	.
E810-E819	2	1	1	.	.	1	1	.	.	.	2	.
E880-E888	3	1	1	.	2	2	.
Rem.	
E800-E949	2	2	2
E950-E959	4	2	1	.	1	.	.	.	2	1	1	
E960-E969	
E970-E999	

ABSTRACT 25. Magherafelt: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		265	141	1	.	1	1	1	2	2	3	7	17	32	51	24	124	1	.	.	1	.	2	1	1	.	6	13	23	47	30
001-139
151	2	2	1	1
153	11	6	2	1	3	1	5	1	3	1	.
154	3	1	1	.	.	.	2
157	2	2	2	1	.	.	.	1
162	10	9	4	2	3	.	1	1	.	.	.
174	6	6	1	.	2	2	1	1	.	.
180	6	6
183	6	6	3	3	.	.	.
185	1	1	1
204-208	1	1	1
Rem.
140-208	16	8	2	2	2	2	8	2	.	5	1	.
210-239	4	2	1	.	.	1	2	1	1	2	.
250	3	3	1	.	.	.
Rem.
240-279
280-289	1	1
290-319	2	2	1	.	1	1	.	.
340	1	1	1
Rem.
320-389	5	2	1	1	3	1	1	1	.
390-392	1	1	1	.	.
393-398
402, 404
401, 403, 405
410	68	36	1	3	5	13	10	4	32	2	10	10	10	.
411-414	17	13	2	8	3	4	3	1	1
428	4	2	1	1	2
Rem.
415-429	7	2	1	.	.	.	1	.	5	1	1	1	.	2
430-438	31	13	1	1	7	4	18	1	1	6	4	7
440
Rem.
440-459	9	5	1	.	1	2	1	4	1	3	.	.
480-486	12	6	3	3	6	3	3	.
487
490-493	2	1	1	.	1	1	.	.	.
Rem.
460-519	19	10	3	5	2	9	1	1	.	7	.
531-533	4	3	1	2	.	1	1
571
Rem.
520-579	3	2	1	.	1	.	1	1	.	.
580-629	3	1	1	.	2	1	.	.	1	.
630-676
680-739	1	1	1
741, 742,3	1	1
745-747	1	1	1	.	.	1
Rem.
740-759	1	1	1	.	.	1
760-779
780-799
800-999	7	7	1	2	2	.	1	.	1
E810-E819	2	2	1	1
E880-E888
Rem.
E800-E949	1	1	1
E950-E959	1	1	1
E960-E969	3	3	1	1	.	1
E970-E999

ABSTRACT 25. Moyle: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
	149	81	.	1	.	1	1	1	1	.	2	7	7	18	26	17	68	2	1	.	3	.	.	.	1	1	2	5	14	23	19
001-139	1	1	1
151	2	1	1	.	1
153	2	1	1	1	1
154	1	1	1
157	6	2	2	.	.	4	1	.	1	1	1
162	6	4	1	2	1	.	.	2	1	.	1	.	.
174	3	3	1	2	.	.
180
183
185	5	5	2	2	1
204-208
Rem.
140-208	11	8	1	1	1	1	3	1	3	1	.	1	.	1
210-239	1	1	1
250	1	1	1
Rem.
240-279
280-289	1	1	1
290-319
340	1	1	1
Rem.
320-389
390-392
393-398
402, 404
401, 403, 405	1	1
410	19	11	2	2	3	3	1	8	1	3	3	1	1
411-414	12	6	1	.	2	3	6	1	2	3	3
428
Rem.
415-429	7	4	1	1	.	1	1	.	3	1	1	1	1
430-438	23	11	1	.	2	7	1	12	1	1	.	1	4	5	5
440	1	1	1
Rem.
440-459	5	5	2	1	2
480-486	12	6	1	3	2	6	4	2	2
487	1	1	1
490-493	1	1
Rem.
460-519	5	2	1	.	1	3	2	1	.
531-533
571
Rem.
520-579	5	1	1	4	1	2	1	1
580-629	7	4	1	3	3	2	2	1
630-676
680-739	1	1	1
741, 742-3
745-747	1	1	.	1	.	1
Rem.
740-759	3	1	1	2	2	.	.	2
760-779	1	1	.	1	.	1
780-799	1	1	1
800-999	2	2	1	.	.	1
E810-E819	1	1	1
E880-E888
Rem.
E800-E949	1	1	1
E950-E959
E960-E969
E970-E999

ABSTRACT 25. Newtownabbey: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES															
		AGED														AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		694	328	4	.	1	5	.	.	2	8	7	11	47	96	106	46	366	2	.	.	2	.	.	.	3	6	17	23	78	124
001-139	5	2	1	.	.	1	.	3	2	1	1	
151	8	4	2	2	4	3	2	.
153	17	11	2	2	4	1	2	6	1	2	1	1	2	
154	6	3	2	.	.	1	3	1	2	
157	6	5	2	.	3	.	1	1	.	
162	38	23	2	12	7	2	15	1	1	9	5	3	
174	21	21	1	2	5	5	5	3	.	
180	2	2	1	.	.	
183	5	5	1	1	1	1	1	
185	7	7	3	3	1	1	1	1	1	1	
204-208	3	1	1	.	2	1	
Rem.	
140-208	54	31	1	.	.	2	8	12	4	4	23	2	1	6	10	4
210-239	2	2	1	.	.	1	
250	2	1	1	1	
Rem.	
240-279	1	1	1	
280-289	1	1	1	
290-319	3	2	1	.	.	1	.	1	1	.	
340	2	2	1	.	.	
Rem.	
320-389	6	5	2	3	.	1	1	
390-392	1	
393-398	1	1	1	
402, 404	1	1	1	
401, 403, 405	6	5	1	1	1	2	1	.	1	1	.	
410	128	67	2	3	12	21	26	6	61	1	.	2	3	16	23	16	
411-414	50	31	5	8	6	7	19	2	4	11	
428	9	5	1	4	.	4	3	3	1	
Rem.	
415-429	9	5	1	2	2	.	4	1	3	1	
430-438	74	27	4	11	10	2	47	1	.	9	20	17	
440	3	2	1	1	.	1	1	.	
Rem.	
440-459	13	7	1	3	1	2	6	1	3	1	
480-486	103	35	1	.	.	2	4	18	10	68	1	1	6	22	38	
487	
490-493	7	3	1	1	1	4	1	.	.	1	2	.	
Rem.	
460-519	34	15	1	1	4	5	4	19	1	.	2	8	5	3	
531-533	5	2	1	.	.	1	3	1	1	1	
571	4	1	1	3	1	.	2	.	.	
Rem.	
520-579	16	1	1	15	2	8	5
580-628	13	6	1	3	2	7	1	3	3	
630-676	
680-739	5	3	1	.	1	1	.	.	2	2	.	
741, 742, 3	
745-747	2	1	1	.	.	1	1	1	.	.	.	
Rem.	
740-759	3	2	1	.	1	2	1	1	.	.	1	
760-779	3	2	2	.	.	2	1	1	
780-799	1	1	1	
800-999	15	11	1	5	2	.	1	1	1	.	4	1	.	.	.	2	
E810-E819	1	1	.	2	2	
E880-E888	4	2	
Rem.	
E800-E949	5	5	3	1	.	1	
E950-E959	3	2	1	1	1	1	1	
E960-E969	2	2	1	1	
E970-E999	1	1	1	.	.	

ABSTRACT 25. Armagh: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
	459	228	2	1	1	4	1	1	4	3	.	7	30	61	84	33	231	2	3	1	1	8	14	45	82	75
001-139	3	1	1	.	.	.	2	1	1	.
151	3	1	1	.	.	.	2	1	1	.
153	12	8	4	1	2	.	4	1	1	2	.
154
157	2	1	1	1
162	12	9	7	2	.	3	2	.	.	.
174	5	5	1	2	.	1	1
180
183	1	1
185	7	7	4	3
204-208
Rem.
140-208	29	16	1	1	.	1	2	5	5	1	13	1	2	6	1	3	.
210-239	2	1	1	.	.	1	1
250	1	1	1
Rem.
240-279	2	2	2
280-289	2	2	2
290-319	2	1	1	.	.	1	1
340	1	1
Rem.
320-389	4	1	1	.	3	1	1	.	1	.
390-392
393-398	1	1
402, 404	3	1	1	.	.	.	2	1
401, 403, 405	2	2	1	1
410	114	66	4	11	23	22	6	48	2	16	24	6	6
411-414	24	12	5	4	3	.	12	1	6	4	4
428	17	6	1	2	3	11	1	4	6	6
Rem.
415-429	9	3	3	.	6	1	2	3	3
430-438	67	30	2	7	15	6	37	8	15	14	14
440	2	1	1	1
Rem.
440-459	9	5	2	2	.	1	4	3	1
480-486	55	25	1	.	1	16	7	30	1	8	21	1
487	1	1	1
490-493	3	3	1
Rem.
460-519	25	11	1	5	2	3	14	1	.	2	1	6	4
531-533	1	1
571
Rem.
520-579	9	2	1	1	7	2	2	3
580-629	3	1	1	.	2	1	.	1
630-676
680-739	3	2	2	.	1
741, 742-3	1	1	1
745-747	1	1
Rem.
740-759	1	1	1	.	.	1
760-779	2	2	1	1	.	2
780-799	2	2	2
800-999	16	8	.	.	1	1	.	1	3	2	1	.	8	1	1	1	.	.	2	1	1	1
E810-E819	5	1	.	.	1	1	4	1	1	.	.	.	1	1	.	1
E880-E888	3	1	1	.	2
Rem.
E800-E949	4	3	1	1	1	1	1	.	.	.
E950-E959
E960-E969	4	3	2	1	1	1
E970-E999

ABSTRACT 25. Banbridge: Causes of death at different age-periods, by sex, 1995.

ABSTRACT 25. Craigavon: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		673	336	3	.	1	4	.	1	6	9	11	13	54	88	112	38	337	1	.	.	.	1	1	1	5	1	7	15	36	66	112
001-139	1	1	1
151	6	2	1	1	.	.	4	1	1	.	1	.	1	2
153	14	6	1	1	4	1	8	5	.	2
154	6	5	1	1	1	1	1	1	1
157	3	2	2	.	1	1
162	35	26	1	1	7	9	7	1	9	2	4	1	1	1	1	.
174	16	16	3	4	1	3	2	.	.	.
180	2	2	1	4
183	3	3	1	2
185	9	9	3	6	1
204-208	3	2	2	.	1	1	.	.
Rem.																																
140-208	49	25	1	1	.	.	1	7	8	1	24	1	5	8	9	1	1	.
210-239	5	2	1	1	1	3	1	1
250	2	2	1
Rem.																																
240-279	4	1	1	3	1	1	.	.	1
280-289	2	2	1	.	.	.	1
290-319	4	1	1	3	1	.	1	.	.	.
340
Rem.																																
320-389	9	5	1	.	1	1	1	1	4	1	1	.	.	.	2	.
390-392
393-398	2	2	2
402, 404	1
401, 403, 405	3	3	1	2	.	1	1	.	.
410	139	77	2	.	14	27	27	5	62	5	16	27	14	5	.
411-414	52	26	2	8	10	5	1	26	1	4	5	11	5	9	.
428	28	6	1	3	2	22	1	3	9	.	.	.
Rem.																																
415-429	14	7	1	5	1	7	1	.	3	3	.	.
430-438	67	20	2	4	8	6	47	1	1	10	19	16	1	.
440	3	1	1	.	2	1
Rem.																																
440-459	13	7	2	4	1	6	1	.	.	2	3	.
480-486	56	31	8	10	13	25	1	3	4	17	.	.
487
490-493	5	5	2	.	1	.	2
Rem.																																
460-519	27	10	1	3	6	.	17	3	8	3	3	.	.
531-533	1	1	1
571	1	1	1
Rem.																																
520-579	23	12	1	5	.	5	11	1	.	2	2	6	.
580-629	14	5	2	9	1	.	2	3	3	.
630-676
680-739	3	3	1	2	.
741, 742.3
745-747	1	1	1
Rem.																																
740-759	2	1	1	1	1
760-779	3	3	2	.	1	3
780-799	3	2	1	1	1	.	.
800-999	39	25	5	7	4	.	3	2	3	.	14	1	3	.	.	1	.	1	6	2	.	.
E810-E819	11	7	2	1	.	1	.	1	2	.	4	1	.	1	1	.	.	.
E880-E888	6	6	4	.	2	.
Rem.																																
E800-E949	4	3	1	1	.	.	.	1	.	1	1	.	.
E950-E959	2	2	1	.	.	1
E960-E969	13	11	2	5	2	1	1	.	.	.	2	2
E970-E999	3	2	1	.	.	1	1	1

ABSTRACT 25. Dungannon: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		413	221	3	.	3	.	.	3	7	4	9	14	62	79	40	192	2	.	.	2	1	1	1	.	4	6	12	50	59	56	
001-139	
151	9	4	1	2	1	.	5	1	1	2	1	
153	14	9	3	3	3	5	1	1	2	3	
154	3	1	1	.	.	.	2	1	1	1	.	
157	3	1	2	1	1	1	.	
162	9	8	1	.	.	5	2	.	1	1	1	5	.	
174	10	10	1	1	2	.	1	
180	
183	2	2	
185	8	8	4	3	1	1	.	1	.	.	
204-208	2	1	1	1	
Rem.	
140-208	23	13	2	1	3	5	2	10	1	2	3	2	2	
210-239	6	4	1	2	1	2	1	.	.	1	.	.	
250	2	2	
Rem.	
240-279	1	1	1	
280-289	
290-319	3	1	2	
340	1	1	1	1	1	.	
Rem.	
320-389	3	2	1	1	.	1	1	.	.	
390-392	
393-398	1	1	1	.	.	
402, 404	2	1	1	1	.	.	
401, 403, 405	1	1	1	.	.	
410	75	38	2	5	19	11	1	37	3	15	17	2	
411-414	36	15	1	.	5	7	2	21	1	1	4	6	9	
428	19	12	2	4	4	2	7	1	1	1	5	
Rem.	
415-429	7	4	1	.	1	2	3	1	1	1	1	
430-438	59	29	1	1	1	4	14	8	30	1	.	6	11	12	.	
440	1	1	1	
Rem.	
440-459	6	4	1	2	1	2	1	1	.	
480-486	36	18	3	7	8	18	1	6	11	
487	
490-493	4	4	1	.	1	1	1	
Rem.	
460-519	19	14	1	2	5	6	5	2	1	2	
531-533	3	1	1	.	.	2	1	
571	
Rem.	
520-579	12	6	1	.	1	3	1	6	1	2	3	
580-629	9	5	1	1	3	.	4	1	2	1	
630-676	
680-739	2	2	2	
741, 742-3	2	2	
745-747	
Rem.	
740-759	3	3	2	.	.	2	.	.	.	1
760-779	3	1	1	.	.	1	2	2	
780-799	1	1	
800-999	13	12	3	6	2	.	.	.	1	.	1	1
E810-E819	1	1	1	
E880-E888	
Rem.	
E800-E949	1	1	1	
E950-E959	2	1	1	1	
E960-E969	
E970-E999	9	9	3	5	1	

ABSTRACT 25. Newry & Mourne: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		716	339	4	.	.	4	2	1	9	4	7	12	42	93	122	43	377	2	.	1	3	.	3	4	2	11	14	33	69	121	117
001-139	4	2	1	.	1	2	.	.	1	1	1	.	.	.	
151	12	9	1	.	3	4	1	3	1	.	2	.	.	
153	21	9	1	2	6	12	3	4	4	1	
154	3	2	2	1	1	.	.	
157	12	7	1	3	1	2	5	2	3	.	.	
162	27	15	2	4	4	4	12	1	1	1	6	3	3	.	
174	20	20	4	3	5	3	3	2	.	
180	1	1	1	
183	2	2	1	1	.	.	.	
185	11	11	3	6	2	
204-208	5	3	1	.	1	.	.	.	1	.	2	1	1	
Rem.	
140-208	66	37	1	.	1	4	3	12	12	4	29	1	.	.	3	1	12	9	3	.	
210-239	4	2	1	1	2	1	.	1	.	
250	
Rem.	
240-279	1	1	1	
280-289	2	2	1	.	.	.	1	.	
290-319	2	1	1	1	1	.	
340	2	2	2	
Rem.	
320-389	11	6	1	2	.	.	.	1	2	.	5	1	.	.	.	1	.	1	2	.	
390-392	
393-398	
402, 404	4	3	1	2	1	1	.	.	
401, 403, 405	3	2	2	.	.	.	1	1	.	.	
410	123	66	3	17	21	22	3	57	1	1	8	17	20	10	.	
411-414	37	19	1	1	7	7	3	18	2	5	6	5	5	.	
428	34	15	3	10	2	19	1	9	9	.	
Rem.	
415-429	12	6	3	2	1	6	2	2	2	.	
430-438	97	30	3	8	12	7	67	2	3	11	28	23	.	
440	6	2	1	1	4	4	.	
Rem.	
440-459	13	4	1	3	.	9	1	.	.	.	1	5	2	.	
480-486	74	25	1	.	.	1	.	2	7	4	10	49	1	.	.	3	4	5	36	.	
487	
490-493	3	2	1	1	.	1	1	.	.	.	
Rem.	
460-519	32	22	7	10	5	10	5	4	.	
531-533	3	2	1	.	1	.	1	1	.	.	
571	2	1	1	.	.	1	1	
Rem.	
520-579	13	6	1	3	2	.	7	1	4	2	.	
580-629	9	4	1	3	5	1	3	1	.
630-676	
680-739	1	1	1	.
741, 742, 3	1	1	1	1	.
745-747	
Rem.	
740-759	2	2	1	.	.	1	1	
760-779	5	3	3	.	.	3	2	2	.	.	2	
780-799	2	2	2	
800-999	34	18	1	.	6	2	4	.	1	2	1	1	16	1	3	.	4	1	1	1	2	3	
E810-E819	11	5	3	.	1	.	.	1	.	.	6	1	2	.	2	.	1	.	.	.	
E880-E888	9	3	1	.	.	1	1	.	.	6	1	2	3	.	
Rem.	
E800-E949	4	3	1	1	1	1	1	
E950-E959	5	3	1	1	1	2	2	
E960-E969	2	2	2	
E970-E999	3	2	2	1	1	

ABSTRACT 25. Fermanagh: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES														FEMALES																
		AGED														AGED																
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		556	308	3	1	4	1	3	7	5	9	12	33	54	115	65	248	1	1		2	1		1	2	5	10	17	53	84	73	
001-139	4	2	2	.	.	2	1	1	.	1	
151	5	2	1	.	1	3	1	1	.	.	
153	9	8	2	3	3	1	1	.	.	
154	1	1	1	
157	1	1	1	
162	25	18	1	1	5	7	4	7	1	1	4	.	1	.	
174	10	10	3	2	1	2	1	1	
180	
183	
185	11	11	2	8	1	
204-208	1	1	1	
Rem.	
140-208	30	17	2	1	3	3	6	2	13	1	3	2	3	3	1	
210-239	4	4	
250	2	2	2	
Rem.	
240-279	2	1	1	.	.	.	1	
280-289	
290-319	3	2	1	.	1	1	1	.	.	
340	2	2	1	1	.	.	.	
Rem.	
320-389	9	2	1	1	7	1	.	.	2	3	.
390-392	
393-398	2	2	1	1	
402, 404	
401, 403, 405	2	1	1	.	.	.	1	1	
410	125	71	2	5	11	11	31	11	54	2	12	28	12	
411-414	35	17	2	5	5	5	18	2	4	7	5	
428	22	11	1	9	1	11	2	4	3	8	
Rem.	
415-429	8	3	1	1	.	.	1	.	5	1	.	2	2	
430-438	42	19	6	8	4	23	2	2	11	8	
440	1	1	1	
Rem.	
440-459	20	13	1	.	2	7	3	7	2	3	2	
480-486	65	34	2	3	7	22	31	4	8	19	
487	
490-493	3	1	1	.	.	.	2	1	
Rem.	
460-519	37	22	2	3	14	3	15	1	8	2	4
531-533	1	1	
571	2	2	1	.	1	
Rem.	
520-579	13	5	2	3	.	8	1	2	2	3
580-629	19	11	1	2	5	3	8	2	4	2	.
630-676	
680-739	1	1	
741, 742-3	
745-747	1	1	1	
Rem.	
740-759	4	4	2	1	.	3	1	
760-779	2	1	1	.	.	1	1	.	1	.	1	
780-799	2	2	1	.	1	
800-999	30	20	2	5	4	3	1	1	1	1	2	10	1	2	1	1	.	2	1	2
E810-E819	11	7	1	1	1	2	.	.	1	.	4	1	.	.	.	
E880-E888	3	1	1	2	1	.	1
Rem.	
E800-E949	7	5	1	2	.	.	1	.	.	1	.	2	1	.
E950-E959	5	4	3	1	1
E960-E969	2	1	1	1
E970-E999	2	2	1	.	1

ABSTRACT 25. Limavady: Causes of death at different age-periods, by sex, 1995.

[illegible]

167

Detailed list number	Total M. and F.	MALES															FEMALES																	
		AGED															AGED																	
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over			
832	416	4	1	.	5	4	2	11	8	10	28	61	108	135	44	416	4	.	.	4	1	.	3	5	8	25	47	86	145	92				
001-139	6	4	1	.	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.			
151	9	6	1	.	1	3	1	.	3	1	2	.			
153	16	7	1	2	4	9	1	2	3	2	1	.				
154	6	3	3	3	1	1	1	1	1	.				
157	7	1	1	.	.	.	6	1	2	1	2	1	.				
162	54	31	1	7	7	5	11	.	23	1	5	5	9	2	1	.				
174	21	21	1	1	4	4	6	4	1				
180				
183	4	4	2	2	.	.				
185	15	15	1	6	6	2	4				
204-208	9	5	1	.	.	1	1	2	4	1	.	1	.	1	1	.	.				
Rem.				
140-208	79	46	1	1	2	2	11	15	11	3	33	1	.	.	3	9	8	8	4				
210-239	6	2	1	.	.	1	4	1	.	1	2	.	.				
250				
Rem.				
240-279	6	2	1	.	.	1	.	.	4	2	1	.	1	.	.	.				
280-289	3	1	1	.	2	1	.	1				
290-319	3	1	1	.	.	2	1	.	.	1				
340	2	1	1	.	.	1	1	.	.	1				
Rem.				
320-389	3	2	.	.	.	1	1	1	1	.	.	.				
390-392				
393-398	3	1	1	.	2	1	.	1				
402, 404	1	1	1	.				
401, 403, 405	2	1	1	.	1	1	.				
410	151	81	4	14	28	24	11	70	2	5	10	39	14	.				
411-414	57	31	2	4	11	9	5	26	1	9	9	9	7	.				
428	13	7	5	2	6	1	3	2	.				
Rem.				
415-429	12	7	1	.	.	.	1	2	3	.	5	1	.	1	1	2	.	.				
430-438	95	34	1	2	2	5	20	4	61	1	1	.	11	25	23	.				
440	1	1	1	.				
Rem.				
440-459	15	9	2	5	2	.	6	2	3	1	.				
480-486	76	30	.	1	.	1	2	.	.	.	1	2	6	9	9	46	3	3	20	20				
487				
490-493	16	9	1	2	3	7	4	1	1	1				
Rem.				
460-519	37	21	5	7	8	1	16	2	4	6	4				
531-533	3	2	1	.	.	1	.	1	1				
571	5	5	3	1	.	.				
Rem.				
520-579	15	7	1	3	2	1	.	8	1	1	.	1	3	2				
580-629	21	9	1	5	3	12	1	.	3	5	3				
630-676				
680-739	7	3	1	1	1	.	.	4	3	.				
741, 742.3				
745-747	2	2	1	.	1	.	.	1				
Rem.				
740-759	3	1	1	2				
760-779	4	2	2	.	2	2	2				
780-799	2	30	1	1	1				
800-999	42	30	1	2	7	5	4	6	1	1	1	12				
E810-E819	9	7	.	.	.	1	2	1	1	.	2	2	1	.	1				
E880-E888	8	2	1	.	.	.	1	6	1	.	.	3	1	1				
Rem.				
E800-E949	8	6	2	1	.	.	1	1	.	2	1	1	.	.	.				
E950-E959	8	7	3	2	1	.	1	.	.	.	1	1				
E960-E969	6	5	1	2	1	1	1	.	.	.				
E970-E999	3	3	1	.	1	.	1				

ABSTRACT 25. Omagh: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES															
		AGED															AGED															
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
378	192	2	.	.	2	1	.	5	3	4	8	22	40	73	34	186	1	2	1	1	2	7	21	40	58	53	
001-139	1	1	1	.	.	.	1	1
151	3	2	1	1	.	1	1	1	
153	7	2	1	1	.	.	5	1	
154	3	2	1	.	.	1	1	
157	6	3	1	2	.	.	3	1	
162	9	6	2	1	3	.	3	1	
174	8	8	1	
180	1	1	
183	
185	7	7	1	2	2	2	
204-208	2	2	1	1	
Rem.	
140-208	23	6	1	.	.	.	1	1	3	.	17	2	2	7	3	
210-239	5	3	1	.	2	.	2	1	1	.	
250	1	1	1	
Rem.	
240-279	1	1	1	
280-289	2	1	1	1	1	.	
290-319	1	1	
340	1	1	
Rem.	
320-389	5	3	1	1	1	.	2	1	.	.	
390-392	
393-398	2	2	
402, 404	
401, 403, 405	2	2	
410	85	46	1	2	4	15	19	5	39	5	10	14	
411-414	20	15	2	3	3	2	1	4	5	1	1	2	
428	14	5	4	1	9	2	3	
Rem.	
415-429	9	5	1	.	.	.	4	.	4	1	3	.	.	
430-438	34	13	1	.	.	2	1	7	2	21	2	9	10	
440	2	1	1	1	1	.	.	
Rem.	
440-459	7	6	3	3	.	1	1	.	
480-486	48	21	1	1	8	11	27	2	1	8	
487	2	2	2	
490-493	4	3	1	1	1	1	1	.	
Rem.	
460-519	17	7	3	3	1	10	1	1	2	6	
531-533	2	1	1	1	1	.	.	
571	
Rem.	
520-579	13	9	1	.	2	4	2	4	1	.	2	
580-629	5	3	2	1	2	
630-676	
680-739	3	1	1	.	2	2	
741, 742, 3	
745-747	1	1	1	.	.	1	
Rem.	
740-759	2	1	1	.	.	1	1	1	
760-779	
780-799	1	1	1	
800-999	19	11	1	.	4	2	.	.	2	.	2	.	8	2	1	.	.	1	2	1	.	1	
E810-E819	4	1	1	3	2	1	
E880-E888	4	1	1	.	.	.	3	1	1	.	
Rem.	
E800-E949	5	5	1	.	.	1	2	
E950-E959	4	4	3	.	.	.	1	
E960-E969	
E970-E999	2	2	1	1	.	.	.	

ABSTRACT 25. Strabane: Causes of death at different age-periods, by sex, 1995.

Detailed list number	Total M. and F.	MALES															FEMALES														
		AGED															AGED														
		All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All ages	Under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
		295	150	4	1	1	6	.	7	4	.	8	28	32	45	20	145	1	1	1	2	4	13	28	54	41
001-139	1	1	1
151	3	1	1	2	1
153	10	5	2	3	.	5	2	1	.	.	.	2
154	1	1	1
157	5	3	1	2	.	2	2	.	.	.
162	11	7	1	4	1	1	.	4	3	1	.	.
174	4	4	2	.	1	.	1
180
183	1	1	1	.	.	.
185	2	2	2
204-208	2	1	1	.	1	1	.	.	.
Rem.
140-208	28	15	1	.	.	1	4	6	2	1	13	1	2	4	5	1
210-239	5	3	1	1	1	.	.	2	1	1	.
250
Rem.
240-279	1	1	1	.	.
280-289	1	1	1
290-319
340
Rem.
320-389	2	2	1	.	1
390-392
393-398
402, 404	1	1	1
401, 403, 405
410	63	35	2	8	12	6	7	28	1	8	12	7
411-414	12	6	3	1	2	.	.	6	1	3	1	.
428	13	8	2	.	4	2	5	1	2	1	1	.
Rem.
415-429	4	4	1	1	2
430-438	35	12	1	3	4	4	23	2	1	14	6
440	1	1	1
Rem.
440-459	8	4	4	.	4	2	1	1
480-486	22	5	1	.	3	1	17	1	9	7	.
487	1	1	1
490-493	2	2	1	1
Rem.
460-519	14	8	1	2	3	1	6	2	2	2
531-533	3	2	2	.	1	1
571	2	1	1	.	1	1	.	.	.
Rem.
520-579	8	2	1	1	6	2	4
580-629	7	2	1	1	5	1	.	1	3
630-676
680-739
741, 742-3
745-747	1	1	.	1	.	1
Rem.
740-759	1	1	1	.	.	1
760-779	4	4	3	.	1	4
780-799	2	1	1	.	1	1
800-999	14	9	5	3	.	1	.	.	.	5	2	.
E810-E819	4	4	3	1
E880-E888	1	1	1
Rem.
E800-E849	4	1	1	3	1	.	1	.	.	.	1	.
E950-E959	3	1	1	2
E960-E969	2	2	1	1
E970-E999

ABSTRACT 26. Northern Ireland: Deaths at different age-periods, by District Council Area, 1995.

AREA		TOTAL DEATHS	AGES AT DEATH																									
			Under 1 year	1	2	3	4	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
Northern Ireland	Persons	15,310	169	13	6	7	4	199	27	32	70	102	85	107	125	175	256	443	621	931	1,426	2,166	2,416	2,646	1,997	1,100	386	
	Males	7,482	93	9	4	4	2	112	15	18	53	82	65	77	80	96	149	262	380	571	821	1,219	1,267	1,162	684	294	75	
	Females	7,828	76	4	2	3	2	87	12	14	17	20	20	30	45	79	107	181	241	360	605	947	1,149	1,484	1,313	806	311	
Ards	Persons	651	11	.	.	1	.	12	.	2	.	1	3	5	9	4	17	24	25	35	63	101	103	118	77	31	21	
	Males	318	6	.	.	1	.	7	.	2	.	1	2	4	9	3	10	15	17	20	35	46	60	41	27	15	4	
	Females	333	5	5	1	1	.	1	7	9	8	15	28	55	43	77	50	16	17	
Belfast	Persons	3,237	39	.	1	2	2	44	5	5	12	24	26	26	21	52	49	101	139	215	329	482	479	539	378	235	76	
	Males	1,517	18	.	1	.	.	19	3	1	11	20	18	18	15	30	30	68	81	133	187	264	228	229	107	46	9	
	Females	1,720	21	.	.	2	2	25	2	4	1	4	8	8	6	22	19	33	58	82	142	218	251	310	271	189	67	
Castlereagh.	Persons	656	6	.	.	1	.	7	.	2	2	.	2	2	4	5	9	17	22	22	63	105	102	122	99	55	16	
	Males	322	5	.	.	1	.	6	.	1	2	.	2	2	1	2	5	11	14	16	33	69	48	55	39	13	3	
	Females	334	1	1	.	1	3	3	4	6	8	6	30	36	54	67	60	42	13	
Down	Persons	637	7	1	1	.	1	10	.	1	2	3	5	3	8	5	14	25	19	26	53	79	96	117	104	51	16	
	Males	311	5	1	1	.	1	8	.	1	2	3	3	1	4	1	8	16	15	19	33	51	41	44	39	18	4	
	Females	326	2	2	2	2	4	4	6	9	4	7	20	28	55	73	65	33	12	
Lisburn	Persons	857	10	10	2	2	5	3	2	4	8	12	14	24	38	55	91	110	132	138	127	57	23	
	Males	407	5	5	1	2	4	3	2	4	6	6	14	27	30	58	77	57	54	38	10	3		
	Females	450	5	5	1	.	1	.	.	.	2	6	8	10	11	25	33	33	75	84	89	47	20	
North Down	Persons	772	14	14	4	1	.	6	1	5	4	9	11	22	15	25	78	104	100	134	132	83	24	
	Males	340	8	8	2	1	.	4	.	4	3	5	7	13	10	16	48	56	54	50	35	20	4	
	Females	432	6	6	2	.	.	2	1	1	1	4	4	9	5	9	30	48	46	84	97	63	20	
Antrim	Persons	359	3	1	.	.	.	4	2	1	.	1	3	4	7	4	7	9	16	25	33	56	47	54	47	30	9	
	Males	192	2	1	.	.	.	3	1	1	.	1	3	3	4	2	6	7	10	17	19	37	22	28	18	7	3	
	Females	167	1	1	1	1	3	2	1	2	6	8	14	19	25	26	29	23	6	
Ballymena	Persons	534	4	4	1	2	3	8	2	6	2	7	10	15	17	26	45	72	79	103	74	45	13	
	Males	257	1	1	1	1	3	7	2	5	.	3	5	10	7	18	23	43	42	48	23	12	3	
	Females	277	3	3	.	1	.	1	.	1	2	4	5	5	10	8	22	29	37	55	51	33	10	
Ballymoney	Persons	241	2	2	2	2	1	4	10	8	16	19	40	41	39	33	21	3	
	Males	116	1	1	2	.	1	4	5	6	9	6	19	25	22	11	5	.	
	Females	125	1	1	2	.	.	5	2	7	13	21	16	17	22	16	3	
Carrickfergus	Persons	318	.	.	.	1	.	1	2	1	3	1	1	3	5	1	6	13	20	25	18	49	50	46	41	26	6	
	Males	146	1	1	2	.	1	2	3	1	4	9	13	14	10	27	22	18	9	.	.	
	Females	172	.	.	.	1	.	1	1	.	1	1	.	1	2	.	2	4	7	11	8	22	28	28	32	17	6	
Coleraine	Persons	512	6	6	.	1	6	2	1	2	6	4	7	13	27	26	35	75	92	74	88	34	13	
	Males	251	1	1	.	1	4	1	1	1	5	3	3	9	16	17	22	38	58	33	29	8	1	
	Females	261	5	5	.	.	2	1	.	1	1	1	4	4	11	9	13	37	34	41	59	26	12	
Cookstown	Persons	244	3	3	.	.	.	2	1	1	3	.	4	4	8	13	27	37	47	49	23	14	8	
	Males	132	2	1	1	2	.	3	3	3	9	17	23	29	22	7	8	2	
	Females	112	3	3	1	.	1	1	5	4	10	14	18	27	16	6	6	

ABSTRACT 26 (continued). Northern Ireland: Deaths at different age-periods, by District Council Area, 1995.

AREA		TOTAL DEATHS	AGES AT DEATH																								
			Under 1 year	1	2	3	4	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over
Larne	Persons	295	1	1	.	1	.	1	2	.	1	3	3	6	15	25	34	34	53	52	37	18	9
	Males	147	1	.	1	.	1	3	3	3	10	14	23	17	28	24	12	4	3	
	Females	148	1	1	.	.	.	1	1	3	5	11	11	17	25	28	25	14	6
Magherafelt	Persons	265	2	1	.	.	.	3	1	2	.	3	1	2	1	2	4	9	13	17	21	34	46	52	35	13	6
	Males	141	1	1	.	.	.	2	.	1	.	2	1	1	1	2	2	5	9	8	15	17	25	26	16	6	2
	Females	124	1	1	1	1	.	1	.	1	.	.	2	4	4	9	6	17	21	26	19	7	4
Moyle	Persons	149	4	.	.	1	.	5	1	.	1	.	.	1	1	2	2	7	5	7	13	19	31	18	23	10	3
	Males	81	1	.	.	1	.	2	1	.	1	2	2	5	3	4	8	10	16	10	12	4	1
	Females	68	3	3	1	1	.	.	2	2	3	5	9	15	8	11	6	2
Newtownabbey	Persons	694	7	7	.	.	.	2	6	5	4	9	10	18	20	50	73	101	117	113	90	47	22
	Males	328	5	5	.	.	.	2	5	3	2	5	2	9	11	36	35	61	61	45	32	13	1
	Females	366	2	2	1	2	2	4	8	9	9	14	38	40	56	68	58	34	21
Armagh	Persons	459	4	.	.	.	1	5	1	2	5	2	3	1	.	1	5	10	19	25	42	64	72	94	60	37	11
	Males	228	4	.	.	.	1	5	1	.	3	1	2	1	.	.	3	4	12	18	27	34	40	44	18	13	2
	Females	231	2	2	1	1	.	.	1	2	6	7	7	15	30	32	50	42	24	9
Banbridge	Persons	321	1	1	1	1	1	2	2	4	4	.	6	7	14	16	26	49	65	57	40	17	8
	Males	159	1	1	1	.	.	2	2	3	4	.	2	3	9	8	15	29	33	25	13	8	1
	Females	162	1	1	.	.	1	.	.	4	4	5	8	11	20	32	32	27	9	7
Craigavon	Persons	673	5	1	.	.	.	6	1	1	4	7	7	3	5	13	16	12	39	51	64	90	109	115	71	41	18
	Males	336	4	4	1	.	1	5	6	3	5	6	9	4	27	37	51	61	51	26	7	5	
	Females	337	1	1	.	.	.	2	.	1	3	2	1	.	.	7	7	8	12	24	27	39	48	64	45	34	13
Dungannon	Persons	413	5	1	.	.	.	6	1	.	1	3	3	4	2	6	5	10	6	20	36	76	56	82	59	29	8
	Males	221	3	3	.	.	.	3	3	4	1	3	3	6	3	11	18	44	34	45	29	8	3
	Females	192	2	1	.	.	.	3	1	.	1	.	.	.	1	3	2	4	3	9	18	32	22	37	30	21	5
Newry & Mourne	Persons	716	7	2	.	.	.	9	1	3	6	7	.	6	7	11	9	17	26	49	63	99	108	135	86	57	17
	Males	339	4	2	.	.	.	6	.	1	4	5	.	4	1	6	5	7	15	27	39	54	71	51	30	11	2
	Females	377	3	3	1	2	2	2	.	2	6	5	4	10	11	22	24	45	37	84	56	46	15
Fermanagh	Persons	556	6	2	.	.	.	8	2	1	4	4	2	5	7	7	9	13	20	30	39	68	93	106	81	42	15
	Males	308	4	1	.	.	.	5	2	1	4	3	1	4	6	3	6	6	13	20	21	33	54	61	45	16	4
	Females	248	2	1	.	.	.	3	.	.	.	1	1	1	1	4	3	7	7	10	18	35	39	45	36	26	11
Limavady	Persons	246	5	1	1	.	.	7	.	.	3	4	.	3	2	3	4	8	12	18	17	32	40	37	28	24	4
	Males	127	1	1	.	.	.	2	.	.	2	4	.	1	1	1	2	5	7	11	11	20	24	17	9	8	2
	Females	119	4	.	1	.	.	5	.	.	1	.	.	2	1	2	2	3	5	7	6	12	16	20	19	16	2
Derry	Persons	832	9	2	2	1	.	14	.	2	6	8	6	7	9	9	20	33	45	63	90	104	148	132	78	45	13
	Males	416	5	2	1	1	.	9	.	2	5	6	4	4	5	5	13	15	23	38	50	58	79	56	27	13	4
	Females	416	4	.	1	.	.	5	.	.	1	2	2	3	4	4	7	18	22	25	40	46	69	76	51	32	9
Omagh	Persons	378	2	1	1	.	.	4	1	1	4	2	4	.	2	4	6	9	19	24	28	52	53	78	51	23	13
	Males	192	2	.	1	.	.	3	.	.	3	2	3	.	1	3	2	6	10	12	16	24	30	43	21	7	6
	Females	186	.	1	.	.	.	1	1	1	1	.	1	.	1	1	4	3	9	12	12	28	23	35	30	16	7
Strabane	Persons	295	6	6	1	.	2	6	2	3	1	1	5	7	14	27	26	34	57	42	35	15	11
	Males	150	6	6	.	.	2	5	2	2	.	.	4	4	9	19	15	17	25	20	12	5	3
	Females	145	1	.	.	1	.	1	1	1	1	3	5	8	11	17	32	22	23	10	8

ABSTRACT 27. Northern Ireland: Deaths from violent causes, by nature of injury, external cause and sex, 1995.

Detailed list No.	NATURE OF INJURY	TOTAL	EXTERNAL CAUSE OF INJURY												
			E810-E825, Motor vehicle accidents	E880-E887, Other transport accidents	E850-E869, Accidental poisoning	E880-E888, Accidental falls	E890-E899, Accidents caused by fire and flames	E910, Accidental drowning and submersion	E922, Accidents caused by firearm missiles	E916-E921, E923-E928, Accidents, including those of industrial type	Rem. E870-E949, All other accidents	E950-E959, Suicide and self-inflicted injury	E960-E978, Homicide and injury purposely inflicted by other persons; legal intervention	E980-E989, Injury undetermined whether accidentally or purposely inflicted	E990-E999, Injury resulting from operations of war
800-804	Fracture of skull. M	47	18	1	.	17	.	.	.	1	.	1	8	1	.
	F	13	6	.	.	4	1	2	.	.
805-809	Fracture of spine and trunk M	19	10	2	.	7
	F	9	2	.	.	6	1	.	.
810-829	Fracture of limbs M	11	1	.	.	10
	F	49	1	.	.	48
830-839	Dislocation without fracture M
	F	1	1
840-848	Sprains and strains of joints and adjacent muscles M
	F
850-854	Intracranial injury, excluding those with skull fracture M	44	20	1	.	13	.	.	.	2	.	2	5	1	.
	F	19	8	.	.	9	2	.	.
860-869	Internal injury of chest, abdomen and pelvis M	64	45	1	.	4	.	.	.	4	2	3	5	.	.
	F	26	17	.	.	2	1	.	6	.	.
870-897	Open wounds M	102	3	1	.	12	83	3	.
	F	7	.	.	.	1	1	5	.	.
910-929	Superficial injury, contusion with intact skin surface, crushing injury M	1	1
	F	1	1
930-939	Effects of foreign body entering through orifice M	8	8
	F	7	7
940-949	Burns M	4	4
	F	4	3	1	.
960-979	Poisoning by drugs, medicaments and biological substances M	25	.	.	10	12	.	3	.
	F	20	.	.	3	15	.	2	.
900-909	All other and unspecified injury and effects of external cause. M	134	8	5	13	3	7	13	1	3	10	61	4	6	.
950-959															
980-999		48	3	.	3	1	4	5	.	1	6	14	4	7	.
TOTAL M		459	102	10	23	54	11	13	4	12	20	91	105	14	.
F		204	38	.	6	71	7	5	.	1	15	31	20	10	.

**ABSTRACT 28. Northern Ireland: Deaths from non-transport accidents (E850-E928)
by age and sex, (a) by place of occurrence, (b) while working, 1995.**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E850-E866: Accidental poisoning by drugs, medicaments, biologicals and other solid and liquid substances														
All ages	18	6	7	3	5	.	6	3	.	.
0—
5—	1	.	1
15—	9	1	2	1	3	.	4	.	.	.
45—	5	3	4	1	1	2	.	.
65—	2	1	1	1	1	.	.
75 and over	2	2
E867-E869: Accidental poisoning by gases and vapours														
All ages	5	.	4	1
0—
5—
15—	3	.	2	1
45—	1	.	1
65—	1	.	1
75 and over
E880-E888: Accidental falls														
All ages	54	71	20	14	.	.	3	.	15	10	16	47	1	.
0—
5—	1	1
15—	10	3	4	1	.	.	2	.	3	2	1	.	1	.
45—	18	3	7	2	.	.	1	.	6	.	4	1	.	.
65—	9	10	5	3	2	1	2	6	.	.
75 and over	16	55	4	8	3	7	9	40	.	.
E890-E899: Accidents caused by fire and flames														
All ages	11	7	10	7	1
0—
5—	1	.	1
15—	5	4	4	4	1
45—	1	.	1
65—	1	.	1
75 and over	3	3	3	3
E910: Accidental drowning														
All ages	13	5	1	2	.	.	.	1	11	2	1	.	.	.
0—	3	.	1	1	.	1	.	.	.
5—	1
15—	9	1	1	9	1
45—
65—	1	1
75 and over	3	.	2	1
E911-E912: Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation														
All ages	8	7	3	5	2	2	3	.	.	.
0—	1	.	1
5—
15—	1	1	.	.	.
45—	4	2	1	2	1	.	2	.	.	.
65—	2	.	1	1
75 and over	3	2	2	1	1	1

**ABSTRACT 28 (continued). Northern Ireland: Deaths from non-transport accidents (E850-E928)
by age and sex, (a) by place of occurrence, (b) while working, 1995.**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E913: Accidental mechanical suffocation														
All ages	2	1	2	1
0—
5—	2	.	2
15—
45—
65—	1	.	1
75 and over
E916: Struck accidentally by falling object														
All ages	3	.	1	1	.	1	.	1	.
0—
5—	1	.	1
15—	1	1	.	.	.	1	.
45—	1	1	.	.	.
65—
75 and over
E922: Accidents caused by firearm missiles														
All ages	4	.	2	.	.	.	1	.	1
0—
5—
15—	3	.	1	.	.	.	1	.	1
45—
65—
75 and over	1	.	1
E919-E921, E923-E925: Accidents caused by machinery, cutting or piercing instruments or objects, explosion of pressure vessel, caustic or corrosive material and steam, or electric current														
All ages	7	.	4	.	.	.	1	.	1	.	1	.	1	.
0—
5—
15—	6	.	3	.	.	.	1	.	1	.	1	.	1	.
45—	1	.	1
65—
75 and over
Remainder E850-E928: All other and unspecified accidents, excluding late effects. (E929)														
All ages	11	8	2	3	9	4	.	1	.	.
0—
5—
15—	2	1	2	1
45—	2	1	1	1	.	.	1	.	.
65—	2	4	.	2	2	2
75 and over	5	2	1	1	4	1
E850-E928: Total non-transport accidents														
All ages	136	105	56	35	.	.	5	1	47	18	28	51	3	.
0—	3	1	1	1	1	.	1	.	.	.
5—	5	2	4	1	.	.	.	1	1
15—	49	10	16	6	.	.	4	.	22	4	7	.	3	.
45—	33	9	16	5	.	.	1	.	8	.	8	4	.	.
65—	16	18	8	7	5	4	3	7	.	.
75 and over	30	65	11	15	10	10	9	40	.	.

ABSTRACT 29. Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1995.

Detailed List No.	Sites	Ards		Belfast		Castlereagh		Down		Lisburn		North Down		Antrim		Ballymena		Ballymoney		Carrickfergus		Coleraine		Cookstown		Larne		Magherafelt	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
140	Lip, oral cavity and pharynx																												
141	Lip			5	1			1	1		1			1				1				1				1	1		
142	Tongue																												
143	Salivary glands																	1											
144	Gum																												
145	Floor of mouth																												
146	Other and unspecified parts of mouth				1							1																	
147	Oropharynx			3		1																							
148	Nasopharynx																							1					
149	Hypopharynx							1														2							
149	Other and ill-defined sites within the lip, oral cavity and pharynx	1		2	1																								
150	Digestive organs and peritoneum																												
151	Oesophagus		6	19	12	8		5	2	3	1	3	2		3	2	2	3		1	2	5	2		1	3	1		2
152	Stomach	4	4	24	13	6	4	1	5	8	4	4	4	1		3		1	1	3	1	2	5	2	2	1		2	
153	Small intestine, including duodenum													1	2							1							
154	Colon	4	8	31	43	8	6	7	4	9	10	6	6	5	2	12	8	1	7	1	5	7	4	3	2	6	4	6	5
155	Rectum, rectosigmoid junction and anus	1	2	11	10	3	3		3	4	7	3	2	1		2	3			2	2	2		2		3	2	1	2
156	Liver and intrahepatic bile ducts	2	2	9	5	2		2	2	3	2	2		1				1	1		2	1				1		1	1
157	Gallbladder and extrahepatic bile ducts	2		1	1		1	1			1																		
158	Pancreas	1	3	18	15	2	6	2	1	4	4	3	3	1		1	1	2	1	1	3	5	3		1	2	3	2	
159	Retroperitoneum and peritoneum			2																									
159	Other and ill-defined sites within the digestive organs and peritoneum	2	3	11	6	3		1	3	2	1	1	1	2		3	1			2	1					1	1	1	2
160	Respiratory and intrathoracic organs																												
161	Nasal cavities, middle ear and accessory sinuses					1	1																						
162	Larynx	1		7					1																				
163	Trachea, bronchus and lung	29	10	122	79	15	15	18	9	26	20	23	12	12	8	8	7	8	2	15	8	24	4	6	4	6	4	9	1
164	Pleura	1		10	1	2				2		3			1					2		1				2			
165	Thymus, heart and mediastinum	1		2	1										1														
165	Other and ill-defined sites within the respiratory system and intrathoracic organs																												
170	Bone, connective tissue, skin and breast																												
171	Bone and articular cartilage			1	2					1						1	1							1		1			
172	Connective and other soft tissue		1	1	1		1			1		1			1														
173	Melanoma of skin	2			4	1	1				1	1	1				1				2	1							
174	Skin (other than melanoma)			1																						1	1		
175	Female breast		15		70		12		9		25		15		7		12		3		4		9		5		6		6
175	Male breast					1						1																	
179	Genitourinary organs																												
180	Uterus, part unspecified				2		2				1				1		1		1			1							
181	Cervix uteri		1		5		1		1		1		1		1		1									1			
182	Placenta																												
183	Body of uterus				3				1						2												1		
184	Ovary and other uterine adnexa		12		21		2		6		6		6		2		5		6			2		1		1			6
185	Other and unspecified female genital organs				3		1						3		1											1		1	
186	Prostate	7		38		6		9		17		4		1		8		5		6		12		5		3		1	
187	Testis			1										1															
188	Penis and other male genital organs			1						1						1													
189	Bladder	6		19	9	3	3	3		3	2	6	2	1		3	1			1		2	1	1	1	3	3		
189	Kidney and other and unspecified urinary organs	1		8	7	1	2	3		5	2	5	1	2	1	1	1		1	3	1	1	1			3			
190	Other and unspecified sites																												
191	Eye			1																									
192	Brain	1	3	11	9	2	2	1				1	4	2		1	1	4			2	2	1			2	1	1	
193	Other and unspecified parts of nervous system																												
194	Thyroid gland								1					1		1													
195	Other endocrine glands and related structures			1						1		1																	
196	Other and ill-defined sites		1	3	4		1			1		1			1	1				1									
197	Lymph nodes (secondary and unspecified)																												
198	Respiratory and digestive systems (secondary)									1																			
199	Other specified sites (secondary)				1			1																					
199	Unspecified sites	4	4	15	26	7	5	5	3	6	6	10	12	3	3	2	1	5	2	3	1	6	6	2	3	2	5	3	3
200	Lymphatic and haematopoietic tissue																												
201	Lymphosarcoma and reticulosarcoma									1												1	1		1				
202	Hodgkins Disease	1		1				1		1			1				1										1		
203	Lymphoid and histiocytic tissue	5		9	6	2		3	4	4	6	1				3				1		1	2		1	1	1		
204	Multiple myeloma and immunoproliferative		2	5	2	3	3	5		1	2	2	2	1		2	1	1	1		1		1	1					
205	Lymphoid leukaemia	2		3	1		1	2	1			2		1						1		1							
206	Myeloid leukaemia	2	1	1	3	3	3	1		3	1	2	1							1	2	2	1			2			
207	Monocytic leukaemia																												
208	Other specified leukaemia																												
208	Leukaemia of unspecified cell type						1					1		1	1		1										1		
TOTAL		80	78	397	369	80	77	72	58	109	105	87	84	40	34														

*Including Hodgkins Disease and Leukaemia (201, 204-208).

ABSTRACT 29 (continued). Northern Ireland: Deaths from cancer* in each of the District Council Areas by sex and site, 1995.

Detailed List No.	Site	Moyle		Newtown-abbey		Armagh		Banbridge		Craigavon		Dungannon		Newry and Mourne		Fermanagh		Limavady		Derry		Omagh		Strabane		Northern Ireland	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
140	Lip, oral cavity and pharynx																										
141	Lip				1						1			1												2	
142	Tongue			1																2						10	8
143	Salivary glands				1																						2
144	Gum													1			1										1
145	Floor of mouth																								2		1
146	Other and unspecified parts of mouth																										1
147	Oropharynx							1												1						6	1
148	Nasopharynx									1						1							1			3	1
149	Hypopharynx																									1	2
	Other and ill-defined sites within the lip, oral cavity and pharynx					1								1												5	1
150	Digestive organs and peritoneum																										
151	Oesophagus			2			1	2	1	2	1	1		4	3	3		1	1	6	4		1	1	2	74	50
152	Stomach	1	1	4	4	1	2			2	4	4	5	9	3	2	3	5	6	3	2	1	1	2	3	99	71
153	Small intestine, including duodenum			1						2																	3
154	Colon	1	1	11	6	8	4	6	3	6	8	9	5	9	12	8	1	3	7	9	2	5	5	5	5	181	173
155	Rectum, rectosigmoid junction and anus	1		3	3				1	5	1	1	2	2	1	1			3	3	2	1		1	1	51	49
156	Liver and intrahepatic bile ducts	1		2	1	3		2	1	4	1					1		1	1			3	3	1	41	25	9
157	Gallbladder and extrahepatic bile ducts			2	1		1		1	1				1					1							8	
158	Pancreas	2	4	5	1	1	1	1	1	2	1	1	2	7	5	1		3	1	6	3	3	3	2	70	73	
159	Retroperitoneum and peritoneum			2										1												5	
	Other and ill-defined sites within the digestive organs and peritoneum			1	2	1	1	1	2	2	3		1			1	1	1		4	1	1	2		2	38	37
160	Respiratory and intrathoracic organs													1													
161	Nasal cavities, middle ear and accessory sinuses													2													2
162	Larynx	1			1		1			1										4						17	3
163	Trachea, bronchus and lung	4	2	23	15	9	3	12	4	26	9	8	1	15	12	18	7	3	3	31	23	6	3	7	4	483	269
164	Pleura			2														1		1						27	2
165	Thymus, heart and mediastinum																			1						4	2
	Other and ill-defined sites within the respiratory system and intrathoracic organs																										
170	Bone, connective tissue, skin and breast																										
171	Bone and articular cartilage														1					1						6	4
172	Connective and other soft tissue												1	2	1		1		1	2	1					6	15
173	Melanoma of skin				1							1														8	9
174	Skin (other than melanoma)						1	1																		3	4
175	Female breast		3		21		5		10		16		10		20		10		1		21		8		4		327
	Male breast																									2	
179	Genitourinary organs																										
180	Uterus, part unspecified		1										2		3		1				2			1			19
181	Cervix uteri				2								2		1								1				19
182	Placenta																										
183	Body of uterus												1														9
184	Ovary and other uterine adnexa				5		1		3		3		2		2				3		4				1		100
185	Other and unspecified female genital organs						1															1					13
186	Prostate	5		7		7		5		9		8		11		11		7		15		7		2		216	
187	Testis			1																1						4	
188	Penis and other male genital organs																						1			4	
189	Bladder	1		5	1	1		1	3	1	5		4	1	1	1	1	1	3	2				3		75	32
	Kidney and other and unspecified urinary organs	1		1		3		1		1	1		2	1	2	2	2	2	2	2	1	1	1	1	1	50	24
190	Other and unspecified sites																										
191	Eye																										3
192	Brain	1		1	2		1		2	1		1		1	2	2	1	3		5	1	1	3	1		45	35
193	Other and unspecified parts of nervous system																										
194	Thyroid gland	1														1				1	1						5
195	Other endocrine glands and related structures																										2
196	Other and ill-defined sites		1	1	1						1										1						7
197	Lymph nodes (secondary and unspecified)																										1
198	Respiratory and digestive systems (secondary)													1						1							3
199	Other specified sites (secondary)																										2
	Unspecified sites	1	1	4	6	1	2	2	3	8	7	1	1	11	5	4	2		1	4	10	2	4	3	1	114	123
200	Lymphatic and haematopoietic tissue																										
201	Lymphosarcoma and reticulosarcoma					1						1		1									1			6	2
202	Hodgkins Disease																									5	3
203	Lymphoid and histiocytic tissue	1		3	3	3	1	2	2	3		1	2	3	2	1		3	5	3	2		1	1	1	55	38
204	Multiple myeloma and immunoproliferative			4	1	1	4		1	1	2	1	1	2	8		3	2	1	3	1		1	1		36	37
205	Lymphoid leukaemia									1			1												1	19	6
206	Myeloid leukaemia			1	2				1	1					2	1				3	4		1			25	21
207	Monocytic leukaemia																										
208	Other specified leukaemia																										
	Leukaemia of unspecified cell type										1			1						2							7
	TOTAL	22	14	85	82	42	29	37	38	77	69	45	38	93	87	59	34	33	21	114	106	30	39	34	33	1,841	1,650

*See page 180.

**ABSTRACT 30. Northern Ireland: Deaths of all children under one year
in each District Council Area, 1995.**

AREA		Total	Under 1 day	1-6 days	1-3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland	M	93	36	18	17	6	4	4	2	.	.	3	2	.	1	.
	F	76	38	11	11	5	1	3	4	.	2	.	1	.	.	.
Ards	M	6	2	3	.	1
	F	5	5
Belfast	M	18	5	4	2	1	.	3	1	.	.	1	1	.	.	.
	F	21	14	1	4	.	.	.	1	.	.	.	1	.	.	.
Castlereagh	M	5	.	1	1	.	2	.	1
	F	1	.	.	.	1
Down	M	5	1	1	2	1
	F	2	1	1
Lisburn	M	5	2	2	1
	F	5	1	2	1	.	1
North Down	M	8	4	3	1	.	.	1	2
	F	6	2	1
Antrim	M	2	.	.	2
	F	1	1
Ballymena	M	1	1
	F	3	1	.	2
Ballymoney	M	1	1
	F	1	1
Carrickfergus	M
	F
Coleraine	M	1	.	.	.	1
	F	5	.	.	1	1	.	1	1	.	1
Cookstown	M
	F	3	2	1
Larne	M
	F	1	1
Magherafelt	M	1	.	1
	F	1	1
Moyle	M	1	1
	F	3	1	.	1	1
Newtownabbey	M	5	2	2	1
	F	2	.	1	1
Armagh	M	4	2	.	.	.	1	1	.	.	.
	F
Banbridge	M	1	.	.	1
	F
Craigavon	M	4	2	.	1	1
	F	1	1
Dungannon	M	3	3
	F	2	2
Newry and Mourne	M	4	3	.	1
	F	3	2	1
Fermanagh	M	4	2	.	1	1
	F	2	.	1	.	1
Limavady	M	1	1
	F	4	1	2	.	1
Derry	M	5	1	.	3	.	.	1
	F	4	2	1	1
Omagh	M	2	2
	F
Strabane	M	6	2	1	1	1	1	.
	F

**ABSTRACT 31. Northern Ireland: Deaths of children born outside marriage under one year
in each District Council Area, 1995.**

AREA		Total	Under 1 day	1-6 days	1-3 wks.	4 wks.	2 mths.	3 mths.	4 mths.	5 mths.	6 mths.	7 mths.	8 mths.	9 mths.	10 mths.	11 mths.
Northern Ireland	M	19	6	4	4	2		2	1							
	F	15	8		2	3	1		1							
Ards	M	1				1										
	F															
Belfast	M	5	2	1				1	1							
	F	7	5		1				1							
Castlereagh	M															
	F															
Down	M	1			1											
	F															
Lisburn	M	2	2													
	F	2			1		1									
North Down	M	1		1												
	F															
Antrim	M															
	F															
Ballymena	M															
	F	1	1													
Ballymoney	M															
	F															
Carrickfergus	M															
	F															
Coleraine	M															
	F	1				1										
Cookstown	M															
	F															
Larne	M															
	F															
Magherafelt	M															
	F															
Moyle	M															
	F															
Newtownabbey	M	2	1	1												
	F															
Armagh	M															
	F															
Banbridge	M	1			1											
	F															
Craigavon	M															
	F															
Dungannon	M															
	F	1	1													
Newry and Mourne	M															
	F															
Fermanagh	M															
	F	1				1										
Limavady	M															
	F	1				1										
Derry	M	3			2			1								
	F	1	1													
Omagh	M															
	F															
Strabane	M	3	1	1		1										
	F															

ABSTRACT 32. Northern Ireland: Infant mortality by cause, age and sex, 1995.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS								Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of infants born outside marriage	
			Under 1 day	1	2	3	4	5	6	1		2	3	1		2	3	4	5	6	7	8	9	10	11	No.		Rate per 10,000 live births outside marriage	
	ALL CAUSES	93 76	36 38	7 2	3 1	5 2	2 2	2 3	1 1	54 49	7 7	7 2	3 2	71 60	6 5	4 1	4 3	2 4	. 2	3 2	2 1	. 1	. .	75 66	19 15	67 57			
009	Ill-defined intestinal infections	M F		
013	Tuberculosis of meninges and central nervous system	M F		
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M F		
010-012, 015-018	Other tuberculosis diseases	M F		
032	Diphtheria	M F		
033	Whooping cough	M F		
034-1	Scarlet fever	M F		
036	Meningococcal infection	M F	1 1	1 1	.	1 1	1 1	1 1	1 1	4 .		
045	Acute poliomyelitis.	M F		
055	Measles	M F		
090-097	Syphilis	M F		
317-319	Mental retardation	M F		
320-322	Meningitis	M F	1 1	1 1	.	.	.	1 1	.	.		
466-0 and 490-491	Bronchitis	M F		
480-486	Pneumonia	M F	2 1	1 1	1 1	2 1	2 1	7 .		
487	Influenza	M F		
516-8	Other alveolar and parietoalveolar pneumopathy	M F		
740	Anencephalus and similar anomalies	M F	1 1	1 1	1 1	.	.	1 1	1 1	.	.		
741-0	Spina bifida with hydrocephalus	M F	1 1	1 1	.	1 1	1 1	.	.		
741-9	Spina bifida without mention of hydrocephalus	M F		
742-3	Congenital hydrocephalus.	M F	2 1	1 1	1 1	.	.	1 1	.	.	1 1	2 1	1 1	4 1		
Rem. of 742	Other congenital anomalies of nervous system	M F		

ABSTRACT 32 (continued). Northern Ireland: Infant mortality by cause, age and sex, 1995.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS						Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of infants born outside marriage		
			Under 1 day	1	2	3	4	5		6	1	2		3	1	2	3	4	5	6	7	8	9	10		11	No.	Rate per 10,000 live births outside marriage
743	Congenital anomalies of eye	M F
744	Congenital anomalies of ear, face and neck	M F
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	M F	2	1 .	1	1	1	2
746	Other congenital anomalies of heart	M F	12 6	. .	2 .	1 .	1 .	. 1	4 1	. 1	1 1	1 .	6 3	1 1	2 .	1 1	1 1	1	10 5	3 2	11 8	
747	Other congenital anomalies of circulatory system	M F	1 3	1 1	. 1	1 2	1 2 1	2 3	1 .	4 .	
748	Congenital anomalies of respiratory system	M F	5 2	3 2	1 .	. .	1 .	. .	5 2	5 2	4 2	1 .	4 .	
749	Cleft palate and cleft lip	M F
750	Other congenital anomalies of upper alimentary tract	M F
751	Other congenital anomalies of digestive system	M F	3	1 .	. .	1 .	1 1	1 .	1	2 .	1 .	4 .	
752	Congenital anomalies of genital organs	M F
753	Congenital anomalies of urinary system	M F	1 2	1 1 1	1 2	1 2	1 2
754	Certain congenital musculoskeletal deformities	M F
755	Other congenital anomalies of limbs	M F
756	Other congenital musculoskeletal anomalies.	M F	4 2	2 1	1	3 1	3 1	1 1	1	3 2	1 .	4 .	
757	Congenital anomalies of the integument	M F	1	1 .	. .	1	1
758	Chromosomal anomalies	M F	4 5	2 2	1 1	. .	3 3	1 .	3 4	1	1	3 4
759	Other and unspecified congenital anomalies.	M F	3 2	1 1	1 1	1 .	. 1	1 .	3 1	1	2 2
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	M F	1	1	1
761	Fetus or newborn affected by maternal complications of pregnancy	M F	1 2	1 2	1 2	1 2	1 2
762	Fetus or newborn affected by complications of placenta, cord and membranes	M F	2 3	2 3	2 3	2 3	2 3
763	Fetus or newborn affected by other complications of labour and delivery	M F
764	Slow fetal growth and fetal malnutrition	M F	1 .	1	1	1	1
765	Disorders relating to short gestation and unspecified low birthweight	M F	18 22	13 17	1 .	1 1	. 1	1 .	16 20	2 2	18 22	15 19	5 7	18 26	
766	Disorders relating to long gestation and high birthweight.	M F

ABSTRACT 32 (continued). Northern Ireland: Infant mortality by cause, age and sex, 1995.

Detailed List No.	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week	WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of infants born outside marriage	
			Under 1 day								1	2	3		1	2	3	4	5	6	7	8	9	10	11		No.	Rate per 10,000 live births outside marriage
				1	2	3	4	5	6																			
767	Birth trauma M F	1	1 .	. .	1	1	
768	Intrauterine hypoxia and birth asphyxia M F	3 2	2 2	. .	1	3 2	3 2	2 2	
769	Respiratory distress syndrome M F	7 4	4 3	4 3	2 1	1 .	. .	7 4	6 3	2 .	7 .	
770	Other respiratory conditions of fetus and newborn. M F	6 4	. 1	2 1	1 .	4 1	. 1	. .	. 1	4 3	. 1	1	1 .	. .	5 3	2 1	7 4	
771	Infections specific to the perinatal period M F	2 .	1	1	1 .	1	2	
772	Fetal and neonatal haemorrhage. M F	3 2	. .	1 .	. .	1 .	. 1	2 1	. .	1 .	. .	3 1	. 1	2 2	. 1	. 4	
773	Haemolytic disease of fetus or newborn, due to isoimmunization M F	
774	Other perinatal jaundice M F	
775	Endocrine and metabolic disturbances specific to the fetus and newborn M F	
776	Haematological disorders of fetus and newborn M F	
777	Perinatal disorders of digestive system M F	3 2 1 1	2	2 1	. 1	2 2	. 1	. 4	
778	Conditions involving the integument and temperature regulation of fetus and newborn M F	. 2	. 2 2 2 2	
779	Other and ill-defined conditions originating in the perinatal period M F	1 1	1 1	. 1	1 1	1 1	
798-0	Sudden infant death syndrome M F	5 1	1 .	2 .	. .	2	4 .	1 .	4 .	
Rem. of 001-999	All other causes M F	2 1 1	1 1	2 1	1 .	4 .	
EXTERNAL CAUSES																												
E904	Hunger, thirst, exposure, neglect M F
E911-E912	Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation M F	
E913	Accidental mechanical suffocation M F	
E967	Child battering and other maltreatment M F	
Rem. of E800-E999	Other violent deaths M F	1 1	1	

**ABSTRACT 33. Northern Ireland: Infant mortality by cause,
sex and month of registration, 1995.**

Detailed List No.	CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
	ALL CAUSES M	93	10	6	11	6	19	2	6	4	12	6	5	6
		76	3	9	10	5	7	8	2	6	16	3	6	1
009	Ill-defined intestinal diseases . . . M
	F
013	Tuberculosis of meninges and central nervous system M
	F
014	Tuberculosis of intestines, peritoneum and mesenteric glands . . . M
	F
010-012	Other tuberculosis M
015-018	F
032	Diphtheria M
	F
033	Whooping cough M
	F
034-1	Scarlet fever M
	F
036	Meningococcal infection . . . M	1	1
	F	1	1	.	.
045	Acute poliomyelitis M
	F
055	Measles M
	F
090-097	Syphilis M
	F
317-319	Mental retardation M
	F
320-322	Meningitis M
	F	1	.	.	.	1
466-0 & 490-491	Bronchitis M
	F
480-486	Pneumonia M	2	2
	F	1	.	.	1
487	Influenza M
	F
516-8	Other post-inflammatory pulmonary fibrosis M
	F
740	Anencephalus and similar anomalies . M	1	.	.	1
	F
741-0	Spina bifida with hydrocephalus . . M
	F	1	.	.	.	1
741-9	Spina bifida without mention of hydrocephalus M
	F
742-3	Congenital hydrocephalus M
	F	2	1	.	.	1	.
Rem. of 742	Other congenital anomalies of nervous system M
	F
743	Congenital anomalies of eye M
	F
744	Congenital anomalies of ear, face and neck M
	F
745	Bulbus cordis anomalies and anomalies of cardiac septal closure . . . M
	F	2	.	.	.	1	1
746	Other congenital anomalies of heart . M	12	2	.	2	.	2	.	1	.	1	1	.	3
	F	6	.	1	1	.	.	1	.	1	1	.	1	.
747	Other congenital anomalies of circulatory system M	1	.	.	1
	F	3	1	.	1	1	.	.	.
748	Congenital anomalies of respiratory system M	5	.	.	.	2	.	.	1	.	1	1	.	.
	F	2	1	1
749	Cleft palate and cleft lip M
	F
750	Other congenital anomalies of upper alimentary tract M
	F
751	Other congenital anomalies of digestive system M	3	.	1	.	.	1	.	.	.	1	.	.	.
	F
752	Congenital anomalies of genital organs . M
	F
753	Congenital anomalies of urinary system . M	1	.	1
	F	2	.	.	.	1	.	1
754	Certain congenital musculoskeletal deformities M
	F
755	Other congenital anomalies of limbs . . M
	F
756	Other congenital musculoskeletal anomalies M	4	2	1	1	.	.	.
	F	2	.	.	1	1	.	.	.
757	Congenital anomalies of the integument . M
	F	1	1

sex and month of registration, 1995.

EXTERNAL CAUSES

ABSTRACT 34. Northern Ireland: Marriages, births, still-births and deaths, by age, sex and cause, in each District Council Area 1995, together with the Census population 1991.

POPULATION, MARRIAGES, BIRTHS, STILL-BIRTHS AND DEATHS		Northern Ireland	Ardara	Belfast	Castlereagh	Down	Lisburn	North Down	Antrim	Ballymena	Ballymoney	Carrickfergus	Coleraine	Cookstown
Population Census 1991	M	769,071	31,527	130,820	28,946	28,835	48,653	34,284	22,135	27,830	12,022	15,871	24,369	15,503
	F	808,765	33,237	148,417	31,853	29,173	50,805	37,548	22,381	28,811	12,176	16,879	26,069	15,579
Marriages		8,576	322	1,562	197	318	470	411	260	299	137	167	292	158
Live births, total	M	12,385	436	2,017	426	497	822	457	385	397	185	246	371	232
	F	11,475	414	1,887	405	427	756	397	333	372	169	243	375	214
Live births outside marriage	M	2,857	85	772	55	103	187	111	83	74	22	56	99	33
	F	2,646	81	703	65	78	185	69	89	72	38	61	110	37
Still-births, total	M	75	2	9	2	4	6	5	2	1	1	2	4	2
	F	72	2	14	2	6	.	3	2	.	2	3	2	3
Still-births outside marriage	M	24	1	7	1	1	2	2	.	.	.	2	.	1
	F	18	.	7	1
Deaths, total	M	7,482	318	1,517	322	311	407	340	192	257	116	146	251	132
	F	7,828	333	1,720	334	326	450	432	167	277	125	172	261	112
Ages at death—	M	54	5	9	1	2	4	7	.	1	1	.	.	.
under 1 week	F	49	5	15	.	2	3	3	.	1	1	.	.	3
under 4 weeks	M	71	5	11	2	4	5	8	2	1	1	.	.	.
	F	60	5	19	.	2	4	3	.	3	1	.	1	3
4 weeks—11 months	M	22	1	7	3	1	1	.
	F	16	.	2	1	.	1	3	1	.	.	.	4	.
1 year—14 years	M	52	3	5	2	4	3	3	3	2	.	2	1	.
	F	37	.	10	1	.	1	2	1	1	.	2	.	.
15 years—44 years	M	453	19	112	9	14	25	16	13	20	3	9	15	6
	F	211	3	49	6	12	9	9	6	8	2	5	6	1
45 years—64 years	M	1,362	62	312	46	58	77	46	40	40	24	40	45	18
	F	889	39	192	24	26	54	27	17	28	14	24	28	11
65 years and over	M	5,522	228	1,070	260	230	297	267	134	194	88	95	189	108
	F	6,615	286	1,448	302	286	381	388	142	237	108	141	222	97
Deaths from—														
Infective and parasitic diseases		44	.	5	2	1	2	5	.	.	.	1	1	.
Neoplasms (a) Cancers*		3,491	158	766	157	130	214	171	74	107	60	76	129	49
(b) Other neoplasms		94	3	17	2	3	3	5	2	1	1	1	4	2
Endocrine, nutritional, metabolic diseases and immunity disorders		86	5	23	4	3	4	3	1	2	1	2	.	1
Diseases of blood and blood-forming organs		29	1	3	1	1	2	2	1	2
Mental disorders		78	3	30	3	4	4	2	3	1	.	.	2	1
Diseases of the nervous system and sense organs		224	9	50	19	9	16	10	6	13	3	3	5	2
Diseases of the circulatory system		6,929	298	1,385	274	262	367	338	168	261	114	152	248	126
Diseases of the respiratory system		2,656	92	583	148	153	154	152	63	91	33	53	80	41
Diseases of the digestive system		449	22	100	12	16	23	26	15	13	7	8	10	6
Diseases of the genitourinary system		251	13	38	8	7	16	14	2	10	11	5	2	4
Complications of pregnancy, childbirth and the puerperium
Diseases of the skin and subcutaneous tissue		37	3	9	1	2	.	5	1	1	2	.	1	.
Diseases of the musculo-skeletal system and connective tissue		40	1	6	3	5	1	2	.	1	1	.	4	.
Congenital anomalies		91	4	16	4	2	4	5	4	1	1	.	2	1
Certain conditions originating in the perinatal period		93	7	24	2	3	7	10	1	3	1	.	3	2
Symptoms, signs and ill-defined conditions		55	2	21	1	2	5	2	1	1	.	.	.	2
Injury and poisoning		663	30	161	15	34	35	20	18	28	6	17	20	5

ABSTRACT 34 (continued). Northern Ireland: Marriages, births, still-births¹ and deaths, by age, sex and cause, in each District Council Area 1995, together with the Census population 1991.

POPULATION, MARRIAGES, BIRTHS, STILL-BIRTHS AND DEATHS		Larne	Magherafelt	Moyle	Newtownabbey	Armagh	Banbridge	Craigavon	Dungannon	Newry & Mourne	Fermanagh	Lisavady	Derry	Omagh	Strabane
Population Census 1991	M	14,318	18,177	7,355	35,760	25,741	16,568	36,511	22,556	41,307	27,095	15,042	46,708	23,022	18,116
	F	15,101	18,116	7,434	38,275	26,076	16,914	38,475	22,872	41,636	26,938	14,525	48,663	22,787	18,025
Marriages		268	211	88	353	296	219	437	234	477	284	162	501	258	195
Live births, total	M	183	334	74	561	386	292	622	359	843	443	252	920	363	282
	F	174	325	84	488	331	251	556	363	745	409	239	891	359	268
Live births outside marriage	M	44	44	12	131	72	40	128	44	115	88	57	263	58	81
	F	43	39	20	112	45	28	109	43	101	64	52	267	59	76
Still-births, total	M	2	1	.	1	3	2	2	2	5	3	2	1	4	7
	F	.	2	.	3	3	.	1	4	4	4	2	5	4	1
Still-births outside marriage	M	1	1	.	.	.	1	1	.	.	3
	F	.	.	.	1	1	.	.	.	1	2	1	4	.	.
Deaths, total	M	147	141	81	328	228	159	336	221	339	308	127	416	192	150
	F	148	124	68	366	231	162	337	192	377	248	119	416	186	145
Ages at death—	M	.	1	.	4	2	.	2	3	3	2	1	1	2	3
under 1 week	F	1	1	1	1	.	.	1	2	2	1	3	3	.	.
under 4 weeks	M	.	1	.	4	2	1	3	3	4	3	1	4	2	4
	F	1	1	2	2	.	.	1	2	2	1	3	4	.	.
4 weeks—11 months	M	.	.	1	1	2	.	1	.	.	1	.	1	.	2
	F	.	.	1	1	1	1	.	.	.
1 year—14 years	M	1	2	2	.	2	1	1	.	3	4	1	6	1	1
	F	.	2	.	.	2	1	2	2	3	1	1	1	3	1
15 years—44 years	M	5	7	3	17	7	11	26	14	20	21	9	29	12	11
	F	2	2	2	9	5	2	13	5	17	8	6	16	4	4
45 years—64 years	M	30	24	14	58	37	22	67	23	54	45	25	89	30	36
	F	19	19	7	40	22	21	51	18	47	27	17	72	28	17
65 years and over	M	111	107	61	248	178	124	238	181	258	234	91	287	147	97
	F	126	100	56	315	202	138	270	165	307	210	91	323	151	123
Deaths from—															
Infective and parasitic diseases		1	.	1	5	3	.	1	.	4	4	.	6	1	1
Neoplasms (a) Cancers*		81	58	36	167	71	75	146	83	180	93	54	220	69	67
(b) Other neoplasms		3	4	1	2	2	3	5	6	4	4	.	6	5	5
Endocrine, nutritional, metabolic diseases and immunity disorders		1	3	1	3	3	.	6	3	1	4	3	6	2	1
Diseases of blood and blood-forming organs		1	1	1	1	2	.	2	.	2	.	.	3	2	1
Mental disorders		.	2	.	3	2	1	4	3	2	3	1	3	1	.
Diseases of the nervous system and sense organs		3	6	1	8	5	4	9	4	13	11	2	5	6	2
Diseases of the circulatory system		126	137	68	294	248	166	322	207	329	257	120	350	175	137
Diseases of the respiratory system		59	33	19	144	84	41	88	59	109	105	33	129	71	39
Diseases of the digestive system		4	7	5	25	10	8	25	15	18	16	7	23	15	13
Diseases of the genitourinary system		2	3	7	13	3	6	14	9	9	19	3	21	5	7
Complications of pregnancy, childbirth and the puerperium	
Diseases of the skin and subcutaneous tissue		.	1	.	2	2	.	1	3	3	.
Diseases of the musculo-skeletal system and connective tissue		1	.	1	3	1	.	2	2	1	1	.	4	.	.
Congenital anomalies		1	3	4	5	3	1	3	5	3	5	4	5	3	2
Certain conditions originating in the perinatal period		.	.	1	3	2	1	3	3	5	2	2	4	.	4
Symptoms, signs and ill-defined conditions		1	.	1	1	2	.	3	1	2	2	.	2	1	2
Injury and poisoning		11	7	2	15	16	15	39	13	34	30	17	42	19	14

ABSTRACT 35. Northern Ireland: Divorces*, by ground and class of decree, 1995.

CLASS OF DECREE	GROUNDS FOR DIVORCE							Nullity of marriage	Dissolution of marriage	All Decrees
	Adultery	Behaviour	Desertion	Non-cohabitation		Combination of grounds	All grounds of divorce			
				2 years and consent	5 years					
Husband	71	22	2	394	242	10	741	.	.	741
Wife	108	340	14	699	361	38	1,560	.	.	1,560
Both	1	1	.	.	1
TOTAL	179	362	16	1,093	603	49	2,302	.	.	2,302

*Includes nullities and dissolutions of marriage.

ABSTRACT 36. Northern Ireland: Divorces*, by method of celebration and duration of marriage, 1995.

DURATION OF MARRIAGE (Years)	All divorces	METHOD OF CELEBRATION OF MARRIAGE							
		Roman Catholic	Presbyterian	Church of Ireland	Methodist	Free Presbyterian	Church of England	Other denominations	Register Office
0
1
2	22	4	5	2	3	.	.	2	6
3	67	11	13	13	3	.	1	9	17
4	90	17	20	11	5	.	.	12	25
0- 4	179	32	38	26	11	.	1	23	48
5- 9	606	156	111	94	25	8	5	62	145
10-14	485	142	110	94	18	3	1	38	79
15-19	399	132	93	70	18	2	1	31	52
20-24	313	102	78	56	17	.	2	25	33
25-29	190	60	49	52	6	.	.	18	5
30 and over	130	36	40	27	10	.	.	9	8
TOTAL	2,302	660	519	419	105	13	10	206	370

*Includes nullities and dissolutions of marriage.

ABSTRACT 37. Northern Ireland: Divorces*, by age of husband and wife at marriage, 1995.

AGE OF WIFE AT MARRIAGE	All Ages	AGE OF HUSBAND AT MARRIAGE														
		Under 17	17	18	19	20	Under 21	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
Under 17	45	1	4	7	7	11	30	12	3
17	124	1	6	15	21	24	67	51	5	1
18	259	.	6	29	39	49	123	111	22	2	.	1
19	304	.	2	18	40	65	125	145	31	3
20	321	.	1	13	35	48	97	176	34	8	5	.	1	.	.	.
Under 21	1,053	2	19	82	142	197	442	495	95	14	5	1	1	.	.	.
21-24	815	.	.	7	22	61	90	459	225	28	8	1	2	2	.	.
25-29	283	.	.	1	2	6	9	65	131	56	13	7	1	.	1	.
30-34	83	.	1	1	.	1	3	14	19	20	12	11	3	1	.	.
35-39	34	7	10	10	3	2	2	.	.
40-44	18	2	7	5	4	.	.	.
45-49	6	1	1	2	1	.	1
50-54	7	2	1	2	2	.
55-59	3	1	1	1
60 and over
TOTAL	2,302	2	20	91	166	265	544	1,033	478	130	56	31	16	8	4	2

*Includes nullities and dissolutions of marriage.

ABSTRACT 38. Northern Ireland: Divorces*, by age of wife at marriage and duration of marriage, 1995.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT MARRIAGE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0
1
2	22	.	2	8	8	.	1	1	1	1	.	.
3	67	.	20	24	18	2	2	1
4	90	1	30	31	19	4	3	1	1	.	.	.
0- 4	179	1	52	63	45	6	6	3	2	1	.	.
5- 9	606	26	209	219	92	26	15	11	3	4	1	.
10-14	485	31	200	181	46	17	5	1	1	2	1	.
15-19	399	45	176	126	35	11	3	2	.	.	1	.
20-24	313	36	134	100	27	13	3
25-29	190	21	68	72	20	7	1	1
30 and over	130	9	45	54	18	3	1
TOTAL	2,302	169	884	815	283	83	34	18	6	7	3	.

*Includes nullities and dissolution of marriage.

ABSTRACT 39. Northern Ireland: Divorces*, by age of wife at divorce and duration of marriage, 1995.

DURATION OF MARRIAGE (Years)	All Ages	AGE OF WIFE AT DIVORCE										
		Under 18	18-20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
0
1
2	22	.	.	7	5	6	1	.	2	1	.	.
3	67	.	.	29	24	11	1	1	1	.	.	.
4	90	.	.	31	33	17	4	3	1	1	.	.
0- 4	179	.	.	67	62	34	6	4	4	2	.	.
5- 9	606	.	.	45	317	159	44	16	15	4	3	3
10-14	485	.	.	.	59	284	109	20	6	3	1	3
15-19	399	77	215	83	13	7	3	1
20-24	313	66	161	64	14	8	.
25-29	190	34	101	42	8	5
30 and over	130	9	44	42	35
TOTAL	2,302	.	.	112	438	554	440	318	212	116	65	47

*Includes nullities and dissolution of marriage.

ABSTRACT 40. Northern Ireland: Divorces*, by age of wife at marriage and number of children, 1995.

AGE OF WIFE AT MARRIAGE	Size of family	NUMBER OF CHILDREN BY AGE						Total number of children (All ages)	Number of divorces
		Children under 16 years				16-17 years	18 years and over		
		0-4	5-9	10-15	Under 16				
Under 21	0	161
	1	23	91	42	156	9	38	203	203
	2	60	225	252	537	58	163	758	379
	3	29	135	190	354	50	157	561	187
	4	2	53	109	164	28	120	312	78
	5+	5	27	70	102	25	129	256	45
	All sizes	119	531	663	1,313	170	607	2,090	1,053
21-24	0	200
	1	21	83	37	141	8	27	176	176
	2	33	139	145	317	28	119	464	232
	3	13	83	113	209	29	131	369	123
	4	6	42	64	112	19	73	204	51
	5+	1	20	56	77	18	101	196	33
	All sizes	74	367	415	856	102	451	1,409	815
25-29	0	103
	1	6	24	12	42	1	13	56	56
	2	17	47	25	89	4	41	134	67
	3	2	30	28	60	13	38	111	37
	4	1	10	21	32	5	23	60	15
	5+	2	3	8	13	2	12	27	5
	All sizes	28	114	94	236	25	127	388	283
30-34	0	30
	1	2	3	3	8	2	7	17	17
	2	.	6	9	15	2	15	32	16
	3	.	4	9	13	3	20	36	12
	4	.	.	6	6	3	19	28	7
	5+	.	.	1	1	.	8	9	1
	All sizes	2	13	28	43	10	69	122	83
35-39	0	23
	1	1	3	1	5	1	1	7	7
	2	.	.	1	1	1	4	6	3
	3	1	.	.	1	1	1	3	1
	4
	5+
	All sizes	2	3	2	7	3	6	16	34
40-44	0	12
	1	.	1	.	1	.	1	2	2
	2	.	.	1	1	1	2	4	2
	3	.	1	1	2	2	2	6	2
	4
	5+
	All sizes	.	2	2	4	3	5	12	18
45+	0	15
	1
	2	2	2	1
	3
	4
	5+
	All sizes	2	2	16
All ages	0	544
	1	53	205	95	353	21	87	461	461
	2	110	417	433	960	94	346	1,400	700
	3	45	253	341	639	98	349	1,086	362
	4	9	105	200	314	55	235	604	151
	5+	8	50	135	193	45	250	488	84
	All sizes	225	1,030	1,204	2,459	313	1,267	4,039	2,302

*Includes nullities and dissolution of marriage.